Panduan Pengguna

AWS Control Tower

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Control Tower: Panduan Pengguna

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Merek dagang dan tampilan dagang Amazon tidak boleh digunakan sehubungan dengan produk atau layanan apa pun yang bukan milik Amazon, dengan cara apa pun yang dapat menyebabkan kebingungan di antara para pelanggan, atau dengan cara apa pun yang menghina atau mendiskreditkan Amazon. Semua merek dagang lain yang tidak dimiliki oleh Amazon merupakan properti dari masing-masing pemilik, yang mungkin berafiliasi, terkait dengan, atau disponsori oleh Amazon, atau tidak.

Table of Contents

Apa itu AWS Control Tower? 1
Fitur 1
Bagaimana AWS Control Tower berinteraksi dengan layanan lain AWS 2
Apakah Anda Pengguna Pertama Kali AWS Control Tower? 3
Cara Kerjanya 3
Struktur AWS Control Tower Landing Zone 4
Apa yang terjadi ketika Anda mengatur landing zone 4
Apa saja akun bersama? 5
Bagaimana kontrol bekerja 6
Cara AWS Control Tower bekerja dengan StackSets 7
Terminologi 8
Harga 11
..... 11
Pengaturan 12
Mendaftar untuk AWS 12
Mendaftar untuk Akun AWS 12
Membuat pengguna administratif 13
..... 13
Langkah selanjutnya 14
Memulai 15
Panduan memulai cepat 15
Pemeriksaan pra-peluncuran 17
Pertimbangan untuk pelanggan AWS IAM Identity Center (IAM Identity Center) 18
Memulai dari konsol 19
Langkah 1: Buat alamat email akun bersama Anda 20
Harapan untuk konfigurasi landing zone 21
Langkah 2. Konfigurasikan dan luncurkan landing zone Anda 22
Langkah 3. Tinjau dan atur landing zone 30
Memulai menggunakan API 31
Harapan untuk konfigurasi landing zone dengan API 32
Langkah 1: Konfigurasikan landing zone 33
Langkah 2: Luncurkan landing zone 36
Identifikasi landing zone 40
Perbarui landing zone 40

Setel ulang landing zone untuk mengatasi drift ... 42
Nonaktifkan landing zone Anda ... 43
Contoh: Siapkan landing zone AWS Control Tower hanya dengan API ... 44
Meluncurkan landing zone menggunakan AWS CloudFormation ... 51
Langkah selanjutnya ... 57
Keterbatasan dan kuota ... 59
Batasan di AWS Control Tower ... 59
Keterbatasan kontrol ... 61
Batasan wilayah dan tumpukan ... 65
Praktik terbaik untuk administrator ... 66
Menjelaskan akses ke pengguna ... 66
Menjelaskan akses sumber daya ... 66
Menjelaskan kontrol preventif ... 67
Rencanakan landing zone Anda ... 68
Bandingkan fungsionalitas ... 69
Luncurkan AWS Control Tower di Organisasi yang Ada ... 70
Luncurkan AWS Control Tower di Organisasi Baru ... 71
Praktik terbaik: Siapkan landing AWS zone multi-akun ... 72
Sejajarkan dengan panduan AWS multi-akun ... 72
Pedoman untuk mengatur lingkungan yang dirancang dengan baik ... 73
Contoh AWS Control Tower dengan struktur OU multi-akun yang lengkap ... 76
Tentang Root ... 77
Kiat administratif untuk pengaturan landing zone ... 77
Rekomendasi untuk menyiapkan grup, peran, dan kebijakan ... 79
Panduan untuk membuat dan memodifikasi sumber daya AWS Control Tower ... 79
Kapan harus masuk sebagai pengguna root ... 81
AWS Organizations bimbingan ... 82
Panduan Pusat Identitas IAM ... 84
Panduan Account Factory ... 86
Panduan untuk berlangganan Topik SNS ... 86
Panduan untuk kunci KMS ... 87
Manajemen pembaruan konfigurasi ... 88
Tentang Pembaruan ... 90
Perbarui Zona Pendaratan Anda ... 91
Pembaruan manual ... 91
Selesaikan drift dengan Perbaikan dan Registrasi Ulang ... 92

Menyediakan dan memperbarui akun menggunakan otomatisasi 92
Mengotomatiskan tugas 94
AWS CloudShell dan AWS CLI 96
Memperoleh izin IAM untuk AWS CloudShell 96
Berinteraksi dengan menggunakan AWS Control TowerAWS CloudShell 97
AWS CloudFormation sumber daya 100
AWS Control Tower dan AWS CloudFormation template 101
Pelajari lebih lanjut tentang AWS CloudFormation 101
Sesuaikan landing zone Anda 102
..... 102
Kustomisasi dari konsol AWS Control Tower 102
Mengotomatiskan penyesuaian di luar konsol AWS Control Tower 104
Manfaat Kustomisasi untuk AWS Control Tower (CFCT) 104
Contoh CfCT tambahan 105
Kustomisasi untuk ikhtisar AWS Control Tower (CFCT) 105
Arsitektur 106
Biaya 108
Layanan komponen 109
AWS CodeCommit 109
AWS CodePipeline 109
AWS Key Management Service 109
AWS Lambda 110
Amazon Simple Notification Service 110
Amazon Simple Storage Service 110
Amazon Simple Queue Service 110
AWS Step Functions 111
AWS Systems Manager Parameter Store 111
Pertimbangan deployment 111
Bersiaplah untuk penyebaran 111
Untuk memperbarui Kustomisasi untuk AWS Control Tower 113
Template dan kode sumber 113
Kode sumber 114
Menyebarkan CFCT 114
Prasyarat 114
Langkah-langkah penyebaran 114
Langkah 1. Luncurkan tumpukan 115

Langkah 2. Buat paket khusus 119
Perbarui tumpukan 119
Hapus set tumpukan 120
Siapkan Amazon S3 sebagai sumber konfigurasi 121
Metrik operasional 123
Panduan kustomisasi CFCT 124
Ikhtisar pipa kode 124
Tentukan konfigurasi kustom 126
Akar OU 133
OU bersarang 134
Bangun kustomisasi Anda sendiri 135
Peningkatan versi manifes 143
Jaringan 146
VPC dan AWS Wilayah di AWS Control Tower 146
Ikhtisar AWS Control Tower dan VPC 147
..... 147
CIDR dan Peering untuk VPC dan AWS Control Tower 148
Peran dan izin 151
Peran dan akun 152
Peran dan pembuatan akun 152
AWSControlTowerExecution peran 152
Kondisi opsional untuk hubungan kepercayaan peran Anda 154
AWS Control Tower ConfigRecorderRole 156
Bagaimana AWS Control Tower menggabungkan AWS Config aturan dalam OU dan akun yang tidak dikelola 158
Peran terprogram dan hubungan kepercayaan untuk akun audit AWS Control Tower 160
Penyediaan Akun Otomatis Dengan Peran IAM 164
Kelola sumber daya 166
Konfigurasikan Wilayah 167
Konfigurasikan Wilayah AWS Control Tower 168
Hindari tata kelola campuran saat mengonfigurasi Wilayah 170
Tentang Wilayah keikutsertaan 172
Konfigurasikan wilayah tolak kontrol 175
Pertimbangan untuk Wilayah Tingkat OU menolak kontrol 176
Akun 177
Metode penyediaan 177

Apa yang terjadi ketika AWS Control Tower membuat akun 178
Izin diperlukan 179
..... 180
Tentang akun 180
Pertimbangan untuk membawa akun keamanan atau pencatatan yang ada 181
Lihat akun Anda 181
Sumber daya akun bersama 182
Tentang akun bersama 193
Tentang akun anggota 195
Daftarkan yang sudah ada Akun AWS 196
Apa yang terjadi selama pendaftaran akun 197
Mendaftarkan akun yang ada dengan VPC 198
Prasyarat untuk pendaftaran 199
Mendaftarkan akun 200
Bagaimana jika akun tidak memenuhi prasyarat? 203
Contoh perintah AWS Config CLI untuk status sumber daya 205
Tambahkan peran IAM yang diperlukan secara manual ke yang sudah ada Akun AWS dan daftarkan 206
Pendaftaran akun otomatis AWS Organizations 208
Daftarkan akun yang memiliki sumber daya yang ada AWS Config 209
Langkah 1: Hubungi dukungan pelanggan dengan tiket, untuk menambahkan akun ke daftar izin AWS Control Tower 211
Langkah 2: Buat peran IAM baru di akun anggota 212
Langkah 3: Identifikasi AWS Daerah dengan sumber daya yang sudah ada sebelumnya 213
Langkah 4: Identifikasi AWS Daerah tanpa AWS Config sumber daya apa pun 213
Langkah 5: Ubah sumber daya yang ada di setiap AWS Wilayah 213
Langkah 5a. AWS Config sumber daya perekam 213
Langkah 5b. Memodifikasi sumber daya saluran AWS Config pengiriman 214
Langkah 5c. Memodifikasi AWS Config sumber daya otorisasi agregasi 215
Langkah 6: Buat sumber daya yang tidak ada, di Wilayah yang diatur oleh AWS Control Tower 215
Langkah 7: Daftarkan OU dengan AWS Control Tower 217
Account Factory 217
Izin 217
Membuat dan menyediakan akun 218
Pertimbangan akun 219

Perbarui dan pindahkan akun ... 220
Mengubah alamat email dari akun terdaftar ... 222
Mengubah nama akun terdaftar ... 223
Konfigurasikan pengaturan Amazon VPC ... 223
Batalkan kelola akun ... 225
Tutup akun ... 227
Sumber daya Account Factory ... 228
Kustomisasi Account Factory (AFC) ... 230
Siapkan untuk kustomisasi ... 232
Buat akun yang disesuaikan dari cetak biru ... 238
Daftarkan dan sesuaikan akun ... 239
Menambahkan cetak biru ke akun AWS Control Tower ... 240
Perbarui cetak biru ... 240
Menghapus cetak biru dari akun ... 241
Cetak biru mitra ... 242
Pertimbangan untuk Kustomisasi Account Factory (AFC) ... 242
Jika terjadi kesalahan cetak biru ... 243
Menyesuaikan dokumen kebijakan Anda untuk cetak biru AFC berdasarkan CloudFormation ... 244
Izin tambahan diperlukan untuk membuat produk Service Catalog berbasis Terraform ... 246
AWS Control Tower Account Factory untuk Terraform (AFT) ... 247
Prasyarat ... 247
Menyediakan akun baru ... 248
Beberapa permintaan akun ... 249
Perbarui akun yang ada ... 249
Menyebarkan AFT ... 250
Ikhtisar AFT ... 255
Versi yang didukung ... 258
Aktifkan opsi fitur ... 262
Sumber daya untuk AFT ... 264
Peran yang dibutuhkan ... 269
Layanan komponen ... 272
Pipa penyediaan akun AFT ... 274
Kustomisasi akun ... 277
VCS Alternatif ... 283
Perlindungan data ... 285

Hapus akun ... 286
Metrik operasional ... 288
Panduan pemecahan masalah ... 289
Melayang ... 293
Mendeteksi drift ... 293
Menyelesaikan drift ... 295
Pertimbangan tentang pemindaian drift dan SCP ... 295
Jenis drift untuk segera diperbaiki ... 297
Perubahan sumber daya yang dapat diperbaiki ... 297
Drift dan Penyediaan Akun Baru ... 298
Jenis Drift Tata Kelola ... 298
Akun Anggota yang Dipindahkan ... 299
Akun Anggota yang Dihapus ... 301
Pembaruan Tidak Direncanakan ke SCP Terkelola ... 302
SCP Terlampir ke OU Terkelola ... 303
SCP Terpisah dari OU Terkelola ... 304
SCP Terlampir pada Akun Anggota ... 305
Dihapus Foundational OU ... 306
Drift kontrol Security Hub ... 307
Akses tepercaya dinonaktifkan ... 308
Jika Anda mengelola sumber daya di luar AWS Control Tower ... 309
Mengacu pada sumber daya di luar AWS Control Tower ... 310
Mengubah nama sumber daya AWS Control Tower secara eksternal ... 310
Menghapus Keamanan OU ... 311
Menghapus akun dari Security OU ... 312
Perubahan eksternal yang diperbarui secara otomatis ... 314
Tag untuk kontrol yang diaktifkan ... 316
Organizations ... 319
Panduan Video ... 320
... 320
Memperluas tata kelola ke organisasi yang ada ... 320
Video: Aktifkan Zona Pendaratan yang ada AWS Organizations ... 321
Pertimbangan untuk IAM Identity Center dan organisasi yang ada ... 322
Akses ke AWS layanan lain ... 322
OU bersarang ... 322
Panduan Video ... 322

Perluas dari struktur OU datar ke struktur OU bersarang 323
Pra-cek pendaftaran OU bersarang 323
OU dan peran bersarang 324
Apa yang terjadi selama pendaftaran dan pendaftaran ulang OU dan akun bersarang 324
Pertimbangan untuk pendaftaran OU bersarang 325
Keterbatasan OU bersarang 325
OU bersarang dan kepatuhan 325
OU bersarang dan drift 326
OU dan kontrol bersarang 326
OU bersarang dan akarnya 328
Daftarkan OU untuk mendaftarkan beberapa akun 328
Daftarkan OU yang ada 330
Buat OU baru 331
Penyebab umum kegagalan saat pendaftaran atau pendaftaran ulang 332
Perbarui organisasi 334
Kapan harus memperbarui OU dan akun 335
Perbarui beberapa akun dalam satu OU 335
Apa yang terjadi selama pendaftaran ulang 335
Perbarui satu akun 336
Panduan referensi kontrol 337
..... 337
Kontrol perilaku dan bimbingan 337
Pertimbangan untuk kontrol dan OU 339
Pengecualian untuk kontrol untuk akun manajemen 340
Pertimbangan untuk kontrol dan akun 340
Lihat detail kontrol 341
Daftar tujuan pengendalian 342
Pengidentifikasi sumber daya untuk API dan kontrol 343
..... 344
..... 345
..... 345
Kontrol yang tidak dapat diubah dengan AWS Control Tower API 346
Temukan pengidentifikasi untuk OU 347
Contoh API kontrol 347
EnableControl 348
DisableControl 349

GetControlOperation ... 349
GetEnabledControl ... 350
ListEnabledControls ... 351
ListTagsForResource ... 353
TagResource ... 353
UntagResource ... 354
UpdateEnabledControl ... 354
Lihat parameter ... 355
Aktifkan kontrol dengan AWS CloudFormation ... 356
Buat tumpukan melalui AWS CloudFormation ... 356
Buat tumpukan melalui AWS CloudFormation dan AWS CLI ... 357
Konfigurasikan kontrol dengan AWS CloudFormation ... 358
Aktifkan kontrol pada OU dari konsol ... 360
Penerapan bersamaan untuk kontrol opsional ... 361
Kontrol dan kepatuhan ... 362
Bagaimana administrator dapat meninjau kepatuhan? ... 364
Status kepatuhan di konsol ... 366
Pencegahan dan pemberitahuan drift ... 368
Pemberitahuan kepatuhan oleh SNS dan email ... 370
Mengontrol pengelompokan perpustakaan ... 372
Kontrol wajib ... 372
Kontrol proaktif ... 393
Standar Security Hub ... 2299
Kontrol kedaulatan digital ... 2303
Kontrol opsional ... 2352
Layanan terintegrasi ... 2377
AWS CloudFormation ... 2377
CloudTrail ... 2378
CloudWatch ... 2378
AWS Config ... 2378
AWS Identity and Access Management ... 2379
AWS Key Management Service ... 2379
AWS Lambda ... 2380
AWS Organizations ... 2380
Pertimbangan ... 2381
Amazon S3 ... 2381

Security Hub 2381
AWS Service Catalog 2381
Transisi ke jenis produk eksternal 2382
Amazon SNS 2383
Step Functions 2384
Pengelolaan identitas dan akses 2385
Autentikasi 2385
Kontrol akses 2387
Pusat Identitas IAM dan AWS Control Tower 2388
..... 2388
Grup pengguna, peran, dan set izin 2389
Hal yang perlu diketahui tentang akun IAM Identity Center dan AWS Control Tower 2390
Grup Pusat Identitas IAM untuk AWS Control Tower 2390
Ikhtisar mengelola akses sumber daya dengan IAM 2394
Sumber daya dan operasi AWS Control Tower 2395
Tentang kepemilikan sumber daya 2395
Kelola akses ke sumber daya 2395
Tentukan elemen kebijakan: Tindakan, Efek, dan Prinsip 2406
Menentukan kondisi dalam kebijakan 2406
Mencegah serangan wakil yang membingungkan 2407
Kebijakan IAM untuk AWS Control Tower 2407
Izin yang Diperlukan untuk Menggunakan AWS Control Tower Console 2408
AWSControlTowerAdmin peran 2408
AWSControlTowerServiceRolePolicy 2409
AWSControlTowerStackSetRole 2415
AWSControlTowerCloudTrailRole 2416
AWSControlTowerBlueprintAccess persyaratan peran 2417
AWSServiceRoleForAWSControlTower 2418
AWSControlTowerAccountServiceRolePolicy 2418
Kebijakan terkelola untuk AWS Control Tower 2420
Keamanan 2426
Perlindungan Data 2426
Enkripsi saat Data Tidak Berpindah 2428
Enkripsi Saat Data Berpindah 2428
Batasi Akses ke Konten 2428
Validasi Kepatuhan 2429

Ketangguhan ... 2429
Keamanan Infrastruktur ... 2430
Pencatatan dan pemantauan ... 2431
Tentang masuk ke AWS Control Tower ... 2432
Kebijakan bucket S3 ... 2433
Ikhtisar pemantauan ... 2435
Mencatat Tindakan AWS Control Tower dengan AWS CloudTrail ... 2436
Informasi AWS Control Tower di CloudTrail ... 2436
Contoh: Entri File Log AWS Control Tower ... 2438
Pantau perubahan sumber daya dengan AWS Config ... 2440
Kelola biaya Config ... 2441
Melihat data AWS Config perekam pada akun terdaftar ... 2442
Pemecahan Masalah AWS Config di AWS Control Tower ... 2443
Acara Siklus Hidup ... 2444
`CreateManagedAccount` ... 2447
`UpdateManagedAccount` ... 2449
`EnableGuardrail` ... 2450
`DisableGuardrail` ... 2451
`SetupLandingZone` ... 2453
`UpdateLandingZone` ... 2454
`RegisterOrganizationalUnit` ... 2456
`DeregisterOrganizationalUnit` ... 2458
`PrecheckOrganizationalUnit` ... 2459
Notifikasi pengguna ... 2461
Panduan ... 2464
Panduan: Pindah dari ALZ ke AWS Control Tower ... 2464
Panduan: Mengotomatiskan Penyediaan Akun di AWS Control Tower oleh Service Catalog API ... 2465
Contoh masukan penyediaan untuk Service Catalog API ... 2467
Panduan Video ... 2468
Panduan: Konfigurasikan AWS Control Tower Tanpa VPC ... 2468
Hapus AWS Control Tower VPC ... 2469
Membuat Akun di AWS Control Tower Tanpa VPC ... 2470
Panduan: Mengatur Grup Keamanan di AWS Control Tower Dengan AWS Firewall Manager 2471
Mengatur Grup Keamanan Dengan AWS Firewall Manager ... 2471
Panduan: Menonaktifkan Zona Pendaratan AWS Control Tower ... 2472

Ikhtisar proses penonaktifan 2473
Sumber daya tidak dihapus selama penonaktifan 2474
Cara menonaktifkan landing zone 2484
..... 2485
Pengaturan setelah menonaktifkan landing zone 2486
Memecahkan masalah 2488
Peluncuran Zona Pendaratan Gagal 2488
Kesalahan zona pendaratan tidak mutakhir 2489
Penyediaan Akun Baru Gagal 2489
Gagal Mendaftarkan Akun yang Ada 2490
Tidak Dapat Memperbarui Akun Akun Factory 2491
Tidak Dapat Memperbarui Zona Pendaratan 2492
Kesalahan Kegagalan yang Menyebutkan AWS Config 2494
Tidak Ada Jalur Peluncuran Ditemukan Kesalahan 2495
Menerima Kesalahan Izin Tidak Cukup 2496
Kontrol Detektif tidak berlaku pada akun 2496
Nilai terlampaui kesalahan yang dikembalikan oleh API AWS Organizations 2497
Gagal memindahkan akun Account Factory langsung dari satu landing zone AWS Control Tower ke landing zone AWS Control Tower lainnya 2498
AWS Support 2500
Garis dasar 2501
Pendaftaran sebagian akun 2503
Variasi dalam operasi antara konsol AWS Control Tower dan API untuk baseline 2503
Garis dasar dan default versi 2504
AWSControlTowerBaseline meja 2504
Contoh: Mendaftarkan AWS Control Tower OU hanya dengan API 2508
Contoh API dasar 2510
`DisableBaseline` 2510
`EnableBaseline` 2511
`GetBaseline` 2513
`GetBaselineOperation` 2513
`GetEnabledBaseline` 2514
`ListBaselines` 2515
`ListEnabledBaselines` 2516
`ResetEnabledBaseline` 2519
`UpdateEnabledBaseline` 2519

Informasi terkait ... 2521
Tutorial dan lab ... 2521
Jaringan ... 146
Keamanan, identitas, dan pencatatan ... 2522
Menyebarkan sumber daya dan mengelola beban kerja ... 2523
Bekerja dengan organisasi dan akun yang ada ... 2523
Otomatisasi dan integrasi ... 2523
Memigrasi beban kerja ... 2524
Layanan AWS terkait ... 2524
AWS Marketplace solusi ... 2525
Catatan rilis ... 2526
Januari 2024 - Sekarang ... 2526
AWS Control Tower memperbarui dan mengganti nama dua kontrol proaktif ... 2526
Kontrol usang tidak lagi tersedia ... 2527
AWS Control Tower mendukung `EnabledControl` sumber daya penandaan di AWS CloudFormation ... 2528
AWS Control Tower mendukung API untuk pendaftaran dan konfigurasi OU dengan baseline ... 2528
Januari 2023 - Sekarang ... 2530
Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 3) ... 2531
AWS Control Tower landing zone versi 3.3 ... 2531
Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 2) ... 2532
AWS Control Tower mengumumkan kontrol untuk membantu kedaulatan digital ... 2532
AWS Control Tower mendukung API landing zone ... 2538
AWS Control Tower mendukung penandaan untuk kontrol yang diaktifkan ... 2539
AWS Control Tower tersedia di Wilayah Asia Pasifik (Melbourne) ... 2539
Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 1) ... 2540
API kontrol baru tersedia ... 2540
AWS Control Tower menambahkan kontrol tambahan ... 2541
Jenis drift baru dilaporkan: akses tepercaya dinonaktifkan ... 2544
Empat tambahan Wilayah AWS ... 2544
AWS Control Tower tersedia di Wilayah Tel Aviv ... 2544
AWS Control Tower meluncurkan 28 kontrol proaktif baru ... 2545
AWS Control Tower menghentikan dua kontrol ... 2547
AWS Control Tower landing zone versi 3.2 ... 2548
AWS Control Tower menangani akun berdasarkan ID ... 2549

Kontrol detektif Security Hub tambahan tersedia di pustaka kontrol AWS Control Tower 2550
AWS Control Tower menerbitkan tabel metadata kontrol 2551
Dukungan Terraform untuk Kustomisasi Account Factory 2551
AWS Manajemen mandiri IAM Identity Center tersedia untuk landing zone 2552
AWS Control Tower menangani tata kelola campuran untuk OU 2552
Tersedia kontrol proaktif tambahan 2553
Kontrol proaktif Amazon EC2 yang diperbarui 2555
Tujuh tambahan Wilayah AWS tersedia 2556
Account Factory untuk penelusuran permintaan kustomisasi akun Terraform (AFT) 2557
AWS Control Tower landing zone versi 3.1 2557
Kontrol proaktif umumnya tersedia 2559
Januari - Desember 2022 2559
Operasi akun bersamaan 2560
Kustomisasi Account Factory (AFC) 2560
Kontrol komprehensif membantu dalam penyediaan dan manajemen AWS sumber daya .. 2561
Status kepatuhan dapat dilihat untuk semua AWS Config aturan 2561
API untuk kontrol dan sumber AWS CloudFormation daya baru 2562
CFCT mendukung penghapusan set tumpukan 2563
Retensi log yang disesuaikan 2563
Perbaikan drift peran tersedia 2564
AWS Control Tower landing zone versi 3.0 2564
Halaman Organisasi menggabungkan tampilan OU dan akun 2568
Mendaftar dan memperbarui akun anggota individu yang lebih mudah 2568
AFT mendukung kustomisasi otomatis untuk akun AWS Control Tower bersama 2569
Operasi bersamaan untuk semua kontrol opsional 2569
Akun keamanan dan pencatatan yang ada 2570
AWS Control Tower landing zone versi 2.9 2571
AWS Control Tower landing zone versi 2.8 2571
Januari - Desember 2021 2572
Wilayah menolak kemampuan 2573
Fitur residensi data 2573
AWS Control Tower memperkenalkan penyediaan dan penyesuaian akun Terraform 2574
Acara siklus hidup baru tersedia 2575
AWS Control Tower memungkinkan OU bersarang 2575
Konkurensi kontrol detektif 2576
Dua Wilayah baru tersedia 2576

Pencabutan wilayah ... 2577
AWS Control Tower bekerja dengan Sistem Manajemen AWS Utama ... 2577
Kontrol berganti nama, fungsionalitas tidak berubah ... 2578
AWS Control Tower memindai SCP setiap hari untuk memeriksa drift ... 2578
Nama yang disesuaikan untuk OU dan akun ... 2579
AWS Control Tower landing zone versi 2.7 ... 2579
Tiga AWS Wilayah baru tersedia ... 2581
Mengatur Wilayah yang dipilih saja ... 2581
AWS Control Tower sekarang memperluas tata kelola ke OU yang ada di organisasi Anda AWS ... 2582
AWS Control Tower menyediakan pembaruan akun massal ... 2582
Januari - Desember 2020 ... 2583
Konsol AWS Control Tower sekarang terhubung ke aturan AWS Config eksternal ... 2583
AWS Control Tower sekarang tersedia di Wilayah tambahan ... 2584
Pembaruan pagar pembatas ... 2585
Konsol AWS Control Tower menampilkan detail lebih lanjut tentang OU dan akun ... 2585
Gunakan AWS Control Tower untuk menyiapkan AWS lingkungan multi-akun baru di AWS Organizations ... 2585
Kustomisasi untuk solusi AWS Control Tower ... 2586
Ketersediaan umum AWS Control Tower versi 2.3 ... 2587
Penyediaan akun satu langkah di AWS Control Tower ... 2587
Alat penonaktifan AWS Control Tower ... 2588
Pemberitahuan acara siklus hidup AWS Control Tower ... 2589
Januari - Desember 2019 ... 2589
Ketersediaan umum AWS Control Tower versi 2.2 ... 2589
Kontrol elektif baru di AWS Control Tower ... 2590
Kontrol detektif baru di AWS Control Tower ... 2591
AWS Control Tower menerima alamat email untuk akun bersama dengan domain berbeda dari akun manajemen ... 2591
Ketersediaan umum AWS Control Tower versi 2.1 ... 2591
Riwayat dokumen ... 2593
Kontrol tabel ketersediaan berdasarkan Wilayah ... 2610
af-south-1 ... 2610
ap-east-1 ... 2691
ap-northeast-1 ... 2770
ap-northeast-2 ... 2898

ap-northeast-3 3032
ap-south-1 3108
ap-south-2 3237
ap-southeast-1 3313
ap-southeast-2 3442
ap-southeast-3 3570
ap-southeast-4 3646
ca-central-1 3722
eu-central-1 3846
eu-central-2 3974
eu-north-1 4050
eu-south-1 4174
eu-south-2 4251
eu-west-1 4325
eu-west-2 4454
eu-west-3 4581
il-central-1 4715
me-central-1 4790
me-south-1 4866
sa-east-1 4945
us-east-1 5073
us-east-2 5203
us-west-1 5331
us-west-2 5459
Kontrol tabel metadata 5587
AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED 5587
AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED 5596
AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG 5605
AWS-GR_AUDIT_BUCKET_RETENTION_POLICY 5616
AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED 5625
AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS 5634
AWS-GR_DISALLOW_CROSS_REGION_NETWORKING 5645
AWS-GR_DISALLOW_VPC_INTERNET_ACCESS 5654
AWS-GR_DISALLOW_VPN_CONNECTIONS 5663
AWS-GR_DMS_REPLICATION_NOT_PUBLIC 5672
AWS-GR_EBS_OPTIMIZED_INSTANCE 5678

AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA 5686
AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP 5696
AWS-GR_EC2_VOLUME_INUSE_PERIKSA 5704
AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS 5713
AWS-GR_ELASTICSEARCH_IN_VPC_ONLY 5718
AWS-GR_EMR_MASTER_NO_PUBLIC_IP 5725
AWS-GR_ENCRYPTED_VOLUMES 5731
AWS-GR_IAM_USER_MFA_ENABLED 5738
AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG 5744
AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS 5754
AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW 5762
AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK 5770
AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG 5778
AWS-GR_RDS_STORAGE_ENCRYPTED 5786
AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK 5794
AWS-GR_WILAYAH_DENY 5802
AWS-GR_RESTRICTED_COMMON_PORTS 5810
AWS-GR_RESTRICTED_SSH 5816
AWS-GR_RESTRICT_ROOT_USER 5821
AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS 5829
AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI 5839
AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA 5848
AWS-GR_ROOT_ACCOUNT_MFA_ENABLED 5858
AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK 5866
AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG 5875
AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG 5885
AWS-GR_S3_VERSIONING_ENABLED 5894
AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS 5903
AWS-GR_SSM_DOCUMENT_NOT_PUBLIC 5910
AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED 5918
CT.ACM.PR.1 5927
CT.APIGATEWAY.PR.1 5934
CT.APIGATEWAY.PR.2 5941
CT.APIGATEWAY.PR.3 5948
CT.APIGATEWAY.PR.4 5954
CT.APIGATEWAY.PR.5 5961

CT.APIGATEWAY.PR.6 5968
CT.APPSYNC.PR.1 5975
CT.APPSYNC.PR.2 5981
CT.APPSYNC.PR.3 5988
CT.APPSYNC.PR.4 5995
CT.APPSYNC.PR.5 6002
CT.APPSYNC.PV.1 6008
CT.ATHENA.PR.2 6015
CT.AUTOSCALING.PR.1 6022
CT.AUTOSCALING.PR.10 6029
CT.AUTOSCALING.PR.11 6035
CT.AUTOSCALING.PR.2 6042
CT.AUTOSCALING.PR.4 6049
CT.AUTOSCALING.PR.5 6056
CT.AUTOSCALING.PR.6 6062
CT.AUTOSCALING.PR.8 6069
CT.AUTOSCALING.PR.9 6076
CT.CLOUDFORMATION.PR.1 6083
CT.CLOUDFRONT.PR.1 6089
CT.CLOUDFRONT.PR.10 6096
CT.CLOUDFRONT.PR.11 6103
CT.CLOUDFRONT.PR.2 6110
CT.CLOUDFRONT.PR.3 6116
CT.CLOUDFRONT.PR.4 6123
CT.CLOUDFRONT.PR.5 6130
CT.CLOUDFRONT.PR.6 6137
CT.CLOUDFRONT.PR.7 6143
CT.CLOUDFRONT.PR.8 6150
CT.CLOUDFRONT.PR.9 6157
CT.CLOUDTRAIL.PR.1 6164
CT.CLOUDTRAIL.PR.2 6170
CT.CLOUDTRAIL.PR.3 6177
CT.CLOUDTRAIL.PR.4 6184
CT.CLOUDWATCH.PR.1 6191
CT.CLOUDWATCH.PR.2 6197
CT.CLOUDWATCH.PR.3 6204

CT.CLOUDWATCH.PR.4 6211
CT.CODEBUILD.PR.1 6218
CT.CODEBUILD.PR.2 6224
CT.CODEBUILD.PR.3 6231
CT.CODEBUILD.PR.5 6238
CT.CODEBUILD.PR.6 6245
CT.DAX.PR.1 6251
CT.DAX.PR.2 6258
CT.DAX.PR.3 6265
CT.DMS.PR.1 6271
CT.DMS.PR.2 6278
CT.DOCUMENTDB.PR.1 6285
CT.DOCUMENTDB.PR.2 6292
CT.DYNAMODB.PR.1 6298
CT.DYNAMODB.PR.2 6305
CT.EC2.PR.1 6312
CT.EC2.PR.10 6319
CT.EC2.PR.11 6325
CT.EC2.PR.12 6332
CT.EC2.PR.13 6339
CT.EC2.PR.14 6346
CT.EC2.PR.15 6352
CT.EC2.PR.16 6359
CT.EC2.PR.17 6366
CT.EC2.PR.18 6373
CT.EC2.PR.19 6379
CT.EC2.PR.2 6386
CT.EC2.PR.20 6393
CT.EC2.PR.3 6400
CT.EC2.PR.4 6406
CT.EC2.PR.5 6413
CT.EC2.PR.6 6420
CT.EC2.PR.7 6427
CT.EC2.PR.8 6433
CT.EC2.PR.9 6440
CT.EC2.PV.1 6447

CT.EC2.PV.2 6454
CT.EC2.PV.3 6460
CT.EC2.PV.4 6467
CT.EC2.PV.5 6474
CT.EC2.PV.6 6481
CT.ECR.PR.1 6487
CT.ECR.PR.2 6494
CT.ECR.PR.3 6501
CT.ECS.PR.1 6508
CT.ECS.PR.10 6514
CT.ECS.PR.11 6521
CT.ECS.PR.12 6528
CT.ECS.PR.2 6535
CT.ECS.PR.3 6541
CT.ECS.PR.4 6548
CT.ECS.PR.5 6555
CT.ECS.PR.6 6562
CT.ECS.PR.7 6568
CT.ECS.PR.8 6575
CT.ECS.PR.9 6582
CT.EKS.PR.1 6589
CT.EKS.PR.2 6595
CT.ELASTICACHE.PR.1 6602
CT.ELASTICACHE.PR.2 6609
CT.ELASTICACHE.PR.3 6616
CT.ELASTICACHE.PR.4 6622
CT.ELASTICACHE.PR.5 6629
CT.ELASTICACHE.PR.6 6636
CT.ELASTICACHE.PR.7 6643
CT.ELASTICACHE.PR.8 6649
CT.ELASTICBEANSTALK.PR.1 6656
CT.ELASTICBEANSTALK.PR.2 6663
CT.ELASTICBEANSTALK.PR.3 6670
CT.ELASTICFILESYSYSTEM.PR.1 6676
CT.ELASTICFILESYSYSTEM.PR.2 6683
CT.ELASTICFILESYSYSTEM.PR.3 6690

CT.ELASTICFILESYSYSTEM.PR.4 6697
CT.ELASTICLOADBALANCING.PR.1 6703
CT.ELASTICLOADBALANCING.PR.10 6710
CT.ELASTICLOADBALANCING.PR.11 6717
CT.ELASTICLOADBALANCING.PR.12 6724
CT.ELASTICLOADBALANCING.PR.13 6730
CT.ELASTICLOADBALANCING.PR.14 6737
CT.ELASTICLOADBALANCING.PR.15 6744
CT.ELASTICLOADBALANCING.PR.2 6751
CT.ELASTICLOADBALANCING.PR.3 6757
CT.ELASTICLOADBALANCING.PR.4 6764
CT.ELASTICLOADBALANCING.PR.5 6771
CT.ELASTICLOADBALANCING.PR.6 6778
CT.ELASTICLOADBALANCING.PR.7 6784
CT.ELASTICLOADBALANCING.PR.8 6791
CT.ELASTICLOADBALANCING.PR.9 6798
CT.EMR.PR.1 6805
CT.EMR.PR.2 6811
CT.EMR.PR.3 6818
CT.EMR.PR.4 6825
CT.GLUE.PR.1 6832
CT.GUARDDUTY.PR.1 6838
CT.IAM.PR.1 6845
CT.IAM.PR.2 6852
CT.IAM.PR.3 6859
CT.IAM.PR.4 6865
CT.IAM.PR.5 6872
CT.KINESIS.PR.1 6879
CT.KMS.PR.1 6886
CT.KMS.PR.2 6892
CT.KMS.PR.3 6899
CT.KMS.PV.1 6906
CT.KMS.PV.2 6913
CT.KMS.PV.3 6919
CT.KMS.PV.4 6926
CT.KMS.PV.5 6933

CT.KMS.PV.6 6940
CT.LAMBDA.PR.2 6946
CT.LAMBDA.PR.3 6953
CT.LAMBDA.PR.4 6960
CT.LAMBDA.PR.5 6967
CT.LAMBDA.PR.6 6973
CT.LAMBDA.PV.1 6980
CT.LAMBDA.PV.2 6987
CT.MQ.PR.1 6994
CT.MQ.PR.2 7000
CT.MSK.PR.1 7007
CT.MSK.PR.2 7014
CT.MULTISERVICE.PV.1 7021
CT.NEPTUNE.PR.1 7027
CT.NEPTUNE.PR.2 7034
CT.NEPTUNE.PR.3 7041
CT.NEPTUNE.PR.4 7048
CT.NEPTUNE.PR.5 7054
CT.NETWORK-FIREWALL.PR.1 7061
CT.NETWORK-FIREWALL.PR.2 7068
CT.NETWORK-FIREWALL.PR.3 7075
CT.NETWORK-FIREWALL.PR.4 7081
CT.NETWORK-FIREWALL.PR.5 7088
CT.OPENSEARCH.PR.1 7095
CT.OPENSEARCH.PR.10 7102
CT.OPENSEARCH.PR.11 7108
CT.OPENSEARCH.PR.12 7115
CT.OPENSEARCH.PR.13 7122
CT.OPENSEARCH.PR.14 7129
CT.OPENSEARCH.PR.15 7135
CT.OPENSEARCH.PR.16 7142
CT.OPENSEARCH.PR.2 7149
CT.OPENSEARCH.PR.3 7156
CT.OPENSEARCH.PR.4 7162
CT.OPENSEARCH.PR.5 7169
CT.OPENSEARCH.PR.6 7176

CT.OPENSEARCH.PR.7 7183
CT.OPENSEARCH.PR.8 7189
CT.OPENSEARCH.PR.9 7196
CT.RDS.PR.1 7203
CT.RDS.PR.10 7210
CT.RDS.PR.11 7216
CT.RDS.PR.12 7223
CT.RDS.PR.13 7230
CT.RDS.PR.14 7237
CT.RDS.PR.15 7243
CT.RDS.PR.16 7250
CT.RDS.PR.17 7257
CT.RDS.PR.18 7264
CT.RDS.PR.19 7270
CT.RDS.PR.2 7277
CT.RDS.PR.20 7284
CT.RDS.PR.21 7291
CT.RDS.PR.22 7297
CT.RDS.PR.23 7304
CT.RDS.PR.24 7311
CT.RDS.PR.25 7318
CT.RDS.PR.26 7324
CT.RDS.PR.27 7331
CT.RDS.PR.28 7338
CT.RDS.PR.29 7345
CT.RDS.PR.3 7351
CT.RDS.PR.30 7358
CT.RDS.PR.4 7365
CT.RDS.PR.5 7372
CT.RDS.PR.6 7378
CT.RDS.PR.7 7385
CT.RDS.PR.8 7392
CT.RDS.PR.9 7399
CT.REDSHIFT.PR.1 7405
CT.REDSHIFT.PR.2 7412
CT.REDSHIFT.PR.3 7419

CT.REDSHIFT.PR.4 7426
CT.REDSHIFT.PR.5 7432
CT.REDSHIFT.PR.6 7439
CT.REDSHIFT.PR.7 7446
CT.REDSHIFT.PR.8 7452
CT.REDSHIFT.PR.9 7459
CT.S3.PR.1 7466
CT.S3.PR.10 7473
CT.S3.PR.11 7479
CT.S3.PR.12 7486
CT.S3.PR.2 7493
CT.S3.PR.3 7500
CT.S3.PR.4 7506
CT.S3.PR.5 7513
CT.S3.PR.6 7520
CT.S3.PR.8 7527
CT.S3.PR.9 7533
CT.SAGEMAKER.PR.1 7540
CT.SAGEMAKER.PR.2 7547
CT.SAGEMAKER.PR.3 7554
CT.SQS.PR.1 7560
CT.SQS.PR.2 7567
CT.STEPFUNCTIONS.PR.1 7574
CT.STEPFUNCTIONS.PR.2 7581
CT.WAF-REGIONAL.PR.1 7587
CT.WAF-REGIONAL.PR.2 7594
CT.WAF.PR.1 7601
CT.WAF.PR.2 7608
CT.WAFV2.PR.1 7614
CT.WAFV2.PR.2 7621
SH.ACM.1 7628
SH.ACM.2 7632
Sh.apigateway.1 7636
Sh.apigateway.2 7640
Sh.apigateway.3 7644
Sh.apigateway.4 7648

Sh.apigateway.5 7652
Sh.apigateway.8 7656
Sh.apigateway.9 7660
SH.Account.1 7664
SH. AppSync.5 7668
SH. AutoScaling.1 7672
SH. AutoScaling.2 7676
SH. AutoScaling.3 7680
SH. AutoScaling.6 7684
SH. AutoScaling.9 7688
Sh.Autoscaling.5 7692
SH. CloudTrail.1 7696
SH. CloudTrail.2 7700
SH. CloudTrail.4 7704
SH. CloudTrail.5 7708
SH. CloudTrail.6 7712
SH. CodeBuild.1 7716
SH. CodeBuild.2 7720
SH. CodeBuild.3 7724
SH. CodeBuild.4 7728
SH.DMS.1 7732
ID.DMS.9 7736
SH.DocumentDB.3 7740
SH.DynamoDB.1 7744
SH.DynamoDB.2 7748
SH.DynamoDB.3 7752
SH.EC2.1 7756
SH.EC2.10 7760
SH.EC2.15 7764
SH.EC2.16 7768
SH.EC2.17 7772
SH.EC2.18 7776
SH.EC2.19 7780
SH.EC2.2 7784
SH.EC2.20 7788
SH.EC2.21 7792

SH.EC2.22 7796
SH.EC2.23 7800
SH.EC2.25 7804
ID.EC2.3 7808
SH.EC2.4 7812
SH.EC2.6 7816
SH.EC2.7 7820
SH.EC2.8 7824
SH.EC2.9 7828
SH.ECR.1 7832
SH.ECR.2 7836
SH.ECR.3 7840
SH.ECS.1 7844
SH.ECS.10 7848
SH.ECS.12 7852
SH.ECS.2 7856
SH.ECS.3 7860
SH.ECS.4 7864
SH.ECS.5 7868
SH.ECS.8 7872
SH.EFS.1 7876
SH.EFS.2 7880
SH.EFS.3 7884
SH.EFS.4 7888
SH.EKS.1 7892
SH.EKS.2 7896
SH.ELB.10 7900
SH.ELB.12 7904
SH.ELB.13 7908
SH.ELB.14 7912
SH.ELB.2 7916
SH.ELB.3 7920
SH.ELB.4 7924
SH.ELB.5 7928
SH.ELB.6 7932
SH.ELB.7 7936

SH.ELB.8 7940
SH.ELB.9 7944
Sh.elbv2.1 7948
SH.EMR.1 7952
SH.ES.1 7956
SH.ES.2 7960
SH.ES.3 7964
SH.ES.4 7968
SH.ES.5 7972
SH.ES.6 7976
SH.ES.7 7980
SH.ES.8 7984
SH. ElastiCache.3 7988
SH. ElastiCache.4 7992
SH. ElastiCache.5 7996
SH. ElastiCache.6 8000
SH. ElasticBeanstalk.1 8004
SH. ElasticBeanstalk.2 8008
SH. EventBridge.3 8012
SH. GuardDuty.1 8016
SH.IAM.1 8020
SH.IAM.2 8024
SH.IAM.21 8028
SH.IAM.3 8032
SH.IAM.4 8036
SH.IAM.5 8040
SH.IAM.6 8044
SH.IAM.7 8048
SH.IAM.8 8052
SH.KMS.1 8056
SH.KMS.2 8060
SH.KMS.3 8064
SH.KMS.4 8068
Sh.kinesis.1 8072
SH.Lambda.1 8076
SH.Lambda.2 8080

SH.Lambda.3 8084
SH.Lambda.5 8088
MQ.MQ.5 8092
MQ.MQ.6 8096
MSK.MSK.1 8100
Sh.Neptune.1 8104
Sh.Neptune.2 8108
Sh.Neptune.3 8112
Sh.Neptune.4 8116
Sh.Neptune.5 8120
Sh.Neptune.6 8124
Sh.Neptune.7 8128
Sh.Neptune.8 8132
SH. NetworkFirewall.3 8136
SH. NetworkFirewall.4 8140
SH. NetworkFirewall.5 8144
SH. NetworkFirewall.6 8148
SH.OpenSearch.1 8152
SH.OpenSearch.2 8156
SH.OpenSearch.3 8160
SH.OpenSearch.4 8164
SH.OpenSearch.5 8168
SH.OpenSearch.6 8172
SH.OpenSearch.7 8176
SH.OpenSearch.8 8180
SH.RDS.1 8184
SH.RDS.10 8188
SH.RDS.11 8192
SH.RDS.12 8196
SH.RDS.13 8200
SH.RDS.15 8204
SH.RDS.17 8208
SH.RDS.18 8212
SH.RDS.19 8216
SH.RDS.2 8220
SH.RDS.20 8224

SH.RDS.21 8228
SH.RDS.22 8232
SH.RDS.23 8236
SH.RDS.25 8240
RDS.27 8244
SH.RDS.3 8248
SH.RDS.4 8252
SH.RDS.5 8256
SH.RDS.6 8260
SH.RDS.8 8264
SH.RDS.9 8268
Sh.Redshift.1 8272
Sh.Redshift.10 8276
Sh.Redshift.2 8280
Sh.Redshift.4 8284
Sh.Redshift.6 8288
Sh.Redshift.7 8292
Sh.Redshift.8 8296
Sh.Redshift.9 8300
SH.S3.1 8304
SH.S3.10 8308
SH.S3.11 8312
SH.S3.12 8316
SH.S3.13 8320
SH.S3.17 8324
SH.S3.2 8328
SH.S3.3 8332
SH.S3.5 8336
SH.S3.6 8340
SH.S3.8 8344
SH.S3.9 8348
SH.SQS.1 8352
SSM.SSM.1 8356
SSM.SSM.2 8360
SSM.SSM.3 8364
SH.SSM.4 8368

SH. SageMaker.1 8372
SH. SageMaker.2 8376
SH. SageMaker.3 8380
SH. SecretsManager.1 8384
SH. SecretsManager.2 8388
SH. SecretsManager.3 8392
SH. SecretsManager.4 8396
SH.WAF.10 8400
SH.WAF.2 8404
SH.WAF.3 8408
SH.WAF.4 8412
AWS Glosarium 8416
..... 8417

Apa itu AWS Control Tower?

AWS Control Tower menawarkan cara mudah untuk mengatur dan mengatur lingkungan AWS multi-akun, mengikuti praktik terbaik preskriptif. AWS Control Tower mengatur kemampuan beberapa AWS layanan lain, termasuk,, dan AWS Organizations AWS Service Catalog AWS IAM Identity Center, untuk membangun landing zone dalam waktu kurang dari satu jam. Sumber daya diatur dan dikelola atas nama Anda.

Orkestrasi AWS Control Tower memperluas kemampuan. AWS OrganizationsUntuk membantu menjaga organisasi dan akun Anda dari penyimpangan, yang merupakan perbedaan dari praktik terbaik, AWS Control Tower menerapkan kontrol (terkadang disebut pagar pembatas). Misalnya, Anda dapat menggunakan kontrol untuk membantu memastikan bahwa log keamanan dan izin akses lintas akun yang diperlukan dibuat, dan tidak diubah.

Jika Anda menghosting lebih dari segelintir akun, ada baiknya memiliki lapisan orkestrasi yang memfasilitasi penyebaran akun dan tata kelola akun. Anda dapat mengadopsi AWS Control Tower sebagai cara utama Anda untuk menyediakan akun dan infrastruktur. Dengan AWS Control Tower, Anda dapat lebih mudah mematuhi standar perusahaan, memenuhi persyaratan peraturan, dan mengikuti praktik terbaik.

AWS Control Tower memungkinkan pengguna akhir di tim terdistribusi Anda untuk menyediakan AWS akun baru dengan cepat, melalui templat akun yang dapat dikonfigurasi di Account Factory. Sementara itu, administrator cloud pusat Anda dapat memantau bahwa semua akun selaras dengan kebijakan kepatuhan yang ditetapkan di seluruh perusahaan.

Singkatnya, AWS Control Tower menawarkan cara termudah untuk mengatur dan mengatur AWS lingkungan multi-akun yang aman, sesuai, berdasarkan praktik terbaik yang dibuat dengan bekerja sama dengan ribuan perusahaan. Untuk informasi selengkapnya tentang bekerja dengan AWS Control Tower dan praktik terbaik yang diuraikan dalam strategi AWS multi-akun, lihat. AWS strategi multi-akun: Panduan praktik terbaik

Fitur

AWS Control Tower memiliki beberapa fitur berikut:

- Landing zone — Landing zone adalah lingkungan multi-akun yang dirancang dengan baik yang didasarkan pada praktik terbaik keamanan dan kepatuhan. Ini adalah wadah di seluruh perusahaan yang menampung semua unit organisasi (OU), akun, pengguna, dan sumber daya

lainnya yang Anda inginkan untuk tunduk pada peraturan kepatuhan. Sebuah landing zone dapat disesuaikan dengan kebutuhan perusahaan dari berbagai ukuran.

- Kontrol (kadang-kadang disebut pagar pembatas) adalah aturan tingkat tinggi yang menyediakan tata kelola berkelanjutan untuk lingkungan Anda secara keseluruhan. AWS Hal ini diungkapkan dalam bahasa yang sederhana. Ada tiga jenis kontrol: preventif, detektif, dan proaktif. Tiga kategori panduan berlaku untuk kontrol: wajib, sangat direkomendasikan, atau elektif. Untuk informasi selengkapnya tentang kontrol, lihatBagaimana kontrol bekerja.
- Account Factory - Account Factory adalah template akun yang dapat dikonfigurasi yang membantu membakukan penyediaan akun baru dengan konfigurasi akun yang telah disetujui sebelumnya. AWS Control Tower menawarkan Account Factory bawaan yang membantu mengotomatiskan alur kerja penyediaan akun di organisasi Anda. Untuk informasi selengkapnya, lihat Menyediakan dan mengelola akun dengan Account Factory.
- Dasbor — Dasbor menawarkan pengawasan berkelanjutan dari landing zone Anda ke tim administrator cloud pusat Anda. Gunakan dasbor untuk melihat akun yang disediakan di seluruh perusahaan Anda, kontrol diaktifkan untuk penegakan kebijakan, kontrol yang diaktifkan untuk deteksi berkelanjutan atas ketidaksesuaian kebijakan, dan sumber daya yang tidak sesuai yang diatur oleh akun dan OU.

Bagaimana AWS Control Tower berinteraksi dengan layanan lain AWS

AWS Control Tower dibangun di atas AWS layanan tepercaya dan andal termasuk AWS Service Catalog, AWS IAM Identity Center, dan AWS Organizations. Untuk informasi selengkapnya, lihat Layanan terintegrasi.

Anda dapat menggabungkan AWS Control Tower dengan AWS layanan lain ke dalam solusi yang membantu Anda memigrasikan beban kerja yang ada. AWSUntuk informasi selengkapnya, lihat Cara memanfaatkan AWS Control Tower dan memigrasikan beban kerja CloudEndure ke. AWS

Konfigurasi, Tata Kelola, dan Ekstensibilitas

- Konfigurasi akun otomatis: AWS Control Tower mengotomatiskan penerapan dan pendaftaran akun melalui Account Factory (atau “mesin penjual otomatis”), yang dibangun sebagai abstraksi di atas produk yang disediakan di. AWS Service CatalogAccount Factory dapat membuat dan mendaftarkan AWS akun, dan mengotomatiskan proses penerapan kontrol dan kebijakan ke akun tersebut.

- Tata kelola terpusat: Dengan menggunakan kapabilitas AWS Organizations, AWS Control Tower menyiapkan kerangka kerja yang memastikan kepatuhan dan tata kelola yang konsisten di seluruh lingkungan multi-akun Anda. AWS Organizations Layanan ini menyediakan kemampuan penting untuk mengelola lingkungan multi-akun, termasuk tata kelola pusat dan pengelolaan akun, pembuatan akun dari AWS Organizations API, dan kebijakan kontrol layanan (SCP).

- Ekstensibilitas: Anda dapat membangun atau memperluas lingkungan AWS Control Tower Anda sendiri dengan bekerja langsung di AWS Organizations, serta di konsol AWS Control Tower. Anda dapat melihat perubahan yang tercermin di AWS Control Tower setelah mendaftarkan organisasi yang ada dan mendaftarkan akun yang ada ke AWS Control Tower. Anda dapat memperbarui landing zone AWS Control Tower untuk mencerminkan perubahan Anda. Jika beban kerja Anda memerlukan kemampuan lanjutan lebih lanjut, Anda dapat memanfaatkan solusi AWS mitra lainnya bersama AWS Control Tower.

Apakah Anda Pengguna Pertama Kali AWS Control Tower?

Jika Anda adalah pengguna pertama kali layanan ini, kami sarankan Anda membaca yang berikut ini:

1. Jika Anda memerlukan informasi lebih lanjut tentang cara merencanakan dan mengatur landing zone Anda, lihat Rencanakan landing zone AWS Control Tower danAWS strategi multi-akun untuk landing zone AWS Control Tower.
2. Jika Anda siap untuk membuat landing zone pertama Anda, lihatMemulai AWS Control Tower.
3. Untuk informasi tentang deteksi dan pencegahan drift, lihatMendeteksi dan mengatasi penyimpangan di AWS Control Tower.
4. Untuk detail keamanan, lihatKeamanan di AWS Control Tower.
5. Untuk informasi tentang memperbarui landing zone dan akun anggota, lihatManajemen pembaruan konfigurasi di AWS Control Tower.

Cara Kerja AWS Control Tower

Bagian ini menjelaskan pada tingkat tinggi cara kerja AWS Control Tower. Landing zone Anda adalah lingkungan multi-akun yang dirancang dengan baik untuk semua sumber daya Anda. AWS Anda dapat menggunakan lingkungan ini untuk menegakkan peraturan kepatuhan pada semua AWS akun Anda.

Struktur AWS Control Tower Landing Zone

Struktur landing zone di AWS Control Tower adalah sebagai berikut:

- Root — Induk yang berisi semua OU lain di landing zone Anda.
- Keamanan OU - OU ini berisi Arsip Log dan akun Audit. Akun-akun ini sering disebut sebagai akun bersama. Saat meluncurkan landing zone, Anda dapat memilih nama yang disesuaikan untuk akun bersama ini, dan Anda memiliki opsi untuk membawa AWS akun yang ada ke AWS Control Tower untuk keamanan dan pencatatan log. Namun, ini tidak dapat diganti namanya nanti, dan akun yang ada tidak dapat ditambahkan untuk keamanan dan pencatatan setelah peluncuran awal.
- Sandbox OU - Sandbox OU dibuat saat Anda meluncurkan landing zone Anda, jika Anda mengaktifkannya. Ini dan OU terdaftar lainnya berisi akun terdaftar yang digunakan pengguna Anda untuk melakukan beban kerja AWS mereka.
- Direktori IAM Identity Center — Direktori ini menampung pengguna IAM Identity Center Anda. Ini mendefinisikan ruang lingkup izin untuk setiap pengguna IAM Identity Center.
- Pengguna IAM Identity Center — Ini adalah identitas yang dapat diasumsikan pengguna Anda untuk melakukan AWS beban kerja mereka di landing zone Anda.

Apa yang terjadi ketika Anda mengatur landing zone

Saat Anda menyiapkan landing zone, AWS Control Tower melakukan tindakan berikut di akun manajemen Anda atas nama Anda:

- Menciptakan dua unit AWS Organizations organisasi (OU): Keamanan, dan Sandbox (opsional), yang terkandung dalam struktur akar organisasi.
- Membuat atau menambahkan dua akun bersama di OU Keamanan: akun Arsip Log dan akun Audit.
- Membuat direktori cloud-native di IAM Identity Center, dengan grup yang telah dikonfigurasi sebelumnya dan akses masuk tunggal, jika Anda memilih konfigurasi AWS Control Tower default, atau memungkinkan Anda mengelola sendiri penyedia identitas Anda.
- Menerapkan semua kontrol preventif wajib untuk menegakkan kebijakan.
- Menerapkan semua kontrol detektif wajib untuk mendeteksi pelanggaran konfigurasi.
- Kontrol preventif tidak diterapkan ke akun manajemen.
- Kecuali untuk akun manajemen, kontrol diterapkan pada organisasi secara keseluruhan.

Mengelola Sumber Daya dengan Aman dalam Zona Pendaratan AWS Control Tower dan Akun Anda

- Saat Anda membuat landing zone, sejumlah AWS sumber daya dibuat. Untuk menggunakan AWS Control Tower, Anda tidak boleh mengubah atau menghapus sumber daya yang dikelola AWS Control Tower ini di luar metode yang didukung yang dijelaskan dalam panduan ini. Menghapus atau memodifikasi sumber daya ini akan menyebabkan landing zone Anda memasuki status yang tidak diketahui. Untuk detailnya, lihat Panduan untuk membuat dan memodifikasi sumber daya AWS Control Tower
- Saat Anda mengaktifkan kontrol opsional (yang memiliki panduan yang sangat direkomendasikan atau elektif), AWS Control Tower membuat AWS sumber daya yang dikelola di akun Anda. Jangan mengubah atau menghapus sumber daya yang dibuat oleh AWS Control Tower. Melakukannya dapat mengakibatkan kontrol memasuki status yang tidak diketahui. Untuk informasi selengkapnya, lihat AWS Control Tower mengontrol pustaka.

Apa saja akun bersama?

Di AWS Control Tower, akun bersama di landing zone Anda disediakan selama penyiapan: akun manajemen, akun arsip log, dan akun audit.

Apa akun manajemennya?

Ini adalah akun yang Anda buat khusus untuk landing zone Anda. Akun ini digunakan untuk penagihan untuk semua yang ada di landing zone Anda. Ini juga digunakan untuk penyediaan akun Account Factory, serta untuk mengelola OU dan kontrol.

> **Note**
>
> Tidak disarankan untuk menjalankan semua jenis beban kerja produksi dari akun manajemen AWS Control Tower. Buat akun AWS Control Tower terpisah untuk menjalankan beban kerja Anda.

Untuk informasi selengkapnya, lihat Akun manajemen.

Apa itu akun arsip log?

Akun ini berfungsi sebagai repositori untuk log aktivitas API dan konfigurasi sumber daya dari semua akun di landing zone.

Untuk informasi selengkapnya, lihat Akun arsip log.

Apa itu akun audit?

Akun audit adalah akun terbatas yang dirancang untuk memberi tim keamanan dan kepatuhan Anda membaca dan menulis akses ke semua akun di landing zone Anda. Dari akun audit, Anda memiliki akses terprogram untuk meninjau akun, melalui peran yang diberikan kepada fungsi Lambda saja. Akun audit tidak memungkinkan Anda untuk masuk ke akun lain secara manual. Untuk informasi selengkapnya tentang fungsi dan peran Lambda, lihat Mengonfigurasi fungsi Lambda untuk mengambil peran dari yang lain. Akun AWS

Untuk informasi selengkapnya, lihat Akun audit.

Bagaimana kontrol bekerja

Kontrol adalah aturan tingkat tinggi yang menyediakan tata kelola berkelanjutan untuk lingkungan Anda secara keseluruhan AWS . Setiap kontrol memberlakukan satu aturan, dan itu diekspresikan dalam bahasa sederhana. Anda dapat mengubah kontrol elektif atau sangat disarankan yang berlaku, kapan saja, dari konsol AWS Control Tower atau AWS Control Tower API. Kontrol wajib selalu diterapkan, dan tidak dapat diubah.

Kontrol preventif mencegah tindakan terjadi. Misalnya, kontrol elektif yang disebut Disallow Changes to Bucket Policy for Amazon S3 Bucket (Sebelumnya disebut Disallow Policy Changes to Log Archive) mencegah perubahan kebijakan IAM dalam akun bersama arsip log. Setiap upaya untuk melakukan tindakan yang dicegah ditolak dan masuk CloudTrail. Sumber daya juga masuk AWS Config.

Kontrol Detektif mendeteksi peristiwa tertentu ketika terjadi dan mencatat tindakan. CloudTrail Misalnya, kontrol yang sangat disarankan yang disebut Deteksi Apakah Enkripsi Diaktifkan untuk Volume Amazon EBS yang Dilampirkan ke Instans Amazon EC2 mendeteksi apakah volume Amazon EBS yang tidak terenkripsi dilampirkan ke instans EC2 di landing zone Anda.

Kontrol proaktif memeriksa apakah sumber daya sesuai dengan kebijakan dan tujuan perusahaan Anda, sebelum sumber daya disediakan di akun Anda. Jika sumber daya di luar kepatuhan, mereka tidak disediakan. Kontrol proaktif memantau sumber daya yang akan digunakan di akun Anda melalui templat. AWS CloudFormation

Bagi mereka yang akrab dengan AWS: Di AWS Control Tower, kontrol preventif diimplementasikan dengan Service Control Policies (SCP). Kontrol detektif diimplementasikan dengan AWS Config aturan. Kontrol proaktif diimplementasikan dengan AWS CloudFormation kait.

Topik-Topik Terkait

- Tentang kontrol di AWS Control Tower
- Mendeteksi dan mengatasi penyimpangan di AWS Control Tower
- AWS Control Tower mengontrol pustaka

Cara AWS Control Tower bekerja dengan StackSets

AWS Control Tower digunakan AWS CloudFormation StackSets untuk menyiapkan sumber daya di akun Anda. Setiap set tumpukan memiliki StackInstances yang sesuai dengan akun, dan untuk Wilayah AWS per akun. AWS Control Tower menerapkan satu instans set tumpukan per akun dan Wilayah.

AWS Control Tower menerapkan pembaruan ke akun tertentu dan Wilayah AWS secara selektif, berdasarkan AWS CloudFormation parameter. Ketika pembaruan diterapkan ke beberapa instance tumpukan, instance tumpukan lainnya mungkin dibiarkan dalam status usang. Perilaku ini diharapkan dan normal.

Ketika instance stack masuk ke status Outdated, biasanya berarti bahwa tumpukan yang sesuai dengan instance tumpukan itu tidak selaras dengan template terbaru dalam kumpulan tumpukan. Tumpukan tetap berada di template yang lebih lama, jadi mungkin tidak menyertakan sumber daya atau parameter terbaru. Tumpukan masih sepenuhnya dapat digunakan.

Berikut ringkasan singkat tentang perilaku apa yang diharapkan, berdasarkan AWS CloudFormation parameter yang ditentukan selama pembaruan:

Jika pembaruan set tumpukan menyertakan perubahan pada templat (yaitu, jika `TemplateURL` properti `TemplateBody` atau ditentukan), atau jika `Parameters` properti ditentukan, AWS CloudFormation tandai semua instance tumpukan dengan status Usang sebelum memperbarui instance tumpukan di akun yang ditentukan dan. Wilayah AWSJika pembaruan set tumpukan tidak menyertakan perubahan pada templat atau parameter, AWS CloudFormation perbarui instance tumpukan di akun dan Wilayah yang ditentukan, sambil meninggalkan semua instance tumpukan lainnya dengan status instance tumpukan yang ada. Untuk memperbarui semua instance tumpukan yang terkait dengan kumpulan tumpukan, jangan tentukan `Regions` properti `Accounts` atau.

Untuk informasi selengkapnya, lihat Memperbarui Set Stack Anda di Panduan AWS CloudFormation Pengguna.

Terminologi

Berikut ulasan singkat dari beberapa istilah yang akan Anda lihat di dokumentasi AWS Control Tower.

Pertama, ada baiknya mengetahui bahwa AWS Control Tower berbagi banyak terminologi dengan AWS Organizations layanan, termasuk istilah organisasi dan unit organisasi (OU), yang muncul di seluruh dokumen ini.

- Untuk informasi lebih lanjut tentang organisasi dan OU, lihat AWS Organizations terminologi dan konsep. Jika Anda baru mengenal AWS Control Tower, terminologi itu adalah tempat yang baik untuk memulai.
- AWS Organizationsadalah AWS layanan yang membantu Anda mengatur lingkungan Anda secara terpusat saat Anda tumbuh dan meningkatkan beban kerja Anda. AWSAWS Control Tower mengandalkan AWS Organizations untuk membuat akun, untuk menegakkan kontrol preventif di tingkat OU, dan untuk menyediakan penagihan terpusat.
- Akun AWS Account Factory adalah AWS akun yang disediakan menggunakan Account Factory di AWS Control Tower. Terkadang, Account Factory disebut secara informal sebagai “mesin penjual otomatis” untuk akun.
- Wilayah beranda AWS Control Tower Anda adalah AWS Wilayah tempat landing zone AWS Control Tower Anda digunakan. Anda dapat melihat Wilayah asal Anda di pengaturan landing zone Anda.
- AWS Service Catalogmemungkinkan Anda untuk mengelola layanan TI yang umum digunakan, secara terpusat. Dalam konteks dokumen ini, Account Factory menggunakan AWS Service Catalog untuk menyediakan AWS akun baru, termasuk akun dari cetak biru yang disesuaikan.
- AWS CloudFormation StackSetsadalah jenis sumber daya yang memperluas fungsionalitas tumpukan sehingga Anda dapat membuat, memperbarui, atau menghapus tumpukan di beberapa akun dan Wilayah dengan satu operasi dan satu templat. CloudFormation
- Instans tumpukan adalah referensi ke tumpukan di akun target dalam Wilayah.
- Tumpukan adalah kumpulan sumber AWS daya yang dapat Anda kelola sebagai satu unit.
- Agregator adalah jenis AWS Config sumber daya yang mengumpulkan data AWS Config konfigurasi dan kepatuhan dari beberapa akun dan Wilayah dalam organisasi, memungkinkan Anda untuk melihat dan menanyakan data kepatuhan ini dalam satu akun.
- Paket kesesuaian adalah kumpulan AWS Config aturan dan tindakan remediasi yang dapat digunakan sebagai entitas tunggal dalam akun dan Wilayah, atau di seluruh organisasi di. AWS

OrganizationsAnda dapat menggunakan paket kesesuaian untuk membantu menyesuaikan lingkungan AWS Control Tower Anda. Untuk blog teknis yang memberikan detail lebih lanjut, lihat Informasi terkait.

- Garis dasar di AWS Control Tower adalah sekelompok sumber daya dan konfigurasi spesifik yang dapat Anda terapkan ke target. Target dasar dapat berupa unit organisasi (OU) atau zona pendaratan. Misalnya, baseline yang dipanggil `AWSControlTowerBaseline` tersedia untuk membantu mendaftarkan OU Anda dengan AWS Control Tower.
- Blueprint adalah artefak yang merangkum beberapa metadata, yang menggambarkan komponen infrastruktur yang digunakan dalam akun. Misalnya, AWS CloudFormation template dapat berfungsi sebagai cetak biru untuk akun AWS Control Tower.
- Drift: Perubahan sumber daya yang diinstal dan dikonfigurasi oleh AWS Control Tower. Sumber daya tanpa drift memungkinkan AWS Control Tower berfungsi dengan baik.
- Sumber daya yang tidak sesuai: Sumber daya yang melanggar AWS Config aturan yang mendefinisikan kontrol detektif tertentu.
- Akun bersama: Salah satu dari tiga akun yang dibuat AWS Control Tower secara otomatis saat Anda menyiapkan landing zone: akun manajemen, akun arsip log, dan akun audit. Anda dapat memilih nama yang disesuaikan untuk akun arsip log dan akun audit, selama penyiapan.
- Akun anggota: Akun anggota milik organisasi AWS Control Tower. Akun anggota dapat terdaftar atau tidak terdaftar di AWS Control Tower. Ketika OU terdaftar berisi campuran akun terdaftar dan tidak terdaftar:
  - Kontrol preventif yang diaktifkan pada OU berlaku untuk semua akun di dalamnya, termasuk yang tidak terdaftar. Ini benar karena kontrol preventif ditegakkan dengan SCP di tingkat OU, bukan tingkat akun. Untuk informasi selengkapnya, lihat Warisan untuk kebijakan kontrol layanan dalam AWS Organizations dokumentasi.
  - Kontrol Detektif yang diaktifkan pada OU tidak berlaku untuk akun yang tidak terdaftar.

  Akun dapat menjadi anggota hanya satu organisasi pada satu waktu, dan biayanya ditagih ke akun manajemen untuk organisasi itu. Akun anggota dapat dipindahkan ke wadah root organisasi.
- AWS akun: AWS Akun bertindak sebagai wadah sumber daya dan batas isolasi sumber daya. AWS Akun dapat dikaitkan dengan penagihan dan pembayaran. AWS Akun berbeda dari akun pengguna (kadang-kadang disebut akun pengguna IAM) di AWS Control Tower. Akun yang dibuat melalui proses penyediaan Account Factory adalah AWS akun. AWS akun juga dapat ditambahkan ke AWS Control Tower melalui pendaftaran akun atau proses pendaftaran OU.
- Kontrol: Kontrol (juga dikenal sebagai pagar pembatas) adalah aturan tingkat tinggi yang menyediakan tata kelola berkelanjutan untuk keseluruhan lingkungan AWS Control Tower Anda.

Setiap kontrol memberlakukan satu aturan. Kontrol preventif diimplementasikan dengan SCP. Kontrol detektif diimplementasikan dengan AWS Config aturan. Kontrol proaktif diimplementasikan dengan AWS CloudFormation kait. Untuk informasi selengkapnya, lihat Bagaimana kontrol bekerja.

- Landing zone: Landing zone adalah lingkungan cloud yang menawarkan titik awal yang direkomendasikan, termasuk akun default, struktur akun, tata letak jaringan dan keamanan, dan sebagainya. Dari landing zone, Anda dapat menerapkan beban kerja yang memanfaatkan solusi dan aplikasi Anda.
- Nested OU: OU bersarang di AWS Control Tower adalah OU yang terkandung dalam OU lain. OU bersarang dapat memiliki tepat satu OU induk, dan setiap akun dapat menjadi anggota tepat satu OU. OU bersarang membuat hierarki. Saat Anda melampirkan kebijakan ke salah satu OU dalam hierarki, kebijakan tersebut mengalir ke bawah dan memengaruhi semua OU dan akun di bawahnya. Hirarki OU bersarang di AWS Control Tower dapat memiliki kedalaman maksimal lima tingkat.
- OU Induk: OU tepat di atas OU saat ini dalam hierarki. Setiap OU dapat memiliki tepat satu OU orangtua.
- Child OU: Setiap OU di bawah OU saat ini dalam hierarki. OU dapat memiliki banyak anak OU.
- Hirarki OU: Di AWS Control Tower, hierarki OU bersarang dapat memiliki hingga lima level. Urutan bersarang disebut sebagai Level. Bagian atas hierarki ditetapkan sebagai Level 1.
- OU tingkat atas: OU tingkat atas adalah OU apa pun yang langsung berada di bawah Root, bukan Root itu sendiri. Root tidak dianggap sebagai OU.

Harga

Tidak ada biaya tambahan untuk menggunakan AWS Control Tower. Anda hanya membayar untuk AWS layanan yang diaktifkan oleh AWS Control Tower, dan layanan yang Anda gunakan di landing zone Anda. Misalnya, Anda membayar Service Catalog untuk menyediakan akun dengan Account Factory, dan AWS CloudTrail untuk acara yang dilacak di landing zone Anda. Untuk informasi tentang harga dan biaya yang terkait dengan AWS Control Tower, lihat harga AWS Control Tower.

Jika Anda menjalankan beban kerja sementara dari akun di AWS Control Tower, Anda mungkin melihat peningkatan biaya yang terkait dengannya. AWS ConfigUntuk detailnya, lihat AWS Config harga. Hubungi perwakilan AWS akun Anda untuk informasi lebih spesifik tentang mengelola biaya ini. Untuk mempelajari lebih lanjut tentang cara AWS Config bekerja dengan AWS Control Tower, lihatPantau perubahan sumber daya dengan AWS Config.

Jika Anda menerapkan AWS CloudTrail jejak di luar AWS Control Tower, Anda dapat menggunakannya dengan AWS Control Tower. Namun, Anda dapat dikenakan biaya duplikat, jika Anda juga ikut serta dalam jalur yang dikelola oleh AWS Control Tower. Kami tidak menyarankan menyiapkan jalur eksternal, kecuali Anda memiliki persyaratan khusus. Jika Anda memilih untuk ikut serta selama penyiapan atau pembaruan landing zone, AWS Control Tower menyiapkan dan mengaktifkan CloudTrail jejak tingkat organisasi untuk Anda di akun manajemen. Untuk informasi tentang mengelola CloudTrail biaya, lihat Mengelola CloudTrail biaya.

Pengaturan

Sebelum Anda menggunakan AWS Control Tower untuk pertama kalinya, ikuti langkah-langkah di bagian ini untuk membuat AWS akun dan melindungi akun AWS Control Tower manajemen Anda. Untuk informasi tentang tugas penyiapan tambahan khusus untuk AWS Control Tower, lihatMemulai AWS Control Tower.

Mendaftar untuk AWS

Saat Anda mendaftar ke Amazon Web Services (AWS), AWS akun Anda secara otomatis mendaftar untuk semua layanan AWS, termasuk AWS Control Tower. Jika Anda sudah memiliki AWS akun, lompat ke tugas berikutnya. Jika Anda tidak memiliki AWS akun, gunakan prosedur berikut untuk membuatnya.

Catat nomor AWS akun Anda, karena Anda membutuhkannya untuk tugas lain.

Mendaftar untuk Akun AWS

Jika Anda tidak memiliki Akun AWS, selesaikan langkah-langkah berikut untuk membuatnya.

Untuk mendaftar untuk Akun AWS

1. Buka https://portal.aws.amazon.com/billing/signup.
2. Ikuti petunjuk secara online.

   Anda akan diminta untuk menerima panggilan telepon dan memasukkan kode verifikasi pada keypad telepon sebagai bagian dari prosedur pendaftaran.

   Saat Anda mendaftar untuk sebuah Akun AWS, sebuah Pengguna root akun AWSdibuat. Pengguna root memiliki akses ke semua Layanan AWS dan sumber daya dalam akun. Sebagai praktik terbaik keamanan, tetapkan akses administratif ke pengguna administratif, dan hanya gunakan pengguna root untuk melakukan tugas yang memerlukan akses pengguna root.

AWS mengirimi Anda email konfirmasi setelah proses pendaftaran selesai. Anda dapat melihat aktivitas akun saat ini dan mengelola akun dengan mengunjungi https://aws.amazon.com/ dan memilih Akun Saya.

Membuat pengguna administratif

Setelah Anda mendaftar Akun AWS, amankan Pengguna root akun AWS, aktifkan AWS IAM Identity Center, dan buat pengguna administratif sehingga Anda tidak menggunakan pengguna root untuk tugas sehari-hari.

Amankan Pengguna root akun AWS

1. Masuk ke AWS Management Consolesebagai pemilik akun dengan memilih pengguna Root dan memasukkan alamat Akun AWS email Anda. Di halaman berikutnya, masukkan kata sandi Anda.

   Untuk bantuan masuk menggunakan pengguna root, lihat Masuk sebagai pengguna root dalam Panduan PenggunaAWS Sign-In .

2. Aktifkan autentikasi multi-faktor (MFA) untuk pengguna root Anda.

   Untuk petunjuk, lihat Mengaktifkan perangkat MFA virtual untuk pengguna Akun AWS root (konsol) Anda di Panduan Pengguna IAM.

Membuat pengguna administratif

1. Aktifkan Pusat Identitas IAM.

   Untuk mendapatkan petunjuk, silakan lihat Mengaktifkan AWS IAM Identity Center di Panduan PenggunaAWS IAM Identity Center .

2. Di Pusat Identitas IAM, berikan akses administratif ke sebuah pengguna administratif.

   Untuk tutorial tentang menggunakan Direktori Pusat Identitas IAM sebagai sumber identitas Anda, lihat Mengkonfigurasi akses pengguna dengan default Direktori Pusat Identitas IAM di PanduanAWS IAM Identity Center Pengguna.

Masuk sebagai pengguna administratif

- Untuk masuk dengan pengguna Pusat Identitas IAM, gunakan URL masuk yang dikirim ke alamat email Anda saat Anda membuat pengguna Pusat Identitas IAM.

  Untuk bantuan masuk menggunakan pengguna Pusat Identitas IAM, lihat Masuk ke portal AWS akses di PanduanAWS Sign-In Pengguna.

Keamanan untuk akun Anda

Anda dapat menemukan panduan tambahan tentang cara menyiapkan praktik terbaik yang melindungi keamanan AWS Control Tower akun Anda, dalam AWS Organizations dokumentasi.

- Praktik terbaik untuk akun manajemen
- Praktik terbaik untuk akun anggota

Langkah selanjutnya

Memulai AWS Control Tower

Memulai AWS Control Tower

Prosedur memulai ini ditujukan untuk administrator AWS Control Tower. Ikuti prosedur ini saat Anda siap menyiapkan landing zone menggunakan konsol AWS Control Tower atau API.

Jika Anda adalah AWS pelanggan saat ini, tetapi baru mengenal AWS Control Tower, Anda mungkin ingin meninjau bagian yang disebutRencanakan landing zone AWS Control Tower, sebelum melanjutkan.

Topik

- Panduan memulai cepat AWS Control Tower
- Prasyarat: Pemeriksaan pra-peluncuran otomatis untuk akun manajemen Anda
- Memulai AWS Control Tower dari konsol
- Memulai AWS Control Tower menggunakan API
- Langkah selanjutnya

Panduan memulai cepat AWS Control Tower

Jika Anda baru mengenal AWS, Anda dapat mengikuti langkah-langkah di bagian ini untuk memulai AWS Control Tower dengan cepat. Jika Anda ingin segera menyesuaikan lingkungan AWS Control Tower, lihat Langkah 2. Konfigurasikan dan luncurkan landing zone Anda .

> **Note**
>
> AWS Control Tower menyiapkan layanan berbayar, seperti AWS CloudTrail, Amazon AWS ConfigCloudWatch, Amazon S3, dan Amazon VPC. Saat digunakan, layanan ini dapat dikenakan biaya, seperti yang ditunjukkan pada halaman harga. Konsol AWS manajemen menunjukkan kepada Anda penggunaan layanan berbayar dan biaya yang dikeluarkan. Tidak ada biaya tambahan yang dibuat oleh AWS Control Tower itu sendiri.

Sebelum Anda memulai

Keputusan paling penting untuk dibuat sebelum Anda memulai proses penyiapan adalah memilih Wilayah asal Anda. Wilayah asal Anda adalah AWS Wilayah tempat Anda akan menjalankan

sebagian besar beban kerja atau menyimpan sebagian besar data Anda. Ini tidak dapat diubah setelah Anda menyiapkan landing zone AWS Control Tower. Untuk informasi selengkapnya tentang cara memilih Wilayah asal, lihat Kiat administratif untuk pengaturan landing zone .

> **Note**
>
> Secara default, AWS Control Tower memilih Wilayah tempat akun Anda beroperasi saat ini sebagai Wilayah asal Anda. Anda dapat melihat Wilayah Anda saat ini di kanan atas layar konsol AWS manajemen Anda.

Prosedur mulai cepat mengasumsikan bahwa Anda akan menerima nilai default untuk sumber daya di lingkungan AWS Control Tower Anda. Banyak dari pilihan ini dapat diubah nanti. Beberapa pilihan satu kali tercantum di bagian yang disebut Harapan untuk konfigurasi landing zone .

Jika Anda telah membuat AWS akun baru, akun tersebut secara otomatis memenuhi prasyarat yang diperlukan untuk menyiapkan AWS Control Tower. Anda dapat melanjutkan melalui langkah-langkah berikut.

Langkah mulai cepat

1. Masuk ke konsol AWS manajemen dengan kredensi pengguna administrator Anda.
2. Arahkan ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower.
3. Verifikasi bahwa Anda bekerja di Wilayah rumah yang Anda inginkan.
4. Pilih Siapkan landing zone.
5. Ikuti instruksi di konsol, menerima semua nilai default. Anda harus mengetikkan alamat email untuk akun Anda, akun arsip log, dan akun audit.
6. Konfirmasikan pilihan Anda dan pilih Siapkan landing zone.
7. AWS Control Tower membutuhkan waktu sekitar 30 menit untuk menyiapkan semua sumber daya di landing zone Anda.

Untuk versi yang lebih rinci tentang cara menyiapkan AWS Control Tower, termasuk cara menyesuaikan lingkungan Anda, baca dan ikuti prosedur dalam beberapa topik berikutnya.

> **Note**
>
> Jika Anda adalah pelanggan pertama kali dan Anda mengalami masalah pengaturan, hubungi AWS Support untuk bantuan diagnostik.

Prasyarat: Pemeriksaan pra-peluncuran otomatis untuk akun manajemen Anda

Sebelum AWS Control Tower menyiapkan landing zone, AWS Control Tower secara otomatis menjalankan serangkaian pemeriksaan pra-peluncuran di akun Anda. Tidak ada tindakan yang diperlukan di pihak Anda untuk pemeriksaan ini, yang memastikan bahwa akun manajemen Anda siap untuk perubahan yang membentuk landing zone Anda. Berikut adalah pemeriksaan yang dijalankan AWS Control Tower sebelum menyiapkan landing zone:

- Batas layanan yang ada Akun AWS harus cukup untuk AWS Control Tower untuk diluncurkan. Untuk informasi selengkapnya, lihat Batasan dan kuota di AWS Control Tower.
- Akun AWS Harus berlangganan AWS layanan berikut:
  - Amazon Simple Storage Service (Amazon S3)
  - Amazon Elastic Compute Cloud (Amazon EC2)
  - Amazon SNS
  - Amazon Virtual Private Cloud (Amazon VPC)
  - AWS CloudFormation
  - AWS CloudTrail
  - Amazon CloudWatch
  - AWS Config
  - AWS Identity and Access Management (IAM)
  - AWS Lambda

> **Note**
>
> Secara default, semua akun berlangganan layanan ini.

Pertimbangan untuk pelanggan AWS IAM Identity Center (IAM Identity Center)

- Jika AWS IAM Identity Center (Pusat Identitas IAM) sudah disiapkan, Wilayah rumah AWS Control Tower harus sama dengan Wilayah Pusat Identitas IAM.
- Pusat Identitas IAM hanya dapat diinstal di akun manajemen suatu organisasi.
- Tiga opsi berlaku untuk direktori Pusat Identitas IAM Anda, berdasarkan sumber identitas yang Anda pilih:
  - Toko Pengguna Pusat Identitas IAM: Jika AWS Control Tower disiapkan dengan IAM Identity Center, AWS Control Tower membuat grup di direktori IAM Identity Center dan menyediakan akses ke grup ini, untuk pengguna yang Anda pilih, untuk akun anggota.
  - Active Directory: Jika IAM Identity Center untuk AWS Control Tower disiapkan dengan Active Directory, AWS Control Tower tidak mengelola direktori IAM Identity Center. Itu tidak menetapkan pengguna atau grup ke AWS akun baru.
  - Penyedia Identitas Eksternal: Jika Pusat Identitas IAM untuk AWS Control Tower disiapkan dengan penyedia identitas eksternal (iDP), AWS Control Tower membuat grup di direktori IAM Identity Center dan menyediakan akses ke grup ini untuk pengguna yang Anda pilih untuk akun anggota. Anda dapat menentukan pengguna yang sudah ada dari iDP eksternal Anda di Account Factory selama pembuatan akun, dan AWS Control Tower memberi pengguna ini akses ke akun yang baru dijual saat menyinkronkan pengguna dengan nama yang sama antara IAM Identity Center dan iDP eksternal. Anda juga dapat membuat grup di iDP eksternal agar sesuai dengan nama grup default di AWS Control Tower. Saat Anda menetapkan pengguna ke grup ini, pengguna ini akan memiliki akses ke akun terdaftar Anda.

Untuk informasi selengkapnya tentang bekerja dengan IAM Identity Center dan AWS Control Tower, lihat Hal yang perlu diketahui tentang akun IAM Identity Center dan AWS Control Tower

Pertimbangan untuk AWS Config dan pelanggan AWS CloudTrail

- Akses tepercaya Akun AWS tidak dapat diaktifkan di akun manajemen organisasi untuk AWS Config atau CloudTrail. Untuk informasi tentang cara menonaktifkan akses tepercaya, lihat AWS Organizations dokumentasi tentang cara mengaktifkan atau menonaktifkan akses tepercaya.
- Jika Anda memiliki penyiapan AWS Config perekam, saluran pengiriman, atau agregasi yang ada di akun apa pun yang Anda rencanakan untuk didaftarkan di AWS Control Tower, Anda harus mengubah atau menghapus konfigurasi ini sebelum mulai mendaftarkan akun, setelah

landing zone disiapkan. Pemeriksaan awal ini tidak berlaku untuk akun manajemen AWS Control Tower selama peluncuran landing zone. Untuk informasi selengkapnya, lihat Daftarkan akun yang memiliki sumber daya yang ada AWS Config.

- Jika Anda menjalankan beban kerja sementara dari akun di AWS Control Tower, Anda mungkin melihat peningkatan biaya yang terkait dengan Config. AWS Hubungi perwakilan AWS akun Anda untuk informasi lebih spesifik tentang mengelola biaya ini.
- Saat Anda mendaftarkan akun ke AWS Control Tower, akun Anda diatur oleh AWS CloudTrail jejak untuk organisasi AWS Control Tower. Jika Anda memiliki penerapan CloudTrail jejak yang ada di akun, Anda mungkin melihat biaya duplikat kecuali Anda menghapus jejak yang ada untuk akun tersebut sebelum Anda mendaftarkannya di AWS Control Tower. Untuk informasi tentang jalur tingkat organisasi dan AWS Control Tower, lihat. Harga

> **Note**
>
> Saat diluncurkan, titik akhir AWS Security Token Service (STS) harus diaktifkan di akun manajemen, untuk semua Wilayah yang diatur oleh AWS Control Tower. Jika tidak, peluncuran mungkin gagal di tengah proses konfigurasi.

Memulai AWS Control Tower dari konsol

Prosedur memulai ini ditujukan untuk administrator AWS Control Tower. Ikuti prosedur ini saat Anda siap menyiapkan landing zone menggunakan konsol AWS Control Tower. Dari awal hingga akhir, dibutuhkan sekitar setengah jam. Prosedur ini membutuhkan beberapa prasyarat dan tiga langkah utama.

Jika Anda adalah AWS pelanggan saat ini, tetapi baru mengenal AWS Control Tower, Anda mungkin ingin meninjau bagian yang disebutRencanakan landing zone AWS Control Tower, sebelum melanjutkan.

Topik

- Langkah 1: Buat alamat email akun bersama Anda
- Harapan untuk konfigurasi landing zone
- Langkah 2. Konfigurasikan dan luncurkan landing zone Anda
- Langkah 3. Tinjau dan atur landing zone

Langkah 1: Buat alamat email akun bersama Anda

Jika Anda menyiapkan landing zone Anda di tempat baru Akun AWS, lihatPengaturan.

- Untuk mengatur landing zone Anda dengan akun bersama baru, AWS Control Tower memerlukan dua alamat email unik yang belum dikaitkan dengan akun Akun AWS. Masing-masing alamat email ini akan berfungsi sebagai kotak masuk kolaboratif - akun email bersama - yang ditujukan untuk berbagai pengguna di perusahaan Anda yang akan melakukan pekerjaan spesifik terkait AWS Control Tower.
- Jika Anda menyiapkan AWS Control Tower untuk pertama kalinya, dan jika Anda membawa akun keamanan dan arsip log yang ada ke AWS Control Tower, Anda dapat memasukkan alamat email saat ini dari AWS akun yang ada.

Alamat email diperlukan untuk:

- Akun audit — Akun ini diperuntukkan bagi tim pengguna Anda yang memerlukan akses ke informasi audit yang disediakan oleh AWS Control Tower. Anda juga dapat menggunakan akun ini sebagai titik akses untuk alat pihak ketiga yang akan melakukan audit terprogram terhadap lingkungan Anda untuk membantu Anda mengaudit untuk tujuan kepatuhan.
- Akun arsip log - Akun ini untuk tim pengguna Anda yang memerlukan akses ke semua informasi pencatatan untuk semua akun terdaftar Anda dalam OU terdaftar di landing zone Anda.

Akun-akun ini diatur di Security OU saat Anda membuat landing zone. Sebagai praktik terbaik, kami menyarankan bahwa ketika Anda melakukan tindakan di akun ini, Anda harus menggunakan pengguna Pusat Identitas IAM dengan izin cakupan yang tepat.

> **Note**
>
> Jika Anda menetapkan AWS akun yang ada sebagai akun audit dan arsip log, akun yang ada harus melewati beberapa pemeriksaan pra-peluncuran untuk memastikan bahwa tidak ada sumber daya yang bertentangan dengan persyaratan AWS Control Tower. Jika pemeriksaan ini tidak berhasil, pengaturan landing zone Anda mungkin tidak berhasil. Secara khusus, akun tidak boleh memiliki AWS Config sumber daya yang ada. Untuk informasi selengkapnya, lihat Pertimbangan untuk membawa akun keamanan atau pencatatan yang ada.

Demi kejelasan, Panduan Pengguna ini selalu mengacu pada akun bersama dengan nama default mereka: arsip log dan audit. Saat Anda membaca dokumen ini, ingatlah untuk mengganti nama khusus yang Anda berikan ke akun ini pada awalnya, jika Anda memilih untuk menyesuaikannya. Anda dapat melihat akun Anda dengan nama yang disesuaikan di halaman Detail akun.

> **Note**
>
> Kami mengubah terminologi kami mengenai nama default beberapa unit organisasi AWS Control Tower (OU) agar selaras dengan strategi AWS multi-akun. Anda mungkin melihat beberapa ketidakkonsistenan saat kami melakukan transisi untuk meningkatkan kejelasan nama-nama ini. Security OU sebelumnya disebut Core OU. Sandbox OU sebelumnya disebut Custom OU.

Harapan untuk konfigurasi landing zone

Proses pengaturan zona landing AWS Control Tower Anda memiliki beberapa langkah. Aspek tertentu dari zona landing zone AWS Control Tower Anda dapat dikonfigurasi. Pilihan lain tidak dapat diubah setelah pengaturan.

Item kunci untuk dikonfigurasi selama penyiapan

- Anda dapat memilih nama OU tingkat atas selama pengaturan, dan Anda juga dapat mengubah nama OU setelah Anda mengatur landing zone Anda. Secara default, OU tingkat atas diberi nama Security dan Sandbox. Untuk informasi selengkapnya, lihat Pedoman untuk mengatur lingkungan yang dirancang dengan baik.
- Selama penyiapan, Anda dapat memilih nama yang disesuaikan untuk akun bersama yang dibuat AWS Control Tower, yang disebut arsip log dan audit secara default, tetapi Anda tidak dapat mengubah nama ini setelah penyiapan. (Ini adalah pilihan satu kali.)
- Selama penyiapan, Anda dapat secara opsional menentukan AWS akun yang ada untuk AWS Control Tower untuk digunakan sebagai akun audit dan arsip log. Jika Anda berencana untuk menentukan AWS akun yang ada, dan jika akun tersebut memiliki AWS Config sumber daya yang ada, Anda harus menghapus AWS Config sumber daya yang ada sebelum dapat mendaftarkan akun ke AWS Control Tower. (Ini adalah pilihan satu kali.)
- Jika Anda menyiapkan untuk pertama kalinya, atau jika Anda meningkatkan ke landing zone versi 3.0, Anda dapat memilih apakah akan mengizinkan AWS Control Tower menyiapkan AWS CloudTrail jejak tingkat organisasi untuk organisasi Anda, atau Anda dapat memilih keluar dari jalur

yang dikelola oleh AWS Control Tower dan mengelola jalur Anda sendiri. CloudTrail Anda dapat memilih atau memilih keluar dari jalur tingkat organisasi yang dikelola oleh AWS Control Tower kapan pun Anda memperbarui landing zone.

- Anda dapat secara opsional menetapkan kebijakan retensi yang disesuaikan untuk bucket log Amazon S3 dan bucket akses log, saat menyiapkan atau memperbarui landing zone.
- Anda dapat secara opsional menentukan cetak biru yang ditentukan sebelumnya untuk digunakan untuk menyediakan akun anggota yang disesuaikan dari konsol AWS Control Tower. Anda dapat menyesuaikan akun nanti jika Anda tidak memiliki cetak biru yang tersedia. Lihat Kustomisasi akun dengan Kustomisasi Account Factory (AFC).

Pilihan konfigurasi yang tidak dapat dibatalkan

- Anda tidak dapat mengubah Wilayah asal setelah menyiapkan landing zone.
- Jika Anda menyediakan akun Account Factory dengan VPC, CIDR VPC tidak dapat diubah setelah dibuat.

Langkah 2. Konfigurasikan dan luncurkan landing zone Anda

Sebelum meluncurkan landing zone AWS Control Tower, tentukan Wilayah asal yang paling tepat. Untuk informasi selengkapnya, lihat Kiat administratif untuk pengaturan landing zone .

> **Important**
>
> Mengubah Wilayah asal Anda setelah menerapkan landing zone AWS Control Tower memerlukan penonaktifan serta bantuan Support. AWS Praktek ini tidak dianjurkan.

Pelajari cara mengonfigurasi dan meluncurkan landing zone Anda menggunakan AWS CLI inMemulai AWS Control Tower menggunakan API.

Untuk mengonfigurasi dan meluncurkan landing zone Anda di konsol, lakukan serangkaian langkah berikut.

Siapkan: Arahkan ke konsol AWS Control Tower

1. Buka browser web, dan navigasikan ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower.

2. Di konsol, verifikasi bahwa Anda bekerja di Wilayah rumah yang Anda inginkan untuk AWS Control Tower. Kemudian pilih Siapkan landing zone Anda.

Langkah 2a. Tinjau dan pilih AWS Wilayah Anda

Pastikan Anda telah menetapkan AWS Wilayah yang Anda pilih dengan benar untuk Wilayah asal Anda. Setelah menerapkan AWS Control Tower, Anda tidak dapat mengubah Wilayah beranda.

Di bagian proses penyiapan ini, Anda dapat menambahkan AWS Wilayah tambahan apa pun yang Anda butuhkan. Anda dapat menambahkan lebih banyak Wilayah di lain waktu, jika diperlukan, dan Anda dapat menghapus Wilayah dari tata kelola.

Untuk memilih AWS Wilayah tambahan untuk diatur

1. Panel menunjukkan pilihan Wilayah saat ini. Buka menu tarik-turun untuk melihat daftar Wilayah tambahan yang tersedia untuk tata kelola.
2. Centang kotak di samping setiap Wilayah untuk dibawa ke tata kelola oleh AWS Control Tower. Rumah Anda Pilihan wilayah tidak dapat diedit.

Untuk menolak akses ke Wilayah tertentu

Untuk menolak akses ke AWS sumber daya dan beban kerja di AWS Wilayah tertentu, pilih Diaktifkan di bagian untuk wilayah tolak kontrol. Secara default, pengaturan untuk kontrol ini Tidak diaktifkan.

Langkah 2b. Konfigurasikan unit organisasi (OU) Anda

Jika Anda menerima nama default dari OU ini, tidak ada tindakan yang perlu Anda ambil untuk penyiapan untuk melanjutkan. Untuk mengubah nama OU, masukkan nama baru langsung di bidang formulir.

- Foundational OU — AWS Control Tower mengandalkan Foundational OU yang awalnya bernama Security OU. Anda dapat mengubah nama OU ini selama pengaturan awal dan sesudahnya, dari halaman detail OU. OU Keamanan ini berisi dua akun bersama Anda, yang secara default disebut akun arsip log dan akun audit.
- OU Tambahan — AWS Control Tower dapat menyiapkan satu atau lebih OU Tambahan untuk Anda. Kami menyarankan Anda menyediakan setidaknya satu OU Tambahan di landing zone Anda, selain Security OU. Jika OU Tambahan ini ditujukan untuk proyek pengembangan,

kami sarankan Anda menamainya Sandbox OU, seperti yang diberikan dalamPedoman untuk mengatur lingkungan yang dirancang dengan baik. Jika Anda sudah memiliki OU yang ada di AWS Organizations, Anda mungkin melihat opsi untuk melewatkan pengaturan OU Tambahan di AWS Control Tower.

Langkah 2c. Konfigurasikan akun bersama, pencatatan, dan enkripsi Anda

Di bagian proses penyiapan ini, panel menampilkan pilihan default untuk nama akun AWS Control Tower bersama Anda. Akun ini adalah bagian penting dari landing zone Anda. Jangan memindahkan atau menghapus akun bersama ini. Anda dapat memilih nama yang disesuaikan untuk akun audit dan arsip log selama penyiapan. Atau, Anda memiliki opsi satu kali untuk menentukan AWS akun yang ada sebagai akun bersama Anda.

Anda harus memberikan alamat email unik untuk arsip log dan akun audit Anda, dan Anda dapat memverifikasi alamat email yang sebelumnya Anda berikan untuk akun manajemen Anda. Pilih tombol Edit untuk mengubah nilai default yang dapat diedit.

Tentang akun bersama

- Akun manajemen — Akun manajemen AWS Control Tower adalah bagian dari level Root. Akun manajemen memungkinkan penagihan AWS Control Tower. Akun ini juga memiliki izin administrator untuk landing zone Anda. Anda tidak dapat membuat akun terpisah untuk penagihan dan izin administrator di AWS Control Tower.

  Alamat email yang ditampilkan untuk akun manajemen tidak dapat diedit selama fase pengaturan ini. Ini ditampilkan sebagai konfirmasi, sehingga Anda dapat memeriksa apakah Anda mengedit akun manajemen yang benar, jika Anda memiliki beberapa akun.
- Dua akun bersama — Anda dapat memilih nama yang disesuaikan untuk kedua akun ini, atau membawa akun Anda sendiri, dan Anda harus memberikan alamat email unik untuk setiap akun, baik yang baru maupun yang sudah ada. Jika Anda memilih AWS Control Tower membuat akun bersama baru untuk Anda, alamat email tersebut harus belum memiliki AWS akun terkait.

Untuk mengonfigurasi akun bersama, isi informasi yang diminta.

1. Di konsol, masukkan nama untuk akun yang awalnya disebut akun arsip log. Banyak pelanggan memutuskan untuk menyimpan nama default untuk akun ini.
2. Berikan alamat email unik untuk akun ini.

3. Masukkan nama untuk akun yang awalnya disebut akun audit. Banyak pelanggan memilih untuk menyebutnya akun Keamanan.
4. Berikan alamat email unik untuk akun ini.

Konfigurasikan retensi log secara opsional

Selama fase penyiapan ini, Anda dapat menyesuaikan kebijakan penyimpanan log untuk bucket Amazon S3 yang menyimpan AWS CloudTrail log Anda di AWS Control Tower, dalam beberapa hari atau tahun, hingga maksimal 15 tahun. Jika Anda memilih untuk tidak menyesuaikan retensi log Anda, pengaturan default adalah satu tahun untuk pencatatan akun standar dan 10 tahun untuk pencatatan akses. Fitur ini juga tersedia saat Anda memperbarui atau memperbaiki landing zone Anda.

Akses kelola sendiri Akun AWS secara opsional

Anda dapat memilih apakah AWS Control Tower menyiapkan Akun AWS akses dengan AWS Identity and Access Management (IAM), atau apakah akan mengelola Akun AWS akses sendiri—baik dengan pengguna AWS IAM Identity Center, peran, dan izin yang dapat Anda atur dan sesuaikan sendiri, atau dengan metode lain seperti iDP eksternal, baik untuk federasi akun langsung atau federasi ke beberapa akun melalui Pusat Identitas IAM. Anda dapat mengubah pilihan ini nanti.

Secara default, AWS Control Tower menyiapkan Pusat AWS Identitas IAM untuk landing zone Anda, selaras dengan panduan praktik terbaik yang ditentukan dalam Mengatur AWS lingkungan Anda menggunakan beberapa akun. Sebagian besar pelanggan memilih default. Metode akses alternatif kadang-kadang diperlukan, untuk kepatuhan peraturan di industri atau negara tertentu, atau di Wilayah AWS mana Pusat AWS Identitas IAM tidak tersedia.

Pemilihan penyedia identitas di tingkat akun tidak didukung. Opsi ini hanya berlaku untuk landing zone secara keseluruhan.

Untuk informasi selengkapnya, lihat Panduan Pusat Identitas IAM.

Konfigurasikan AWS CloudTrail jalur secara opsional

Sebagai praktik terbaik, kami menyarankan Anda mengatur pencatatan. Jika Anda ingin mengizinkan AWS Control Tower menyiapkan CloudTrail jejak tingkat organisasi dan mengelolanya untuk Anda, pilih Opt in. Jika Anda ingin mengelola pencatatan dengan CloudTrail jalur Anda sendiri atau alat pencatatan pihak ketiga, pilih Opt out. Konfirmasikan pilihan Anda saat diminta untuk melakukannya

di konsol. Anda dapat mengubah pilihan Anda, dan memilih, atau memilih keluar dari, jalur tingkat organisasi saat memperbarui landing zone Anda.

Anda dapat mengatur dan mengelola CloudTrail jalur Anda sendiri kapan saja, termasuk jalur tingkat organisasi dan tingkat akun. Jika Anda menyiapkan CloudTrail jejak duplikat, Anda mungkin dikenakan biaya duplikat saat CloudTrail peristiwa dicatat.

Konfigurasikan secara opsional AWS KMS keys

Jika Anda ingin mengenkripsi dan mendekripsi sumber daya Anda dengan kunci AWS KMS enkripsi, pilih kotak centang. Jika Anda memiliki kunci yang ada, Anda akan dapat memilihnya dari pengidentifikasi yang ditampilkan di menu tarik-turun. Anda dapat menghasilkan kunci baru dengan memilih Buat kunci. Anda dapat menambahkan atau mengubah kunci KMS setiap kali Anda memperbarui landing zone Anda.

Saat Anda memilih Siapkan landing zone, AWS Control Tower melakukan pra-pemeriksaan untuk memvalidasi kunci KMS Anda. Kuncinya harus memenuhi persyaratan ini:

- Aktif
- Simetris
- Bukan kunci Multi-wilayah
- Memiliki izin yang benar ditambahkan ke kebijakan
- Kunci ada di akun manajemen

Anda mungkin melihat spanduk kesalahan jika kunci tidak memenuhi persyaratan ini. Dalam hal ini, pilih kunci lain atau buat kunci. Pastikan untuk mengedit kebijakan izin kunci, seperti yang dijelaskan di bagian berikutnya.

Perbarui kebijakan kunci KMS

Sebelum Anda dapat memperbarui kebijakan kunci KMS, Anda harus membuat kunci KMS. Untuk informasi selengkapnya, lihat Membuat kebijakan kunci di Panduan DeveloperAWS Key Management Service .

Untuk menggunakan kunci KMS dengan AWS Control Tower, Anda harus memperbarui kebijakan kunci KMS default dengan menambahkan izin minimum yang diperlukan untuk dan. AWS Config AWS CloudTrailSebagai praktik terbaik, kami menyarankan Anda menyertakan izin minimum yang diperlukan dalam kebijakan apa pun. Saat memperbarui kebijakan kunci KMS, Anda dapat menambahkan izin sebagai grup dalam satu pernyataan JSON atau baris demi baris.

Prosedur ini menjelaskan cara memperbarui kebijakan kunci KMS default di AWS KMS konsol dengan menambahkan pernyataan kebijakan yang memungkinkan AWS Config dan digunakan CloudTrail AWS KMS untuk enkripsi. Pernyataan kebijakan mengharuskan Anda menyertakan informasi berikut:

- **`YOUR-MANAGEMENT-ACCOUNT-ID`**— ID akun manajemen tempat AWS Control Tower akan disiapkan.
- **`YOUR-HOME-REGION`**— Wilayah rumah yang akan Anda pilih saat menyiapkan AWS Control Tower.
- **`YOUR-KMS-KEY-ID`**— ID kunci KMS yang akan digunakan dengan kebijakan.

Untuk memperbarui kebijakan kunci KMS

1. Buka AWS KMS konsol di https://console.aws.amazon.com/kms
2. Dari panel navigasi, pilih Kunci yang dikelola pelanggan.
3. Dalam tabel, pilih tombol yang ingin Anda edit.
4. Di tab Kebijakan kunci, pastikan Anda dapat melihat kebijakan kunci. Jika Anda tidak dapat melihat kebijakan utama, pilih Beralih ke tampilan kebijakan.
5. Pilih Edit, dan perbarui kebijakan kunci KMS default dengan menambahkan pernyataan kebijakan berikut untuk AWS Config dan CloudTrail.

   AWS Config pernyataan kebijakan

```
{
    "Sid": "Allow Config to use KMS for encryption",
    "Effect": "Allow",
    "Principal": {
        "Service": "config.amazonaws.com"
    },
    "Action": [
        "kms:Decrypt",
        "kms:GenerateDataKey"
    ],
    "Resource": "arn:aws:kms:YOUR-HOME-REGION:YOUR-MANAGEMENT-ACCOUNT-ID:key/YOUR-
KMS-KEY-ID"
}
```

   CloudTrail pernyataan kebijakan

```
{
    "Sid": "Allow CloudTrail to use KMS for encryption",
    "Effect": "Allow",
    "Principal": {
        "Service": "cloudtrail.amazonaws.com"
    },
    "Action": [
        "kms:GenerateDataKey*",
        "kms:Decrypt"
    ],
    "Resource": "arn:aws:kms:YOUR-HOME-REGION:YOUR-MANAGEMENT-ACCOUNT-ID:key/YOUR-
KMS-KEY-ID",
    "Condition": {
        "StringEquals": {
            "aws:SourceArn": "arn:aws:cloudtrail:YOUR-HOME-REGION:YOUR-MANAGEMENT-
ACCOUNT-ID:trail/aws-controltower-BaselineCloudTrail"
        },
        "StringLike": {
            "kms:EncryptionContext:aws:cloudtrail:arn": "arn:aws:cloudtrail:*:YOUR-
MANAGEMENT-ACCOUNT-ID:trail/*"
        }
    }
}
```

6. Pilih Simpan perubahan.

Contoh kebijakan kunci KMS

Contoh kebijakan berikut menunjukkan seperti apa kebijakan kunci KMS Anda setelah menambahkan pernyataan kebijakan yang memberikan AWS Config dan izin minimum CloudTrail yang diperlukan. Kebijakan contoh tidak menyertakan kebijakan kunci KMS default Anda.

```
{
    "Version": "2012-10-17",
    "Id": "CustomKMSPolicy",
    "Statement": [
        {
        ... YOUR-EXISTING-POLICIES ...
        },
        {
            "Sid": "Allow Config to use KMS for encryption",
            "Effect": "Allow",
```

```
            "Principal": {
                "Service": "config.amazonaws.com"
            },
            "Action": [
                "kms:Decrypt",
                "kms:GenerateDataKey"
            ],
            "Resource": "arn:aws:kms:YOUR-HOME-REGION:YOUR-MANAGEMENT-ACCOUNT-
ID:key/YOUR-KMS-KEY-ID"
        },
        {
            "Sid": "Allow CloudTrail to use KMS for encryption",
            "Effect": "Allow",
            "Principal": {
                "Service": "cloudtrail.amazonaws.com"
            },
            "Action": [
                "kms:GenerateDataKey*",
                "kms:Decrypt"
              ],
            "Resource": "arn:aws:kms:YOUR-HOME-REGION:YOUR-MANAGEMENT-ACCOUNT-
ID:key/YOUR-KMS-KEY-ID",
            "Condition": {
                "StringEquals": {
                    "aws:SourceArn": "arn:aws:cloudtrail:YOUR-HOME-REGION:YOUR-
MANAGEMENT-ACCOUNT-ID:trail/aws-controltower-BaselineCloudTrail"
                },
                "StringLike": {
                    "kms:EncryptionContext:aws:cloudtrail:arn":
 "arn:aws:cloudtrail:*:YOUR-MANAGEMENT-ACCOUNT-ID:trail/*"
                }
            }
        }
    ]
}
```

Untuk melihat contoh kebijakan lainnya, lihat halaman berikut:

- Memberikan izin enkripsi di Panduan Pengguna.AWS CloudTrail
- Izin yang Diperlukan untuk Kunci KMS Saat Menggunakan Pengiriman Bucket Roless3 Tertaut Layanan) di Panduan Pengembang.AWS Config

> **Melindungi dari penyerang**
>
> Untuk informasi selengkapnya tentang cara membantu melindungi dari penyerang saat Anda memberikan izin kepada prinsipal AWS layanan lain, lihat. Kondisi opsional untuk hubungan kepercayaan peran Anda Dengan menambahkan kondisi tertentu ke kebijakan Anda, Anda dapat membantu mencegah jenis serangan tertentu, yang dikenal sebagai serangan wakil bingung, yang terjadi jika entitas memaksa entitas yang lebih istimewa untuk melakukan tindakan, seperti dengan peniruan identitas lintas layanan. Untuk informasi umum tentang kondisi kebijakan, lihat jugaMenentukan kondisi dalam kebijakan.

The AWS Key Management Service (AWS KMS) memungkinkan Anda membuat kunci KMS Multi-region dan kunci asimetris; namun, AWS Control Tower tidak mendukung kunci Multi-region atau kunci asimetris. AWS Control Tower melakukan pra-pemeriksaan kunci yang ada. Anda mungkin melihat pesan galat jika memilih tombol Multi-region atau tombol asimetris. Dalam hal ini, buat kunci lain untuk digunakan dengan sumber daya AWS Control Tower.

Untuk informasi selengkapnya AWS KMS, lihat Panduan AWS KMS Pengembang.

Perhatikan bahwa data pelanggan di AWS Control Tower dienkripsi saat istirahat, secara default, menggunakan SSE-S3.

Konfigurasikan dan buat akun anggota yang disesuaikan secara opsional

Saat Anda mengikuti alur kerja Buat akun untuk menambahkan akun anggota, Anda dapat secara opsional menentukan cetak biru yang telah ditentukan sebelumnya yang akan digunakan untuk menyediakan akun anggota yang disesuaikan dari konsol AWS Control Tower. Anda dapat menyesuaikan akun nanti jika Anda tidak memiliki cetak biru yang tersedia. Lihat Kustomisasi akun dengan Kustomisasi Account Factory (AFC).

Langkah 3. Tinjau dan atur landing zone

Bagian selanjutnya dalam penyiapan menunjukkan kepada Anda izin yang diperlukan AWS Control Tower untuk landing zone Anda. Pilih kotak centang untuk memperluas setiap topik. Anda akan diminta untuk menyetujui izin ini, yang dapat memengaruhi beberapa akun, dan menyetujui Ketentuan Layanan secara keseluruhan.

Untuk menyelesaikan

1. Di konsol, tinjau izin Layanan, dan saat Anda siap, pilih Saya memahami izin yang akan digunakan AWS Control Tower untuk mengelola AWS sumber daya dan menegakkan aturan atas nama saya.
2. Untuk menyelesaikan pilihan Anda dan menginisialisasi peluncuran, pilih Siapkan landing zone.

Rangkaian langkah ini memulai proses pengaturan landing zone Anda, yang dapat memakan waktu sekitar tiga puluh menit untuk menyelesaikannya. Selama penyiapan, AWS Control Tower membuat level Root Anda, OU Keamanan, dan akun bersama. AWS Sumber daya lain dibuat, dimodifikasi, atau dihapus.

> **Konfirmasikan langganan SNS**
>
> Alamat email yang Anda berikan untuk akun audit akan menerima AWS Pemberitahuan — Email Konfirmasi Langganan dari setiap AWS Wilayah yang didukung oleh AWS Control Tower. Untuk menerima email kepatuhan di akun audit Anda, Anda harus memilih tautan Konfirmasi langganan dalam setiap email dari setiap AWS Wilayah yang didukung oleh AWS Control Tower.

Memulai AWS Control Tower menggunakan API

Prosedur memulai ini ditujukan untuk administrator AWS Control Tower. Prosedur ini memerlukan beberapa prasyarat dan mencakup dua langkah utama.

Dalam prosedur ini, Anda akan menggunakan API dari AWS Control Tower dan AWS layanan lainnya untuk mengonfigurasi dan meluncurkan landing zone. API ini memungkinkan Anda membuat lingkungan AWS Control Tower secara terprogram, baik melalui AWS CloudFormation konsol, atau melalui. AWS CLI

Sebelum meluncurkan landing zone AWS Control Tower, lakukan tugas prasyarat berikut:

- Tentukan Wilayah rumah yang paling tepat. Untuk informasi selengkapnya, lihat Kiat administratif untuk pengaturan landing zone .
- Tinjau Prasyarat: Pemeriksaan pra-peluncuran otomatis untuk akun manajemen Anda untuk mempelajari tentang pemeriksaan pra-peluncuran otomatis yang memastikan akun manajemen Anda siap untuk perubahan yang menetapkan landing zone Anda.

Topik

- Harapan untuk konfigurasi landing zone dengan API
- Langkah 1: Konfigurasikan landing zone
- Langkah 2: Luncurkan landing zone
- Identifikasi landing zone
- Perbarui landing zone
- Setel ulang landing zone untuk mengatasi drift
- Nonaktifkan landing zone Anda
- Contoh: Siapkan landing zone AWS Control Tower hanya dengan API
- Meluncurkan landing zone menggunakan AWS CloudFormation

Harapan untuk konfigurasi landing zone dengan API

Proses pengaturan zona landing AWS Control Tower Anda memiliki beberapa langkah. Aspek tertentu dari zona landing zone AWS Control Tower Anda dapat dikonfigurasi. Pilihan lain tidak dapat diubah setelah pengaturan.

Item kunci untuk dikonfigurasi selama penyiapan

- Anda dapat memilih nama Foundational OU Anda selama pengaturan, dan Anda juga dapat mengubah nama OU setelah Anda mengatur landing zone Anda. Secara default, Foundational OU diberi nama Security dan Sandbox. Untuk informasi selengkapnya, lihat Pedoman untuk mengatur lingkungan yang dirancang dengan baik.
- Selama penyiapan, Anda dapat memilih nama yang disesuaikan untuk akun bersama yang dibuat AWS Control Tower, yang disebut arsip log dan audit secara default, tetapi Anda tidak dapat mengubah nama ini setelah penyiapan. (Ini adalah pilihan satu kali.)
- Selama penyiapan dengan API, Anda harus menentukan AWS akun yang ada untuk AWS Control Tower untuk digunakan sebagai akun audit dan arsip log. Untuk menentukan AWS akun yang ada, jika akun tersebut memiliki AWS Config sumber daya yang ada, Anda harus menghapus atau memodifikasi AWS Config sumber daya yang ada sebelum dapat mendaftarkan akun ke AWS Control Tower. (Ini adalah pilihan satu kali.)
- Jika Anda menyiapkan untuk pertama kalinya, atau jika Anda meningkatkan ke landing zone versi 3.0, Anda dapat memilih apakah akan mengizinkan AWS Control Tower menyiapkan AWS CloudTrail jejak tingkat organisasi untuk organisasi Anda, atau Anda dapat memilih keluar dari jalur

yang dikelola oleh AWS Control Tower dan mengelola jalur Anda sendiri. CloudTrail Anda dapat memilih atau memilih keluar dari jalur tingkat organisasi yang dikelola oleh AWS Control Tower setiap kali Anda memperbarui landing zone Anda.

- Anda dapat secara opsional menetapkan kebijakan retensi yang disesuaikan untuk bucket log Amazon S3 dan bucket akses log, saat menyiapkan atau memperbarui landing zone.

Pilihan konfigurasi yang tidak dapat dibatalkan

- Anda tidak dapat mengubah Wilayah asal setelah menyiapkan landing zone.
- Jika Anda menyediakan akun dengan VPC, CIDR VPC tidak dapat diubah setelah dibuat.

Bagian selanjutnya memberikan prasyarat pengaturan dan langkah-langkah secara rinci, dengan penjelasan dan peringatan. Untuk contoh kode tambahan, lihatContoh: Siapkan landing zone AWS Control Tower hanya dengan API.

Langkah 1: Konfigurasikan landing zone

Proses pengaturan zona landing AWS Control Tower Anda memiliki beberapa langkah. Aspek tertentu dari zona landing zone AWS Control Tower Anda dapat dikonfigurasi, tetapi pilihan lain tidak dapat diubah setelah penyiapan. Untuk mempelajari lebih lanjut tentang pertimbangan penting ini sebelum meluncurkan landing zone Anda, tinjau Harapan untuk konfigurasi landing zone .

Sebelum menggunakan AWS Control Tower landing zone API, Anda harus terlebih dahulu memanggil API dari AWS layanan lain untuk mengonfigurasi landing zone Anda sebelum diluncurkan. Prosesnya mencakup tiga langkah utama:

- menciptakan AWS Organizations organisasi baru,
- menyiapkan alamat email akun bersama Anda,
- dan membuat peran IAM atau pengguna Pusat Identitas IAM dengan izin yang diperlukan untuk memanggil API landing zone.

Langkah 1. Buat organisasi yang akan berisi landing zone Anda:

1. Panggil AWS Organizations `CreateOrganization` API dan aktifkan semua fitur untuk membuat Foundational OU. AWS Control Tower awalnya menamai ini Security OU. OU Keamanan ini berisi dua akun bersama Anda, yang secara default disebut akun arsip log dan akun audit.

```
aws organizations create-organization --feature-set ALL
```

AWS Control Tower dapat menyiapkan satu atau lebih OU Tambahan. Kami menyarankan Anda menyediakan setidaknya satu OU Tambahan di landing zone Anda, selain Security OU. Jika OU Tambahan ini ditujukan untuk proyek pengembangan, kami sarankan Anda menamainya Sandbox OU, seperti yang diberikan dalamAWS strategi multi-akun untuk landing zone AWS Control Tower.

Langkah 2. Menyediakan akun bersama jika diperlukan:

Untuk mengatur landing zone Anda, AWS Control Tower memerlukan dua alamat email. Jika Anda menggunakan landing zone API untuk menyiapkan AWS Control Tower untuk pertama kalinya, Anda harus menggunakan AWS akun keamanan dan arsip log yang ada. Anda dapat menggunakan alamat email saat ini dari yang ada Akun AWS. Masing-masing alamat email ini akan berfungsi sebagai kotak masuk kolaboratif - akun email bersama - yang ditujukan untuk berbagai pengguna di perusahaan Anda yang akan melakukan pekerjaan spesifik terkait AWS Control Tower.

Untuk mulai menyiapkan landing zone baru, jika Anda tidak memiliki AWS akun yang ada, Anda dapat menyediakan keamanan dan mencatat AWS akun arsip menggunakan AWS Organizations API.

1. Panggil AWS Organizations `CreateAccount` API untuk membuat akun arsip Log dan akun Audit di OU Keamanan.

```
aws organizations create-account --email mylog@example.com --account-name "Logging
 Account"
```

```
aws organizations create-account --email mysecurity@example.com --account-name
 "Security Account"
```

2. (Opsional) Periksa status `CreateAccount` operasi menggunakan AWS Organizations `DescribeAccount` API.

Langkah 3. Buat peran layanan yang diperlukan

Buat peran layanan IAM berikut yang memungkinkan AWS Control Tower menjalankan panggilan API yang diperlukan untuk menyiapkan landing zone Anda:

- AWSControlTowerAdmin
- AWSControlTowerCloudTrailRole
- AWSControlTowerStackSetRole
- AWSControlTowerConfigAggregatorRoleForOrganizations

Untuk informasi selengkapnya tentang peran ini dan kebijakannya, lihatMenggunakan kebijakan berbasis identitas (kebijakan IAM) untuk AWS Control Tower.

Untuk membuat peran IAM:

1. Buat peran IAM dengan izin yang diperlukan untuk memanggil semua API landing zone. Atau, Anda dapat membuat pengguna Pusat Identitas IAM dan menetapkan izin yang diperlukan.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Action": [
                "controltower:CreateLandingZone",
                "controltower:UpdateLandingZone",
                "controltower:ResetLandingZone",
                "controltower:DeleteLandingZone",
                "controltower:GetLandingZoneOperation",
                "controltower:GetLandingZone",
                "controltower:ListLandingZones",
                "controltower:ListTagsForResource",
                "controltower:TagResource",
                "controltower:UntagResource",
                "servicecatalog:*",
                "organizations:*",
                "sso:*",
                "sso-directory:*",
                "logs:*",
                "cloudformation:*",
                "kms:*",
                "iam:GetRole",
                "iam:CreateRole",
                "iam:GetSAMLProvider",
                "iam:CreateSAMLProvider",
                "iam:CreateServiceLinkedRole",
```

```
                "iam:ListRolePolicies",
                "iam:PutRolePolicy",
                "iam:ListAttachedRolePolicies",
                "iam:AttachRolePolicy",
                "iam:DeleteRole",
                "iam:DeleteRolePolicy",
                "iam:DetachRolePolicy"
            ],
            "Resource": "*"
        }
    ]
}
```

Langkah 2: Luncurkan landing zone

AWS Control Tower `CreateLandingZone` API memerlukan versi landing zone dan file manifes sebagai parameter input. Anda dapat menggunakan file manifes untuk mengonfigurasi fitur berikut:

- Konfigurasikan retensi log secara opsional
- Akses kelola sendiri Akun AWS secara opsional
- Konfigurasikan AWS CloudTrail jalur secara opsional
- Konfigurasikan secara opsional AWS KMS keys

Setelah mengkompilasi file manifes Anda, Anda siap untuk membuat landing zone baru.

> **Note**
>
> AWS Control Tower tidak mendukung kontrol penolakan Wilayah saat menggunakan API untuk mengonfigurasi dan meluncurkan landing zone. Setelah berhasil meluncurkan landing zone menggunakan API, Anda dapat menggunakan konsol AWS Control Tower untuk Mengonfigurasi kontrol penolakan Wilayah.

1. Hubungi AWS Control Tower `CreateLandingZone` API. API ini memerlukan versi landing zone dan file manifes sebagai input.

```
aws controltower create-landing-zone --landing-zone-version 3.2 --manifest "file://
LandingZoneManifest.json"
```

Contoh LandingZoneManifestmanifes .json:

```
{
   "governedRegions": ["us-west-2","us-west-1"],
   "organizationStructure": {
       "security": {
           "name": "CORE"
       },
       "sandbox": {
           "name": "Sandbox"
       }
   },
   "centralizedLogging": {
        "accountId": "222222222222",
        "configurations": {
            "loggingBucket": {
                "retentionDays": 60
            },
            "accessLoggingBucket": {
                "retentionDays": 60
            },
            "kmsKeyArn": "arn:aws:kms:us-west-1:123456789123:key/
e84XXXXX-6bXX-49XX-9eXX-ecfXXXXXXXXX"
        },
        "enabled": true
   },
   "securityRoles": {
        "accountId": "333333333333"
   },
   "accessManagement": {
        "enabled": true
   }
}
```

> **Note**
>
> Seperti yang ditunjukkan pada contoh, AccountIduntuk CentralizedLogging dan SecurityRoles akun harus berbeda.

Output:

```
{
   "arn": "arn:aws:controltower:us-west-2:123456789012:landingzone/1A2B3C4D5E6F7G8H",
   "operationIdentifier": "55XXXXXX-e2XX-41XX-a7XX-446XXXXXXXXX"
}
```

2. Panggil `GetLandingZoneOperation` API untuk memeriksa status `CreateLandingZone` operasi. `GetLandingZoneOperation`API mengembalikan status`SUCCEEDED`,`FAILED`, or`IN_PROGRESS`.

```
aws controltower get-landing-zone-operation --operation-identifier "55XXXXXX-
eXXX-4XXX-aXXX-44XXXXXXXXXX"
```

Output:

```
{
    "operationDetails": {
        "operationType": "CREATE",
        "startTime": "Thu Nov 09 20:39:19 UTC 2023",
        "endTime": "Thu Nov 09 21:02:01 UTC 2023",
        "status": "SUCCEEDED"
    }
}
```

3. Ketika status kembali sebagai`SUCCEEDED`, Anda dapat memanggil `GetLandingZone` API untuk meninjau konfigurasi landing zone.

```
aws controltower get-landing-zone --landing-zone-identifier "arn:aws:controltower:us-
west-2:123456789123:landingzone/1A2B3C4D5E6F7G8H"
```

Output:

```
{
    "landingZone": {
        "arn": "arn:aws:controltower:us-
west-2:123456789012:landingzone/1A2B3C4D5E6F7G8H",
        "driftStatus": {
            "status": "IN_SYNC"
        },
        "latestAvailableVersion": "3.2",
        "manifest": {
```

```
            "accessManagement": {
                "enabled": true
            },
            "securityRoles": {
                "accountId": "333333333333"
            },
            "governedRegions": [
                "us-west-1",
                "eu-west-3",
                "us-west-2"
            ],
            "organizationStructure": {
                "sandbox": {
                    "name": "Sandbox"
                },
                "security": {
                    "name": "CORE"
                }
            },
            "centralizedLogging": {
                "accountId": "222222222222",
                "configurations": {
                    "loggingBucket": {
                        "retentionDays": 60
                    },
                    "kmsKeyArn": "arn:aws:kms:us-west-1:123456789123:key/
e84XXXXX-6bXX-49XX-9eXX-ecfXXXXXXXXX",
                    "accessLoggingBucket": {
                        "retentionDays": 60
                    }
                },
                "enabled": true
            }
        },
        "status": "PROCESSING",
        "version": "3.2"
    }
}
```

Identifikasi landing zone

Panggilan `ListLandingZones` dapat membantu Anda menentukan apakah akun Anda sudah diatur dengan AWS Control Tower. API ini mengembalikan satu pengenal landing zone (ARN) di seluruh wilayah komersial mana pun, terlepas dari wilayah asal landing zone. ARN zona pendaratan unik secara regional.

```
aws controltower list-landing-zones --region us-east-1
```

Untuk wilayah keikutsertaan, `ListLandingZones` API hanya menampilkan pengenal landing zone jika Anda memanggil API di wilayah yang sama dengan wilayah asal API. Misalnya, jika landing zone Anda diatur di af-south-1 dan Anda memanggil `ListLandingZones` af-south-1, API mengembalikan pengenal landing zone. Jika landing zone Anda diatur di af-south-1 dan Anda memanggil `ListLandingZones` ap-east-1, API tidak mengembalikan pengenal landing zone.

Output:

```
{
   "landingZones" [
        "arn": "arn:aws:controltower:us-
west-2:123456789123:landingzone/1A2B3C4D5E6F7G8H"
   ]
}
```

Perbarui landing zone

Ketika versi landing zone baru tersedia, atau untuk membuat pembaruan lain pada konfigurasi landing zone Anda, Anda dapat memanggil `UpdateLandingZone` API dan mereferensikan file manifes yang diperbarui. API ini mengembalikan sebuah`OperationIdentifier`, yang kemudian dapat Anda gunakan saat memanggil `GetLandingZoneOperation` API untuk memeriksa status operasi pembaruan.

Untuk memperbarui landing zone

1. Hubungi AWS Control Tower `UpdateLandingZone` API dan lihat versi landing zone yang diperbarui atau manifes Anda yang diperbarui.

```
aws controltower update-landing-zone --landing-zone-version 3.3 --landing-zone-
identifier "arn:aws:controltower:us-west-2:123456789123:landingzone/1A2B3C4D5E6F7G8H"
 --manifest file://LandingZoneManifest.json
```

LandingZoneManifest.json:

```
{
   "governedRegions": ["us-west-2","us-west-1"],
   "organizationStructure": {
       "security": {
           "name": "CORE"
       },
       "sandbox": {
           "name": "Sandbox"
       }
   },
   "centralizedLogging": {
        "accountId": "222222222222",
        "configurations": {
            "loggingBucket": {
                "retentionDays":2555
            },
            "accessLoggingBucket": {
                "retentionDays": 2555
            },
            "kmsKeyArn": "arn:aws:kms:us-west-1:123456789123:key/
e84XXXXX-6bXX-49XX-9eXX-ecfXXXXXXXXX"
        },
        "enabled": true
   },
   "securityRoles": {
        "accountId": "333333333333"
   },
   "accessManagement": {
        "enabled": true
   }
}
```

Output:

```
{
```

```
    "operationIdentifier": "55XXXXXX-e2XX-41XX-a7XX-446XXXXXXXXX"
}
```

> Secara opsional Registrasi ulang OU untuk memperbarui akun
>
> Untuk AWS Control Tower OU terdaftar dengan kurang dari 300 akun, Anda dapat menggunakan konsol AWS Control Tower mengakses halaman OU di dasbor dan memilih Registrasi ulang OU untuk memperbarui akun di OU tersebut.

Setel ulang landing zone untuk mengatasi drift

Saat Anda membuat landing zone, landing zone dan semua unit organisasi (OU), akun, dan sumber daya sesuai dengan aturan tata kelola yang diberlakukan oleh kontrol yang Anda pilih. Saat Anda dan anggota organisasi Anda menggunakan landing zone, perubahan status kepatuhan ini dapat terjadi. Perubahan ini disebut drift.

Untuk mengidentifikasi apakah landing zone Anda dalam drift, Anda dapat memanggil `GetLandingZone` API. API ini mengembalikan status drift zona pendaratan `DRIFTED` atau`IN_SYNC`.

Untuk mengatasi drift di dalam landing zone, Anda dapat menggunakan `ResetLandingZone` API untuk mengatur ulang landing zone kembali ke konfigurasi aslinya. Misalnya, AWS Control Tower mengaktifkan IAM Identity Center secara default untuk membantu Anda mengelola Akun AWS-- tetapi jika Anda mengonfigurasi parameter landing zone asli Anda dengan IAM Identity Center dinonaktifkan, panggilan `ResetLandingZone` mempertahankan konfigurasi IAM Identity Center yang dinonaktifkan.

Anda hanya dapat menggunakan `ResetLandingZone` API jika Anda menggunakan versi landing zone terbaru yang tersedia. Anda dapat memanggil `GetLandingZone` API dan membandingkan versi landing zone Anda dengan versi terbaru yang tersedia. Jika perlu, Anda dapat Perbarui landing zone membuat landing zone Anda menggunakan versi terbaru yang tersedia.

1. Panggil `GetLandingZone` API. Jika API mengembalikan status drift`DRIFTED`, landing zone Anda berada dalam drift.
2. Panggil `ResetLandingZone` API untuk mengatur ulang landing zone Anda ke konfigurasi aslinya.

```
aws controltower reset-landing-zone --landing-zone-identifier
 "arn:aws:controltower:us-west-2:123456789123:landingzone/1A2B3C4D5E6F7G8H"
```

Output:

```
{
   "operationIdentifier": "55XXXXXX-e2XX-41XX-a7XX-446XXXXXXXXX"
}
```

> **Note**
>
> Menyetel ulang landing zone tidak memperbarui versi landing zone. Tinjau Perbarui landing zone untuk detail tentang memperbarui versi landing zone.

Nonaktifkan landing zone Anda

Proses membersihkan semua sumber daya zona pendaratan disebut sebagai penonaktifan landing zone.

> **Important**
>
> Kami sangat menyarankan agar Anda melakukan proses dekomisioning ini hanya jika Anda berniat untuk berhenti menggunakan landing zone Anda. Tidak mungkin untuk membuat kembali landing zone yang ada setelah Anda menonaktifkannya.

Untuk detail selengkapnya tentang penonaktifan landing zone, termasuk informasi penting tentang cara AWS Control Tower menangani data Anda dan yang ada AWS Organizations, tinjau. Panduan: Menonaktifkan Zona Pendaratan AWS Control Tower

Untuk menonaktifkan landing zone, panggil `DeleteLandingZone` API. API ini mengembalikan sebuah`OperationIdentifier`, yang kemudian dapat Anda gunakan saat memanggil `GetLandingZoneOperation` API untuk memeriksa status operasi penghapusan.

```
aws controltower delete-landing-zone --landing-zone-identifier
"arn:aws:controltower:us-west-2:123456789012:landingzone/1A2B3C4D5E6F7G8H"
```

Output:

```
{
```

```
    "operationIdentifier": "55XXXXXX-e2XX-41XX-a7XX-446XXXXXXXXX"
}
```

Contoh: Siapkan landing zone AWS Control Tower hanya dengan API

Panduan contoh ini adalah dokumen pendamping. Untuk penjelasan, peringatan, dan informasi selengkapnya, lihat Memulai AWS Control Tower menggunakan API.

Prasyarat

Sebelum membuat landing zone AWS Control Tower, Anda harus membuat organisasi, dua akun bersama, dan beberapa peran IAM. Tutorial panduan ini mencakup langkah-langkah ini, dengan contoh perintah dan output CLI.

Langkah 1. Buat organisasi dan dua akun yang diperlukan.

```
aws organizations create-organization --feature-set ALL
aws organizations create-account --email example+log@example.com --account-name "Log
 archive account"
aws organizations create-account --email example+aud@example.com --account-name "Audit
 account"
```

Langkah 2. Buat peran IAM yang diperlukan.

`AWSControlTowerAdmin`

```
cat <<EOF >controltower_trust.json
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "Service": "controltower.amazonaws.com"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
EOF
```

```
aws iam create-role --role-name AWSControlTowerAdmin --path /service-role/ --assume-
role-policy-document file://controltower_trust.json
cat <<EOF >ct_admin_role_policy.json
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Action": "ec2:DescribeAvailabilityZones",
            "Resource": "*"
        }
    ]
}
EOF
aws iam put-role-policy --role-name AWSControlTowerAdmin --policy-name
 AWSControlTowerAdminPolicy --policy-document file://ct_admin_role_policy.json
aws iam attach-role-policy --role-name AWSControlTowerAdmin --policy-arn
 arn:aws:iam::aws:policy/service-role/AWSControlTowerServiceRolePolicy
```

AWSControlTowerCloudTrailRole

```
cat <<EOF >controltower_trust.json
        {
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "Service": "cloudtrail.amazonaws.com"
            },
            "Action": "sts:AssumeRole"
        }
    ]
}
EOF
aws iam create-role --role-name AWSControlTowerCloudTrailRole --path /service-role/ --
assume-role-policy-document file://cloudtrail_trust.json
cat <<EOF >cloudtrail_role_policy.json
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Action": "logs:CreateLogStream",
```

```
            "Resource": "arn:aws:logs:*:*:log-group:aws-controltower/CloudTrailLogs:*",
            "Effect": "Allow"
        },
        {
            "Action": "logs:PutLogEvents",
            "Resource": "arn:aws:logs:*:*:log-group:aws-controltower/CloudTrailLogs:*",
            "Effect": "Allow"
        }
    ]
}
EOF
aws iam put-role-policy --role-name AWSControlTowerCloudTrailRole --
policy-name AWSControlTowerCloudTrailRolePolicy --policy-document file://
cloudtrail_role_policy.json
```

AWSControlTowerStackSetRole

```
cat <<EOF >cloudformation_trust.json
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "Service": "cloudformation.amazonaws.com"
            },
            "Action": "sts:AssumeRole"
        }
    ]
}
EOF
aws iam create-role --role-name AWSControlTowerStackSetRole --path /service-role/ --
assume-role-policy-document file://cloudformation_trust.json
cat <<EOF >stackset_role_policy.json
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Action": [
                "sts:AssumeRole"
            ],
            "Resource": [
                "arn:aws:iam::*:role/AWSControlTowerExecution"
```

```
            ],
            "Effect": "Allow"
        }
    ]
}
EOF
aws iam put-role-policy --role-name AWSControlTowerStackSetRole --policy-name
 AWSControlTowerStackSetRolePolicy --policy-document file://stackset_role_policy.json
```

`AWSControlTowerConfigAggregatorRoleForOrganizations`

```
cat <<EOF >config_trust.json
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "Service": "config.amazonaws.com"
            },
            "Action": "sts:AssumeRole"
        }
    ]
}
EOF
aws iam create-role --role-name AWSControlTowerConfigAggregatorRoleForOrganizations --
path /service-role/ --assume-role-policy-document file://config_trust.json
aws iam attach-role-policy --role-name
 AWSControlTowerConfigAggregatorRoleForOrganizations --policy-arn
 arn:aws:iam::aws:policy/service-role/AWSConfigRoleForOrganizations
```

Langkah 3. Dapatkan ID akun dan buat file manifes landing zone.

Dua perintah pertama dalam contoh berikut menyimpan ID akun untuk akun yang Anda buat di Langkah 1 ke dalam variabel. Variabel-variabel ini kemudian membantu menghasilkan file manifes landing zone.

```
sec_account_id=$(aws organizations list-accounts | jq -r '.Accounts[] | select(.Name ==
 "Audit account") | .Id')
log_account_id=$(aws organizations list-accounts | jq -r '.Accounts[] | select(.Name ==
 "Log archive account") | .Id')
```

```
cat <<EOF >landing_zone_manifest.json
{
   "governedRegions": ["us-west-1", "us-west-2"],
   "organizationStructure": {
       "security": {
           "name": "Security"
       },
       "sandbox": {
           "name": "Sandbox"
       }
   },
   "centralizedLogging": {
        "accountId": "$log_account_id",
        "configurations": {
            "loggingBucket": {
                "retentionDays": 60
            },
            "accessLoggingBucket": {
                "retentionDays": 60
            }
        },
        "enabled": true
   },
   "securityRoles": {
        "accountId": "$sec_account_id"
   },
   "accessManagement": {
        "enabled": true
   }
}
EOF
```

Langkah 4. Buat landing zone dengan versi terbaru.

Anda harus mengatur landing zone dengan file manifes dan versi terbaru. Contoh ini menunjukkan versi 3.3.

```
aws --region us-west-1 controltower create-landing-zone --manifest file://
landing_zone_manifest.json --landing-zone-version 3.3
```

Output akan berisi arn dan OperationIdentifier, seperti yang ditunjukkan pada contoh berikut.

```
{
```

```
    "arn": "arn:aws:controltower:us-west-1:0123456789012:landingzone/4B3H0ULNUOL2AXXX",
    "operationIdentifier": "16bb47f7-b7a2-4d90-bc71-7df4ca1201xx"
}
```

Langkah 5. (Opsional) Lacak status operasi pembuatan landing zone Anda.

Untuk melacak status, gunakan operationIdentifier dari output `create-landing-zone` perintah sebelumnya.

```
aws --region us-west-1 controltower get-landing-zone-operation --operation-identifier
 16bb47f7-b7a2-4d90-bc71-7df4ca1201xx
```

Keluaran status sampel:

```
{
    "operationDetails": {
        "operationType": "CREATE",
        "startTime": "2024-02-28T21:49:31Z",
        "status": "IN_PROGRESS"
    }
}
```

Anda dapat menggunakan contoh skrip berikut untuk membantu Anda mengatur loop, yang melaporkan status operasi berulang-ulang, seperti file log. Maka Anda tidak perlu terus memasukkan perintah.

```
while true; do echo "$(date) $(aws --region us-west-1 controltower get-landing-
zone-operation --operation-identifier 16bb47f7-b7a2-4d90-bc71-7df4ca1201xx | jq -
r .operationDetails.status)"; sleep 15; done
```

Untuk menampilkan informasi rinci tentang landing zone Anda

Langkah 1. Temukan ARN dari landing zone

```
aws --region us-west-1 controltower list-landing-zones
```

Output akan mencakup identifier dari landing zone, seperti yang ditunjukkan pada contoh output berikut.

```
{
```

```
    "landingZones": [
        {
            "arn": "arn:aws:controltower:us-
west-1:123456789012:landingzone/4B3H0ULNUOL2AXXX"
        }
    ]
}
```

Langkah 2. Dapatkan informasinya

```
aws --region us-west-1 controltower get-landing-zone --landing-zone-identifier
 arn:aws:controltower:us-west-1:123456789012:landingzone/4B3H0ULNUOL2AXXX
```

Berikut adalah contoh dari jenis output yang mungkin Anda lihat:

```
{
    "landingZone": {
        "arn": "arn:aws:controltower:us-
west-1:123456789012:landingzone/4B3H0ULNUOL2AXXX",
        "driftStatus": {
            "status": "IN_SYNC"
        },
        "latestAvailableVersion": "3.3",
        "manifest": {
            "accessManagement": {
                "enabled": true
            },
            "securityRoles": {
                "accountId": "9750XXXX4444"
            },
            "governedRegions": [
                "us-west-1",
                "us-west-2"
            ],
            "organizationStructure": {
                "sandbox": {
                    "name": "Sandbox"
                },
                "security": {
                    "name": "Security"
                }
            },
            "centralizedLogging": {
```

```
                "accountId": "012345678901",
                "configurations": {
                    "loggingBucket": {
                        "retentionDays": 60
                    },
                    "accessLoggingBucket": {
                        "retentionDays": 60
                    }
                },
                "enabled": true
            }
        },
        "status": "ACTIVE",
        "version": "3.3"
    }
}
```

Meluncurkan landing zone menggunakan AWS CloudFormation

Anda dapat mengonfigurasi dan meluncurkan landing zone dengan AWS CloudFormation baik melalui AWS CloudFormation konsol, atau melalui AWS CLI. Bagian ini memberikan instruksi dan contoh untuk meluncurkan landing zone menggunakan API AWS CloudFormation.

Topik

- Prasyarat untuk meluncurkan landing zone menggunakan AWS CloudFormation
- Buat landing zone baru menggunakan AWS CloudFormation
- Mengelola landing zone yang ada menggunakan AWS CloudFormation

Prasyarat untuk meluncurkan landing zone menggunakan AWS CloudFormation

1. Dari AWS CLI, gunakan AWS Organizations `CreateOrganization` API untuk membuat organisasi dan mengaktifkan semua fitur.

   Untuk instruksi yang lebih rinci, tinjau Langkah 1: Konfigurasikan landing zone .

2. Dari AWS CloudFormation konsol atau menggunakan AWS CLI, gunakan AWS CloudFormation templat yang membuat sumber daya berikut di akun manajemen:
   - Akun Log Archive (kadang-kadang disebut akun “Logging”)
   - Akun audit (kadang-kadang disebut akun “Keamanan”)

- Peran AWSControlTowerAdminAWSControlTowerCloudTrailRole, AWSControlTowerConfigAggregatorRoleForOrganizations,, dan AWSControlTowerStackSetRolelayanan.

  Untuk informasi tentang cara AWS Control Tower menggunakan peran ini untuk melakukan panggilan API landing zone, lihat Langkah 1: Mengonfigurasi landing zone Anda.

```
Parameters:
  LoggingAccountEmail:
    Type: String
    Description: The email Id for centralized logging account
  LoggingAccountName:
    Type: String
    Description: Name for centralized logging account
  SecurityAccountEmail:
    Type: String
    Description: The email Id for security roles account
  SecurityAccountName:
    Type: String
    Description: Name for security roles account
Resources:
  MyOrganization:
    Type: 'AWS::Organizations::Organization'
    Properties:
      FeatureSet: ALL
  LoggingAccount:
    Type: 'AWS::Organizations::Account'
    Properties:
      AccountName: !Ref LoggingAccountName
      Email: !Ref LoggingAccountEmail
  SecurityAccount:
    Type: 'AWS::Organizations::Account'
    Properties:
      AccountName: !Ref SecurityAccountName
      Email: !Ref SecurityAccountEmail
  AWSControlTowerAdmin:
    Type: 'AWS::IAM::Role'
    Properties:
      RoleName: AWSControlTowerAdmin
      AssumeRolePolicyDocument:
        Version: 2012-10-17
        Statement:
          - Effect: Allow
```

```
            Principal:
              Service: controltower.amazonaws.com
            Action: 'sts:AssumeRole'
      Path: '/service-role/'
      ManagedPolicyArns:
        - !Sub >-
          arn:${AWS::Partition}:iam::aws:policy/service-role/
AWSControlTowerServiceRolePolicy
  AWSControlTowerAdminPolicy:
    Type: 'AWS::IAM::Policy'
    Properties:
      PolicyName: AWSControlTowerAdminPolicy
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Effect: Allow
            Action: 'ec2:DescribeAvailabilityZones'
            Resource: '*'
      Roles:
        - !Ref AWSControlTowerAdmin
  AWSControlTowerCloudTrailRole:
    Type: 'AWS::IAM::Role'
    Properties:
      RoleName: AWSControlTowerCloudTrailRole
      AssumeRolePolicyDocument:
        Version: 2012-10-17
        Statement:
          - Effect: Allow
            Principal:
              Service: cloudtrail.amazonaws.com
            Action: 'sts:AssumeRole'
      Path: '/service-role/'
  AWSControlTowerCloudTrailRolePolicy:
    Type: 'AWS::IAM::Policy'
    Properties:
      PolicyName: AWSControlTowerCloudTrailRolePolicy
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 'logs:CreateLogStream'
              - 'logs:PutLogEvents'
            Resource: !Sub >-
```

```
              arn:${AWS::Partition}:logs:*:*:log-group:aws-controltower/
CloudTrailLogs:*
            Effect: Allow
      Roles:
        - !Ref AWSControlTowerCloudTrailRole
  AWSControlTowerConfigAggregatorRoleForOrganizations:
    Type: 'AWS::IAM::Role'
    Properties:
      RoleName: AWSControlTowerConfigAggregatorRoleForOrganizations
      AssumeRolePolicyDocument:
        Version: 2012-10-17
        Statement:
          - Effect: Allow
            Principal:
              Service: config.amazonaws.com
            Action: 'sts:AssumeRole'
      Path: '/service-role/'
      ManagedPolicyArns:
        - !Sub arn:${AWS::Partition}:iam::aws:policy/service-role/
AWSConfigRoleForOrganizations
  AWSControlTowerStackSetRole:
    Type: 'AWS::IAM::Role'
    Properties:
      RoleName: AWSControlTowerStackSetRole
      AssumeRolePolicyDocument:
        Version: 2012-10-17
        Statement:
          - Effect: Allow
            Principal:
              Service: cloudformation.amazonaws.com
            Action: 'sts:AssumeRole'
      Path: '/service-role/'
  AWSControlTowerStackSetRolePolicy:
    Type: 'AWS::IAM::Policy'
    Properties:
      PolicyName: AWSControlTowerStackSetRolePolicy
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action: 'sts:AssumeRole'
            Resource: !Sub 'arn:${AWS::Partition}:iam::*:role/
AWSControlTowerExecution'
            Effect: Allow
      Roles:
```

```
        - !Ref AWSControlTowerStackSetRole

Outputs:
  LogAccountId:
    Value:
      Fn::GetAtt: LoggingAccount.AccountId
    Export:
      Name: LogAccountId
  SecurityAccountId:
    Value:
      Fn::GetAtt: SecurityAccount.AccountId
    Export:
      Name: SecurityAccountId
```

Buat landing zone baru menggunakan AWS CloudFormation

Dari AWS CloudFormation konsol atau menggunakan AWS CLI, gunakan AWS CloudFormation template berikut untuk membuat landing zone.

```
Parameters:
  Version:
    Type: String
    Description: The version number of Landing Zone
  GovernedRegions:
    Type: List
    Description: List of governed regions
  SecurityOuName:
    Type: String
    Description: The security Organizational Unit name
  SandboxOuName:
    Type: String
    Description: The sandbox Organizational Unit name
  CentralizedLoggingAccountId:
    Type: String
    Description: The AWS account ID for centralized logging
  SecurityAccountId:
    Type: String
    Description: The AWS account ID for security roles
  LoggingBucketRetentionPeriod:
    Type: Number
    Description: Retention period for centralized logging bucket
  AccessLoggingBucketRetentionPeriod:
```

```
    Type: Number
    Description: Retention period for access logging bucket
  KMSKey:
    Type: String
    Description: KMS key ARN used by CloudTrail and Config service to encrypt data in
 logging bucket
Resources:
  MyLandingZone:
    Type: 'AWS::ControlTower::LandingZone'
    Properties:
      Version:
        Ref: Version
      Tags:
        - Key: "keyname1"
          Value: "value1"
        - Key: "keyname2"
          Value: "value2"
      Manifest:
        governedRegions:
          Ref: GovernedRegions
        organizationStructure:
          security:
            name:
              Ref: SecurityOuName
          sandbox:
            name:
              Ref: SandboxOuName
        centralizedLogging:
          accountId:
            Ref: CentralizedLoggingAccountId
          configurations:
            loggingBucket:
              retentionDays:
                Ref: LoggingBucketRetentionPeriod
            accessLoggingBucket:
              retentionDays:
                Ref: AccessLoggingBucketRetentionPeriod
            kmsKeyArn:
              Ref: KMSKey
          enabled: true
        securityRoles:
          accountId:
            Ref: SecurityAccountId
        accessManagement:
```

```
            enabled: true
```

Mengelola landing zone yang ada menggunakan AWS CloudFormation

Anda dapat menggunakan AWS CloudFormation untuk mengelola landing zone yang telah diluncurkan dengan mengimpor landing zone di AWS CloudFormation tumpukan baru atau yang sudah ada. Tinjau Membawa sumber daya yang ada ke dalam CloudFormation manajemen untuk detail dan instruksi.

Untuk mendeteksi dan menyelesaikan drift dalam landing zone, Anda dapat menggunakan konsol AWS Control Tower, the AWS CLI, atau `ResetLandingZoneAPI`.

Langkah selanjutnya

Sekarang setelah landing zone Anda sudah diatur, itu siap digunakan.

Untuk mempelajari selengkapnya tentang cara menggunakan AWS Control Tower, lihat topik berikut:

- Untuk praktik administrasi yang direkomendasikan, lihat Praktik Terbaik.
- Anda dapat mengatur pengguna dan grup Pusat Identitas IAM dengan peran dan izin tertentu. Untuk rekomendasi, lihat Rekomendasi untuk menyiapkan grup, peran, dan kebijakan .
- Untuk mulai mendaftarkan organisasi dan akun dari AWS Organizations penerapan Anda, lihat Mengatur organisasi dan akun yang ada.
- Pengguna akhir Anda dapat menyediakan AWS akun mereka sendiri di landing zone Anda menggunakan Account Factory. Untuk informasi selengkapnya, lihat Izin untuk mengonfigurasi dan menyediakan akun.
- Untuk memastikanValidasi Kepatuhan untuk AWS Control Tower, administrator cloud pusat Anda dapat meninjau arsip log di akun Arsip Log, dan auditor pihak ketiga yang ditunjuk dapat meninjau informasi audit di akun Audit (bersama), yang merupakan anggota OU Keamanan.
- Untuk mempelajari lebih lanjut tentang kemampuan AWS Control Tower, lihat Informasi terkait.
- Coba kunjungi daftar YouTube video yang dikuratori yang menjelaskan lebih lanjut tentang cara menggunakan fungsionalitas AWS Control Tower.
- Dari waktu ke waktu, Anda mungkin perlu memperbarui landing zone Anda untuk mendapatkan pembaruan backend terbaru, kontrol terbaru, dan untuk menjaga landing zone Anda. up-to-date Untuk informasi selengkapnya, lihat Manajemen pembaruan konfigurasi di AWS Control Tower.
- Jika Anda mengalami masalah saat menggunakan AWS Control Tower, lihatMemecahkan masalah.

> **Important**
>
> Jika Anda belum mengaktifkan MFA untuk pengguna root akun Anda, lakukan sekarang. Untuk informasi selengkapnya tentang praktik terbaik bagi pengguna root, lihat Praktik terbaik untuk melindungi pengguna root akun Anda.

Batasan dan kuota di AWS Control Tower

Bab ini mencakup batasan AWS layanan dan kuota yang harus Anda ingat saat menggunakan AWS Control Tower. Jika Anda tidak dapat mengatur landing zone karena masalah kuota layanan, hubungi AWS Support.

Untuk informasi selengkapnya tentang batasan yang khusus untuk kontrol, lihatKeterbatasan kontrol.

Batasan di AWS Control Tower

Bagian ini menjelaskan batasan yang diketahui dan kasus penggunaan yang tidak didukung di AWS Control Tower.

- AWS Control Tower memiliki batasan konkurensi keseluruhan. Secara umum, satu operasi pada satu waktu diizinkan. Dua pengecualian untuk batasan ini diperbolehkan:
  - Kontrol opsional dapat diaktifkan dan dinonaktifkan secara bersamaan, melalui proses asinkron. Hingga sepuluh (10) operasi terkait kontrol pada satu waktu dapat berlangsung, secara total, tidak peduli apakah mereka dipanggil dari konsol atau dari API.
  - Akun dapat disediakan, diperbarui, dan didaftarkan secara bersamaan di Account Factory, melalui proses asinkron, dengan hingga lima (5) operasi terkait akun yang sedang berlangsung secara bersamaan. Akun yang tidak dikelola harus dilakukan satu akun pada satu waktu.
- Alamat email akun bersama di Security OU dapat diubah, tetapi Anda harus memperbarui landing zone untuk melihat perubahan ini di konsol AWS Control Tower.
- Batas lima (5) SCP per OU berlaku untuk OU di landing zone AWS Control Tower Anda.
- AWS Control Tower mendukung hingga 10.000 akun di organisasi zona pendaratan Anda, dibagi di antara semua OU Anda.
- OU yang ada dengan lebih dari 300 akun bersarang langsung tidak dapat didaftarkan atau didaftarkan ulang di AWS Control Tower. Untuk informasi lebih lanjut tentang batasan dengan mendaftarkan OU, lihatBatasan wilayah dan tumpukan.
- Kustomisasi untuk AWS Control Tower (CFCT) tidak tersedia dalam hal ini Wilayah AWS, karena beberapa dependensi tidak tersedia:
  - Asia Pasifik (Jakarta dan Osaka)
  - Israel (Tel Aviv)
  - Timur Tengah (UEA)
  - Eropa (Spanyol)

  - Asia Pasifik (Hyderabad)
  - Eropa (Zurich)

  Anda dapat menerapkan dan mengelola sumber daya di Wilayah ini dengan CFCT, jika Anda menerapkan CFCT ke Wilayah asal AWS Control Tower, tetapi Anda tidak dapat membuat CFCT di Wilayah ini.
- AWS Control Tower Account Factory for Terraform (AFT) tidak tersedia di bawah ini Wilayah AWS, karena beberapa dependensi tidak tersedia:
  - Israel (Tel Aviv)
  - Timur Tengah (UEA)
  - Eropa (Spanyol)
  - Asia Pasifik (Hyderabad)
  - Eropa (Zurich)
- Wilayah berikut tidak mendukung Pusat Identitas IAM.
  - Wilayah Timur Tengah (UEA), saya-sentral-1
  - Wilayah Asia Pasifik (Hyderabad), ap-selatan-2

  Untuk informasi selengkapnya tentang Wilayah AWS dan dukungan untuk IAM Identity Center, lihat Wilayah dan titik akhir di Panduan PenggunaAWS Identity and Access Management.
- Saat memanggil API kontrol untuk mengaktifkan atau menonaktifkan kontrol, batas `EnableControl` dan `DisableControl` pembaruan di AWS Control Tower adalah sepuluh (10) operasi bersamaan. Anda mungkin perlu menyesuaikan kode Anda untuk menunggu penyelesaian.
- Saat Anda menyediakan akun dengan AFC, dengan cetak biru yang berbasis di Terraform, Anda dapat menerapkan cetak biru tersebut hanya ke satu. Wilayah AWSSecara default, AWS Control Tower diterapkan ke Wilayah asal.

Anda dapat menghubungi AWS Support untuk meminta peningkatan batas untuk beberapa sumber daya di AWS Control Tower. Misalnya, Anda dapat meminta peningkatan batas dari lima hingga sepuluh operasi terkait akun bersamaan. Beberapa karakteristik kinerja AWS Control Tower dapat berubah setelah peningkatan batas. Misalnya, mungkin perlu waktu lebih lama untuk memperbarui OU ketika Anda memiliki lebih banyak akun di dalamnya. Atau mungkin perlu waktu lebih lama untuk menyelesaikan tindakan pada OU dengan lima SCP dibandingkan dengan tiga SCP.

Video: Otomatiskan permintaan untuk peningkatan batas layanan

Video ini (7:24) menjelaskan cara mengotomatiskan peningkatan batas layanan untuk penerapan di AWS Control Tower. Ini juga menunjukkan cara mengotomatiskan pendaftaran akun baru ke dukungan AWS Perusahaan untuk organisasi Anda. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video Mengelola OU Bersarang di AWS Control Tower.

Saat menyediakan akun baru di lingkungan ini, Anda dapat menggunakan peristiwa siklus hidup untuk memicu permintaan otomatis untuk peningkatan batas layanan di Wilayah tertentu. AWS

Informasi lebih lanjut tentang AWS kuota tersedia di ReferensiAWS Umum.

Perilaku kontrol juga terbatas dalam kasus tata kelola campuran. Untuk informasi selengkapnya, lihat Hindari tata kelola campuran saat mengonfigurasi Wilayah.

Keterbatasan kontrol

Jika Anda mengubah sumber daya AWS Control Tower, seperti SCP, atau menghapus AWS Config sumber daya apa pun, seperti perekam atau agregator Config, AWS Control Tower tidak dapat lagi menjamin bahwa kontrol berfungsi seperti yang dirancang. Oleh karena itu, keamanan lingkungan multi-akun Anda dapat dikompromikan. Model keamanan tanggung jawab AWS bersama berlaku untuk setiap perubahan yang mungkin Anda buat.

> **Note**
>
> AWS Control Tower membantu menjaga integritas lingkungan Anda dengan mengatur ulang SCP kontrol ke konfigurasi standarnya saat Anda memperbarui landing zone. Perubahan yang mungkin Anda buat pada SCP digantikan oleh versi standar kontrol, dengan desain.

Beberapa kontrol di AWS Control Tower tidak beroperasi di Wilayah AWS tempat AWS Control Tower tertentu tersedia, karena Wilayah tersebut tidak mendukung fungsionalitas dasar yang diperlukan. Batasan ini memengaruhi kontrol detektif tertentu, kontrol proaktif tertentu, dan kontrol tertentu dalam Standar yang dikelola Layanan Security Hub: AWS Control Tower. Untuk informasi selengkapnya tentang ketersediaan Regional, lihat dokumentasi daftar layanan Regional dan dokumentasi referensi kontrol Security Hub.

Untuk informasi selengkapnya tentang cara AWS Control Tower mengelola batasan Wilayah dan kontrol, lihatPertimbangan untuk mengaktifkan AWS Wilayah keikutsertaan.

Anda dapat melihat Wilayah untuk setiap kontrol di konsol AWS Control Tower.

AWS Wilayah berikut tidak mendukung kontrol yang merupakan bagian dari Standar yang dikelola Layanan Security Hub: AWS Control Tower.

- Wilayah Asia Pasifik (Hong Kong), ap-timur-1
- Wilayah Asia Pasifik (Jakarta), ap-tenggara - 3
- Wilayah Asia Pasifik (Osaka), ap-timur laut-3
- Wilayah Eropa (Milan), eu-selatan-1
- Wilayah Afrika (Cape Town), af-selatan-1
- Wilayah Timur Tengah (Bahrain), saya-selatan-1
- Israel (Tel Aviv), di pusat-1
- Wilayah Timur Tengah (UEA), saya-sentral-1
- Wilayah Eropa (Spanyol), eu-selatan-2
- Wilayah Asia Pasifik (Hyderabad), ap-selatan-2
- Wilayah Eropa (Zurich), eu-central-2
- Wilayah Asia Pasifik (Melbourne), ap-tenggara - 4

Untuk daftar yang tidak mendukung kontrol tertentu Wilayah AWS yang merupakan bagian dari AWS Control Tower StandarAWS Security Hub yang Dikelola Layanan, lihat. Wilayah yang Tidak Didukung

Tabel berikut menunjukkan kontrol proaktif yang tidak didukung secara tertentu Wilayah AWS.

Pengidentifikasi kontrol	Wilayah yang tidak didukung
`CT.REDSHIFT.PR.5`	ap-tenggara 4, ap-selatan-2, ap-tenggara 3, eu-tengah-2, eu-selatan-2, il-tengah-1, saya-teng ah-1
`CT.DAX.PR.2`	us-west-1
`CT.GLUE.PR.2`	Tidak didukung

Tabel berikut menunjukkan kontrol detektif AWS Control Tower yang tidak didukung secara tertentu Wilayah AWS.

Pengidentifikasi kontrol	Wilayah yang tidak didukung
AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED	ap-timur laut-3, ap-tenggara-3, il-tengah-1, ap-tenggara-4
AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED	eu-south-2
AWS-GR_EMR_MASTER_NO_PUBLIC_IP	ap-timur laut-3, ap-tenggara-3, af-selatan-1, eu-selatan-1, il-tengah-1, saya-tengah-1, eu-selatan-2, ap-selatan-2, eu-tengah-2, ap-tenggara- 4
AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK	eu-south-2
AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW	ap-timur laut-3, ap-tenggara-3, ap-selatan-2, eu-selatan-2
AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS	ap-timur laut-3, ap-tenggara-3, af-selatan-1, eu-selatan-1, il-tengah-1, saya-tengah-1, eu-selatan-2, ap-selatan-2, eu-tengah-2, ap-tenggara- 4
AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP	ap-northeast-3
AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS	ap-timur laut-3, ap-tenggara-3, af-selatan-1, eu-selatan-1, us-barat-1, il-tengah-1, saya-tengah-1, eu-selatan-2, ap-selatan-2, eu-tengah-2, ap-tenggara-4
AWS-GR_ELASTICSEARCH_IN_VPC_ONLY	ap-tenggara 3, il-tengah-1, eu-selatan-2, ap-selatan-2, eu-tengah-2, ap-tenggara - 4
AWS-GR_RESTRICTED_SSH	af-selatan-1, ap-timur laut-3, ap-selatan-2, ap-tenggara-3, ap-tenggara 4, eu-tengah-2, eu-selatan-1, eu-selatan-2, il-tengah-1, saya-tengah-1

Pengidentifikasi kontrol	Wilayah yang tidak didukung
AWS-GR_DMS_REPLICATION_NOT_PUBLIC	af-selatan-1, ap-selatan-2, ap-tenggara-3, ap-tenggara 4, eu-tengah-2, eu-selatan-1, eu-selatan-2, il-tengah-1, saya-tengah-1
AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED	af-selatan-1, ap-tenggara 4, eu-tengah-2, eu-selatan-1, eu-selatan-2, il-tengah-1
AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED	ap-northeast-3
AWS-GR_ENCRYPTED_VOLUMES	af-selatan-1, ap-timur laut-3, eu-selatan-1, il-tengah-1
AWS-GR_RESTRICTED_COMMON_PORTS	af-selatan-1, ap-timur laut-3, eu-tengah-2, eu-selatan-1, eu-selatan-2, il-tengah-1, saya-pusat-1
AWS-GR_IAM_USER_MFA_ENABLED	il-central-1, me-central-1, eu-selatan-2, ap-selatan-2, eu-tengah-2, ap-tenggara-4
AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS	il-central-1, me-central-1, eu-selatan-2, ap-selatan-2, eu-tengah-2, ap-tenggara-4
AWS-GR_SSM_DOCUMENT_NOT_PUBLIC	il-central-1
AWS-GR_ROOT_ACCOUNT_MFA_ENABLED	il-sentral-1, saya-pusat-1
AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC	il-sentral-1, eu-selatan-2, eu-sentral-2
AWS-GR_RDS_STORAGE_ENCRYPTED	eu-sentral-2, eu-selatan-2
AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK	ap-selatan-2, eu-selatan-2
AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK	ap-selatan-2, ap-tenggara-3, eu-selatan-2

Batasan wilayah dan tumpukan

Jika Anda berencana untuk memperluas tata kelola ke OU dengan sejumlah besar akun di sejumlah besar akun Wilayah AWS, Anda mungkin menemukan batasan yang dibuat oleh kumpulan AWS CloudFormation tumpukan pada ukuran keseluruhan organisasi. Anda dapat memperkirakan batasan dengan rumus ini:

Jumlah akun terkelola dalam Organisasi x Jumlah Wilayah yang diatur <= 150.000

Sebagai aturan umum, kami berharap bahwa jumlah akun yang didukung saat memperluas tata kelola ke OU berkurang dengan jumlah Wilayah yang diatur.

Batasan ini menjadi jelas jika lebih dari 15 Wilayah di mana AWS Control Tower tersedia diaktifkan saat Anda memperluas tata kelola ke OU. Batas atas jumlah akun per unit organisasi (OU) berkurang.

Misalnya, jika 22 Wilayah diaktifkan, batasnya adalah 220 akun per OU, bukan 300. Jika Anda perlu memperluas tata kelola ke OU dengan lebih dari 220 akun, Anda harus mengurangi jumlah Wilayah yang diaktifkan. Pengurangan ini disebabkan oleh keterbatasan stack set.

Pedoman:

- Dengan 15 Wilayah yang diaktifkan, OU hingga 300 akun didukung
- Dengan 22 Wilayah yang diaktifkan, OU hingga 220 akun didukung
- Dengan 16 hingga 21 Wilayah yang diaktifkan, ukuran OU maksimum yang didukung berada di kisaran 220-300 akun
- Dengan 23+ Wilayah yang diaktifkan, ukuran OU maksimum yang didukung kurang dari 220 akun

Praktik terbaik untuk administrator AWS Control Tower

Topik ini ditujukan terutama untuk administrator akun manajemen.

Administrator akun manajemen bertanggung jawab untuk menjelaskan beberapa tugas yang dikendalikan AWS Control Tower mencegah administrator akun anggota mereka melakukannya. Topik ini menjelaskan beberapa praktik dan prosedur terbaik untuk mentransfer pengetahuan ini, dan memberikan tips lain untuk menyiapkan dan memelihara lingkungan AWS Control Tower Anda secara efisien.

Menjelaskan akses ke pengguna

Konsol AWS Control Tower hanya tersedia untuk pengguna dengan izin administrator akun manajemen. Hanya pengguna ini yang dapat melakukan pekerjaan administratif di dalam landing zone Anda. Sesuai dengan praktik terbaik, ini berarti bahwa sebagian besar pengguna dan administrator akun anggota Anda tidak akan pernah melihat konsol AWS Control Tower. Sebagai anggota grup administrator akun manajemen, Anda bertanggung jawab untuk menjelaskan informasi berikut kepada pengguna dan administrator akun anggota Anda, sebagaimana mestinya.

- Jelaskan AWS sumber daya mana yang dapat diakses pengguna dan administrator di dalam landing zone.
- Buat daftar kontrol pencegahan yang berlaku untuk setiap unit organisasi (OU) sehingga administrator lain dapat merencanakan dan melaksanakan AWS beban kerja mereka sesuai dengan itu.

Menjelaskan akses sumber daya

Beberapa administrator dan pengguna lain mungkin memerlukan penjelasan tentang sumber AWS daya yang dapat mereka akses di dalam landing zone Anda. Akses ini dapat mencakup akses terprogram dan akses berbasis konsol. Secara umum, akses baca dan akses tulis untuk AWS sumber daya diperbolehkan. Untuk melakukan pekerjaan di dalam AWS, pengguna Anda memerlukan beberapa tingkat akses ke layanan spesifik yang mereka butuhkan untuk melakukan pekerjaan mereka.

Beberapa pengguna, seperti AWS pengembang Anda, mungkin perlu mengetahui tentang sumber daya yang dapat mereka akses, sehingga mereka dapat membuat solusi teknik. Pengguna lain,

seperti pengguna akhir aplikasi yang berjalan pada AWS layanan, tidak perlu tahu tentang AWS sumber daya dalam landing zone Anda.

AWS menawarkan alat untuk mengidentifikasi ruang lingkup akses AWS sumber daya pengguna. Setelah Anda mengidentifikasi ruang lingkup akses pengguna, Anda dapat berbagi informasi tersebut dengan pengguna, sesuai dengan kebijakan manajemen informasi organisasi Anda. Untuk informasi selengkapnya tentang alat ini, lihat tautan yang mengikuti.

- AWS Access Advisor — Alat penasihat akses AWS Identity and Access Management (IAM) memungkinkan Anda menentukan izin yang dimiliki pengembang Anda dengan menganalisis stempel waktu terakhir ketika entitas IAM, seperti pengguna, peran, atau grup, disebut layanan. AWS Anda dapat mengaudit akses layanan dan menghapus izin yang tidak perlu, dan Anda dapat mengotomatiskan proses jika diperlukan. Untuk informasi lebih lanjut, lihat posting blog AWS Keamanan kami.
- Simulator kebijakan IAM — Dengan simulator kebijakan IAM, Anda dapat menguji dan memecahkan masalah kebijakan berbasis IAM dan berbasis sumber daya. Untuk informasi selengkapnya, lihat Menguji Kebijakan IAM dengan IAM Policy Simulator.
- AWS CloudTrail log — Anda dapat meninjau AWS CloudTrail log untuk melihat tindakan yang diambil oleh pengguna, peran, atau Layanan AWS. Untuk informasi selengkapnya CloudTrail, lihat PanduanAWS CloudTrail Pengguna.

  Tindakan yang dilakukan oleh administrator landing zone AWS Control Tower dapat dilihat di akun manajemen landing zone. Tindakan yang dilakukan oleh administrator akun anggota dan pengguna dapat dilihat di akun arsip log bersama.

  Anda dapat melihat tabel ringkasan peristiwa AWS Control Tower di halaman Aktivitas.

Menjelaskan kontrol preventif

Kontrol preventif memastikan bahwa akun organisasi Anda tetap mematuhi kebijakan perusahaan Anda. Status kontrol preventif ditegakkan atau tidak diaktifkan. Kontrol preventif mencegah pelanggaran kebijakan dengan menggunakan kebijakan kontrol layanan (SCP). Sebagai perbandingan, kontrol detektif memberi tahu Anda tentang berbagai peristiwa atau keadaan yang ada, melalui aturan yang ditentukan AWS Config .

Beberapa pengguna Anda, seperti AWS pengembang, mungkin perlu mengetahui tentang kontrol pencegahan yang berlaku untuk akun dan OU apa pun yang mereka gunakan, sehingga mereka dapat membuat solusi teknik. Prosedur berikut menawarkan beberapa panduan tentang cara

memberikan informasi ini untuk pengguna yang tepat, sesuai dengan kebijakan manajemen informasi organisasi Anda.

> **Note**
>
> Prosedur ini mengasumsikan Anda telah membuat setidaknya satu anak OU dalam landing zone Anda, serta setidaknya satu AWS IAM Identity Center pengguna.

Untuk menunjukkan kontrol preventif bagi pengguna dengan kebutuhan untuk mengetahui

1. Masuk ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower/.
2. Dari navigasi kiri, pilih Organisasi.
3. Dari tabel, pilih nama salah satu OU yang pengguna Anda butuhkan informasi tentang kontrol yang berlaku.
4. Perhatikan nama OU dan kontrol yang berlaku untuk OU ini.
5. Ulangi dua langkah sebelumnya untuk setiap OU tentang informasi yang dibutuhkan pengguna Anda.

Untuk informasi rinci tentang kontrol dan fungsinya, lihatTentang kontrol di AWS Control Tower.

Rencanakan landing zone AWS Control Tower

Saat Anda melalui proses penyiapan, AWS Control Tower meluncurkan sumber daya utama yang terkait dengan akun Anda, yang disebut landing zone, yang berfungsi sebagai rumah bagi organisasi Anda dan akun mereka.

> **Note**
>
> Anda dapat memiliki satu landing zone per organisasi.

Untuk informasi tentang beberapa praktik terbaik yang harus diikuti saat merencanakan dan mengatur landing zone, lihatAWS strategi multi-akun untuk landing zone AWS Control Tower.

Cara Mengatur AWS Control Tower

Anda dapat menyiapkan zona landing zone AWS Control Tower di organisasi yang sudah ada, atau Anda dapat memulai dengan membuat organisasi baru yang berisi zona landing zone AWS Control Tower Anda.

- Luncurkan AWS Control Tower di Organisasi yang Ada: Bagian ini diperuntukkan bagi pelanggan yang sudah AWS Organizations siap untuk dibawa ke tata kelola oleh AWS Control Tower.
- Luncurkan AWS Control Tower di Organisasi Baru: Bagian ini untuk pelanggan tanpa ada AWS Organizations, OU, dan akun.

> **Note**
>
> Jika Anda sudah memiliki AWS Organizations landing zone, Anda dapat memperluas tata kelola AWS Control Tower dari landing zone yang ada ke beberapa atau semua OU dan akun yang ada dalam suatu organisasi. Lihat Mengatur organisasi dan akun yang ada.

Bandingkan fungsionalitas

Berikut adalah perbandingan singkat perbedaan antara menambahkan AWS Control Tower ke organisasi yang ada atau memperluas tata kelola AWS Control Tower ke OU dan akun. Selain itu, beberapa pertimbangan khusus berlaku jika Anda pindah ke AWS Control Tower dari solusi AWS Landing Zone.

Tentang Menambahkan ke Organisasi yang Ada: Menambahkan AWS Control Tower ke organisasi yang ada adalah sesuatu yang dapat Anda capai di dalam AWS konsol. Dalam hal ini, Anda sudah memiliki organisasi yang telah Anda buat di AWS Organizations layanan, organisasi tersebut saat ini tidak terdaftar di AWS Control Tower, dan Anda ingin menambahkan landing zone sesudahnya.

Saat Anda menambahkan landing zone ke organisasi yang ada, AWS Control Tower menyiapkan struktur paralel, pada AWS Organizations level tersebut. Itu tidak mengubah OU dan akun dalam organisasi Anda yang ada.

Tentang Memperluas Tata Kelola: Memperluas tata kelola berlaku untuk OU dan akun tertentu dalam satu organisasi yang sudah terdaftar di AWS Control Tower, yang berarti bahwa landing zone sudah ada untuk organisasi tersebut. Memperluas tata kelola berarti kontrol AWS Control Tower diperpanjang sehingga batasannya berlaku untuk OU dan akun tertentu dalam organisasi terdaftar

tersebut. Dalam hal ini, Anda tidak meluncurkan landing zone baru, Anda hanya memperluas landing zone saat ini untuk organisasi Anda.

> **Important**
>
> Pertimbangan khusus: Jika saat ini Anda menggunakan solusiAWS Landing Zone (ALZ) untuk AWS Organizations, tanyakan kepada arsitek AWS solusi Anda sebelum Anda mencoba mengaktifkan AWS Control Tower di organisasi Anda. AWS Control Tower tidak dapat melakukan pra-pemeriksaan yang menentukan apakah AWS Control Tower dapat mengganggu penerapan landing zone Anda saat ini. Untuk informasi selengkapnya, lihat Panduan: Pindah dari ALZ ke AWS Control Tower. Juga, untuk informasi tentang memindahkan akun dari satu landing zone ke yang lain, lihat Bagaimana jika akun tidak memenuhi prasyarat?

Luncurkan AWS Control Tower di Organisasi yang Ada

Dengan menyiapkan zona landing zone AWS Control Tower di organisasi yang sudah ada, Anda dapat segera mulai bekerja, secara paralel dengan AWS Organizations lingkungan yang ada. OU Anda yang lain yang AWS Organizations dibuat di dalamnya tidak berubah, karena tidak terdaftar di AWS Control Tower. Anda dapat terus menggunakan OU dan akun tersebut persis seperti apa adanya.

AWS Control Tower berkonsolidasi dengan menggunakan akun manajemen dari organisasi Anda yang ada sebagai akun pengelolaannya. Tidak diperlukan akun manajemen baru. Anda dapat meluncurkan landing zone AWS Control Tower dari akun manajemen yang ada.

> **Note**
>
> Untuk menyiapkan AWS Control Tower di organisasi yang ada, batas layanan Anda harus memungkinkan pembuatan setidaknya dua akun tambahan.

Efek penambahan AWS Control Tower ke organisasi Anda yang ada

AWS Control Tower membuat dua akun di organisasi Anda: akun audit dan akun logging. Akun ini menyimpan catatan tindakan yang diambil oleh tim Anda, di akun pengguna akhir individu mereka. Akun arsip Audit dan Log muncul di OU Keamanan dalam landing zone AWS Control Tower Anda.

Saat Anda mengatur landing zone, akun yang ditambahkan AWS Control Tower menjadi bagian dari akun yang sudah ada AWS Organizations, dan karenanya akun tersebut menjadi bagian dari penagihan untuk organisasi Anda yang ada.

Ringkasan kemampuan

Mengaktifkan AWS Control Tower pada AWS Organizations organisasi yang ada menyediakan beberapa peningkatan besar bagi organisasi.

- Ini memungkinkan penagihan terpadu di seluruh grup organisasi Anda, karena akun yang ditambahkan oleh AWS Control Tower akan menjadi bagian dari organisasi Anda yang ada.
- Ini memberi Anda kemampuan untuk mengelola semua akun dari satu akun manajemen di OU Anda.
- Ini menyederhanakan cara Anda menerapkan dan menegakkan kontrol yang mencakup keamanan dan kepatuhan untuk akun yang ada dan yang baru.

> **Important**
>
> Meluncurkan landing zone AWS Control Tower di AWS Organizations organisasi yang ada tidak memungkinkan Anda memperluas tata kelola AWS Control Tower dari organisasi tersebut ke OU lain atau akun yang tidak terdaftar di AWS Control Tower.

Untuk meluncurkan AWS Control Tower di organisasi Anda yang ada, ikuti proses yang diuraikan. Memulai AWS Control Tower

Untuk informasi selengkapnya tentang cara AWS Control Tower berinteraksi dengan AWS Organizations organisasi yang ada, lihatMengatur organisasi dan akun dengan AWS Control Tower.

Luncurkan AWS Control Tower di Organisasi Baru

Jika Anda baru mengenal AWS Control Tower dan belum pernah bekerja sama AWS Organizations, tempat terbaik untuk memulai adalah dengan Pengaturan dokumen kami.

AWS Control Tower menyiapkan organisasi untuk Anda secara otomatis ketika Anda belum mengaturnya.

AWS strategi multi-akun untuk landing zone AWS Control Tower

Pelanggan AWS Control Tower sering mencari panduan tentang cara mengatur AWS lingkungan mereka dan memperhitungkan hasil terbaik.AWS telah membuat serangkaian rekomendasi terpadu, yang disebut strategi multi-akun, untuk membantu Anda memanfaatkan AWS sumber daya sebaik-baiknya, termasuk zona landing zone AWS Control Tower Anda.

Pada dasarnya, AWS Control Tower bertindak sebagai lapisan orkestrasi yang berfungsi dengan AWS layanan lain, yang membantu Anda menerapkan rekomendasi AWS multi-akun untuk akun dan. AWS AWS OrganizationsSetelah landing zone Anda disiapkan, AWS Control Tower terus membantu Anda mempertahankan kebijakan perusahaan dan praktik keamanan di beberapa akun dan beban kerja.

Sebagian besar zona pendaratan berkembang seiring waktu. Karena jumlah unit organisasi (OU) dan akun di zona landing zone AWS Control Tower Anda meningkat, Anda dapat memperluas penerapan AWS Control Tower dengan cara yang membantu mengatur beban kerja Anda secara efektif. Bab ini memberikan panduan preskriptif tentang cara merencanakan dan menyiapkan landing zone AWS Control Tower Anda, selaras dengan strategi AWS multi-akun, dan memperpanjangnya dari waktu ke waktu.

Untuk diskusi umum tentang praktik terbaik untuk unit organisasi, lihat Praktik Terbaik untuk Unit Organisasi dengan AWS Organizations.

AWS strategi multi-akun: Panduan praktik terbaik

AWS Praktik terbaik untuk lingkungan yang dirancang dengan baik merekomendasikan agar Anda memisahkan sumber daya dan beban kerja Anda menjadi beberapa akun. AWS Anda dapat menganggap AWS akun sebagai wadah sumber daya yang terisolasi: mereka menawarkan kategorisasi beban kerja, serta pengurangan radius ledakan ketika terjadi kesalahan.

Definisi AWS akun

> AWS Akun bertindak sebagai wadah sumber daya dan batas isolasi sumber daya.

> **Note**
>
> AWS Akun tidak sama dengan akun pengguna, yang diatur melalui Federasi atau AWS Identity and Access Management (IAM).

Lebih lanjut tentang AWS akun

AWS Akun menyediakan kemampuan untuk mengisolasi sumber daya dan menahan ancaman keamanan untuk beban AWS kerja Anda. Akun juga menyediakan mekanisme untuk penagihan dan tata kelola lingkungan beban kerja.

AWS Akun adalah mekanisme implementasi utama untuk menyediakan wadah sumber daya untuk beban kerja Anda. Jika lingkungan Anda dirancang dengan baik, Anda dapat mengelola beberapa AWS akun secara efektif, dan dengan demikian, mengelola beberapa beban kerja dan lingkungan.

AWS Control Tower menyiapkan lingkungan yang dirancang dengan baik. Ini bergantung pada AWS akun, bersama dengan AWS Organizations, yang membantu mengatur perubahan pada lingkungan Anda yang dapat meluas di beberapa akun.

Definisi lingkungan yang dirancang dengan baik

> AWS mendefinisikan lingkungan yang dirancang dengan baik sebagai lingkungan yang dimulai dengan landing zone.

AWS Control Tower menawarkan landing zone yang diatur secara otomatis. Ini memberlakukan kontrol untuk memastikan kepatuhan terhadap pedoman perusahaan Anda, di beberapa akun di lingkungan Anda.

Definisi dari landing zone

> Landing zone adalah lingkungan cloud yang menawarkan titik awal yang direkomendasikan, termasuk akun default, struktur akun, tata letak jaringan dan keamanan, dan sebagainya. Dari landing zone, Anda dapat menerapkan beban kerja yang memanfaatkan solusi dan aplikasi Anda.

Pedoman untuk mengatur lingkungan yang dirancang dengan baik

Tiga komponen kunci dari lingkungan yang dirancang dengan baik, dijelaskan dalam bagian berikut, adalah:

- Beberapa AWS akun
- Beberapa unit organisasi (OU)
- Struktur yang terencana dengan baik

Gunakan beberapa akun AWS

Satu akun tidak cukup untuk mengatur lingkungan yang dirancang dengan baik. Dengan menggunakan beberapa akun, Anda dapat mendukung tujuan keamanan dan proses bisnis Anda dengan sebaik-baiknya. Berikut adalah beberapa manfaat menggunakan pendekatan multi-akun:

- Kontrol keamanan — Aplikasi memiliki profil keamanan yang berbeda, sehingga memerlukan kebijakan dan mekanisme kontrol yang berbeda. Misalnya, jauh lebih mudah untuk berbicara dengan auditor dan menunjuk ke satu akun yang menampung beban kerja industri kartu pembayaran (PCI).
- Isolasi — Akun adalah unit perlindungan keamanan. Potensi risiko dan ancaman keamanan dapat terkandung dalam akun tanpa mempengaruhi orang lain. Oleh karena itu, kebutuhan keamanan mungkin mengharuskan Anda untuk mengisolasi akun satu sama lain. Misalnya, Anda mungkin memiliki tim dengan profil keamanan yang berbeda.
- Banyak tim — Tim memiliki tanggung jawab dan kebutuhan sumber daya yang berbeda. Dengan menyiapkan beberapa akun, tim tidak dapat mengganggu satu sama lain, karena mereka mungkin saat menggunakan akun yang sama.
- Isolasi Data — Mengisolasi penyimpanan data ke akun membantu membatasi jumlah orang yang memiliki akses ke data dan dapat mengelola penyimpanan data. Isolasi ini membantu mencegah paparan data yang sangat pribadi secara tidak sah. Misalnya, isolasi data membantu mendukung kepatuhan terhadap Peraturan Perlindungan Data Umum (GDPR).
- Proses bisnis — Unit bisnis atau produk sering memiliki tujuan dan proses yang sama sekali berbeda. Akun individu dapat dibuat untuk melayani kebutuhan khusus bisnis.
- Penagihan — Akun adalah satu-satunya cara untuk memisahkan item pada tingkat penagihan, termasuk hal-hal seperti biaya transfer dan sebagainya. Strategi multi-akun membantu membuat item yang dapat ditagih terpisah di seluruh unit bisnis, tim fungsional, atau pengguna individu.
- Alokasi kuota — AWS kuota diatur berdasarkan per akun. Memisahkan beban kerja ke dalam akun yang berbeda memberi setiap akun (seperti proyek) kuota individual yang terdefinisi dengan baik.

Gunakan beberapa unit organisasi

AWS Control Tower dan kerangka kerja orkestrasi akun lainnya dapat membuat perubahan yang melintasi batas akun. Oleh karena itu, praktik AWS terbaik mengatasi perubahan lintas akun, yang berpotensi dapat merusak lingkungan atau merusak keamanannya. Dalam beberapa kasus, perubahan dapat mempengaruhi lingkungan secara keseluruhan, di luar kebijakan. Oleh karena itu, kami menyarankan Anda untuk menyiapkan setidaknya dua akun wajib, Produksi dan Pementasan.

Selain itu, AWS akun sering dikelompokkan ke dalam unit organisasi (OU), untuk tujuan tata kelola dan kontrol. OU dirancang untuk menangani penegakan kebijakan di beberapa akun.

Rekomendasi kami adalah, setidaknya, Anda membuat lingkungan pra-produksi (atau Pementasan) yang berbeda dari lingkungan Produksi Anda—dengan kontrol dan kebijakan yang berbeda. Lingkungan Produksi dan Pementasan dapat dibuat dan diatur sebagai OU terpisah, dan ditagih sebagai akun terpisah. Selain itu, Anda mungkin ingin menyiapkan Sandbox OU untuk pengujian kode.

Gunakan struktur yang terencana dengan baik untuk OU di landing zone Anda

AWS Control Tower menyiapkan beberapa OU untuk Anda secara otomatis. Saat beban kerja dan persyaratan Anda bertambah seiring waktu, Anda dapat memperluas konfigurasi landing zone asli agar sesuai dengan kebutuhan Anda.

> **Note**
>
> Nama-nama yang diberikan dalam contoh mengikuti konvensi AWS penamaan yang disarankan untuk menyiapkan lingkungan multi-akun AWS . Anda dapat mengganti nama OU setelah menyiapkan landing zone, dengan memilih Edit pada halaman detail OU.

Rekomendasi

Setelah AWS Control Tower menyiapkan OU pertama yang diperlukan untuk Anda — Security OU — kami sarankan untuk membuat beberapa OU tambahan di landing zone Anda.

Kami menyarankan Anda mengizinkan AWS Control Tower untuk membuat setidaknya satu OU tambahan, yang disebut Sandbox OU. OU ini untuk lingkungan pengembangan perangkat lunak Anda. AWS Control Tower dapat mengatur Sandbox OU untuk Anda selama pembuatan landing zone, jika Anda memilihnya.

Dua rekomendasi OU lain yang dapat Anda atur sendiri: Infrastruktur OU, untuk memuat layanan bersama dan akun jaringan Anda, dan OU untuk memuat beban kerja produksi Anda, yang disebut Workloads OU. Anda dapat menambahkan OU tambahan di landing zone melalui konsol AWS Control Tower di halaman Unit Organisasi.

OU yang direkomendasikan selain yang diatur secara otomatis

- Infrastruktur OU - Berisi layanan bersama dan akun jaringan Anda.

> **Note**
>
> AWS Control Tower tidak menyiapkan Infrastruktur OU untuk Anda.

- Sandbox OU — Sebuah pengembangan perangkat lunak OU. Misalnya, mungkin memiliki batas pengeluaran tetap, atau mungkin tidak terhubung ke jaringan produksi.

> **Note**
>
> AWS Control Tower merekomendasikan agar Anda menyiapkan Sandbox OU, tetapi ini opsional. Ini dapat diatur secara otomatis sebagai bagian dari konfigurasi landing zone Anda.

- Workloads OU - Berisi akun yang menjalankan beban kerja Anda.

> **Note**
>
> AWS Control Tower tidak menyiapkan Workloads OU untuk Anda.

Untuk informasi selengkapnya, lihat Organisasi pemula produksi dengan AWS Control Tower.

Contoh AWS Control Tower dengan struktur OU multi-akun yang lengkap

AWS Control Tower mendukung hierarki OU bersarang, yang berarti Anda dapat membuat struktur OU hierarkis yang memenuhi persyaratan organisasi Anda. Anda dapat membangun lingkungan AWS Control Tower agar sesuai dengan panduan strategi AWS multi-akun.

Anda juga dapat membangun struktur OU yang lebih sederhana dan datar yang berkinerja baik dan selaras dengan panduan AWS multi-akun. Hanya karena Anda dapat membangun struktur OU hierarkis, itu tidak berarti Anda harus melakukannya.

- Untuk melihat diagram yang menunjukkan contoh kumpulan OU di lingkungan AWS Control Tower datar yang diperluas dengan panduan AWS multi-akun, lihat Contoh: Beban Kerja dalam Struktur OU Datar.
- Untuk informasi selengkapnya tentang cara kerja AWS Control Tower dengan struktur OU bersarang, lihatOU bersarang di AWS Control Tower.

- Untuk informasi selengkapnya tentang cara AWS Control Tower selaras dengan AWS panduan, lihat AWS white paper, Mengatur AWS Lingkungan Anda Menggunakan Beberapa Akun.

Diagram pada halaman tertaut menunjukkan bahwa lebih banyak OU Dasar dan lebih banyak OU Tambahan telah dibuat. OU ini melayani kebutuhan tambahan dari penyebaran yang lebih besar.

Di kolom Foundational OU, dua OU telah ditambahkan ke struktur dasar:

- Security_Prod OU - Menyediakan area read-only untuk kebijakan keamanan, serta area audit keamanan break-glass.
- Infrastruktur OU - Anda mungkin ingin memisahkan Infrastruktur OU, yang direkomendasikan sebelumnya, menjadi dua OU, Infrastructure_Test (untuk infrastruktur pra-produksi) dan Infrastructure_Prod (untuk infrastruktur produksi).

Di area OU Tambahan, beberapa OU lagi telah ditambahkan ke struktur dasar. Berikut ini adalah OU yang direkomendasikan berikutnya untuk dibuat saat lingkungan Anda tumbuh:

- Beban Kerja OU - Beban Kerja OU, direkomendasikan sebelumnya tetapi opsional, telah dipisahkan menjadi dua OU, Workloads_Test (untuk beban kerja pra-produksi) dan Workloads_Prod (untuk beban kerja produksi).
- PolicyStaging OU — Memungkinkan administrator sistem untuk menguji perubahan mereka pada kontrol dan kebijakan sebelum menerapkannya sepenuhnya.
- Suspended OU - Menawarkan lokasi untuk akun yang mungkin telah dinonaktifkan sementara.

Tentang Root

Root bukan OU. Ini adalah wadah untuk akun manajemen, dan untuk semua OU dan akun di organisasi Anda. Secara konseptual, Root berisi semua OU. Itu tidak bisa dihapus. Anda tidak dapat mengatur akun terdaftar di tingkat Root dalam AWS Control Tower. Sebagai gantinya, atur akun terdaftar dalam OU Anda. Untuk diagram yang bermanfaat, lihat AWS Organizations dokumentasi.

Kiat administratif untuk pengaturan landing zone

- AWS Wilayah tempat Anda melakukan pekerjaan paling banyak harus menjadi wilayah asal Anda.
- Siapkan landing zone Anda dan gunakan akun Account Factory Anda dari dalam Wilayah asal Anda.

- Jika Anda berinvestasi di beberapa AWS Wilayah, pastikan sumber daya cloud Anda berada di Wilayah tempat Anda akan melakukan sebagian besar pekerjaan administrasi cloud dan menjalankan beban kerja Anda.
- Dengan menyimpan beban kerja dan log Anda di AWS Wilayah yang sama, Anda mengurangi biaya yang terkait dengan pemindahan dan pengambilan informasi log di seluruh wilayah.
- Audit dan bucket Amazon S3 lainnya dibuat di AWS Wilayah yang sama tempat Anda meluncurkan AWS Control Tower. Kami menyarankan Anda untuk tidak memindahkan ember ini.
- Anda dapat membuat ember log Anda sendiri di akun Arsip Log, tetapi tidak disarankan. Pastikan untuk meninggalkan bucket yang dibuat oleh AWS Control Tower.
- Log akses Amazon S3 Anda harus berada di AWS Wilayah yang sama dengan bucket sumber.
- Saat diluncurkan, titik akhir AWS Security Token Service (STS) harus diaktifkan di akun manajemen, untuk semua Wilayah yang didukung oleh AWS Control Tower. Jika tidak, peluncuran mungkin gagal di tengah proses konfigurasi.
- AWS Control Tower mendukung penandaan hanya untuk kontrol yang diaktifkan. Untuk informasi selengkapnya, lihat AWS Control Tower mendukung penandaan untuk kontrol yang diaktifkan.
- Sebaiknya aktifkan autentikasi multi-faktor (MFA) untuk setiap akun yang dikelola AWS Control Tower.

Pertimbangan tentang VPC

- VPC yang dibuat oleh AWS Control Tower terbatas Wilayah AWS pada tempat AWS Control Tower tersedia. Beberapa pelanggan yang beban kerjanya berjalan di Wilayah yang tidak didukung mungkin ingin menonaktifkan VPC yang dibuat dengan akun Account Factory Anda. Mereka mungkin lebih suka membuat VPC baru menggunakan portofolio Service Catalog, atau membuat VPC kustom yang hanya berjalan di Wilayah yang diperlukan.
- VPC yang dibuat oleh AWS Control Tower tidak sama dengan VPC default yang dibuat untuk semua. Akun AWSDi Wilayah di mana AWS Control Tower didukung, AWS Control Tower menghapus VPC default saat membuat AWS Control Tower VPC.
- Jika Anda menghapus VPC default Anda di AWS Wilayah rumah Anda, yang terbaik adalah menghapusnya di semua Wilayah lain AWS .

Rekomendasi untuk menyiapkan grup, peran, dan kebijakan

Saat Anda mengatur landing zone, ada baiknya Anda memutuskan sebelumnya pengguna mana yang akan memerlukan akses ke akun tertentu dan mengapa. Misalnya, akun keamanan harus dapat diakses hanya oleh tim keamanan, akun manajemen harus dapat diakses hanya oleh tim administrator cloud, dan sebagainya.

Untuk informasi lebih lanjut tentang topik ini, lihatManajemen identitas dan akses di AWS Control Tower.

Pembatasan yang disarankan

Anda dapat membatasi cakupan akses administratif ke organisasi Anda dengan menyiapkan peran atau kebijakan IAM yang memungkinkan administrator mengelola tindakan AWS Control Tower saja. Pendekatan yang disarankan adalah dengan menggunakan kebijakan `arn:aws:iam::aws:policy/service-role/AWSControlTowerServiceRolePolicy` IAM. Dengan `AWSControlTowerServiceRolePolicy` peran diaktifkan, administrator hanya dapat mengelola AWS Control Tower. Pastikan untuk menyertakan akses yang tepat AWS Organizations untuk mengelola kontrol pencegahan Anda, dan SCP, dan akses ke AWS Config, untuk mengelola kontrol detektif, di setiap akun.

Saat menyiapkan akun audit bersama di landing zone, sebaiknya tetapkan `AWSSecurityAuditors` grup tersebut ke auditor pihak ketiga mana pun di akun Anda. Grup ini memberikan izin read-only kepada anggotanya. Akun tidak boleh memiliki izin menulis tentang lingkungan yang diaudit, karena dapat melanggar kepatuhan terhadap persyaratan Pemisahan Tugas untuk auditor.

Anda dapat menerapkan ketentuan dalam kebijakan kepercayaan peran Anda, untuk membatasi akun dan sumber daya yang berinteraksi dengan peran tertentu di AWS Control Tower. Kami sangat menyarankan Anda membatasi akses ke `AWSControlTowerAdmin` peran, karena memungkinkan izin akses yang luas. untuk informasi lebih lanjut, lihat. Kondisi opsional untuk hubungan kepercayaan peran Anda

Panduan untuk membuat dan memodifikasi sumber daya AWS Control Tower

Kami merekomendasikan praktik terbaik berikut saat Anda membuat dan memodifikasi sumber daya di AWS Control Tower. Panduan ini mungkin berubah saat layanan diperbarui.

Panduan Umum

- Jangan mengubah atau menghapus sumber daya yang dibuat oleh AWS Control Tower di akun manajemen atau di akun bersama. Modifikasi sumber daya ini dapat mengharuskan Anda memperbarui landing zone atau mendaftarkan ulang OU.
- Jangan mengubah atau menghapus peran AWS Identity and Access Management (IAM) yang dibuat dalam akun bersama di unit organisasi Keamanan (OU). Modifikasi peran ini dapat memerlukan pembaruan ke landing zone Anda.
- Untuk informasi selengkapnya tentang sumber daya yang dibuat oleh AWS Control Tower, lihatApa saja akun bersama?.
- Jangan melarang penggunaan apa pun Wilayah AWS melalui SCP atau AWS Security Token Service ()AWS STS. Melakukannya akan menyebabkan AWS Control Tower memasuki status tidak terdefinisi. Jika Anda melarang Wilayah dengan AWS STS, fungsionalitas Anda akan gagal di Wilayah tersebut, karena otentikasi tidak akan tersedia di Wilayah tersebut. Sebagai gantinya, andalkan kemampuan penolakan Wilayah AWS Control Tower Region, seperti Tolak akses AWS berdasarkan AWS Wilayah yang diminta yang ditunjukkan pada kontrol, yang bekerja di level landing zone, atau kontrolWilayah menolak kontrol diterapkan pada OU, yang bekerja di tingkat OU untuk membatasi akses ke Wilayah.
- AWS Organizations `FullAWSAccess`SCP harus diterapkan dan tidak boleh digabungkan dengan SCP lainnya. Perubahan pada SCP ini tidak dilaporkan sebagai drift; namun, beberapa perubahan dapat memengaruhi fungsionalitas AWS Control Tower dengan cara yang tidak dapat diprediksi, jika akses ke sumber daya tertentu ditolak. Misalnya, jika SCP terlepas, atau dimodifikasi, akun mungkin kehilangan akses ke AWS Config perekam atau membuat celah dalam CloudTrail pencatatan.
- Secara umum, AWS Control Tower melakukan satu tindakan pada satu waktu, yang harus diselesaikan sebelum tindakan lain dapat dimulai. Misalnya, jika Anda mencoba menyediakan akun saat proses mengaktifkan kontrol sudah beroperasi, penyediaan akun akan gagal.

  Pengecualian:

  - AWS Control Tower memungkinkan tindakan bersamaan untuk menerapkan kontrol preventif dan detektif opsional. Lihat Penerapan bersamaan untuk kontrol opsional.
  - AWS Control Tower memungkinkan hingga sepuluh tindakan membuat, memperbarui, atau mendaftarkan akun secara bersamaan, dengan pabrik akun.

- Simpan AWS Config perekam aktif. Jika Anda menghapus perekam Config, kontrol detektif tidak dapat mendeteksi dan melaporkan penyimpangan. Sumber daya yang tidak sesuai dapat dilaporkan sebagai Compliant karena informasi yang tidak mencukupi.
- Jangan hapus `AWSControlTowerExecution` peran dari akun anggota Anda, bahkan di akun yang tidak terdaftar. Jika ya, Anda tidak akan dapat mendaftarkan akun ini dengan AWS Control Tower, atau mendaftarkan OU induk langsung mereka.
- Jangan gunakan AWS Organizations `DisableAWSServiceAccess` API untuk mematikan akses layanan AWS Control Tower ke organisasi tempat Anda menyiapkan landing zone. Jika Anda melakukannya, fitur deteksi drift AWS Control Tower tertentu mungkin tidak berfungsi dengan baik tanpa dukungan pesan dari AWS Organizations. Fitur deteksi drift ini membantu menjamin AWS Control Tower dapat melaporkan status kepatuhan unit organisasi, akun, dan kontrol di organisasi Anda secara akurat. Untuk informasi selengkapnya, lihat API_DisableAWSServiceAccessdi Referensi AWS Organizations API.

Kiat tentang akun dan OU

- Kami menyarankan agar Anda menyimpan setiap OU yang terdaftar hingga maksimum 300 akun, sehingga Anda dapat memperbarui akun tersebut dengan kemampuan Register Ulang OU setiap kali pembaruan akun diperlukan, seperti saat Anda mengonfigurasi Wilayah baru untuk tata kelola.
- Untuk mengurangi waktu yang diperlukan saat mendaftarkan OU, kami sarankan Anda menyimpan jumlah akun per OU menjadi sekitar 150, meskipun batasnya adalah 300 akun per OU. Sebagai aturan umum, waktu yang diperlukan untuk mendaftarkan OU meningkat sesuai dengan jumlah Wilayah di mana OU Anda beroperasi, dikalikan dengan jumlah akun di OU.
- Sebagai perkiraan, OU dengan 150 akun membutuhkan sekitar 2 jam untuk mendaftar dan mengaktifkan kontrol, dan sekitar 1 jam untuk mendaftar ulang. Juga, OU yang memiliki banyak kontrol membutuhkan waktu lebih lama untuk mendaftar daripada OU dengan sedikit kontrol.
- Satu kekhawatiran tentang mengizinkan jangka waktu yang lebih lama untuk mendaftarkan OU adalah bahwa proses ini memblokir tindakan lain. Beberapa pelanggan merasa nyaman membiarkan waktu yang lebih lama untuk mendaftar atau mendaftar ulang OU, karena mereka lebih suka mengizinkan lebih banyak akun di setiap OU.

Kapan harus masuk sebagai pengguna root

Tugas administratif tertentu mengharuskan Anda masuk sebagai pengguna root. Anda dapat masuk sebagai pengguna root ke Akun AWS yang dibuat oleh pabrik akun di AWS Control Tower.

Anda harus masuk sebagai pengguna root untuk melakukan tindakan berikut:

- Ubah pengaturan akun tertentu, termasuk nama akun, kata sandi pengguna root, atau alamat email. Untuk informasi selengkapnya, lihat Perbarui dan pindahkan akun pabrik akun dengan AWS Control Tower atau dengan AWS Service Catalog.
- Untuk menutup sebuah Akun AWS.
- Untuk informasi selengkapnya tentang tindakan yang memerlukan kredenal login pengguna root, lihat Tugas yang memerlukan kredenal pengguna root di Panduan Referensi.AWS Account Management

> **Note**
>
> Untuk mengubah atau mengaktifkan paketAWS Support Anda, Anda harus masuk sebagai pengguna root atau menjadi pengguna dengan izin IAM yang sesuai. .

Untuk masuk sebagai pengguna root

1. Buka halamanAWS masuk.

   Jika Anda tidak memiliki alamat email yang Anda perlukan akses, Anda bisa mendapatkannya dari AWS Control Tower. Akun AWS Buka konsol untuk akun manajemen, pilih Akun, dan cari alamat emailnya.
2. Masukkan alamat email yang Akun AWS Anda perlukan akses, lalu pilih Berikutnya.
3. Pilih Lupa kata sandi? agar instruksi pengaturan ulang kata sandi dikirim ke alamat email pengguna root.
4. Buka pesan email reset kata sandi dari kotak pesan pengguna root, lalu ikuti petunjuk untuk mengatur ulang kata sandi Anda.
5. Buka halamanAWS login, lalu masuk dengan kata sandi setel ulang.

AWS Organizations bimbingan

- Anda dapat menemukan panduan tentang praktik terbaik untuk melindungi keamanan akun manajemen AWS Control Tower dan akun anggota Anda dalam AWS Organizations dokumentasi.
  - Praktik terbaik untuk akun manajemen

- Praktik terbaik untuk akun anggota

- Jangan gunakan AWS Organizations untuk memperbarui kebijakan kontrol layanan (SCP) yang dilampirkan ke OU yang terdaftar di AWS Control Tower. Melakukannya dapat mengakibatkan kontrol memasuki status yang tidak diketahui, yang mengharuskan Anda memperbaiki landing zone atau mendaftarkan ulang OU Anda di AWS Control Tower. Sebagai gantinya, Anda dapat membuat SCP baru dan melampirkannya ke OU daripada mengedit SCP yang telah dibuat AWS Control Tower.
- Memindahkan akun individu, yang sudah terdaftar, ke AWS Control Tower, dari luar OU terdaftar, menyebabkan penyimpangan yang harus diperbaiki. Lihat Jenis Drift Tata Kelola.
- Jika Anda menggunakannya AWS Organizations untuk membuat, mengundang, atau memindahkan akun dalam organisasi yang terdaftar di AWS Control Tower, akun tersebut tidak terdaftar oleh AWS Control Tower dan perubahan tersebut tidak dicatat. Jika Anda memerlukan akses ke akun ini melalui SSO, lihat Akses Akun Anggota.
- Jika Anda menggunakannya AWS Organizations untuk memindahkan OU ke organisasi yang dibuat oleh AWS Control Tower, OU eksternal tidak terdaftar oleh AWS Control Tower.
- AWS Control Tower menangani pemfilteran izin secara berbeda dari yang AWS Organizations dilakukan. Jika akun Anda disediakan dengan pabrik akun AWS Control Tower, pengguna akhir dapat melihat nama dan orang tua dari semua OU di konsol AWS Control Tower, meskipun mereka tidak memiliki izin untuk mengambil nama dan orang tua tersebut secara langsung. AWS Organizations
- AWS Control Tower tidak mendukung izin campuran pada organisasi, seperti izin untuk melihat induk OU tetapi tidak untuk melihat nama OU. Untuk alasan ini, administrator AWS Control Tower diharapkan memiliki izin penuh.
- AWS Organizations `FullAWSAccess`SCP harus diterapkan dan tidak boleh digabungkan dengan SCP lainnya. Perubahan pada SCP ini tidak dilaporkan sebagai drift; namun, beberapa perubahan dapat memengaruhi fungsionalitas AWS Control Tower dengan cara yang tidak dapat diprediksi, jika akses ke sumber daya tertentu ditolak. Misalnya, jika SCP terlepas, atau dimodifikasi, akun mungkin kehilangan akses ke AWS Config perekam atau membuat celah dalam CloudTrail pencatatan.
- Jangan gunakan AWS Organizations `DisableAWSServiceAccess` API untuk mematikan akses layanan AWS Control Tower ke organisasi tempat Anda menyiapkan landing zone. Jika Anda melakukannya, fitur deteksi drift AWS Control Tower tertentu mungkin tidak berfungsi dengan baik tanpa dukungan pesan dari AWS Organizations. Fitur deteksi drift ini membantu menjamin AWS Control Tower dapat melaporkan status kepatuhan unit organisasi, akun, dan kontrol di organisasi

Anda secara akurat. Untuk informasi selengkapnya, lihat API_DisableAWSServiceAccessdi Referensi AWS Organizations API.

Panduan Pusat Identitas IAM

> **Note**
>
> SSO adalah singkatan yang digunakan dalam industri teknologi untuk menunjukkan single sign-on. Secara umum, SSO adalah sesi dan layanan otentikasi pengguna. Ini memungkinkan seseorang untuk menggunakan satu set kredensi login untuk akses ke banyak aplikasi. Ketika mengacu pada kemampuan single-sign on AWS, kami mengacu pada AWS layanan yang disebut AWS Identity and Access Management, dan disingkat IAM atau IAM Identity Center.

AWS Control Tower merekomendasikan agar Anda menggunakan AWS Identity and Access Management (IAM) untuk mengatur akses ke Anda Akun AWS. Namun, Anda memiliki opsi untuk memilih apakah AWS Control Tower menyiapkan IAM Identity Center untuk Anda, apakah Anda menyiapkan Pusat Identitas IAM untuk diri sendiri, dengan cara yang paling efektif memenuhi persyaratan bisnis Anda, atau memilih metode lain untuk akses akun.

Secara default, AWS Control Tower menyiapkan Pusat AWS Identitas IAM untuk landing zone Anda, selaras dengan panduan praktik terbaik yang ditentukan dalam Mengatur AWS lingkungan Anda menggunakan beberapa akun. Sebagian besar pelanggan memilih default. Metode akses alternatif kadang-kadang diperlukan, untuk kepatuhan peraturan di industri atau negara tertentu, atau di Wilayah AWS mana Pusat AWS Identitas IAM tidak tersedia.

Memilih opsi

Dari konsol, Anda dapat memilih untuk mengelola sendiri Pusat Identitas IAM selama proses penyiapan landing zone, daripada mengizinkan AWS Control Tower mengaturnya untuk Anda. Kapan saja nanti, Anda dapat memilih untuk mengubah pilihan ini, dengan memodifikasi pengaturan landing zone dan memperbarui landing zone Anda di halaman Pengaturan landing zone.

Untuk menghentikan AWS IAM Identity Center di AWS Control Tower, atau untuk mulai menggunakan AWS IAM Identity Center

1. Arahkan ke halaman Pengaturan landing zone

2. Pilih tab Konfigurasi
3. Kemudian pilih tombol radio yang sesuai, untuk mengubah pilihan Anda untuk AWS IAM Identity Center.

Setelah Anda memilih untuk mengelola sendiri Pusat Identitas AWS IAM sebagai IDP Anda, AWS Control Tower hanya membuat peran dan kebijakan yang diperlukan untuk mengelola AWS Control Tower, seperti dan. `AWSControlTowerAdmin` `AWSControlTowerAdminPolicy` Untuk zona pendaratan yang dikelola sendiri, AWS Control Tower tidak lagi membuat peran dan pengelompokan IAM untuk penggunaan khusus pelanggan — tidak selama proses pengaturan landing zone, maupun selama penyediaan akun dengan Account Factory.

> **Note**
>
> Jika Anda menghapus Pusat AWS Identitas IAM dari zona landing AWS Control Tower Anda, pengguna, grup, dan set izin yang dibuat AWS Control Tower tidak akan dihapus. Kami menyarankan Anda menghapus sumber daya ini.

Pelanggan Account Factory dengan penyedia identitas alternatif (IdPs) seperti Azure AD, Ping, atau Okta, dapat mengikuti proses AWS IAM Identity Center untuk terhubung ke penyedia identitas eksternal dan melakukan onboard IDP mereka. Anda dapat kembali membuat AWS Control Tower menghasilkan pengelompokan dan peran Anda kapan saja, dengan memodifikasi pengaturan landing zone.

- Untuk informasi spesifik tentang cara kerja AWS Control Tower dengan IAM Identity Center berdasarkan sumber identitas Anda, lihat Pertimbangan untuk AWS IAM Identity Center pelanggan di bagian Pemeriksaan pra-peluncuran di halaman Memulai Panduan Pengguna ini.
- Untuk informasi tambahan tentang bagaimana perilaku AWS Control Tower berinteraksi dengan IAM Identity Center dan berbagai sumber identitas, lihat Pertimbangan untuk Mengubah Sumber Identitas Anda di Panduan Pengguna Pusat Identitas IAM.
- Lihat Bekerja dengan AWS IAM Identity Center dan AWS Control Tower untuk informasi selengkapnya tentang bekerja dengan AWS Control Tower dan IAM Identity Center.

Panduan Account Factory

Anda dapat mengalami masalah saat menggunakan Account Factory untuk menyediakan akun baru di AWS Control Tower. Untuk informasi tentang cara memecahkan masalah ini, lihat bagian Penyediaan Akun Baru Gagal di Pemecahan Masalah Panduan Pengguna AWS Control Tower.

Kami menyarankan Anda membuat pengguna federasi atau peran IAM, bukan pengguna IAM. Pengguna federasi dan peran IAM memberi Anda kredensi sementara. Pengguna IAM memiliki kredensi jangka panjang yang sulit dikelola. Untuk informasi selengkapnya, lihat identitas IAM (pengguna, grup pengguna, dan peran) di Panduan Pengguna IAM.

Jika Anda diautentikasi sebagai pengguna IAM atau pengguna Pusat Identitas IAM saat menyediakan akun baru di Account Factory atau saat menggunakan fitur akun Daftar AWS Control Tower, verifikasi bahwa pengguna Anda memiliki akses ke portofolio Anda. AWS Service Catalog Jika tidak, Anda mungkin menerima pesan galat dari Service Catalog. Untuk informasi selengkapnya, lihat Tidak Ada Jalur Peluncuran Ditemukan Kesalahan di bagian Pemecahan Masalah pada Panduan Pengguna AWS Control Tower.

> **Note**
>
> Hingga lima akun dapat disediakan sekaligus.

Panduan untuk berlangganan Topik SNS

- Topik `aws-controltower-AllConfigNotifications` SNS menerima semua acara yang diterbitkan oleh AWS Config, termasuk pemberitahuan kepatuhan dan pemberitahuan CloudWatch acara Amazon. Misalnya, topik ini memberi tahu Anda jika pelanggaran kontrol telah terjadi. Ini juga memberikan informasi tentang jenis acara lainnya. (Pelajari lebih lanjut AWS Configtentang apa yang mereka terbitkan saat topik ini dikonfigurasi.)
- Peristiwa Data dari `aws-controltower-BaselineCloudTrail` jejak diatur untuk dipublikasikan ke topik `aws-controltower-AllConfigNotifications` SNS juga.
- Untuk menerima pemberitahuan kepatuhan terperinci, kami sarankan Anda berlangganan topik `aws-controltower-AllConfigNotifications` SNS. Topik ini menggabungkan pemberitahuan kepatuhan dari semua akun anak.

- Untuk menerima pemberitahuan drift dan pemberitahuan lainnya serta pemberitahuan kepatuhan, tetapi lebih sedikit pemberitahuan secara keseluruhan, kami sarankan Anda berlangganan topik `aws-controltower-AggregateSecurityNotifications` SNS.
- Untuk menerima pemberitahuan tentang kesalahan AWS Control Tower Account Factory for Terraform (AFT), Anda dapat berlangganan topik SNS yang disebut aft_failure_notifications, yang ditampilkan di repositori AFT. Sebagai contoh:

```
resource "aws_sns_topic" "aft_failure_notifications" {
    name = "aft-failure-notifications"
    kms_master_key_id = "alias/aws/sns"
}
```

Untuk informasi selengkapnya tentang topik dan kepatuhan SNS, lihatPencegahan dan pemberitahuan drift.

Panduan untuk kunci KMS

AWS Control Tower bekerja dengan AWS Key Management Service (AWS KMS). Secara opsional, jika Anda ingin mengenkripsi dan mendekripsi sumber daya AWS Control Tower Anda dengan kunci enkripsi yang Anda kelola, Anda dapat membuat dan mengonfigurasi. AWS KMS keysAnda dapat menambahkan atau mengubah kunci KMS setiap kali Anda memperbarui landing zone Anda. Sebagai praktik terbaik, kami sarankan menggunakan kunci KMS Anda sendiri dan mengubahnya dari waktu ke waktu.

AWS KMS memungkinkan Anda membuat kunci KMS Multi-wilayah dan tombol asimetris. Namun, AWS Control Tower tidak mendukung kunci Multi-region atau kunci asimetris. AWS Control Tower melakukan pra-pemeriksaan kunci yang ada. Anda mungkin melihat pesan galat jika memilih tombol Multi-region atau tombol asimetris. Dalam hal ini, buat kunci lain untuk digunakan dengan sumber daya AWS Control Tower.

Untuk pelanggan yang mengoperasikan klaster AWS CloudHSM: Buat toko kunci khusus yang terkait dengan klaster CloudHSM Anda. Kemudian Anda dapat membuat kunci KMS, yang berada di toko kunci kustom CloudHSM yang Anda buat. Anda dapat menambahkan kunci KMS ini ke AWS Control Tower.

Anda harus membuat pembaruan khusus pada kebijakan izin kunci KMS agar berfungsi dengan AWS Control Tower. Untuk detailnya, lihat bagian yang disebutPerbarui kebijakan kunci KMS.

Manajemen pembaruan konfigurasi di AWS Control Tower

Merupakan tanggung jawab anggota tim administrator cloud pusat Anda untuk memperbarui landing zone Anda. Memperbarui landing zone Anda memastikan AWS Control Tower ditambal dan diperbarui. Selain itu, untuk melindungi landing zone Anda dari potensi masalah kepatuhan, anggota tim administrator cloud pusat harus menyelesaikan masalah drift segera setelah terdeteksi dan dilaporkan.

> **Note**
>
> Konsol AWS Control Tower menunjukkan kapan landing zone Anda perlu diperbarui. Jika Anda tidak melihat opsi untuk memperbarui, landing zone Anda sudah up to date.

Tabel berikut berisi daftar rilis pembaruan landing zone AWS Control Tower, dengan tautan ke deskripsi setiap rilis.

Versi	Tanggal rilis	Deskripsi
3.3	12-12-2023	Zona pendaratan versi 3.3
3.2	6-09-2023	Zona pendaratan versi 3.2
3.1	2-09-2023	Zona pendaratan versi 3.1
3.0	7-26-2022	Zona pendaratan versi 3.0
2.9	4-22-2022	Zona pendaratan versi 2.9
2.8	2-10-2022	Zona pendaratan versi 2.8
2.7	4-8-2021	Zona pendaratan versi 2.7
2.6	12-29-2020	Zona pendaratan versi 2.6
2.5	11-18-2020	Zona pendaratan versi 2.5
2.4	Tidak ada	Tidak ada

Versi	Tanggal rilis	Deskripsi
2.3	3-5-2020	Zona pendaratan versi 2.3
2.2	11-13-19	Zona pendaratan versi 2.2
2.1	6-24-19	Zona pendaratan versi 2.1

Setiap kali Anda memperbarui landing zone Anda, Anda memiliki kesempatan untuk mengubah pengaturan landing zone Anda.

Manfaat memperbarui

- Anda dapat mengubah Wilayah yang diatur
- Anda dapat mengubah kebijakan penyimpanan log
- Anda dapat menambahkan atau menghapus kontrol penolakan Wilayah
- Anda dapat menerapkan kunci enkripsi AWS KMS
- Anda dapat mengaktifkan atau menonaktifkan jejak tingkat organisasi CloudTrail Anda.
- Anda dapat mengatasi drift landing zone

Saat memperbarui landing zone, Anda akan menerima fitur terbaru untuk AWS Control Tower, secara otomatis. Lihat versi landing zone Anda saat ini di halaman pengaturan zona pendaratan.

Jika pembaruan gagal, AWS Control Tower tidak memutar kembali ke versi landing zone sebelumnya. Anda mungkin menemukan landing zone Anda dalam keadaan tak tentu. Jika demikian, hubungi AWS dukungan. Untuk informasi selengkapnya tentang pemecahan masalah kegagalan untuk memperbarui, lihat. Tidak Dapat Memperbarui Zona Pendaratan

Anda memiliki kesempatan untuk menghapus pemetaan pusat AWS Identitas yang tidak terpakai (sebelumnya disebut AWS SSO) saat Anda memperbarui landing zone Anda. Untuk informasi selengkapnya, lihat Catatan Bidang: Hapus Pemetaan Pusat Identitas IAM yang Tidak Digunakan Secara Otomatis Selama Peningkatan AWS Control Tower.

> **Prasyarat untuk Pembaruan dan Perbaikan - matikan Requester Pays**
>
> Sebelum memperbarui atau memperbaiki landing zone, pastikan bucket logging Amazon S3 untuk akun Arsip Log tidak mengaktifkan fitur Requester Pays. Anda harus mematikan

fitur tersebut sebelum memulai proses Pembaruan atau Perbaikan. Saat AWS Control Tower menyiapkan bucket logging Anda, fitur ini tidak diaktifkan. Oleh karena itu, hanya pelanggan yang telah mengaktifkan fitur Requester Pays secara subesquently yang harus mematikannya. Untuk informasi selengkapnya, lihat kebijakan bucket Amazon S3 untuk CloudTrail dan Menggunakan bucket Requester Pays.

Tentang Pembaruan

Pembaruan diperlukan untuk memperbaiki penyimpangan tata kelola, atau untuk pindah ke AWS Control Tower versi baru. Untuk melakukan pembaruan lengkap AWS Control Tower, Anda harus memperbarui landing zone terlebih dahulu dan kemudian memperbarui akun yang terdaftar satu per satu. Anda mungkin perlu melakukan tiga jenis pembaruan pada waktu yang berbeda.

- Pembaruan landing zone: Paling sering jenis pembaruan ini dilakukan dengan memilih Perbarui pada halaman pengaturan zona pendaratan. Anda mungkin perlu melakukan pembaruan landing zone untuk memperbaiki jenis drift tertentu, dan Anda dapat memilih Perbaikan bila perlu.
- Pembaruan satu atau beberapa akun individual: Anda harus memperbarui akun jika informasi terkait berubah, atau jika jenis penyimpangan tertentu telah terjadi. Jika akun memerlukan pembaruan, status akun akan menampilkan Pembaruan yang tersedia di halaman Akun.

  Untuk memperbarui satu akun, navigasikan ke halaman detail akun dan pilih Perbarui akun. Akun juga dapat diperbarui dengan proses manual, dengan memilih Daftar ulang OU, atau dengan pendekatan skrip otomatis, yang dijelaskan di bagian selanjutnya dari halaman ini.
- Pembaruan lengkap: Pembaruan lengkap mencakup pembaruan landing zone Anda, diikuti dengan pembaruan semua akun terdaftar di OU terdaftar Anda. Pembaruan lengkap diperlukan dengan rilis baru AWS Control Tower seperti 2.9, 3.0, dan seterusnya.

> **Note**
>
> Setelah menyelesaikan pembaruan landing zone, Anda tidak dapat membatalkan pembaruan atau downgrade ke versi sebelumnya.

Perbarui Zona Pendaratan Anda

Cara termudah untuk memperbarui landing zone AWS Control Tower adalah melalui halaman pengaturan zona pendaratan, yang dapat Anda jangkau dengan memilih pengaturan zona pendaratan di navigasi kiri dasbor AWS Control Tower.

Halaman pengaturan zona pendaratan menunjukkan versi landing zone saat ini, dan mencantumkan versi terbaru yang mungkin tersedia. Anda dapat memilih tombol Perbarui jika Anda perlu memperbarui versi Anda.

> **Note**
>
> Atau, Anda dapat memperbarui landing zone Anda secara manual. Pembaruan membutuhkan waktu yang kira-kira sama, apakah Anda menggunakan tombol Perbarui atau proses manual. Untuk melakukan pembaruan manual pada landing zone Anda saja, lihat langkah 1 dan 2 yang mengikuti.

Pembaruan manual

Prosedur berikut memandu Anda melalui langkah-langkah pembaruan lengkap untuk AWS Control Tower secara manual. Untuk memperbarui akun individual, lihatPerbarui akun di konsol.

Untuk memperbarui landing zone Anda secara manual, dengan sejumlah akun per OU

1. Buka browser web, dan navigasikan ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower/home/update.
2. Tinjau informasi di wizard dan pilih Perbarui. Ini memperbarui backend landing zone serta akun bersama Anda. Proses ini bisa memakan waktu sedikit lebih dari setengah jam.
3. Perbarui akun anggota Anda (prosedur ini harus diikuti untuk OU yang berisi lebih dari 300 akun).
4. Dari panel navigasi kiri, pilih Organisasi.
5. Untuk memperbarui setiap akun, ikuti langkah-langkah yang diberikanPerbarui akun di konsol.

> **Secara opsional Registrasi ulang OU untuk memperbarui akun**
>
> Untuk AWS Control Tower OU terdaftar dengan kurang dari 300 akun, Anda dapat membuka halaman OU di dasbor dan memilih Daftar ulang OU untuk memperbarui akun di OU tersebut.

Selesaikan drift dengan Perbaikan dan Registrasi Ulang

Drift sering terjadi saat Anda dan anggota organisasi Anda menggunakan landing zone.

Deteksi drift otomatis di AWS Control Tower. Pemindaian otomatis SCP Anda membantu Anda mengidentifikasi sumber daya yang memerlukan perubahan atau pembaruan konfigurasi yang harus dilakukan untuk mengatasi penyimpangan.

Untuk memperbaiki sebagian besar jenis drift, pilih Perbaikan pada halaman pengaturan zona pendaratan. Selain itu, Anda dapat memperbaiki beberapa jenis drift dengan memilih untuk mendaftarkan ulang OU. Untuk informasi selengkapnya tentang jenis drift dan cara mengatasinya, lihat Jenis Drift Tata Kelola danMendeteksi dan mengatasi penyimpangan di AWS Control Tower.

Satu kasus perbaikan khusus terjadi untuk penyimpangan peran. Jika peran yang diperlukan tidak tersedia, konsol akan menampilkan halaman peringatan dan beberapa petunjuk tentang cara mengembalikan peran. Landing zone Anda tidak tersedia sampai drift peran diperbaiki. Perbaikan drift ini tidak sama dengan perbaikan landing zone penuh. Untuk informasi selengkapnya, lihat Jangan menghapus peran yang diperlukan di bagian yang dipanggilJenis drift untuk segera diperbaiki.

> **Note**
>
> Ketika Anda sepenuhnya memperbaiki landing zone Anda, landing zone ditingkatkan ke versi landing zone terbaru.

Menyediakan dan memperbarui akun menggunakan otomatisasi

Anda dapat menyediakan atau memperbarui akun individual di AWS Control Tower dengan beberapa metode:

- Anda dapat menyediakan dan menyesuaikan akun dengan AWS Control Tower Account Factory for Terraform (AFT). Untuk informasi selengkapnya, lihat Ikhtisar AWS Control Tower Account Factory untuk Terraform (AFT).
- Anda dapat memperbarui akun dengan Kustomisasi untuk AWS Control Tower (CFCT). Untuk informasi selengkapnya, lihat Kustomisasi untuk ikhtisar AWS Control Tower (CFCT) .
- Otomatisasi skrip: Jika Anda lebih suka menggunakan pendekatan API, Anda dapat memperbarui akun menggunakan kerangka kerja API Service Catalog dan memperbarui akun dalam proses batch. AWS CLI Anda akan memanggil `UpdateProvisionedProduct`API Service Catalog untuk setiap akun. Anda dapat menulis skrip untuk memperbarui akun, satu per satu, dengan API ini. Informasi lebih lanjut tentang pendekatan ini, saat menambahkan Wilayah untuk tata kelola, tersedia di posting blog, Mengaktifkan pagar pembatas di Wilayah baru. AWS

  Anda dapat memperbarui sebanyak lima (5) akun sekaligus. Anda harus menunggu setidaknya satu pembaruan akun agar berhasil sebelum memulai pembaruan akun berikutnya. Karena itu, prosesnya mungkin memakan waktu lama jika Anda memiliki banyak akun, tetapi tidak rumit. Untuk informasi lebih lanjut tentang pendekatan ini, lihatPanduan: Mengotomatiskan Penyediaan Akun di AWS Control Tower oleh Service Catalog API.

> **Panduan video**
>
> Panduan VideoIni dirancang untuk penyediaan akun otomatis dengan skrip, tetapi langkah-langkahnya juga berlaku untuk pembaruan akun. Gunakan `UpdateProvisionedProduct` API alih-alih `ProvisionProduct` API.

Langkah selanjutnya dari otomatisasi dengan skrip adalah memeriksa status Sukses dari peristiwa `UpdateLandingZone` siklus hidup AWS Control Tower. Gunakan sebagai pemicu untuk mulai memperbarui akun individual seperti yang dijelaskan dalam video. Peristiwa siklus hidup menandai penyelesaian urutan aktivitas, sehingga terjadinya peristiwa ini berarti pembaruan landing zone selesai. Pembaruan landing zone harus lengkap sebelum pembaruan akun dimulai. Untuk informasi selengkapnya tentang bekerja dengan peristiwa siklus hidup, lihat Peristiwa Siklus Hidup.

Lihat juga:

- Menggunakan AWS CloudShell untuk bekerja dengan AWS Control Tower.
- Mengotomatiskan tugas di AWS Control Tower .

Mengotomatiskan tugas di AWS Control Tower

Banyak pelanggan lebih suka mengotomatiskan tugas di AWS Control Tower, seperti penyediaan akun, penetapan kontrol, dan audit. Anda dapat mengatur tindakan otomatis ini dengan panggilan ke:

- AWS Service Catalog API
- AWS Organizations API
- API AWS Control Tower
- AWS CLI

Informasi terkaitHalaman ini berisi tautan ke banyak posting blog teknis luar biasa yang dapat membantu Anda mengotomatiskan tugas di AWS Control Tower. Bagian berikut menyediakan tautan ke area dalam Panduan Pengguna AWS Control Tower ini yang dapat membantu Anda mengotomatiskan tugas.

Mengotomatiskan tugas kontrol

Anda dapat mengotomatiskan tugas yang terkait dengan penerapan dan penghapusan kontrol (juga dikenal sebagai pagar pembatas) melalui AWS Control Tower API. Untuk detailnya, lihat Referensi AWS Control Tower API.

Untuk informasi selengkapnya tentang cara melakukan operasi dengan AWS Control Tower API, lihat posting blog AWS Control Tower merilis API, kontrol yang telah ditentukan sebelumnya ke unit organisasi Anda.

Penutupan akun otomatis

Anda dapat mengotomatiskan penutupan akun anggota AWS Control Tower dengan AWS Organizations API. Untuk informasi selengkapnya, lihat Menutup akun anggota AWS Control Tower melalui AWS Organizations.

Penyediaan dan pemutakhiran akun otomatis

Kustomisasi Pabrik Akun AWS Control Tower (AFC) membantu Anda membuat akun dari konsol AWS Control Tower, dengan AWS CloudFormation templat khusus yang kami sebut sebagai cetak biru. Proses ini otomatis dalam arti bahwa Anda dapat membuat akun baru dan memperbarui akun berulang kali, setelah menyiapkan cetak biru tunggal, tanpa mempertahankan pipeline.

AWS Control Tower Account Factory for Terraform (AFT) mengikuti GitOps model untuk mengotomatiskan proses penyediaan akun dan pembaruan akun di AWS Control Tower. Untuk informasi selengkapnya, lihat Menyediakan akun dengan AWS Control Tower Account Factory untuk Terraform (AFT) .

Kustomisasi untuk AWS Control Tower (CFCT) membantu Anda menyesuaikan landing zone AWS Control Tower dan tetap selaras dengan praktik terbaik. AWS Kustomisasi diimplementasikan dengan AWS CloudFormation template dan kebijakan kontrol layanan (SCP). Untuk informasi selengkapnya, lihat Kustomisasi untuk ikhtisar AWS Control Tower (CFCT) .

Untuk informasi selengkapnya dan video tentang penyediaan akun otomatis, lihat Panduan: Penyediaan akun otomatis di AWS Control Tower dan Penyediaan otomatis dengan peran IAM.

Lihat juga Perbarui akun berdasarkan skrip.

Audit akun terprogram

Untuk informasi selengkapnya tentang mengaudit akun secara terprogram, lihat Peran terprogram dan hubungan kepercayaan untuk akun audit AWS Control Tower.

Mengotomatiskan tugas lain

Untuk informasi tentang cara meningkatkan kuota layanan AWS Control Tower tertentu dengan metode permintaan otomatis, lihat video ini: Mengotomatiskan Peningkatan Batas Layanan.

Untuk blog teknis yang mencakup kasus penggunaan otomatisasi dan integrasi, lihat Otomasi dan integrasi.

Dua sampel open source tersedia GitHub untuk membantu Anda dengan tugas-tugas otomatisasi tertentu yang terkait dengan keamanan.

- Sampel yang disebut aws-control-tower-org-setup-sample menunjukkan cara mengotomatisasi pengaturan akun Audit sebagai administrator yang didelegasikan untuk layanan terkait keamanan.
- Contoh yang disebut aws-control-tower-account- setup-using-step-functions menunjukkan cara mengotomatiskan praktik terbaik keamanan menggunakan Step Functions, saat menyediakan dan mengonfigurasi akun baru. Contoh ini termasuk menambahkan prinsipal ke AWS Service Catalog portofolio yang dibagikan secara organisasi dan mengaitkan grup Pusat Identitas IAM di seluruh organisasi ke akun baru secara otomatis. AWS Ini juga menggambarkan cara menghapus VPC default di setiap Wilayah.

Arsitektur ReferensiAWS Keamanan mencakup contoh kode untuk mengotomatisasi tugas yang terkait dengan AWS Control Tower. Untuk informasi selengkapnya, lihat halaman PanduanAWS Preskriptif dan repositori terkait GitHub .

Untuk informasi tentang penggunaan AWS Control Tower with AWS CloudShell, AWS layanan yang memfasilitasi bekerja di AWS CLI, lihat AWS CloudShell dan CLI AWS.

Karena AWS Control Tower adalah lapisan orkestrasi untuk AWS Organizations, banyak AWS layanan lain tersedia melalui API dan CLI. AWS Untuk informasi selengkapnya, lihat AWS Layanan terkait.

Menggunakan AWS CloudShell untuk bekerja dengan AWS Control Tower

AWS CloudShell adalah AWS layanan yang memfasilitasi bekerja di AWS CLI — ini adalah shell berbasis browser dan pra-otentikasi yang dapat Anda luncurkan langsung dari. AWS Management ConsoleTidak perlu mengunduh atau menginstal alat baris perintah. Anda dapat menjalankan AWS CLI perintah untuk AWS Control Tower dan AWS layanan lainnya dari shell pilihan Anda (Bash, PowerShell atau Z shell).

Saat Anda meluncurkan AWS CloudShell dari AWS Management Console, AWS kredensil yang Anda gunakan untuk masuk ke konsol tersedia di sesi shell baru. Anda dapat melewatkan memasukkan kredensi konfigurasi saat berinteraksi dengan AWS Control Tower dan AWS layanan lainnya, dan Anda akan menggunakan AWS CLI versi 2, yang sudah diinstal sebelumnya di lingkungan komputasi shell. Anda sudah diautentikasi sebelumnya. AWS CloudShell

Memperoleh izin IAM untuk AWS CloudShell

AWS Identity and Access Management menyediakan sumber daya manajemen akses yang memungkinkan administrator memberikan izin kepada pengguna IAM dan pengguna Pusat Identitas IAM untuk diakses. AWS CloudShell

Cara tercepat bagi administrator untuk memberikan akses ke pengguna adalah melalui kebijakan AWS terkelola. KebijakanAWS terkelola adalah kebijakan mandiri yang dibuat dan dikelola oleh AWS. Kebijakan AWS terkelola berikut ini CloudShell dapat dilampirkan ke identitas IAM:

- `AWSCloudShellFullAccess`: Memberikan izin untuk menggunakan AWS CloudShell dengan akses penuh ke semua fitur.

Jika Anda ingin membatasi cakupan tindakan yang dapat dilakukan oleh pengguna IAM atau IAM Identity Center AWS CloudShell, Anda dapat membuat kebijakan kustom yang menggunakan kebijakan `AWSCloudShellFullAccess` terkelola sebagai templat. Untuk informasi selengkapnya tentang membatasi tindakan yang tersedia bagi pengguna CloudShell, lihat Mengelola AWS CloudShell akses dan penggunaan dengan kebijakan IAM di PanduanAWS CloudShell Pengguna.

> **Note**
>
> Identitas IAM Anda juga memerlukan kebijakan yang memberikan izin untuk melakukan panggilan. AWS Control TowerUntuk informasi selengkapnya, lihat Izin yang diperlukan untuk menggunakan AWS Control Tower konsol.

Berinteraksi dengan menggunakan AWS Control TowerAWS CloudShell

Setelah Anda meluncurkan AWS CloudShell dari AWS Management Console, Anda dapat segera mulai berinteraksi dengan AWS Control Tower dari antarmuka baris perintah. AWS CLI perintah bekerja dengan cara standar di CloudShell.

> **Note**
>
> Saat menggunakan AWS CLI in AWS CloudShell, Anda tidak perlu mengunduh atau menginstal sumber daya tambahan apa pun. Anda sudah diautentikasi di dalam shell, jadi Anda tidak perlu mengonfigurasi kredensi sebelum melakukan panggilan.

Peluncuran AWS CloudShell

- Dari AWS Management Console, Anda dapat meluncurkan CloudShell dengan memilih opsi berikut yang tersedia di bilah navigasi:
  - Pilih CloudShell ikon.
  - Mulai mengetik “cloudshell” di kotak Pencarian dan kemudian pilih opsi. CloudShell

  Sekarang setelah Anda mulai CloudShell, Anda dapat memasukkan AWS CLI perintah apa pun yang Anda perlukan untuk bekerja dengannya AWS Control Tower. Misalnya, Anda dapat memeriksa AWS Config status Anda.

Menggunakan AWS CloudShell untuk membantu mengatur AWS Control Tower

Sebelum melakukan prosedur ini, kecuali dinyatakan lain, Anda harus masuk ke Wilayah asal untuk landing zone Anda, dan Anda harus masuk sebagai pengguna IAM Identity Center atau pengguna IAM dengan izin administratif untuk akun manajemen yang berisi landing zone Anda. AWS Management Console

1. Inilah cara Anda dapat menggunakan perintah AWS Config CLI AWS CloudShell untuk menentukan status perekam konfigurasi dan saluran pengiriman Anda sebelum Anda mulai mengonfigurasi AWS Control Tower landing zone Anda.

   Periksa AWS Config status Anda

   Lihat perintah:

   - `aws configservice describe-delivery-channels`
   - `aws configservice describe-delivery-channel-status`
   - `aws configservice describe-configuration-recorders`
   - `The normal response is something like "name": "default"`

2. Jika Anda memiliki AWS Config perekam atau saluran pengiriman yang perlu Anda hapus sebelum mengatur AWS Control Tower landing zone, berikut adalah beberapa perintah yang dapat Anda masukkan:

   Kelola sumber daya Anda yang sudah ada sebelumnya AWS Config

   Hapus perintah:

   - `aws configservice stop-configuration-recorder --configuration-recorder-name` *`NAME-FROM-DESCRIBE-OUTPUT`*
   - `aws configservice delete-delivery-channel --delivery-channel-name` *`NAME-FROM-DESCRIBE-OUTPUT`*
   - `aws configservice delete-configuration-recorder --configuration-recorder-name` *`NAME-FROM-DESCRIBE-OUTPUT`*

> **Important**
>
> Jangan hapus AWS Control Tower sumber daya untuk AWS Config. Hilangnya sumber daya ini dapat AWS Control Tower menyebabkan memasuki keadaan yang tidak konsisten.

Untuk informasi selengkapnya, lihat dokumentasi AWS Config

- Mengelola Perekam Konfigurasi (AWS CLI)
- Mengelola Saluran Pengiriman

3. Contoh ini menunjukkan perintah AWS CLI yang akan Anda masukkan AWS CloudShell untuk mengaktifkan atau menonaktifkan akses tepercaya. AWS OrganizationsUntuk AWS Control Tower Anda tidak perlu mengaktifkan atau menonaktifkan akses tepercaya untuk AWS Organizations, itu hanya sebuah contoh. Namun, Anda mungkin perlu mengaktifkan atau menonaktifkan akses tepercaya untuk AWS layanan lain jika Anda mengotomatisasi atau menyesuaikan tindakan. AWS Control Tower

   Mengaktifkan atau menonaktifkan akses layanan tepercaya

   - `aws organizations enable-aws-service-access`
   - `aws organizations disable-aws-service-access`

Buat bucket Amazon S3 dengan AWS CloudShell

Dalam contoh berikut, Anda dapat menggunakan AWS CloudShell untuk membuat bucket Amazon S3 dan kemudian menggunakan PutObjectmetode untuk menambahkan file kode sebagai objek di bucket tersebut.

1. Untuk membuat bucket di AWS Region tertentu, masukkan perintah berikut di baris CloudShell perintah:

   ```
   aws s3api create-bucket --bucket insert-unique-bucket-name-here --region us-east-1
   ```

   Jika panggilan berhasil, baris perintah menampilkan respons dari layanan yang mirip dengan output berikut:

```
{
    "Location": "/insert-unique-bucket-name-here"
}
```

> **Note**
>
> Jika Anda tidak mematuhi aturan penamaan ember (hanya menggunakan huruf kecil, misalnya), kesalahan berikut akan ditampilkan: Terjadi kesalahan (InvalidBucketName) saat memanggil CreateBucket operasi: Bucket yang ditentukan tidak valid.

2. Untuk mengunggah file dan menambahkannya sebagai objek ke bucket yang baru saja dibuat, panggil PutObject metode:

```
aws s3api put-object --bucket insert-unique-bucket-name-here --key add_prog --body
 add_prog.py
```

Jika objek berhasil diunggah ke bucket Amazon S3, baris perintah menampilkan respons dari layanan yang mirip dengan output berikut:

```
{
            "ETag": "\"ab123c1:w:wad4a567d8bfd9a1234ebeea56\""}
```

`ETag`Ini adalah hash dari objek yang telah disimpan. Ini dapat digunakan untuk memeriksa integritas objek yang diunggah ke Amazon S3.

Menciptakan AWS Control Tower sumber daya dengan AWS CloudFormation

AWS Control Tower terintegrasi dengan AWS CloudFormation, layanan yang membantu Anda memodelkan dan mengatur AWS sumber daya Anda sehingga Anda dapat menghabiskan lebih sedikit waktu untuk membuat dan mengelola sumber daya dan infrastruktur Anda. Anda membuat template yang menjelaskan semua AWS sumber daya yang Anda inginkan, seperti `AWS::ControlTower::EnabledControl` untuk kontrol. AWS CloudFormation menyediakan dan mengonfigurasi sumber daya tersebut untuk Anda.

Ketika Anda menggunakan AWS CloudFormation, Anda dapat menggunakan kembali template Anda untuk mengatur AWS Control Tower sumber daya Anda secara konsisten dan berulang kali. Jelaskan sumber daya Anda sekali, lalu sediakan sumber daya yang sama berulang-ulang di beberapa Akun AWS dan Wilayah.

AWS Control Tower dan AWS CloudFormation template

Untuk menyediakan dan mengonfigurasi sumber daya untuk AWS Control Tower dan layanan terkait, Anda harus memahami AWS CloudFormation templat. Templat adalah file teks dengan format JSON atau YAML. Template ini menjelaskan sumber daya yang ingin Anda sediakan di AWS CloudFormation tumpukan Anda. Jika Anda tidak terbiasa dengan JSON atau YAMAL, Anda dapat menggunakan AWS CloudFormation Designer untuk membantu Anda memulai dengan template. AWS CloudFormation Lihat informasi selengkapnya di Apa yang dimaksud dengan Desainer AWS CloudFormation ? dalam Panduan PenggunaAWS CloudFormation .

AWS Control Tower mendukung pembuatan `AWS::ControlTower::EnabledControl` (sumber daya kontrol) dan `AWS::ControlTower::LandingZone` (zona pendaratan) di AWS CloudFormation. Untuk informasi selengkapnya, termasuk contoh templat JSON dan YAMAL untuk jenis sumber daya ini, lihat referensi jenis sumber daya AWS Control Tower di AWS CloudFormation Panduan Pengguna.

> **Note**
>
> Batas untuk `EnableControl` dan `DisableControl` pembaruan AWS Control Tower adalah 10 operasi bersamaan.

Untuk melihat beberapa AWS Control Tower contoh untuk CLI dan konsol, lihat. Aktifkan kontrol dengan AWS CloudFormation

Pelajari lebih lanjut tentang AWS CloudFormation

Untuk mempelajari selengkapnya AWS CloudFormation, lihat sumber daya berikut:

- AWS CloudFormation
- AWS CloudFormation Panduan Pengguna
- Referensi APIAWS CloudFormation
- AWS CloudFormation Panduan Pengguna Antarmuka Baris Perintah

Sesuaikan landing zone AWS Control Tower

Aspek tertentu dari zona landing zone AWS Control Tower dapat dikonfigurasi di konsol, seperti pemilihan Wilayah dan kontrol opsional. Perubahan lain dapat dilakukan di luar konsol, dengan otomatisasi.

Misalnya, Anda dapat membuat penyesuaian yang lebih luas dari landing zone Anda dengan kemampuan Kustomisasi untuk AWS Control Tower, kerangka kerja kustomisasi GitOps bergaya yang berfungsi dengan template dan peristiwa siklus hidup AWS AWS CloudFormation Control Tower.

Kustomisasi dari konsol AWS Control Tower

Untuk membuat penyesuaian ini ke landing zone Anda, ikuti langkah-langkah yang diberikan oleh konsol AWS Control Tower.

Pilih nama yang disesuaikan selama penyiapan

- Anda dapat memilih nama OU tingkat atas Anda selama pengaturan. Anda dapat mengganti nama OU Anda kapan saja menggunakan AWS Organizations konsol, tetapi membuat perubahan pada OU Anda AWS Organizations dapat menyebabkan penyimpangan yang dapat diperbaiki.
- Anda dapat memilih nama akun Audit dan Arsip Log bersama, tetapi Anda tidak dapat mengubah nama setelah penyiapan. (Ini adalah pilihan satu kali.)

> **Kiat**
>
> Ingatlah bahwa mengganti nama OU di AWS Organizations tidak memperbarui produk yang disediakan terkait di Account Factory. Untuk memperbarui produk yang disediakan secara otomatis (dan menghindari penyimpangan), Anda harus melakukan operasi OU melalui AWS Control Tower, termasuk membuat, menghapus, atau mendaftarkan ulang OU.

Pilih AWS Wilayah

- Anda dapat menyesuaikan landing zone dengan memilih AWS Wilayah tertentu untuk tata kelola. Ikuti langkah-langkah di konsol AWS Control Tower.

- Anda dapat memilih dan membatalkan pilihan AWS Wilayah untuk tata kelola saat memperbarui landing zone.
- Anda dapat mengatur kontrol Tolak Wilayah ke Diaktifkan atau Tidak diaktifkan, dan mengontrol akses pengguna ke sebagian besar AWS layanan di Wilayah yang tidak diatur AWS .

Untuk informasi tentang Wilayah AWS di mana CFCT memiliki batasan penerapan, lihat. Keterbatasan kontrol

Sesuaikan dengan menambahkan kontrol opsional

- Sangat direkomendasikan dan kontrol elektif bersifat opsional, yang berarti Anda dapat menyesuaikan tingkat penegakan untuk landing zone Anda dengan memilih mana yang akan diaktifkan. Kontrol opsionaltidak diaktifkan secara default.
- Opsional Kontrol yang meningkatkan perlindungan residensi data memungkinkan Anda untuk menyesuaikan Wilayah tempat Anda menyimpan dan mengizinkan akses ke data Anda.
- Kontrol opsional yang merupakan bagian dari standar Security Hub terintegrasi memungkinkan Anda memindai lingkungan AWS Control Tower untuk memeriksa risiko keamanan.
- Kontrol proaktif opsional memungkinkan Anda untuk memeriksa AWS CloudFormation sumber daya Anda sebelum disediakan, untuk memastikan sumber daya baru akan sesuai dengan tujuan kontrol lingkungan Anda.

Sesuaikan AWS CloudTrail jalur Anda

- Saat memperbarui landing zone ke versi 3.0 atau yang lebih baru, Anda dapat memilih untuk memilih atau memilih keluar dari CloudTrail jalur tingkat organisasi yang dikelola oleh AWS Control Tower. Anda dapat mengubah pilihan ini setiap kali Anda memperbarui landing zone Anda. AWS Control Tower membuat jejak tingkat organisasi di akun manajemen Anda, dan jejak tersebut memasuki status aktif atau tidak aktif, berdasarkan pilihan Anda. Zona pendaratan 3.0 tidak mendukung CloudTrail jalur tingkat akun; namun, jika Anda memerlukannya, Anda dapat mengonfigurasi dan mengelola jalur Anda sendiri. Anda mungkin dikenakan biaya tambahan untuk jalur duplikat.

Buat akun anggota yang disesuaikan di konsol

- Anda dapat membuat akun anggota AWS Control Tower yang disesuaikan, dan Anda dapat memperbarui akun anggota yang ada untuk menambahkan penyesuaian, dari konsol AWS Control

Tower. Untuk informasi selengkapnya, lihat Kustomisasi akun dengan Kustomisasi Account Factory (AFC).

Mengotomatiskan penyesuaian di luar konsol AWS Control Tower

Beberapa penyesuaian tidak tersedia melalui konsol AWS Control Tower, tetapi dapat diterapkan dengan cara lain. Sebagai contoh:

- Anda dapat menyesuaikan akun selama penyediaan, dalam alur kerja GitOps -style, dengan Account Factory for Terraform (AFT).

  AFT digunakan dengan modul Terraform, tersedia di repositori AFT.
- Anda dapat menyesuaikan landing zone AWS Control Tower dengan Kustomisasi untuk AWS Control Tower (CFCT), paket fungsionalitas yang dibangun berdasarkan AWS CloudFormation templat dan kebijakan kontrol layanan (SCP). Anda dapat menerapkan templat dan kebijakan khusus ke akun individual dan unit organisasi (OU) dalam organisasi Anda.

  Kode sumber untuk CFCT tersedia di GitHub repositori.

Manfaat Kustomisasi untuk AWS Control Tower (CFCT)

Paket fungsionalitas yang kami sebut sebagai Kustomisasi untuk AWS Control Tower (CFCT) membantu Anda membuat penyesuaian yang lebih luas untuk landing zone Anda daripada yang dapat Anda buat di konsol AWS Control Tower. Ini menawarkan GitOps -style, proses otomatis. Anda dapat membentuk kembali landing zone Anda untuk memenuhi kebutuhan bisnis Anda.

Proses infrastructure-as-codepenyesuaian ini mengintegrasikan AWS CloudFormation template dengan kebijakan kontrol AWS layanan (SCP) dan peristiwa siklus hidup AWS Control Tower, sehingga penerapan sumber daya Anda tetap disinkronkan dengan landing zone Anda. Misalnya, saat Anda membuat akun baru dengan Account Factory, sumber daya yang dilampirkan ke akun dan OU dapat digunakan secara otomatis.

> **Note**
>
> Tidak seperti Account Factory dan AFT, CFCT tidak secara khusus dimaksudkan untuk membuat akun baru, tetapi untuk menyesuaikan akun dan OU di landing zone Anda dengan menerapkan sumber daya yang Anda tentukan.

Manfaat

- Memperluas lingkungan yang disesuaikan dan aman — Anda dapat memperluas AWS lingkungan AWS Control Tower multi-akun dengan lebih cepat, dan menggabungkan praktik AWS terbaik ke dalam alur kerja penyesuaian yang dapat diulang.
- Buat instantiasi persyaratan Anda — Anda dapat menyesuaikan landing zone AWS Control Tower untuk kebutuhan bisnis Anda, dengan AWS CloudFormation templat dan kebijakan kontrol layanan yang menyatakan maksud kebijakan Anda.
- Otomatiskan lebih lanjut dengan peristiwa siklus hidup AWS Control Tower — Peristiwa Siklus Hidup memungkinkan Anda menerapkan sumber daya berdasarkan penyelesaian rangkaian peristiwa sebelumnya. Anda dapat mengandalkan peristiwa siklus hidup untuk membantu Anda menyebarkan sumber daya ke akun dan OU, secara otomatis.
- Memperluas arsitektur jaringan Anda — Anda dapat menerapkan arsitektur jaringan khusus yang meningkatkan dan melindungi konektivitas Anda, seperti gateway transit.

Contoh CfCT tambahan

- Contoh kasus penggunaan jaringan dengan Customizations for AWS Control Tower (CFCT) diberikan dalam posting blog AWS Architecture, Menyebarkan DNS konsisten dengan Service Catalog dan AWS Control Tower kustomisasi.
- Contoh spesifik yang terkait dengan CFCT dan Amazon GuardDuty tersedia GitHub di `aws-samples`repositori.
- Contoh kode tambahan mengenai CFCT tersedia sebagai bagian dari Arsitektur Referensi AWS Keamanan, di `aws-samples`repositori. Banyak dari contoh ini berisi `manifest.yaml` file sampel dalam direktori bernama`customizations_for_aws_control_tower`.

Untuk informasi selengkapnya tentang Arsitektur Referensi AWS Keamanan, lihat halaman PanduanAWS Preskriptif.

Kustomisasi untuk ikhtisar AWS Control Tower (CFCT)

Kustomisasi untuk AWS Control Tower (CFCT) membantu Anda menyesuaikan landing zone AWS Control Tower dan tetap selaras dengan praktik terbaik. AWS Kustomisasi diimplementasikan dengan AWS CloudFormation template dan kebijakan kontrol layanan (SCP).

Kemampuan CFCT ini terintegrasi dengan peristiwa siklus hidup AWS Control Tower, sehingga penerapan sumber daya Anda tetap disinkronkan dengan landing zone Anda. Misalnya, ketika akun baru dibuat melalui pabrik akun, semua sumber daya yang dilampirkan ke akun akan digunakan secara otomatis. Anda dapat menerapkan templat dan kebijakan khusus ke akun individual dan unit organisasi (OU) dalam organisasi Anda.

Video berikut menjelaskan praktik terbaik untuk menerapkan pipeline CFCT yang dapat diskalakan dan penyesuaian CFCT umum.

Bagian berikut memberikan pertimbangan arsitektur dan langkah-langkah konfigurasi untuk menerapkan Kustomisasi untuk AWS Control Tower (CFCT). Ini mencakup tautan ke AWS CloudFormationtemplate yang meluncurkan, mengonfigurasi, dan menjalankan AWS layanan yang diperlukan, selaras dengan praktik AWS terbaik untuk keamanan dan ketersediaan.

Topik ini ditujukan untuk arsitek dan pengembang infrastruktur TI yang memiliki pengalaman praktis dalam arsitektur di AWS Cloud.

Untuk informasi tentang pembaruan dan perubahan terbaru pada Kustomisasi untuk AWS Control Tower (CFCT), lihat file ChangeLog.md di repositori. GitHub

Gambaran umum arsitektur

Menerapkan CFCT membangun lingkungan berikut di Cloud. AWS



Gambar 1: Kustomisasi untuk arsitektur AWS Control Tower

CFCT menyertakan AWS CloudFormation template yang Anda terapkan di akun manajemen AWS Control Tower Anda. Template meluncurkan semua komponen yang diperlukan untuk membangun alur kerja, sehingga Anda dapat menyesuaikan landing zone AWS Control Tower Anda.

> **Catatan**
>
> CFCT harus diterapkan di Wilayah home AWS Control Tower dan di akun manajemen AWS Control Tower, karena di situlah zona landing zone AWS Control Tower Anda digunakan. Untuk informasi tentang menyiapkan zona landing zone AWS Control Tower, lihatMemulai.

Saat Anda menerapkan CFCT, ia mengemas dan mengunggah sumber daya khusus ke sumber pipeline kode, melalui Amazon Simple Storage Service (Amazon S3). Proses pengunggahan secara otomatis memanggil mesin status kebijakan kontrol layanan (SCP) dan mesin AWS CloudFormation StackSetsstatus untuk menerapkan SCP di tingkat OU, atau untuk menerapkan instance tumpukan di tingkat OU atau akun.

> **Catatan**
>
> Secara default, CFCT membuat bucket Amazon S3 untuk menyimpan sumber pipeline, tetapi Anda dapat mengubah lokasi ke AWS CodeCommitrepositori. Untuk informasi selengkapnya, lihat Mengatur Amazon S3 sebagai sumber konfigurasi.

CFCT menyebarkan dua alur kerja:

- AWS CodePipelinealur kerja
- dan alur kerja peristiwa siklus hidup AWS Control Tower.

AWS CodePipeline Alur kerja

AWS CodePipeline Alur kerja mengkonfigurasi AWS CodePipeline, AWS CodeBuildmemproyeksikan, dan AWS Step Functionsyang mengatur pengelolaan AWS CloudFormation StackSets dan SCP di organisasi Anda.

Saat Anda mengunggah paket konfigurasi, CFCT memanggil pipeline kode untuk menjalankan tiga tahap.

- Build Stage — memvalidasi konten paket konfigurasi menggunakan AWS CodeBuild.
- SCP Stage — memanggil mesin status kebijakan kontrol layanan, yang memanggil AWS Organizations API untuk membuat SCP.
- AWS CloudFormation Stage — memanggil mesin status set stack untuk menerapkan sumber daya yang ditentukan dalam daftar akun atau OU, yang telah Anda berikan dalam file manifes.

Pada setiap tahap, pipeline kode memanggil fungsi stack set dan SCP step, yang menyebarkan set tumpukan kustom dan SCP ke akun individual yang ditargetkan, atau ke seluruh unit organisasi.

> **Catatan**
>
> Untuk informasi rinci tentang menyesuaikan paket konfigurasi, lihat. Panduan kustomisasi CFCT

Alur kerja peristiwa siklus hidup AWS Control Tower

Saat akun baru dibuat di AWS Control Tower, peristiwa siklus hidup dapat memanggil alur kerja. AWS CodePipeline Anda dapat menyesuaikan paket konfigurasi melalui alur kerja ini, yang terdiri dari aturan EventBridge peristiwa Amazon, antrian Amazon Simple Queue Service (Amazon SQS) first-in first-out (FIFO), dan fungsi. AWS Lambda

Saat aturan EventBridge peristiwa Amazon mendeteksi peristiwa siklus hidup yang cocok, aturan tersebut meneruskan peristiwa tersebut ke antrean Amazon SQS FIFO, memanggil AWS Lambda fungsi, dan memanggil pipeline kode untuk melakukan penerapan hilir kumpulan tumpukan dan SCP.

Biaya

Biaya untuk menjalankan CFCT tergantung pada jumlah AWS CodePipeline proses, durasi AWS CodeBuild berjalan, jumlah dan durasi AWS Lambda fungsi, dan jumlah EventBridge acara Amazon yang diterbitkan. Misalnya, jika Anda menjalankan 100 build dalam satu bulan menggunakan build.general1.small di mana setiap build berjalan selama lima menit, maka perkiraan biaya untuk menjalankan CFCT adalah $3,00 per bulan. Untuk detail selengkapnya, Anda dapat meninjau halaman web harga untuk setiap AWS layanan yang Anda jalankan.

Bucket Amazon Simple Storage Service (Amazon S3) dan sumber daya repositori berbasis CodeCommit AWS Git dipertahankan setelah Anda menghapus template, untuk melindungi informasi

konfigurasi Anda. Bergantung pada opsi yang Anda pilih, Anda dikenakan biaya berdasarkan jumlah data yang disimpan di bucket Amazon S3 dan jumlah permintaan Git (tidak berlaku untuk sumber daya Amazon S3). Lihat harga Amazon S3 dan CodeCommitAWS untuk detailnya.

Layanan komponen

AWS Layanan berikut adalah komponen Kustomisasi untuk AWS Control Tower (CFCT).

AWS CodeCommit

Berdasarkan masukan Anda ke AWS CloudFormation template, CFCT dapat membuat AWS CodeCommitrepositori dengan konfigurasi sampel yang sama yang dijelaskan di bagian Amazon Simple Storage Service.

Untuk mengkloning AWS CodeCommit repositori CFCT ke komputer lokal Anda, Anda harus membuat kredensi yang memberi Anda akses sementara ke repositori, seperti yang dijelaskan dalam Panduan Pengguna.AWS CodeCommit Untuk informasi tentang kompatibilitas versi, lihat Menyiapkan untuk AWS CodeCommit.

AWS CodePipeline

AWS CodePipeline memvalidasi, menguji, dan mengimplementasikan perubahan berdasarkan pembaruan pada paket konfigurasi, yang akan Anda buat di bucket Amazon S3 default atau repositori. AWS CodeCommit Untuk informasi selengkapnya tentang mengubah kontrol sumber konfigurasi AWS CodeCommit, lihat Menggunakan Amazon S3 sebagai Sumber Konfigurasi. Pipeline mencakup tahapan untuk memvalidasi dan mengelola file dan templat konfigurasi, akun inti, kebijakan kontrol AWS Organizations layanan, dan AWS CloudFormation StackSets. Untuk informasi lebih lanjut tentang tahapan pipa, lihat Panduan kustomisasi CFCT

AWS Key Management Service

CfCT membuat kunci `CustomControlTowerKMSKey` enkripsi AWS Key Management Service(AWS KMS). Kunci ini digunakan untuk mengenkripsi objek di bucket konfigurasi Amazon S3, antrian Amazon SQS, dan parameter sensitif di Systems AWS Manager Parameter Store. Secara default, hanya peran yang disediakan oleh CFCT yang memiliki izin untuk melakukan operasi enkripsi atau dekripsi dengan kunci ini. Untuk akses ke file konfigurasi, antrian FIFO, atau `SecureString` nilai Penyimpanan Parameter, administrator harus ditambahkan ke kebijakan. `CustomControlTowerKMSKey` Rotasi tombol otomatis diaktifkan secara default.

AWS Lambda

CFCT menggunakan AWS Lambda fungsi untuk memanggil komponen instalasi selama instalasi awal dan penerapan AWS CloudFormation StackSets atau AWS Organizations SCP selama peristiwa siklus hidup AWS Control Tower.

Amazon Simple Notification Service

CFCT dapat mempublikasikan notifikasi, seperti persetujuan pipeline untuk topik Amazon Simple Notification Service (Amazon SNS) selama alur kerja. Amazon SNS diluncurkan hanya jika Anda memilih untuk menerima pemberitahuan persetujuan saluran pipa.

Amazon Simple Storage Service

Saat Anda menerapkan CfCT, CfCT membuat bucket Amazon Simple Storage Service (Amazon S3) dengan nama unik:

Contoh: Nama ember Amazon S3

`custom-control-tower-configuration-`*`accountID`*`-`*`region`*

Bucket berisi contoh file konfigurasi yang disebut `_custom-control-tower-configuration.zip`

Perhatikan garis bawah utama dalam nama file.

File zip ini menyediakan contoh manifes dan contoh template terkait yang menjelaskan struktur folder yang diperlukan. Contoh-contoh ini membantu Anda mengembangkan paket konfigurasi untuk menyesuaikan landing zone AWS Control Tower Anda. Manifes sampel mengidentifikasi konfigurasi yang diperlukan untuk kumpulan tumpukan dan kebijakan kontrol layanan (SCP) yang Anda perlukan, saat Anda menerapkan penyesuaian.

Anda dapat menggunakan paket konfigurasi sampel ini sebagai model, untuk mengembangkan dan mengunggah paket kustom Anda, yang memicu pipeline konfigurasi CFCT secara otomatis.

Untuk informasi tentang menyesuaikan file konfigurasi, lihatPanduan kustomisasi CFCT.

Amazon Simple Queue Service

CFCT menggunakan antrean FIFO Amazon Simple Queue Service (Amazon SQS) untuk menangkap peristiwa siklus hidup dari Amazon. EventBridge Ini memicu AWS Lambda fungsi, yang memanggil

AWS CodePipeline untuk menyebarkan AWS CloudFormation StackSets atau SCP. Untuk informasi selengkapnya tentang SCP, lihat AWS Organizations.

AWS Step Functions

CFCT membuat Step Functions untuk mengatur penerapan kustomisasi. Step Functions ini menerjemahkan file konfigurasi untuk menyebarkan kustomisasi sesuai kebutuhan di seluruh lingkungan.

AWS Systems Manager Parameter Store

AWS Systems Manager Parameter Store menyimpan parameter konfigurasi CFCT. Parameter ini memungkinkan Anda untuk mengintegrasikan template konfigurasi terkait. Misalnya, Anda dapat mengonfigurasi setiap akun untuk mencatat AWS CloudTrail data ke bucket Amazon S3 terpusat. Selain itu, Systems Manager Parameter Store menyediakan lokasi terpusat di mana administrator dapat melihat input dan parameter CFCT.

Pertimbangan deployment

Pastikan untuk meluncurkan Kustomisasi untuk AWS Control Tower (CFCT) di akun dan Wilayah yang sama tempat landing zone AWS Control Tower Anda digunakan; artinya, Anda harus menerapkannya di akun manajemen AWS Control Tower di Wilayah AWS Control Tower home Anda. Secara default, CFCT membuat dan menjalankan paket konfigurasi landing zone dengan menyiapkan pipeline konfigurasi di akun dan Region tersebut.

Bersiaplah untuk penyebaran

Anda memiliki beberapa opsi saat menyiapkan AWS CloudFormation template untuk penerapan awal. Anda dapat memilih sumber konfigurasi, dan Anda dapat mengizinkan persetujuan manual penerapan pipeline. Dua bagian berikutnya menjelaskan lebih lanjut tentang opsi ini.

Pilih sumber konfigurasi Anda

Secara default, template membuat bucket Amazon Simple Storage Service (Amazon S3) Simple Storage S3) untuk menyimpan paket konfigurasi sampel sebagai `.zip` file yang dipanggil. `_custom-control-tower-configuration.zip` Bucket Amazon S3 dikontrol versi, dan Anda dapat memperbarui paket konfigurasi sesuai kebutuhan. Untuk informasi tentang memperbarui paket konfigurasi, lihat Menggunakan Amazon S3 sebagai Sumber Konfigurasi.

> **Catatan**
>
> Nama file paket konfigurasi sampel dimulai dengan garis bawah (_) sehingga tidak dimulai secara AWS CodePipeline otomatis. Setelah Anda selesai menyesuaikan paket konfigurasi, pastikan untuk mengunggah `custom-control-tower-configuration.zip` tanpa garis bawah (_) untuk memulai penerapan di. AWS CodePipeline

Anda dapat mengubah lokasi penyimpanan paket konfigurasi dari bucket S3 ke repositori AWS CodeCommit Git dengan memilih `AWS CodeCommit` opsi dalam parameter. AWS CloudFormation Opsi ini memungkinkan Anda untuk mengelola kontrol versi dengan mudah.

> **Catatan**
>
> Saat Anda menggunakan bucket S3 default, pastikan paket konfigurasi tersedia sebagai `.zip` file. Saat Anda menggunakan AWS CodeCommit repositori, pastikan bahwa paket konfigurasi ditempatkan di repositori tanpa zip file. Untuk informasi tentang membuat dan menyimpan paket konfigurasi AWS CodeCommit, lihatPanduan kustomisasi CFCT.

Anda dapat menggunakan paket konfigurasi sampel untuk membuat sumber konfigurasi kustom Anda sendiri. Saat Anda siap untuk menerapkan konfigurasi kustom Anda, unggah paket konfigurasi secara manual, baik ke bucket Amazon S3 atau ke repositori. AWS CodeCommit Pipeline dimulai secara otomatis saat Anda mengunggah file konfigurasi.

> **Catatan**
>
> Saat Anda menggunakan AWS CodeCommit untuk menyimpan paket konfigurasi, paket tidak perlu zip. Untuk informasi tentang membuat dan menyimpan paket konfigurasi AWS CodeCommit, lihatPanduan kustomisasi CFCT.

Pilih parameter persetujuan konfigurasi pipeline

AWS CloudFormation Template menyediakan opsi untuk menyetujui penerapan perubahan konfigurasi secara manual. Secara default, persetujuan manual tidak diaktifkan. Untuk informasi lebih lanjut, lihat Langkah 1. Luncurkan tumpukan.

Saat persetujuan manual diaktifkan, pipeline konfigurasi memvalidasi penyesuaian yang dibuat pada manifes dan templat file AWS Control Tower, lalu menghentikan proses hingga persetujuan manual diberikan. Setelah disetujui, penerapan dilanjutkan untuk menjalankan tahapan pipeline yang tersisa, sesuai kebutuhan, untuk mengimplementasikan fungsionalitas Kustomisasi untuk AWS Control Tower (CFCT).

Anda dapat menggunakan parameter persetujuan manual agar penyesuaian konfigurasi AWS Control Tower tidak berjalan, dengan menolak upaya pertama untuk dijalankan melalui pipeline. Parameter ini juga memungkinkan Anda untuk memvalidasi penyesuaian untuk perubahan konfigurasi AWS Control Tower secara manual, sebagai kontrol akhir sebelum implementasi.

Untuk memperbarui Kustomisasi untuk AWS Control Tower

Jika sebelumnya Anda telah menerapkan CFCT, Anda harus memperbarui AWS CloudFormation tumpukan untuk mendapatkan versi terbaru dari kerangka kerja CFCT. Untuk detailnya, lihat Perbarui Tumpukan.

Template dan kode sumber

Kustomisasi untuk AWS Control Tower (CFCT) diterapkan di akun manajemen Anda setelah Anda meluncurkan template. AWS CloudFormation Anda dapat mengunduh template dari GitHub dan kemudian meluncurkannya dari AWS CloudFormation.

customizations-for-aws-control-tower.template menerapkan yang berikut ini:

- Sebuah AWS CodeBuild proyek
- Sebuah AWS CodePipeline proyek
- EventBridge Aturan Amazon
- AWS Lambda fungsi
- Antrean Amazon Simple Queue Service
- Bucket Amazon Simple Storage Service dengan paket konfigurasi sampel
- AWS Step Functions

> **Note**
>
> Anda dapat menyesuaikan template berdasarkan kebutuhan spesifik Anda.

Repositori kode sumber

Anda dapat mengunjungi GitHub repositori kami untuk mengunduh template dan skrip untuk CFCT, dan untuk berbagi kustomisasi landing zone Anda dengan orang lain.

Otomatisasi deployment

Sebelum Anda meluncurkan penerapan otomatis, tinjau pertimbangannya. Ikuti step-by-step petunjuk di bagian ini untuk mengonfigurasi dan menerapkan solusi ke akun manajemen AWS Control Tower Anda.

Waktu untuk menyebarkan: Sekitar 15 menit

Prasyarat

CFCT harus diterapkan di akun manajemen AWS Control Tower Anda, dan di Wilayah AWS Control Tower home Anda. Jika Anda tidak memiliki landing zone yang diatur, lihatMemulai.

Langkah-langkah penyebaran

Prosedur untuk menerapkan CFCT terdiri dari dua langkah utama. Untuk petunjuk terperinci, ikuti tautan untuk setiap langkah.

Langkah 1. Luncurkan tumpukan

- Luncurkan AWS CloudFormation template ke akun manajemen Anda.
- Tinjau parameter template, dan sesuaikan jika perlu.

Langkah 2. Buat paket khusus

- Buat paket konfigurasi kustom.

> **Important**
>
> Untuk mengunduh AWS CloudFormation templat yang benar dan meluncurkan CFCT, ikuti GitHub tautan yang diberikan di bagian ini. Jangan ikuti tautan lama ke bucket S3 yang ditentukan sebelumnya.

Langkah 1. Luncurkan tumpukan

AWS CloudFormation Template di bagian ini menerapkan Kustomisasi untuk AWS Control Tower (CFCT) di akun Anda.

> **Catatan**
>
> Anda bertanggung jawab atas biaya AWS layanan yang digunakan saat Anda menjalankan CFCT. Untuk detail selengkapnya, lihat Biaya.

1. Untuk meluncurkan Kustomisasi AWS Control Tower, unduh template dari GitHub dan kemudian luncurkan dari. AWS CloudFormation
2. Template diluncurkan di Wilayah AS Timur (Virginia N.) secara default. Untuk meluncurkan CFCT di AWS Wilayah lain, gunakan pemilih Wilayah di bilah navigasi konsol.

   > **Note**
   >
   > CFCT harus diluncurkan di Wilayah dan akun yang sama tempat Anda menerapkan landing zone AWS Control Tower, yang merupakan Wilayah asal Anda.

3. Pada halaman Buat tumpukan, verifikasi bahwa URL templat yang benar ditampilkan di kotak teks URL dan pilih Berikutnya.
4. Pada halaman Tentukan detail tumpukan, tetapkan nama ke tumpukan CFCT Anda.
5. Di bawah Parameter, tinjau parameter berikut dan modifikasi dalam templat, jika perlu.

Konfigurasi Pipa		
Parameter	Default	Deskripsi
Tahap Persetujuan Pipa	No	Pilih apakah akan mengubah konfigurasi pipeline dari tahap persetujuan otomatis default ke tahap persetuju an manual. Untuk informasi selengkapnya, lihat the

Konfigurasi Pipa		
Parameter	Default	Deskripsi
		section called “Panduan kustomisasi CFCT”.
Alamat Email Persetujuan Pipa	<Optional Input>	Alamat email untuk pemberitahuan persetuju an. Untuk menggunakan parameter ini, Anda harus mengatur parameter Pipeline Approval Stage ke`Yes`.
CodePipelineSumber AWS	`Amazon S3`	Sumber AWS CodePipel ine untuk membantu Anda memilih tempat menyimpan dan mengonfig urasi penyesuaian CFCT.
CodeCommit Pengaturan AWS		
Parameter	Default	Deskripsi
CodeCommitRepositori yang Ada?	No	Pilih apakah akan menggunakan repositori CodeCommit Git yang ada. Jika Anda memilih`Yes`, Anda harus mengatur parameter CodePipeline Sumber ke`AWS CodeCommit` .

CodeCommit Pengaturan AWS		
Parameter	Default	Deskripsi
CodeCommit Nama Repositori	`custom-control-tower-configuration`	Nama repositori Git. Untuk menggunakan parameter ini, Anda harus menyetel parameter AWS CodePipeline Source ke`AWS CodeCommit` . Nama ini digunakan untuk membuat repositori Git baru, dan harus unik. Jika Anda memberikan nama repositori Git yang ada, Anda harus mengatur Repositori yang Ada? CodeCommit parameter ke Ya dan masukkan nama yang tepat dari repositori itu.
CodeCommit Nama Cabang	`main`	Cabang Git tempat paket kustomisasi disimpan. Repositori Git dapat memiliki banyak cabang. Ini adalah nama default yang diberikan ke cabang di repositori Git. Untuk menggunakan parameter ini, Anda harus mengatur parameter CodePipeline Sumber ke`AWS CodeCommit` .

CloudFormation StackSets Konfigurasi AWS		
Parameter	Default	Deskripsi
Jenis Konkurensi Wilayah	`PARALLEL`	Pilih jenis StackSets operasi penyebaran konkurensi di Wilayah. Pengaturan ini berlaku untuk membuat, memperbarui, dan menghapus alur kerja. Nilai lain yang diizinkan adalah`SEQUENTIAL` .
Persentase Konkuren Maks	`100`	Persentase maksimum akun untuk melakukan operasi ini pada satu waktu. Nilai maksimum yang diizinkan adalah 100. Untuk informasi selengkapnya, lihat opsi operasi Stack Set.
Persentase Toleransi Kegagalan	`10`	Persentase akun, per Wilayah, yang operasi tumpukan ini dapat gagal sebelum AWS CloudForm ation menghentikan operasi di Wilayah tersebut. Nilai minimum yang diizinkan adalah 0 dan nilai maksimum yang diizinkan adalah 100. Untuk informasi selengkap nya, lihat opsi operasi Stack Set.

6. Pilih Berikutnya.
7. Pada halaman Konfigurasikan opsi tumpukan, pilih Berikutnya.

8. Pada halaman Ulasan, tinjau dan konfirmasikan pengaturan. Pastikan untuk mencentang kotak yang mengakui bahwa template akan membuat sumber daya AWS Identity and Access Management (IAM).
9. Pilih Membuat tumpukan untuk menerapkannya.

   Anda dapat melihat status tumpukan di AWS CloudFormation konsol di kolom Status. Anda akan melihat status CREATE_COMPLETE dalam waktu sekitar 15 menit.

Langkah 2. Buat paket khusus

Dengan tumpukan yang diluncurkan, Anda dapat menambahkan penyesuaian ke zona landing zone AWS Control Tower dan kebijakan kontrol layanan (SCP) AWS Control Tower dengan menyesuaikan paket konfigurasi yang disertakan. Untuk petunjuk rinci tentang membuat paket kustom, lihatPanduan kustomisasi CFCT.

> **Catatan**
>
> Pipeline tidak berjalan tanpa mengunggah paket konfigurasi khusus.

Perbarui tumpukan

Jika sebelumnya Anda menerapkan Kustomisasi untuk AWS Control Tower (CFCT), ikuti prosedur untuk memperbarui AWS CloudFormation tumpukan untuk versi terbaru kerangka kerja CFCT.

> **Important**
>
> Sebelum Anda dapat menyelesaikan prosedur berikut, Anda harus mengunggah template terbaru dari GitHub ke bucket Amazon Simple Storage Service (Amazon S3). Untuk petunjuk tentang cara memulai Amazon S3, lihat Memulai Amazon S3 di Panduan Pengguna Layanan Penyimpanan Sederhana Amazon.

1. Masuk ke konsolAWS CloudFormation tersebut.
2. Pilih Penyesuaian yang ada untuk CloudFormation tumpukan AWS Control Tower (CFCT), lalu pilih Perbarui.
3. Di bawah Prasyarat - Siapkan templat, pilih Ganti templat saat ini.

4. Di bawah Tentukan template, lakukan hal berikut:
   a. Untuk sumber Template, pilih Ganti template saat ini.
   b. Untuk URL Amazon S3, masukkan URL templat untuk templat yang sebelumnya Anda unggah ke Amazon GitGub S3, lalu pilih Berikutnya.
   c. Verifikasi bahwa URL template sudah benar. Kemudian pilih Next dan Next lagi.
5. Di bawah Parameter, tinjau parameter untuk templat dan modifikasi seperlunya. Lihat Langkah 1. Luncurkan tumpukan untuk detail tentang parameter.
6. Pilih Berikutnya.
7. Pada halaman Konfigurasikan opsi tumpukan, pilih Berikutnya.
8. Pada halaman Ulasan, tinjau dan konfirmasikan pengaturan. Pastikan untuk mencentang kotak yang mengakui bahwa template mungkin membuat sumber daya AWS Identity and Access Management (IAM).
9. Pilih Lihat set perubahan dan verifikasi perubahan.
10. Pilih Perbarui tumpukan untuk menyebarkan tumpukan.

    Anda dapat melihat status tumpukan di AWS CloudFormation konsol di kolom Status. Anda akan melihat status UPDATE_COMPLETE dalam waktu sekitar 15 menit.

Hapus set tumpukan

Anda dapat menghapus kumpulan tumpukan jika Anda telah mengaktifkan penghapusan kumpulan tumpukan dalam file manifes. Secara bawaan, parameter `enable_stack_set_deletion` diatur ke `false`. Dalam konfigurasi ini, tidak ada tindakan yang diambil untuk menghapus kumpulan tumpukan terkait saat sumber daya dihapus dari file manifes CFCT.

Jika Anda mengubah nilai `enable_stack_set_deletion` ke `true` dalam file manifes, CFCT akan menghapus kumpulan tumpukan dan semua sumber dayanya saat Anda menghapus sumber daya terkait dari file manifes.

Kemampuan ini didukung di v2 dari file manifes.

> **Important**
>
> Saat Anda awalnya menetapkan nilai `enable_stack_set_deletion` to`true`, saat berikutnya Anda memanggil CFCT, SEMUA sumber daya yang dimulai dengan awalan, yang

memiliki tag kunci terkait`CustomControlTower-`, dan yang tidak dideklarasikan dalam file manifes`Key:AWS_Solutions, Value: CustomControlTowerStackSet`, akan dipentaskan untuk dihapus.

Berikut adalah contoh cara mengatur parameter ini dalam `manifest.yaml` file:

```
version: 2021-03-15
region: us-east-1
enable_stack_set_deletion: true   #New opt-in functionality


resources:
  - name: demo_resource_1
    resource_file: s3://demo_bucket/resource.template
    deployment_targets:
      accounts:
        - 012345678912
    deploy_method: stack_set
    ...
    regions:
    - us-east-1
    - us-west-2

  - name: demo_resource_2
    resource_file: s3://demo_bucket/resource.template
    deployment_targets:
      accounts:
        - 012345678912
    deploy_method: stack_set
    ...
    regions:
    - us-east-1
    - eu-north-1
```

Siapkan Amazon S3 sebagai sumber konfigurasi

Saat Anda menyiapkan Kustomisasi untuk AWS Control Tower, ia menyimpan file konfigurasi awal, yang disebut `_custom-control-tower-configuration.zip` file dalam bucket Amazon Simple

Storage Service (Amazon S3), dinamai. `custom-control-tower-configuration-account-ID-region`

> **Catatan**
>
> Jika Anda memilih untuk mengunduh dan memodifikasi file ini, ingatlah untuk zip perubahan, simpan sebagai file baru bernama`custom-control-tower-configuration.zip`, lalu unggah kembali ke bucket Amazon S3 yang sama.
> Bucket Amazon S3 adalah sumber default dari pipeline. Saat pengaturan default sudah ada, mengunggah file zip konfigurasi tanpa awalan garis bawah dalam nama file ke bucket S3 akan memulai pipeline secara otomatis.

File zip dilindungi oleh Server-Side Encryption (SSE) dengan AWS Key Management Service (AWS KMS), dan penolakan penggunaan kunci KMS. Untuk akses ke file zip, Anda harus memperbarui Kebijakan Kunci KMS untuk menentukan peran yang harus diberikan akses. Peran tersebut dapat berupa peran administrator, pengguna, atau keduanya. Ikuti prosedur ini:

1. Navigasikan ke konsolAWS Key Management Service tersebut.
2. Di Customer Managed Keys, pilih CustomControlTowerKMSKey.
3. Pilih tab Kebijakan kunci. Kemudian, pilih Edit.
4. Di halaman kebijakan kunci Edit, temukan bagian Izinkan Penggunaan kunci dalam kode, dan tambahkan salah satu izin berikut:
   - Untuk menambahkan peran administrasi:

     ```
     arn:aws:iam::<account-ID>:role/<administrator-role>
     ```

   - Untuk menambahkan pengguna::

     ```
     arn:aws:iam::<account-ID>:user/<username>
     ```

5. Pilih Simpan Perubahan.
6. Arahkan ke konsol Amazon S3, temukan bucket S3 yang berisi file zip konfigurasi, dan pilih unduh.
7. Buat perubahan konfigurasi yang diperlukan pada file manifes dan file template. Untuk informasi tentang menyesuaikan file manifes dan template, lihatthe section called “Panduan kustomisasi CFCT”.
8. Unggah perubahan Anda:

a. Zip file konfigurasi yang dimodifikasi, dan beri nama file:`custom-control-tower-configuration.zip`.
b. Unggah file ke Amazon S3 menggunakan SSE dengan master-key:. AWS KMS `CustomControlTowerKMSKey`

Pengumpulan metrik operasional

Kustomisasi untuk AWS Control Tower (CFCT) mencakup opsi untuk mengirim metrik operasional anonim ke. AWS AWS menggunakan data ini untuk memahami bagaimana pelanggan menggunakan CFCT, serta layanan dan produk terkait lainnya. Ketika pengumpulan data diaktifkan, informasi berikut dikirim ke AWS:

- ID Solusi: Pengidentifikasi AWS solusi
- Unique ID (UUID): Pengidentifikasi unik yang dibuat secara acak untuk setiap penerapan
- Stempel waktu: Stempel waktu pengumpulan data
- Jumlah Eksekusi Mesin Status: Secara bertahap menghitung berapa kali mesin status ini berjalan
- Manifest Version: Versi manifes yang digunakan dalam konfigurasi

> **Note**
>
> AWS memiliki data yang dikumpulkannya. Pengumpulan data tunduk pada KebijakanAWS Privasi.

Untuk memilih keluar dari pengiriman metrik operasional anonim ke AWS, selesaikan salah satu tugas berikut:

- Perbarui bagian pemetaan AWS CloudFormation template sebagai berikut:

  dari

  ```
  AnonymousData:
       SendAnonymousData:
          Data: Yes
  ```

  untuk

```
AnonymousData:
     SendAnonymousData:
        Data: No
```

- Setelah CFCT digunakan, cari kunci parameter **`/org/primary/metrics_flag`** SSM di konsol Parameter Store, dan perbarui nilainya ke. **`No`**

Panduan kustomisasi CFCT

Panduan Kustomisasi untuk AWS Control Tower (CFCT) adalah untuk administrator, DevOps profesional, vendor perangkat lunak independen, arsitek infrastruktur TI, dan integrator sistem yang ingin menyesuaikan dan memperluas lingkungan AWS Control Tower mereka untuk perusahaan dan pelanggan mereka. Ini memberikan informasi tentang menyesuaikan dan memperluas lingkungan AWS Control Tower dengan paket kustomisasi CFCT.

> **Note**
>
> Untuk menyebarkan dan mengkonfigurasi (CFCT), Anda harus menerapkan dan memproses paket konfigurasi melalui. AWS CodePipelineBagian berikut menjelaskan proses secara rinci.

Ikhtisar pipa kode

Paket konfigurasi memerlukan Amazon Simple Storage Service (Amazon S3) dan. AWS CodePipelinePaket konfigurasi berisi item-item ini:

- File manifes
- Satu set template yang menyertainya
- File JSON lainnya untuk mendeskripsikan dan mengimplementasikan penyesuaian lingkungan AWS Control Tower Anda

Secara default, paket `_custom-control-tower-configuration.zip` konfigurasi dimuat dalam bucket Amazon S3 dengan konvensi penamaan berikut:

`custom-control-tower-configuration-`*`accountID`*`-`*`region`*.

> **Note**
>
> Secara default, CFCT membuat bucket Amazon S3 untuk menyimpan sumber pipeline, tetapi Anda dapat mengubah lokasi sumber ke AWS CodeCommit repositori. Untuk informasi selengkapnya, lihat Mengedit pipeline CodePipeline di PanduanAWS CodePipeline Pengguna.

File manifes adalah file teks yang menjelaskan AWS sumber daya yang dapat Anda gunakan untuk menyesuaikan landing zone Anda. CodePipeline melakukan tugas-tugas ini:

- mengekstrak file manifes, kumpulan templat yang menyertainya, dan file JSON lainnya
- melakukan validasi manifes dan template
- memanggil bagian dalam file manifes untuk menjalankan tahapan pipeline tertentu.

Saat Anda memperbarui paket konfigurasi dengan menyesuaikan file manifes dan menghapus garis bawah (_) dari nama file paket konfigurasi, paket akan dimulai secara otomatis. AWS CodePipeline

> **Note**
>
> Nama file paket konfigurasi sampel dimulai dengan garis bawah (_) sehingga tidak dipicu secara AWS CodePipeline otomatis. Ketika Anda telah menyelesaikan kustomisasi paket konfigurasi, unggah file `custom-control-tower-configuration.zip` tanpa garis bawah (_) untuk memicu penerapan di. AWS CodePipeline

AWS CodePipeline tahapan

Pipeline CFCT memerlukan beberapa AWS CodePipeline tahapan untuk mengimplementasikan dan memperbarui lingkungan AWS Control Tower Anda.

1. Tahap sumber

   Tahap sumber adalah tahap awal. Paket konfigurasi khusus Anda memulai tahap pipeline ini. Sumber untuk AWS CodePipeline dapat berupa bucket Amazon S3 atau AWS CodeCommit repositori, di mana paket konfigurasi dapat di-host.

2. Membangun panggung

Tahap build membutuhkan AWS CodeBuild untuk memvalidasi konten paket konfigurasi. Pemeriksaan ini termasuk menguji sintaks dan skema `manifest.yaml` file, bersama dengan semua AWS CloudFormation templat yang disertakan dalam paket atau dihosting dari jarak jauh, menggunakan dan. AWS CloudFormation `validate-template` `cfn_nag` Jika file manifes dan AWS CloudFormation template lulus tes, pipeline berlanjut ke tahap berikutnya. Jika pengujian gagal, Anda dapat meninjau CodeBuild log untuk mengidentifikasi masalah dan mengedit file sumber konfigurasi sesuai kebutuhan.

3. Tahap persetujuan manual (opsional)

   Tahap persetujuan manual adalah opsional. Jika Anda mengaktifkan tahap ini, ini memberikan kontrol tambahan atas pipa konfigurasi. Ini menghentikan sementara pipa selama penyebaran, sampai persetujuan diberikan. Anda dapat memilih persetujuan manual dengan mengedit parameter Pipeline Approval Stage ke Ya saat Anda meluncurkan tumpukan.

4. Tahap kebijakan pengendalian layanan

   Tahap kebijakan kontrol layanan memanggil mesin status kebijakan kontrol layanan untuk memanggil AWS Organizations API yang membuat kebijakan kontrol layanan (SCP).

5. Tahap CloudFormation sumber daya AWS

   Tahap AWS CloudFormation sumber daya memanggil mesin status set tumpukan untuk menyebarkan sumber daya yang ditentukan dalam daftar akun atau unit organisasi (OU), yang Anda berikan dalam file manifes. Mesin status membuat AWS CloudFormation sumber daya dalam urutan yang ditentukan dalam file manifes, kecuali ketergantungan sumber daya ditentukan.

Tentukan konfigurasi kustom

Anda akan menentukan konfigurasi AWS Control Tower kustom Anda dengan file manifes, kumpulan templat yang menyertainya, dan file JSON lainnya. Anda akan mengemas file-file ini ke dalam struktur folder dan menempatkannya di bucket Amazon S3 sebagai `.zip` file, seperti yang ditunjukkan pada contoh kode berikut.

Struktur folder konfigurasi kustom

```
- manifest.yaml
- policies/                                                [optional]
   - service control policies files (*.json)
- templates/                                               [optional]
```

```
  - template files for AWS CloudFormation Resources (*.template)
```

Contoh sebelumnya menggambarkan struktur folder konfigurasi kustom. Struktur folder tetap sama apakah Anda memilih Amazon S3 atau AWS CodeCommit repositori sebagai lokasi penyimpanan sumber Anda. Jika Anda memilih Amazon S3 sebagai penyimpanan sumber, kompres semua folder dan file ke dalam `custom-control-tower-configuration.zip` file, dan unggah hanya `.zip` file ke bucket Amazon S3 yang ditentukan.

> **Note**
>
> Jika Anda menggunakan AWS CodeCommit, letakkan file di repositori tanpa zip file.

File manifes

`manifest.yaml`File ini adalah file teks yang menjelaskan AWS sumber daya Anda. Contoh berikut menunjukkan struktur file manifes.

```
---
region: String
version: 2021-03-15

resources:
  #set of CloudFormation resources or SCP policies
...
```

Seperti yang ditunjukkan pada contoh kode sebelumnya, dua baris pertama dari file manifes menentukan nilai wilayah dan kata kunci versi. Berikut adalah definisi dari kata kunci tersebut.

region — String teks untuk Wilayah default AWS Control Tower. Nilai ini harus berupa nama AWS Wilayah yang valid (sepertius`-east-1`,`eu-west-1`, atau`ap-southeast-1`). Wilayah beranda AWS Control Tower adalah default saat Anda membuat sumber daya AWS Control Tower khusus (seperti AWS CloudFormation StackSets), kecuali Wilayah yang lebih spesifik sumber daya ditentukan.

```
region:your-home-region
```

versi - Nomor versi skema manifes. Versi terbaru yang didukung adalah 2021-03-15.

```
version: 2021-03-15
```

> **Note**
>
> Kami sangat menyarankan Anda menggunakan versi terbaru. Untuk memperbarui properti manifes dalam versi terbaru, lihatPeningkatan versi manifes.

Kata kunci berikutnya yang ditunjukkan pada contoh sebelumnya adalah kata kunci sumber daya. Bagian sumber daya dari file manifes sangat terstruktur. Ini berisi daftar rinci sumber AWS daya, yang akan digunakan secara otomatis oleh pipa CFCT. Deskripsi sumber daya dan parameter yang tersedia diberikan di bagian selanjutnya.

Bagian sumber daya dari file manifes

Topik ini menjelaskan bagian sumber daya dari file manifes, tempat Anda akan menentukan sumber daya yang diperlukan untuk penyesuaian Anda. Bagian file manifes ini dimulai pada sumber kata kunci dan berlanjut ke akhir file.

Bagian sumber daya dari file manifes menentukan AWS CloudFormation StackSets atau AWS Organizations SCP, yang diterapkan CFCT secara otomatis melalui pipeline kode. Anda dapat mencantumkan OU, akun, dan Wilayah untuk menerapkan instance tumpukan.

Instans tumpukan digunakan di tingkat akun, bukan level OU. SCP dikerahkan di tingkat OU. Untuk informasi selengkapnya, lihat Membangun kustomisasi Anda sendiri.

Contoh template berikut menjelaskan kemungkinan entri yang tersedia untuk bagian sumber daya dari file manifes.

```
resources: # List of resources
  - name: [String]
    resource_file: [String] [Local File Path, S3 URI, S3 URL]
    deployment_targets: # account and/or organizational unit names
      accounts: # array of strings, [0-9]{12}
        - 012345678912
        - AccountName1
      organizational_units: #array of strings
        - OuName1
        - OuName2
    deploy_method: scp | stack_set
    parameters: # List of parameters [SSM, Alfred, Values]
      - parameter_key: [String]
```

```
        parameter_value: [String]
    export_outputs: # list of ssm parameters to store output values
      - name: /org/member/test-ssm/app-id
        value: $[output_ApplicationId]
    regions: #list of strings
    - [String]
```

Sisa topik ini memberikan definisi rinci untuk kata kunci yang ditunjukkan pada contoh kode sebelumnya.

Nama — Nama yang dikaitkan dengan AWS CloudFormation StackSets. String yang Anda berikan memberikan nama yang lebih ramah pengguna untuk kumpulan tumpukan.

- Tipe: String
- Wajib: Ya
- Nilai yang valid: a-z, A-Z, 0-9, dan garis bawah (_). Karakter lain secara otomatis diganti dengan garis bawah (_).

deskripsi — Deskripsi untuk sumber daya.

- Tipe: String
- Wajib: Tidak

resource_file - File ini dapat ditentukan sebagai lokasi relatif ke file manifes, URI Amazon S3 atau URL yang menunjuk ke AWS CloudFormation templat atau kebijakan kontrol AWS Organizations layanan di JSON untuk membuat sumber daya atau SCP. AWS CloudFormation

- Tipe: String
- Wajib: Ya

1. Contoh berikut menunjukkan`resource_file`, diberikan sebagai lokasi relatif ke file sumber daya di dalam paket konfigurasi.

   ```
   resources:
     - name: SecurityRoles
       resource_file: templates/custom-security.template
   ```

2. Contoh berikut menunjukkan file sumber daya yang diberikan sebagai URI Amazon S3

```
resources:
  - name: SecurityRoles
    resource_file: s3://bucket-name/[key-name]
```

3. Contoh berikut menunjukkan file sumber daya yang diberikan sebagai URL HTTPS Amazon S3

```
resources:
  - name: SecurityRoles
    resource_file: https://bucket-name.s3.Region.amazonaws.com/key-name
```

> **Note**
>
> Jika Anda memberikan URL Amazon S3, verifikasi bahwa kebijakan bucket mengizinkan akses baca untuk akun manajemen AWS Control Tower tempat Anda menerapkan CFCT. Jika Anda memberikan URL HTTPS Amazon S3, verifikasi bahwa jalur tersebut menggunakan notasi titik. Misalnya, `S3.us-west-1`. CFCT tidak mendukung titik akhir yang berisi tanda hubung antara S3 dan Wilayah, seperti. `S3-us-west-2`

4. Contoh berikut menunjukkan kebijakan bucket Amazon S3 dan ARN tempat sumber daya disimpan.

```
{
   "Version": "2012-10-17",
   "Statement": [
       {
        "Effect": "Allow",
        "Principal": {"AWS": "arn:aws:iam::AccountId:root"},
        "Action": "s3:GetObject",
        "Resource": "arn:aws:s3:::my-bucket/*”
       }
   ]
}
```

Anda akan mengganti *AccountId*variabel yang ditunjukkan dalam contoh dengan ID AWS akun untuk akun manajemen yang menggunakan CFCT. Untuk contoh lainnya, lihat contoh kebijakan Bucket di Panduan Pengguna Layanan Penyimpanan Sederhana Amazon.

parameter - Menentukan nama dan nilai untuk AWS CloudFormation parameter.

- Jenis: MapList
- Wajib: Tidak

Bagian parameter berisi pasangan parameter kunci/nilai. Template semu berikut menguraikan bagian parameter.

```
parameters:
  - parameter_key: [String]
    parameter_value: [String]
```

- parameter_key — Kunci yang terkait dengan parameter.
  - Tipe: String
  - Diperlukan: Ya (di bawah parameter properti)
  - Nilai yang Valid: a-z, A-Z, dan 0-9
- parameter_value — Nilai masukan yang terkait dengan parameter.
  - Tipe: String
  - Diperlukan: Ya (di bawah parameter properti)

deploy_method — Metode penyebaran untuk menyebarkan sumber daya ke akun. Saat ini, deploy_method mendukung penerapan sumber daya menggunakan `stack_set` opsi untuk penyebaran sumber daya melalui AWS CloudFormation StackSets, atau `scp` opsi jika Anda menerapkan SCP.

- Tipe: String
- Nilai yang Valid: `stack_set` | `scp`
- Wajib: Ya

deployment_targets — Daftar akun atau Unit Organisasi (OU), di mana CFCT akan menyebarkan AWS CloudFormation sumber daya, ditentukan sebagai akun atau organisasi_unit.

> **Note**
>
> Jika Anda ingin menerapkan SCP, targetnya harus OU, bukan akun.

- Jenis: Daftar string `account name` atau `account number` untuk menunjukkan bahwa sumber daya ini akan digunakan ke dalam daftar akun yang diberikan, atau `OU names` untuk menunjukkan bahwa sumber daya ini akan digunakan ke dalam daftar OU yang diberikan.
- Wajib: Setidaknya satu akun atau organizational_units
  - akun:

    Jenis: Daftar string `account name` atau `account number` untuk menunjukkan bahwa sumber daya ini akan digunakan ke dalam daftar akun yang diberikan.
  - organisasi_unit:

    Jenis: Daftar string `OU names` untuk menunjukkan bahwa sumber daya ini akan digunakan ke dalam daftar OU yang diberikan. Jika Anda memberikan OU yang tidak berisi akun dan properti akun tidak ditambahkan, CFCT hanya membuat kumpulan tumpukan.

    > **Note**
    >
    > ID akun manajemen organisasi bukanlah nilai yang diizinkan. CFCT tidak mendukung penerapan instance tumpukan ke dalam akun manajemen organisasi.

export_outputs - Daftar pasangan nama/nilai yang menunjukkan kunci parameter SSM. Kunci parameter SSM ini memungkinkan Anda untuk menyimpan output template ke dalam penyimpanan parameter SSM. Output dimaksudkan untuk referensi oleh sumber daya lain, yang didefinisikan sebelumnya dalam file manifes.

```
export_outputs: # List of SSM parameters
  - name: [String]
    value: [String]
```

- Jenis: Daftar pasangan kunci nama dan nilai. Nama berisi `name` string kunci penyimpanan parameter SSM, dan nilai berisi `value` string parameter.
- Nilai Valid: Setiap string atau `$[output_`*`CfnOutput-Logical-ID`*`]` variabel di mana *`CfnOutput-logical-ID`* sesuai dengan variabel output template. Untuk informasi selengkapnya tentang bagian Output dalam AWS CloudFormation templat, lihat Output di AWS CloudFormation Panduan Pengguna.
- Wajib: Tidak

Misalnya, cuplikan kode berikut menyimpan variabel `VPCID` keluaran template ke dalam kunci parameter SSM yang diberi nama. `/org/member/audit/vpc_id`

```
export_outputs: # List of SSM parameters
  - name: /org/member/audit/VPC-ID
    value: $[output_VPCID]
```

> **Note**
>
> Nama kunci export_outputs mungkin berisi nilai selain. `output` Misalnya, jika namanya`/org/environment-name`, nilainya mungkin`production`.

wilayah — Daftar Wilayah di mana CFCT akan menyebarkan instance AWS CloudFormation tumpukan.

- Jenis: Setiap daftar nama Wilayah AWS komersial, untuk menunjukkan bahwa sumber daya ini akan disebarkan ke dalam daftar Wilayah yang diberikan. Jika kata kunci ini tidak ada dalam file manifes, sumber daya akan digunakan di Wilayah beranda saja.
- Wajib: Tidak

Akar OU

CFCT mendukung Root sebagai nilai untuk unit organisasil (OU) `organizational_units` di bawah versi manifes V2 (2021-03-15).

- Jika Anda memilih metode penerapan`scp`, saat Anda menambahkan Root di bawah`organizational_units`, AWS Control Tower menerapkan kebijakan ke semua OU di bawah Root. Jika Anda memilih metode penerapan`stack_set`, saat Anda menambahkan Root di bawah`organizational_units`, CFCT menerapkan kumpulan tumpukan di semua akun di bawah Root yang terdaftar di AWS Control Tower, kecuali untuk akun manajemen.
- Sesuai dengan praktik terbaik AWS Control Tower, akun manajemen dimaksudkan hanya untuk mengelola akun anggota dan untuk tujuan penagihan. Jangan menjalankan beban kerja produksi di akun manajemen AWS Control Tower.

  Sesuai dengan panduan praktik terbaik, penerapan AWS Control Tower menempatkan akun manajemen di bawah Root OU, sehingga memiliki akses penuh dan tidak menjalankan sumber

daya tambahan. Untuk alasan ini, AWSControlTowerExecutionperan tersebut tidak dikerahkan ke akun manajemen.

- Kami menyarankan Anda mengikuti praktik terbaik ini untuk akun manajemen. Jika Anda memiliki kasus penggunaan khusus yang mengharuskan Anda menerapkan stackset di akun manajemen, sertakan akun sebagai target penerapan dan tentukan akun pengelolaannya. Jika tidak, jangan sertakan akun sebagai target penyebaran. Anda harus membuat sumber daya yang hilang, termasuk peran IAM yang diperlukan, di akun manajemen.

Untuk menyebarkan stackset di akun manajemen, sertakan `accounts` sebagai target penyebaran dan tentukan akun manajemen. Jika tidak, jangan sertakan akun sebagai target penyebaran.

```
---
region: your-home-region
version: 2021-03-15

resources:

  …truncated…

    deployment_targets:
      organizational_units:
        - Root
```

> **Note**
>
> Fitur Root OU hanya didukung dalam versi V2 dari file manifes (2021-03-15). Jika Anda menambahkan Root sebagai OU di bawah`organizational_units`, jangan tambahkan OU lainnya.

OU bersarang

CFCT mendukung daftar satu atau lebih OU bersarang di bawah `organizational_units` kata kunci dalam versi manifes V2 (2021-03-15).

Jalur lengkap (tidak termasuk Root) untuk OU bersarang diperlukan, menggunakan titik dua sebagai pemisah antara OU. Untuk metode penerapan`scp`, AWS Control Tower menerapkan SCP ke OU terakhir di jalur OU bersarang. Untuk metode penerapan`stack_set`, AWS Control Tower menerapkan set tumpukan ke semua akun di bawah OU terakhir di jalur OU bersarang.

Misalnya, perhatikan jalannya`OUName1:OUName2:OUName3`. OU terakhir di jalan adalah`OUName3`. CFCT menyebarkan SCP ke `OUName3` dan menumpuk set ke semua akun langsung di bawah`OUName3`, hanya.

```
---
region: your-home-region
version: 2021-03-15

resources:

  …truncated…

    deployment_targets:
      organizational_units:
        - OuName1:OUName2:OUName3
```

> **Note**
>
> Fitur OU bersarang hanya didukung dalam versi V2 dari file manifes (2021-03-15).

Bangun kustomisasi Anda sendiri

Untuk membuat kustomisasi Anda sendiri, Anda dapat memodifikasi `manifest.yaml` file dengan menambahkan atau memperbarui kebijakan kontrol layanan (SCP) dan sumber daya. AWS CloudFormation Untuk sumber daya yang harus digunakan, Anda dapat menambah atau menghapus akun dan OU. Anda dapat menambahkan atau memodifikasi templat di folder paket, membuat folder Anda sendiri, dan mereferensikan templat atau folder dalam `manifest.yaml` file.

Bagian ini menjelaskan dua bagian utama membangun kustomisasi Anda sendiri:

- cara mengatur paket konfigurasi Anda sendiri untuk kebijakan kontrol layanan
- cara mengatur paket konfigurasi Anda sendiri untuk set AWS CloudFormation tumpukan

Mengatur paket konfigurasi untuk kebijakan kontrol layanan

Bagian ini menjelaskan cara membuat paket konfigurasi untuk kebijakan kontrol layanan (SCP). Dua bagian utama dari proses ini adalah (1) siapkan file manifes, dan (2) siapkan struktur folder Anda.

Langkah 1: Edit file manifest.yaml

Gunakan `manifest.yaml` file sampel sebagai titik awal Anda. Masukkan semua konfigurasi yang diperlukan. Tambahkan `resource_file` dan `deployment_targets` detailnya.

Cuplikan berikut menunjukkan file manifes default.

```
---
region: us-east-1
version: 2021-03-15

resources: []
```

Nilai untuk `region` ditambahkan secara otomatis selama penerapan. Itu harus cocok dengan Wilayah tempat Anda menggunakan CFCT. Wilayah ini harus sama dengan wilayah AWS Control Tower.

Untuk menambahkan SCP khusus di `example-configuration` folder dalam paket zip yang disimpan di bucket Amazon S3, buka file dan `example-manifest.yaml` mulai mengedit.

```
---
region: your-home-region
version: 2021-03-15

resources:
  - name: test-preventive-controls
    description: To prevent from deleting or disabling resources in member accounts
    resource_file: policies/preventive-controls.json
    deploy_method: scp
    #Apply to the following OU(s)
    deployment_targets:
      organizational_units: #array of strings
        - OUName1
        - OUName2

…truncated…
```

Cuplikan berikut menunjukkan contoh file manifes yang disesuaikan. Anda dapat menambahkan lebih dari satu kebijakan dalam satu perubahan.

```
---
```

```
region: us-east-1
version: 2021-03-15

resources:
  - name: block-s3-public-access
    description: To S3 buckets to have public access
    resource_file: policies/block-s3-public.json
    deploy_method: scp
    #Apply to the following OU(s)
    deployment_targets:
      organizational_units: #array of strings
        - OUName1
        - OUName2
```

Langkah 2: Buat struktur folder

Anda dapat melewati langkah ini jika Anda menggunakan URL Amazon S3 untuk file sumber daya dan menggunakan parameter dengan pasangan kunci/nilai.

Anda harus menyertakan kebijakan SCP dalam format JSON untuk mendukung manifes, karena file manifes mereferensikan file JSON. Pastikan bahwa jalur file cocok dengan informasi jalur yang disediakan dalam file manifes.

- File JSON kebijakan berisi SCP yang akan digunakan ke OU.

Cuplikan berikut menunjukkan struktur folder untuk file manifes sampel.

```
- manifest.yaml
- policies/
   - block-s3-public.json
```

Cuplikan berikut adalah contoh file `block-s3-public.json` kebijakan.

```
{
   "Version":"2012-10-17",
   "Statement":[
      {
         "Sid":"GuardPutAccountPublicAccessBlock",
         "Effect":"Deny",
         "Action":"s3:PutAccountPublicAccessBlock",
         "Resource":"arn:aws:s3:::*"
```

```
      }
   ]
}
```

Siapkan paket konfigurasi untuk AWS CloudFormation StackSets

Bagian ini menjelaskan cara menyiapkan paket konfigurasi untuk AWS CloudFormation StackSets. Dua bagian utama dari proses ini adalah: (1) siapkan file manifes, dan (2) perbarui struktur folder.

Langkah 1: Edit file manifes yang ada

Tambahkan AWS CloudFormation StackSets informasi baru ke file manifes yang sebelumnya Anda edit.

Hanya untuk ditinjau, cuplikan berikut berisi file manifes khusus yang sama yang ditampilkan sebelumnya untuk menyiapkan paket konfigurasi untuk SCP. Sekarang Anda dapat mengedit file ini lebih lanjut, untuk memasukkan detail tentang sumber daya Anda.

```
---
region: us-east-1
version: 2021-03-15

resources:

  - name: block-s3-public-access
    description: To S3 buckets to have public access
    resource_file: policies/block-s3-public.json
    deploy_method: scp
    #Apply to the following OU(s)
    deployment_targets:
    organizational_units: #array of strings
    - OUName1
    - OUName2
```

Cuplikan berikut menunjukkan contoh file manifes yang diedit yang berisi rincian. `resources` Urutan `resources` menentukan urutan eksekusi untuk membuat `resources` dependensi. Anda dapat mengedit contoh file manifes berikut sesuai dengan kebutuhan bisnis Anda.

```
---
region: your-home-region
version: 2021-03-15
```

```
…truncated…

resources:
  - name: stackset-1
    resource_file: templates/create-ssm-parameter-keys-1.template
    parameters:
      - parameter_key: parameter-1
        parameter_value: value-1
    deploy_method: stack_set
    deployment_targets:
      accounts: # array of strings, [0-9]{12}
        - account number or account name
        - 123456789123
      organizational_units: #array of strings, ou ids, ou-xxxx
        - OuName1
        - OUName2
    export_outputs:
      - name: /org/member/test-ssm/app-id
        value: $[output_ApplicationId]
    regions:
      - region-name

  - name: stackset-2
    resource_file: s3://bucket-name/key-name
    parameters:
      - parameter_key: parameter-1
        parameter_value: value-1
    deploy_method: stack_set
    deployment_targets:
      accounts: # array of strings, [0-9]{12}
        - account number or account name
        - 123456789123
      organizational_units: #array of strings
        - OuName1
        - OUName2
regions:
  - region-name
```

Contoh berikut menunjukkan bahwa Anda dapat menambahkan lebih dari satu AWS CloudFormation sumber daya dalam file manifes.

```
---
```

```
region: us-east-1
version: 2021-03-15

resources:
  - name: block-s3-public-access
    description: To S3 buckets to have public access
    resource_file: policies/block-s3-public.json
    deploy_method: scp
    #Apply to the following OU(s)
    deployment_targets:
      organizational_units: #array of strings
        - Custom
        - Sandbox

  - name: transit-network
    resource_file: templates/transit-gateway.template
    parameter_file: parameters/transit-gateway.json
    deploy_method: stack_set
    deployment_targets:
      accounts: # array of strings, [0-9]{12}
        - Prod
        - 123456789123 #Network
      organizational_units: #array of strings
        - Custom
    export_outputs:
      - name: /org/network/transit-gateway-id
        value: $[output_TransitGatewayID]
    regions:
      - us-east-1
```

Langkah 2: Perbarui struktur folder

Saat memperbarui struktur folder, Anda dapat menyertakan semua file AWS CloudFormation template pendukung dan file kebijakan SCP yang ada di file manifes. Verifikasi bahwa jalur file cocok dengan apa yang disediakan dalam file manifes.

- File template berisi AWS sumber daya yang akan digunakan di OU dan akun.
- File kebijakan berisi parameter input yang digunakan dalam file template.

Contoh berikut menunjukkan struktur folder untuk file manifes sampel yang dibuat di Langkah 1.

```
- manifest.yaml
```

```
- policies/
   - block-s3-public.json
- templates/
   - transit-gateway.template
```

Pembantu 'alfred' dan file parameter AWS CloudFormation

CFCT memberi Anda mekanisme yang dikenal sebagai alfred helper untuk mendapatkan nilai kunci Penyimpanan Parameter SSM yang ditentukan dalam template. AWS CloudFormation Menggunakan alfred helper, Anda dapat menggunakan nilai yang disimpan di SSM Parameter Store dan tanpa memperbarui template. AWS CloudFormation Untuk informasi selengkapnya, lihat Apa itu AWS CloudFormation template? dalam AWS CloudFormation User Guide.

> **Important**
>
> Pembantu alfred memiliki dua keterbatasan. Parameter hanya tersedia di wilayah asal akun manajemen AWS Control Tower. Sebagai praktik terbaik, pertimbangkan untuk bekerja dengan nilai yang tidak berubah dari instance stack ke instance stack. Ketika helper 'alfred' memulihkan parameter, ia memilih instance tumpukan acak dari kumpulan tumpukan yang mengekspor variabel.

Contoh

Misalkan Anda memiliki dua set AWS CloudFormation tumpukan. Stack set 1 memiliki satu instance tumpukan dan menyebarkan ke satu akun dalam satu Wilayah. Ini menciptakan VPC Amazon dan subnet di zona ketersediaan, dan `VPC ID` dan `subnet ID` harus diteruskan ke stack set 2 sebagai nilai parameter. Sebelum `VPC ID` dan `subnet ID` dapat diteruskan ke stack set 2, `VPC ID` dan `subnet ID` harus disimpan dalam stack set 1 menggunakan`AWS:::SSM::Parameter`. Untuk informasi selengkapnya, lihat `AWS:::SSM::Parameter` di AWS CloudFormation Panduan Pengguna.

AWS CloudFormation tumpukan set 1:

Dalam cuplikan berikut, alfred helper bisa mendapatkan nilai untuk `VPC ID` dan `subnet ID` dari penyimpanan parameter dan meneruskannya sebagai input ke mesin status. StackSet

```
VpcIdParameter:
    Type: AWS::SSM::Parameter
```

```
    Properties:
      Name: '/stack_1/vpc/id'
      Description: Contains the VPC id
      Type: String
      Value: !Ref MyVpc

SubnetIdParameter:
    Type: AWS::SSM::Parameter
    Properties:
      Name: '/stack_1/subnet/id'
      Description: Contains the subnet id
      Type: String
      Value: !Ref MySubnet
```

AWS CloudFormation tumpukan set 2:

Cuplikan menunjukkan parameter yang ditentukan dalam file AWS CloudFormation stack `2manifest.yaml`.

```
parameters:
      - parameter_key: VpcId
        parameter_value: $[alfred_ssm_/stack_1/vpc/id]
      - parameter_key: SubnetId
        parameter_value: $[alfred_ssm_/stack_1/subnet/id]
```

AWS CloudFormation tumpukan set 2.1:

Cuplikan menunjukkan bahwa Anda dapat mencantumkan `alfred_ssm` properti untuk mendukung parameter tipe. CommaDelimitedList Untuk informasi selengkapnya, lihat `Parameters` di AWS CloudFormation Panduan Pengguna.

```
parameters:
      - parameter_key: VpcId # Type: String
        parameter_value: $[alfred_ssm_/stack_1/vpc/id']
      - parameter_key: SubnetId # Type: String
        parameter_value: $[ alfred_ssm_/stack_1/subnet/id']
      - parameter_key: AvailablityZones # Type: CommaDelimitedList
        parameter_value:
  - "$[alfred_ssm_/availability_zone_1]"
 - "$[alfred_ssm_/availability_zone_2]"
```

> **Skema JSON untuk paket kustomisasi**
>
> Skema JSON untuk paket kustomisasi untuk CFCT terletak di repositori kode sumber pada. GitHub Anda dapat menggunakan skema dengan banyak alat pengembangan favorit Anda, dan Anda mungkin merasa terbantu untuk mengurangi kesalahan ketika Anda membuat `manifest.yaml` file Anda sendiri.

Peningkatan versi manifes

Untuk informasi tentang versi terbaru Kustomisasi untuk AWS Control Tower (CFCT), lihat file ChangeLog.md di repositori. GitHub

> **Warning**
>
> Versi 2.2.0 Kustomisasi untuk AWS Control Tower (CFCT) memperkenalkan skema manifes (versi 2021-03-15) agar selaras dengan API layanan terkait. AWS Skema manifes memungkinkan satu file manifest.yaml untuk mengelola sumber daya yang didukung (AWS CloudFormation template dan SCP) melalui alur kerja terpisah. DevOps
> Kami sangat menyarankan Anda memperbarui skema manifes dari versi 2020-01-01 ke versi 2021-03-15 atau yang lebih baru.
> CFCT terus mendukung versi 2021-03-15 dan 2020-01-01 file. `manifest.yaml` Tidak diperlukan perubahan pada konfigurasi Anda yang ada. Namun, versi 2020-01-01 ada di End of Support. Kami tidak lagi menyediakan pembaruan atau menambahkan penyempurnaan ke versi 2020-01-01. Fitur Root OU dan OU bersarang tidak didukung dalam versi 2020-01-01.

Properti usang dalam versi manifes 2021-03-15:

```
organization_policies
policy_file
apply_to_accounts_in_ou

cloudformation_resources
template_file
deploy_to_account
deploy_to_ou
ssm_parameters
```

Langkah pemutakhiran wajib

Saat Anda memutakhirkan ke versi skema manifes versi 2021-03-15, berikut adalah perubahan yang harus Anda lakukan untuk memperbarui file Anda. Bagian selanjutnya menguraikan perubahan wajib dan direkomendasikan untuk transisi.

Kebijakan Organizations

1. Pindahkan SCP di bawah organization_policies di bawah sumber daya properti baru.
2. Ubah properti policy_file ke properti baru resource_file.
3. Ubah apply_to_accounts_in_ou ke properti baru deployment_targets. Daftar OU harus didefinisikan di bawah sub-properti organizational_units. Sub-properti akun tidak didukung untuk kebijakan organisasi.
4. Tambahkan properti baru deploy_method dengan nilai scp.

AWS CloudFormation sumber daya

1. Pindahkan CloudFormation sumber daya di bawah cloudformation_resources di bawah sumber daya properti baru.
2. Ubah properti template_file ke properti baru resource_file.
3. Ubah deploy_to_ou ke properti baru deployment_targets. Daftar OU harus didefinisikan di bawah sub-properti organizational_units.
4. Ubah deploy_to_accounts ke deployment_targets properti baru. Daftar akun harus didefinisikan di bawah akun sub-properti.
5. Ubah properti ssm_parameters ke properti baru export_outputs.

Langkah-langkah peningkatan yang sangat disarankan

AWS CloudFormation parameter

1. Ubah properti parameter_file ke parameter properti baru.
2. Hapus path file dalam nilai properti parameter_file.
3. Salin kunci parameter dan nilai parameter dari file JSON parameter yang ada ke dalam format baru untuk properti parameter. Ini akan membantu Anda mengelolanya dalam file manifes.

> **Note**
>
> Properti parameter_file didukung dalam manifes versi 2021-03-15.

Jaringan di AWS Control Tower

AWS Control Tower menyediakan dukungan dasar untuk jaringan melalui VPC.

Jika konfigurasi atau kemampuan default AWS Control Tower VPC tidak memenuhi kebutuhan Anda, Anda dapat menggunakan AWS layanan lain untuk mengonfigurasi VPC Anda. Untuk informasi selengkapnya tentang cara bekerja dengan VPC dan AWS Control Tower, lihat Membangun Infrastruktur Jaringan AWS Multi-VPC yang Dapat Diskalakan dan Aman.

Topik terkait

- Untuk informasi tentang cara kerja AWS Control Tower saat Anda mendaftarkan akun yang memiliki VPC yang sudah ada, lihat. Mendaftarkan akun yang ada dengan VPC
- Dengan Account Factory, Anda dapat menyediakan akun yang menyertakan AWS Control Tower VPC, atau Anda dapat menyediakan akun tanpa VPC. Untuk informasi tentang cara menghapus AWS Control Tower VPC atau mengonfigurasi akun AWS Control Tower tanpa VPC, lihat. Panduan: Konfigurasikan AWS Control Tower Tanpa VPC
- Untuk informasi tentang cara mengubah setelan akun untuk VPC, lihat dokumentasi Account Factory tentang memperbarui akun.
- Untuk informasi selengkapnya tentang bekerja dengan jaringan dan VPC di AWS Control Tower, lihat bagian tentang Jaringan di halaman informasi terkait Panduan Pengguna ini.

VPC dan AWS Wilayah di AWS Control Tower

Sebagai bagian standar pembuatan akun, AWS buat VPC AWS-default di setiap Wilayah, bahkan Wilayah yang tidak Anda atur dengan AWS Control Tower. VPC default ini tidak sama dengan VPC yang dibuat AWS Control Tower untuk akun yang disediakan, tetapi AWS VPC default di Wilayah yang tidak diatur mungkin dapat diakses oleh pengguna IAM.

Adminstrator dapat mengaktifkan kontrol penolakan Wilayah, sehingga pengguna akhir Anda tidak memiliki izin untuk terhubung ke VPC di Wilayah yang didukung oleh AWS Control Tower tetapi di luar Wilayah yang diatur. Untuk mengonfigurasi kontrol penolakan wilayah, buka halaman pengaturan zona pendaratan dan pilih Ubah pengaturan.

Wilayah menolak kontrol memblokir panggilan API ke sebagian besar layanan di Wilayah yang tidak diatur. Untuk informasi selengkapnya, lihat Tolak akses AWS berdasarkan AWS Wilayah yang diminta.

> **Note**
>
> Kontrol penolakan Wilayah mungkin tidak mencegah pengguna IAM terhubung ke VPC AWS default di Wilayah di mana AWS Control Tower tidak didukung.

Secara opsional, Anda dapat menghapus VPC AWS default di Wilayah yang tidak diatur. Untuk mencantumkan VPC default di Wilayah, Anda dapat menggunakan perintah CLI yang mirip dengan contoh ini:

```
aws ec2 --region us-west-1 describe-vpcs --filter Name=isDefault,Values=true
```

Ikhtisar AWS Control Tower dan VPC

Berikut adalah beberapa fakta penting tentang AWS Control Tower VPC:

- VPC yang dibuat oleh AWS Control Tower saat Anda menyediakan akun di Account Factory tidak sama dengan AWS VPC default.
- Saat AWS Control Tower menyiapkan akun baru di AWS Wilayah yang didukung, AWS Control Tower secara otomatis menghapus AWS VPC default, dan menyiapkan VPC baru yang dikonfigurasi oleh AWS Control Tower.
- Setiap akun AWS Control Tower diizinkan satu VPC yang dibuat oleh AWS Control Tower. Akun dapat memiliki AWS VPC tambahan dalam batas akun.
- Setiap AWS Control Tower VPC memiliki tiga Availability Zone di semua Wilayah kecuali Wilayah AS Barat (California Utara)`us-west-1`, dan dua Availability Zone di. `us-west-1` Secara default, setiap Availability Zone diberi satu subnet publik dan dua subnet pribadi. Oleh karena itu, di Wilayah kecuali US West (California N.) setiap AWS Control Tower VPC berisi sembilan subnet secara default, dibagi menjadi tiga Availability Zone. Di AS Barat (California Utara), enam subnet dibagi menjadi dua Availability Zone.
- Setiap subnet di AWS Control Tower VPC Anda diberi rentang unik, dengan ukuran yang sama.
- Jumlah subnet dalam VPC dapat dikonfigurasi. Untuk informasi selengkapnya tentang cara mengubah konfigurasi subnet VPC Anda, lihat topik Account Factory.
- Karena alamat IP tidak tumpang tindih, enam atau sembilan subnet dalam AWS Control Tower VPC Anda dapat berkomunikasi satu sama lain dengan cara yang tidak terbatas.

Saat bekerja dengan VPC, AWS Control Tower tidak membuat perbedaan di tingkat Wilayah. Setiap subnet dialokasikan dari rentang CIDR yang tepat yang Anda tentukan. Subnet VPC dapat ada di Wilayah mana pun.

Catatan

> **Kelola biaya VPC**
>
> Jika Anda menyetel konfigurasi VPC Account Factory sehingga subnet publik diaktifkan saat menyediakan akun baru, Account Factory akan mengonfigurasi VPC untuk membuat NAT Gateway. Anda akan ditagih untuk penggunaan Anda oleh Amazon VPC.

> **VPC dan pengaturan kontrol**
>
> Jika Anda menyediakan akun Account Factory dengan pengaturan akses internet VPC diaktifkan, setelan Account Factory akan menggantikan kontrol. Larang akses internet untuk instans VPC Amazon yang dikelola oleh pelanggan Untuk menghindari mengaktifkan akses internet untuk akun yang baru disediakan, Anda harus mengubah pengaturan di Account Factory. Untuk informasi selengkapnya, lihat Panduan: Konfigurasikan AWS Control Tower Tanpa VPC.

CIDR dan Peering untuk VPC dan AWS Control Tower

Bagian ini ditujukan terutama untuk administrator jaringan. Administrator jaringan perusahaan Anda biasanya adalah orang yang memilih rentang CIDR keseluruhan untuk organisasi AWS Control Tower Anda. Administrator jaringan kemudian mengalokasikan subnet dari dalam rentang tersebut untuk tujuan tertentu.

Saat Anda memilih rentang CIDR untuk VPC Anda, AWS Control Tower memvalidasi rentang alamat IP sesuai dengan spesifikasi RFC 1918. Account Factory memungkinkan blok CIDR hingga `/16` dalam rentang:

- `10.0.0.0/8`
- `172.16.0.0/12`
- `192.168.0.0/16`

- `100.64.0.0/10`(hanya jika penyedia internet Anda mengizinkan penggunaan rentang ini)

`/16`Pembatas memungkinkan hingga 65.536 alamat IP yang berbeda.

Anda dapat menetapkan alamat IP yang valid dari rentang berikut:

- `10.0.x.x to 10.255.x.x`
- `172.16.x.x – 172.31.x.x`
- `192.168.0.0 – 192.168.255.255`(tidak ada IP di luar `192.168` jangkauan)

Jika rentang yang Anda tentukan berada di luar ini, AWS Control Tower memberikan pesan kesalahan.

Rentang CIDR default adalah`172.31.0.0/16`.

Saat AWS Control Tower membuat VPC menggunakan rentang CIDR yang Anda pilih, AWS Control Tower menetapkan rentang CIDR yang sama ke setiap VPC untuk setiap akun yang Anda buat dalam unit organisasi (OU). Karena tumpang tindih default alamat IP, implementasi ini pada awalnya tidak mengizinkan pengintipan di antara VPC AWS Control Tower Anda di OU.

Subnet

Dalam setiap VPC, AWS Control Tower membagi rentang CIDR yang Anda tentukan secara merata menjadi sembilan subnet (kecuali di AS Barat (California Utara), di mana itu adalah enam subnet). Tak satu pun dari subnet dalam VPC tumpang tindih. Oleh karena itu, mereka semua dapat berkomunikasi satu sama lain, di dalam VPC.

Singkatnya, secara default, komunikasi subnet dalam VPC tidak dibatasi. Praktik terbaik untuk mengendalikan komunikasi di antara subnet VPC Anda, jika diperlukan, adalah mengatur daftar kontrol akses dengan aturan yang menentukan arus lalu lintas yang diizinkan. Gunakan grup keamanan untuk mengontrol lalu lintas di antara instans tertentu. Untuk informasi selengkapnya tentang menyiapkan grup keamanan dan firewall di AWS Control Tower, lihat[Panduan: Mengatur Grup Keamanan di AWS Control Tower Dengan AWS Firewall Manager](#).

Mengintip

AWS Control Tower tidak membatasi pengintipan VPC-ke-VPC untuk komunikasi di beberapa VPC. Namun, secara default, semua AWS Control Tower VPC memiliki rentang CIDR default yang sama.

Untuk mendukung peering, Anda dapat memodifikasi rentang CIDR di pengaturan Account Factory sehingga alamat IP tidak tumpang tindih.

Jika Anda mengubah rentang CIDR di pengaturan Account Factory, semua akun baru yang kemudian dibuat oleh AWS Control Tower (menggunakan Account Factory) ditetapkan rentang CIDR baru. Akun lama tidak diperbarui. Misalnya, Anda dapat membuat akun, lalu mengubah rentang CIDR dan membuat akun baru, dan VPC yang dialokasikan ke kedua akun tersebut dapat diintip. Peering dimungkinkan karena rentang alamat IP mereka tidak identik.

Peran dan izin yang diperlukan

AWS Control Tower menggunakan peran IAM untuk membantu mengelola akses ke sumber daya.

Untuk informasi umum tentang peran, lihatGrup pengguna, peran, dan set izin.

Tentang izin

- Untuk informasi tentang grup IAM dan izinnya di AWS Control Tower, lihat. Grup Pusat Identitas IAM untuk AWS Control Tower
- Untuk informasi tentang izin yang diperlukan untuk menyediakan akun, lihatIzin yang diperlukan untuk akun.
- Untuk informasi tentang izin konsol yang diperlukan untuk AWS Control Tower, lihatIzin yang Diperlukan untuk Menggunakan AWS Control Tower Console.

Tentang peran

- Untuk informasi tentang cara membuat peran, termasuk izin yang dirancang untuk akses terprogram, lihatBuat peran dan tetapkan izin, dan. Peran terprogram dan hubungan kepercayaan untuk akun audit AWS Control Tower
- Untuk informasi tentang peran lain yang digunakan AWS Control Tower untuk mengelola akun AndaMenggunakan kebijakan berbasis identitas (kebijakan IAM) untuk AWS Control Tower, lihat, danKebijakan terkelola untuk AWS Control Tower.
- Untuk informasi tentang AWS Control Tower dan AWS Config peran, lihatAWS Control Tower ConfigRecorderRole.
- Untuk informasi tentang peran yang digunakan AWS Control Tower untuk mengumpulkan AWS Config informasi akun Anda, lihatBagaimana AWS Control Tower menggabungkan AWS Config aturan dalam OU dan akun yang tidak dikelola.
- Untuk informasi tentang cara melindungi sumber daya saat Anda menetapkan peran dan izin, lihat Kondisi opsional untuk hubungan kepercayaan peran AndaKonfigurasikan secara opsional AWS KMS keys, dan. Mencegah peniruan identitas lintas layanan
- Untuk informasi spesifik tentang penyediaan akun otomatis di AWS Control Tower dengan peran IAM, lihat. Penyediaan Akun Otomatis Dengan Peran IAM

Cara AWS Control Tower bekerja dengan peran untuk membuat dan mengelola akun

Secara umum, peran adalah bagian dari identitas dan manajemen akses (IAM) di AWS. Untuk informasi umum tentang IAM dan peran dalam AWS, lihat topik peran IAM di Panduan Pengguna AWS IAM.

Peran dan pembuatan akun

AWS Control Tower membuat akun pelanggan dengan memanggil `CreateAccount` API AWS Organizations. Saat AWS Organizations membuat akun ini, akun ini akan menciptakan peran di dalam akun tersebut, yang diberi nama AWS Control Tower dengan meneruskan parameter ke API. Nama perannya adalah`AWSControlTowerExecution`.

AWS Control Tower mengambil alih `AWSControlTowerExecution` peran untuk semua akun yang dibuat oleh Account Factory. Dengan menggunakan peran ini, AWS Control Tower memberi dasar pada akun dan menerapkan kontrol wajib (dan lainnya yang diaktifkan), yang menghasilkan pembuatan peran lain. Peran ini pada gilirannya digunakan oleh layanan lain, seperti AWS Config.

> **Note**
>
> Untuk mendasarkan akun berarti menyiapkan sumber dayanya, yang mencakup template Account Factory, kadang-kadang disebut sebagai cetak biru, dan kontrol. Proses baselining juga mengatur pencatatan terpusat dan peran audit keamanan pada akun, sebagai bagian dari penerapan templat. Garis dasar AWS Control Tower terdapat dalam peran yang Anda terapkan pada setiap akun yang terdaftar.

Untuk informasi selengkapnya tentang akun dan sumber daya, lihatTentang Akun AWS di AWS Control Tower.

AWSControlTowerExecution Peran tersebut, dijelaskan

`AWSControlTowerExecution`Peran harus ada di semua akun yang terdaftar. Ini memungkinkan AWS Control Tower untuk mengelola akun individual Anda dan melaporkan informasi tentangnya ke akun Audit dan Arsip Log Anda.

`AWSControlTowerExecution`Peran tersebut dapat ditambahkan ke akun dengan beberapa cara, sebagai berikut:

- Untuk akun di Security OU (terkadang disebut akun inti), AWS Control Tower menciptakan peran pada saat penyiapan AWS Control Tower awal.
- Untuk akun Account Factory yang dibuat melalui konsol AWS Control Tower, AWS Control Tower membuat peran ini pada saat pembuatan akun.
- Untuk pendaftaran satu akun, kami meminta pelanggan untuk membuat peran secara manual dan kemudian mendaftarkan akun di AWS Control Tower.
- Saat memperluas tata kelola ke OU, AWS Control Tower menggunakan StackSet-AWSControlTowerExecutionRole untuk membuat peran di semua akun di OU tersebut.

Tujuan `AWSControlTowerExecution` peran:

- `AWSControlTowerExecution`memungkinkan Anda membuat dan mendaftarkan akun, secara otomatis, dengan skrip dan fungsi Lambda.
- `AWSControlTowerExecution`membantu Anda mengonfigurasi pencatatan organisasi Anda, sehingga semua log untuk setiap akun dikirim ke akun logging.
- `AWSControlTowerExecution`memungkinkan Anda mendaftarkan akun individual di AWS Control Tower. Pertama, Anda harus menambahkan `AWSControlTowerExecution` peran ke akun itu. Untuk langkah-langkah tentang cara menambahkan peran, lihatTambahkan peran IAM yang diperlukan secara manual ke yang sudah ada Akun AWS dan daftarkan.

Bagaimana `AWSControlTowerExecution` peran bekerja dengan OU:

`AWSControlTowerExecution`Peran ini memastikan bahwa kontrol AWS Control Tower yang Anda pilih berlaku secara otomatis ke setiap akun individual, di setiap OU, di organisasi Anda, serta setiap akun baru yang Anda buat di AWS Control Tower. Hasilnya:

- Anda dapat memberikan laporan kepatuhan dan keamanan dengan lebih mudah, berdasarkan fitur audit dan pencatatan yang diwujudkan oleh kontrol AWS Control Tower.
- Tim keamanan dan kepatuhan Anda dapat memverifikasi bahwa semua persyaratan terpenuhi, dan tidak ada penyimpangan organisasi yang terjadi.

Untuk informasi selengkapnya tentang drift, lihat Mendeteksi dan menyelesaikan drift di AWS Control Tower.

Untuk meringkas, `AWSControlTowerExecution` peran dan kebijakan terkait memberi Anda kontrol keamanan dan kepatuhan yang fleksibel di seluruh organisasi Anda. Oleh karena itu, pelanggaran keamanan atau protokol lebih kecil kemungkinannya terjadi.

Kondisi opsional untuk hubungan kepercayaan peran Anda

Anda dapat menerapkan ketentuan dalam kebijakan kepercayaan peran Anda, untuk membatasi akun dan sumber daya yang berinteraksi dengan peran tertentu di AWS Control Tower. Kami sangat menyarankan Anda membatasi akses ke `AWSControlTowerAdmin` peran, karena memungkinkan izin akses yang luas.

Untuk membantu mencegah penyerang mendapatkan akses ke sumber daya Anda, edit kebijakan kepercayaan AWS Control Tower Anda secara manual untuk menambahkan setidaknya satu `aws:SourceArn` atau `aws:SourceAccount` bersyarat pada pernyataan kebijakan. Sebagai praktik terbaik keamanan, kami sangat menyarankan untuk menambahkan `aws:SourceArn` kondisi, karena lebih spesifik daripada`aws:SourceAccount`, membatasi akses ke akun tertentu dan sumber daya tertentu.

Jika Anda tidak mengetahui ARN lengkap sumber daya, atau jika Anda menentukan beberapa sumber daya, Anda dapat menggunakan `aws:SourceArn` kondisi dengan wildcard (*) untuk bagian ARN yang tidak diketahui. Misalnya, `arn:aws:controltower:*:123456789012:*` berfungsi jika Anda tidak ingin menentukan Wilayah.

Contoh berikut menunjukkan penggunaan kondisi `aws:SourceArn` IAM dengan kebijakan kepercayaan peran IAM Anda. Tambahkan kondisi dalam hubungan kepercayaan Anda untuk AWSControlTowerAdminperan tersebut, karena prinsipal layanan AWS Control Tower berinteraksi dengannya.

Seperti yang ditunjukkan pada contoh, sumber ARN adalah format:
`arn:aws:controltower:${HOME_REGION}:${CUSTOMER_AWSACCOUNT_id}:*`

Ganti string `${HOME_REGION}` dan `${CUSTOMER_AWSACCOUNT_id}` dengan wilayah rumah Anda sendiri dan ID akun dari akun panggilan.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
```

```
      "Principal": {
        "Service": [
          "controltower.amazonaws.com"
        ]
      },
      "Action": "sts:AssumeRole",
      "Condition": {
        "ArnEquals": {
          "aws:SourceArn": "arn:aws:controltower:us-west-2:012345678901:*"
        }
      }
    }
  ]
}
```

Dalam contoh, Sumber ARN ditunjuk sebagai satu-satunya `arn:aws:controltower:us-west-2:012345678901:*` ARN yang diizinkan untuk melakukan tindakan. `sts:AssumeRole` Dengan kata lain, hanya pengguna yang dapat masuk ke ID akun`012345678901`, di `us-west-2` Wilayah, yang diizinkan untuk melakukan tindakan yang memerlukan peran dan hubungan kepercayaan khusus ini untuk layanan AWS Control Tower, yang ditetapkan sebagai`controltower.amazonaws.com`.

Contoh berikutnya menunjukkan `aws:SourceAccount` dan `aws:SourceArn` kondisi yang diterapkan pada kebijakan kepercayaan peran.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "Service": [
          "controltower.amazonaws.com"
        ]
      },
      "Action": "sts:AssumeRole",
      "Condition": {
        "StringEquals": {
          "aws:SourceAccount": "012345678901"
        },
        "StringLike": {
          "aws:SourceArn": "arn:aws:controltower:us-west-2:012345678901:*"
```

```
        }
      }
    }
  ]
}
```

Contoh ini menggambarkan pernyataan `aws:SourceArn` kondisi, dengan pernyataan `aws:SourceAccount` kondisi tambahan. Untuk informasi selengkapnya, lihat Mencegah peniruan identitas lintas layanan.

Untuk informasi umum tentang kebijakan izin di AWS Control Tower, lihatKelola akses ke sumber daya.

Rekomendasi:

Kami menyarankan Anda menambahkan kondisi ke peran yang dibuat AWS Control Tower, karena peran tersebut secara langsung diasumsikan oleh layanan AWS lainnya. Untuk informasi selengkapnya, lihat contoh untuk AWSControlTowerAdmin, yang ditunjukkan sebelumnya di bagian ini. Untuk peran AWS Config perekam, kami sarankan menambahkan `aws:SourceArn` kondisi, menentukan ARN perekam Config sebagai ARN sumber yang diizinkan.

Untuk peran seperti AWSControlTowerExecutionatau peran yang dapat diasumsikan oleh akun AWS Control Tower Audit di semua akun terkelola, kami sarankan Anda menambahkan `aws:PrincipalOrgID` kondisi ke kebijakan kepercayaan untuk peran ini, yang memvalidasi bahwa prinsipal yang mengakses sumber daya milik akun di organisasi yang benar AWS . Jangan tambahkan pernyataan `aws:SourceArn` kondisi, karena tidak akan berfungsi seperti yang diharapkan.

> **Note**
>
> Dalam kasus drift, ada kemungkinan bahwa peran AWS Control Tower dapat diatur ulang dalam keadaan tertentu. Disarankan agar Anda memeriksa kembali peran secara berkala, jika Anda telah menyesuaikannya.

AWS Control Tower ConfigRecorderRole

AWS Control Tower menerapkan peran ini sebagai sumber daya di akun arsip log, akun audit, dan di setiap akun yang dibuat oleh Account Factory. Peran tersebut dapat diasumsikan oleh AWS

Config, seperti yang ditunjukkan dalam artefak hubungan kepercayaan peran, yang diberikan nanti di bagian ini. Peran ini panjangnya lebih dari 1000 baris, karena memungkinkan banyak tindakan oleh banyak orang Layanan AWS. Peran memberikan izin AWS Config untuk merekam konfigurasi dan mengirimkannya ke saluran pengiriman.

> **Note**
>
> Saat membuat peran IAM ini, Anda memberikan izin AWS Control Tower untuk mengelola AWS Config sumber daya seperti yang ditentukan dalam kebijakan izin untuk peran ini. Pertama kali AWS Control Tower menggunakan peran ini, AWS Config mungkin akan membuat peran terkait layanan baru di akun Anda. Peran tersebut memberikan AWS Config akses ke AWS sumber daya lain yang diperlukan untuk menyelesaikan permintaan AWS Control Tower asli Anda.
> Untuk mempelajari selengkapnya tentang cara AWS Config atau layanan lain membuat dan menggunakan peran terkait layanan, lihat AWS Layanan yang Bekerja dengan IAM. Cari layanan yang memiliki Ya di kolom Peran Tertaut Layanan untuk menunjukkan bahwa layanan tersebut mendukung penggunaan peran terkait layanan. Pilih Ya dengan sebuah tautan untuk melihat dokumentasi peran terkait layanan untuk layanan tersebut.
> Untuk definisi peran AWS terkait layanan, lihat peran terkait AWS layanan.

Nama peran: `aws-controltower-ConfigRecorderRole`

Digunakan di akun ini: Arsip log, Audit, Akun akun pabrik

Diasumsikan oleh: AWS Config

Anda dapat melihat detail dan artefak JSON dari kebijakan AWS terkelola untuk peran ini.

- ReadOnlyAccess
- Untuk melihat artefak kebijakan JSON lengkap untuk AWS Control Tower ConfigRecorderRole, lihat AWS_. ConfigRole

Hubungan kepercayaan peran

```
{
  "Version": "2012-10-17",
  "Statement": [
```

```
    {
      "Effect": "Allow",
      "Principal": {
        "Service": "config.amazonaws.com"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

Bagaimana AWS Control Tower menggabungkan AWS Config aturan dalam OU dan akun yang tidak dikelola

Akun manajemen AWS Control Tower membuat agregator tingkat organisasi, yang membantu mendeteksi AWS Config aturan eksternal, sehingga AWS Control Tower tidak perlu mendapatkan akses ke akun yang tidak dikelola. Konsol AWS Control Tower menunjukkan kepada Anda berapa banyak AWS Config aturan yang dibuat secara eksternal yang Anda miliki untuk akun tertentu. Anda dapat melihat detail tentang aturan eksternal tersebut di tab Kepatuhan Aturan Konfigurasi Eksternal di halaman Detail Akun.

Untuk membuat agregator, AWS Control Tower menambahkan peran dengan izin yang diperlukan untuk mendeskripsikan organisasi dan membuat daftar akun di bawahnya. `AWSControlTowerConfigAggregatorRoleForOrganizations`Peran tersebut membutuhkan kebijakan yang `AWSConfigRoleForOrganizations` dikelola dan hubungan kepercayaan dengan`config.amazonaws.com`.

Berikut adalah kebijakan IAM (artefak JSON) yang melekat pada peran:

```
{
    "Version": "2012-10-17",
      "Statement": [
       {
        "Effect": "Allow",
        "Action": [
          "organizations:ListAccounts",
          "organizations:DescribeOrganization",
          "organizations:ListAWSServiceAccessForOrganization"
         ],
       "Resource": "*"
      }
    ]
```

```
  }
```

Inilah hubungan `AWSControlTowerConfigAggregatorRoleForOrganizations` kepercayaannya:

```
{
    "Version": "2012-10-17",
      "Statement": [
      {
        "Effect": "Allow",
        "Principal": {
        "Service": "config.amazonaws.com"
        },
        "Action": "sts:AssumeRole"
      }
    ]
  }
}
```

Untuk menerapkan fungsionalitas ini di akun manajemen, izin berikut ditambahkan dalam kebijakan terkelola`AWSControlTowerServiceRolePolicy`, yang digunakan oleh `AWSControlTowerAdmin` peran saat membuat agregator: AWS Config

```
{
  "Version": "2012-10-17",
    "Statement": [
      {
        "Effect": "Allow",
        "Action": [
          "config:PutConfigurationAggregator",
          "config:DeleteConfigurationAggregator",
          "iam:PassRole"
          ],
        "Resource": [
          "arn:aws:iam:::role/service-role/
AWSControlTowerConfigAggregatorRoleForOrganizations",
          "arn:aws:config:::config-aggregator/"
          ]
        },
      {
        "Effect": "Allow",
        "Action": "organizations:EnableAWSServiceAccess",
```

```
        "Resource": "*"
      }
    ]
}
```

Sumber daya baru dibuat: `AWSControlTowerConfigAggregatorRoleForOrganizations` dan `aws-controltower-ConfigAggregatorForOrganizations`

Ketika Anda siap, Anda dapat mendaftarkan akun satu per satu, atau mendaftarkannya sebagai grup dengan mendaftarkan OU. Ketika Anda telah mendaftarkan akun, jika Anda membuat aturan AWS Config, AWS Control Tower mendeteksi aturan baru. Agregator menunjukkan jumlah aturan eksternal dan menyediakan tautan ke AWS Config konsol tempat Anda dapat melihat detail setiap aturan eksternal untuk akun Anda. Gunakan informasi di AWS Config konsol dan konsol AWS Control Tower untuk menentukan apakah Anda mengaktifkan kontrol yang sesuai untuk akun tersebut.

Peran terprogram dan hubungan kepercayaan untuk akun audit AWS Control Tower

Anda dapat masuk ke akun audit dan berperan untuk meninjau akun lain secara terprogram. Akun audit tidak memungkinkan Anda untuk masuk ke akun lain secara manual.

Akun audit memberi Anda akses terprogram ke akun lain, melalui beberapa peran yang diberikan hanya untuk fungsi AWS Lambda. Untuk tujuan keamanan, peran ini memiliki hubungan kepercayaan dengan peran lain, yang berarti bahwa kondisi di mana peran dapat digunakan didefinisikan secara ketat.

Kumpulan tumpukan AWS Control Tower `StackSet-AWSControlTowerBP-BASELINE-ROLES` membuat peran lintas akun khusus program ini di akun audit:

- aws-menara pengendali- AdministratorExecutionRole
- aws-menara pengendali- AuditAdministratorRole
- aws-menara pengendali- ReadOnlyExecutionRole
- aws-menara pengendali- AuditReadOnlyRole

`ReadOnlyExecutionRole:`Perhatikan bahwa peran ini memungkinkan akun audit membaca objek di bucket Amazon S3 di seluruh organisasi (berbeda dengan `SecurityAudit` kebijakan, yang hanya mengizinkan akses metadata).

aws-controltower-: AdministratorExecutionRole

- Memiliki izin administrator
- Tidak dapat diasumsikan dari konsol
- Dapat diasumsikan hanya dengan peran dalam akun audit - `aws-controltower-AuditAdministratorRole`

Artefak berikut menunjukkan hubungan kepercayaan untuk`aws-controltower-AdministratorExecutionRole`. Nomor placeholder `012345678901` akan diganti dengan `Audit_acct_ID` nomor untuk akun audit Anda.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::012345678901:role/aws-controltower-AuditAdministratorRole"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

aws-controltower-: AuditAdministratorRole

- Dapat diasumsikan oleh layanan AWS Lambda saja
- Memiliki izin untuk melakukan operasi baca (Dapatkan) dan tulis (Put) pada objek Amazon S3 dengan nama yang dimulai dengan log string

Kebijakan terlampir:

1. AWSLambdaExecute— kebijakan AWS terkelola

2. AssumeRole-aws-controltower- AuditAdministratorRole — kebijakan sebaris — Dibuat oleh AWS Control Tower, artefak mengikuti.

```
{
```

```
  "Version": "2012-10-17",
  "Statement": [
 {
 "Action": [
   "sts:AssumeRole"
   ],
 "Resource": [
   "arn:aws:iam::*:role/aws-controltower-AdministratorExecutionRole"
   ],
 "Effect": "Allow"
 }
   ]
}
```

Artefak berikut menunjukkan hubungan kepercayaan untuk`aws-controltower-AuditAdministratorRole`:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "Service": "lambda.amazonaws.com"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

aws-controltower-: ReadOnlyExecutionRole

- Tidak dapat diasumsikan dari konsol
- Dapat diasumsikan hanya dengan peran lain dalam akun audit - `AuditReadOnlyRole`

Artefak berikut menunjukkan hubungan kepercayaan untuk`aws-controltower-ReadOnlyExecutionRole`. Nomor placeholder `012345678901` akan diganti dengan `Audit_acct_ID` nomor untuk akun audit Anda.

```
{
  "Version": "2012-10-17",
```

```
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::012345678901:role/aws-controltower-AuditReadOnlyRole "
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

aws-controltower-: AuditReadOnlyRole

- Dapat diasumsikan oleh layanan AWS Lambda saja
- Memiliki izin untuk melakukan operasi baca (Dapatkan) dan tulis (Put) pada objek Amazon S3 dengan nama yang dimulai dengan log string

Kebijakan terlampir:

1. AWSLambdaExecute— kebijakan AWS terkelola

2. AssumeRole-aws-controltower- AuditReadOnlyRole — kebijakan sebaris — Dibuat oleh AWS Control Tower, artefak mengikuti.

```
{
  "Version": "2012-10-17",
  "Statement": [
 {
 "Action": [
  "sts:AssumeRole"
 ],
 "Resource": [
  "arn:aws:iam::*:role/aws-controltower-ReadOnlyExecutionRole"
 ],
 "Effect": "Allow"
   }
  ]
}
```

Artefak berikut menunjukkan hubungan kepercayaan untuk`aws-controltower-AuditAdministratorRole`:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "Service": "lambda.amazonaws.com"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

Penyediaan Akun Otomatis Dengan Peran IAM

Untuk mengonfigurasi akun Account Factory dengan cara yang lebih otomatis, Anda dapat membuat fungsi Lambda di akun manajemen AWS Control Tower, yang mengambil AWSControlTowerExecutionperan dalam akun anggota. Kemudian, dengan menggunakan peran tersebut, akun manajemen melakukan langkah-langkah konfigurasi yang diinginkan di setiap akun anggota.

Jika Anda menyediakan akun menggunakan fungsi Lambda, identitas yang akan melakukan pekerjaan ini harus memiliki kebijakan izin IAM berikut, sebagai tambahan. `AWSServiceCatalogEndUserFullAccess`

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "AWSControlTowerAccountFactoryAccess",
            "Effect": "Allow",
            "Action": [
                "sso:GetProfile",
                "sso:CreateProfile",
                "sso:UpdateProfile",
                "sso:AssociateProfile",
                "sso:CreateApplicationInstance",
                "sso:GetSSOStatus",
                "sso:GetTrust",
                "sso:CreateTrust",
                "sso:UpdateTrust",
```

```
                "sso:GetPeregrineStatus",
                "sso:GetApplicationInstance",
                "sso:ListDirectoryAssociations",
                "sso:ListPermissionSets",
                "sso:GetPermissionSet",
                "sso:ProvisionApplicationInstanceForAWSAccount",
                "sso:ProvisionApplicationProfileForAWSAccountInstance",
                "sso:ProvisionSAMLProvider",
                "sso:ListProfileAssociations",
                "sso-directory:ListMembersInGroup",
                "sso-directory:AddMemberToGroup",
                "sso-directory:SearchGroups",
                "sso-directory:SearchGroupsWithGroupName",
                "sso-directory:SearchUsers",
                "sso-directory:CreateUser",
                "sso-directory:DescribeGroups",
                "sso-directory:DescribeDirectory",
                "sso-directory:GetUserPoolInfo",
                "controltower:CreateManagedAccount",
                "controltower:DescribeManagedAccount",
                "controltower:DeregisterManagedAccount",
                "s3:GetObject",
                "organizations:describeOrganization",
                "sso:DescribeRegisteredRegions"
            ],
            "Resource": "*"
        }
    ]
}
```

Izin`sso:GetPeregrineStatus`,, `sso:ProvisionApplicationInstanceForAWSAccountsso:ProvisionApplicationProfileForA` dan `sso:ProvisionSAMLProvide` diwajibkan oleh AWS Control Tower Account Factory untuk berinteraksi dengan AWS IAM Identity Center.

Sumber daya di AWS Control Tower

- Untuk informasi umum tentang kepemilikan sumber daya di AWS Control Tower, lihatGambaran umum tentang mengelola izin akses ke sumber daya AWS Control Tower Anda.
- Untuk informasi tentang sumber daya yang dibuat AWS Control Tower di akun bersama, lihatTentang akun bersama.
- Untuk informasi tentang sumber daya yang dibuat AWS Control Tower saat menyediakan akun melalui Account Factory, lihatPertimbangan Sumber Daya untuk Account Factory.
- Untuk melihat detail tentang jenis AWS sumber daya yang ditentukan oleh AWS Control Tower, untuk digunakan dengan AWS Control Tower API, lihat referensi jenis sumber daya AWS Control Tower di Panduan AWS CloudFormation Pengguna.

Bagaimana AWS Wilayah Bekerja Dengan AWS Control Tower

Saat ini, AWS Control Tower didukung di AWS Wilayah berikut:

- AS Timur (N. Virginia)
- AS Timur (Ohio)
- AS Barat (Oregon)
- Kanada (Pusat)
- Asia Pasifik (Sydney)
- Asia Pasifik (Singapura)
- Eropa (Frankfurt)
- Eropa (Irlandia)
- Europe (London)
- Eropa (Stockholm)
- Asia Pasifik (Mumbai)
- Asia Pasifik (Seoul)
- Asia Pasifik (Tokyo)
- Eropa (Paris)
- Amerika Selatan (São Paulo)
- AS Barat (California Utara)
- Asia Pasifik (Hong Kong)
- Asia Pasifik (Jakarta)
- Asia Pasifik (Osaka)
- Eropa (Milan)
- Afrika (Cape Town)
- Timur Tengah (Bahrain)
- Israel (Tel Aviv)
- Timur Tengah (UEA)
- Eropa (Spanyol)

- Asia Pasifik (Hyderabad)
- Eropa (Zurich)
- Asia Pasifik (Melbourne)

Tentang Wilayah asal Anda

Saat Anda membuat landing zone, Wilayah yang Anda gunakan untuk akses ke konsol AWS Manajemen akan menjadi AWS Wilayah asal Anda untuk AWS Control Tower. Selama proses pembuatan, beberapa sumber daya disediakan di Wilayah asal. Sumber daya lain, seperti OU dan AWS akun, bersifat global.

Setelah Anda memilih Wilayah rumah, Anda tidak dapat mengubahnya.

Kontrol dan Wilayah

Saat ini, semua kontrol pencegahan bekerja secara global. Kontrol detektif dan proaktif, bagaimanapun, hanya berfungsi di Wilayah yang didukung AWS Control Tower. Untuk informasi selengkapnya tentang perilaku kontrol saat Anda mengaktifkan AWS Control Tower di Wilayah baru, lihatKonfigurasikan Wilayah AWS Control Tower.

Konfigurasikan Wilayah AWS Control Tower

Bagian ini menjelaskan perilaku yang dapat Anda harapkan saat memperluas landing zone AWS Control Tower Anda ke AWS Wilayah baru, atau menghapus Wilayah dari konfigurasi landing zone Anda. Umumnya, tindakan ini dilakukan melalui fungsi Update konsol AWS Control Tower.

> **Note**
>
> Kami menyarankan agar Anda menghindari perluasan landing zone AWS Control Tower Anda ke AWS Wilayah di mana Anda tidak memerlukan beban kerja Anda untuk dijalankan. Memilih keluar dari Wilayah tidak mencegah Anda menerapkan sumber daya di Wilayah tersebut, tetapi sumber daya tersebut akan tetap berada di luar tata kelola AWS Control Tower.

Selama konfigurasi Wilayah baru, AWS Control Tower memperbarui landing zone, yang berarti bahwa itu menjadi dasar pada landing zone Anda —

- untuk beroperasi secara aktif di semua Wilayah yang baru dipilih, dan
- untuk menghentikan sumber daya yang mengatur di Wilayah yang tidak dipilih.

Akun individual dalam unit organisasi (OU) Anda yang dikelola oleh AWS Control Tower tidak diperbarui sebagai bagian dari proses pembaruan landing zone ini. Oleh karena itu, Anda harus memperbarui akun Anda dengan mendaftarkan ulang OU Anda.

Saat mengonfigurasi Wilayah AWS Control Tower Anda, perhatikan rekomendasi dan batasan berikut:

- Pilih Wilayah tempat Anda berencana untuk meng-host AWS sumber daya atau beban kerja.
- Memilih keluar dari Wilayah tidak mencegah Anda menerapkan sumber daya di Wilayah tersebut, tetapi sumber daya tersebut akan tetap berada di luar tata kelola AWS Control Tower.

Saat Anda mengonfigurasi landing zone untuk Wilayah baru, kontrol detektif AWS Control Tower mematuhi aturan berikut:

- Apa yang ada tetap sama. Perilaku pagar pembatas, detektif maupun preventif, tidak berubah untuk akun yang ada, di OU yang ada, di Wilayah yang ada.
- Anda tidak dapat menerapkan kontrol detektif baru ke OU yang ada yang berisi akun yang tidak diperbarui. Saat mengonfigurasi landing zone AWS Control Tower menjadi Wilayah baru (dengan memperbarui landing zone), Anda harus memperbarui akun yang ada di OU yang ada sebelum dapat mengaktifkan kontrol detektif baru pada OU dan akun tersebut.
- Kontrol detektif Anda yang ada mulai bekerja di Wilayah yang baru dikonfigurasi segera setelah Anda memperbarui akun. Saat Anda memperbarui landing zone AWS Control Tower untuk mengonfigurasi Wilayah baru dan kemudian memperbarui akun, kontrol detektif yang sudah diaktifkan di OU akan mulai bekerja pada akun tersebut di Wilayah yang baru dikonfigurasi.

Konfigurasikan Wilayah AWS Control Tower

1. Masuk ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower
2. Di menu navigasi panel kiri, pilih Pengaturan zona pendaratan.
3. Pada halaman pengaturan zona pendaratan, di bagian Detail, pilih tombol Ubah pengaturan di kanan atas. Anda diarahkan ke alur kerja landing zone pembaruan, karena mengatur Wilayah baru, atau menghapus Wilayah dari tata kelola, mengharuskan Anda memperbarui ke versi landing zone terbaru.

4. Di bawah AWS Wilayah Tambahan untuk tata kelola, cari Wilayah yang ingin Anda atur (atau hentikan pemerintahan). Kolom Negara menunjukkan Wilayah mana yang saat ini Anda atur, dan mana yang tidak.
5. Pilih kotak centang untuk setiap Wilayah tambahan yang akan diatur. Hapus centang kotak untuk setiap Wilayah tempat Anda menghapus tata kelola.

> **Note**
>
> Jika Anda memilih untuk tidak mengatur Wilayah, Anda masih dapat menerapkan sumber daya di Wilayah tersebut, tetapi sumber daya tersebut akan tetap berada di luar tata kelola AWS Control Tower.

6. Selesaikan sisa alur kerja, lalu pilih Perbarui landing zone.
7. Ketika pengaturan landing zone selesai, Daftarkan ulang OU untuk memperbarui akun di Wilayah baru Anda. Untuk informasi selengkapnya, lihat Kapan harus memperbarui AWS Control Tower OU dan akun.

Metode alternatif untuk menyediakan atau memperbarui akun individual setelah mengonfigurasi Wilayah baru adalah dengan menggunakan kerangka API Service Catalog dan memperbarui akun dalam proses batch. AWS CLI Untuk informasi selengkapnya, lihat Menyediakan dan memperbarui akun menggunakan otomatisasi.

Hindari tata kelola campuran saat mengonfigurasi Wilayah

Penting untuk memperbarui semua akun di OU setelah Anda memperluas tata kelola AWS Control Tower ke yang baru Wilayah AWS, dan setelah Anda menghapus tata kelola AWS Control Tower dari Wilayah.

Tata kelola campuran adalah situasi yang tidak diinginkan yang dapat terjadi jika kontrol yang mengatur OU tidak sepenuhnya cocok dengan kontrol yang mengatur setiap akun dalam OU. Tata kelola campuran terjadi di OU jika akun tidak diperbarui setelah AWS Control Tower memperluas tata kelola ke yang baru Wilayah AWS, atau menghapus tata kelola.

Dalam situasi ini, akun tertentu dalam OU mungkin memiliki kontrol yang berbeda yang diterapkan di Wilayah yang berbeda, jika dibandingkan dengan akun lain di OU, atau jika dibandingkan dengan postur tata kelola zona pendaratan secara keseluruhan.

Dalam OU dengan tata kelola campuran, jika Anda menyediakan akun baru, akun baru tersebut menerima postur tata kelola Wilayah dan OU yang sama (diperbarui) dengan landing zone. Namun, akun yang ada yang belum diperbarui tidak menerima postur tata kelola Wilayah yang diperbarui.

Secara umum, tata kelola campuran dapat membuat indikator status yang kontradiktif atau tidak akurat di konsol AWS Control Tower. Misalnya, selama tata kelola campuran, Wilayah keikutsertaan ditampilkan dengan status Tidak diatur, di OU terdaftar, untuk akun yang belum diperbarui.

> **Note**
>
> AWS Control Tower tidak mengizinkan kontrol diaktifkan selama status tata kelola campuran.

Perilaku kontrol selama tata kelola campuran

- Selama tata kelola campuran, AWS Control Tower tidak dapat secara konsisten menerapkan kontrol yang didasarkan pada AWS Config aturan (yaitu, kontrol detektif) di Wilayah yang sudah ditampilkan oleh OU sebagai Governed, karena beberapa akun di OU belum diperbarui. Anda mungkin menerima pesan `FAILED_TO_ENABLE` kesalahan.
- Selama tata kelola campuran, jika Anda memperluas tata kelola zona pendaratan ke Wilayah keikutsertaan sementara akun apa pun di OU belum diperbarui, operasi `EnableControl` API di OU gagal untuk kontrol detektif dan proaktif. Anda akan menerima pesan `FAILED_TO_ENABLE` kesalahan, karena akun anggota yang tidak diperbarui dalam OU belum dipilih ke Wilayah tersebut.
- Selama tata kelola campuran, kontrol yang merupakan bagian dari Standar yang dikelola Layanan Security Hub: AWS Control Tower tidak dapat melaporkan kepatuhan secara akurat di Wilayah di mana terdapat ketidakcocokan antara konfigurasi landing zone dan akun yang tidak diperbarui.
- Tata kelola campuran tidak mengubah perilaku kontrol berbasis SCP (kontrol preventif), yang berlaku secara seragam untuk setiap akun di OU, di setiap Wilayah yang diatur.

> **Note**
>
> Tata kelola campuran tidak sama dengan drift, dan tidak dilaporkan sebagai drift.

Untuk memperbaiki tata kelola campuran

- Pilih Perbarui akun untuk setiap akun di OU yang menampilkan Perbarui status yang tersedia di halaman Organizations di konsol.
- Pilih Daftar Ulang OU di halaman Organizations, yang secara otomatis memperbarui semua akun di OU, untuk OU dengan kurang dari 300 akun.

Pertimbangan untuk mengaktifkan AWS Wilayah keikutsertaan

Meskipun sebagian besar aktif Wilayah AWS secara default untuk Anda Akun AWS, Wilayah tertentu diaktifkan hanya ketika Anda memilihnya secara manual. Dokumen ini mengacu pada Wilayah tersebut sebagai Wilayah keikutsertaan. Sebaliknya, Wilayah yang aktif secara default, segera setelah Anda Akun AWS dibuat, disebut sebagai Wilayah komersial, atau hanya, Wilayah.

Istilah opt-in memiliki dasar historis. Setiap yang Wilayah AWS diperkenalkan setelah 20 Maret 2019 dianggap sebagai Wilayah keikutsertaan. Wilayah Keikutsertaan memiliki persyaratan keamanan yang lebih tinggi daripada Wilayah komersial, mengenai pembagian data IAM melalui akun yang aktif di Wilayah keikutsertaan. Semua data yang dikelola melalui layanan IAM dianggap sebagai data identitas, termasuk pengguna, grup, peran, kebijakan, penyedia identitas, data terkait mereka (misalnya, sertifikat penandatanganan X.509 atau kredensi khusus konteks), dan pengaturan tingkat akun lainnya, seperti kebijakan kata sandi dan alias akun.

Anda dapat mengaktifkan opt-in Regions secara otomatis selama pengaturan landing zone, dengan memilihnya. Landing zone Anda menjadi aktif di semua Wilayah yang dipilih.

Jika Anda memilih untuk memilih Wilayah keikutsertaan sebagai Wilayah beranda AWS Control Tower, aktifkan terlebih dahulu dengan mengikuti langkah-langkah di Mengaktifkan Wilayah, saat masuk ke Konsol AWS Manajemen. Untuk membawa akun Arsip Log dan Audit Anda sendiri dari Wilayah keikutsertaan, aktifkan Region tersebut secara manual terlebih dahulu.

Wilayah AWS keikutsertaan mencakup beberapa Wilayah di mana AWS Control Tower tersedia:

- Wilayah Asia Pasifik (Hong Kong), ap-timur-1
- Wilayah Asia Pasifik (Jakarta), ap-tenggara - 3
- Wilayah Eropa (Milan), eu-selatan-1
- Wilayah Afrika (Cape Town), af-selatan-1
- Wilayah Timur Tengah (Bahrain), saya-selatan-1

- Israel (Tel Aviv), di pusat-1
- Wilayah Timur Tengah (UEA), saya-sentral-1
- Wilayah Eropa (Spanyol), eu-selatan-2
- Wilayah Asia Pasifik (Hyderabad), ap-selatan-2
- Wilayah Eropa (Zurich), eu-central-2
- Wilayah Asia Pasifik (Melbourne) ap-tenggara - 4

AWS Control Tower memiliki beberapa kontrol yang bekerja secara berbeda di Wilayah keikutsertaan dibandingkan di Wilayah komersial. Untuk informasi selengkapnya, lihat Keterbatasan kontrol. Berikut adalah beberapa pertimbangan yang perlu diingat saat Anda menerapkan beban kerja ke Wilayah keikutsertaan.

> **Mengatur atau mengaktifkan?**
>
> Ingatlah bahwa mengatur Wilayah adalah tindakan yang dapat Anda pilih dari konsol AWS Control Tower, sehingga kontrol dapat diterapkan di Wilayah. Mengaktifkan atau menonaktifkan Wilayah keikutsertaan adalah tindakan berbeda yang dapat Anda pilih di AWS konsol, yang membuka Wilayah ke akun Anda, sehingga Anda dapat menerapkan sumber daya dan beban kerja di Wilayah.

Pertimbangan perilaku

- Jika Anda memilih untuk mengatur Wilayah keikutsertaan, kami menyarankan agar Anda tidak menonaktifkan (memilih keluar dari) Wilayah keikutsertaan yang diatur, karena hal itu dapat menyebabkan kegagalan beban kerja Anda. AWS Control Tower tidak mengizinkan penonaktifan Wilayah yang diatur dari dalam konsol AWS Control Tower, tetapi pastikan Anda tidak menonaktifkan Wilayah yang diatur dari sumber di luar AWS Control Tower, seperti konsol AWS Penagihan atau SDK. AWS
- Ketika AWS Control Tower memperluas tata kelola ke Wilayah keikutsertaan, AWS akan mengaktifkan (opts-in) ke Wilayah di semua akun anggota. Saat Anda menghapus Wilayah dari tata kelola, AWS Control Tower tidak menonaktifkan (memilih keluar dari) Wilayah di akun anggota.
- Selama pembatalan pemilihan Wilayah, AWS Control Tower melewatkan penghapusan sumber daya dari Wilayah keikutsertaan jika Wilayah tersebut dinonaktifkan secara manual untuk akun dari sumber di luar AWS Control Tower, seperti konsol AWS Penagihan atau SDK. AWS Kami

menyarankan Anda menghapus sumber daya dari Wilayah yang telah dinonaktifkan, atau Anda mungkin menerima biaya penagihan tak terduga untuk sumber daya tersebut.

- Jika landing zone Anda dinonaktifkan, AWS Control Tower membersihkan sumber daya di semua Wilayah yang diatur, termasuk Wilayah keikutsertaan. Namun, AWS Control Tower tidak menonaktifkan Wilayah keikutsertaan. Anda dapat menonaktifkan Wilayah keikutsertaan sebagai langkah tambahan setelah dinonaktifkan.
- Jika Wilayah asal Anda adalah Region keikutsertaan, dan jika Anda ingin mendaftarkan akun yang ada sebagai akun Arsip Log dan Audit, Anda harus mengaktifkan Region opt-in secara manual sebelum dapat memilihnya sebagai Wilayah asal untuk landing zone Anda. Lihat Mengaktifkan Wilayah.
- Jika AWS Control Tower disiapkan dengan Wilayah keikutsertaan sebagai Wilayah asal Anda, dan jika Anda mengunjungi layanan AWS Control Tower dari AWS konsol di Wilayah lain mana pun, konsol tidak mengarahkan Anda secara otomatis ke Wilayah asal.
- API yang mendasarinya memiliki batas kapasitas, yang dapat meningkatkan latensi dari beberapa menit menjadi beberapa jam, tergantung pada jumlah Wilayah, akun, dan beban layanan. Sebagai praktik terbaik, keikutsertaan hanya untuk orang-orang di Wilayah AWS mana Anda akan menjalankan beban kerja, dan ikut serta dalam satu Wilayah pada satu waktu.

Batasan penting untuk tata kelola dan kontrol

- Jika saat ini Anda telah mengaktifkan kontrol AWS Control Tower yang tidak didukung di Wilayah keikutsertaan, Anda tidak akan dapat memperluas tata kelola AWS Control Tower ke Wilayah keikutsertaan tersebut hingga kontrol didukung di Wilayah tersebut. Untuk informasi selengkapnya, lihat Keterbatasan kontrol.
- Jika Anda memperluas tata kelola AWS Control Tower ke Wilayah keikutsertaan di mana kontrol tertentu tidak didukung, Anda tidak akan dapat mengaktifkan kontrol tersebut di Wilayah mana pun hingga kontrol didukung di semua Wilayah yang Anda atur dengan AWS Control Tower Untuk informasi selengkapnya, lihat Keterbatasan kontrol
- Jika semua 22 Wilayah komersial di mana AWS Control Tower tersedia diaktifkan, termasuk Wilayah keikutsertaan, batas atas jumlah akun per unit organisasi (OU), saat memperluas tata kelola ke OU, akan dikurangi. Batasnya adalah 220, bukan 300 akun. Pengurangan ini disebabkan oleh StackSet keterbatasan. Jika Anda perlu memperluas tata kelola ke OU dengan lebih dari 220 akun, kurangi jumlah Wilayah yang diaktifkan.

Konfigurasikan wilayah tolak kontrol

AWS Control Tower menawarkan dua kontrol penolakan Wilayah. Satu kontrol,`GRREGIONDENY`, ketika diaktifkan, berlaku untuk seluruh landing zone. Kontrol lain,`CTMULTISERVICEPV1`, ketika diaktifkan, dapat diterapkan ke OU tertentu yang Anda tentukan. Untuk informasi lebih lanjut, lihat Tolak akses AWS berdasarkan AWS Wilayah yang diminta dan Wilayah menolak kontrol diterapkan pada OU.

Wilayah menolak kontrol, `GRREGIONDENY` unik, karena berlaku untuk landing zone secara keseluruhan, bukan untuk OU tertentu. Untuk mengonfigurasi kontrol penolakan wilayah, buka halaman pengaturan zona pendaratan dan pilih Ubah pengaturan.

- Pengaturan ini dapat diubah di lain waktu.
- Saat diaktifkan, kontrol ini berlaku untuk semua OU yang terdaftar.
- Kontrol ini tidak dapat dikonfigurasi untuk masing-masing OU.

> **Note**
>
> Sebelum Anda mengaktifkan Wilayah tolak kontrol, pastikan bahwa Anda tidak memiliki sumber daya yang ada di Wilayah ini, karena Anda tidak akan memiliki akses ke sumber daya Anda setelah Anda menerapkan kontrol. Saat kontrol diaktifkan, Anda tidak akan dapat menyebarkan sumber daya di Wilayah yang ditolak.

Kontrol penolakan Wilayah melarang akses ke AWS layanan, berdasarkan konfigurasi Wilayah AWS Control Tower Anda. Ini menolak akses ke AWS Wilayah dengan status Tidak Diatur. Wilayah menolak kontrol juga menolak akses ke Wilayah di mana AWS Control Tower tidak tersedia. Anda tidak dapat menolak akses ke Wilayah asal Anda. AWS Layanan global tertentu, seperti IAM dan AWS Organizations, dibebaskan dari Wilayah menolak kontrol. Untuk mempelajari selengkapnya, lihat Tolak akses AWS berdasarkan AWS Wilayah yang diminta.

Saat Anda mengaktifkan kontrol, itu berlaku untuk semua OU tingkat atas yang terdaftar dalam hierarki Anda, dan itu diwarisi oleh OU yang lebih rendah dalam rantai. Saat Anda menghapus kontrol, kontrol akan dihapus pada semua OU terdaftar, semua Wilayah yang tidak diatur di AWS Control Tower tetap dalam status Tidak diatur, dan Anda dapat menerapkan sumber daya di Wilayah di luar ketersediaan AWS Control Tower.

- Nama kontrol penuh: Tolak akses AWS berdasarkan AWS Wilayah yang diminta
- Deskripsi pagar pembatas: Melarang akses ke operasi yang tidak terdaftar di layanan global dan regional di luar Wilayah yang ditentukan.
- Ini adalah kontrol elektif dengan panduan pencegahan.

Untuk melihat template SCP kontrol penolakan Wilayah, lihat Tolak akses AWS berdasarkan AWS Wilayah yang diminta di referensi AWS Control Tower Guardrail. AWS Control Tower SCP mirip dengan SCP untuk AWS Organizations, tetapi tidak identik.

Anda dapat menentukan titik akhir layanan Regional pada halaman Layanan Regional.

Pertimbangan untuk Wilayah Tingkat OU menolak kontrol

Pertimbangan utama tentang kontrol penolakan Wilayah OU-level adalah untuk menentukan bagaimana ia akan berinteraksi dengan wilayah landing zone penolakan kontrol, jika keduanya diaktifkan. Lihat informasi yang lebih lengkap di Wilayah menolak kontrol diterapkan pada OU.

Menyediakan dan mengelola akun di AWS Control Tower

Bab ini mencakup ikhtisar dan prosedur untuk menyediakan dan mengelola akun anggota di zona landing zone AWS Control Tower Anda.

Ini juga mencakup ikhtisar dan prosedur untuk mendaftarkan AWS akun yang ada ke AWS Control Tower.

Untuk informasi selengkapnya tentang akun di AWS Control Tower, lihatTentang Akun AWS di AWS Control Tower. Untuk informasi tentang mendaftarkan beberapa akun ke AWS Control Tower, lihat. Daftarkan unit organisasi yang ada dengan AWS Control Tower

> **Note**
>
> Anda dapat melakukan hingga lima (5) operasi terkait akun secara bersamaan, termasuk penyediaan, pembaruan, dan pendaftaran.

Metode penyediaan

AWS Control Tower menyediakan beberapa metode untuk membuat dan memperbarui akun anggota. Beberapa metode terutama berbasis konsol, dan beberapa metode terutama otomatis.

Ikhtisar

Cara standar untuk membuat akun anggota adalah melalui Account Factory, produk berbasis konsol yang merupakan bagian dari Service Catalog. Jika landing zone Anda tidak dalam keadaan drift, Anda dapat menggunakan Create account sebagai metode untuk menambahkan akun baru dari konsol, serta Mendaftarkan akun untuk mendaftarkan akun yang ada ke AWS Control AWS Tower.

Dengan Account Factory, Anda dapat menyediakan akun dasar, dengan mengandalkan pengaturan default AWS Control Tower. Anda juga dapat menyediakan akun khusus yang memenuhi persyaratan untuk kasus penggunaan khusus.

Kustomisasi Account Factory (AFC) adalah cara menyediakan akun yang disesuaikan dari konsol AWS Control Tower, dan mengotomatiskan penyesuaian dan penerapan akun Anda. Ini memungkinkan penyediaan otomatis berbasis konsol, setelah beberapa langkah pengaturan satu kali, yang menghilangkan kebutuhan untuk menulis skrip atau mengatur saluran pipa. Untuk informasi selengkapnya, lihat Kustomisasi akun dengan Kustomisasi Account Factory (AFC).

Metode berbasis konsol:

- Melalui konsol Account Factory yang merupakan bagian dari AWS Service Catalog, untuk akun dasar atau khusus. Tinjau Menyediakan dan mengelola akun dengan Account Factory untuk detail dan instruksi.
- Melalui fitur akun Daftarkan dalam AWS Control Tower, jika landing zone Anda tidak dalam keadaan drift. Lihat Daftarkan akun yang ada.
- Di konsol AWS Control Tower, Anda dapat menggunakan Account Factory untuk membuat, memperbarui, atau mendaftarkan hingga lima akun secara bersamaan.

Metode otomatis:

- Kode Lambda: Dari akun manajemen zona pendaratan AWS Control Tower Anda, menggunakan kode Lambda dan peran IAM yang sesuai. Lihat Penyediaan Akun Otomatis Dengan Peran IAM.
- Terraform: Dari AWS Control Tower Account Factory for Terraform (AFT), yang mengandalkan Account Factory dan GitOps model untuk memungkinkan otomatisasi penyediaan dan pembaruan akun. Lihat Menyediakan akun dengan AWS Control Tower Account Factory untuk Terraform (AFT) .
- Kustomisasi Account Factory di konsol AWS Control Tower: Setelah langkah penyiapan, penyediaan akun khusus di masa mendatang tidak memerlukan konfigurasi tambahan atau pemeliharaan pipeline. Akun disediakan melalui AWS Service Catalog produk yang disebut cetak biru. Cetak biru dapat menggunakan AWS CloudFormation templat, atau templat Terraform.

> **Note**
>
> AWS CloudFormation cetak biru dapat menyebarkan sumber daya ke beberapa Wilayah. Cetak biru Terraform hanya dapat menyebarkan sumber daya ke satu Wilayah. Secara default, itu adalah Wilayah asal.

Apa yang terjadi ketika AWS Control Tower membuat akun

Akun baru di AWS Control Tower dibuat dan kemudian disediakan oleh interaksi antara AWS Control Tower, AWS Organizations, dan. AWS Service CatalogUntuk langkah-langkah untuk mendaftarkan yang sudah ada Akun AWS menggunakan konsol AWS Control Tower, lihatDaftarkan akun yang ada.

Di balik layar pembuatan akun

1. Anda memulai permintaan, misalnya, dari halaman AWS Control Tower Account Factory, atau langsung dari AWS Service Catalog konsol, atau dengan memanggil Service Catalog `ProvisionProduct` API.
2. AWS Service Catalog memanggil AWS Control Tower.
3. AWS Control Tower memulai alur kerja, yang sebagai langkah pertama memanggil AWS Organizations `CreateAccount` API.
4. Setelah AWS Organizations membuat akun, AWS Control Tower menyelesaikan proses penyediaan dengan menerapkan cetak biru dan kontrol.
5. Service Catalog terus melakukan polling AWS Control Tower untuk memeriksa penyelesaian proses penyediaan.
6. Ketika alur kerja di AWS Control Tower selesai, Service Catalog menyelesaikan status akun dan memberi tahu Anda (pemohon) hasilnya.

Izin yang diperlukan untuk akun

Izin yang diperlukan untuk setiap metode penyediaan dan pembaruan akun dibahas di setiap bagian, masing-masing. Dengan izin grup pengguna yang sesuai, penyedia dapat menentukan garis dasar standar dan konfigurasi jaringan untuk akun apa pun di organisasi mereka.

> **Note**
>
> Saat menyediakan akun, pemohon akun selalu harus memiliki `CreateAccount` dan izin. `DescribeCreateAccountStatus` Set izin ini adalah bagian dari peran Admin, dan diberikan secara otomatis ketika pemohon mengasumsikan peran Admin. Jika Anda mendelegasikan izin ke akun penyediaan, Anda mungkin perlu menambahkan izin ini secara langsung untuk pemohon akun.

Saat membuat akun dari konsol AWS Control Tower dengan Account Factory, Anda harus masuk ke akun dengan pengguna IAM yang `AWSServiceCatalogEndUserFullAccess` kebijakan diaktifkan, bersama dengan izin untuk menggunakan konsol AWS Control Tower, dan Anda tidak dapat masuk sebagai pengguna Root.

Untuk informasi umum tentang izin yang diperlukan di AWS Control Tower, lihatMenggunakan kebijakan berbasis identitas (kebijakan IAM) untuk AWS Control Tower. Untuk informasi tentang peran dan akun di AWS Control Tower, lihatCara AWS Control Tower bekerja dengan peran untuk membuat dan mengelola akun.

> **Keamanan untuk akun Anda**
>
> Anda dapat menemukan panduan tentang praktik terbaik untuk melindungi keamanan akun manajemen AWS Control Tower dan akun anggota Anda dalam AWS Organizations dokumentasi.
>
> - Praktik terbaik untuk akun manajemen
> - Praktik terbaik untuk akun anggota

Tentang Akun AWS di AWS Control Tower

An Akun AWS adalah wadah untuk semua sumber daya milik Anda. Sumber daya ini termasuk identitas AWS Identity and Access Management (IAM) yang diterima oleh akun, yang menentukan siapa yang memiliki akses ke akun itu. Identitas IAM dapat mencakup pengguna, grup, peran, dan banyak lagi. Untuk informasi selengkapnya tentang bekerja dengan IAM, pengguna, peran, dan kebijakan di AWS Control Tower, lihat Manajemen identitas dan akses di AWS Control Tower.

Sumber daya dan waktu pembuatan akun

Saat AWS Control Tower membuat atau mendaftarkan akun, AWS Control Tower akan menerapkan konfigurasi sumber daya minimum yang diperlukan untuk akun tersebut, termasuk sumber daya dalam bentuk templat Account Factory dan sumber daya lainnya di landing zone Anda. Sumber daya ini dapat mencakup peran IAM, AWS CloudTrail jejak, produk yang disediakan Service Catalog, dan pengguna IAM Identity Center. AWS Control Tower juga menyebarkan sumber daya, seperti yang dipersyaratkan oleh konfigurasi kontrol, untuk unit organisasi (OU) di mana akun baru ditakdirkan untuk menjadi akun anggota.

AWS Control Tower mengatur penerapan sumber daya ini atas nama Anda. Mungkin diperlukan beberapa menit per sumber daya untuk menyelesaikan penerapan, jadi pertimbangkan total waktu sebelum Anda membuat atau mendaftarkan akun. Untuk informasi selengkapnya tentang mengelola sumber daya di akun Anda, lihatPanduan untuk membuat dan memodifikasi sumber daya AWS Control Tower.

Pertimbangan untuk membawa akun keamanan atau pencatatan yang ada

Sebelum menerima akun Akun AWS keamanan atau logging, AWS Control Tower memeriksa akun untuk sumber daya yang bertentangan dengan persyaratan AWS Control Tower. Misalnya, Anda mungkin memiliki bucket logging dengan nama yang sama dengan AWS Control Tower. Selain itu, AWS Control Tower memvalidasi bahwa akun dapat menyediakan sumber daya; misalnya, dengan memastikan bahwa AWS Security Token Service (AWS STS) diaktifkan, bahwa akun tidak ditangguhkan, dan AWS Control Tower memiliki izin untuk menyediakan sumber daya di dalam akun.

AWS Control Tower tidak menghapus sumber daya apa pun yang ada di akun pencatatan dan keamanan yang Anda berikan. Namun, jika Anda memilih untuk mengaktifkan kemampuan penolakan, kontrol penolakan Wilayah mencegah akses ke sumber daya di Wilayah yang ditolak. Wilayah AWS

Lihat akun Anda

Halaman Organisasi mencantumkan semua OU dan akun di organisasi Anda, terlepas dari status OU atau pendaftaran di AWS Control Tower. Anda dapat melihat dan mendaftarkan akun anggota ke AWS Control Tower—secara individu atau grup OU—jika setiap akun memenuhi prasyarat untuk pendaftaran.

Untuk melihat akun tertentu di halaman Organisasi, Anda dapat memilih Akun hanya dari menu tarik-turun di kanan atas, lalu pilih nama akun Anda dari tabel. Atau, Anda dapat memilih nama OU induk dari tabel, dan Anda dapat melihat daftar semua akun dalam OU tersebut pada halaman Detail untuk OU tersebut.

Pada halaman Organisasi dan halaman Detail akun, Anda dapat melihat Status akun, yang merupakan salah satunya:

- Tidak terdaftar — Akun ini adalah anggota OU induk, tetapi tidak sepenuhnya dikelola oleh AWS Control Tower. Jika OU induk terdaftar, akun diatur oleh kontrol pencegahan yang dikonfigurasi untuk OU induk terdaftarnya, tetapi kontrol detektif OU tidak berlaku untuk akun ini. Jika OU induk tidak terdaftar, tidak ada kontrol yang berlaku untuk akun ini.
- Mendaftar — Akun sedang dibawa ke tata kelola oleh AWS Control Tower. Kami menyelaraskan akun dengan konfigurasi kontrol untuk OU induk. Proses ini mungkin memerlukan beberapa menit per sumber daya akun.
- Terdaftar - Akun diatur oleh kontrol yang dikonfigurasi untuk OU induknya. Ini sepenuhnya dikelola oleh AWS Control Tower.

- Pendaftaran gagal — Akun tidak dapat didaftarkan di AWS Control Tower. Untuk informasi selengkapnya, lihat Penyebab umum kegagalan pendaftaran.
- Pembaruan tersedia - Akun memiliki pembaruan yang tersedia. Akun di negara bagian ini masih Terdaftar, tetapi akun harus diperbarui untuk mencerminkan perubahan terbaru yang dibuat pada lingkungan Anda. Untuk memperbarui satu akun, navigasikan ke halaman detail akun dan pilih Perbarui akun.

  Jika Anda memiliki beberapa akun dengan status ini di bawah satu OU, Anda dapat memilih untuk mendaftarkan ulang OU dan memperbarui akun tersebut bersama-sama.

Sumber daya yang dibuat di akun bersama

Bagian ini menunjukkan sumber daya yang dibuat AWS Control Tower di akun bersama, saat Anda menyiapkan landing zone.

Untuk informasi tentang sumber daya akun anggota, lihatPertimbangan Sumber Daya untuk Account Factory.

Sumber daya akun manajemen

Saat Anda mengatur landing zone, AWS sumber daya berikut akan dibuat dalam akun manajemen Anda.

AWS service	Tipe sumber daya	Nama sumber daya
AWS Organizations	Akun	audit log archive
AWS Organizations	OU	Security Sandbox
AWS Organizations	Kebijakan Kontrol Layanan	aws-guardrails-*
AWS CloudFormation	Tumpukan	AWSControlTowerBP-BASELINE-CLOUDTRAIL-MASTER

AWS service	Tipe sumber daya	Nama sumber daya
		AWSControlTowerBP-BASELINE-CONFIG-MASTER(dalam versi 2.6 dan yang lebih baru)

AWS service	Tipe sumber daya	Nama sumber daya
AWS CloudFormation	StackSets	AWSControlTowerBP-BASELINE-CLOUDTRAIL(Tidak diterapkan di 3.0 dan yang lebih baru) AWSControlTowerBP_BASELINE_SERVICE_LINKED_ROLE (Deployed in 3.2 and later) AWSControlTowerBP-BASELINE-CLOUDWATCH AWSControlTowerBP-BASELINE-CONFIG AWSControlTowerBP-BASELINE-ROLES AWSControlTowerBP-BASELINE-SERVICE-ROLES AWSControlTowerBP-SECURITY-TOPICS AWSControlTowerGuardrailAWS-GR-AUDIT-BUCKET-PUBLIC-READ-PROHIBITED AWSControlTowerGuardrailAWS-GR-AUDIT-BUCKET-PUBLIC-WRITE-PROHIBITED AWSControlTowerLoggingResources

AWS service	Tipe sumber daya	Nama sumber daya
		AWSControlTowerSecurityResources AWSControlTowerExecutionRole
AWS Service Catalog	Produk	AWS Control Tower Account Factory
AWS Config	Agregator	aws-controltower-ConfigAggregatorForOrganizations
AWS CloudTrail	Trail	aws-controltower-BaselineCloudTrail
Amazon CloudWatch	CloudWatch Log	aws-controltower/CloudTrailLogs
AWS Identity and Access Management	Peran	AWSControlTowerAdmin AWSControlTowerStackSetRole AWSControlTowerCloudTrailRolePolicy
AWS Identity and Access Management	Kebijakan	AWSControlTowerServiceRolePolicy AWSControlTowerAdminPolicy AWSControlTowerCloudTrailRolePolicy AWSControlTowerStackSetRolePolicy

AWS service	Tipe sumber daya	Nama sumber daya
AWS IAM Identity Center	Grup direktori	AWSAccountFactory AWSAuditAccountAdmins AWSControlTowerAdmins AWSLogArchiveAdmins AWSLogArchiveViewers AWSSecurityAuditors AWSSecurityAuditPowerUsers AWSServiceCatalogAdmins
AWS IAM Identity Center	Set Izin	AWSAdministratorAccess AWSPowerUserAccess AWSServiceCatalogAdminFullAccess AWSServiceCatalogEndUserAccess AWSReadOnlyAccess AWSOrganizationsFullAccess

> **Note**
>
> AWS CloudFormation StackSet `BP_BASELINE_CLOUDTRAIL`Ini tidak digunakan di landing zone versi 3.0 atau yang lebih baru. Namun, itu terus ada di versi sebelumnya dari landing zone, sampai Anda memperbarui landing zone Anda.

Sumber daya akun arsip log

Saat Anda mengatur landing zone, AWS sumber daya berikut akan dibuat dalam akun arsip log Anda.

AWS service	Tipe sumber daya	Nama Sumber Daya
AWS CloudFormation	Tumpukan	StackSet-AWSControlTowerGuardrailAWS-GR-AUDIT-BUCKET-PUBLIC-READ-PROHIBITED- StackSet-AWSControlTowerGuardrailAWS-GR-AUDIT-BUCKET-PUBLIC-WRITE-PROHIBITED StackSet-AWSControlTowerBP-BASELINE-CLOUDWATCH- StackSet-AWSControlTowerBP-BASELINE-CONFIG- StackSet-AWSControlTowerBP-BASELINE-CLOUDTRAIL- StackSet-AWSControlTowerBP-BASELINE-SERVICE-ROLES- StackSet-AWSControlTowerBP-BASELINE-SERVICE-LINKED-ROLE-(In 3.2 and later)

AWS service	Tipe sumber daya	Nama Sumber Daya
		StackSet-AWSControlTowerBP-BASELINE-ROLES- StackSet-AWSControlTowerLoggingResources-
AWS Config	Aturan AWS Config	AWSControlTower_AWS-GR_AUDIT_BUCKET_PUBLIC_READ_PROHIBITED AWSControlTower_AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_PROHIBIT
AWS CloudTrail	Jalan setapak	aws-controltower-BaselineCloudTrail
Amazon CloudWatch	CloudWatch Aturan Acara	aws-controltower-ConfigComplianceChangeEventRule
Amazon CloudWatch	CloudWatch Log	aws-controltower/CloudTrailLogs /aws/lambda/aws-controltower-NotificationForwarder

AWS service	Tipe sumber daya	Nama Sumber Daya
AWS Identity and Access Management	Peran	aws-controltower-AdministratorExecutionRole aws-controltower-CloudWatchLogsRole aws-controltower-ConfigRecorderRole aws-controltower-ForwardSnsNotificationRole aws-controltower-ReadOnlyExecutionRole AWSControlTowerExecution
AWS Identity and Access Management	Kebijakan	AWSControlTowerServiceRolePolicy
Amazon Simple Notification Service	Topik	aws-controltower-SecurityNotifications
AWS Lambda	Aplikasi	StackSet-AWSControlTowerBP-BASELINE-CLOUDWATCH-*
AWS Lambda	Fungsi	aws-controltower-NotificationForwarder
Amazon Simple Storage Service	Bucket	aws-controltower-logs-* aws-controltower-s3-access-logs-*

Sumber daya akun audit

Saat menyiapkan landing zone, AWS sumber daya berikut akan dibuat dalam akun audit Anda.

AWS service	Tipe sumber daya	Nama sumber daya
AWS CloudFormation	Tumpukan	StackSet-AWSControlTowerGuardrailAWS-GR-AUDIT-BUCKET-PUBLIC-READ-PROHIBITED- StackSet-AWSControlTowerGuardrailAWS-GR-AUDIT-BUCKET-PUBLIC-WRITE-PROHIBITED- StackSet-AWSControlTowerBP-BASELINE-CLOUDWATCH- StackSet-AWSControlTowerBP-BASELINE-CONFIG- StackSet-AWSControlTowerBP-BASELINE-CLOUDTRAIL- StackSet-AWSControlTowerBP-BASELINE-SERVICE-ROLES- StackSet-AWSControlTowerBP-BASELINE-SERVICE-LINKED-ROLE-(In 3.2 and later) StackSet-AWSControlTowerBP-SECURITY-TOPICS- StackSet-AWSControlTowerBP-BASELINE-ROLES-

AWS service	Tipe sumber daya	Nama sumber daya
		StackSet-AWSControlTowerSecurityResources-*
AWS Config	Agregator	aws-controltower-GuardrailsComplianceAggregator
AWS Config	Aturan AWS Config	AWSControlTower_AWS-GR_AUDIT_BUCKET_PUBLIC_READ_PROHIBITED AWSControlTower_AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_PROHIBITED
AWS CloudTrail	Trail	aws-controltower-BaselineCloudTrail
Amazon CloudWatch	CloudWatch Aturan Acara	aws-controltower-ConfigComplianceChangeEventRule
Amazon CloudWatch	CloudWatch Log	aws-controltower/CloudTrailLogs /aws/lambda/aws-controltower-NotificationForwarder

AWS service	Tipe sumber daya	Nama sumber daya
AWS Identity and Access Management	Peran	aws-controltower-AdministratorExecutionRole aws-controltower-CloudWatchLogsRole aws-controltower-ConfigRecorderRole aws-controltower-ForwardSnsNotificationRole aws-controltower-ReadOnlyExecutionRole aws-controltower-AuditAdministratorRole aws-controltower-AuditReadOnlyRole AWSControlTowerExecution
AWS Identity and Access Management	Kebijakan	AWSControlTowerServiceRolePolicy
Amazon Simple Notification Service	Topik	aws-controltower-AggregateSecurityNotifications aws-controltower-AllConfigNotifications aws-controltower-SecurityNotifications
AWS Lambda	Fungsi	aws-controltower-NotificationForwarder

Tentang akun bersama

Tiga khusus Akun AWS dikaitkan dengan AWS Control Tower; akun manajemen, akun audit, dan akun arsip log. Akun ini biasanya disebut sebagai akun bersama, atau terkadang sebagai akun inti.

- Anda dapat memilih nama yang disesuaikan untuk akun audit dan arsip log saat menyiapkan landing zone. Untuk informasi tentang mengubah nama akun, lihat Mengubah nama sumber daya AWS Control Tower secara eksternal.
- Anda juga dapat menentukan yang sudah ada Akun AWS sebagai akun keamanan atau logging AWS Control Tower, selama proses penyiapan landing zone awal. Opsi ini menghilangkan kebutuhan AWS Control Tower untuk membuat akun baru yang dibagikan. (Ini adalah pilihan satu kali.)

Untuk informasi selengkapnya tentang akun bersama dan sumber daya terkait, lihatSumber daya yang dibuat di akun bersama.

Akun manajemen

Ini Akun AWS meluncurkan AWS Control Tower. Secara default, pengguna root untuk akun ini dan pengguna IAM atau pengguna administrator IAM untuk akun ini memiliki akses penuh ke semua sumber daya dalam landing zone Anda.

> **Note**
>
> Sebagai praktik terbaik, sebaiknya masuk sebagai pengguna Pusat Identitas IAM dengan hak Administrator saat menjalankan fungsi administratif dalam konsol AWS Control Tower, alih-alih masuk sebagai pengguna root atau pengguna administrator IAM untuk akun ini.

Untuk informasi selengkapnya tentang peran dan sumber daya yang tersedia di akun manajemen, lihatSumber daya yang dibuat di akun bersama.

Akun arsip log

Akun bersama arsip log diatur secara otomatis saat Anda membuat landing zone.

Akun ini berisi bucket Amazon S3 pusat untuk menyimpan salinan semua AWS CloudTrail dan AWS Config log file untuk semua akun lain di landing zone Anda. Sebagai praktik terbaik, kami

merekomendasikan untuk membatasi akses akun arsip log ke tim yang bertanggung jawab atas kepatuhan dan investigasi, serta alat keamanan atau audit terkait mereka. Akun ini dapat digunakan untuk audit keamanan otomatis, atau untuk meng-host kustom Aturan AWS Config, seperti fungsi Lambda, untuk melakukan tindakan remediasi.

> **Kebijakan bucket Amazon S3**
>
> Untuk AWS Control Tower landing zone versi 3.3 dan yang lebih baru, akun harus memenuhi `aws:SourceOrgID` persyaratan untuk izin menulis apa pun ke bucket Audit Anda. Kondisi ini memastikan bahwa CloudTrail hanya dapat menulis log atas nama akun dalam organisasi Anda ke bucket S3 Anda; ini mencegah CloudTrail log di luar organisasi Anda menulis ke bucket AWS Control Tower S3 Anda. Untuk informasi selengkapnya, lihat AWS Control Tower landing zone versi 3.3.

Untuk informasi selengkapnya tentang peran dan sumber daya yang tersedia di akun arsip log, lihat Sumber daya akun arsip log

> **Note**
>
> Log ini tidak dapat diubah. Semua log disimpan untuk tujuan audit dan investigasi kepatuhan yang terkait dengan aktivitas akun.

Akun audit

Akun bersama ini diatur secara otomatis saat Anda membuat landing zone.

Akun audit harus dibatasi untuk tim keamanan dan kepatuhan dengan peran lintas akun auditor (read-only) dan administrator (akses penuh) untuk semua akun di landing zone. Peran ini dimaksudkan untuk digunakan oleh tim keamanan dan kepatuhan untuk:

- Lakukan audit melalui AWS mekanisme, seperti menghosting fungsi Lambda AWS Config aturan kustom.
- Lakukan operasi keamanan otomatis, seperti tindakan remediasi.

Akun audit juga menerima pemberitahuan melalui layanan Amazon Simple Notification Service (Amazon SNS). Tiga kategori pemberitahuan dapat diterima:

- Semua Peristiwa Konfigurasi — Topik ini menggabungkan semua CloudTrail dan AWS Config pemberitahuan dari semua akun di landing zone Anda.
- Pemberitahuan Keamanan Agregat — Topik ini menggabungkan semua pemberitahuan keamanan dari CloudWatch peristiwa tertentu, peristiwa perubahan status Aturan AWS Config kepatuhan, dan GuardDuty temuan.
- Pemberitahuan Drift — Topik ini menggabungkan semua peringatan drift yang ditemukan di semua akun, pengguna, OU, dan SCP di landing zone Anda. Untuk informasi lebih lanjut tentang drift, lihatMendeteksi dan mengatasi penyimpangan di AWS Control Tower.

Pemberitahuan audit yang dipicu dalam akun anggota juga dapat mengirim peringatan ke topik Amazon SNS lokal. Fungsi ini memungkinkan administrator akun untuk berlangganan pemberitahuan audit yang khusus untuk akun anggota individu. Akibatnya, administrator dapat menyelesaikan masalah yang memengaruhi akun individual, sambil tetap menggabungkan semua pemberitahuan akun ke akun audit terpusat Anda. Untuk informasi lebih lanjut, lihat Panduan Developer Amazon Simple Notification Service.

Untuk informasi selengkapnya tentang peran dan sumber daya yang tersedia di akun audit, lihatSumber daya akun audit.

Untuk informasi lebih lanjut tentang audit terprogram, lihat. Peran terprogram dan hubungan kepercayaan untuk akun audit AWS Control Tower

> **Important**
>
> Alamat email yang Anda berikan untuk akun audit menerima email AWS Pemberitahuan - Konfirmasi Langganan dari setiap email yang Wilayah AWS didukung oleh AWS Control Tower. Untuk menerima email kepatuhan di akun audit Anda, Anda harus memilih tautan Konfirmasi langganan dalam setiap email dari masing-masing yang Wilayah AWS didukung oleh AWS Control Tower.

Tentang akun anggota

Akun anggota adalah akun tempat pengguna Anda melakukan AWS beban kerja mereka. Akun anggota ini dapat dibuat di Account Factory, oleh pengguna IAM Identity Center dengan hak istimewa Admin di konsol Service Catalog, atau dengan metode otomatis. Saat dibuat, akun anggota ini ada di

OU yang dibuat di konsol AWS Control Tower, atau terdaftar di AWS Control Tower. Untuk informasi lebih lanjut, lihat topik terkait ini:

- Menyediakan dan mengelola akun dengan Account Factory
- Mengotomatiskan tugas di AWS Control Tower
- AWS Organizations Terminology and Concepts dalam AWS Organizations User Guide.

Lihat juga Menyediakan akun dengan AWS Control Tower Account Factory untuk Terraform (AFT) .

> **Akun dan kontrol**
>
> Akun anggota dapat didaftarkan di AWS Control Tower, atau akun tersebut dapat dibuka. Kontrol berlaku berbeda untuk akun terdaftar dan tidak terdaftar, dan kontrol mungkin berlaku untuk akun di OU bersarang berdasarkan warisan.

Untuk informasi tentang sumber daya akun anggota yang dialokasikan AWS Control Tower, lihat. Pertimbangan Sumber Daya untuk Account Factory

Daftarkan yang sudah ada Akun AWS

Anda dapat memperluas tata kelola AWS Control Tower ke individu, yang ada Akun AWS saat Anda mendaftarkannya ke unit organisasi (OU) yang sudah diatur oleh AWS Control Tower. Akun yang memenuhi syarat ada di OU yang tidak terdaftar yang merupakan bagian dari AWS Organizations organisasi yang sama dengan AWS Control Tower OU.

> **Note**
>
> Anda tidak dapat mendaftarkan akun yang ada untuk dijadikan akun audit atau arsip log Anda kecuali selama penyiapan landing zone awal.

Siapkan akses tepercaya terlebih dahulu

Sebelum Anda dapat mendaftarkan yang sudah ada Akun AWS ke AWS Control Tower, Anda harus memberikan izin kepada AWS Control Tower untuk mengelola, atau mengatur, akun tersebut. Secara khusus, AWS Control Tower memerlukan izin untuk membuat akses tepercaya antara AWS CloudFormation dan AWS Organizations atas nama Anda, sehingga AWS CloudFormation dapat

menerapkan tumpukan Anda secara otomatis ke akun di organisasi yang Anda pilih. Dengan akses tepercaya ini, `AWSControlTowerExecution` peran melakukan aktivitas yang diperlukan untuk mengelola setiap akun. Itu sebabnya Anda harus menambahkan peran ini ke setiap akun sebelum Anda mendaftarkannya.

Ketika akses tepercaya diaktifkan, AWS CloudFormation dapat membuat, memperbarui, atau menghapus tumpukan di beberapa akun dan Wilayah AWS dengan satu operasi. AWS Control Tower mengandalkan kemampuan kepercayaan ini sehingga dapat menerapkan peran dan izin ke akun yang ada sebelum memindahkannya ke unit organisasi terdaftar, dan dengan demikian membawa mereka di bawah tata kelola.

Untuk mempelajari lebih lanjut tentang akses tepercaya dan AWS CloudFormation StackSets, lihat AWS CloudFormationStackSetsdan AWS Organizations.

Apa yang terjadi selama pendaftaran akun

Selama proses pendaftaran, AWS Control Tower melakukan tindakan berikut:

- Memberi dasar akun, yang mencakup penerapan kumpulan tumpukan ini:
  - `AWSControlTowerBP-BASELINE-CLOUDTRAIL`
  - `AWSControlTowerBP-BASELINE-CLOUDWATCH`
  - `AWSControlTowerBP-BASELINE-CONFIG`
  - `AWSControlTowerBP-BASELINE-ROLES`
  - `AWSControlTowerBP-BASELINE-SERVICE-ROLES`
  - `AWSControlTowerBP-BASELINE-SERVICE-LINKED-ROLES`
  - `AWSControlTowerBP-VPC-ACCOUNT-FACTORY-V1`

  Sebaiknya tinjau templat kumpulan tumpukan ini dan pastikan templat tersebut tidak bertentangan dengan kebijakan Anda yang ada.
- Mengidentifikasi akun melalui AWS IAM Identity Center atau AWS Organizations.
- Menempatkan akun ke dalam OU yang telah Anda tentukan. Pastikan untuk menerapkan semua SCP yang diterapkan di OU saat ini, sehingga postur keamanan Anda tetap konsisten.
- Menerapkan kontrol wajib ke akun melalui SCP yang berlaku untuk OU yang dipilih secara keseluruhan.
- Mengaktifkan AWS Config dan mengonfigurasinya untuk merekam semua sumber daya di akun.
- Menambahkan AWS Config aturan yang menerapkan kontrol detektif AWS Control Tower ke akun.

Akun dan jejak tingkat organisasi CloudTrail

Semua akun anggota dalam OU diatur oleh AWS CloudTrail jejak untuk OU, terdaftar atau tidak:

- Saat Anda mendaftarkan akun ke AWS Control Tower, akun Anda diatur oleh AWS CloudTrail jejak untuk organisasi baru. Jika Anda memiliki penerapan CloudTrail jejak yang sudah ada, Anda mungkin melihat biaya duplikat kecuali Anda menghapus jejak yang ada untuk akun tersebut sebelum Anda mendaftarkannya di AWS Control Tower.
- Jika Anda memindahkan akun ke OU terdaftar—misalnya melalui AWS Organizations konsol—dan Anda tidak melanjutkan untuk mendaftarkan akun ke AWS Control Tower, Anda mungkin ingin menghapus jejak tingkat akun yang tersisa untuk akun tersebut. Jika Anda memiliki penyebaran CloudTrail jejak yang ada, Anda akan dikenakan biaya duplikat CloudTrail .

Jika Anda memperbarui landing zone dan memilih untuk keluar dari jalur tingkat organisasi, atau jika landing zone Anda lebih tua dari versi 3.0, CloudTrail jejak tingkat organisasi tidak berlaku untuk akun Anda.

Mendaftarkan akun yang ada dengan VPC

AWS Control Tower menangani VPC secara berbeda saat Anda menyediakan akun baru di Account Factory dibandingkan saat Anda mendaftarkan akun yang sudah ada.

- Saat Anda membuat akun baru, AWS Control Tower secara otomatis menghapus VPC AWS default dan membuat VPC baru untuk akun tersebut.
- Saat Anda mendaftarkan akun yang sudah ada, AWS Control Tower tidak membuat VPC baru untuk akun tersebut.
- Saat Anda mendaftarkan akun yang sudah ada, AWS Control Tower tidak menghapus VPC yang ada atau VPC AWS default yang terkait dengan akun tersebut.

Tip

Anda dapat mengubah perilaku default untuk akun baru dengan mengonfigurasi Account Factory, sehingga tidak menyiapkan VPC secara default untuk akun di organisasi Anda di

bawah AWS Control Tower. Untuk informasi selengkapnya, lihat Membuat Akun di AWS Control Tower Tanpa VPC.

Prasyarat untuk pendaftaran

Prasyarat ini diperlukan sebelum Anda dapat mendaftarkan yang sudah ada di AWS Control Akun AWS Tower:

1. Untuk mendaftarkan yang sudah ada Akun AWS, `AWSControlTowerExecution` peran harus ada di akun yang Anda daftarkan. Anda dapat meninjau Daftarkan akun untuk detail dan instruksi.
2. Selain `AWSControlTowerExecution` peran, yang ada yang ingin Akun AWS Anda daftarkan harus memiliki izin dan hubungan kepercayaan berikut. Jika tidak, pendaftaran akan gagal.

   Izin Peran: `AdministratorAccess` (kebijakanAWS terkelola)

   Hubungan Kepercayaan Peran:

   ```
   {
     "Version": "2012-10-17",
     "Statement": [
       {
         "Effect": "Allow",
         "Principal": {
           "AWS": "arn:aws:iam::Management Account ID:root"
         },
         "Action": "sts:AssumeRole"
       }
     ]
   }
   ```

3. Kami menyarankan agar akun tidak memiliki perekam AWS Config konfigurasi atau saluran pengiriman. Ini dapat dihapus atau dimodifikasi melalui AWS CLI sebelum Anda dapat mendaftarkan akun. Jika tidak, tinjau Daftarkan akun yang memiliki AWS Config sumber daya yang ada untuk petunjuk tentang cara mengubah sumber daya yang ada.
4. Akun yang ingin Anda daftarkan harus ada di AWS Organizations organisasi yang sama dengan akun manajemen AWS Control Tower. Akun yang ada hanya dapat didaftarkan ke organisasi yang sama dengan akun manajemen AWS Control Tower, di OU yang sudah terdaftar di AWS Control Tower.

Untuk memeriksa prasyarat lain untuk pendaftaran, lihat Memulai AWS Control Tower.

> **Note**
>
> Saat Anda mendaftarkan akun ke AWS Control Tower, akun Anda diatur oleh AWS CloudTrail jejak untuk organisasi AWS Control Tower. Jika Anda memiliki penerapan CloudTrail jejak yang sudah ada, Anda mungkin melihat biaya duplikat kecuali Anda menghapus jejak yang ada untuk akun tersebut sebelum Anda mendaftarkannya di AWS Control Tower.

Daftarkan akun yang ada

Fitur akun Daftar tersedia di konsol AWS Control Tower, untuk mendaftar yang sudah ada Akun AWS sehingga diatur oleh AWS Control Tower. Untuk informasi selengkapnya, lihat Mendaftarkan yang sudah ada Akun AWS.

Kemampuan akun Pendaftaran tersedia saat landing zone Anda tidak dalam keadaan drift. Untuk melihat kemampuan ini di konsol:

- Arahkan ke halaman Organisasi di AWS Control Tower.
- Temukan nama akun yang ingin Anda daftarkan. Untuk menemukannya, pilih Akun hanya dari menu tarik-turun di kanan atas, lalu cari nama akun di tabel yang difilter.
- Ikuti langkah-langkah untuk mendaftarkan akun individual, seperti yang ditunjukkan di Langkah-langkah untuk mendaftarkan akun bagian.

> **Note**
>
> Saat Anda mendaftarkan yang sudah ada Akun AWS, pastikan untuk memverifikasi alamat email yang ada. Jika tidak, akun baru dapat dibuat.

Kesalahan tertentu mungkin mengharuskan Anda me-refresh halaman dan mencoba lagi. Jika landing zone Anda dalam keadaan drift, Anda mungkin tidak dapat menggunakan kemampuan akun Daftar dengan sukses. Anda harus menyediakan akun baru melalui Account Factory hingga drift landing zone Anda teratasi.

Saat mendaftarkan akun dari konsol AWS Control Tower, Anda harus masuk ke akun dengan pengguna yang `AWSServiceCatalogEndUserFullAccess` kebijakan tersebut diaktifkan, bersama dengan izin akses Administrator untuk menggunakan konsol AWS Control Tower, dan Anda tidak dapat masuk sebagai pengguna root.

Akun yang Anda daftarkan dapat diperbarui melalui AWS Service Catalog dan pabrik akun AWS Control Tower, karena Anda akan memperbarui akun lainnya. Prosedur pembaruan diberikan di bagian yang disebutPerbarui dan pindahkan akun pabrik akun dengan AWS Control Tower atau dengan AWS Service Catalog.

Langkah-langkah untuk mendaftarkan akun

Setelah AdministratorAccessizin (kebijakan) diberlakukan di akun Anda yang ada, ikuti langkah-langkah berikut untuk mendaftarkan akun:

Untuk mendaftarkan akun individual di AWS Control Tower

- Arahkan ke halaman AWS Control Tower Organization.
- Pada halaman Organisasi, akun yang memenuhi syarat untuk didaftarkan memungkinkan Anda memilih Mendaftar dari menu tarik-turun Tindakan di bagian atas bagian. Akun-akun ini juga menampilkan tombol Daftarkan akun saat Anda melihatnya di halaman Detail akun.
- Ketika Anda memilih Daftarkan akun, Anda akan melihat halaman akun Daftarkan, di mana Anda diminta untuk menambahkan `AWSControlTowerExecution` peran ke akun. Untuk beberapa instruksi, lihatTambahkan peran IAM yang diperlukan secara manual ke yang sudah ada Akun AWS dan daftarkan.
- Selanjutnya, pilih OU terdaftar dari daftar drop-down. Jika akun sudah dalam OU terdaftar, daftar ini akan menampilkan OU.
- Pilih Daftarkan akun.
- Anda akan melihat pengingat modal untuk menambahkan `AWSControlTowerExecution` peran dan mengonfirmasi tindakan.
- Pilih Mendaftar.
- AWS Control Tower memulai proses pendaftaran, dan Anda diarahkan kembali ke halaman detail Akun.

Penyebab umum kegagalan pendaftaran

- Untuk mendaftarkan akun yang ada, `AWSControlTowerExecution` peran harus ada di akun yang Anda daftarkan.
- Prinsipal IAM Anda mungkin tidak memiliki izin yang diperlukan untuk menyediakan akun.
- AWS Security Token Service (AWS STS) dinonaktifkan di Wilayah asal Anda, atau di Wilayah mana pun yang didukung oleh AWS Control Tower. Akun AWS
- Anda dapat masuk ke akun yang perlu ditambahkan ke Portofolio Account Factory di AWS Service Catalog. Akun harus ditambahkan sebelum Anda memiliki akses ke Account Factory sehingga Anda dapat membuat atau mendaftarkan akun di AWS Control Tower. Jika pengguna atau peran yang sesuai tidak ditambahkan ke portofolio Account Factory, Anda akan menerima kesalahan saat mencoba menambahkan akun. Untuk petunjuk tentang cara memberikan akses ke AWS Service Catalog portofolio, lihat Memberikan akses kepada pengguna.
- Anda dapat masuk sebagai root.
- Akun yang Anda coba daftarkan mungkin memiliki AWS Config pengaturan yang tersisa. Secara khusus, akun mungkin memiliki perekam konfigurasi atau saluran pengiriman. Ini harus dihapus atau dimodifikasi melalui AWS CLI sebelum Anda dapat mendaftarkan akun. Lihat informasi yang lebih lengkap di Daftarkan akun yang memiliki sumber daya yang ada AWS Config dan Berinteraksi dengan menggunakan AWS Control TowerAWS CloudShell.
- Jika akun tersebut milik OU lain dengan akun manajemen, termasuk AWS Control Tower OU lainnya, Anda harus mengakhiri akun di OU saat ini sebelum dapat bergabung dengan OU lain. Sumber daya yang ada harus dihapus di OU asli. Jika tidak, pendaftaran akan gagal.
- Penyediaan dan pendaftaran akun gagal jika SCP OU tujuan Anda tidak mengizinkan Anda membuat semua sumber daya yang diperlukan untuk akun tersebut. Misalnya, SCP di OU tujuan Anda dapat memblokir pembuatan sumber daya tanpa tag tertentu. Dalam hal ini, penyediaan atau pendaftaran akun gagal, karena AWS Control Tower tidak mendukung penandaan sumber daya. Untuk bantuan, hubungi perwakilan akun Anda, atau AWS Support.

Untuk informasi selengkapnya tentang cara AWS Control Tower bekerja dengan peran saat Anda membuat akun baru atau mendaftarkan akun yang sudah ada, lihatCara AWS Control Tower bekerja dengan peran untuk membuat dan mengelola akun.

> **Tip**
>
> Jika Anda tidak dapat mengonfirmasi bahwa yang sudah ada Akun AWS memenuhi prasyarat pendaftaran, Anda dapat mengatur OU Pendaftaran dan mendaftarkan akun ke OU tersebut. Setelah pendaftaran berhasil, Anda dapat memindahkan akun ke OU yang diinginkan. Jika pendaftaran gagal, tidak ada akun atau OU lain yang terpengaruh oleh kegagalan tersebut.

Jika Anda ragu bahwa akun yang ada dan konfigurasinya kompatibel dengan AWS Control Tower, Anda dapat mengikuti praktik terbaik yang direkomendasikan di bagian berikut.

Direkomendasikan: Anda dapat mengatur pendekatan dua langkah untuk pendaftaran akun

- Pertama, gunakan paket AWS Config kesesuaian untuk mengevaluasi bagaimana akun Anda mungkin terpengaruh oleh beberapa kontrol AWS Control Tower. Untuk menentukan bagaimana pendaftaran ke AWS Control Tower dapat memengaruhi akun Anda, lihat Memperluas tata kelola AWS Control Tower menggunakan AWS Config paket kesesuaian.
- Selanjutnya, Anda mungkin ingin mendaftarkan akun. Jika hasil kepatuhan memuaskan, jalur migrasi lebih mudah karena Anda dapat mendaftarkan akun tanpa konsekuensi yang tidak terduga.
- Setelah melakukan evaluasi, jika memutuskan untuk menyiapkan landing zone AWS Control Tower, Anda mungkin perlu menghapus saluran AWS Config pengiriman dan perekam konfigurasi yang dibuat untuk evaluasi Anda. Kemudian Anda akan dapat mengatur AWS Control Tower dengan sukses.

> **Note**
>
> Paket kesesuaian juga berfungsi dalam situasi di mana akun berada di OU yang terdaftar oleh AWS Control Tower, tetapi beban kerja berjalan di dalam AWS Wilayah yang tidak memiliki dukungan AWS Control Tower. Anda dapat menggunakan paket kesesuaian untuk mengelola sumber daya di akun yang ada di Wilayah di mana AWS Control Tower tidak digunakan.

Bagaimana jika akun tidak memenuhi prasyarat?

Ingatlah bahwa, sebagai prasyarat, akun yang memenuhi syarat untuk terdaftar dalam tata kelola AWS Control Tower harus menjadi bagian dari keseluruhan organisasi yang sama. Untuk

memenuhi prasyarat pendaftaran akun ini, Anda dapat mengikuti langkah-langkah persiapan ini untuk memindahkan akun ke organisasi yang sama dengan AWS Control Tower.

Langkah-langkah persiapan untuk membawa akun ke organisasi yang sama dengan AWS Control Tower

1. Jatuhkan akun dari organisasi yang ada. Anda harus menyediakan metode pembayaran terpisah jika Anda menggunakan pendekatan ini.
2. Undang akun untuk bergabung dengan organisasi AWS Control Tower. Untuk informasi selengkapnya, lihat Mengundang AWS akun untuk bergabung dengan organisasi Anda di PanduanAWS Organizations Pengguna.
3. Terima undangannya. Akun muncul di akar organisasi. Langkah ini memindahkan akun ke organisasi yang sama dengan AWS Control Tower. dan menetapkan SCP dan penagihan konsolidasi.

> **Tip**
>
> Anda dapat mengirim undangan untuk organisasi baru sebelum akun keluar dari organisasi lama. Undangan akan menunggu ketika akun secara resmi keluar dari organisasi yang ada.

Langkah-langkah untuk memenuhi prasyarat yang tersisa:

1. Buat `AWSControlTowerExecution` peran yang diperlukan.
2. Hapus VPC default. (Bagian ini opsional. AWS Control Tower tidak mengubah VPC default yang ada.)
3. Menghapus atau memodifikasi perekam AWS Config konfigurasi atau saluran pengiriman yang ada melalui AWS CLI atau AWS CloudShell. Untuk informasi selengkapnya, lihat Contoh perintah AWS Config CLI untuk status sumber daya dan Daftarkan akun yang memiliki sumber daya yang ada AWS Config

Setelah Anda menyelesaikan langkah-langkah persiapan ini, Anda dapat mendaftarkan akun ke AWS Control Tower. Untuk informasi selengkapnya, lihat Langkah-langkah untuk mendaftarkan akun. Langkah ini membawa akun ke dalam tata kelola AWS Control Tower penuh.

Langkah-langkah opsional untuk menghentikan penyediaan akun, sehingga dapat didaftarkan dan menyimpan tumpukannya

1. Untuk menjaga AWS CloudFormation tumpukan yang diterapkan, hapus instance tumpukan dari kumpulan tumpukan, dan pilih Pertahankan tumpukan untuk instance.
2. Mengakhiri produk yang disediakan akun di Account Factory AWS Service Catalog . (Langkah ini hanya menghapus produk yang disediakan dari AWS Control Tower. Itu tidak menghapus akun.)
3. Siapkan akun dengan detail penagihan yang diperlukan, seperti yang diperlukan untuk akun apa pun yang bukan milik organisasi. Kemudian hapus akun dari organisasi. (Anda melakukan ini, sehingga akun tidak dihitung terhadap total AWS Organizations kuota Anda.)
4. Bersihkan akun jika sumber daya tetap ada, lalu tutup, mengikuti langkah-langkah penutupan akunBatalkan kelola akun.
5. Jika Anda memiliki OU yang Ditangguhkan dengan kontrol yang ditentukan, Anda dapat memindahkan akun ke sana alih-alih melakukan Langkah 1.

Contoh perintah AWS Config CLI untuk status sumber daya

Berikut adalah beberapa contoh perintah AWS Config CLI yang dapat Anda gunakan untuk menentukan status perekam konfigurasi dan saluran pengiriman Anda.

Lihat perintah:

- `aws configservice describe-delivery-channels`
- `aws configservice describe-delivery-channel-status`
- `aws configservice describe-configuration-recorders`

Respon normal adalah sesuatu seperti `"name": "default"`

Hapus perintah:

- `aws configservice stop-configuration-recorder --configuration-recorder-name` *`NAME-FROM-DESCRIBE-OUTPUT`*
- `aws configservice delete-delivery-channel --delivery-channel-name` *`NAME-FROM-DESCRIBE-OUTPUT`*
- `aws configservice delete-configuration-recorder --configuration-recorder-name` *`NAME-FROM-DESCRIBE-OUTPUT`*

Tambahkan peran IAM yang diperlukan secara manual ke yang sudah ada Akun AWS dan daftarkan

Jika Anda telah menyiapkan zona landing zone AWS Control Tower, Anda dapat mulai mendaftarkan akun organisasi Anda ke OU yang terdaftar di AWS Control Tower. Jika Anda belum menyiapkan landing zone, ikuti langkah-langkah seperti yang dijelaskan dalam Panduan Pengguna AWS Control Tower di Memulai, Langkah 2. Setelah landing zone siap, selesaikan langkah-langkah berikut untuk membawa akun yang ada ke dalam tata kelola oleh AWS Control Tower, secara manual.

Pastikan untuk meninjau yang Prasyarat untuk pendaftaran disebutkan sebelumnya dalam pasal ini.

Sebelum mendaftarkan akun dengan AWS Control Tower, Anda harus memberikan izin AWS Control Tower untuk mengelola akun tersebut. Untuk melakukannya, Anda akan menambahkan peran yang memiliki akses penuh ke akun, seperti yang ditunjukkan pada langkah-langkah berikut. Langkah-langkah ini harus dilakukan untuk setiap akun yang Anda daftarkan.

Untuk setiap akun:

Langkah 1: Masuk dengan akses administrator ke akun manajemen organisasi yang saat ini berisi akun yang ingin Anda daftarkan.

Misalnya, jika Anda membuat akun ini dari AWS Organizations dan Anda menggunakan peran IAM lintas akun untuk masuk, maka Anda dapat mengikuti langkah-langkah berikut:

1. Masuk ke akun manajemen organisasi Anda.
2. Kunjungi AWS Organizations.
3. Di bawah Akun, pilih akun yang ingin Anda daftarkan dan salin ID akunnya.
4. Buka menu tarik-turun akun di bilah navigasi atas dan pilih Beralih Peran.
5. Pada formulir Switch role, isi kolom berikut:
   - Di bawah Akun, masukkan ID akun yang Anda salin.
   - Di bawah Peran, masukkan nama peran IAM yang memungkinkan akses lintas akun ke akun ini. Nama peran ini didefinisikan saat akun dibuat. Jika Anda tidak menentukan nama peran saat membuat akun, masukkan nama peran default,`OrganizationAccountAccessRole`.
6. Pilih Ganti Peran.
7. Anda sekarang harus masuk ke akun AWS Management Console sebagai anak.

8. Setelah selesai, tetaplah di akun anak untuk bagian selanjutnya dari prosedur.
9. Catat ID akun manajemen, karena Anda harus memasukkannya pada langkah berikutnya.

Langkah 2: Berikan izin AWS Control Tower untuk mengelola akun.

1. Pergi ke IAM.
2. Pergi ke Peran.
3. Pilih Buat peran.
4. Saat diminta untuk memilih layanan mana peran tersebut, pilih Kebijakan kepercayaan khusus.
5. Salin contoh kode yang ditampilkan di sini dan tempelkan ke Dokumen Kebijakan. Ganti string *`Management Account ID`*dengan ID akun manajemen aktual dari akun manajemen Anda. Berikut adalah kebijakan untuk menempelkan:

```
{
   "Version":"2012-10-17",
   "Statement":[
      {
      "Effect":"Allow",
      "Principal":{
         "AWS": "arn:aws:iam::Management Account ID:root"
         },
         "Action": "sts:AssumeRole",
         "Condition": {}
      }
   ]
  }
```

6. Ketika diminta untuk melampirkan kebijakan, pilih AdministratorAccess.
7. Pilih Selanjutnya: Tanda.
8. Anda mungkin melihat layar opsional berjudul Tambahkan tag. Lewati layar ini untuk saat ini dengan memilih Berikutnya:Ulasan
9. Pada layar Tinjauan, di bidang Nama peran, masukkan`AWSControlTowerExecution`.
10. Masukkan deskripsi singkat di kotak Deskripsi, seperti Memungkinkan akses akun penuh untuk pendaftaran.
11. Pilih Buat peran.

Langkah 3: Daftarkan akun dengan memindahkannya ke OU terdaftar, dan verifikasi pendaftaran.

Setelah menyiapkan izin yang diperlukan dengan membuat peran, ikuti langkah-langkah berikut untuk mendaftarkan akun dan memverifikasi pendaftaran.

1. Masuk lagi sebagai Admin dan buka AWS Control Tower.
2. Daftarkan akun.
   - Dari halaman Organisasi di AWS Control Tower, pilih akun Anda, lalu pilih Daftar dari menu tarik-turun Tindakan di kanan atas.
   - Ikuti langkah-langkah untuk mendaftarkan akun individual, seperti yang ditunjukkan pada Langkah-langkah untuk mendaftarkan akun halaman.
3. Verifikasi pendaftaran.
   - Dari AWS Control Tower, pilih Organisasi di navigasi kiri.
   - Cari akun yang baru saja Anda daftarkan. Keadaan awalnya akan menunjukkan status Mendaftar.
   - Ketika negara berubah menjadi Terdaftar, langkah itu berhasil.

Untuk melanjutkan proses ini, masuk ke setiap akun di organisasi yang ingin Anda daftarkan di AWS Control Tower. Ulangi langkah-langkah prasyarat dan langkah-langkah pendaftaran untuk setiap akun.

Pendaftaran akun otomatis AWS Organizations

Anda dapat menggunakan metode pendaftaran yang dijelaskan dalam posting blog yang disebut Daftarkan akun yang ada ke AWS Control Tower untuk mendaftarkan AWSAWS Organizations akun Anda ke AWS Control Tower dengan proses terprogram.

Template YAMM berikut dapat membantu Anda dalam membuat peran yang diperlukan dalam akun, sehingga dapat didaftarkan secara terprogram.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure the AWSControlTowerExecution role to enable use of your
  account as a target account in AWS CloudFormation StackSets.
Parameters:
  AdministratorAccountId:
    Type: String
    Description: AWS Account Id of the administrator account (the account in which
      StackSets will be created).
    MaxLength: 12
```

```
    MinLength: 12
Resources:
  ExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      RoleName: AWSControlTowerExecution
      AssumeRolePolicyDocument:
        Version: 2012-10-17
        Statement:
          - Effect: Allow
            Principal:
              AWS:
                - !Ref AdministratorAccountId
            Action:
              - sts:AssumeRole
      Path: /
      ManagedPolicyArns:
        - !Sub arn:${AWS::Partition}:iam::aws:policy/AdministratorAccess
```

Daftarkan akun yang memiliki sumber daya yang ada AWS Config

Topik ini memberikan step-by-step pendekatan untuk cara mendaftarkan akun yang memiliki AWS Config sumber daya yang ada. Untuk contoh cara memeriksa sumber daya yang ada, lihat[Contoh perintah AWS Config CLI untuk status sumber daya](#).

> **Note**
>
> Jika Anda berencana untuk membawa AWS akun yang ada ke AWS Control Tower sebagai akun Audit dan Arsip Log, dan jika akun tersebut memiliki AWS Config sumber daya yang ada, Anda harus menghapus AWS Config sumber daya yang ada sepenuhnya, sebelum Anda dapat mendaftarkan akun ini ke AWS Control Tower untuk tujuan ini. Untuk akun yang tidak dimaksudkan untuk menjadi akun Audit dan Arsip Log, Anda dapat mengubah sumber daya Config yang ada.

Contoh sumber AWS Config daya

Berikut adalah beberapa jenis AWS Config sumber daya yang mungkin sudah dimiliki akun Anda. Sumber daya ini mungkin perlu dimodifikasi agar Anda dapat mendaftarkan akun Anda ke AWS Control Tower.

- AWS Config perekam
- AWS Config saluran pengiriman
- AWS Config otorisasi agregasi

Asumsi

- Anda telah menerapkan landing zone AWS Control Tower
- Akun Anda belum terdaftar dengan AWS Control Tower.
- Akun Anda memiliki setidaknya satu AWS Config sumber daya yang sudah ada sebelumnya di setidaknya satu Wilayah AWS Control Tower yang diatur oleh akun manajemen.
- Akun Anda bukan akun manajemen AWS Control Tower.
- Akun Anda tidak dalam penyimpangan tata kelola.

Untuk blog yang menjelaskan pendekatan otomatis untuk mendaftarkan akun dengan sumber daya yang ada, lihat Mengotomatiskan pendaftaran akun dengan AWS Config sumber daya yang ada AWS Config ke AWS Control Tower. Anda akan dapat mengirimkan tiket dukungan tunggal untuk semua akun yang ingin Anda daftarkan, seperti yang dijelaskan dalamLangkah 1: Hubungi dukungan pelanggan dengan tiket, untuk menambahkan akun ke daftar izin AWS Control Tower, yang berikut.

Batasan

- Akun hanya dapat didaftarkan dengan menggunakan alur kerja AWS Control Tower untuk memperluas tata kelola.
- Jika sumber daya dimodifikasi dan membuat drift di akun, AWS Control Tower tidak memperbarui sumber daya.
- AWS Config sumber daya di Wilayah yang tidak diatur oleh AWS Control Tower tidak diubah.

> **Note**
>
> Jika Anda mencoba mendaftarkan akun yang memiliki sumber daya Config yang ada, tanpa akun ditambahkan ke daftar izin, pendaftaran akan gagal. Setelah itu, jika Anda kemudian mencoba menambahkan akun yang sama ke daftar izin, AWS Control Tower tidak dapat memvalidasi bahwa akun tersebut disediakan dengan benar. Anda harus membatalkan penyediaan akun dari AWS Control Tower sebelum Anda dapat meminta daftar izin dan kemudian mendaftarkannya. Jika Anda hanya memindahkan akun ke AWS Control Tower OU

yang berbeda, hal itu menyebabkan penyimpangan tata kelola, yang juga mencegah akun ditambahkan ke daftar izin.

Proses ini memiliki 5 langkah utama.

1. Tambahkan akun ke daftar izin AWS Control Tower.
2. Buat peran IAM baru di akun.
3. Memodifikasi AWS Config sumber daya yang sudah ada sebelumnya.
4. Buat AWS Config sumber daya di AWS Wilayah yang tidak ada.
5. Daftarkan akun dengan AWS Control Tower.

Sebelum Anda melanjutkan, pertimbangkan harapan berikut mengenai proses ini.

- AWS Control Tower tidak membuat AWS Config sumber daya apa pun di akun ini.
- Setelah pendaftaran, AWS Control Tower mengontrol secara otomatis melindungi AWS Config sumber daya yang Anda buat, termasuk peran IAM baru.
- Jika ada perubahan yang dilakukan pada AWS Config sumber daya setelah pendaftaran, sumber daya tersebut harus diperbarui agar selaras dengan pengaturan AWS Control Tower sebelum Anda dapat mendaftarkan ulang akun.

Langkah 1: Hubungi dukungan pelanggan dengan tiket, untuk menambahkan akun ke daftar izin AWS Control Tower

Sertakan frasa ini di baris subjek tiket Anda:

Daftarkan akun yang memiliki AWS Config sumber daya yang ada ke AWS Control Tower

Sertakan detail berikut di badan tiket Anda:

- Nomor akun manajemen
- Nomor akun akun anggota yang memiliki AWS Config sumber daya yang ada
- Wilayah beranda pilihan Anda untuk penyiapan AWS Control Tower

> **Note**
>
> Waktu yang diperlukan untuk menambahkan akun Anda ke daftar izin adalah 2 hari kerja.

Langkah 2: Buat peran IAM baru di akun anggota

1. Buka AWS CloudFormation konsol untuk akun anggota.
2. Buat tumpukan baru menggunakan template berikut

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config

Resources:
  CustomerCreatedConfigRecorderRole:
    Type: AWS::IAM::Role
    Properties:
      RoleName: aws-controltower-ConfigRecorderRole-customer-created
      AssumeRolePolicyDocument:
        Version: 2012-10-17
        Statement:
          - Effect: Allow
            Principal:
              Service:
                - config.amazonaws.com
            Action:
              - sts:AssumeRole
      Path: /
      ManagedPolicyArns:
        - arn:aws:iam::aws:policy/service-role/AWS_ConfigRole
        - arn:aws:iam::aws:policy/ReadOnlyAccess
```

3. Berikan nama untuk tumpukan sebagai CustomerCreatedConfigRecorderRoleForControlTower
4. Buat tumpukan.

> **Note**
>
> SCP apa pun yang Anda buat harus mengecualikan `aws-controltower-ConfigRecorderRole*` peran. Jangan mengubah izin yang membatasi kemampuan AWS Config aturan untuk melakukan evaluasi.

Ikuti panduan ini sehingga Anda tidak menerima `AccessDeniedException` ketika Anda memiliki SCP yang `aws-controltower-ConfigRecorderRole*` memblokir panggilan Config.

Langkah 3: Identifikasi AWS Daerah dengan sumber daya yang sudah ada sebelumnya

Untuk setiap Wilayah yang diatur (AWS Control Tower diatur) di akun, identifikasi dan catat Wilayah yang memiliki setidaknya satu jenis contoh AWS Config sumber daya yang ada yang ditampilkan sebelumnya.

Langkah 4: Identifikasi AWS Daerah tanpa AWS Config sumber daya apa pun

Untuk setiap Wilayah yang diatur (AWS Control Tower diatur) di akun, identifikasi dan catat Wilayah di mana tidak ada AWS Config sumber daya dari jenis contoh yang ditampilkan sebelumnya.

Langkah 5: Ubah sumber daya yang ada di setiap AWS Wilayah

Untuk langkah ini, informasi berikut diperlukan tentang penyiapan AWS Control Tower Anda.

- `LOGGING_ACCOUNT`- ID akun Logging
- `AUDIT_ACCOUNT`- ID akun Audit
- `IAM_ROLE_ARN`- peran IAM ARN dibuat pada Langkah 1
- `ORGANIZATION_ID`- ID organisasi untuk akun manajemen
- `MEMBER_ACCOUNT_NUMBER`- akun anggota yang sedang dimodifikasi
- `HOME_REGION`- Wilayah rumah untuk penyiapan AWS Control Tower.

Ubah setiap sumber daya yang ada dengan mengikuti instruksi yang diberikan di bagian 5a hingga 5c, yang mengikuti.

Langkah 5a. AWS Config sumber daya perekam

Hanya satu AWS Config perekam yang dapat ada per AWS Wilayah. Jika ada, ubah pengaturan seperti yang ditunjukkan. Ganti item `GLOBAL_RESOURCE_RECORDING` dengan true di Wilayah rumah Anda. Ganti item dengan false untuk Wilayah lain di mana AWS Config perekam ada.

- Nama: JANGAN UBAH
- roLearn: `IAM_ROLE_ARN`
  - RecordingGroup:
  - AllSupported: benar
  - IncludeGlobalResourceTypes: `GLOBAL_RESOURCE_RECORDING`
  - ResourceTypes: Kosong

Modifikasi ini dapat dilakukan melalui AWS CLI menggunakan perintah berikut. Ganti string `RECORDER_NAME` dengan nama AWS Config perekam yang ada.

```
aws configservice put-configuration-recorder --configuration-recorder
  name=RECORDER_NAME,roleARN=arn:aws:iam::MEMBER_ACCOUNT_NUMBER:role/
aws-controltower-ConfigRecorderRole-customer-created --recording-group
 allSupported=true,includeGlobalResourceTypes=GLOBAL_RESOURCE_RECORDING --
region CURRENT_REGION
```

Langkah 5b. Memodifikasi sumber daya saluran AWS Config pengiriman

Hanya satu saluran AWS Config pengiriman yang dapat ada per Wilayah. Jika ada yang lain, ubah pengaturan seperti yang ditunjukkan.

- Nama: JANGAN UBAH
- ConfigSnapshotDeliveryProperties: TwentyFour _Jam
- S3BucketName: Nama bucket logging dari akun logging AWS Control Tower

  `aws-controltower-logs-LOGGING_ACCOUNT-HOME_REGION`
- ***S3KeyPrefix: ORGANISASI_ID***
- SnsTopicARN: Topik SNS ARN dari akun audit, dengan format berikut:

  `arn:aws:sns:CURRENT_REGION:AUDIT_ACCOUNT:aws-controltower-AllConfigNotifications`

Modifikasi ini dapat dilakukan melalui AWS CLI menggunakan perintah berikut. Ganti string *`DELIVERY_CHANNEL_NAME`* dengan nama AWS Config perekam yang ada.

```
aws configservice put-delivery-channel --delivery-channel
 name=DELIVERY_CHANNEL_NAME,s3BucketName=aws-controltower-
logs-LOGGING_ACCOUNT_ID-
HOME_REGION,s3KeyPrefix="ORGANIZATION_ID",configSnapshotDeliveryProperties={deliveryFrequency=T
controltower-AllConfigNotifications --region CURRENT_REGION
```

Langkah 5c. Memodifikasi AWS Config sumber daya otorisasi agregasi

Beberapa otorisasi agregasi dapat ada per Wilayah. AWS Control Tower memerlukan otorisasi agregasi yang menetapkan akun audit sebagai akun resmi, dan memiliki Wilayah asal untuk AWS Control Tower sebagai Wilayah resmi. Jika tidak ada, buat yang baru dengan pengaturan berikut:

- AuthorizedAccountId: ID akun Audit
- AuthorizedAwsRegion: Wilayah beranda untuk penyiapan AWS Control Tower

Modifikasi ini dapat dilakukan melalui AWS CLI menggunakan perintah berikut:

```
aws configservice put-aggregation-authorization --authorized-account-
id AUDIT_ACCOUNT_ID --authorized-aws-region HOME_REGION --region
CURRENT_REGION
```

Langkah 6: Buat sumber daya yang tidak ada, di Wilayah yang diatur oleh AWS Control Tower

Merevisi AWS CloudFormation template, sehingga di wilayah rumah Anda IncludeGlobalResourcesTypesparameter memiliki nilai`GLOBAL_RESOURCE_RECORDING`, seperti yang ditunjukkan pada contoh berikut. Juga perbarui bidang yang diperlukan dalam template, seperti yang ditentukan dalam bagian ini.

Ganti item `GLOBAL_RESOURCE_RECORDING` dengan true di Wilayah rumah Anda. Ganti item dengan false untuk Wilayah lain di mana AWS Config perekam ada.

1. Arahkan ke AWS CloudFormation konsol akun manajemen.
2. Buat yang baru StackSet dengan nama CustomerCreatedConfigResourcesForControlTower.
3. Salin dan perbarui template berikut:

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config
Resources:
  CustomerCreatedConfigRecorder:
    Type: AWS::Config::ConfigurationRecorder
    Properties:
      Name: aws-controltower-BaselineConfigRecorder-customer-created
      RoleARN: !Sub arn:aws:iam::${AWS::AccountId}:role/aws-controltower-
ConfigRecorderRole-customer-created
      RecordingGroup:
        AllSupported: true
        IncludeGlobalResourceTypes: GLOBAL_RESOURCE_RECORDING
        ResourceTypes: []
  CustomerCreatedConfigDeliveryChannel:
    Type: AWS::Config::DeliveryChannel
    Properties:
      Name: aws-controltower-BaselineConfigDeliveryChannel-customer-created
      ConfigSnapshotDeliveryProperties:
        DeliveryFrequency: TwentyFour_Hours
      S3BucketName: aws-controltower-logs-LOGGING_ACCOUNT-HOME_REGION
      S3KeyPrefix: ORGANIZATION_ID
      SnsTopicARN: !Sub arn:aws:sns:${AWS::Region}:AUDIT_ACCOUNT:aws-controltower-
AllConfigNotifications
  CustomerCreatedAggregationAuthorization:
    Type: "AWS::Config::AggregationAuthorization"
    Properties:
      AuthorizedAccountId: AUDIT_ACCOUNT
      AuthorizedAwsRegion: HOME_REGION
```

Perbarui template dengan bidang wajib:

a. *Di BucketName bidang **S3**, ganti LOGGING_ACCOUNT_ID dan HOME_REGION*

b. *Di KeyPrefix bidang **S3**, ganti ORGANIZATION_ID*

c. *Di bidang **SnsTopicARN**, ganti AUDIT_ACCOUNT*

d. Di AuthorizedAccountIdbidang, ganti *AUDIT_ACCOUNT*

e. Di AuthorizedAwsRegionbidang, ganti *HOME_REGION*

4. Selama penyebaran di AWS CloudFormation konsol, tambahkan nomor akun anggota.
5. Tambahkan AWS Wilayah yang diidentifikasi pada Langkah 4.
6. Menyebarkan set tumpukan.

Langkah 7: Daftarkan OU dengan AWS Control Tower

Di dasbor AWS Control Tower, daftarkan OU.

> **Note**
>
> Alur kerja akun Mendaftar tidak akan berhasil untuk tugas ini. Anda harus memilih Register OU atau Re-register OU.

Menyediakan dan mengelola akun dengan Account Factory

Bab ini mencakup ikhtisar dan prosedur untuk menyediakan akun anggota baru di landing zone AWS Control Tower dengan Account Factory.

Izin untuk mengonfigurasi dan menyediakan akun

AWS Control Tower Account Factory memungkinkan administrator dan pengguna cloud AWS IAM Identity Center untuk menyediakan akun di landing zone Anda. Secara default, pengguna IAM Identity Center yang menyediakan akun harus berada dalam `AWSAccountFactory` grup atau grup manajemen.

> **Note**
>
> Berhati-hatilah saat bekerja dari akun manajemen, seperti yang Anda lakukan saat menggunakan akun apa pun yang memiliki izin di seluruh organisasi Anda.

Akun manajemen AWS Control Tower memiliki hubungan kepercayaan dengan `AWSControlTowerExecution` peran tersebut, yang memungkinkan penyiapan akun dari akun manajemen, termasuk beberapa pengaturan akun otomatis. Untuk informasi selengkapnya tentang peran `AWSControlTowerExecution` ini, lihat Cara AWS Control Tower bekerja dengan peran untuk membuat dan mengelola akun.

> **Note**
>
> Untuk mendaftarkan yang sudah ada Akun AWS ke AWS Control Tower, akun tersebut harus mengaktifkan `AWSControlTowerExecution` peran tersebut. Untuk informasi selengkapnya tentang cara mendaftarkan akun yang ada, lihatDaftarkan yang sudah ada Akun AWS.

Untuk informasi selengkapnya tentang izin, lihat Izin yang diperlukan untuk akun.

Menyediakan akun dengan AWS Service Catalog Account Factory

Prosedur berikut menjelaskan cara membuat dan menyediakan akun sebagai pengguna di IAM Identity Center melalui AWS Service Catalog. Prosedur ini juga disebut sebagai penyediaan akun lanjutan, atau penyediaan akun manual. Secara opsional, Anda mungkin dapat menyediakan akun secara terprogram, dengan AWS CLI atau dengan AWS Control Tower Account Factory for Terraform (AFT). Anda mungkin dapat menyediakan akun yang disesuaikan di konsol jika sebelumnya Anda telah menyiapkan cetak biru khusus. Untuk informasi selengkapnya tentang penyesuaian, lihatKustomisasi akun dengan Kustomisasi Account Factory (AFC).

Untuk menyediakan akun secara individual di Account Factory, sebagai pengguna

1. Masuk dari URL portal pengguna Anda.
2. Dari aplikasi Anda, pilih AWS Akun.
3. Dari daftar akun, pilih ID akun untuk akun manajemen Anda. ID ini mungkin juga memiliki label, misalnya, (Manajemen).
4. Dari AWSServiceCatalogEndUserAccess, pilih Konsol manajemen. Ini membuka AWS Management Console untuk pengguna ini di akun ini.
5. Pastikan Anda telah memilih yang benar Wilayah AWS untuk menyediakan akun, yang seharusnya merupakan Wilayah AWS Control Tower Anda.
6. Cari dan pilih Service Catalog untuk membuka konsol Service Catalog.
7. Di panel navigasi, pilih Produk.
8. Pilih AWS Control Tower Account Factory, lalu pilih tombol Luncurkan produk. Pilihan ini memulai wizard untuk menyediakan akun baru.
9. Isi informasinya, dan ingatlah hal-hal berikut:

- SSO UserEmail dapat berupa alamat email baru, atau alamat email yang terkait dengan pengguna IAM Identity Center yang ada. Apapun yang Anda pilih, pengguna ini akan memiliki akses administratif ke akun yang Anda sediakan.
- AccountEmailHarus berupa alamat email yang belum dikaitkan dengan file Akun AWS. Jika Anda menggunakan alamat email baru di SSO UserEmail, Anda dapat menggunakan alamat email tersebut di sini.

10. Jangan tentukan TagOptionsdan jangan aktifkan Pemberitahuan, jika tidak, akun dapat gagal disediakan. Setelah selesai, pilih Luncurkan produk.
11. Tinjau pengaturan akun Anda, lalu pilih Luncurkan. Jangan membuat rencana sumber daya, jika tidak, akun akan gagal disediakan.
12. Akun Anda sekarang sedang disediakan. Ini bisa memakan waktu beberapa menit untuk menyelesaikannya. Anda dapat menyegarkan halaman untuk memperbarui informasi status yang ditampilkan.

> **Note**
>
> Hingga lima akun dapat disediakan sekaligus.

Pertimbangan untuk mengelola akun di Account Factory

Anda dapat memperbarui, membatalkan kelola, dan menutup akun yang Anda buat dan sediakan melalui Account Factory. Anda dapat mendaur ulang akun dengan memperbarui parameter pengguna di akun yang ingin Anda gunakan kembali. Anda juga dapat mengubah unit organisasi akun (OU).

> **Note**
>
> Saat memperbarui produk yang disediakan yang terkait dengan akun yang dijual Account Factory, jika Anda menentukan alamat email pengguna baru AWS IAM Identity Center, AWS Control Tower akan membuat pengguna baru di IAM Identity Center. Akun yang dibuat sebelumnya tidak dihapus. Untuk informasi tentang menghapus alamat email pengguna IAM Identity Center sebelumnya dari Pusat Identitas IAM, lihat Menonaktifkan Pengguna.

Perbarui dan pindahkan akun pabrik akun dengan AWS Control Tower atau dengan AWS Service Catalog

Cara termudah untuk memperbarui akun terdaftar adalah melalui konsol AWS Control Tower. Pembaruan akun individual berguna untuk menyelesaikan penyimpangan, seperti. Akun Anggota yang Dipindahkan Pembaruan akun juga diperlukan sebagai bagian dari pembaruan landing zone penuh.

Jika Anda memindahkan akun dari satu unit organisasi (OU) ke yang lain, ingatlah bahwa kontrol yang diterapkan oleh OU baru mungkin berbeda dari kontrol di OU sebelumnya. Pastikan bahwa kontrol di OU baru memenuhi persyaratan kebijakan Anda untuk akun tersebut.

Kontrol perilaku saat akun dipindahkan antara OU

Saat Anda memindahkan akun di antara OU, kontrol untuk OU tujuan diterapkan ke akun. Namun, kontrol yang diterapkan ke akun dari OU sebelumnya tidak dihapus. Perilaku yang tepat dari kontrol khusus untuk implementasi kontrol yang aktif pada OU sebelumnya dan OU tujuan.

- Untuk kontrol yang diterapkan dengan AWS Config aturan: Kontrol dari OU sebelumnya tidak dihapus. Kontrol ini harus dihapus secara manual.
- Untuk kontrol yang diterapkan dengan SCP: Kontrol berbasis SCP dari OU sebelumnya adalah dihapus. Kontrol berbasis SCP untuk tujuan OU mulai berlaku pada akun ini.
- Untuk kontrol yang diimplementasikan dengan AWS CloudFormation kait: Perilaku ini tergantung pada status kontrol di OU baru.
  - Jika tujuan OU tidak memiliki kontrol berbasis kait aktif: Yang lama kontrol tetap aktif untuk akun yang dipindahkan, kecuali Anda menghapusnya secara manual.
  - Jika tujuan OU memiliki kontrol kait aktif: Kontrol lama adalah dihapus dan kontrol di OU tujuan diterapkan ke akun.

Perbarui akun di konsol

Untuk memperbarui akun di konsol AWS Control Tower

1. Saat masuk ke AWS Control Tower, navigasikan ke halaman Organisasi.
2. Dalam daftar OU dan akun, pilih nama akun yang ingin Anda perbarui. Akun yang tersedia untuk diperbarui menunjukkan status Pembaruan yang tersedia.
3. Selanjutnya Anda akan melihat halaman Detail akun untuk akun yang Anda pilih.

4. Di kanan atas, pilih Perbarui akun.

Perbarui produk yang disediakan

Prosedur berikut memandu Anda melalui cara memperbarui akun Anda di Account Factory atau memindahkannya ke OU baru, dengan memperbarui produk yang disediakan akun di Service Catalog.

Untuk memperbarui akun Account Factory atau mengubah OU melalui Service Catalog

1. Masuk ke AWS Management Console, dan buka AWS Service Catalog konsol di https://console.aws.amazon.com/servicecatalog/.

   > **Note**
   >
   > Anda harus masuk sebagai pengguna dengan izin untuk menyediakan produk baru di Service Catalog (misalnya, pengguna IAM Identity Center di `AWSAccountFactory` atau `AWSServiceCatalogAdmins` grup).

2. Di panel navigasi, pilih Provisioning, lalu pilih Provisioned products.
3. Untuk setiap akun anggota yang terdaftar, lakukan langkah-langkah berikut untuk memperbarui semua akun anggota:
   a. Pilih akun anggota. Anda diarahkan ke halaman detail produk yang disediakan untuk akun tersebut.
   b. Pada halaman Detail produk yang disediakan, pilih tab Acara.
   c. Catat parameter berikut:
      - SSO UserEmail (Tersedia dalam detail produk yang disediakan)
      - AccountEmail(Tersedia dalam detail produk yang disediakan)
      - SSO UserFirstName (Tersedia di Pusat Identitas IAM)
      - SSOU SerLastName (Tersedia di Pusat Identitas IAM)
      - AccountName(Tersedia di Pusat Identitas IAM)
   d. Dari Tindakan, pilih Perbarui.
   e. Pilih tombol di sebelah Versi produk yang ingin Anda perbarui, dan pilih Berikutnya.
   f. Berikan nilai parameter yang disebutkan sebelumnya.

- Jika Anda ingin menyimpan OU yang ada, untuk ManagedOrganizationalUnit, pilih OU yang sudah ada di akun tersebut.
- Jika Anda ingin memigrasikan akun ke OU baru, untuk ManagedOrganizationalUnit, pilih OU baru untuk akun tersebut.

Administrator cloud pusat dapat menemukan informasi ini di konsol AWS Control Tower, di halaman Organisasi.

g. Pilih Berikutnya.

h. Tinjau perubahan Anda, lalu pilih Perbarui. Proses ini dapat memakan waktu beberapa menit per akun.

Mengubah alamat email dari akun terdaftar

Untuk mengubah alamat email akun anggota terdaftar di AWS Control Tower, ikuti prosedur di bagian ini.

> **Note**
>
> Prosedur berikut tidak memungkinkan Anda mengubah alamat email akun manajemen, akun arsip log, atau akun audit. Untuk informasi selengkapnya tentang itu, lihat Bagaimana cara mengubah alamat email yang terkait dengan AWS akun saya? atau hubungi AWS Support.

Untuk mengubah alamat email akun yang dibuat AWS Control Tower

1. Pulihkan kata sandi pengguna root untuk akun tersebut. Anda dapat mengikuti langkah-langkah dalam artikel Bagaimana cara memulihkan AWS kata sandi yang hilang atau terlupakan?
2. Masuk ke akun dengan kata sandi pengguna root.
3. Ubah alamat email seperti yang Anda lakukan untuk yang lain Akun AWS, dan tunggu perubahan tercermin AWS Organizations. Anda mungkin mengalami penundaan saat perubahan alamat email selesai diperbarui.
4. Perbarui produk yang disediakan di Service Catalog menggunakan alamat email yang sebelumnya milik akun. Proses untuk memperbarui produk yang disediakan termasuk mengaitkan alamat email baru dengan produk yang disediakan. Dengan cara ini perubahan

alamat email berlaku di AWS Control Tower. Gunakan alamat email baru untuk pembaruan produk yang selanjutnya disediakan.

Untuk mengubah kata sandi atau alamat email akun anggota yang Anda buat AWS Organizations, lihat Mengakses akun anggota sebagai pengguna root di PanduanAWS Organizations Pengguna.

Mengubah nama akun terdaftar

Ikuti prosedur di bagian ini untuk mengubah nama akun AWS Control Tower yang terdaftar.

> **Note**
>
> Untuk mengubah nama akun AWS administrator, Anda harus memiliki izin admin dan masuk sebagai pengguna root akun.

Untuk mengubah nama akun yang dibuat oleh AWS Control Tower

1. Pulihkan kata sandi root untuk akun. Anda dapat mengikuti langkah-langkah yang diuraikan dalam artikel ini, Bagaimana cara memulihkan AWS kata sandi yang hilang atau terlupakan?
2. Masuk ke akun dengan kata sandi root.
3. Di AWS Billing konsol, navigasikan ke halaman Pengaturan akun.
4. Ubah nama di pengaturan Akun, seperti yang Anda lakukan untuk yang lain Akun AWS.
5. AWS Control Tower secara otomatis memperbarui dirinya sendiri untuk mencerminkan perubahan nama. Pembaruan ini tidak akan tercermin dalam produk yang disediakan di. AWS Service Catalog

Konfigurasikan Account Factory dengan pengaturan Amazon Virtual Private Cloud

Account Factory memungkinkan Anda membuat baseline dan opsi konfigurasi yang telah disetujui sebelumnya untuk akun di organisasi Anda. Anda dapat mengonfigurasi dan menyediakan akun baru melalui AWS Service Catalog.

Pada halaman Account Factory, Anda dapat melihat daftar unit organisasi (OU) dan status daftar izinnya. Secara default, semua OU ada di daftar izinkan, yang berarti bahwa akun dapat disediakan

di bawahnya. Anda dapat menonaktifkan OU tertentu untuk penyediaan akun melalui. AWS Service Catalog

Anda dapat melihat opsi konfigurasi VPC Amazon yang tersedia untuk pengguna akhir Anda saat mereka menyediakan akun baru.

Untuk mengonfigurasi pengaturan Amazon VPC di Account Factory

1. Sebagai administrator cloud pusat, masuk ke konsol AWS Control Tower dengan izin administrator di akun manajemen.
2. Dari sisi kiri dasbor, pilih Account Factory untuk menavigasi ke halaman konfigurasi jaringan Account Factory. Di sana Anda dapat melihat pengaturan jaringan default ditampilkan. Untuk mengedit, pilih Edit dan lihat versi pengaturan konfigurasi jaringan Account Factory yang dapat diedit.
3. Anda dapat memodifikasi setiap bidang pengaturan default sesuai kebutuhan. Pilih opsi konfigurasi VPC yang ingin Anda buat untuk semua akun Account Factory baru yang mungkin dibuat oleh pengguna akhir Anda, dan masukkan pengaturan Anda ke dalam bidang.

- Pilih dinonaktifkan atau diaktifkan untuk membuat subnet publik di Amazon VPC. Secara default, subnet yang dapat diakses internet tidak diizinkan.

> **Note**
>
> Jika Anda mengatur konfigurasi VPC pabrik akun sehingga subnet publik diaktifkan saat menyediakan akun baru, pabrik akun mengonfigurasi Amazon VPC untuk membuat NAT Gateway. Anda akan ditagih untuk penggunaan Anda oleh Amazon VPC. Lihat Harga VPC untuk informasi selengkapnya.

- Pilih jumlah maksimum subnet pribadi di Amazon VPC dari daftar. Secara default, 1 dipilih. Jumlah maksimum subnet pribadi yang diizinkan adalah 2 per zona ketersediaan.
- Masukkan kisaran alamat IP untuk membuat VPC akun Anda. Nilai harus dalam bentuk blok routing antar-domain (CIDR) tanpa kelas (misalnya, defaultnya adalah). `172.31.0.0/16` Blok CIDR ini menyediakan rentang keseluruhan alamat IP subnet untuk VPC yang dibuat Account Factory untuk akun Anda. Dalam VPC Anda, subnet ditetapkan secara otomatis dari rentang yang Anda tentukan, dan ukurannya sama. Secara default, subnet dalam VPC Anda tidak tumpang tindih. Namun, rentang alamat IP subnet di VPC dari semua akun yang Anda berikan bisa tumpang tindih.

- Pilih wilayah atau semua wilayah untuk membuat VPC saat akun disediakan. Secara default semua wilayah yang tersedia dipilih.
- Dari daftar, pilih jumlah Availability Zones untuk mengonfigurasi subnet di setiap VPC. Nomor default dan yang direkomendasikan adalah 3.
- Pilih Simpan.

Anda dapat mengatur opsi konfigurasi ini untuk membuat akun baru yang tidak menyertakan VPC. Lihat langkah-langkahnya.

Batalkan kelola akun

Jika Anda membuat akun di Account Factory atau mendaftarkan akun Akun AWS, dan Anda tidak lagi ingin akun tersebut dikelola oleh AWS Control Tower di landing zone, Anda dapat membatalkan kelola akun tersebut dari konsol AWS Control Tower.

Saat Anda membatalkan pengelolaan akun AWS Control Tower, semua sumber daya yang disediakan oleh AWS Control Tower akan dihapus, termasuk cetak biru apa pun. Akun dipindahkan dari AWS Control Tower OU dan masuk ke area Root. Akun tidak lagi menjadi bagian dari OU terdaftar, dan tidak lagi tunduk pada AWS Control Tower SCP. Anda dapat menutup akun melalui AWS Organizations.

Membatalkan pengelolaan akun juga dapat dilakukan di konsol Service Catalog oleh pengguna IAM Identity Center di `AWSAccountFactory` grup, dengan menghentikan Provisioned Product. Untuk informasi selengkapnya tentang pengguna atau grup Pusat Identitas IAM, lihat Mengelola pengguna dan mengakses melalui AWS IAM Identity Center. Prosedur berikut menjelaskan cara membatalkan pengelolaan akun anggota di Service Catalog.

Untuk membatalkan kelola akun yang terdaftar

1. Buka konsol Service Catalog di browser web Anda dihttps://console.aws.amazon.com/servicecatalog.
2. Di panel navigasi kiri, pilih Daftar produk yang disediakan.
3. Dari daftar akun yang disediakan, pilih nama akun yang Anda inginkan AWS Control Tower tidak lagi dikelola.
4. Pada halaman Detail produk yang disediakan, dari menu Tindakan, pilih Hentikan.
5. Dari kotak dialog yang muncul, pilih Hentikan.

> **Important**
>
> Kata terminate khusus untuk Service Catalog. Ketika Anda mengakhiri akun di Service Catalog Account Factory, akun tersebut tidak ditutup. Tindakan ini menghapus akun dari OU dan landing zone Anda.

6. Ketika akun tidak dikelola, statusnya berubah menjadi Tidak Terdaftar.
7. Jika Anda tidak lagi membutuhkan akun, tutuplah. Untuk informasi selengkapnya tentang menutup AWS akun, lihat Menutup akun di PanduanAWS Billing Pengguna

Saat Anda membatalkan pengelolaan akun yang disesuaikan, AWS Control Tower menghapus sumber daya yang telah diterapkan cetak biru, serta sumber daya lain yang dibuat AWS Control Tower dalam akun tersebut. Setelah Anda membatalkan kelola akun, Anda dapat menutup akun melalui AWS Organizations.

> **Note**
>
> Akun yang tidak dikelola tidak ditutup atau dihapus. Ketika akun tidak dikelola, pengguna Pusat Identitas IAM yang Anda pilih saat membuat akun di Account Factory masih memiliki akses administratif ke akun tersebut. Jika Anda tidak ingin pengguna ini memiliki akses administratif, Anda harus mengubah pengaturan ini di Pusat Identitas IAM dengan memperbarui akun di Account Factory dan mengubah alamat email pengguna IAM Identity Center untuk akun tersebut. Untuk informasi selengkapnya, lihat Perbarui dan pindahkan akun pabrik akun dengan AWS Control Tower atau dengan AWS Service Catalog.

Panduan Video

Video ini (3:25) menjelaskan cara menghapus akun dari AWS Control Tower, mendapatkan akses root ke akun, dan akhirnya menutup akun. Akun AWSAnda juga dapat menutup akun dengan AWS Organizations API. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video untuk Menutup Akun di AWS Control Tower.

Anda dapat melihat daftar AWS YouTube video yang menjelaskan tugas umum di AWS Control Tower.

Menutup akun yang dibuat di Account Factory

Akun yang dibuat di Account Factory adalah Akun AWS. Untuk informasi tentang penutupan Akun AWS, lihat Menutup akun di Panduan Referensi ManajemenAWS Akun.

> **Note**
>
> Menutup akun Akun AWS tidak sama dengan membatalkan pengelolaan akun dari AWS Control Tower—ini adalah tindakan terpisah. Anda harus membatalkan kelola akun sebelum Anda menutupnya.

Menutup akun anggota AWS Control Tower melalui AWS Organizations

Anda dapat menutup akun anggota AWS Control Tower dari akun manajemen organisasi Anda tanpa perlu masuk ke setiap akun anggota satu per satu dengan kredensi root. AWS OrganizationsNamun, Anda tidak dapat menutup akun manajemen Anda dengan cara ini.

Saat Anda memanggil AWS Organizations CloseAccountAPI, atau menutup akun di AWS Organizations konsol, akun anggota diisolasi selama 90 hari, seperti yang Akun AWS akan terjadi. Akun menunjukkan status Ditangguhkan di AWS Control Tower dan AWS Organizations. Jika Anda mencoba bekerja dengan akun selama 90 hari tersebut, AWS Control Tower memberikan pesan kesalahan.

Sebelum 90 hari berakhir, Anda dapat memulihkan akun anggota, seperti yang dapat Anda lakukan dengan apa pun Akun AWS. Setelah waktu 90 hari itu, catatan akun dihapus.

Kami menyarankan, sebagai praktik terbaik, untuk membatalkan kelola akun anggota sebelum Anda menutup akun itu. Jika Anda menutup akun anggota tanpa terlebih dahulu membatalkan pengelolaannya, AWS Control Tower menunjukkan status akun sebagai Ditangguhkan, tetapi juga sebagai Terdaftar. Akibatnya, jika Anda mencoba mendaftarkan ulang OU akun selama waktu 90 hari tersebut, AWS Control Tower menghasilkan pesan kesalahan. Akun yang ditangguhkan pada dasarnya memblokir tindakan pendaftaran ulang dengan kegagalan pra-pemeriksaan. Jika Anda menghapus akun dari OU, Anda dapat mendaftarkan ulang OU, tetapi AWS dapat menghasilkan kesalahan mengenai metode pembayaran yang hilang untuk akun tersebut. Untuk mengatasi kendala ini, buat OU lain, dan pindahkan akun ke OU itu sebelum Anda mencoba mendaftar ulang. Sebaiknya beri nama OU ini sebagai Suspended OU.

> **Note**
>
> Jika Anda tidak membatalkan kelola akun sebelum Anda menutupnya, Anda harus menghapus produk yang disediakan akun AWS Service Catalog setelah 90 hari tersebut selesai.

Untuk informasi selengkapnya, lihat AWS Organizations dokumentasi tentang CloseAccountAPI.

Pertimbangan Sumber Daya untuk Account Factory

Ketika akun disediakan dengan Account Factory, AWS sumber daya berikut dibuat di dalam akun.

AWS layanan	Tipe sumber daya	Nama sumber daya
AWS CloudFormation	Tumpukan	StackSet-AWSControlTowerBP-BASELINE-CLOUDTRAIL-* StackSet-AWSControlTowerBP-BASELINE-CLOUDWATCH-* StackSet-AWSControlTowerBP-BASELINE-CONFIG-* StackSet-AWSControlTowerBP-BASELINE-ROLES-* StackSet-AWSControlTowerBP-BASELINE-SERVICE-ROLES-*
AWS CloudTrail	Trail	aws-controltower-BaselineCloudTrail

AWS layanan	Tipe sumber daya	Nama sumber daya
Amazon CloudWatch	CloudWatch Aturan Acara	aws-controltower-ConfigComplianceChangeEventRule
Amazon CloudWatch	CloudWatch Log	aws-controltower/CloudTrailLogs /aws/lambda/aws-controltower-NotificationForwarder
AWS Identity and Access Management	Peran	aws-controltower-AdministratorExecutionRole aws-controltower-CloudWatchLogsRole aws-controltower-ConfigRecorderRole aws-controltower-ForwardSnsNotificationRole aws-controltower-ReadOnlyExecutionRole AWSControlTowerExecution
AWS Identity and Access Management	Kebijakan	AWSControlTowerServiceRolePolicy
Amazon Simple Notification Service	Topik	aws-controltower-SecurityNotifications
AWS Lambda	Aplikasi	StackSet-AWSControlTowerBP-BASELINE-CLOUDWATCH-*
AWS Lambda	Fungsi	aws-controltower-NotificationForwarder

Kustomisasi akun dengan Kustomisasi Account Factory (AFC)

AWS Control Tower memungkinkan Anda menyesuaikan yang baru dan yang sudah ada Akun AWS saat Anda menyediakan sumber daya mereka dari konsol AWS Control Tower. Setelah menyiapkan kustomisasi pabrik akun, AWS Control Tower mengotomatiskan proses ini untuk penyediaan di masa mendatang, sehingga Anda tidak perlu memelihara saluran pipa apa pun. Akun yang disesuaikan tersedia untuk digunakan segera setelah sumber daya disediakan.

Akun khusus Anda disediakan di pabrik akun, melalui AWS CloudFormation templat, atau dengan Terraform. Anda akan menentukan template yang berfungsi sebagai cetak biru akun yang disesuaikan. Cetak biru Anda menjelaskan sumber daya dan konfigurasi spesifik yang Anda perlukan saat akun disediakan. Cetak biru yang telah ditentukan sebelumnya, dibangun dan dikelola oleh AWS mitra, juga tersedia. Untuk informasi selengkapnya tentang cetak biru yang dikelola mitra, lihat Pustaka Memulai.AWS Service Catalog

> **Note**
>
> AWS Control Tower berisi kontrol proaktif, yang memantau AWS CloudFormation sumber daya di AWS Control Tower. Secara opsional, Anda dapat mengaktifkan kontrol ini di landing zone Anda. Ketika Anda menerapkan kontrol proaktif, mereka memeriksa untuk memastikan bahwa sumber daya yang akan Anda terapkan ke akun Anda sesuai dengan kebijakan dan prosedur organisasi Anda. Untuk informasi selengkapnya tentang kontrol proaktif, lihatKontrol proaktif.

Cetak biru akun Anda disimpan dalam Akun AWS, yang untuk tujuan kami disebut sebagai akun hub. Blueprints disimpan dalam bentuk produk Service Catalog. Kami menyebut produk ini cetak biru, untuk membedakannya dari produk Service Catalog lainnya. Untuk mempelajari lebih lanjut tentang cara membuat produk Service Catalog, lihat Membuat produk di PanduanAWS Service Catalog Administrator.

Terapkan cetak biru ke akun yang ada

Anda juga dapat menerapkan cetak biru yang disesuaikan ke akun yang ada, dengan mengikuti langkah-langkah Perbarui akun di konsol AWS Control Tower. Untuk detailnya, lihat Perbarui akun di konsol.

> **Sebelum Anda memulai**
>
> Sebelum Anda mulai membuat akun khusus dengan AWS Control Tower Account Factory, Anda harus memiliki lingkungan landing zone AWS Control Tower yang diterapkan, dan Anda harus memiliki unit organisasi (OU) yang terdaftar di AWS Control Tower, tempat akun yang baru dibuat akan ditempatkan.

Untuk informasi selengkapnya tentang bekerja dengan AFC, lihat Mengotomatiskan penyesuaian akun menggunakan Kustomisasi Account Factory di AWS Control Tower.

Persiapan untuk kustomisasi

- Anda dapat membuat akun baru untuk berfungsi sebagai akun hub, atau Anda dapat menggunakan akun yang sudah ada Akun AWS. Kami sangat menyarankan agar Anda tidak menggunakan akun manajemen AWS Control Tower sebagai akun hub cetak biru Anda.
- Jika Anda berencana untuk mendaftar Akun AWS ke AWS Control Tower dan menyesuaikannya, Anda harus terlebih dahulu menambahkan `AWSControlTowerExecution` peran tersebut ke akun tersebut, seperti yang Anda lakukan untuk akun lain yang Anda daftarkan ke AWS Control Tower.
- Jika Anda berencana untuk menggunakan cetak biru mitra yang memiliki persyaratan berlangganan marketplace, Anda harus mengonfigurasinya dari akun manajemen AWS Control Tower sebelum menerapkan cetak biru mitra sebagai cetak biru penyesuaian pabrik akun.

Topik

- Siapkan untuk kustomisasi
- Buat akun yang disesuaikan dari cetak biru
- Daftarkan dan sesuaikan akun
- Menambahkan cetak biru ke akun AWS Control Tower
- Perbarui cetak biru
- Menghapus cetak biru dari akun
- Cetak biru mitra
- Pertimbangan untuk Kustomisasi Account Factory (AFC)
- Jika terjadi kesalahan cetak biru

- Menyesuaikan dokumen kebijakan Anda untuk cetak biru AFC berdasarkan CloudFormation
- Izin tambahan diperlukan untuk membuat produk Service Catalog berbasis Terraform

Siapkan untuk kustomisasi

Bagian selanjutnya memberikan langkah-langkah untuk menyiapkan Account Factory untuk proses kustomisasi. Kami menyarankan Anda menyiapkan admin yang didelegasikan untuk akun hub, sebelum memulai langkah-langkah ini.

Ringkasan

- Langkah 1. Buat peran yang diperlukan. Buat peran IAM yang memberikan izin kepada AWS Control Tower untuk memiliki akses ke akun (hub), tempat produk Service Catalog, juga disebut cetak biru, disimpan.
- Langkah 2. Buat AWS Service Catalog produk. Buat AWS Service Catalog produk (juga disebut “produk cetak biru”) yang Anda perlukan untuk membuat dasar akun kustom.
- Langkah 3. Tinjau cetak biru kustom Anda. Periksa AWS Service Catalog produk (cetak biru) yang Anda buat.
- Langkah 4. Hubungi cetak biru Anda untuk membuat akun yang disesuaikan. Masukkan informasi produk cetak biru dan informasi peran ke bidang yang sesuai di Account Factory, di konsol AWS Control Tower, saat membuat akun.

Langkah 1. Buat peran yang diperlukan

Sebelum mulai menyesuaikan akun, Anda harus menyiapkan peran yang berisi hubungan kepercayaan antara AWS Control Tower dan akun hub Anda. Saat diasumsikan, peran tersebut memberikan akses AWS Control Tower untuk mengelola akun hub. Peran itu harus diberi nama AWSControlTowerBlueprintAccess.

AWS Control Tower mengasumsikan peran ini untuk membuat sumber daya Portofolio atas nama Anda AWS Service Catalog, lalu menambahkan cetak biru Anda sebagai Produk Katalog Layanan ke Portofolio ini, dan kemudian membagikan Portofolio ini, dan cetak biru Anda, dengan akun anggota Anda selama penyediaan akun.

Anda akan membuat `AWSControlTowerBlueprintAccess` peran, seperti yang dijelaskan di bagian berikut.

Arahkan ke konsol IAM untuk mengatur peran yang diperlukan.

Untuk mengatur peran dalam akun AWS Control Tower yang terdaftar

1. Buat federasi atau masuk sebagai prinsipal di akun manajemen AWS Control Tower.
2. Dari prinsipal federasi di akun manajemen, asumsikan atau alihkan peran ke `AWSControlTowerExecution` peran di akun AWS Control Tower terdaftar yang Anda pilih untuk dijadikan akun hub cetak biru.
3. Dari `AWSControlTowerExecution` peran di akun AWS Control Tower yang terdaftar, buat `AWSControlTowerBlueprintAccess` peran dengan izin dan hubungan kepercayaan yang tepat.

> **Note**
>
> Untuk mematuhi panduan praktik AWS terbaik, penting bagi Anda untuk segera keluar dari `AWSControlTowerExecution` peran tersebut setelah Anda membuat `AWSControlTowerBlueprintAccess` peran.
> Untuk mencegah perubahan sumber daya yang tidak diinginkan, `AWSControlTowerExecution` peran ini dimaksudkan untuk digunakan oleh AWS Control Tower saja.

Jika akun hub cetak biru Anda tidak terdaftar di AWS Control Tower, `AWSControlTowerExecution` peran tersebut tidak akan ada di akun, dan tidak perlu berasumsi sebelum melanjutkan pengaturan peran. `AWSControlTowerBlueprintAccess`

Untuk mengatur peran dalam akun anggota yang tidak terdaftar

1. Federasi atau masuk sebagai kepala sekolah di akun yang ingin Anda tetapkan sebagai akun hub, melalui metode pilihan Anda.
2. Saat masuk sebagai prinsipal di akun, buat `AWSControlTowerBlueprintAccess` peran dengan izin dan hubungan kepercayaan yang tepat.

AWSControlTowerBlueprintAccessPeran harus diatur untuk memberikan kepercayaan kepada dua kepala sekolah:

- Prinsipal (pengguna) yang menjalankan AWS Control Tower di akun manajemen AWS Control Tower.
- Peran yang disebutkan `AWSControlTowerAdmin` dalam akun manajemen AWS Control Tower.

Berikut adalah contoh kebijakan kepercayaan, mirip dengan yang perlu Anda sertakan untuk peran Anda. Kebijakan ini menunjukkan praktik terbaik dalam memberikan akses hak istimewa paling sedikit. Saat Anda membuat kebijakan sendiri, ganti istilah *`YourManagementAccountId`*dengan ID acccount aktual akun manajemen AWS Control Tower Anda, dan ganti istilah tersebut *`YourControlTowerUserRole`*dengan pengenal peran IAM untuk akun manajemen Anda.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "AWS": [
                "arn:aws:iam::YourManagementAccountId:role/service-role/
AWSControlTowerAdmin",
                "arn:aws:iam::YourManagementAccountId:role/YourControlTowerUserRole"
                ]
            },
            "Action": "sts:AssumeRole"
        }
    ]
}
```

Kebijakan izin yang diperlukan

AWS Control Tower mengharuskan kebijakan terkelola yang diberi nama `AWSServiceCatalogAdminFullAccess` harus dilampirkan ke `AWSControlTowerBlueprintAccess` peran. Kebijakan ini memberikan izin yang AWS Service Catalog dicari ketika AWS Control Tower mengizinkan AWS Control Tower mengelola portofolio dan sumber daya AWS Service Catalog Produk Anda. Anda dapat melampirkan kebijakan ini saat membuat peran di konsol IAM.

Izin tambahan mungkin diperlukan

- Jika Anda menyimpan cetak biru di Amazon S3, AWS Control Tower juga memerlukan kebijakan `AmazonS3ReadOnlyAccess` izin untuk peran tersebut. `AWSControlTowerBlueprintAccess`
- Jenis produk AWS Service Catalog Terraform mengharuskan Anda menambahkan beberapa izin tambahan ke kebijakan IAM kustom AFC, jika Anda tidak menggunakan kebijakan Admin default. Ini membutuhkan ini selain izin yang diperlukan untuk membuat sumber daya yang Anda tentukan di templat terraform Anda.

Langkah 2. Buat AWS Service Catalog produk

Untuk membuat AWS Service Catalog produk, ikuti langkah-langkah di Membuat produk di PanduanAWS Service Catalog Administrator. Anda akan menambahkan cetak biru akun Anda sebagai templat saat membuat produk. AWS Service Catalog

Important

Sebagai hasil dari HashiCorp lisensi Terraform yang diperbarui, AWS Service Catalog mengubah dukungan untuk produk Terraform Open Source dan menyediakan produk ke jenis produk baru, yang disebut Eksternal. Untuk mempelajari lebih lanjut tentang bagaimana perubahan ini memengaruhi AFC, termasuk cara memperbarui cetak biru akun yang ada ke jenis produk Eksternal, tinjau Transisi ke jenis produk Eksternal.

Ringkasan langkah-langkah untuk membuat cetak biru

- Buat atau unduh AWS CloudFormation templat atau file konfigurasi Terraform tar.gz yang akan menjadi cetak biru akun Anda. Beberapa contoh template diberikan nanti di bagian ini.
- Masuk ke Akun AWS tempat Anda menyimpan cetak biru Account Factory (terkadang disebut akun hub).
- Arahkan ke AWS Service Catalog konsol. Pilih daftar Produk, lalu pilih Unggah produk baru.
- Di panel Detail Produk, masukkan detail untuk produk cetak biru Anda, seperti nama dan deskripsi.
- Pilih Gunakan file templat dan kemudian pilih Pilih file. Pilih atau tempel templat atau file konfigurasi yang telah Anda kembangkan atau unduh untuk digunakan sebagai cetak biru Anda.

- Pilih Buat produk di bagian bawah halaman konsol.

Anda dapat mengunduh AWS CloudFormation template dari repositori arsitektur AWS Service Catalog referensi. Salah satu contoh dari repositori itu membantu menyiapkan rencana cadangan untuk sumber daya Anda.

Berikut adalah contoh template, untuk perusahaan fiktif bernama Best Pets. Ini membantu mengatur koneksi ke database hewan peliharaan mereka.

```
Resources:
  ConnectionStringGeneratorLambdaRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
          - Effect: Allow
            Principal:
              Service:
                - lambda.amazonaws.com
            Action:
              - "sts:AssumeRole"
  ConnectionStringGeneratorLambda:
    Type: AWS::Lambda::Function
    Properties:
      FunctionName: !Join ['-', ['ConnectionStringGenerator', !Select [4, !Split
 ['-', !Select [2, !Split ['/', !Ref AWS::StackId]]]]]]
      Description: Retrieves the connection string for this account to access the Pet
 Database
      Role: !GetAtt ConnectionStringGeneratorLambdaRole.Arn
      Runtime: nodejs16.x
      Handler: index.handler
      Timeout: 5
      Code:
        ZipFile: >
          const response = require("cfn-response");
          exports.handler = function (event, context) {
            const awsAccountId = context.invokedFunctionArn.split(":")[4]
            const connectionString= "fake connection string that's specific to account
 " + awsAccountId;
            const responseData = {
              Value: connectionString,
```

```
            }
            response.send(event, context, response.SUCCESS, responseData);
            return connectionString;
          };

  ConnectionString:
    Type: Custom::ConnectionStringGenerator
    Properties:
      ServiceToken: !GetAtt ConnectionStringGeneratorLambda.Arn

  PetDatabaseConnectionString:
    DependsOn: ConnectionString
    # For example purposes we're using SSM parameter store.
    # In your template, use secure alternatives to store
    # sensitive values such as connection strings.
    Type: AWS::SSM::Parameter
    Properties:
      Name: pet-database-connection-string
      Description: Connection information for the BestPets pet database
      Type: String
      Value: !GetAtt ConnectionString.Value
```

Langkah 3. Tinjau cetak biru kustom Anda

Anda dapat melihat cetak biru Anda di konsol. AWS Service Catalog Untuk informasi selengkapnya, lihat Mengelola produk di Panduan Adminstrator Service Catalog.

Langkah 4. Hubungi cetak biru Anda untuk membuat akun yang disesuaikan

Saat mengikuti alur kerja Buat akun di konsol AWS Control Tower, Anda akan melihat bagian opsional tempat Anda dapat memasukkan informasi tentang cetak biru yang ingin Anda gunakan untuk menyesuaikan akun.

> **Note**
>
> Anda harus menyiapkan akun hub kustomisasi dan menambahkan setidaknya satu cetak biru (produk Service Catalog) sebelum Anda dapat memasukkan informasi tersebut ke konsol AWS Control Tower dan mulai menyediakan akun yang disesuaikan.

Buat atau perbarui akun yang disesuaikan di konsol AWS Control Tower.

1. Masukkan ID akun untuk akun yang berisi cetak biru Anda.
2. Dari akun tersebut, pilih produk Service Catalog yang sudah ada (cetak biru yang ada).
3. Pilih versi cetak biru yang tepat (produk Service Catalog), jika Anda memiliki lebih dari satu versi.
4. (Opsional) Anda dapat menambahkan atau mengubah kebijakan penyediaan cetak biru pada saat ini dalam proses. Kebijakan penyediaan cetak biru ditulis dalam JSON dan dilampirkan ke peran IAM, sehingga dapat menyediakan sumber daya yang ditentukan dalam templat cetak biru. AWS Control Tower membuat peran ini di akun anggota sehingga Service Catalog dapat menyebarkan sumber daya menggunakan kumpulan AWS CloudFormation tumpukan. Peran ini bernama `AWSControlTower-BlueprintExecution-bp-`*`xxxx`*. `AdministratorAccess`Kebijakan ini diterapkan di sini secara default.
5. Pilih Wilayah AWS atau Wilayah tempat Anda ingin menyebarkan akun berdasarkan cetak biru ini.
6. Jika cetak biru Anda berisi parameter, Anda dapat memasukkan nilai untuk parameter ke dalam bidang tambahan dalam alur kerja AWS Control Tower. Nilai tambahan dapat mencakup: nama GitHub repositori, GitHub cabang, nama cluster Amazon ECS, dan GitHub identitas untuk pemilik repositori.
7. Anda dapat menyesuaikan akun di lain waktu dengan mengikuti proses pembaruan Akun, jika akun hub atau cetak biru Anda belum siap.

Untuk detail selengkapnya, lihat Buat akun yang disesuaikan dari cetak biru.

Buat akun yang disesuaikan dari cetak biru

Setelah membuat cetak biru khusus, Anda dapat mulai membuat akun khusus di pabrik akun AWS Control Tower.

Ikuti langkah-langkah berikut untuk menerapkan cetak biru kustom saat Anda membuat akun baru: AWS

1. Buka AWS Control Tower di AWS Management Console.
2. Pilih Akun pabrik dan Buat akun.
3. Masukkan detail akun seperti nama akun dan alamat email.
4. Konfigurasikan detail Pusat Identitas IAM dengan alamat email dan nama pengguna.
5. Pilih OU terdaftar di mana akun Anda akan ditambahkan.

6. Perluas bagian kustomisasi pabrik Akun.
7. Masukkan ID akun hub blueprint yang berisi produk Service Catalog Anda dan pilih Validasi. Untuk informasi selengkapnya tentang akun hub cetak biru, lihat. Kustomisasi akun dengan Kustomisasi Account Factory (AFC)
8. Pilih menu tarik-turun yang berisi semua cetak biru dari Daftar Produk Service Catalog Anda (semua cetak biru kustom dan mitra). Pilih cetak biru dan versi yang sesuai untuk diterapkan.
9. Jika cetak biru Anda berisi parameter, bidang ini ditampilkan untuk Anda isi. Nilai default sudah diisi sebelumnya.
10. Terakhir, pilih di mana Anda akan menerapkan cetak biru Anda, baik Wilayah Rumah atau Semua Wilayah yang diatur. Sumber daya global seperti Route 53 atau IAM, mungkin perlu dikerahkan ke satu Wilayah saja. Sumber daya regional, seperti instans Amazon EC2 atau bucket Amazon S3, dapat digunakan ke semua Wilayah yang diatur
11. Setelah semua bidang selesai, pilih Buat akun.

> **Note**
>
> Cetak biru yang dibuat dengan Terraform hanya dapat diterapkan ke satu Wilayah, bukan beberapa Wilayah.

Anda dapat melihat kemajuan penyediaan akun Anda di halaman Organisasi. Ketika penyediaan akun Anda selesai, sumber daya yang ditentukan oleh cetak biru Anda sudah digunakan di dalamnya. Untuk melihat detail akun dan cetak biru, buka halaman Detail akun.

Daftarkan dan sesuaikan akun

Untuk mendaftarkan dan menyesuaikan akun di konsol AWS Control Tower.

1. Arahkan ke konsol AWS Control Tower dan pilih Organization dari navigasi kiri.
2. Anda akan melihat daftar akun Anda yang tersedia. Identifikasi akun yang ingin Anda daftarkan dengan cetak biru khusus. Kolom Status untuk akun tersebut harus mencerminkan akun dalam status Tidak terdaftar.
3. Pilih tombol radio di sebelah kiri akun dan pilih menu tarik-turun Tindakan, di kanan atas layar. Di sini Anda akan memilih opsi Daftar.
4. Lengkapi bagian konfigurasi Akses dengan informasi Pusat Identitas IAM akun.

5. Pilih OU terdaftar di mana akun Anda akan menjadi anggota.
6. Selesaikan bagian kustomisasi pabrik Akun menggunakan langkah yang sama seperti 7-12 dari prosedur Buat akun. Untuk informasi selengkapnya, lihat Akun Penyediaan Account Factory dengan AWS Service Catalog.

Anda dapat melihat status progres akun Anda di halaman Organisasi. Ketika pendaftaran akun Anda selesai, sumber daya yang ditentukan oleh cetak biru sudah digunakan di dalamnya.

Menambahkan cetak biru ke akun AWS Control Tower

Untuk menambahkan cetak biru ke akun anggota AWS Control Tower yang ada, ikuti alur kerja akun Perbarui di konsol AWS Control Tower, dan pilih cetak biru baru untuk ditambahkan ke akun. Untuk informasi selengkapnya, lihat Memperbarui dan memindahkan akun Account Factory dengan AWS Control Tower atau dengan AWS Service Catalog.

> **Note**
>
> Jika Anda menambahkan cetak biru baru ke akun, cetak biru yang ada akan ditimpa.

> **Note**
>
> Satu cetak biru dapat diterapkan per akun AWS Control Tower.

Perbarui cetak biru

Prosedur berikut menjelaskan cara memperbarui cetak biru khusus dan cara menerapkannya.

Untuk memperbarui cetak biru kustom Anda

1. Perbarui AWS CloudFormation template Anda atau file tar.gz Terraform (cetak biru) dengan konfigurasi baru Anda.
2. Simpan cetak biru yang diperbarui sebagai versi baru di. AWS Service Catalog

Untuk menerapkan cetak biru Anda yang diperbarui

1. Arahkan ke halaman Organisasi di konsol AWS Control Tower.

2. Filter halaman Organisasi berdasarkan nama dan versi cetak biru.
3. Ikuti proses Perbarui akun, dan terapkan versi cetak biru terbaru di akun Anda.

Jika pembaruan cetak biru tidak berhasil

AWS Control Tower memungkinkan pembaruan cetak biru saat produk yang disediakan dalam status. `AVAILABLE` Jika produk yang Anda sediakan dalam `TAINTED` keadaan, pembaruan akan gagal. Kami merekomendasikan solusi berikut:

1. Di AWS Service Catalog konsol, perbarui produk yang `TAINTED` disediakan secara manual untuk mengubah status menjadi. `AVAILABLE` Untuk informasi selengkapnya, lihat Memperbarui produk yang disediakan.
2. Kemudian, ikuti proses pembaruan akun dari AWS Control Tower untuk memperbaiki kesalahan penerapan cetak biru.

Kami merekomendasikan langkah manual ini karena: Ketika Anda menghapus cetak biru, itu dapat menyebabkan sumber daya di akun anggota dihapus. Menghapus sumber daya dapat memengaruhi beban kerja Anda yang ada. Untuk alasan ini, kami merekomendasikan metode ini daripada cara alternatif memperbarui cetak biru — yaitu dengan menghapus dan mengganti cetak biru asli — terutama jika Anda menjalankan beban kerja produksi.

Menghapus cetak biru dari akun

Untuk menghapus cetak biru dari akun, ikuti alur kerja Perbarui akun untuk menghapus cetak biru dan mengembalikan akun ke konfigurasi default AWS Control Tower.

Saat Anda memasuki alur kerja akun Perbarui di konsol, Anda akan melihat bahwa semua detail akun diisi, dan detail penyesuaian tidak diisi. Jika Anda membiarkan detail AFC ini kosong, AWS Control Tower menghapus cetak biru dari akun. Anda akan melihat pesan peringatan sebelum tindakan dimulai.

> **Note**
>
> AWS Control Tower menambahkan cetak biru ke akun hanya jika Anda memilih cetak biru selama proses Buat akun atau Perbarui akun.

Cetak biru mitra

AWS Control Tower Account Factory Customization (AFC) menyediakan akses ke cetak biru kustomisasi yang telah ditentukan sebelumnya yang dibuat dan dikelola oleh Mitra. AWS Cetak biru mitra ini membantu Anda menyesuaikan akun untuk kasus penggunaan tertentu. Cetak biru masing-masing mitra membantu Anda membuat akun yang disesuaikan, yang telah dikonfigurasi sebelumnya untuk bekerja dengan penawaran produk dari mitra tertentu.

Untuk melihat daftar lengkap cetak biru mitra AWS Control Tower, navigasikan ke Service Catalog Getting Started Library di konsol Anda. Cari jenis sumber AWS Control Tower Blueprints.

Pertimbangan untuk Kustomisasi Account Factory (AFC)

- AFC mendukung kustomisasi menggunakan produk AWS Service Catalog cetak biru tunggal saja.
- Produk AWS Service Catalog cetak biru harus dibuat di akun hub, dan di Wilayah yang sama dengan Wilayah home AWS Control Tower landing zone.
- Peran `AWSControlTowerBlueprintAccess` IAM harus dibuat dengan nama, izin, dan kebijakan kepercayaan yang tepat.
- AWS Control Tower mendukung dua opsi penerapan untuk cetak biru: hanya menerapkan ke Wilayah asal, atau menerapkan ke semua Wilayah yang diatur oleh AWS Control Tower. Pemilihan Wilayah tidak tersedia.
- Saat Anda memperbarui cetak biru di akun anggota, ID akun hub cetak biru dan produk cetak biru tidak dapat diubah. AWS Service Catalog
- AWS Control Tower tidak mendukung penghapusan cetak biru yang ada dan menambahkan cetak biru baru dalam satu operasi pembaruan cetak biru. Anda dapat menghapus cetak biru dan kemudian menambahkan cetak biru baru dalam operasi terpisah.
- AWS Control Tower mengubah perilaku, berdasarkan apakah Anda membuat atau mendaftarkan akun yang disesuaikan, atau akun yang tidak disesuaikan. Jika Anda tidak membuat atau mendaftarkan akun yang disesuaikan dengan cetak biru, AWS Control Tower membuat produk yang disediakan Account Factory (melalui Service Catalog) di akun manajemen AWS Control Tower. Jika Anda menentukan penyesuaian saat membuat atau mendaftarkan akun dengan cetak biru, AWS Control Tower tidak membuat produk yang disediakan Account Factory di akun manajemen AWS Control Tower.

Jika terjadi kesalahan cetak biru

Kesalahan saat menerapkan cetak biru

Jika terjadi kesalahan selama proses penerapan cetak biru ke akun — baik akun baru atau akun yang sudah ada yang Anda daftarkan ke AWS Control Tower — prosedur pemulihannya sama. Akun akan ada, tetapi tidak disesuaikan, dan tidak terdaftar ke AWS Control Tower. Untuk melanjutkan, ikuti langkah-langkah untuk mendaftarkan akun ke AWS Control Tower, dan tambahkan cetak biru pada saat pendaftaran.

Kesalahan saat membuat **`AWSControlTowerBlueprintAccess`** peran, dan solusi

Saat membuat `AWSControlTowerBlueprintAccess` peran dari akun AWS Control Tower, Anda harus masuk sebagai prinsipal menggunakan `AWSControlTowerExecution` peran tersebut. Jika Anda masuk seperti yang lain, `CreateRole` operasi dicegah oleh SCP, seperti yang ditunjukkan dalam artefak berikut:

```
{
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalArn": [
                        "arn:aws:iam::*:role/AWSControlTowerExecution",
                        "arn:aws:iam::*:role/stacksets-exec-*"
                    ]
                }
            },
            "Action": [
                "iam:AttachRolePolicy",
                "iam:CreateRole",
                "iam:DeleteRole",
                "iam:DeleteRolePermissionsBoundary",
                "iam:DeleteRolePolicy",
                "iam:DetachRolePolicy",
                "iam:PutRolePermissionsBoundary",
                "iam:PutRolePolicy",
                "iam:UpdateAssumeRolePolicy",
                "iam:UpdateRole",
                "iam:UpdateRoleDescription"
            ],
            "Resource": [
                "arn:aws:iam::*:role/aws-controltower-*",
                "arn:aws:iam::*:role/*AWSControlTower*",
```

```
                "arn:aws:iam::*:role/stacksets-exec-*"
            ],
            "Effect": "Deny",
            "Sid": "GRIAMROLEPOLICY"
        }
```

Solusi berikut tersedia:

- (Paling direkomendasikan) Asumsikan `AWSControlTowerExecution` peran dan buat `AWSControlTowerBlueprintAccess` peran. Jika Anda memilih solusi ini, pastikan untuk keluar dari `AWSControlTowerExecution` peran segera sesudahnya, untuk mencegah perubahan sumber daya yang tidak diinginkan.
- Masuk ke akun yang tidak terdaftar di AWS Control Tower, dan karenanya tidak tunduk pada SCP ini.
- Edit sementara SCP ini untuk mengizinkan operasi.
- (Sangat tidak disarankan) Gunakan akun manajemen AWS Control Tower Anda sebagai akun hub Anda, sehingga akun tersebut tidak tunduk pada SCP.

Menyesuaikan dokumen kebijakan Anda untuk cetak biru AFC berdasarkan CloudFormation

Saat Anda mengaktifkan cetak biru melalui pabrik akun, AWS Control Tower mengarahkan AWS CloudFormation untuk membuat atas nama Anda. StackSet AWS CloudFormation memerlukan akses ke akun terkelola Anda untuk membuat AWS CloudFormation tumpukan di. StackSet Meskipun AWS CloudFormation sudah memiliki hak administrator di akun yang dikelola melalui `AWSControlTowerExecution` peran, peran ini tidak dapat diasumsikan oleh. AWS CloudFormation

Sebagai bagian dari mengaktifkan cetak biru, AWS Control Tower menciptakan peran dalam akun anggota, yang AWS CloudFormation dapat diasumsikan untuk menyelesaikan tugas manajemen. StackSet Cara termudah untuk mengaktifkan cetak biru khusus Anda melalui pabrik akun adalah dengan menggunakan kebijakan izinkan semua, karena kebijakan tersebut kompatibel dengan templat cetak biru apa pun.

Namun, praktik terbaik menyarankan bahwa Anda harus membatasi izin untuk AWS CloudFormation di akun target. Anda dapat memberikan kebijakan yang disesuaikan, yang diterapkan AWS Control Tower pada peran yang dibuatnya AWS CloudFormation untuk digunakan. Misalnya, jika cetak

biru Anda membuat Parameter SSM yang disebut sesuatu yang penting, Anda dapat memberikan kebijakan berikut:

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "AllowCloudFormationActionsOnStacks",
            "Effect": "Allow",
            "Action": "cloudformation:*",
            "Resource": "arn:aws:cloudformation:*:*:stack/*"
        },
        {
            "Sid": "AllowSsmParameterActions",
            "Effect": "Allow",
            "Action": [
                "ssm:PutParameter",
                 "ssm:DeleteParameter",
                 "ssm:GetParameter",
                 "ssm:GetParameters"
            ],
            "Resource": "arn:*:ssm:*:*:parameter/something-important"
        }
    ]
}
```

`AllowCloudFormationActionsOnStacks`Pernyataan ini diperlukan untuk semua kebijakan kustom AFC; AWS CloudFormation menggunakan peran ini untuk membuat instance tumpukan, oleh karena itu memerlukan izin untuk melakukan AWS CloudFormation tindakan pada tumpukan. `AllowSsmParameterActions`Bagian ini khusus untuk template yang diaktifkan.

Selesaikan masalah izin

Ketika Anda mengaktifkan cetak biru dengan kebijakan terbatas, Anda mungkin menemukan bahwa tidak ada cukup izin untuk mengaktifkan cetak biru. Untuk mengatasi masalah ini, revisi dokumen kebijakan Anda dan perbarui preferensi cetak biru akun anggota untuk menggunakan kebijakan yang diperbaiki. Untuk memastikan bahwa kebijakan tersebut cukup untuk mengaktifkan cetak biru, pastikan AWS CloudFormation izin diberikan, dan Anda dapat membuat tumpukan secara langsung menggunakan peran tersebut.

Izin tambahan diperlukan untuk membuat produk Service Catalog berbasis Terraform

Saat Anda membuat produk AWS Service Catalog Eksternal dengan file konfigurasi Terraform untuk AFC, AWS Service Catalog izin tertentu harus ditambahkan ke kebijakan IAM kustom AFC Anda, selain izin yang diperlukan untuk membuat sumber daya yang ditentukan dalam templat Anda. Jika Anda memilih kebijakan Admin lengkap default, Anda tidak perlu menambahkan izin tambahan ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Action": [
                "resource-groups:CreateGroup",
                "resource-groups:ListGroupResources",
                "resource-groups:DeleteGroup",
                "resource-groups:Tag"
            ],
            "Resource": "*",
            "Effect": "Allow"
        },
        {
            "Action": [
                "tag:GetResources",
                "tag:GetTagKeys",
                "tag:GetTagValues",
                "tag:TagResources",
                "tag:UntagResources"
            ],
            "Resource": "*",
            "Effect": "Allow"
        },
        {
            "Action": "s3:GetObject",
            "Effect": "Allow",
            "Resource": "*",
            "Condition": {
                "StringEquals": {
                    "s3:ExistingObjectTag/servicecatalog:provisioning": "true"
                }
            }
        }
```

```
    ]
}
```

Untuk informasi selengkapnya tentang membuat produk Terraform menggunakan jenis produk Eksternal AWS Service Catalog, lihat Langkah 5: Membuat peran peluncuran di Panduan Administrator Service Catalog.

Menyediakan akun dengan AWS Control Tower Account Factory untuk Terraform (AFT)

AWS Control Tower Account Factory for Terraform (AFT) mengadopsi GitOps model yang mengotomatiskan proses penyediaan dan pembaruan akun di AWS Control Tower.

> **Note**
>
> AFT tidak memengaruhi kinerja alur kerja di AWS Control Tower. Jika Anda menyediakan akun melalui AFT atau Account Factory, alur kerja backend yang sama akan terjadi.

Dengan AFT, Anda membuat file Terraform permintaan akun, yang berisi input yang memanggil alur kerja AFT. Setelah penyediaan dan pembaruan akun selesai, alur kerja AFT berlanjut dengan menjalankan kerangka kerja penyediaan akun AFT dan langkah-langkah penyesuaian akun.

Prasyarat

Sebelum memulai dengan AFT, Anda harus membuat yang berikut:

- Lingkungan AFT yang sepenuhnya digunakan. Untuk informasi selengkapnya, lihat Ikhtisar AWS Control Tower Account Factory untuk Terraform (AFT) dan Menerapkan AWS Control Tower Account Factory untuk Terraform (AFT)
- Satu atau lebih `git` repositori AFT di lingkungan AFT Anda yang sepenuhnya digunakan. Untuk informasi selengkapnya, lihat Langkah pasca-penerapan untuk AFT.

> **Tip**
>
> Secara opsional, Anda dapat membuat folder template akun di aft-account-customizationsrepositori.

Untuk informasi tentang Wilayah AWS di mana AFT memiliki batasan penerapan, lihat Batasan dan kuota di AWS Control Tower danKeterbatasan kontrol.

Menyediakan akun baru dengan AFT

Untuk menyediakan akun baru dengan AFT, buat file Terraform permintaan akun. File ini berisi input untuk parameter dalam aft-account-requestrepositori. Setelah membuat file Terraform permintaan akun, mulailah memproses permintaan akun Anda dengan menjalankan. `git push` Perintah ini memanggil `ct-aft-account-request` operasi di AWS CodePipeline, yang dibuat di akun manajemen AFT setelah penyediaan akun selesai. Untuk informasi selengkapnya, lihat pipeline penyediaan akun AFT.

Permintaan akun Parameter file Terraform

Anda harus menyertakan parameter berikut dalam file Terraform permintaan akun Anda. Anda dapat melihat contoh permintaan akun Terraform file di. GitHub

- Nilai `module name` harus unik sesuai Akun AWS permintaan.
- Nilai `module source` adalah jalur ke modul Terraform permintaan akun yang disediakan AFT.
- Nilai `control_tower_parameters` menangkap input yang diperlukan untuk membuat akun AWS Control Tower. Nilai termasuk bidang masukan berikut:
  - `AccountEmail`
  - `AccountName`
  - `ManagedOrganizationalUnit`
  - `SSOUserEmail`
  - `SSOUserFirstName`
  - `SSOUserLastName`

> **Note**
>
> Masukan yang Anda berikan tidak `control_tower_parameters` dapat diubah selama penyediaan akun.
> Format yang didukung untuk menentukan `ManagedOrganizationalUnit` dalam aft-account-requestrepositori termasuk dan. `OUName` `OUName (OU-ID)`

- `account_tags`menangkap kunci dan nilai yang ditentukan pengguna, yang dapat menandai Akun AWS sesuai dengan kriteria bisnis. Untuk informasi selengkapnya, lihat Menandai AWS Organizations sumber daya di Panduan AWS Organizations Pengguna.
- Nilai `change_management_parameters` menangkap informasi tambahan, seperti mengapa permintaan akun dibuat dan siapa yang memulai permintaan akun. Nilai termasuk bidang masukan berikut:
  - `change_reason`
  - `change_requested_by`
- `custom_fields`menangkap metadata tambahan dengan kunci dan nilai yang diterapkan sebagai parameter SSM di akun penjual di bawah /aft/account-request/custom-fields/. Anda dapat mereferensikan metadata ini selama penyesuaian akun untuk menerapkan kontrol yang tepat. Misalnya, akun yang tunduk pada kepatuhan peraturan dapat menggunakan tambahan Aturan AWS Config. Metadata yang Anda kumpulkan `custom_fields` dapat meminta pemrosesan tambahan selama penyediaan dan pembaruan akun. Jika bidang kustom dihapus dari permintaan akun, bidang kustom akan dihapus dari Penyimpanan Parameter SSM untuk akun vended.
- (Opsional) `account_customizations_name` menangkap folder template akun di aft-account-customizationsrepositori. Untuk informasi selengkapnya, lihat Penyesuaian akun.

Kirim beberapa permintaan akun

AFT memproses permintaan akun satu per satu, tetapi Anda dapat mengirimkan beberapa permintaan akun ke pipeline AFT. Saat Anda mengirimkan beberapa permintaan akun ke pipeline AFT, AFT mengantri dan memproses permintaan akun dalam urutan masuk pertama, keluar pertama.

> **Note**
>
> Anda dapat membuat file Terraform permintaan akun untuk setiap akun yang Anda inginkan agar AFT sediakan atau kaskade beberapa permintaan akun dalam satu file Terraform permintaan akun.

Perbarui akun yang ada

Anda dapat memperbarui akun yang disediakan AFT dengan mengedit permintaan akun yang dikirimkan sebelumnya dan menjalankan`git push`. Perintah ini memanggil alur kerja penyediaan

akun dan dapat memproses permintaan pembaruan akun. Anda dapat memperbarui input untuk`ManagedOrganizationalUnit`, yang merupakan bagian dari nilai yang diperlukan untuk`control_tower_parameters`, dan parameter lain dalam file Terraform permintaan akun. Untuk informasi selengkapnya, lihat Menyediakan akun baru dengan AFT.

> **Note**
>
> Masukan yang Anda berikan tidak `control_tower_parameters` dapat diubah selama penyediaan akun.
> Format yang didukung untuk menentukan `ManagedOrganizationalUnit` dalam aft-account-requestrepositori termasuk dan. `OUName` `OUName (OU-ID)`

Perbarui akun yang tidak disediakan AFT

Anda dapat memperbarui akun AWS Control Tower yang dibuat di luar AFT dengan menentukan akun di aft-account-requestrepositori.

> **Note**
>
> Pastikan semua detail akun sudah benar dan konsisten dengan organisasi AWS Control Tower dan masing-masing produk AWS Service Catalog yang disediakan.

Prasyarat untuk memperbarui yang sudah ada dengan AFT Akun AWS

- Akun AWS Harus terdaftar di AWS Control Tower.
- Akun AWS Harus menjadi bagian dari organisasi AWS Control Tower.

Terapkan AWS Control Tower Account Factory untuk Terraform (AFT)

Bagian ini ditujukan untuk administrator lingkungan AWS Control Tower yang ingin menyiapkan Account Factory for Terraform (AFT) di lingkungan mereka yang ada. Ini menjelaskan cara menyiapkan Account Factory untuk lingkungan Terraform (AFT) dengan akun manajemen AFT khusus yang baru.

> **Note**
>
> Modul Terraform menyebarkan AFT. Modul ini tersedia di repositori AFT aktif GitHub, dan seluruh repositori AFT dianggap sebagai modul.
> Kami menyarankan Anda merujuk ke modul AFT GitHub alih-alih mengkloning repositori AFT. Dengan cara ini Anda dapat mengontrol dan menggunakan pembaruan modul saat tersedia.

Untuk detail tentang rilis terbaru fungsi AWS Control Tower Account Factory for Terraform (AFT), lihat file Rilis untuk repositori ini GitHub .

Prasyarat penyebaran

Sebelum Anda mengkonfigurasi dan meluncurkan lingkungan AFT Anda, Anda harus memiliki yang berikut:

- Sebuah landing zone AWS Control Tower. Untuk informasi selengkapnya, lihat Merencanakan landing zone AWS Control Tower Anda.
- Wilayah rumah untuk zona landing zone AWS Control Tower Anda. Untuk informasi selengkapnya, lihat Cara Wilayah AWS bekerja dengan AWS Control Tower.
- Versi dan distribusi Terraform. Untuk informasi lebih lanjut, lihat versi Terraform dan AFT.
- Penyedia VCS untuk melacak dan mengelola perubahan kode dan file lainnya. Secara default, AFT menggunakan AWS CodeCommit. Untuk informasi lebih lanjut, lihat Apa itu AWS CodeCommit? dalam AWS CodeCommit User Guide. Jika Anda ingin memilih penyedia VCS yang berbeda, lihat Alternatif untuk kontrol versi kode sumber di AFT.
- Lingkungan runtime tempat Anda dapat menjalankan modul Terraform yang menginstal AFT.
- Opsi fitur AFT. Untuk informasi selengkapnya, lihat Mengaktifkan opsi fitur.

Konfigurasikan dan luncurkan AWS Control Tower Account Factory untuk Terraform

Langkah-langkah berikut mengasumsikan bahwa Anda terbiasa dengan alur kerja Terraform. Anda juga dapat mempelajari lebih lanjut tentang penerapan AFT dengan mengikuti lab Pengantar AFT di situs web AWS Workshop Studio.

Langkah 1: Luncurkan landing zone AWS Control Tower Anda

Selesaikan langkah-langkah dalam Memulai AWS Control Tower. Di sinilah Anda membuat akun manajemen AWS Control Tower dan menyiapkan landing zone AWS Control Tower Anda.

> **Note**
>
> Pastikan untuk membuat peran untuk akun manajemen AWS Control Tower yang memiliki AdministratorAccesskredensi. Untuk informasi selengkapnya, lihat hal berikut:
>
> - Identitas IAM (pengguna, grup pengguna, dan peran) di AWS Identity and Access Management Panduan Pengguna
> - AdministratorAccessdalam Panduan Referensi Kebijakan AWS Terkelola

Langkah 2: Buat unit organisasi baru untuk AFT (disarankan)

Kami menyarankan Anda membuat OU terpisah di AWS organisasi Anda. Di sinilah Anda menyebarkan akun manajemen AFT. Buat OU baru dengan akun manajemen AWS Control Tower Anda. Untuk informasi selengkapnya, lihat Membuat OU baru.

Langkah 3: Menyediakan akun manajemen AFT

AFT mengharuskan Anda menyediakan AWS akun yang didedikasikan untuk operasi manajemen AFT. Akun manajemen AWS Control Tower, yang terkait dengan landing zone AWS Control Tower Anda, menjual akun manajemen AFT. Untuk informasi selengkapnya, lihat Menyediakan akun dengan AWS Service Catalog Account Factory.

> **Note**
>
> Jika Anda membuat OU terpisah untuk AFT, pastikan untuk memilih OU ini saat Anda membuat akun manajemen AFT.

Diperlukan waktu hingga 30 menit untuk sepenuhnya menyediakan akun manajemen AFT.

Langkah 4: Verifikasi lingkungan Terraform tersedia untuk penerapan

Langkah ini mengasumsikan bahwa Anda memiliki pengalaman dengan Terraform dan memiliki prosedur untuk menjalankan Terraform. Untuk informasi selengkapnya, lihat Command: init di situs web HashiCorp Developer.

> **Note**
>
> AFT mendukung Versi Terraform `1.2.0` atau yang lebih baru.

Langkah 5: Hubungi Account Factory untuk modul Terraform untuk menyebarkan AFT

Panggil modul AFT dengan peran yang Anda buat untuk akun manajemen AWS Control Tower yang memiliki AdministratorAccesskredensi. AWS Control Tower menyediakan modul Terraform melalui akun manajemen AWS Control Tower, yang menetapkan semua infrastruktur yang diperlukan untuk mengatur permintaan AWS Control Tower Account Factory.

Anda dapat melihat modul AFT di repositori AFT pada. GitHub Seluruh GitHub repositori dianggap sebagai modul AFT. Lihat file README untuk informasi tentang input yang diperlukan untuk menjalankan modul AFT dan menerapkan AFT. Atau, Anda dapat melihat modul AFT di Terraform Registry.

Modul AFT menyertakan `aft_enable_vpc` parameter yang menentukan apakah AWS Control Tower menyediakan sumber daya akun dalam virtual private cloud (VPC) di akun manajemen AFT pusat. Secara default, parameter diatur ke`true`. Jika Anda menyetel parameter ini`false`, AWS Control Tower menerapkan AFT tanpa menggunakan VPC dan sumber daya jaringan pribadi, seperti NAT Gateways atau titik akhir VPC. Menonaktifkan `aft_enable_vpc` dapat membantu mengurangi biaya operasi AFT untuk beberapa pola penggunaan.

> **Note**
>
> Mengaktifkan kembali `aft_enable_vpc` parameter (mengalihkan nilai dari `false` ke`true`) mungkin mengharuskan Anda menjalankan `terraform apply` perintah dua kali berturut-turut.

Jika Anda memiliki saluran pipa di lingkungan Anda yang dibuat untuk mengelola Terraform, Anda dapat mengintegrasikan modul AFT ke dalam alur kerja yang ada. Jika tidak, jalankan modul AFT dari lingkungan apa pun yang diautentikasi dengan kredensi yang diperlukan.

Timeout menyebabkan penerapan gagal. Sebaiknya gunakan kredensi AWS Security Token Service (STS) untuk memastikan Anda memiliki batas waktu yang cukup untuk penerapan penuh. Batas waktu minimum untuk AWS STS kredensional adalah 60 menit. Untuk informasi selengkapnya, lihat Kredensi keamanan sementara di IAM di Panduan Pengguna.AWS Identity and Access Management

> **Note**
>
> Anda mungkin menunggu hingga 30 menit hingga AFT menyelesaikan penerapan melalui modul Terraform.

Langkah 6: Kelola file status Terraform

File status Terraform dibuat saat Anda menerapkan AFT. Artefak ini menggambarkan keadaan sumber daya yang dibuat Terraform. Jika Anda berencana untuk memperbarui versi AFT, pastikan untuk memilih file status Terraform, atau siapkan backend Terraform menggunakan Amazon S3 dan DynamoDB. Modul AFT tidak mengelola status Terraform backend.

> **Note**
>
> Anda bertanggung jawab untuk melindungi file status Terraform. Beberapa variabel input mungkin berisi nilai sensitif, seperti `ssh` kunci pribadi atau token Terraform. Bergantung pada metode penerapan Anda, nilai-nilai ini dapat dilihat sebagai teks biasa di file status Terraform. Untuk informasi lebih lanjut, lihat Data sensitif di Negara di situs web. HashiCorp

Langkah-langkah pasca-penerapan

Setelah penyebaran infrastruktur AFT selesai, ikuti langkah-langkah tambahan ini untuk menyelesaikan proses penyiapan dan bersiap-siap untuk menyediakan akun.

Langkah 1: (Opsional) Lengkap CodeConnections dengan penyedia VCS yang Anda inginkan

Jika Anda memilih penyedia VCS pihak ketiga, AFT menetapkan CodeConnections, dan Anda mengonfirmasinya. Lihat Alternatif untuk kontrol versi kode sumber di AFT untuk mempelajari cara mengatur AFT dengan VCS pilihan Anda.

Langkah awal membangun AWS CodeStar koneksi dilakukan oleh AFT. Anda harus mengkonfirmasi koneksi.

Langkah 2: (Wajib) Isi setiap repositori

AFT mengharuskan Anda mengelola empat repositori:

1. Permintaan akun — Repositori ini menangani penempatan atau pembaruan permintaan akun. Contoh tersedia. Untuk informasi selengkapnya tentang permintaan akun AFT, lihatMenyediakan akun baru dengan AFT.
2. Kustomisasi penyediaan akun AFT — Repositori ini mengelola penyesuaian yang diterapkan ke semua akun yang dibuat oleh dan dikelola dengan AFT, sebelum memulai tahap penyesuaian global. Contoh tersedia. Untuk membuat kustomisasi penyediaan akun AFT, lihat. Buat mesin status penyesuaian penyediaan akun AFT Anda
3. Kustomisasi global — Repositori ini mengelola penyesuaian yang diterapkan ke semua akun yang dibuat oleh dan dikelola dengan AFT. Contoh tersedia. Untuk membuat kustomisasi global AFT, lihat. Terapkan kustomisasi global
4. Penyesuaian akun — Repositori ini mengelola penyesuaian yang hanya diterapkan pada akun tertentu yang dibuat oleh dan dikelola dengan AFT. Contoh tersedia. Untuk membuat kustomisasi akun AFT, lihat. Terapkan kustomisasi akun

AFT mengharapkan bahwa masing-masing repositori ini mengikuti struktur direktori tertentu. Template yang digunakan untuk mengisi repositori dan instruksi yang menjelaskan cara mengisi template tersedia di modul Account Factory for Terraform di repositori github AFT.

Ikhtisar AWS Control Tower Account Factory untuk Terraform (AFT)

Account Factory for Terraform (AFT) menyiapkan pipeline Terraform untuk membantu Anda menyediakan dan menyesuaikan akun di AWS Control Tower. AFT memberi Anda keuntungan dari penyediaan akun berbasis Terraform sambil memungkinkan Anda untuk mengatur akun Anda dengan AWS Control Tower.

Dengan AFT Anda membuat file Terraform permintaan akun untuk mendapatkan input yang memicu alur kerja AFT untuk penyediaan akun. Setelah tahap penyediaan akun selesai, AFT secara otomatis menjalankan serangkaian langkah sebelum tahap penyesuaian akun dimulai. Untuk informasi selengkapnya, lihat pipeline penyediaan akun AFT.

AFT mendukung Terraform Cloud, Terraform Enterprise, dan Terraform Community Edition. Dengan AFT Anda dapat memulai pembuatan akun menggunakan file input dan `git push` perintah sederhana dan menyesuaikan akun baru atau yang sudah ada. Pembuatan akun mencakup semua manfaat tata kelola AWS Control Tower dan penyesuaian akun yang membantu Anda memenuhi prosedur keamanan standar dan pedoman kepatuhan organisasi Anda.

AFT mendukung penelusuran permintaan kustomisasi akun. Setiap kali Anda mengirimkan permintaan kustomisasi akun, AFT menghasilkan token penelusuran unik yang melewati mesin AWS

Step Functions status penyesuaian AFT, yang mencatat token sebagai bagian dari pelaksanaannya. Anda kemudian dapat menggunakan kueri wawasan Amazon CloudWatch Logs untuk mencari rentang stempel waktu dan mengambil token permintaan. Akibatnya, Anda dapat melihat muatan yang menyertai token, sehingga Anda dapat melacak permintaan penyesuaian akun Anda di seluruh alur kerja AFT. Untuk informasi tentang CloudWatch Log dan Step Functions, lihat berikut ini:

- Apa itu Amazon CloudWatch Logs? di Panduan Pengguna CloudWatch Log Amazon
- Apa itu AWS Step Functions? di PanduanAWS Step Functions Pengembang

AFT menggabungkan kemampuan AWS layanan lain sebagaiLayanan komponen, untuk membangun kerangka kerja, dengan saluran pipa yang menyebarkan Terraform Infrastructure as Code (IAc). AFT memungkinkan Anda untuk:

- Kirim permintaan penyediaan akun dan perbarui dalam model GitOps
- Metadata akun toko dan riwayat audit
- Terapkan tag tingkat akun
- Tambahkan penyesuaian ke semua akun, ke satu set akun, atau ke akun individual
- Aktifkan opsi fitur

AFT membuat akun terpisah, yang disebut akun manajemen AFT, untuk menyebarkan kemampuan AFT. Sebelum Anda dapat mengatur AFT, Anda harus memiliki landing zone AWS Control Tower yang sudah ada. Akun manajemen AFT tidak sama dengan akun manajemen AWS Control Tower.

AFT menawarkan fleksibilitas

- Fleksibilitas untuk platform Anda: AFT mendukung Distribusi Terraform apa pun untuk penerapan awal dan operasi berkelanjutan: Edisi Komunitas, Cloud, dan Perusahaan.
- Fleksibilitas untuk sistem kontrol versi Anda: AFT secara native bergantung AWS CodeCommit, tetapi mendukung sumber alternatif untuk. CodeConnections

AFT menawarkan opsi fitur

Anda dapat mengaktifkan beberapa opsi fitur, berdasarkan praktik terbaik:

- Membuat tingkat organisasi CloudTrail untuk mencatat peristiwa data
- Menghapus VPC AWS default untuk akun

- Mendaftarkan akun yang disediakan ke dalam paket Enterprise Support AWS

> **Note**
>
> Pipeline AFT tidak dimaksudkan untuk digunakan dalam menyebarkan sumber daya, seperti instans Amazon EC2, yang diperlukan akun Anda untuk menjalankan aplikasi Anda. Ini ditujukan semata-mata untuk penyediaan otomatis dan penyesuaian akun AWS Control Tower.

Panduan Video

Video ini (7:33) menjelaskan cara menerapkan akun dengan AWS Control Tower Account Factory untuk Terraform. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video Penyediaan Akun Otomatis di AWS Control Tower.

Arsitektur AFT

Urutan operasi

Anda menjalankan operasi AFT di akun manajemen AFT. Untuk alur kerja penyediaan akun lengkap, urutan tahapan dari kiri ke kanan dalam diagram adalah sebagai berikut:

1. Permintaan akun dibuat dan dikirimkan ke pipeline. Anda dapat membuat dan mengirimkan lebih dari satu permintaan akun sekaligus. Account Factory memproses permintaan dalam first-in-first-out urutan. Untuk informasi selengkapnya, lihat Mengirimkan beberapa permintaan akun.
2. Setiap akun disediakan. Tahap ini berjalan di akun manajemen AWS Control Tower.
3. Kustomisasi global berjalan di pipeline yang dibuat untuk setiap akun vended.
4. Jika penyesuaian ditentukan dalam permintaan penyediaan akun awal, penyesuaian hanya berjalan pada akun yang ditargetkan. Jika Anda memiliki akun yang sudah disediakan, Anda harus memulai penyesuaian lebih lanjut secara manual di pipeline akun.

AWS Control Tower Account Factory untuk Terraform — alur kerja penyediaan akun



Biaya

Tidak ada biaya tambahan untuk AFT. Anda hanya membayar untuk sumber daya yang digunakan oleh AFT, AWS layanan yang diaktifkan oleh AFT, dan sumber daya yang Anda terapkan di lingkungan AFT Anda.

Konfigurasi AFT default mencakup alokasi AWS PrivateLink titik akhir, untuk perlindungan dan keamanan data yang ditingkatkan, dan gateway NAT yang diperlukan untuk mendukung. AWS CodeBuild Untuk detail tentang harga infrastruktur ini, lihat AWS PrivateLink harga dan harga VPC Amazon untuk NAT Gateway. Hubungi perwakilan AWS akun Anda untuk informasi lebih spesifik tentang mengelola biaya ini. Anda dapat mengubah pengaturan default ini untuk AFT.

Versi Terraform dan AFT

Account Factory for Terraform (AFT) mendukung versi Terraform atau yang lebih baru. `1.2.0` Anda harus memberikan versi Terraform sebagai parameter input untuk proses penerapan AFT, seperti yang ditunjukkan pada contoh berikut.

```
terraform_version = "1.2.0"
```

Distribusi terraform

AFT mendukung tiga distribusi Terraform:

- Edisi Komunitas Terraform

- Awan Terraform
- Perusahaan Terraform

Distribusi ini dijelaskan di bagian berikutnya. Berikan distribusi Terraform pilihan Anda sebagai parameter input selama proses bootstrap AFT. Untuk informasi selengkapnya tentang penerapan AFT dan parameter input, lihatTerapkan AWS Control Tower Account Factory untuk Terraform (AFT).

Jika Anda memilih distribusi Terraform Cloud atau Terraform Enterprise, token API yang Anda tentukan `terraform_token` harus berupa token API Pengguna atau Tim. Token Organisasi tidak didukung untuk semua API yang diperlukan. Untuk alasan keamanan, Anda harus menghindari memeriksa nilai token ini ke sistem kontrol versi (VCS) Anda dengan menetapkan variabel terraform, seperti yang ditunjukkan pada contoh berikut.

```
# Sensitive variable managed in Terraform Cloud:
terraform_token = var.terraform_cloud_token
```

Edisi Komunitas Terraform

Saat Anda memilih Terraform Community Edition sebagai distribusi Anda, AFT mengelola backend Terraform untuk Anda di akun manajemen AFT. AFT mengunduh versi Terraform yang Anda tentukan untuk dijalankan selama penerapan AFT dan fase pipeline AFT. `terraform-cli` Konfigurasi status Terraform yang dihasilkan disimpan dalam bucket Amazon S3, dinamai dengan bentuk berikut:

```
aft-backend-[account_id]-primary-region
```

AFT juga membuat bucket Amazon S3 yang mereplikasi konfigurasi status Terraform Anda di tempat lain Wilayah AWS, untuk tujuan pemulihan bencana, dinamai dengan formulir berikut:

```
aft-backend-[account_id]-secondary-region
```

Kami menyarankan Anda mengaktifkan otentikasi multi-faktor (MFA) untuk fungsi hapus pada bucket Amazon S3 status Terraform ini. Untuk mempelajari lebih lanjut tentang Terraform Community Edition, lihat dokumentasi Terraform.

Untuk memilih Terraform OSS sebagai distribusi Anda, berikan parameter input berikut:

```
terraform_distribution = "oss"
```

Awan Terraform

Saat Anda memilih Terraform Cloud sebagai distribusi Anda, AFT membuat ruang kerja untuk komponen berikut di organisasi Terraform Cloud Anda, yang memulai alur kerja berbasis API.

- Permintaan akun
- Kustomisasi AFT untuk akun yang disediakan AFT
- Kustomisasi akun untuk akun yang disediakan AFT
- Kustomisasi global untuk akun yang disediakan AFT

Terraform Cloud mengelola konfigurasi status Terraform yang dihasilkan.

Saat Anda memilih Terraform Cloud sebagai distribusi Anda, berikan parameter input berikut:

- `terraform_distribution = "tfc"`
- `terraform_token`— Parameter ini berisi nilai token Terraform Cloud. AFT menandai sebagai sensitif dan menyimpan nilai sebagai string aman di penyimpanan parameter SSM di akun manajemen AFT. Kami menyarankan Anda memutar nilai token Terraform secara berkala sesuai dengan kebijakan keamanan dan pedoman kepatuhan perusahaan Anda. Token Terraform harus berupa token API tingkat Pengguna atau Tim. Token organisasi tidak didukung.
- `terraform_org_name`— Parameter ini berisi nama organisasi Terraform Cloud Anda.

> **Note**
>
> Beberapa penerapan AFT dalam satu organisasi Terraform Cloud tidak didukung.

Untuk informasi tentang cara menyiapkan Terraform Cloud, lihat dokumentasi Terraform.

Perusahaan Terraform

Saat Anda memilih Terraform Enterprise sebagai distribusi Anda, AFT membuat ruang kerja untuk komponen berikut di organisasi Terraform Enterprise Anda, dan itu memicu alur kerja berbasis API untuk menjalankan Terraform yang dihasilkan.

- Permintaan akun
- Kustomisasi penyediaan akun AFT untuk akun yang disediakan oleh AFT
- Kustomisasi akun untuk akun yang disediakan oleh AFT
- Kustomisasi global untuk akun yang disediakan oleh AFT

Konfigurasi status Terraform yang dihasilkan dikelola oleh penyiapan Terraform Enterprise Anda.

Untuk memilih Terraform Enterprise sebagai distribusi Anda, berikan parameter input berikut:

- `terraform_distribution = "tfe"`
- `terraform_token`— Parameter ini berisi nilai token Terraform Enterprise Anda. AFT menandai nilainya sebagai sensitif dan menyimpannya sebagai string aman di penyimpanan parameter SSM, di akun manajemen AFT. Kami menyarankan Anda memutar nilai token Terraform secara berkala, sesuai dengan kebijakan keamanan dan pedoman kepatuhan perusahaan Anda.
- `terraform_org_name`— Parameter ini berisi nama organisasi Terraform Enterprise Anda.
- `terraform_api_endpoint`— Parameter ini berisi URL lingkungan Terraform Enterprise Anda. Nilai parameter ini harus dalam format:

  ```
  https://{fqdn}/api/v2/
  ```

Lihat dokumentasi Terraform untuk mempelajari lebih lanjut tentang cara menyiapkan Terraform Enterprise.

Periksa versi AFT

Anda dapat memeriksa versi AFT yang digunakan dengan menanyakan kunci Penyimpanan Parameter AWS SSM:

```
/aft/config/aft/version
```

Jika Anda menggunakan metode registri, Anda dapat menyematkan versi.

```
module "control_tower_account_factory" {
  source  = "aws-ia/control_tower_account_factory/aws"
  version = "1.3.2"
  # insert the 6 required variables here
}
```

Anda dapat melihat informasi lebih lanjut tentang versi AFT di repositori AFT.

Perbarui versi AFT

Anda dapat memperbarui versi AFT yang diterapkan dengan menariknya dari cabang `main` repositori:

```
terraform get -update
```

Setelah penarikan selesai, Anda dapat menjalankan kembali paket Terraform atau menjalankan apply untuk memperbarui infrastruktur AFT dengan perubahan terbaru.

Aktifkan opsi fitur

AFT menawarkan opsi fitur berdasarkan praktik terbaik. Anda dapat ikut serta dalam fitur-fitur ini, melalui flag fitur, selama penerapan AFT. Lihat Menyediakan akun baru dengan AFT untuk informasi lebih lanjut tentang parameter konfigurasi input AFT.

Fitur-fitur ini tidak diaktifkan secara default. Anda harus secara eksplisit mengaktifkan masing-masing di lingkungan Anda.

Topik

- AWS CloudTrail peristiwa data
- AWS Paket Enterprise Support
- Hapus AWS VPC default

AWS CloudTrail peristiwa data

Saat diaktifkan, opsi peristiwa AWS CloudTrail data mengonfigurasi kemampuan ini.

- Membuat Jejak Organisasi di akun manajemen AWS Control Tower, untuk CloudTrail
- Mengaktifkan pencatatan untuk peristiwa data Amazon S3 dan Lambda
- Mengenkripsi dan mengekspor semua peristiwa CloudTrail data ke bucket `aws-aft-logs-*` S3 di akun AWS Control Tower Log Archive, dengan enkripsi AWS KMS
- Mengaktifkan setelan validasi berkas Log

Untuk mengaktifkan opsi ini, setel flag fitur berikut ke True dalam konfigurasi input penerapan AFT Anda.

```
aft_feature_cloudtrail_data_events
```

Prasyarat

Sebelum Anda mengaktifkan opsi fitur ini, pastikan akses tepercaya untuk AWS CloudTrail diaktifkan di organisasi Anda.

Untuk memeriksa status akses tepercaya untuk CloudTrail :

1. Arahkan ke AWS Organizations konsol.
2. Pilih Layanan > CloudTrail.
3. Kemudian pilih Aktifkan akses tepercaya di kanan atas, jika diperlukan.

Anda mungkin menerima pesan peringatan yang menyarankan Anda untuk menggunakan AWS CloudTrail konsol, tetapi dalam kasus ini, abaikan peringatan tersebut. AFT membuat jejak sebagai bagian dari mengaktifkan opsi fitur ini, setelah Anda mengizinkan akses tepercaya. Jika akses tepercaya tidak diaktifkan, Anda akan menerima pesan kesalahan saat AFT mencoba membuat jejak untuk peristiwa data.

> **Note**
>
> Pengaturan ini berfungsi di tingkat organisasi. Mengaktifkan pengaturan ini memengaruhi semua akun AWS Organizations, baik dikelola oleh AFT atau tidak. Semua bucket di akun AWS Control Tower Log Archive pada saat mengaktifkan dikecualikan dari peristiwa data Amazon S3. Lihat Panduan AWS CloudTrail Pengguna untuk mempelajari lebih lanjut CloudTrail.

AWS Paket Enterprise Support

Ketika opsi ini diaktifkan, pipeline AFT mengaktifkan paket AWS Enterprise Support untuk akun yang disediakan oleh AFT.

AWS akun secara default dilengkapi dengan paket Dukungan AWS Dasar diaktifkan. AFT menyediakan pendaftaran otomatis ke tingkat dukungan perusahaan, untuk akun yang disediakan AFT. Proses penyediaan membuka tiket dukungan untuk akun, memintanya untuk ditambahkan ke paket Enterprise AWS Support.

Untuk mengaktifkan opsi Enterprise Support, setel flag fitur berikut ke True dalam konfigurasi input penerapan AFT Anda.

```
aft_feature_enterprise_support=false
```

Lihat Bandingkan Paket AWS Dukungan untuk mempelajari lebih lanjut tentang AWS Support Plans.

> **Note**
>
> Untuk memungkinkan fitur ini beroperasi, Anda harus mendaftarkan akun pembayar ke dalam paket Enterprise Support.

Hapus AWS VPC default

Saat Anda mengaktifkan opsi ini, AFT menghapus semua VPC AWS default di akun manajemen dan semuanya Wilayah AWS, meskipun belum menerapkan sumber daya AWS Control Tower di dalamnya. Wilayah AWS

AFT tidak menghapus VPC AWS default secara otomatis untuk akun AWS Control Tower apa pun yang disediakan AFT atau untuk AWS akun yang sudah ada yang Anda daftarkan di AWS Control Tower melalui AFT.

AWS Akun baru dibuat dengan VPC yang disiapkan di masing-masing akun Wilayah AWS, secara default. Perusahaan Anda mungkin memiliki praktik standar untuk membuat VPC, yang mengharuskan Anda menghapus VPC AWS default dan menghindari mengaktifkannya, terutama untuk akun manajemen AFT.

Untuk mengaktifkan opsi ini, setel flag fitur berikut ke True dalam konfigurasi input penerapan AFT Anda.

```
aft_feature_delete_default_vpcs_enabled
```

Lihat VPC default dan subnet default untuk mempelajari lebih lanjut tentang VPC default.

Pertimbangan sumber daya untuk AWS Control Tower Account Factory untuk Terraform

Saat Anda menyiapkan landing zone menggunakan AWS Control Tower Account Factory for Terraform, beberapa jenis AWS sumber daya dibuat dalam akun Anda AWS .

Cari sumber daya

- Anda dapat menggunakan tag untuk mencari daftar sumber daya AFT terbaru. Pasangan kunci-nilai untuk pencarian Anda adalah:

```
Key: managed_by | Value: AFT
```

- Untuk layanan komponen yang tidak mendukung tag, Anda dapat menemukan sumber daya dengan pencarian `aft` di nama sumber daya.

Tabel sumber daya yang awalnya dibuat, berdasarkan akun

AWS Control Tower Account Factory untuk akun manajemen Terraform

AWS layanan	Jenis sumber daya	Nama sumber daya
AWS Identity and Access Management	Peran	AWSAFTAdministrator AWSAFTExecution AWSAFTService aws-ct-aft-*
AWS Identity and Access Management	Kebijakan	aws-ct-aft-*
CodeCommit	Repositori	aws-ct-aft-*
CodeBuild	Membangun Proyek	aws-ct-aft-*
Kode Pipa	Alur	*-baseline-*
Amazon S3	Bucket	*-aws-ct-aft-* aws-ct-aft-*
Lambda	Fungsi	aws-ct-aft-*
Lambda	Lapisan	aws-ct-aft-common-layer
DynamoDB	Tabel	aws-ct-aft-request

AWS layanan	Jenis sumber daya	Nama sumber daya
		aws-ct-aft-request-audit aws-ct-aft-request-metadata aws-ct-aft-controltower-events
Step Functions	Mesin Negara	aws-ct-aft-prebaseline aws-ct-aft-prebaseline-customizations aws-ct-aft-trigger-baseline aws-ct-aft-features
VPC	VPC	aws-ct-aft-vpc
Amazon SNS	Topik	aws-ct-aft-notifications aws-ct-aft-failure-notifications
Amazon EventBridge	Bus peristiwa	aws-ct-aft-events-from-ct-management
Amazon EventBridge	Aturan acara	aws-ct-aft-capture-ct-events aws-ct-aft-lambda-account-request-processor
Layanan Manajemen Kunci (KMS)	Kunci yang Dikelola Pelanggan	*-aws-ct-aft-* aws-ct-aft-*
AWS Systems Manager	Menyimpan parameter	/aws-ct-aft/account/* /aws/ct-aft/config/*

AWS layanan	Jenis sumber daya	Nama sumber daya
Amazon SQS	Antrean	aws-ct-aft-account-request.fifo aws-ct-aft-account-request-dlg.fifo
CloudWatch	Grup log	/aws/*/aws-ct-aft-* aws-ct-aft-*
AWS Support Center (Opsional)	Paket Support	Enterprise

AWS akun yang disediakan melalui AWS Control Tower Account Factory untuk Terraform

AWS layanan	Jenis sumber daya	Nama sumber daya
AWS Identity and Access Management	Peran	AWSAFTExecution
AWS Support Center (Opsional)	Paket Support	Enterprise

Akun manajemen AWS Control Tower

AWS layanan	Jenis sumber daya	Nama sumber daya
AWS Identity and Access Management	Peran	AWSAFTExecutionRole AWSAFTExecution aws-ct-aft-controltower-events-rule
AWS Systems Manager	Menyimpan parameter	/aws-ct-aft/account/aws-ct-aft-management/account-id
AWS Organizations (Opsional)	Kebijakan Kontrol Layanan	aws-ct-aft-protect-resources

AWS layanan	Jenis sumber daya	Nama sumber daya
CloudTrail (Opsional)	Jejak	aws-ct-aft-BaselineCloudTrail
Pusat Dukungan AWS (Opsional)	Paket Support	Enterprise

Akun arsip log AWS Control Tower

AWS layanan	Jenis sumber daya	Nama sumber daya
AWS Identity and Access Management	Peran	AWSAFTExecutionRole AWSAFTExecution aws-ct-aft-cloudtrail-data-events-role
Layanan Manajemen Kunci (KMS)	Kunci yang Dikelola Pelanggan	*-aws-ct-aft-kms-gd-findings
Amazon S3	Bucket	*-aws-ct-aft-logs* aws-ct-aft-s3-access-logs*
AWS Support Center (Opsional)	Paket Support	Enterprise

Akun audit AWS Control Tower

AWS layanan	Jenis sumber daya	Nama sumber daya
AWS Identity and Access Management	Peran	AWSAFTExecutionRole AWSAFTExecution
Amazon S3	Bucket	*-aws-ct-aft-logs-* aws-ct-aft-s3-access-logs*

AWS layanan	Jenis sumber daya	Nama sumber daya
AWS Support Center (Opsional)	Paket Support	Enterprise

Peran yang dibutuhkan

Secara umum, peran dan kebijakan merupakan bagian dari manajemen identitas dan akses (IAM) di AWS. Lihat Panduan PenggunaAWS IAM untuk informasi lebih lanjut.

AFT membuat beberapa peran dan kebijakan IAM dalam manajemen AFT dan akun manajemen AWS Control Tower untuk mendukung pengoperasian pipeline AFT. Peran ini dibuat berdasarkan model akses hak istimewa terkecil, yang membatasi izin untuk kumpulan tindakan dan sumber daya minimal yang diperlukan untuk setiap peran dan kebijakan. Peran dan kebijakan ini diberikan `key:value` pasangan AWS tag, seperti `managed_by:AFT` untuk identifikasi.

Selain peran IAM ini, AFT menciptakan tiga peran penting:

- `AWSAFTAdmin`peran
- `AWSAFTExecution`peran
- `AWSAFTService`peran

Peran ini dijelaskan di bagian berikut.

AWSAFTAdmin Peran tersebut, dijelaskan

Saat Anda menerapkan AFT, `AWSAFTAdmin` peran dibuat di akun manajemen AFT. Peran ini memungkinkan pipeline AFT untuk mengambil `AWSAFTExecution` peran dalam AWS Control Tower dan akun yang disediakan AFT, sehingga dapat melakukan tindakan yang terkait dengan penyediaan dan penyesuaian akun.

Berikut adalah kebijakan inline (artefak JSON) yang dilampirkan pada peran: `AWSAFTAdmin`

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
```

```
            "Action": "sts:AssumeRole",
            "Resource": [
                "arn:aws:iam::*:role/AWSAFTExecution",
                "arn:aws:iam::*:role/AWSAFTService"
            ]
        }
    ]
}
```

Artefak JSON berikut menunjukkan hubungan kepercayaan untuk peran tersebut. `AWSAFTAdmin` Nomor placeholder diganti dengan nomor `012345678901` ID akun manajemen AFT.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::012345678901:root"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

AWSAFTExecution Peran tersebut, dijelaskan

Saat Anda menerapkan AFT, `AWSAFTExecution` peran tersebut dibuat di manajemen AFT dan akun manajemen AWS Control Tower. Kemudian, pipeline AFT menciptakan `AWSAFTExecution` peran di setiap akun yang disediakan AFT selama tahap penyediaan akun AFT.

AFT menggunakan `AWSControlTowerExecution` peran awalnya, untuk membuat `AWSAFTExecution` peran dalam akun tertentu. `AWSAFTExecution`Peran ini memungkinkan pipeline AFT untuk menjalankan langkah-langkah yang dilakukan selama tahap penyediaan dan penyediaan kerangka kerja AFT, untuk akun yang disediakan AFT dan untuk akun bersama.

> **Peran yang berbeda membantu Anda membatasi ruang lingkup**
>
> Sebagai praktik terbaik, pisahkan izin penyesuaian dari izin yang diizinkan selama penerapan awal sumber daya Anda. Ingatlah bahwa `AWSAFTService` peran tersebut dimaksudkan untuk penyediaan akun, dan `AWSAFTExecution` peran tersebut ditujukan

untuk penyesuaian akun. Pemisahan ini membatasi ruang lingkup izin yang diizinkan selama setiap fase pipa. Perbedaan ini sangat penting jika Anda menyesuaikan akun bersama AWS Control Tower, karena akun bersama mungkin berisi informasi sensitif, seperti detail penagihan atau informasi pengguna.

Izin untuk `AWSAFTExecution` peran: AdministratorAccess— kebijakan yang dikelola AWS

Artefak JSON berikut menunjukkan kebijakan IAM (hubungan kepercayaan) yang melekat pada peran tersebut. `AWSAFTExecution` Nomor placeholder diganti dengan nomor `012345678901` ID akun manajemen AFT.

Kebijakan kepercayaan untuk `AWSAFTExecution`

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::012345678901:role/AWSAFTAdmin"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

AWSAFTService Peran tersebut, dijelaskan

`AWSAFTService`Peran ini menyebarkan sumber daya AFT di semua akun yang terdaftar dan dikelola, termasuk akun bersama dan akun manajemen. Sumber daya sebelumnya hanya digunakan oleh peran tersebut. `AWSAFTExecution`

`AWSAFTService`Peran ini dimaksudkan untuk digunakan oleh infrastruktur layanan untuk menyebarkan sumber daya selama tahap penyediaan, dan `AWSAFTExecution` peran tersebut dimaksudkan untuk digunakan hanya untuk menerapkan penyesuaian. Dengan mengasumsikan peran dengan cara ini, Anda dapat mempertahankan kontrol akses yang lebih terperinci selama setiap tahap.

Izin untuk `AWSAFTService` peran: AdministratorAccess— kebijakan yang dikelola AWS

Artefak JSON berikut menunjukkan kebijakan IAM (hubungan kepercayaan) yang melekat pada peran tersebut. `AWSAFTService` Nomor placeholder diganti dengan nomor `012345678901` ID akun manajemen AFT.

Kebijakan kepercayaan untuk `AWSAFTService`

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "AWS": "arn:aws:iam::012345678901:role/AWSAFTAdmin"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

Layanan komponen

Saat Anda menerapkan AFT, komponen ditambahkan ke AWS lingkungan Anda dari masing-masing AWS layanan ini.

- AWS Control Tower — AFT menggunakan AWS Control Tower Account Factory di akun manajemen AWS Control Tower untuk menyediakan akun.
- Amazon DynamoDB — AFT membuat tabel Amazon DynamoDB di akun manajemen AFT, yang menyimpan permintaan akun, riwayat audit pembaruan akun, metadata akun, dan peristiwa siklus hidup AWS Control Tower. AFT juga membuat pemicu DynamoDB Lambda untuk memulai proses hilir, seperti memulai alur kerja penyediaan akun AFT.
- Amazon Simple Storage Service — AFT membuat bucket Amazon Simple Storage Service (S3) di akun manajemen AFT dan akun arsip log AWS Control Tower, yang menyimpan log yang dihasilkan oleh layanan AWS yang diperlukan oleh pipeline AFT. AFT juga membuat bucket S3 backend Terraform, di Wilayah AWS primer dan sekunder, untuk menyimpan status Terraform yang dihasilkan selama alur kerja pipeline AFT.
- Amazon Simple Notification Service — AFT membuat topik Amazon Simple Notification Service (SNS) di akun manajemen AFT, yang menyimpan notifikasi keberhasilan dan kegagalan setelah memproses setiap permintaan akun AFT. Anda dapat menerima pesan-pesan ini menggunakan protokol pilihan Anda.

- Layanan Antrian Sederhana Amazon - AFT membuat antrian FIFO Amazon Simple Queuing Service (Amazon SQS) di akun manajemen AFT. Antrian memungkinkan Anda untuk mengirimkan beberapa permintaan akun secara paralel, tetapi mengirimkan satu permintaan pada satu waktu ke AWS Control Tower Account Factory, untuk pemrosesan berurutan.
- AWS CodeBuild — AFT membuat proyek CodeBuild build AWS di akun manajemen AFT untuk menginisialisasi, mengkompilasi, menguji, dan menerapkan paket Terraform untuk kode sumber AFT dalam berbagai tahap pembuatan.
- AWS CodePipeline — AFT membuat CodePipeline pipeline AWS di akun manajemen AFT untuk diintegrasikan dengan penyedia CodeStar koneksi AWS yang Anda pilih dan didukung untuk kode sumber AFT, dan untuk memicu pekerjaan build di AWS CodeBuild.
- AWS Lambda — AFT membuat fungsi dan lapisan AWS Lambda di akun manajemen AFT untuk melakukan langkah-langkah selama proses permintaan akun, penyediaan akun AFT, dan penyesuaian akun.
- AWS Systems Manager Parameter Store — AFT menyiapkan AWS Systems Manager Parameter Store di akun manajemen AFT, untuk menyimpan parameter konfigurasi yang diperlukan untuk proses pipeline AFT.
- Amazon CloudWatch — AFT membuat grup CloudWatch log Amazon di akun manajemen AFT untuk menyimpan log yang dihasilkan oleh layanan AWS yang digunakan oleh pipeline AFT. Periode retensi untuk CloudWatch log diatur ke`Never Expire`.
- Amazon VPC — AFT membuat Amazon Virtual Private Cloud (VPC) untuk mengisolasi layanan dan sumber daya di akun manajemen AFT ke dalam lingkungan jaringan terpisah, untuk meningkatkan keamanan.
- AWS KMS — AFT menggunakan AWS Key Management Service (KMS) AWS Management Service (KMS) di akun manajemen AFT dan di akun arsip log AWS Control Tower. AFT membuat kunci untuk mengenkripsi status Terraform, data yang disimpan dalam tabel DynamoDB, dan topik SNS. Log dan artefak ini dihasilkan saat sumber daya dan layanan AWS digunakan oleh AFT. Kunci KMS yang dibuat oleh AFT memiliki rotasi tahunan yang diaktifkan secara default.
- AWS Identity and Access Management (IAM) — AFT mengikuti model Least Privilege yang direkomendasikan. Ini menciptakan peran dan kebijakan AWS Identity and Access Management (IAM) di akun manajemen AFT, di akun AWS Control Tower, dan di akun yang disediakan AFT, sesuai kebutuhan, untuk melakukan tindakan yang diperlukan selama alur kerja pipeline AFT.
- AWS Step Functions — AFT membuat mesin status AWS Step Functions di akun manajemen AFT. Mesin status ini mengatur dan mengotomatiskan proses dan langkah-langkah untuk kerangka kerja dan penyesuaian penyediaan akun AFT.

- Amazon EventBridge — AFT membuat bus EventBridge acara Amazon di akun manajemen AFT dan AWS Control Tower untuk menangkap dan menyimpan peristiwa siklus hidup AWS Control Tower dalam jangka panjang di tabel DynamoDB akun manajemen AFT. AFT membuat aturan CloudWatch acara AWS di manajemen AFT dan akun manajemen AWS Control Tower, yang memicu beberapa langkah yang diperlukan selama menjalankan alur kerja pipeline AFT
- AWS CloudTrail (Opsional) — Saat fitur ini diaktifkan, AFT membuat jejak CloudTrail organisasi AWS di akun manajemen AWS Control Tower, untuk mencatat peristiwa data untuk bucket Amazon S3 dan fungsi AWS Lambda. AFT mengirimkan log ini ke bucket S3 pusat di akun arsip log AWS Control Tower.
- AWS Support (Opsional) — Saat fitur ini diaktifkan, AFT mengaktifkan paket AWS Enterprise Support untuk akun yang disediakan oleh AFT. Secara default, akun AWS dibuat dengan paket AWS Basic Support diaktifkan.

Pipa penyediaan akun AFT

Setelah tahap penyediaan akun pipa selesai, kerangka kerja AFT berlanjut. Ini secara otomatis menjalankan serangkaian langkah untuk memastikan bahwa akun yang baru disediakan memiliki detail di tempat, sebelum Kustomisasi akun tahap dimulai.

Berikut adalah langkah-langkah selanjutnya yang dijalankan pipa AFT.

1. Memvalidasi input permintaan akun.
2. Mengambil informasi tentang akun yang disediakan, misalnya, ID akun.
3. Menyimpan metadata akun dalam tabel DynamoDB di akun manajemen AFT.
4. Membuat peran AWSAFTExecutionIAM di akun yang baru disediakan. AFT mengasumsikan peran ini untuk melakukan tahap penyesuaian akun, karena peran ini memberikan akses ke portofolio pabrik akun.
5. Menerapkan tag akun yang Anda berikan sebagai bagian dari parameter input permintaan akun.
6. Menerapkan opsi fitur AFT yang Anda pilih pada saat penerapan AFT.
7. Menerapkan kustomisasi penyediaan akun AFT yang Anda berikan. Bagian selanjutnya menceritakan lebih lanjut tentang cara mengatur penyesuaian ini dengan mesin status AWS Step Functions, di repositori. `git` Tahap ini kadang-kadang disebut sebagai tahap kerangka penyediaan akun. Ini adalah bagian dari proses penyediaan inti, tetapi sebelumnya Anda telah menyiapkan kerangka kerja yang memberikan integrasi khusus sebagai bagian dari alur

kerja penyediaan akun Anda, sebelum penyesuaian tambahan ditambahkan ke akun di tahap berikutnya.

8. Untuk setiap akun yang disediakan, itu membuat akun AWS CodePipeline manajemen AFT, yang akan berjalan untuk melakukan tahap (berikutnya, global)Kustomisasi akun.
9. Memanggil pipeline penyesuaian akun untuk setiap akun yang disediakan (dan ditargetkan).
10. Mengirim pemberitahuan keberhasilan atau kegagalan ke topik SNS, dari mana Anda dapat mengambil pesan.

Siapkan kustomisasi kerangka kerja penyediaan akun dengan mesin status

Jika Anda menyiapkan integrasi kustom non-Terraform sebelum Anda menyediakan akun, penyesuaian ini disertakan dalam alur kerja penyediaan akun AFT Anda. Misalnya, Anda mungkin memerlukan penyesuaian tertentu untuk memastikan bahwa semua akun yang dibuat oleh AFT sesuai dengan standar dan kebijakan organisasi Anda, seperti standar keamanan, dan standar ini dapat ditambahkan ke akun sebelum penyesuaian tambahan. Kustomisasi kerangka kerja penyediaan akun ini diterapkan pada setiap akun yang disediakan, sebelum tahap kustomisasi akun global dimulai berikutnya.

> **Note**
>
> Fitur AFT yang dijelaskan di bagian ini ditujukan untuk pengguna tingkat lanjut yang memahami fungsi AWS Step Functions. Sebagai alternatif, kami menyarankan Anda bekerja dengan pembantu global di tahap penyesuaian akun.

Kerangka kerja penyediaan akun AFT memanggil mesin status AWS Step Functions, yang Anda tentukan, untuk mengimplementasikan penyesuaian Anda. Lihat dokumentasi AWS Step Functions untuk mempelajari lebih lanjut tentang kemungkinan integrasi mesin status.

Berikut adalah beberapa integrasi umum.

- AWS Lambda berfungsi dalam bahasa pilihan Anda
- Tugas AWS ECS atau AWS Fargate, menggunakan kontainer Docker
- Aktivitas AWS Step Functions menggunakan pekerja khusus, yang dihosting baik di AWS maupun di tempat
- Integrasi Amazon SNS atau SQS

Jika tidak ada mesin status AWS Step Functions yang ditentukan, tahap akan berlalu dengan no-op. Untuk membuat mesin status penyesuaian penyediaan akun AFT, ikuti petunjuk di. Buat mesin status penyesuaian penyediaan akun AFT Anda Sebelum Anda menambahkan kustomisasi, pastikan Anda memiliki prasyarat di tempat.

Jenis integrasi ini bukan bagian dari AWS Control Tower, dan tidak dapat ditambahkan selama tahap pra-API global penyesuaian akun AFT. Sebagai gantinya, pipeline AFT memungkinkan Anda untuk mengatur penyesuaian ini sebagai bagian dari proses penyediaan, dan mereka dijalankan dalam alur kerja penyediaan. Anda harus menerapkan penyesuaian ini dengan membuat mesin status Anda sebelumnya, sebelum memulai tahap penyediaan akun AFT, seperti yang dijelaskan di bagian berikut.

Prasyarat untuk membuat mesin negara

- AFT yang sepenuhnya dikerahkan. Lihat Terapkan AWS Control Tower Account Factory untuk Terraform (AFT) untuk informasi selengkapnya tentang penerapan AFT.
- Siapkan `git` repositori di lingkungan Anda untuk penyesuaian penyediaan akun AFT. Untuk informasi selengkapnya, lihat Langkah-langkah pasca-penerapan.

Buat mesin status penyesuaian penyediaan akun AFT Anda

Langkah 1: Ubah definisi mesin negara

Ubah contoh definisi mesin `customizations.asl.json` negara. Contoh ini tersedia di `git` repositori yang Anda siapkan untuk menyimpan kustomisasi penyediaan akun AFT, dalam langkah pasca-penerapan Anda. Lihat Panduan Pengembang AWS Step Functions untuk mempelajari lebih lanjut tentang definisi mesin status.

Langkah 2: Sertakan konfigurasi Terraform yang sesuai

Sertakan file Terraform dengan `.tf` ekstensi di `git` repositori yang sama dengan definisi mesin status untuk integrasi khusus Anda. Misalnya, jika Anda memilih untuk memanggil fungsi Lambda dalam definisi tugas mesin status Anda, Anda akan menyertakan `lambda.tf` file dalam direktori yang sama. Pastikan Anda menyertakan peran dan izin IAM yang diperlukan untuk konfigurasi kustom Anda.

Saat Anda memberikan input yang sesuai, pipeline AFT secara otomatis memanggil mesin status Anda dan menerapkan penyesuaian Anda sebagai bagian dari tahap kerangka kerja penyediaan akun AFT.

Untuk memulai kembali kerangka kerja dan penyesuaian penyediaan akun AFT

AFT menjalankan kerangka kerja penyediaan akun dan langkah-langkah penyesuaian untuk setiap akun yang dijual melalui pipeline AFT. Untuk memulai kembali penyesuaian penyediaan akun, Anda dapat menggunakan salah satu dari dua metode berikut:

1. Buat perubahan apa pun pada akun yang ada di repo permintaan akun.
2. Menyediakan akun baru dengan AFT.

Kustomisasi akun

AFT dapat menerapkan konfigurasi standar atau khusus di akun yang disediakan. Di akun manajemen AFT, AFT menyediakan satu pipeline untuk setiap akun. Dengan pipeline ini, Anda dapat menerapkan penyesuaian di semua akun, dalam satu set akun, atau di akun individual. Anda dapat menjalankan skrip Python, skrip bash, dan konfigurasi Terraform, atau Anda dapat berinteraksi dengan AWS CLI sebagai bagian dari tahap penyesuaian akun Anda.

Ikhtisar

Setelah kustomisasi Anda ditentukan dalam `git` repositori pilihan Anda, baik tempat Anda menyimpan penyesuaian global atau tempat Anda menyimpan penyesuaian akun, tahap penyesuaian akun diselesaikan secara otomatis oleh pipeline AFT. Untuk menyesuaikan akun secara surut, lihatMemanggil kembali kustomisasi.

Kustomisasi global (opsional)

Anda dapat memilih untuk menerapkan penyesuaian tertentu ke semua akun yang disediakan oleh AFT. Misalnya, jika Anda perlu membuat peran IAM tertentu, atau menerapkan kontrol kustom di setiap akun, tahap penyesuaian global dalam pipeline AFT memungkinkan Anda melakukannya, secara otomatis.

Kustomisasi akun (opsional)

Untuk menyesuaikan akun individual, atau satu set akun, secara berbeda dari akun yang disediakan AFT lainnya, Anda dapat memanfaatkan bagian penyesuaian akun dari pipeline AFT untuk menerapkan konfigurasi khusus akun. Misalnya, hanya akun tertentu yang mungkin memerlukan akses ke gateway internet.

Prasyarat kustomisasi

Sebelum Anda mulai menyesuaikan akun, pastikan prasyarat ini sudah ada.

- AFT yang sepenuhnya dikerahkan. Untuk informasi tentang cara menerapkan, lihatKonfigurasikan dan luncurkan AWS Control Tower Account Factory untuk Terraform.
- `git`Repositori terisi sebelumnya untuk penyesuaian global dan penyesuaian akun di lingkungan Anda. Lihat Langkah 3: Isi setiap repositori Langkah-langkah pasca-penerapan untuk informasi lebih lanjut.

Terapkan kustomisasi global

Untuk menerapkan penyesuaian global, Anda harus mendorong struktur folder tertentu ke repositori pilihan Anda.

- Jika konfigurasi kustom Anda dalam bentuk program atau skrip Python, letakkan di bawah folder api_helpers/python di repositori Anda.
- Jika konfigurasi kustom Anda dalam bentuk skrip Bash, letakkan di bawah folder api_helpers di repositori Anda.
- Jika konfigurasi khusus Anda dalam bentuk Terraform, letakkan di bawah folder terraform di repositori Anda.
- Lihat file README kustomisasi global untuk detail selengkapnya tentang membuat konfigurasi kustom.

> **Note**
>
> Kustomisasi global diterapkan secara otomatis, setelah tahap kerangka kerja penyediaan akun AFT di pipeline AFT.

Terapkan kustomisasi akun

Anda dapat menerapkan penyesuaian akun dengan mendorong struktur folder tertentu ke repositori pilihan Anda. Kustomisasi akun diterapkan secara otomatis di pipeline AFT dan setelah tahap penyesuaian global. Anda juga dapat membuat beberapa folder yang berisi penyesuaian akun yang

berbeda di repositori penyesuaian akun Anda. Untuk setiap penyesuaian akun yang Anda butuhkan, gunakan langkah-langkah berikut.

Untuk menerapkan kustomisasi akun

1. Langkah 1: Buat folder untuk kustomisasi akun

   Di repositori pilihan Anda, salin `ACCOUNT_TEMPLATE` folder yang disediakan AFT ke folder baru. Nama folder baru Anda harus sesuai dengan `account_customizations_name` yang Anda berikan dalam permintaan akun Anda.

2. Tambahkan konfigurasi ke folder kustomisasi akun spesifik Anda

   Anda dapat menambahkan konfigurasi ke folder penyesuaian akun Anda berdasarkan format konfigurasi Anda.

   - Jika konfigurasi kustom Anda dalam bentuk program atau skrip Python, letakkan di bawah folder ***[account_customizations_name] /api_helpers/python*** yang ada di repositori Anda.
   - Jika konfigurasi kustom Anda dalam bentuk skrip Bash, letakkan di bawah folder ***[account_customizations_name] /api_helpers*** yang ada di repositori Anda.
   - Jika konfigurasi khusus Anda dalam bentuk Terraform, letakkan di bawah folder ***[account_customizations_name]*** /terraform yang ada di repositori Anda.

   Untuk informasi selengkapnya tentang membuat konfigurasi kustom, lihat file README penyesuaian akun.

3. Lihat **`account_customizations_name`** parameter spesifik dalam file permintaan akun

   File permintaan akun AFT menyertakan parameter input`account_customizations_name`. Masukkan nama kustomisasi akun Anda sebagai nilai untuk parameter ini.

> **Note**
>
> Anda dapat mengirimkan beberapa permintaan akun untuk akun di lingkungan Anda. Bila Anda ingin menerapkan kustomisasi akun yang berbeda atau serupa, tentukan kustomisasi akun menggunakan parameter `account_customizations_name` input dalam permintaan akun Anda. Untuk informasi selengkapnya, lihat Mengirimkan beberapa permintaan akun.

Memanggil kembali kustomisasi

AFT menyediakan cara untuk memanggil kembali penyesuaian di pipeline AFT. Metode ini berguna ketika Anda telah menambahkan langkah penyesuaian baru, atau ketika Anda membuat perubahan pada kustomisasi yang ada. Saat Anda memanggil ulang, AFT memulai pipeline penyesuaian untuk membuat perubahan pada akun yang disediakan AFT. event-source-based Pemanggilan ulang memungkinkan Anda untuk menerapkan penyesuaian ke akun individual, ke semua akun, ke akun sesuai dengan OU mereka, atau ke akun yang dipilih sesuai dengan tag.

Ikuti tiga langkah ini untuk mengaktifkan kembali penyesuaian untuk akun yang disediakan AFT.

Langkah 1: Dorong perubahan ke repositori kustomisasi **`git`** global atau akun

Anda dapat memperbarui penyesuaian global dan akun sesuai kebutuhan dan mendorong perubahan kembali ke repositori Anda`git`. Pada titik ini, tidak ada yang terjadi, Pipa penyesuaian harus dipanggil oleh sumber acara, seperti yang dijelaskan dalam dua langkah berikutnya.

Langkah 2: Mulai AWS Step Function untuk menjalankan kembali kustomisasi

AFT menyediakan AWS Step Function yang disebut `aft-invoke-customizations` di akun manajemen AFT. Tujuan dari fungsi itu adalah untuk memanggil kembali pipeline kustomisasi untuk akun yang disediakan AFT.

Berikut adalah contoh skema acara (format JSON) yang dapat Anda buat untuk meneruskan input ke `aft-invoke-customizations` AWS Step Function.

```
{
  "include": [
    {
      "type": "all"
    },
    {
      "type": "ous",
      "target_value": [ "ou1","ou2"]
    },
    {
      "type": "tags",
      "target_value": [ {"key1": "value1"}, {"key2": "value2"}]
    },
    {
      "type": "accounts",
```

```
      "target_value": [ "acc1_ID","acc2_ID"]
    }
  ],

  "exclude": [
    {
      "type": "ous",
      "target_value": [ "ou1","ou2"]
    },
    {
      "type": "tags",
      "target_value": [ {"key1": "value1"}, {"key2": "value2"}]
    },
    {
      "type": "accounts",
      "target_value": [ "acc1_ID","acc2_ID"]
    }
  ]
}
```

Contoh skema acara menunjukkan bahwa Anda dapat memilih akun untuk disertakan atau dikecualikan dari proses pemanggilan ulang. Anda dapat memfilter berdasarkan unit organisasi (OU), tag akun, dan ID akun. Jika Anda tidak menerapkan filter apa pun dan menyertakan pernyataan`"type":"all"`, penyesuaian untuk semua akun yang disediakan AFT akan dipanggil kembali.

> **Note**
>
> Jika versi AWS Control Tower adalah 1.6.5 atau yang lebih baru, Anda dapat menargetkan OU bersarang dengan sintaks). `OU Name (ou-id-1234` Untuk informasi lebih lanjut, lihat topik berikut di GitHub.

Setelah Anda mengisi parameter acara, Step Functions berjalan dan memanggil penyesuaian yang sesuai. AFT dapat memanggil maksimal 5 penyesuaian sekaligus. Step Functions menunggu dan mengulang sampai semua akun yang cocok dengan kriteria acara selesai.

Langkah 3: Pantau output AWS Step Function dan saksikan AWS CodePipeline berjalan

- Output Step Function yang dihasilkan berisi ID akun yang cocok dengan sumber peristiwa masukan Fungsi Langkah.

- Arahkan ke AWS CodePipeline di bawah Alat Pengembang dan lihat pipeline penyesuaian yang sesuai untuk ID akun.

Pemecahan masalah dengan penelusuran permintaan kustomisasi akun AFT

Alur kerja kustomisasi akun yang didasarkan pada log AWS Lambda emit yang berisi akun target dan ID permintaan kustomisasi. AFT memungkinkan Anda melacak dan memecahkan masalah permintaan kustomisasi dengan Amazon CloudWatch Logs dengan menyediakan kueri Wawasan CloudWatch Log yang dapat Anda gunakan untuk memfilter CloudWatch Log yang terkait dengan permintaan penyesuaian berdasarkan akun target atau ID permintaan kustomisasi. Untuk informasi selengkapnya, lihat Menganalisis data log dengan CloudWatch Log Amazon di Panduan Pengguna CloudWatch Log Amazon.

Untuk menggunakan Wawasan CloudWatch Log untuk AFT

1. Buka CloudWatch konsol di https://console.aws.amazon.com/cloudwatch/.
2. Dari panel navigasi, pilih Log, lalu pilih Wawasan log.
3. Pilih Kueri.
4. Di bawah Contoh kueri, pilih Account Factory untuk Terraform, lalu pilih salah satu kueri berikut:

   - Log Kustomisasi berdasarkan ID Akun

     > **Note**
     >
     > Pastikan untuk mengganti *"ID AKUN-AKUN ANDA" dengan ID* akun target Anda.

     ```
     fields @timestamp, log_message.account_id as target_account_id,
      log_message.customization_request_id as customization_request_id,
      log_message.detail as detail, @logStream
     | sort @timestamp desc
     | filter log_message.account_id == "YOUR-ACCOUNT-ID" and @message like /
     customization_request_id/
     ```

   - Log Kustomisasi dengan ID Permintaan Kustomisasi

> **Note**
>
> Pastikan untuk mengganti *"YOUR-CUSTOMIZATION-REQUEST-ID" dengan ID permintaan kustomisasi* Anda. Anda dapat menemukan ID permintaan kustomisasi Anda di output mesin AWS Step Functions status kerangka kerja penyediaan akun AFT. Untuk informasi selengkapnya tentang kerangka kerja penyediaan akun AFT, lihat pipeline penyediaan akun AFT

```
fields @timestamp, log_message.account_id as target_account_id,
 log_message.customization_request_id as customization_request_id,
 log_message.detail as detail, @logStream
| sort @timestamp desc
| filter log_message.customization_request_id == "YOUR-CUSTOMIZATION-REQUEST-ID"
```

5. Setelah Anda memilih kueri, pastikan untuk memilih interval waktu, lalu pilih Jalankan kueri.

Alternatif untuk kontrol versi kode sumber di AFT

AFT secara native menggunakan AWS CodeCommit sistem kontrol versi kode sumber (VCS), tetapi memungkinkan CodeConnectionsyang lain yang memenuhi persyaratan bisnis Anda atau arsitektur yang ada. Anda dapat menentukan VCS pihak ketiga sebagai bagian dari prasyarat penerapan AFT.

AFT mendukung alternatif kontrol kode sumber berikut:

- GitHub
- GitHub Server Perusahaan
- BitBucket

Jika Anda memilih AWS CodeCommit sebagai VCS Anda, tidak ada langkah tambahan yang diperlukan. Secara default, AFT membuat `git` repositori yang diperlukan di lingkungan Anda, dengan nama default. Namun, Anda dapat mengganti nama repositori default untuk CodeCommit, sesuai kebutuhan, untuk mematuhi standar organisasi Anda.

Siapkan sistem kontrol versi kode sumber alternatif (VCS khusus) dengan AFT

Untuk menyiapkan sistem kontrol versi kode sumber alternatif untuk penerapan AFT Anda, ikuti langkah-langkah berikut.

Langkah 1: Buat **`git`** repositori dalam sistem kontrol versi pihak ketiga (VCS) yang didukung.

Jika Anda tidak menggunakan AWS CodeCommit, Anda harus membuat `git` repositori di lingkungan penyedia VCS pihak ketiga yang didukung AFT untuk item berikut.

- Permintaan akun AFT. Kode sampel tersedia. Untuk informasi selengkapnya tentang permintaan akun AFT, lihatMenyediakan akun baru dengan AFT.
- Kustomisasi penyediaan akun AFT. Kode sampel tersedia. Untuk informasi selengkapnya tentang penyesuaian penyediaan akun AFT, lihat. Buat mesin status penyesuaian penyediaan akun AFT Anda
- Kustomisasi global AFT. Kode sampel tersedia. Untuk informasi selengkapnya tentang penyesuaian global AFT, lihat. Kustomisasi akun
- Kustomisasi akun AFT. Kode sampel tersedia. Untuk informasi selengkapnya tentang penyesuaian akun AFT, lihat. Kustomisasi akun

Langkah 2: Tentukan parameter konfigurasi VCS yang diperlukan untuk penerapan AFT

Parameter input berikut diperlukan untuk mengonfigurasi penyedia VCS Anda sebagai bagian dari penerapan AFT.

- vcs_provider: Jika Anda tidak menggunakan AWS CodeCommit, tentukan penyedia VCS sebagai`"bitbucket"`,, atau `"github""githubenterprise"`, berdasarkan kasus penggunaan Anda.
- github_enterprise_url: Hanya untuk pelanggan GitHub Enterprise, tentukan URL-nya. GitHub
- account_request_repo_name: Secara default, nilai ini diatur untuk pengguna. `aft-account-request` AWS CodeCommit Jika Anda membuat repositori dengan nama baru di CodeCommit atau di lingkungan penyedia VCS pihak ketiga yang didukung AFT, perbarui nilai input ini dengan nama repositori Anda yang sebenarnya. Untuk BitBucket, Github, dan GitHub Enterprise, nama repositori harus memiliki format. `[Org]/[Repo]`
- account_customizations_repo_name: Secara default, nilai ini diatur untuk pengguna. `aft-account-customizations` AWS CodeCommit Jika Anda membuat repositori dengan nama baru di CodeCommit atau di lingkungan penyedia VCS pihak ketiga yang didukung AFT, perbarui

nilai input ini dengan nama repositori Anda. Untuk BitBucket, Github, dan GitHub Enterprise, nama repositori harus memiliki format. `[Org]/[Repo]`

- account_provisioning_customizations_repo_name: Secara default, nilai ini diatur untuk pengguna. `aft-account-provisioning-customizations` AWS CodeCommit Jika Anda membuat repositori dengan nama baru di AWS CodeCommit atau di lingkungan penyedia VCS pihak ketiga yang didukung AFT, perbarui nilai input ini dengan nama repositori Anda. Untuk BitBucket, Github, dan GitHub Enterprise, nama repositori harus memiliki format. `[Org]/[Repo]`
- global_customizations_repo_name: Secara default, nilai ini diatur untuk pengguna. `aft-global-customizations` AWS CodeCommit Jika Anda membuat repositori dengan nama baru di CodeCommit atau di lingkungan penyedia VCS pihak ketiga yang didukung AFT, perbarui nilai input ini dengan nama repositori Anda. Untuk BitBucket, Github, dan GitHub Enterprise, nama repositori harus memiliki format. `[Org]/[Repo]`
- account_request_repo_branch: Cabang secara default, tetapi nilainya dapat diganti`main`.

Secara default, sumber AFT dari `main` cabang setiap `git` repositori. Anda dapat mengganti nilai nama cabang dengan parameter input tambahan. Untuk informasi lebih lanjut tentang parameter input, lihat file README di modul AFT Terraform.

Langkah 3: Selesaikan AWS CodeStar koneksi untuk penyedia VCS pihak ketiga

Saat penerapan Anda berjalan, AFT membuat AWS CodeCommit repositori yang diperlukan, atau membuat AWS CodeStar koneksi untuk penyedia VCS pihak ketiga yang Anda pilih. Dalam kasus yang terakhir, Anda harus masuk secara manual ke konsol akun manajemen AFT untuk menyelesaikan AWS CodeStar koneksi yang tertunda. Lihat AWS CodeStar dokumentasi untuk instruksi lebih lanjut tentang menyelesaikan AWS CodeStar koneksi.

Perlindungan data

Model tanggung jawabAWS bersama berlaku untuk perlindungan data di AFT. Untuk tujuan perlindungan data, kami merekomendasikan praktik terbaik berikut untuk keamanan.

- Ikuti pedoman Perlindungan Data yang disediakan oleh AWS Control Tower. Untuk detailnya, lihat Perlindungan Data di AWS Control Tower.
- Pertahankan konfigurasi status Terraform yang dihasilkan pada saat penerapan AFT. Untuk detailnya, lihat Terapkan AWS Control Tower Account Factory untuk Terraform (AFT).
- Putar kredenal sensitif secara berkala seperti yang diarahkan oleh kebijakan keamanan organisasi Anda. Contoh rahasia adalah token Terraform, `git` token, dan sebagainya.

Enkripsi saat istirahat

AFT membuat bucket Amazon S3, topik Amazon SNS, antrian Amazon SQS, dan database Amazon DynamoDB yang dienkripsi saat istirahat dengan kunci Layanan Manajemen Kunci. AWS Kunci KMS yang dibuat oleh AFT memiliki rotasi tahunan yang diaktifkan secara default. Jika Anda memilih distribusi Terraform Cloud atau Terraform Enterprise dari Terraform, AFT menyertakan SecureString parameter AWS Systems Manager untuk menyimpan nilai token Terraform yang sensitif.

AFT menggunakan AWS layanan yang dijelaskan dalam Layanan komponen yang, secara default, dienkripsi saat istirahat. Untuk detailnya, lihat AWS dokumentasi untuk setiap AWS layanan komponen AFT, dan pelajari tentang praktik perlindungan data yang diikuti oleh setiap layanan.

Enkripsi dalam perjalanan

AFT bergantung pada AWS layanan yang dijelaskan dalam Layanan komponen yang menggunakan enkripsi dalam perjalanan, secara default. Untuk detailnya, lihat AWS dokumentasi untuk setiap AWS layanan komponen AFT, dan pelajari tentang praktik perlindungan data yang diikuti oleh setiap layanan.

Untuk distribusi Terraform Cloud atau Terraform Enterprise, AFT memanggil API titik akhir HTTPS untuk akses ke organisasi Terraform Anda. Jika Anda memilih penyedia VCS pihak ketiga yang didukung oleh AWS CodeStar koneksi, AFT akan memanggil API titik akhir HTTPS untuk akses ke organisasi penyedia VCS Anda.

Hapus akun dari AFT

Topik ini menjelaskan cara menghapus akun dari AFT, sehingga pipeline AFT berhenti menerapkan dan memperbarui akun.

> **Important**
>
> Menghapus akun dari pipa AFT tidak dapat diubah dan dapat mengakibatkan hilangnya status.

Anda dapat menghapus akun dari AFT ketika Anda ingin menutup akun untuk aplikasi pensiun, mengisolasi akun yang disusupi, atau memindahkan akun dari satu organisasi ke organisasi lain.

> **Note**
>
> Menghapus akun dari AFT berbeda dengan menghapus akun AWS Control Tower atau Akun AWS. Saat Anda menghapus akun dari AFT, AWS Control Tower masih mengelola akun tersebut. Untuk menghapus akun AWS Control Tower atau Akun AWS, lihat berikut ini:
>
> - Hapus kelola akun di Panduan Pengguna AWS Control Tower.
> - Menutup akun di PanduanAWS Billing Pengguna.

Untuk menghapus akun dari saluran pipa AFT

Prosedur berikut menjelaskan cara menghapus akun dari AFT.

1. Hapus akun dari **`git`** repositori yang menyimpan permintaan akun

   Di `git` repositori tempat Anda menyimpan permintaan akun, hapus permintaan akun untuk akun yang ingin Anda hapus dari AFT.

   Saat Anda menghapus permintaan akun dari repositori permintaan akun, AFT menghapus pipeline penyesuaian dan metadata akun. Untuk informasi lebih lanjut, lihat catatan rilis 1.8.0 untuk AFT di. GitHub

2. Hapus ruang kerja Terraform (Hanya untuk pelanggan Terraform Cloud dan Terraform Enterprise)

   Hapus ruang kerja kustomisasi global dan kustomisasi akun untuk akun yang ingin Anda hapus dari AFT.

3. Hapus status Terraform dari backend Amazon S3

   Di akun manajemen AFT, hapus semua folder yang relevan di dalam bucket Amazon S3 untuk akun yang ingin Anda hapus dari AFT.

   > **Tip**
   >
   > Dalam contoh berikut, ganti *`012345678901`* dengan nomor ID akun manajemen AFT.

   Contoh: Terraform OSS

Saat Anda memilih Terraform OSS, Anda menemukan 3 folder untuk setiap akun di bucket Amazon `aft-backend-012345678901-primary-region` S3 `aft-backend-012345678901-secondary-region` dan Amazon. Folder ini terkait dengan status kustomisasi akun, status pipeline kustomisasi, dan status penyesuaian global

Contoh: Terraform Cloud atau Terraform Enterprise

Saat Anda memilih Terraform Cloud atau Terraform Enterprise, Anda menemukan folder untuk setiap akun di bucket Amazon `aft-backend-012345678901-primary-region` `aft-backend-012345678901-secondary-region` S3 dan Amazon. Folder ini terkait dengan status pipeline kustomisasi.

Metrik operasional

Secara default, Account Factory for Terraform (AFT) mengirimkan metrik operasional anonim ke. AWSKami menggunakan data ini untuk memahami bagaimana pelanggan menggunakan AFT sehingga kami dapat meningkatkan kualitas dan fitur solusi. Anda dapat memilih keluar dari pengumpulan data dengan mengubah parameter selama penerapan AFT. Saat pengumpulan diaktifkan, data berikut dikirim ke AWS:

- Solusi: Pengidentifikasi khusus AFT
- Versi: Versi AFT
- Universally Unique Identifier (UUID): Pengidentifikasi unik yang dibuat secara acak untuk setiap penerapan AFT
- Stempel waktu: Stempel waktu pengumpulan data
- Data: Konfigurasi AFT dan tindakan yang diambil oleh pelanggan

AWS memiliki data yang dikumpulkan. Pengumpulan data tunduk pada KebijakanAWS Privasi.

> **Note**
>
> Versi AFT sebelum 1.6.0 tidak melaporkan metrik penggunaan ke. AWS

Untuk memilih keluar dari metrik pelaporan:

- Tetapkan nilai input `aft_metrics_reporting` ke `false` dalam file konfigurasi input Terraform Anda, seperti yang ditunjukkan pada contoh berikut, dan gunakan kembali AFT. Nilai ini diatur ke secara `true` default, jika Anda tidak mengaturnya secara eksplisit.

Jika Anda menyalin contoh, ingatlah untuk mengganti ID aktual dan nilai Region Anda dengan `x` item yang diberikan dalam string.

```
module "control_tower_account_factory" {
source = "aws-ia/control_tower_account_factory/aws"

# Required Vars
ct_management_account_id    = "xxxxxxxxxxx"
log_archive_account_id      = "xxxxxxxxxxx"
audit_account_id            = "xxxxxxxxxxx"
aft_management_account_id   = "xxxxxxxxxxx"
ct_home_region              = "xx-xxxx-x"
tf_backend_secondary_region = "xx-xxxx-x"

# Optional Vars
aft_metrics_reporting = false    # to opt out, set this value to false
}
```

Account Factory untuk panduan pemecahan masalah Terraform (AFT)

Bagian ini dapat membantu Anda memecahkan masalah umum yang mungkin Anda temui saat menggunakan Account Factory for Terraform (AFT).

Topik

- Masalah umum
- Masalah yang terkait dengan penyediaan/pendaftaran akun
- Masalah yang terkait dengan pemanggilan kustomisasi
- Masalah yang terkait dengan alur kerja kustomisasi akun

Masalah umum

- Melebihi AWS kuota sumber daya

Jika grup log Anda menunjukkan bahwa Anda melebihi kuota AWS sumber daya, hubungi Support AWS . Account Factory menggunakan Layanan AWS kuota sumber daya yang mencakup AWS CodeBuild, AWS Organizations, dan AWS Systems Manager. Untuk informasi selengkapnya, lihat hal berikut:

- Apa itu AWS CodeBuild? dalam CodeBuild User Guide.
- Apa itu AWS Organizations? dalam Panduan Pengguna Organizations.
- Apa itu AWS Systems Manager? dalam Panduan Pengguna Systems Manager.

- Versi Account Factory yang sudah ketinggalan zaman

  Jika Anda mengalami masalah dan yakin masalahnya adalah bug, pastikan Anda memiliki Account Factory versi terbaru. Untuk informasi selengkapnya, lihat Memperbarui versi Account Factory.

- Perubahan lokal dilakukan pada kode sumber Account Factory

  Account Factory adalah proyek open source. AWS Control Tower mendukung kode inti Account Factory. Jika Anda membuat perubahan lokal pada kode inti Account Factory, AWS Control Tower hanya mendukung penerapan Account Factory Anda dengan upaya terbaik.

- Izin peran Account Factory tidak mencukupi

  Account Factory membuat peran dan kebijakan IAM untuk mengelola penyebaran dan penyesuaian akun vended. Jika Anda mengubah peran atau kebijakan ini, saluran Account Factory mungkin tidak dapat melakukan tindakan tertentu. Untuk informasi selengkapnya, lihat Peran yang diperlukan.

- Repositori akun tidak diisi dengan benar

  Pastikan Anda mengikuti langkah-langkah pasca-penerapan sebelum menyediakan akun.

- Tidak mendeteksi penyimpangan setelah mengubah OU secara manual

> **Note**
>
> AWS Control Tower mendeteksi drift secara otomatis. Untuk informasi tentang menyelesaikan drift, lihat Mendeteksi dan menyelesaikan drift di AWS Control Tower.

Drift tidak terdeteksi ketika unit organisasi (OU) diubah secara manual. Hal ini disebabkan sifat Account Factory yang digerakkan oleh peristiwa. Saat permintaan akun dikirimkan, sumber daya yang dikelola Terraform adalah item Amazon DynamoDB, bukan akun langsung. Setelah item

diubah, permintaan dimasukkan ke dalam antrian, di mana AWS Control Tower memprosesnya melalui Service Catalog (layanan yang mengelola detail akun). Jika Anda mengubah OU secara manual, drift tidak terdeteksi karena permintaan akun tidak berubah.

Masalah yang terkait dengan penyediaan/pendaftaran akun

- Permintaan akun (alamat email/nama) sudah ada

  Masalah ini biasanya mengakibatkan kegagalan produk Service Catalog selama penyediaan atau sebagai. `ConditionalCheckFailedException`

  Anda dapat menemukan informasi lebih lanjut tentang masalah ini dengan melakukan salah satu hal berikut:

  - Tinjau grup log Terraform atau CloudWatch Log Anda.
  - Tinjau kegagalan yang dipancarkan ke topik Amazon SNS. `aft-failure-notifications`
- Permintaan akun yang salah

  Pastikan permintaan akun Anda mengikuti skema yang diharapkan. Sebagai contoh, lihat terraform-aws-control_tower_account_factory di. GitHub
- Kuota sumber daya Exceeded AWS Organizations

  Pastikan permintaan akun Anda tidak melebihi kuota AWS Organizations sumber daya. Untuk informasi selengkapnya, lihat Quotas for AWS Organizations.

Masalah yang terkait dengan pemanggilan kustomisasi

- Akun target tidak dionboard ke Account Factory

  Pastikan semua akun yang disertakan dalam permintaan kustomisasi telah di-onboard ke Account Factory. Untuk informasi selengkapnya, lihat Memperbarui akun yang sudah ada.
- Akun yang menargetkan permintaan kustomisasi ada di **`aft-request-metadata`** tabel DynamoDB, tetapi tidak di repositori permintaan akun

  Format permintaan permintaan kustomisasi Anda untuk mengecualikan akun yang melanggar dengan melakukan salah satu hal berikut:

  - Di `aft-request-metadata` tabel DynamoDB, hapus entri yang mereferensikan akun yang tidak lagi ada di repositori permintaan akun Anda.

  - Tidak menggunakan “semua” sebagai target.
  - Tidak menargetkan OU yang menjadi milik akun tersebut.
  - Tidak menargetkan akun secara langsung.
- Menggunakan token yang salah untuk Terraform Cloud

  Pastikan Anda mengatur token yang benar. Terraform Cloud hanya mendukung token berbasis tim, bukan token berbasis organisasi.
- Gagal membuat akun sebelum pipeline penyesuaian akun dibuat; tidak dapat menyesuaikan akun

  Buat perubahan pada spesifikasi akun di repositori permintaan akun. Saat Anda membuat perubahan, seperti mengubah nilai tag untuk akun, Account Factory mengikuti jalur yang mencoba membuat pipeline, meskipun pipeline tidak ada.

Masalah yang terkait dengan alur kerja kustomisasi akun

Jika Anda mengalami masalah terkait alur kerja penyesuaian akun, pastikan versi AFT Anda 1.8.0 atau lebih tinggi, dan Anda menghapus semua instance metadata terkait akun dari tabel permintaan DynamoDB Anda.

Untuk informasi tentang AFT versi 1.8.0, lihat Rilis 1.8.0 di. GitHub

Untuk informasi tentang cara memeriksa dan memperbarui versi AFT Anda, lihat berikut ini:

- Periksa versi AFT
- Perbarui versi AFT

Anda juga dapat melacak dan memecahkan masalah permintaan penyesuaian dengan menggunakan kueri Amazon CloudWatch Logs Insights untuk memfilter log yang berisi akun target dan ID permintaan penyesuaian. Untuk informasi selengkapnya, lihat Pemecahan masalah dengan penelusuran permintaan kustomisasi akun AFT.

Mendeteksi dan mengatasi penyimpangan di AWS Control Tower

Mengidentifikasi dan menyelesaikan drift adalah tugas operasi reguler untuk administrator akun manajemen AWS Control Tower. Menyelesaikan drift membantu memastikan kepatuhan Anda terhadap persyaratan tata kelola.

Saat Anda membuat landing zone, landing zone dan semua unit organisasi (OU), akun, dan sumber daya sesuai dengan aturan tata kelola yang diberlakukan oleh kontrol yang Anda pilih. Saat Anda dan anggota organisasi Anda menggunakan landing zone, perubahan status kepatuhan ini dapat terjadi. Beberapa perubahan mungkin tidak disengaja, dan beberapa mungkin dibuat dengan sengaja untuk menanggapi peristiwa operasional yang sensitif terhadap waktu.

Deteksi drift membantu Anda dalam mengidentifikasi sumber daya yang memerlukan perubahan atau pembaruan konfigurasi untuk menyelesaikan penyimpangan.

Mendeteksi drift

AWS Control Tower mendeteksi drift secara otomatis. Untuk mendeteksi drift, `AWSControlTowerAdmin` peran tersebut memerlukan akses terus-menerus ke akun manajemen Anda sehingga AWS Control Tower dapat melakukan panggilan API hanya-baca. AWS OrganizationsPanggilan API ini muncul sebagai AWS CloudTrail peristiwa.

Drift muncul di notifikasi Amazon Simple Notification Service (Amazon SNS) yang digabungkan dalam akun audit. Pemberitahuan di setiap akun anggota mengirim peringatan ke topik Amazon SNS lokal, dan ke fungsi Lambda.

Untuk kontrol yang merupakan bagian dari Standar AWS Security Hub yang Dikelola Layanan: AWS Control Tower, drift ditampilkan di halaman detail Akun dan Akun di konsol AWS Control Tower, serta melalui notifikasi Amazon SNS.

Administrator akun anggota dapat (dan sebagai praktik terbaik, mereka harus) berlangganan pemberitahuan drift SNS untuk akun tertentu. Misalnya, topik `aws-controltower-AggregateSecurityNotifications` SNS menyediakan notifikasi drift. Konsol AWS Control Tower menunjukkan kepada administrator akun manajemen kapan drift telah terjadi. Untuk informasi selengkapnya tentang topik SNS untuk deteksi dan notifikasi drift, lihat. Pencegahan dan pemberitahuan drift

De-duplikasi pemberitahuan drift

Jika jenis drift yang sama terjadi pada kumpulan sumber daya yang sama beberapa kali, AWS Control Tower mengirimkan notifikasi SNS hanya untuk instance awal drift. Jika AWS Control Tower mendeteksi bahwa instance drift ini telah diperbaiki, AWS akan mengirimkan pemberitahuan lain hanya jika drift terjadi kembali untuk sumber daya yang identik tersebut.

Contoh: Penyimpangan akun dan drift SCP ditangani dengan cara berikut

- Jika Anda memodifikasi SCP terkelola yang sama beberapa kali, Anda menerima pemberitahuan untuk pertama kalinya Anda memodifikasinya.
- Jika Anda memodifikasi SCP terkelola, lalu memulihkan drift, lalu memodifikasinya lagi, Anda akan menerima dua notifikasi.

Jenis penyimpangan akun

- Akun dipindahkan antara OU
- Akun dihapus dari organisasi

> **Note**
>
> Ketika Anda memindahkan akun dari satu OU ke yang lain, kontrol dari OU sebelumnya tidak dihapus. Jika Anda mengaktifkan kontrol berbasis kait baru di OU tujuan, yang lama Kontrol berbasis kait dihapus dari akun, dan kontrol baru menggantikannya. Kontrol yang diterapkan dengan SCP dan AWS Config aturan selalu harus dihapus secara manual saat akun mengubah OU.

Jenis penyimpangan kebijakan

- SCP diperbarui
- SCP melekat pada OU
- SCP terlepas dari OU
- SCP dilampirkan ke akun

Untuk informasi selengkapnya, lihat Jenis Drift Tata Kelola.

Menyelesaikan drift

Meskipun deteksi otomatis, langkah-langkah untuk menyelesaikan penyimpangan harus dilakukan melalui konsol.

- Banyak jenis drift dapat diselesaikan melalui halaman pengaturan zona pendaratan. Anda dapat memilih tombol Perbaikan di bagian Versi untuk memperbaiki jenis drift ini.
- Jika OU Anda memiliki kurang dari 300 akun, Anda dapat memperbaiki drift di akun yang disediakan Account Factory, atau drift SCP, dengan memilih Daftar ulang OU di halaman Organisasi atau halaman detail OU.
- Anda mungkin dapat memperbaiki penyimpangan akun, seperti Akun Anggota yang Dipindahkan, dengan memperbarui akun individual. Untuk informasi selengkapnya, lihat Perbarui akun di konsol.

> **Note**
>
> Saat Anda memperbaiki landing zone Anda, landing zone ditingkatkan ke versi landing zone terbaru.

Pertimbangan tentang pemindaian drift dan SCP

AWS Control Tower memindai SCP terkelola Anda setiap hari untuk memverifikasi bahwa kontrol yang sesuai diterapkan dengan benar dan tidak hanyut. Untuk mengambil SCP dan menjalankan pemeriksaan, AWS Control Tower memanggil AWS Organizations atas nama Anda, menggunakan peran di akun manajemen Anda.

Jika pemindaian AWS Control Tower menemukan drift, Anda akan menerima pemberitahuan. AWS Control Tower hanya mengirimkan satu notifikasi per masalah drift, jadi jika landing zone Anda sudah dalam keadaan drift, Anda tidak akan menerima notifikasi tambahan kecuali item drift baru ditemukan.

AWS Organizations membatasi seberapa sering masing-masing API-nya dapat dipanggil. Batas ini dinyatakan dalam transaksi per detik (TPS), dan dikenal sebagai batas TPS, laju pembatasan, atau tingkat permintaan API. Saat AWS Control Tower mengaudit SCP Anda dengan menelepon AWS Organizations, panggilan API yang dibuat AWS Control Tower dihitung terhadap batas TPS Anda, karena AWS Control Tower menggunakan akun manajemen untuk melakukan panggilan.

Dalam situasi yang jarang terjadi, batas ini dapat dicapai ketika Anda memanggil API yang sama berulang kali, baik melalui solusi pihak ketiga atau skrip khusus yang Anda tulis. Misalnya, jika Anda dan AWS Control Tower memanggil AWS Organizations API yang sama pada saat yang sama (dalam 1 detik), dan batas TPS tercapai, panggilan berikutnya akan dibatasi. Artinya, panggilan ini mengembalikan kesalahan sepertiRate exceeded.

Jika tingkat permintaan API terlampaui

- Jika AWS Control Tower mencapai batas dan dibatasi, kami menjeda eksekusi audit dan melanjutkannya di lain waktu.
- Jika beban kerja Anda mencapai batas dan dibatasi, hasilnya dapat berkisar dari sedikit latensi hingga kesalahan fatal dalam beban kerja, tergantung pada bagaimana beban kerja dikonfigurasi. Kasus tepi ini adalah sesuatu yang harus diperhatikan.

Pemindaian SCP harian terdiri dari

1. Mengambil semua OU Anda.
2. Untuk setiap OU yang terdaftar, ambil semua SCP yang dikelola oleh AWS Control Tower yang dilampirkan ke OU. SCP terkelola memiliki pengidentifikasi yang dimulai dengan. aws-guardrails
3. Untuk setiap kontrol preventif yang diaktifkan pada OU, memverifikasi bahwa pernyataan kebijakan kontrol hadir dalam SCP yang dikelola OU.

Pemindaian harian menggunakan TPS untuk API berikut: AWS Organizations

listOrganizationalUnits	8 meledak, 5 berkelanjutan	1 per landing zone
listPoliciesForTarget	8 meledak, 5 berkelanjutan	1 per OU terdaftar
describePolicy	2 TPS	1 per SCP terkelola

OU mungkin memiliki satu atau lebih SCP terkelola.

Jenis drift untuk segera diperbaiki

Sebagian besar jenis drift dapat diselesaikan oleh administrator. Beberapa jenis drift harus segera diperbaiki, termasuk penghapusan unit organisasi yang diperlukan oleh zona landing zone AWS Control Tower. Berikut adalah beberapa contoh penyimpangan utama yang mungkin ingin Anda hindari:

- Jangan hapus OU Keamanan: Unit organisasi yang awalnya bernama Security selama penyiapan landing zone oleh AWS Control Tower tidak boleh dihapus. Jika Anda menghapusnya, Anda akan melihat pesan kesalahan yang menginstruksikan Anda untuk segera memperbaiki landing zone. Anda tidak akan dapat melakukan tindakan lain di AWS Control Tower hingga perbaikan selesai.
- Jangan hapus peran yang diperlukan: AWS Control Tower memeriksa peran AWS Identity and Access Management (IAM) tertentu saat Anda masuk ke konsol untuk penyimpangan peran IAM. Jika peran ini hilang atau tidak dapat diakses, Anda akan melihat halaman kesalahan yang menginstruksikan Anda untuk memperbaiki landing zone Anda. Peran ini adalah `AWSControlTowerAdmin` `AWSControlTowerCloudTrailRoleAWSControlTowerStackSetRole`.

  Untuk informasi lebih lanjut tentang peran ini, lihatIzin yang Diperlukan untuk Menggunakan AWS Control Tower Console.
- Jangan hapus semua OU Tambahan: Jika Anda menghapus unit organisasi yang awalnya bernama Sandbox selama penyiapan landing zone oleh AWS Control Tower, landing zone Anda akan berada dalam keadaan drift, tetapi Anda masih dapat menggunakan AWS Control Tower. Setidaknya satu OU Tambahan diperlukan agar AWS Control Tower dapat beroperasi, tetapi tidak harus berupa Sandbox OU.
- Jangan hapus akun bersama: Jika Anda menghapus akun bersama dari Foundational OU, seperti menghapus akun logging dari Security OU, landing zone Anda akan berada dalam keadaan drift dan harus diperbaiki sebelum Anda dapat melanjutkan menggunakan konsol AWS Control Tower.

Perubahan sumber daya yang dapat diperbaiki

Berikut adalah daftar perubahan pada sumber daya AWS Control Tower yang diizinkan, meskipun mereka membuat penyimpangan yang dapat diperbaiki. Hasil operasi yang diizinkan ini dapat dilihat di konsol AWS Control Tower, meskipun penyegaran mungkin diperlukan.

Untuk informasi selengkapnya tentang cara mengatasi penyimpangan yang dihasilkan, lihat Mengelola Sumber Daya Di Luar AWS Control Tower.

Perubahan yang Diizinkan di Luar AWS Control Tower Console

- Ubah nama OU terdaftar.
- Ubah nama Security OU.
- Ubah nama akun anggota di OU non-dasar.
- Ubah nama akun bersama AWS Control Tower di OU Keamanan.
- Hapus OU Non-Foundational.
- Hapus akun terdaftar dari OU non-dasar.
- Ubah alamat email akun bersama di Security OU.
- Ubah alamat email akun anggota di OU terdaftar.

> **Note**
>
> Memindahkan akun antara OU dianggap drift, dan itu harus diperbaiki.

Drift dan Penyediaan Akun Baru

Jika landing zone Anda dalam keadaan drift, fitur akun Daftar di AWS Control Tower tidak akan berfungsi. Dalam hal ini, Anda harus menyediakan akun baru melalui AWS Service Catalog. Untuk petunjuk, lihat Menyediakan akun dengan AWS Service Catalog Account Factory .

Khususnya, jika Anda telah membuat perubahan tertentu pada akun Anda melalui Service Catalog, seperti mengubah nama portofolio Anda, fitur akun Daftar tidak akan berfungsi.

Jenis Drift Tata Kelola

Pergeseran tata kelola, juga disebut penyimpangan organisasi terjadi ketika OU, SCP, dan akun anggota diubah atau diperbarui. Jenis drift tata kelola yang dapat dideteksi di AWS Control Tower adalah sebagai berikut:

- Akun Anggota yang Dipindahkan
- Akun Anggota yang Dihapus
- Pembaruan Tidak Direncanakan ke SCP Terkelola
- SCP Terlampir pada Akun Anggota

- SCP Terlampir ke OU Terkelola
- SCP Terpisah dari OU Terkelola
- Dihapus Foundational OU
- Drift kontrol Security Hub
- Akses tepercaya dinonaktifkan

Jenis drift lainnya adalah landing zone drift, yang dapat ditemukan melalui akun manajemen. Pergeseran zona pendaratan terdiri dari penyimpangan peran IAM, atau jenis penyimpangan organisasi apa pun yang secara khusus memengaruhi OU Foundational dan akun bersama.

Kasus khusus drift landing zone adalah role drift, yang terdeteksi ketika peran yang diperlukan tidak tersedia. Jika jenis penyimpangan ini terjadi, konsol menampilkan halaman peringatan dan beberapa instruksi tentang cara mengembalikan peran. Landing zone Anda tidak tersedia sampai drift peran diperbaiki. Untuk informasi selengkapnya tentang drift, lihat Jangan menghapus peran yang diperlukan di bagian yang dipanggilJenis drift untuk segera diperbaiki.

AWS Control Tower tidak mencari penyimpangan terkait layanan lain yang bekerja dengan akun manajemen, termasuk CloudTrail CloudWatch, Pusat Identitas IAM,, AWS CloudFormation AWS Config, dan sebagainya. Tidak ada deteksi drift yang tersedia di akun anak, karena akun ini dilindungi oleh kontrol wajib preventif.

Namun, ia melaporkan penyimpangan terkait kontrol yang merupakan bagian dari Standar yangAWS Security Hub dikelola Layanan: AWS Control Tower.

Akun Anggota yang Dipindahkan

Jenis penyimpangan ini terjadi pada akun daripada OU. Jenis drift ini dapat terjadi ketika akun anggota AWS Control Tower, akun audit, atau akun arsip log dipindahkan dari AWS Control Tower OU terdaftar ke OU lainnya. Berikut ini adalah contoh notifikasi Amazon SNS saat jenis drift ini terdeteksi.

```
{
  "Message" : "AWS Control Tower has detected that your member account 'account-
email@amazon.com (012345678909)' has been moved from organizational unit 'Sandbox
 (ou-0123-eEXAMPLE)' to 'Security (ou-3210-1EXAMPLE)'. For more information, including
 steps to resolve this issue, see 'https://docs.aws.amazon.com/console/controltower/
move-account'",
```

```
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "ACCOUNT_MOVED_BETWEEN_OUS",
  "RemediationStep" : "Re-register this organizational unit (OU), or if the OU has more
 than 300 accounts, you must update the provisioned product in Account Factory.",
  "AccountId" : "012345678909",
  "SourceId" : "012345678909",
  "DestinationId" : "ou-3210-1EXAMPLE"
}
```

Resolusi

Ketika jenis drift ini terjadi untuk akun yang disediakan Account Factory di OU dengan hingga 300 akun, Anda dapat menyelesaikannya dengan:

- Menavigasi ke halaman Organisasi di konsol AWS Control Tower, memilih akun, dan memilih Perbarui akun di kanan atas (opsi tercepat untuk akun individual).
- Menavigasi ke halaman Organisasi di konsol AWS Control Tower, lalu memilih Daftar ulang untuk OU yang berisi akun (opsi tercepat untuk beberapa akun). Untuk informasi selengkapnya, lihat Daftarkan unit organisasi yang ada dengan AWS Control Tower.
- Memperbarui produk yang disediakan di Account Factory. Untuk informasi selengkapnya, lihat Perbarui dan pindahkan akun pabrik akun dengan AWS Control Tower atau dengan AWS Service Catalog.

> **Note**
>
> Jika Anda memiliki beberapa akun individual untuk diperbarui, lihat juga metode ini untuk membuat pembaruan dengan skrip:Menyediakan dan memperbarui akun menggunakan otomatisasi.

- Ketika jenis penyimpangan ini terjadi di OU dengan lebih dari 300 akun, resolusi drift mungkin tergantung pada jenis akun mana yang telah dipindahkan, seperti yang dijelaskan dalam paragraf berikutnya. Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.
  - Jika akun yang disediakan Account Factory dipindahkan - Di OU dengan kurang dari 300 akun, Anda dapat menyelesaikan penyimpangan akun dengan memperbarui produk yang disediakan di Account Factory, dengan mendaftarkan ulang OU, atau dengan memperbarui landing zone Anda.

Dalam OU dengan lebih dari 300 akun, Anda harus menyelesaikan penyimpangan dengan membuat pembaruan ke setiap akun yang dipindahkan, baik melalui konsol AWS Control Tower atau produk yang disediakan karena registrasi ulang OU tidak akan melakukan pembaruan. Untuk informasi selengkapnya, lihat Perbarui dan pindahkan akun pabrik akun dengan AWS Control Tower atau dengan AWS Service Catalog.

- Jika akun bersama dipindahkan — Anda dapat mengatasi penyimpangan dari memindahkan akun audit atau arsip log dengan memperbarui landing zone Anda. Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.

> **Nama bidang yang tidak digunakan lagi**
>
> Nama bidang `MasterAccountID` telah diubah `ManagementAccountID` untuk mematuhi AWS pedoman. Nama lama sudah usang. Mulai tahun 2022, skrip yang berisi nama bidang yang tidak digunakan lagi tidak akan berfungsi lagi.

Akun Anggota yang Dihapus

Jenis drift ini dapat terjadi ketika akun anggota dihapus dari unit organisasi AWS Control Tower yang terdaftar. Contoh berikut menunjukkan notifikasi Amazon SNS saat jenis drift ini terdeteksi.

```
{
  "Message" : "AWS Control Tower has detected that the member account 012345678909 has
 been removed from organization o-123EXAMPLE. For more information, including steps
 to resolve this issue, see 'https://docs.aws.amazon.com/console/controltower/remove-
account'",
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "ACCOUNT_REMOVED_FROM_ORGANIZATION",
  "RemediationStep" : "Add account to Organization and update Account Factory
 provisioned product",
  "AccountId" : "012345678909"
}
```

Penyelesaian

- Ketika jenis drift ini terjadi di akun anggota, Anda dapat menyelesaikan drift dengan memperbarui akun di konsol AWS Control Tower, atau di Account Factory. Misalnya, Anda dapat menambahkan akun ke OU terdaftar lain dari panduan pembaruan Account Factory. Untuk informasi selengkapnya, lihat Perbarui dan pindahkan akun pabrik akun dengan AWS Control Tower atau dengan AWS Service Catalog.
- Jika akun bersama dihapus dari Foundational OU, Anda harus menyelesaikan drift dengan memperbaiki landing zone Anda. Sampai penyimpangan ini teratasi, Anda tidak akan dapat menggunakan konsol AWS Control Tower.
- Untuk informasi selengkapnya tentang menyelesaikan penyimpangan untuk akun dan OU, lihat. Jika Anda mengelola sumber daya di luar AWS Control Tower

> **Note**
>
> Di Service Catalog, produk yang disediakan Account Factory yang mewakili akun tidak diperbarui untuk menghapus akun. Sebagai gantinya, produk yang disediakan ditampilkan sebagai `TAINTED` dan dalam status kesalahan. Untuk membersihkan, buka Service Catalog, pilih produk yang disediakan, lalu pilih Terminate.

Pembaruan Tidak Direncanakan ke SCP Terkelola

Jenis drift ini dapat terjadi ketika SCP untuk kontrol diperbarui di AWS Organizations konsol atau secara terprogram menggunakan AWS CLI atau salah satu AWS SDK. Berikut ini adalah contoh notifikasi Amazon SNS saat jenis drift ini terdeteksi.

```
{
  "Message" : "AWS Control Tower has detected that the managed service control policy
 'aws-guardrails-012345 (p-tEXAMPLE)', attached to the registered organizational unit
 'Security (ou-0123-1EXAMPLE)', has been modified. For more information, including
 steps to resolve this issue, see 'https://docs.aws.amazon.com/console/controltower/
update-scp'",
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "SCP_UPDATED",
  "RemediationStep" : "Update Control Tower Setup",
```

```
  "OrganizationalUnitId" : "ou-0123-1EXAMPLE",
  "PolicyId" : "p-tEXAMPLE"
}
```

Penyelesaian

Ketika jenis penyimpangan ini terjadi di OU dengan hingga 300 akun, Anda dapat menyelesaikannya dengan:

- Menavigasi ke halaman Organisasi di konsol AWS Control Tower untuk mendaftarkan ulang OU (opsi tercepat). Untuk informasi selengkapnya, lihat Daftarkan unit organisasi yang ada dengan AWS Control Tower.
- Memperbarui landing zone Anda (opsi lebih lambat). Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.

Ketika jenis drift ini terjadi di OU dengan lebih dari 300 akun, selesaikan dengan memperbarui landing zone Anda. Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.

SCP Terlampir ke OU Terkelola

Jenis penyimpangan ini dapat terjadi ketika SCP untuk kontrol terpasang ke OU lainnya. Kejadian ini sangat umum terjadi saat Anda mengerjakan OU Anda dari luar konsol AWS Control Tower. Berikut ini adalah contoh notifikasi Amazon SNS saat jenis drift ini terdeteksi.

```
{
  "Message" : "AWS Control Tower has detected that the managed service control
 policy 'aws-guardrails-012345 (p-tEXAMPLE)' has been attached to the registered
 organizational unit 'Sandbox (ou-0123-1EXAMPLE)'. For more information, including
 steps to resolve this issue, see 'https://docs.aws.amazon.com/console/controltower/
scp-detached-ou'",
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "SCP_ATTACHED_TO_OU",
  "RemediationStep" : "Update Control Tower Setup",
  "OrganizationalUnitId" : "ou-0123-1EXAMPLE",
  "PolicyId" : "p-tEXAMPLE"
}
```

Penyelesaian

Ketika jenis penyimpangan ini terjadi di OU dengan hingga 300 akun, Anda dapat menyelesaikannya dengan:

- Menavigasi ke halaman Organisasi di konsol AWS Control Tower untuk mendaftarkan ulang OU (opsi tercepat). Untuk informasi selengkapnya, lihat Daftarkan unit organisasi yang ada dengan AWS Control Tower.
- Memperbarui landing zone Anda (opsi lebih lambat). Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.

Ketika jenis drift ini terjadi di OU dengan lebih dari 300 akun, selesaikan dengan memperbarui landing zone Anda. Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.

SCP Terpisah dari OU Terkelola

Jenis drift ini dapat terjadi ketika SCP untuk kontrol telah terlepas dari OU yang dikelola oleh AWS Control Tower. Kejadian ini sangat umum terjadi saat Anda bekerja dari luar konsol AWS Control Tower. Berikut ini adalah contoh notifikasi Amazon SNS saat jenis drift ini terdeteksi.

```
{
  "Message" : "AWS Control Tower has detected that the managed service control
 policy 'aws-guardrails-012345 (p-tEXAMPLE)' has been detached from the registered
 organizational unit 'Sandbox (ou-0123-1EXAMPLE)'. For more information, including
 steps to resolve this issue, see 'https://docs.aws.amazon.com/console/controltower/
scp-detached'",
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "SCP_DETACHED_FROM_OU",
  "RemediationStep" : "Update Control Tower Setup",
  "OrganizationalUnitId" : "ou-0123-1EXAMPLE",
  "PolicyId" : "p-tEXAMPLE"
}
```

Penyelesaian

Ketika jenis penyimpangan ini terjadi di OU dengan hingga 300 akun, Anda dapat menyelesaikannya dengan:

- Menavigasi ke OU di konsol AWS Control Tower untuk mendaftarkan ulang OU (opsi tercepat). Untuk informasi selengkapnya, lihat Daftarkan unit organisasi yang ada dengan AWS Control Tower.
- Memperbarui landing zone Anda (opsi lebih lambat). Jika drift mempengaruhi kontrol wajib, proses pembaruan membuat kebijakan kontrol layanan baru (SCP) dan menempelkannya ke OU untuk memperbaiki drift. Untuk informasi selengkapnya tentang cara memperbarui landing zone Anda, lihatPerbarui Zona Pendaratan Anda.

Ketika jenis drift ini terjadi di OU dengan lebih dari 300 akun, selesaikan dengan memperbarui landing zone Anda. Jika drift mempengaruhi kontrol wajib, proses pembaruan membuat kebijakan kontrol layanan baru (SCP) dan menempelkannya ke OU untuk memperbaiki drift. Untuk informasi selengkapnya tentang cara memperbarui landing zone Anda, lihatPerbarui Zona Pendaratan Anda.

SCP Terlampir pada Akun Anggota

Jenis drift ini dapat terjadi ketika SCP untuk kontrol dilampirkan ke akun di konsol Organizations. Guardrail dan SCP mereka dapat diaktifkan di OU (dan dengan demikian diterapkan ke semua akun terdaftar OU) melalui konsol AWS Control Tower. Berikut ini adalah contoh notifikasi Amazon SNS saat jenis drift ini terdeteksi.

```
{
  "Message" : "AWS Control Tower has detected that the managed service control policy
 'aws-guardrails-012345 (p-tEXAMPLE)' has been attached to the member account 'account-
email@amazon.com (012345678909)'. For more information, including steps to resolve this
 issue, see 'https://docs.aws.amazon.com/console/controltower/scp-detached-account'",
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "SCP_ATTACHED_TO_ACCOUNT",
  "RemediationStep" : "Re-register this organizational unit (OU)",
  "AccountId" : "012345678909",
  "PolicyId" : "p-tEXAMPLE"
}
```

Penyelesaian

Jenis penyimpangan ini terjadi pada akun daripada OU.

Ketika jenis drift ini terjadi untuk akun di Foundational OU, seperti Security OU, resolusinya adalah memperbarui landing zone Anda. Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.

Ketika jenis penyimpangan ini terjadi di OU non-dasar dengan hingga 300 akun, Anda dapat menyelesaikannya dengan:

- Melepaskan AWS Control Tower SCP dari akun pabrik akun.
- Menavigasi ke OU di konsol AWS Control Tower untuk mendaftarkan ulang OU (opsi tercepat). Untuk informasi selengkapnya, lihat Daftarkan unit organisasi yang ada dengan AWS Control Tower.

Ketika jenis penyimpangan ini terjadi di OU dengan lebih dari 300 akun, Anda dapat mencoba menyelesaikannya dengan memperbarui konfigurasi pabrik akun untuk akun tersebut. Mungkin tidak mungkin untuk menyelesaikannya dengan sukses. Untuk informasi selengkapnya, lihat Perbarui Zona Pendaratan Anda.

Dihapus Foundational OU

Jenis drift ini hanya berlaku untuk AWS Control Tower Foundational OU, seperti Security OU. Hal ini dapat terjadi jika Foundational OU dihapus di luar konsol AWS Control Tower. Foundational OU tidak dapat dipindahkan tanpa membuat jenis drift ini, karena memindahkan OU sama dengan menghapusnya dan kemudian menambahkannya di tempat lain. Saat Anda menyelesaikan drift dengan memperbarui landing zone, AWS Control Tower menggantikan Foundational OU di lokasi aslinya. Contoh berikut menunjukkan notifikasi Amazon SNS yang mungkin Anda terima saat jenis drift ini terdeteksi.

```
{
  "Message" : "AWS Control Tower has detected that the registered organizational unit
 'Security (ou-0123-1EXAMPLE)' has been deleted. For more information, including steps
 to resolve this issue, see 'https://docs.aws.amazon.com/console/controltower/delete-
ou'",
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "ORGANIZATIONAL_UNIT_DELETED",
  "RemediationStep" : "Delete organizational unit in Control Tower",
  "OrganizationalUnitId" : "ou-0123-1EXAMPLE"
}
```

Penyelesaian

Karena penyimpangan ini terjadi hanya untuk Foundational OU, resolusinya adalah memperbarui landing zone. Ketika jenis OU lainnya dihapus, AWS Control Tower diperbarui secara otomatis.

Untuk informasi selengkapnya tentang menyelesaikan penyimpangan untuk akun dan OU, lihat. Jika Anda mengelola sumber daya di luar AWS Control Tower

Drift kontrol Security Hub

Jenis drift ini terjadi ketika kontrol yang merupakan bagian dari AWS Security Hub Service-Managed Standard: AWS Control Tower melaporkan keadaan drift. AWS Security Hub Layanan itu sendiri tidak melaporkan keadaan drift untuk kontrol ini. Sebagai gantinya, layanan mengirimkan temuannya ke AWS Control Tower.

Drift kontrol Security Hub juga dapat dideteksi jika AWS Control Tower belum menerima pembaruan status dari Security Hub lebih dari 24 jam. Jika temuan tersebut tidak diterima seperti yang diharapkan, AWS Control Tower memverifikasi bahwa kontrol dalam drift. Contoh berikut menunjukkan notifikasi Amazon SNS yang mungkin Anda terima saat jenis drift ini terdeteksi.

```
{
"Message" : "AWS Control Tower has detected that an AWS Security Hub control
 was removed in your account example-account@amazon.com <mailto:example-
account@amazon.com>. The artifact deployed on the target OU and accounts does not match
 the expected template and configuration for the control. This mismatch indicates that
 configuration changes were made outside of AWS Control Tower. For more information,
 view Security Hub standard",
"MasterAccountId" : "123456789XXX",
"ManagementAccountId" : "123456789XXX",
"OrganizationId" : "o-123EXAMPLE",
"DriftType" : "SECURITY_HUB_CONTROL_DISABLED",
"RemediationStep" : "To remediate the issue, Re-register the OU, or remove the control
 and enable it again. If the problem persists, contact AWS support.",
"AccountId" : "7876543219XXX",
"ControlId" : "PYBETSAGNUZB",
"ControlName" : "EBS snapshots should not be publicly restorable",
"ApiControlIdentifier" : "arn:aws:controltower:us-east-1::control/PYBETSAGNUZB",
"Region" : "us-east-1"
}
```

Penyelesaian

Untuk OU dengan kurang dari 300 akun, resolusinya adalah mendaftarkan ulang OU, yang mengatur ulang kontrol ke keadaan semula. Untuk OU apa pun, Anda dapat menghapus dan mengaktifkan kembali kontrol melalui konsol atau AWS Control Tower API, yang juga mengatur ulang kontrol.

Untuk informasi selengkapnya tentang menyelesaikan penyimpangan untuk akun dan OU, lihat. Jika Anda mengelola sumber daya di luar AWS Control Tower

Akses tepercaya dinonaktifkan

Jenis drift ini berlaku untuk zona pendaratan AWS Control Tower. Ini terjadi ketika Anda menonaktifkan akses tepercaya ke AWS Control Tower AWS Organizations setelah Anda menyiapkan zona landing zone AWS Control Tower.

Saat akses tepercaya dinonaktifkan, AWS Control Tower tidak lagi menerima peristiwa perubahan dari AWS Organizations. AWS Control Tower mengandalkan peristiwa perubahan ini agar tetap disinkronkan. AWS OrganizationsAkibatnya, AWS Control Tower mungkin melewatkan perubahan organisasi dalam akun dan OU. Itulah mengapa penting untuk mendaftarkan ulang setiap OU, setiap kali Anda memperbarui landing zone Anda.

Contoh: Pemberitahuan Amazon SNS

Berikut ini adalah contoh notifikasi Amazon SNS yang Anda terima saat jenis drift ini terjadi.

```
{
  "Message" : "AWS Control Tower has detected that trusted access has been disabled in
 AWS Organizations. For more information, including steps to resolve this issue, see
 https://docs.aws.amazon.com/controltower/latest/userguide/drift.html#drift-trusted-
access-disabled",
  "ManagementAccountId" : "012345678912",
  "OrganizationId" : "o-123EXAMPLE",
  "DriftType" : "TRUSTED_ACCESS_DISABLED",
  "RemediationStep" : "Repair Control Tower landing zone."
}
```

Penyelesaian

AWS Control Tower memberi tahu Anda saat jenis drift ini terjadi di konsol AWS Control Tower. Resolusinya adalah memperbaiki landing zone AWS Control Tower Anda. Untuk informasi selengkapnya, lihat Menyelesaikan penyimpangan.

Jika Anda mengelola sumber daya di luar AWS Control Tower

AWS Control Tower menyiapkan akun, unit organisasi, dan sumber daya lainnya atas nama Anda, tetapi Anda adalah pemilik sumber daya ini. Anda dapat mengubah sumber daya ini di AWS Control Tower atau di luarnya. Tempat paling umum untuk mengubah sumber daya di luar AWS Control Tower adalah AWS Organizations konsol. Topik ini menjelaskan cara mendamaikan perubahan pada sumber daya AWS Control Tower saat Anda membuat perubahan di luar AWS Control Tower.

Mengganti nama, menghapus, dan memindahkan sumber daya di luar konsol AWS Control Tower menyebabkan konsol menjadi tidak sinkron. Banyak perubahan dapat direkonsiliasi secara otomatis. Perubahan tertentu memerlukan perbaikan pada landing zone Anda untuk memperbarui informasi yang ditampilkan di konsol AWS Control Tower.

Secara umum, perubahan yang Anda lakukan di luar konsol AWS Control Tower ke sumber daya AWS Control Tower menciptakan status drift yang dapat diperbaiki di landing zone Anda. Untuk informasi selengkapnya tentang perubahan ini, lihatPerubahan sumber daya yang dapat diperbaiki.

Tugas yang membutuhkan perbaikan landing zone

- Menghapus Keamanan OU (Kasus khusus, tidak boleh dilakukan dengan ringan.)
- Menghapus akun bersama dari Security OU (Tidak disarankan.)
- Memperbarui, melampirkan, atau melepaskan SCP yang terkait dengan OU Keamanan.

Perubahan yang diperbarui secara otomatis oleh AWS Control Tower

- Mengubah alamat email akun yang terdaftar
- Mengganti nama akun terdaftar
- Membuat unit organisasi tingkat atas (OU) baru
- Mengganti nama OU terdaftar
- Menghapus OU terdaftar (Kecuali OU Keamanan, yang memerlukan pembaruan.)
- Menghapus akun terdaftar (Kecuali akun bersama di OU Keamanan.)

> **Note**
>
> AWS Service Catalog menangani perubahan secara berbeda dari AWS Control Tower. AWS Service Catalog dapat membuat perubahan dalam postur tata kelola ketika merekonsiliasi

perubahan Anda. Untuk informasi selengkapnya tentang memperbarui produk yang disediakan, lihat Memperbarui Produk yang Disediakan dalam dokumentasi. AWS Service Catalog

Mengacu pada sumber daya di luar AWS Control Tower

Saat Anda membuat OU dan akun baru di luar AWS Control Tower, akun tersebut tidak diatur oleh AWS Control Tower, meskipun mungkin ditampilkan.

Membuat OU

Unit Organisasi (OU) yang dibuat di luar AWS Control Tower disebut sebagai Tidak Terdaftar. Mereka ditampilkan di halaman Organisasi, tetapi tidak diatur oleh kontrol AWS Control Tower.

Membuat akun

Akun yang dibuat di luar AWS Control Tower disebut Unenrolled. Akun terdaftar dan tidak terdaftar milik OU yang terdaftar di AWS Control Tower ditampilkan di halaman Organisasi. Akun yang bukan milik OU terdaftar dapat diundang dengan menggunakan AWS Organizations konsol. Undangan untuk bergabung ini tidak mendaftarkan akun di AWS Control Tower atau memperluas tata kelola AWS Control Tower ke akun. Untuk memperluas tata kelola dengan mendaftarkan akun, buka halaman Organisasi atau halaman detail Akun di AWS Control Tower dan pilih Daftar akun.

Mengubah nama sumber daya AWS Control Tower secara eksternal

Anda dapat mengubah nama unit organisasi (OU) dan akun di luar konsol AWS Control Tower, dan konsol diperbarui secara otomatis untuk mencerminkan perubahan tersebut.

Mengganti nama OU

Di AWS Organizations, Anda dapat mengubah nama OU dengan menggunakan AWS Organizations API atau konsol. Saat Anda mengubah nama OU di luar AWS Control Tower, konsol AWS Control Tower secara otomatis mencerminkan perubahan nama. Namun, jika Anda menyediakan akun menggunakan AWS Service Catalog, Anda juga harus memperbaiki landing zone untuk memastikan AWS Control Tower tetap konsisten AWS Organizations. Alur kerja Perbaikan memastikan konsistensi di seluruh layanan untuk OU Dasar dan Tambahan. Anda dapat memperbaiki jenis drift ini dari halaman pengaturan zona pendaratan. Lihat bagian yang disebut “Menyelesaikan Drift” di. Mendeteksi dan mengatasi penyimpangan di AWS Control Tower

AWS Control Tower menampilkan nama OU pada halaman Organisasi di dasbor AWS Control Tower. Anda dapat melihat kapan perbaikan landing zone Anda telah berhasil.

Mengganti nama akun terdaftar

Setiap AWS akun memiliki nama tampilan yang dapat diubah oleh pengguna root akun di AWS Billing and Cost Management konsol. Saat Anda mengganti nama akun yang terdaftar di AWS Control Tower, perubahan nama secara otomatis tercermin di AWS Control Tower. Untuk informasi selengkapnya tentang mengubah nama akun, lihat Mengelola AWS akun di Panduan PenggunaAWS Penagihan.

Menghapus Keamanan OU

Jenis drift ini adalah kasus khusus. Jika Anda menghapus Security OU, Anda akan melihat halaman pesan kesalahan, meminta Anda untuk memperbaiki landing zone Anda. Anda harus memperbaiki landing zone sebelum dapat melakukan tindakan lain di AWS Control Tower.

- Anda tidak akan dapat melakukan tindakan apa pun di konsol AWS Control Tower dan Anda tidak akan dapat membuat akun baru AWS Service Catalog hingga perbaikan selesai.
- Anda tidak akan dapat melihat halaman pengaturan zona pendaratan untuk melihat tombol Perbaikan di sana.

Dalam situasi ini, proses perbaikan landing zone menciptakan OU Keamanan baru dan memindahkan dua akun bersama ke OU Keamanan baru. AWS Control Tower menandai akun Log Archive dan Audit sebagai drifted. Proses yang sama memperbaiki penyimpangan di akun ini.

Jika Anda menentukan bahwa Anda harus menghapus OU Keamanan, inilah yang perlu Anda ketahui:

Sebelum Anda dapat menghapus Security OU, Anda harus memastikan tidak mengandung akun. Secara khusus, Anda harus menghapus akun Arsip Log dan Audit dari OU. Kami menyarankan Anda memindahkan akun ini ke OU lain.

> **Note**
>
> Tindakan menghapus Security OU Anda tidak boleh dilakukan tanpa pertimbangan. Tindakan tersebut dapat menimbulkan kekhawatiran kepatuhan jika pencatatan ditangguhkan sementara, dan karena beberapa kontrol mungkin tidak ditegakkan.

Untuk informasi umum tentang drift, lihat “Menyelesaikan Drift” di. Mendeteksi dan mengatasi penyimpangan di AWS Control Tower

Menghapus akun dari Security OU

Kami tidak menyarankan Anda menghapus salah satu akun bersama dari organisasi Anda atau memindahkannya dari Security OU. Jika Anda telah menghapus akun bersama secara tidak sengaja, Anda dapat mengikuti langkah-langkah perbaikan di bagian ini untuk memulihkan akun.

- Dari dalam konsol AWS Control Tower: Untuk memulai proses remediasi, ikuti langkah-langkah remediasi semi-manual. Pastikan pengguna atau peran yang Anda gunakan untuk mengakses konsol AWS Control Tower memiliki izin untuk dijalankan`organizations:InviteAccountToOrganization`. Jika Anda tidak memiliki izin tersebut, ikuti langkah-langkah perbaikan manual, yang menggunakan konsol AWS Control Tower dan konsol. AWS Organizations
- Mulai dari AWS Organizations konsol: Proses remediasi ini adalah prosedur manual yang sedikit lebih lama dan sepenuhnya. Saat mengikuti langkah-langkah perbaikan manual, Anda akan beralih antara AWS Organizations konsol dan konsol AWS Control Tower. Saat bekerja di AWS Organizations, Anda memerlukan pengguna atau peran dengan kebijakan `AWSOrganizationsFullAccess` terkelola atau yang setara. Saat bekerja di konsol AWS Control Tower, Anda memerlukan pengguna atau peran dengan kebijakan `AWSControlTowerServiceRolePolicy` terkelola atau yang setara, dan izin untuk menjalankan semua tindakan AWS Control Tower (controltower: *).
- Jika langkah-langkah remediasi tidak memulihkan akun, hubungi AWS Support.

Hasil menghapus akun bersama melalui AWS Organizations:

- Akun tidak lagi dilindungi oleh kontrol wajib AWS Control Tower dengan kebijakan kontrol layanan (SCP). Hasil: Sumber daya yang dibuat oleh AWS Control Tower di akun dapat diubah atau dihapus.
- Akun tidak lagi berada di bawah akun AWS Organizations manajemen. Hasil: Administrator akun AWS Organizations manajemen tidak lagi memiliki visibilitas ke dalam pengeluaran akun.
- Akun tidak lagi dijamin untuk dipantau oleh AWS Config. Hasil: Administrator akun AWS Organizations manajemen mungkin tidak dapat mendeteksi perubahan sumber daya.
- Akun tidak lagi ada di organisasi. Hasil: Pembaruan dan perbaikan AWS Control Tower akan gagal.

Untuk memulihkan akun bersama menggunakan konsol AWS Control Tower (prosedur semi-manual)

1. Masuk ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower. Anda harus masuk sebagai pengguna IAM, pengguna di Pusat Identitas IAM, atau peran dengan izin untuk dijalankan. `organizations:InviteAccountToOrganization` Jika Anda tidak memiliki izin tersebut, gunakan prosedur remediasi manual yang dijelaskan nanti dalam topik ini.
2. Pada halaman terdeteksi drift zona pendaratan, pilih Undangan Ulang untuk memulihkan penghapusan akun bersama dengan mengundang kembali akun bersama ke dalam organisasi. Email yang dibuat secara otomatis dikirim ke alamat email untuk akun tersebut.
3. Terima undangan untuk membawa akun bersama kembali ke organisasi. Lakukan salah satu dari cara berikut:
   - Masuk ke akun bersama yang telah dihapus, lalu buka https://console.aws.amazon.com/organizations/home#/invites
   - Jika Anda memiliki akses ke pesan email yang dikirim saat Anda mengundang kembali akun, masuk ke akun yang dihapus, lalu klik tautan dalam pesan untuk menavigasi langsung ke undangan akun.
   - Jika akun bersama yang dihapus tidak ada di organisasi lain, masuk ke akun, buka AWS Organizations konsol dan arahkan ke Undangan.
4. Masuk lagi ke akun manajemen, atau muat ulang konsol AWS Control Tower jika sudah terbuka. Anda akan melihat halaman drift zona pendaratan. Pilih Perbaikan untuk memperbaiki landing zone.
5. Tunggu proses perbaikan selesai.

Jika remediasi berhasil, akun bersama muncul dalam keadaan normal dan kepatuhan.

Jika langkah-langkah remediasi tidak memulihkan akun, hubungi AWS Support.

Untuk memulihkan akun bersama menggunakan AWS Control Tower dan AWS Organizations konsol (Remediasi manual)

1. Masuk ke AWS Organizations konsol dihttps://console.aws.amazon.com/organizations/. Anda harus masuk sebagai pengguna IAM, pengguna di Pusat Identitas IAM, atau peran dengan kebijakan `AWSOrganizationsFullAccess` terkelola atau yang setara.
2. Undang akun bersama kembali ke organisasi. Untuk informasi tentang persyaratan, prasyarat, dan prosedur untuk mengundang akun AWS Organizations, lihat Mengundang akun ke organisasi Anda di AWS Panduan Pengguna.AWS Organizations

3. Masuk ke akun bersama yang telah dihapus, lalu buka https://console.aws.amazon.com/organizations/home#/invites untuk menerima undangan.
4. Masuk lagi ke akun manajemen.
5. Masuk ke konsol AWS Control Tower sebagai pengguna atau peran dengan kebijakan `AWSControlTowerServiceRolePolicy` terkelola atau yang setara, dan izin untuk menjalankan semua tindakan AWS Control Tower (controltower: *).
6. Anda akan melihat halaman drift zona pendaratan dengan opsi untuk memperbaiki landing zone. Pilih Perbaikan untuk memperbaiki landing zone.
7. Tunggu proses perbaikan selesai.

Jika remediasi berhasil, akun bersama muncul dalam keadaan normal dan kepatuhan.

Jika langkah-langkah remediasi tidak memulihkan akun, hubungi AWS Support.

Perubahan eksternal yang diperbarui secara otomatis

Perubahan yang Anda buat pada alamat email akun diperbarui oleh AWS Control Tower secara otomatis, tetapi Account Factory tidak memperbaruinya secara otomatis.

Mengubah alamat email akun yang diatur

AWS Control Tower mengambil dan menampilkan alamat email seperti yang dipersyaratkan oleh pengalaman konsol. Oleh karena itu, alamat email akun bersama dan lainnya diperbarui dan ditampilkan secara konsisten di AWS Control Tower setelah Anda mengubahnya.

> **Note**
>
> Di AWS Service Catalog, Account Factory menampilkan parameter yang ditentukan di konsol saat Anda membuat produk yang disediakan. Namun, alamat email akun asli tidak diperbarui secara otomatis ketika alamat email akun berubah. Itu karena akun secara konseptual terkandung dalam produk yang disediakan; itu tidak sama dengan produk yang disediakan. Untuk memperbarui nilai ini, Anda harus memperbarui produk yang disediakan, yang dapat menyebabkan perubahan postur tata kelola.

Menerapkan AWS Config aturan eksternal

AWS Control Tower menampilkan status kepatuhan semua AWS Config aturan yang diterapkan ke unit organisasi yang terdaftar di AWS Control Tower, termasuk aturan yang diaktifkan di luar konsol AWS Control Tower.

Menghapus sumber daya AWS Control Tower di luar AWS Control Tower

Anda dapat menghapus OU dan akun di AWS Control Tower dan Anda tidak perlu mengambil tindakan lebih lanjut untuk melihat pembaruan. Account Factory diperbarui secara otomatis saat Anda menghapus OU, tetapi tidak saat Anda menghapus akun.

Menghapus OU terdaftar (kecuali OU Keamanan)

Di dalamnya AWS Organizations, Anda dapat menghapus unit organisasi kosong (OU) dengan menggunakan API atau konsol. OU yang berisi akun tidak dapat dihapus.

AWS Control Tower menerima pemberitahuan dari AWS Organizations saat OU dihapus. Ini memperbarui daftar OU di Account Factory, sehingga daftar OU terdaftar tetap konsisten.

> **Note**
>
> Di AWS Service Catalog, Account Factory diperbarui untuk menghapus OU yang dihapus dari daftar OU yang tersedia di mana Anda dapat menyediakan akun.

Menghapus akun terdaftar dari OU

Saat Anda menghapus akun yang terdaftar, AWS Control Tower menerima pemberitahuan dan membuat pembaruan, sehingga informasinya tetap konsisten.

> **Note**
>
> Di AWS Service Catalog, produk yang disediakan Account Factory yang mewakili akun yang diatur tidak diperbarui untuk menghapus akun. Sebagai gantinya, produk yang disediakan ditampilkan sebagai `TAINTED` dan dalam status kesalahan. Untuk membersihkan, pergi ke AWS Service Catalog, pilih produk yang disediakan, dan kemudian pilih Terminate.

Menandai **`EnabledControl`** sumber daya di AWS Control Tower

Anda dapat menambahkan tag ke `EnabledControl` sumber daya melalui AWS CloudFormation template, melalui konsol AWS Control Tower, dan dengan memanggil AWS Control Tower API.

> **Note**
>
> AWS Control Tower`GetEnabledControl`,`EnableControl`, dan operasi `ListTagsforResource` API mengandalkan fungsionalitas penandaan `EnabledControl` sumber daya untuk pelaporan drift yang tepat.

Izin yang diperlukan

Saat mengonfigurasi tag sumber daya CloudFormation, Anda harus menambahkan izin `ListTagsforResource` IAM baru ke kebijakan untuk peran yang dikelola pelanggan yang Anda gunakan untuk memperbarui kontrol. Jika Anda tidak menambahkan izin, CloudFormation template mungkin memiliki tag, tetapi AWS CloudFormation tidak dapat melihatnya tanpa kemampuan untuk meneleponListTagsforResource. Jika Anda telah membuat peran yang memperbarui landing zone AWS Control Tower Anda, peran tersebut mungkin sudah memiliki izin ini, karena izin yang sama diperlukan untuk melihat tag yang terkait dengan sumber daya landing zone.

Langkah 1: Tambahkan izin

Untuk menandai sumber daya, memperbarui tag, dan mengaktifkan pelaporan drift yang tepat, diperlukan tiga izin, seperti yang ditunjukkan pada contoh berikut.

```
{
 "Version": "2012-10-17",
 "Statement": [
  {
   "Sid": "VisualEditor0",
   "Effect": "Allow",
   "Action": [
    "controltower:TagResource",
    "controltower:ListTagsForResource",
    "controltower:UntagResource"
```

```
    ],
    "Resource": "*"
   }
  ]
}
```

CloudFormation melayang

Jika Anda tidak menambahkan izin yang tepat, Anda dapat mengalami beberapa efek samping yang kami sebut sebagai penyimpangan positif palsu atau negatif palsu. CloudFormation Selama CloudFormation drift, perintah Detect drift di AWS CloudFormation konsol mungkin tidak memberikan hasil yang andal. Anda juga dapat mengalami efek samping ini jika Anda memodifikasi CloudFormation sumber daya Anda di luar AWS CloudFormation konsol.

> **Kami sangat merekomendasikan**
>
> Jika Anda menyediakan sumber daya, termasuk tag, dengan AWS CloudFormation, penting untuk memperbarui sumber daya AWS CloudFormation hanya melalui.

Ketika Anda mengalami CloudFormation penyimpangan positif palsu, AWS CloudFormation konsol menunjukkan status Modifikasi (hanyut) untuk sumber daya, meskipun Anda tidak sadar melakukan modifikasi apa pun. Dalam situasi ini, status berarti Anda belum menambahkan `ListTagsforResource` izin. Ketika izin tidak ada dalam peran, `ReadHandler` tidak dapat membaca tag. AWS CloudFormation mengembalikan kesalahan, karena tidak dapat mengatakan apakah sumber daya benar-benar dimodifikasi. Kesalahan muncul sebagai status Modifikasi.

Ketika Anda mengalami penyimpangan negatif palsu, CloudFormation konsol menunjukkan sumber daya sebagai tidak dimodifikasi, padahal sebenarnya, itu telah dimodifikasi. Situasi ini berarti bahwa `EnabledControl` sumber daya AWS Control Tower memiliki tag, tetapi CloudFormation tidak dapat mengambil tag tersebut. Dalam hal ini, dua hal pasti terjadi: sumber daya telah dimodifikasi di luar AWS CloudFormation, yang bukan merupakan praktik yang direkomendasikan, dan juga `ListTagsforResource` izin tidak ditambahkan ke kebijakan.

Langkah 2. Tambahkan tag ke sumber daya

Berikut adalah contoh template CloudFormation sumber daya dengan tag ditambahkan.

```
AWSTemplateFormatVersion: 2010-09-09
Resources:
```

```
  myEnabledControlTest:
    Type: 'AWS::ControlTower::EnabledControl'
    Properties:
      ControlIdentifier: 'arn:aws:controltower:us-west-2::control/ZTCMZEXAMPLE'
      TargetIdentifier: 'arn:aws:organizations::012345678901:ou/o-exampleou/ou-xxxx-
f35g82v9'
      Tags:
        - Key: "K1"
          Value: "V1"
      Parameters:
        - Key: AllowedRegions
          Value:
            - us-west-2
            - us-west-1
            - us-east-1
```

Untuk informasi selengkapnya, lihat `EnabledControl` di Panduan CloudFormation Pengguna AWS.

Mengatur organisasi dan akun dengan AWS Control Tower

Semua unit organisasi (OU) dan akun yang Anda buat di AWS Control Tower diatur secara otomatis oleh AWS Control Tower. Selain itu, jika Anda memiliki OU dan akun yang sudah ada yang dibuat di luar AWS Control Tower, Anda dapat membawanya ke tata kelola AWS Control Tower.

Untuk akun yang ada AWS Organizations dan AWS akun, sebagian besar pelanggan lebih suka mendaftarkan grup akun dengan mendaftarkan seluruh unit organisasi (OU) yang berisi akun. Anda juga dapat mendaftarkan akun satu per satu. Untuk informasi selengkapnya tentang mendaftarkan akun individual, lihatDaftarkan yang sudah ada Akun AWS.

Terminologi

- Saat Anda membawa organisasi yang ada ke AWS Control Tower, itu disebut mendaftarkan organisasi, atau memperluas tata kelola ke organisasi.
- Saat Anda membawa AWS akun ke AWS Control Tower, itu disebut mendaftarkan akun.

Lihat OU dan akun Anda

Pada halaman AWS Control Tower Organization, Anda dapat melihat semua OU di Anda AWS Organizations, termasuk OU yang terdaftar di AWS Control Tower dan yang tidak terdaftar. Anda dapat melihat OU bersarang sebagai bagian dari hierarki. Cara mudah untuk melihat unit organisasi Anda di halaman Organisasi adalah dengan memilih unit Organisasi hanya dari dropdown di kanan atas.

Halaman Organisasi mencantumkan semua akun di organisasi Anda, terlepas dari status OU atau pendaftaran di AWS Control Tower. Cara mudah untuk melihat akun Anda di halaman Organisasi adalah dengan memilih Akun hanya dari menu tarik-turun di kanan atas. Anda dapat melihat, memperbarui, dan mendaftarkan akun secara individual dalam OU, jika akun memenuhi prasyarat untuk pendaftaran.

Jika Anda tidak memilih pemfilteran apa pun, halaman Organisasi akan menampilkan akun dan OU Anda dalam hierarki. Ini adalah lokasi sentral untuk memantau dan mengambil tindakan pada semua sumber daya AWS Control Tower Anda. Untuk informasi lebih lanjut tentang halaman Organisasi, Anda dapat melihat panduan video.

Panduan Video

Video ini (4:01) menjelaskan cara bekerja dengan halaman Organisasi di AWS Control Tower. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video Bekerja dengan Halaman Organisasi di AWS Control Tower.

Topik

- Daftarkan unit organisasi yang ada dengan AWS Control Tower
- Daftarkan yang sudah ada Akun AWS

Memperluas tata kelola ke organisasi yang ada

Anda dapat menambahkan tata kelola AWS Control Tower ke organisasi yang sudah ada dengan menyiapkan landing zone (LZ) sebagaimana diuraikan dalam Panduan Pengguna AWS Control Tower di Memulai, Langkah 2.

Inilah yang diharapkan saat Anda menyiapkan landing zone AWS Control Tower di organisasi yang sudah ada.

- Anda dapat memiliki satu landing zone per AWS Organizations organisasi.
- AWS Control Tower menggunakan akun manajemen dari AWS Organizations organisasi Anda yang ada sebagai akun pengelolaannya. Tidak diperlukan akun manajemen baru.
- AWS Control Tower menyiapkan dua akun baru di OU terdaftar: akun audit dan akun logging.
- Batas layanan organisasi Anda harus memungkinkan pembuatan dua akun tambahan ini.
- Setelah meluncurkan landing zone atau mendaftarkan OU, kontrol AWS Control Tower berlaku secara otomatis ke semua akun yang terdaftar di OU tersebut.
- Anda dapat Mendaftarkan AWS akun tambahan yang ada ke dalam OU yang diatur oleh AWS Control Tower, sehingga kontrol berlaku untuk akun tersebut.
- Anda dapat menambahkan lebih banyak OU di AWS Control Tower dan Anda dapat Mendaftarkan OU yang ada.

Untuk memeriksa prasyarat lain untuk pendaftaran dan pendaftaran, lihat Memulai AWS Control Tower.

Berikut detail selengkapnya tentang bagaimana kontrol AWS Control Tower tidak berlaku untuk OU Anda di organisasi AWS yang tidak menyiapkan zona pendaratan AWS Control Tower:

- Akun baru yang dibuat di luar AWS Control Tower Account Factory tidak terikat oleh kontrol OU yang terdaftar.
- Akun baru yang dibuat di OU yang tidak terdaftar di AWS Control Tower tidak terikat oleh kontrol, kecuali jika Anda secara khusus Mendaftarkan akun tersebut ke AWS Control Tower. Lihat Daftarkan yang sudah ada Akun AWS untuk informasi selengkapnya tentang mendaftarkan akun.
- Organisasi tambahan yang ada, akun yang ada, dan OU baru apa pun atau akun apa pun yang Anda buat di luar AWS Control Tower, tidak terikat oleh kontrol AWS Control Tower, kecuali jika Anda mendaftarkan OU secara terpisah atau mendaftarkan akun.

Untuk informasi selengkapnya tentang cara menerapkan AWS Control Tower ke OU dan akun yang ada, lihatDaftarkan unit organisasi yang ada dengan AWS Control Tower.

Untuk ikhtisar proses penyiapan zona landing zone AWS Control Tower di organisasi Anda yang ada, lihat video di bagian selanjutnya.

> **Note**
>
> Selama penyiapan, AWS Control Tower melakukan pra-pemeriksaan untuk menghindari masalah umum. Namun, jika saat ini Anda menggunakan solusi Zona AWS Pendaratan AWS Organizations, tanyakan kepada arsitek AWS solusi Anda sebelum mencoba mengaktifkan AWS Control Tower di organisasi Anda untuk menentukan apakah AWS Control Tower dapat mengganggu penerapan landing zone Anda saat ini. Juga, lihat Bagaimana jika akun tidak memenuhi prasyarat? informasi tentang memindahkan akun dari satu landing zone ke landing zone lainnya.

Video: Aktifkan Zona Pendaratan yang ada AWS Organizations

Video ini (7:48), menjelaskan cara menyiapkan dan mengaktifkan landing zone AWS Control Tower di AWS Organizations struktur yang ada. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Aktifkan AWS Control Tower untuk organisasi yang ada

Pertimbangan untuk IAM Identity Center dan organisasi yang ada

- Jika AWS IAM Identity Center (Pusat Identitas IAM) sudah disiapkan, Wilayah rumah AWS Control Tower harus sama dengan Wilayah Pusat Identitas IAM.
- AWS Control Tower tidak menghapus konfigurasi yang ada.
- Jika IAM Identity Center sudah diaktifkan, dan jika Anda menggunakan IAM Identity Center Directory, AWS Control Tower menambahkan sumber daya seperti set izin, grup, dan sebagainya, dan melanjutkan seperti biasa.
- Jika direktori lain (eksternal, AD, AD Terkelola) disiapkan, AWS Control Tower tidak mengubah konfigurasi yang ada. Untuk detail selengkapnya, lihat Pertimbangan untuk pelanggan AWS IAM Identity Center (IAM Identity Center).

Akses ke AWS layanan lain

Setelah Anda membawa organisasi Anda ke dalam tata kelola AWS Control Tower, Anda masih memiliki akses ke AWS layanan apa pun yang tersedia melalui AWS Organizations, melalui AWS Organizations konsol dan API. Lihat informasi yang lebih lengkap di Layanan AWS terkait.

OU bersarang di AWS Control Tower

Bab ini mencantumkan ekspektasi dan pertimbangan yang ingin Anda ketahui saat bekerja dengan OU bersarang di AWS Control Tower. Dalam kebanyakan hal, bekerja dengan OU bersarang sama dengan bekerja dengan struktur OU datar. Fitur Register and Re-register berfungsi dengan OU bersarang, kecuali untuk perubahan perilaku yang dicatat dalam Bab ini.

Panduan Video

Video ini (4:46) menjelaskan cara mengelola penerapan OU bersarang di AWS Control Tower. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video Mengelola OU Bersarang di AWS Control Tower.

Untuk panduan mengenai praktik terbaik untuk OU bersarang dan landing zone Anda, lihat posting blog Mengatur zona landing AWS Control Tower Anda dengan OU bersarang.

Perluas dari struktur OU datar ke struktur OU bersarang

Jika Anda membuat landing zone AWS Control Tower dengan struktur OU datar, Anda dapat memperluasnya ke struktur OU bersarang.

Proses ini memiliki empat langkah utama:

1. Buat struktur OU bersarang yang Anda inginkan di AWS Control Tower.
2. Buka AWS Organizations konsol dan gunakan fitur pemindahan massal mereka untuk memindahkan akun dari sumber OU (datar) ke OU tujuan (bersarang). Begini caranya:
   a. Pergi ke OU dari mana Anda ingin memindahkan akun.
   b. Pilih semua akun di OU.
   c. Pilih Pindah.

   > **Note**
   > Langkah ini harus dilakukan di AWS Organizations konsol di karena AWS Control Tower tidak memiliki fitur Move.

3. Buka OU bersarang di AWS Control Tower dan Daftar atau daftarkan ulang. Semua akun di OU bersarang akan didaftarkan.
   - Jika Anda membuat OU di AWS Control Tower, daftarkan ulang OU.
   - Jika Anda membuat OU di AWS Organizations, Daftarkan OU untuk pertama kalinya.
4. Setelah akun Anda dipindahkan dan didaftarkan, hapus OU tingkat atas yang kosong, baik dari AWS Organizations konsol atau dari konsol AWS Control Tower.

Pra-cek pendaftaran OU bersarang

Untuk mendukung keberhasilan pendaftaran OU bersarang Anda dan akun anggotanya, AWS Control Tower melakukan serangkaian pra-pemeriksaan. Prakecek yang sama ini dilakukan saat mendaftarkan OU tingkat atas atau OU bersarang. Untuk informasi selengkapnya, lihat Penyebab umum kegagalan saat pendaftaran atau pendaftaran ulang.

- Jika semua pra-pemeriksaan lulus, AWS Control Tower mulai mendaftarkan OU Anda, secara otomatis.

- Jika ada pra-pemeriksaan yang gagal, AWS Control Tower menghentikan proses pendaftaran dan memberi Anda daftar item yang harus diperbaiki sebelum Anda dapat mendaftarkan OU Anda.

OU dan peran bersarang

AWS Control Tower menyebarkan `AWSControlTowerExecution` peran ke akun di bawah target OU, dan ke akun di semua OU yang bersarang di bawah target OU, bahkan ketika niat Anda adalah mendaftarkan OU target saja. Peran ini memberikan setiap pengguna izin Administrator akun manajemen pada akun apa pun yang memiliki `AWSControlTowerExecution` peran tersebut. Peran tersebut dapat digunakan untuk melakukan tindakan yang biasanya tidak diizinkan oleh kontrol AWS Control Tower.

Anda dapat menghapus peran ini dari akun yang tidak terdaftar yang tidak Anda rencanakan untuk didaftarkan. Jika Anda menghapus peran ini, Anda tidak dapat mendaftarkan akun dengan AWS Control Tower, atau mendaftarkan OU induk langsung, kecuali jika Anda mengembalikan peran tersebut ke akun. Untuk menghapus `AWSControlTowerExecution` peran dari akun, Anda harus masuk di bawah `AWSControlTowerExecution` peran, karena tidak ada prinsipal IAM lain yang diizinkan untuk menghapus peran yang dikelola oleh AWS Control Tower.

Untuk informasi tentang cara membatasi akses peran, lihatKondisi opsional untuk hubungan kepercayaan peran Anda.

Apa yang terjadi selama pendaftaran dan pendaftaran ulang OU dan akun bersarang

Saat Anda mendaftarkan atau mendaftarkan ulang OU bersarang, AWS Control Tower mendaftarkan semua akun OU target yang tidak terdaftar, dan akan memperbarui semua akun yang terdaftar. Inilah yang diharapkan.

AWS Control Tower melakukan tugas-tugas berikut

- Menambahkan `AWSControlTowerExecution` peran ke semua akun yang tidak terdaftar di bawah OU ini, dan ke semua akun yang tidak terdaftar di OU bersarangnya.
- Mendaftarkan akun anggota yang tidak terdaftar.
- Mendaftarkan kembali akun anggota yang terdaftar.
- Membuat login IAM Identity Center untuk akun anggota yang baru terdaftar.

- Memperbarui akun anggota terdaftar yang ada untuk mencerminkan perubahan landing zone Anda.
- Pembaruan kontrol yang dikonfigurasi untuk OU ini dan akun anggotanya.

Pertimbangan untuk pendaftaran OU bersarang

- Anda tidak dapat mendaftarkan OU di bawah inti OU (Security OU).
- OU bersarang harus didaftarkan secara terpisah.
- Anda tidak dapat mendaftarkan OU kecuali OU induknya terdaftar.
- Anda tidak dapat mendaftarkan OU kecuali semua OU yang lebih tinggi di pohon telah berhasil terdaftar pada suatu waktu (beberapa mungkin telah dihapus).
- Anda dapat mendaftarkan OU yang berada di bawah OU yang lebih tinggi yang melayang, tetapi drift tidak diperbaiki oleh tindakan itu.

Keterbatasan OU bersarang

- OU dapat bersarang maksimal 5 tingkat jauh di bawah akar.
- OU bersarang di bawah target OU harus didaftarkan atau didaftarkan ulang secara terpisah.
- Jika target OU berada di Level 2 atau di bawah dalam hierarki, yaitu, jika bukan OU tingkat atas, kontrol pencegahan yang diaktifkan pada OU yang lebih tinggi diberlakukan pada OU ini dan semua OU di bawahnya, secara otomatis.
- Kegagalan pendaftaran OU tidak menyebarkan pohon hierarki. Anda dapat melihat detail tentang status OU bersarang di halaman detail OU induk.
- Kegagalan pendaftaran OU tidak menyebar ke bawah pohon hierarki.
- AWS Control Tower tidak mengubah pengaturan VPC Anda untuk akun baru atau yang sudah ada.

OU bersarang dan kepatuhan

Dari konsol AWS Control Tower, Anda dapat melihat OU dan akun yang tidak sesuai di halaman Organisasi, sehingga Anda dapat memahami kepatuhan dalam skala yang lebih besar.

Pertimbangan tentang kepatuhan untuk OU dan akun bersarang

- Kepatuhan OU tidak ditentukan berdasarkan kepatuhan OU yang bersarang di bawahnya.

- Status kepatuhan kontrol dihitung atas semua OU tempat kontrol diaktifkan, termasuk OU bersarang. Lihat Status kepatuhan AWS Control Tower untuk OU dan akun.
- OU ditampilkan sebagai tidak patuh hanya jika memiliki akun yang tidak patuh, terlepas dari di mana OU berada dalam hierarki OU.
- Jika OU bersarang tidak patuh, OU induknya tidak secara otomatis dianggap tidak patuh.
- Pada halaman detail OU atau detail Akun, Anda dapat melihat daftar sumber daya yang tidak sesuai yang mungkin menyebabkan OU atau akun Anda menunjukkan status yang tidak sesuai.

OU bersarang dan drift

Dalam situasi tertentu, drift dapat mencegah pendaftaran OU bersarang.

Harapan untuk OU drift dan bersarang

- Anda dapat mengaktifkan kontrol pada OU dengan orang tua yang hanyut, tetapi tidak pada OU yang hanyut secara langsung.
- Anda diizinkan untuk mengaktifkan kontrol detektif di bawah OU yang hanyut, selama itu bukan OU drifted tingkat atas.
- Kontrol wajib diaktifkan hanya pada OU tingkat atas. Kontrol wajib dilewati saat Anda mendaftarkan OU bersarang.
- Satu kontrol wajib melindungi AWS Config sumber daya; oleh karena itu, kontrol itu harus dalam keadaan tidak hanyut untuk mendaftarkan OU bersarang. Jika hanyut, AWS Control Tower memblokir pendaftaran OU bersarang.
- Jika OU tingkat atas dalam drift, kontrol yang melindungi AWS Config sumber daya mungkin dalam drift. Dalam situasi ini, AWS Control Tower memblokir tindakan apa pun yang memerlukan pembuatan atau pembaruan AWS Config sumber daya, termasuk penerapan kontrol detektif.

OU dan kontrol bersarang

Ketika Anda mengaktifkan kontrol pada OU terdaftar, kontrol preventif dan detektif memiliki perilaku yang berbeda. Untuk OU bersarang, kontrol proaktif berperilaku mirip dengan kontrol detektif.

Kontrol preventif

- Kontrol pencegahan ditegakkan pada OU bersarang.
- Kontrol pencegahan wajib diberlakukan pada semua akun di bawah OU dan OU bersarangnya.

- Kontrol preventif memengaruhi semua akun dan OU yang bersarang di bawah target OU, bahkan jika akun dan OU tersebut tidak terdaftar.

Detektif dan kontrol proaktif

- OU bersarang tidak mewarisi kontrol detektif atau proaktif secara otomatis; ini harus diaktifkan secara terpisah.
- Kontrol detektif dan proaktif hanya digunakan untuk akun terdaftar di Wilayah operasi zona pendaratan Anda.

Status kontrol dan pewarisan yang diaktifkan

Anda dapat melihat kontrol yang diwariskan untuk setiap OU, di halaman detail OU.

> **Tip**
>
> Anda dapat menggunakan warisan kontrol untuk membantu tetap berada dalam kuota SCP OU. Misalnya, Anda dapat mengaktifkan kontrol di OU tingkat atas hierarki OU, alih-alih mengaktifkan secara langsung untuk OU bersarang.

Status yang diwariskan

- Status yang diwarisi menunjukkan bahwa kontrol diaktifkan oleh warisan saja, dan belum diterapkan langsung ke OU.
- Status Diaktifkan berarti kontrol diberlakukan pada OU ini, terlepas dari statusnya di OU lainnya.
- Status Gagal berarti kontrol tidak diberlakukan pada OU ini, terlepas dari statusnya di OU lainnya.

> **Note**
>
> Status yang Diwarisi menunjukkan bahwa kontrol diterapkan ke OU yang lebih tinggi di pohon, dan diberlakukan pada OU ini, tetapi tidak ditambahkan langsung ke OU ini.

> **Jika landing zone Anda bukan versi saat ini**
>
> Setiap baris dalam tabel kontrol Diaktifkan mewakili satu kontrol yang diaktifkan pada satu, OU individu.

OU bersarang dan akarnya

Root bukan OU, dan tidak dapat didaftarkan atau didaftarkan ulang. Anda juga tidak dapat membuat akun langsung di root. Root tidak dapat tidak patuh atau memiliki status siklus hidup, seperti terdaftar atau dalam drift.

Namun, root adalah wadah tingkat atas untuk semua akun dan OU. Dalam konteks OU bersarang, itu adalah simpul di mana semua OU lainnya bersarang.

Daftarkan unit organisasi yang ada dengan AWS Control Tower

Cara efisien untuk membawa banyak AWS akun yang sudah ada ke AWS Control Tower adalah dengan memperluas tata kelola oleh AWS Control Tower ke seluruh unit organisasi (OU).

Untuk mengaktifkan tata kelola AWS Control Tower atas OU yang sudah ada yang dibuat dengan AWS Organizations, dan akunnya, daftarkan OU dengan landing zone AWS Control Tower Anda. Anda dapat mendaftarkan OU yang berisi hingga 300 akun. Jika OU berisi lebih dari 300 akun, Anda tidak dapat mendaftarkannya di AWS Control Tower.

Saat Anda mendaftarkan OU, akun anggotanya terdaftar ke zona landing zone AWS Control Tower. Mereka diatur oleh kontrol yang berlaku untuk OU mereka.

> **Note**
>
> Jika Anda belum memiliki zona landing zone AWS Control Tower, mulailah dengan menyiapkan landing zone, baik di organisasi baru yang dibuat oleh AWS Control Tower, atau di AWS Organizations organisasi yang sudah ada. Untuk detail selengkapnya tentang cara mengatur landing zone, lihatMemulai AWS Control Tower.

Apa yang terjadi pada akun saya ketika saya mendaftarkan OU saya?

AWS Control Tower memerlukan izin untuk membuat akses tepercaya antara AWS CloudFormation dan AWS Organizations atas nama Anda, sehingga AWS CloudFormation dapat menerapkan tumpukan Anda ke akun di organisasi Anda secara otomatis.

- `AWSControlTowerExecution`Peran ditambahkan ke semua akun dengan status Tidak terdaftar.
- Kontrol wajib diaktifkan secara default ke OU Anda dan semua akunnya saat Anda mendaftarkan OU Anda.

Pendaftaran sebagian akun setelah OU terdaftar

Dimungkinkan untuk mendaftarkan OU dengan sukses, namun akun tertentu mungkin tetap tidak terdaftar. Jika demikian, akun-akun ini tidak memenuhi beberapa prasyarat untuk pendaftaran. Jika pendaftaran akun sebagai bagian dari proses Register OU tidak berhasil, status akun di halaman akun menunjukkan Pendaftaran gagal. Anda juga dapat melihat informasi akun di halaman OU Anda seperti 4 dari 5, di bidang akun.

Misalnya, jika Anda melihat 4 dari 5, itu berarti OU Anda memiliki 5 akun secara total, dan 4 di antaranya berhasil terdaftar, tetapi satu akun gagal mendaftar selama proses Register OU. Anda dapat memilih Daftar Ulang OU untuk membawa akun ke dalam pendaftaran, setelah Anda memastikan akun memenuhi prasyarat pendaftaran.

Prasyarat pengguna IAM untuk mendaftarkan OU

Identitas AWS Identity and Access Management (IAM) Anda (pengguna atau peran) atau identitas pengguna IAM Identity Center harus disertakan pada portofolio Account Factory yang sesuai ketika Anda melakukan operasi Register OU, meskipun Anda sudah memiliki `Admin` izin. Jika tidak, pembuatan produk yang disediakan akan gagal saat pendaftaran. Kegagalan terjadi karena AWS Control Tower bergantung pada kredensi pengguna IAM atau identitas pengguna IAM Identity Center saat mendaftarkan OU.

Portofolio yang relevan adalah portofolio yang dibuat oleh AWS Control Tower, yang disebut AWS Control Tower Account Factory Portfolio. Arahkan ke sana dengan memilih Service Catalog > Account Factory > AWS Control Tower Account Factory Portfolio. Kemudian pilih tab yang disebut Grup, peran, dan pengguna untuk melihat identitas IAM atau IAM Identity Center Anda. Untuk informasi selengkapnya tentang cara memberikan akses, lihat dokumentasi untuk AWS Service Catalog.

Daftarkan OU yang ada

Di konsol AWS Control Tower, di halaman Organisasi, Anda dapat melihat semua OU dan akun organisasi Anda dalam hierarki, termasuk OU yang terdaftar di AWS Control Tower, dan akun yang tidak terdaftar.

Secara umum, OU yang tidak terdaftar dibuat di AWS Organizations, dan mereka tidak diatur oleh landing zone lainnya. Anda dapat mendaftarkan OU yang ada yang berisi hingga 300 akun. Jika OU berisi lebih dari 300 akun, Anda tidak dapat mendaftarkannya di AWS Control Tower.

Untuk mendaftarkan OU yang ada

1. Masuk ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower.
2. Di menu navigasi panel kiri, pilih Organisasi.
3. Pada halaman Organisasi, pilih tombol radio di sebelah OU yang ingin Anda daftarkan, lalu pilih Daftarkan unit organisasi dari menu tarik-turun Tindakan di kanan atas, atau sebagai alternatif, pilih nama OU sehingga Anda dapat melihat halaman detail OU untuk OU itu.
4. Pada halaman detail OU, di kanan atas Anda dapat memilih Register OU dari menu dropdown Actions.

Proses pendaftaran membutuhkan waktu minimal 10 menit untuk memperpanjang tata kelola ke OU, dan hingga 2 menit tambahan untuk setiap akun tambahan.

Hasil pendaftaran OU yang ada

Setelah Anda mendaftarkan OU yang ada, `AWSControlTowerExecution` peran tersebut memungkinkan AWS Control Tower untuk memperluas tata kelola ke akun individualnya. Pagar pembatas diberlakukan, dan informasi tentang aktivitas akun dilaporkan ke akun audit dan pencatatan Anda.

Hasil lainnya termasuk yang berikut:

- `AWSControlTowerExecution`memungkinkan audit oleh akun audit AWS Control Tower.
- `AWSControlTowerExecution`membantu Anda mengonfigurasi pencatatan organisasi Anda, sehingga semua log untuk setiap akun dikirim ke akun logging.
- `AWSControlTowerExecution`memastikan bahwa kontrol AWS Control Tower yang Anda pilih berlaku secara otomatis ke setiap akun individual di OU Anda, serta setiap akun baru yang Anda buat di AWS Control Tower.

Untuk OU terdaftar, Anda dapat memberikan laporan kepatuhan dan keamanan berdasarkan fitur audit dan pencatatan yang terkandung dalam kontrol AWS Control Tower. Tim keamanan dan kepatuhan Anda dapat memverifikasi bahwa semua persyaratan terpenuhi, dan tidak ada penyimpangan organisasi yang terjadi. Untuk informasi lebih lanjut tentang drift, lihatMendeteksi dan mengatasi penyimpangan di AWS Control Tower.

> **Note**
>
> Satu situasi yang tidak biasa dapat terjadi ketika AWS Control Tower menampilkan OU dan akunnya. Jika Anda telah membuat akun di OU terdaftar dan kemudian Anda memindahkan akun terdaftar itu ke OU lain yang tidak terdaftar, terutama jika Anda menggunakannya AWS Organizations untuk memindahkan akun, Anda dapat melihat hasil akun “1 dari 0” di halaman detail OU Anda. Selain itu, Anda mungkin telah membuat akun lain yang tidak terdaftar di OU yang tidak terdaftar tersebut. Jika ada akun yang tidak terdaftar, konsol dapat membaca “1 dari 1" untuk OU. Tampaknya akun tunggal (yang baru dibuat) terdaftar, tetapi sebenarnya tidak. Anda harus mendaftarkan akun baru.

Buat OU baru

Untuk membuat OU baru di AWS Control Tower

1. Arahkan ke halaman Organisasi.
2. Pilih Buat unit organisasi dari menu tarik-turun Buat sumber daya di kanan atas.
3. Tentukan nama di bidang nama OU.
4. Di dropdown Parent OU, Anda dapat melihat hierarki OU terdaftar. Pilih OU induk untuk OU baru yang Anda buat.
5. Pilih Tambahkan.

> **Tip**
>
> Untuk menambahkan OU bersarang dalam langkah yang lebih sedikit, pilih nama OU induk yang ditampilkan dalam tabel di halaman Organisasi, lihat halaman OU untuk OU induk tersebut, lalu pilih Tambahkan OU dari menu tarik-turun Tindakan di kanan atas. OU baru dibuat sebagai OU bersarang di bawah OU yang Anda pilih, secara otomatis.

> **Note**
>
> Jika landing zone Anda tidak up to date, Anda akan melihat daftar datar alih-alih hierarki di menu dropdown. Bahkan jika landing zone Anda termasuk OU bersarang, Anda tidak akan melihat L5 OU di dropdown, karena Anda tidak dapat membuat OU baru di bawah L5 OU. Untuk informasi selengkapnya tentang OU bersarang di AWS Control Tower, lihatOU bersarang di AWS Control Tower.

Penyebab umum kegagalan saat pendaftaran atau pendaftaran ulang

Jika pendaftaran (atau pendaftaran ulang) OU atau akun anggotanya gagal, Anda dapat mengunduh file yang berisi laporan terperinci yang menunjukkan pra-pemeriksaan mana yang tidak lulus. Anda dapat menyelesaikan unduhan dengan memilih tombol Unduh, yang muncul di kanan atas area pendaftaran.

Bagian ini mencantumkan jenis kesalahan yang mungkin Anda terima jika pra-pemeriksaan gagal, dan cara memperbaiki kesalahan.

Secara umum, ketika Anda mendaftar atau mendaftarkan ulang OU, semua akun dalam OU tersebut terdaftar di AWS Control Tower. Namun, ada kemungkinan bahwa beberapa akun mungkin gagal mendaftar, bahkan jika OU secara keseluruhan berhasil terdaftar. Dalam kasus ini, Anda harus menyelesaikan kegagalan pra-pemeriksaan yang terkait dengan akun dan kemudian mencoba mendaftarkan kembali akun tersebut atau OU.

Kesalahan Zona Pendaratan

- Zona pendaratan belum siap

  Perbaiki landing zone Anda saat ini, atau perbarui ke versi terbaru.

Kesalahan OU

- Melebihi jumlah SCP maksimum

  Anda mungkin melebihi batas untuk kebijakan kontrol layanan (SCP) per OU, atau Anda mungkin telah mencapai kuota lain. Batas 5 SCP per OU berlaku untuk semua OU di landing zone AWS Control Tower Anda. Jika Anda memiliki lebih banyak SCP daripada kuota yang diizinkan, Anda harus menghapus atau menggabungkan SCP.

- SCP yang Bertentangan

  SCP yang ada dapat diterapkan ke OU atau akun, yang mencegah AWS Control Tower mendaftarkan akun. Periksa SCP yang diterapkan untuk kebijakan apa pun yang dapat mencegah AWS Control Tower berfungsi. Pastikan untuk memeriksa SCP yang diwarisi dari OU yang lebih tinggi dalam hierarki.
- Melebihi kuota set tumpukan

  Kuota set tumpukan mungkin telah terlampaui. Jika Anda memiliki lebih banyak instance daripada yang diizinkan oleh kuota, Anda harus menghapus beberapa instance tumpukan. Untuk informasi lebih lanjut, lihat kuotaAWS CloudFormation dalam Panduan PenggunaAWS CloudFormation .
- Melebihi batas akun

  AWS Control Tower membatasi setiap OU hingga 300 akun selama pendaftaran.

Kesalahan akun

- Pra-cek dicegah pada akun

  SCP yang ada di OU mencegah AWS Control Tower melakukan pra-pemeriksaan pada akun anggota OU Anda. Untuk mengatasi kegagalan pra-pemeriksaan ini, perbarui atau hapus SCP dari OU.
- Kesalahan alamat email

  Alamat email yang Anda tentukan untuk akun tidak sesuai dengan standar penamaan. Berikut adalah ekspresi reguler (regex) yang menentukan karakter mana yang diizinkan: `[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+[.]+[A-Za-z]+`
- Perekam konfigurasi atau saluran pengiriman diaktifkan

  Akun mungkin memiliki perekam AWS Config konfigurasi atau saluran pengiriman yang ada. Ini harus dihapus atau dimodifikasi melalui di semua AWS Wilayah AWS CLI di mana akun manajemen AWS Control Tower telah mengatur sumber daya, sebelum Anda dapat mendaftarkan akun.
- STS dinonaktifkan

  AWS Security Token Service (AWS STS) dapat dinonaktifkan di akun. AWS Titik akhir STS harus diaktifkan di akun untuk semua Wilayah yang didukung oleh AWS Control Tower.
- Konflik Pusat Identitas IAM

Wilayah rumah AWS Control Tower tidak sama dengan Wilayah AWS IAM Identity Center (IAM Identity Center). Jika Pusat Identitas IAM sudah disiapkan, wilayah asal AWS Control Tower harus sama dengan Wilayah Pusat Identitas IAM.

- Topik SNS yang bertentangan

  Akun ini memiliki nama topik Amazon Simple Notification Service (Amazon SNS) yang perlu digunakan AWS Control Tower. AWS Control Tower membuat sumber daya (seperti topik SNS) dengan nama tertentu. Jika nama-nama ini sudah diambil, penyiapan AWS Control Tower gagal. Situasi ini dapat terjadi jika Anda menggunakan kembali akun yang sebelumnya terdaftar di AWS Control Tower.

- Akun yang ditangguhkan terdeteksi

  Akun ini telah ditangguhkan. Itu tidak dapat didaftarkan ke AWS Control Tower. Hapus akun dari OU ini, dan coba lagi.

- Pengguna IAM tidak dalam portofolio

  Tambahkan pengguna AWS Identity and Access Management (IAM) ke portofolio Service Catalog sebelum mendaftarkan OU Anda. Kesalahan ini hanya berkaitan dengan akun manajemen.

- Akun tidak memenuhi prasyarat

  Akun tidak memenuhi prasyarat untuk pendaftaran akun. Misalnya, akun mungkin kehilangan peran dan izin yang diperlukan untuk mendaftarkannya di AWS Control Tower. Petunjuk untuk menambahkan peran tersedia di Tambahkan peran IAM yang diperlukan secara manual ke yang sudah ada Akun AWS dan daftarkan.

Sebagai pengingat, AWS CloudTrail diaktifkan secara otomatis di semua AWS akun Anda saat Anda mendaftarkannya di AWS Control Tower. Jika CloudTrail diaktifkan pada akun sebelum pendaftaran, Anda dapat mengalami penagihan ganda kecuali Anda menonaktifkan CloudTrail sebelum memulai proses pendaftaran.

Perbarui organisasi

Cara tercepat untuk memperbarui unit organisasi (OU) atau memperbarui beberapa akun dalam OU adalah dengan mendaftarkan ulang OU.

Kapan harus memperbarui AWS Control Tower OU dan akun

Saat melakukan pembaruan landing zone, Anda harus memperbarui akun terdaftar untuk menerapkan kontrol baru ke akun tersebut.

- Anda dapat melakukan pembaruan ke semua akun di bawah OU menggunakan opsi Daftar Ulang.
- Jika Anda memiliki lebih dari satu OU terdaftar di landing zone Anda, daftarkan ulang semua OU Anda untuk memperbarui semua akun Anda.
- Untuk memperbarui satu akun, Anda dapat memperbarui dari konsol AWS Control Tower, atau Anda dapat memilih opsi Perbarui produk yang disediakan di. AWS Service CatalogLihat Perbarui akun di konsol.

Perbarui beberapa akun di OU yang sama

Untuk memperbarui beberapa akun dalam satu OU, dengan satu tindakan

1. Masuk ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower.
2. Di menu navigasi panel kiri, pilih Organisasi.
3. Pada halaman Organisasi, pilih OU untuk melihat halaman detail OU.
4. Di bawah Tindakan di kanan atas, pilih Daftar Ulang OU.

Ulangi langkah-langkah ini untuk setiap OU di organisasi AWS Control Tower Anda, jika Anda perlu memperbarui semua akun dan OU Anda.

Atau, Anda dapat memilih akun apa pun yang menunjukkan status Pembaruan yang tersedia dan kemudian memilih Perbarui akun untuk akun sebanyak yang diperlukan.

Apa yang terjadi selama pendaftaran ulang

Saat Anda mendaftar ulang OU:

- Bidang Status menunjukkan apakah akun saat ini terdaftar dengan AWS Control Tower (Terdaftar), apakah akun belum pernah terdaftar (Tidak terdaftar), atau apakah pendaftaran gagal sebelumnya (Pendaftaran gagal).
- Saat Anda mendaftarkan ulang OU, `AWSControlTowerExecution` peran ditambahkan ke semua akun dengan status Tidak terdaftar atau Pendaftaran gagal.

- AWS Control Tower membuat login masuk tunggal (IAM Identity Center) untuk akun baru yang terdaftar.
- Akun terdaftar didaftarkan ulang ke AWS Control Tower.
- Drift pada kontrol preventif apa pun yang diterapkan pada OU diperbaiki, karena SCP dikembalikan ke definisi defaultnya.
- Semua akun diperbarui untuk mencerminkan perubahan landing zone terbaru.

Untuk informasi selengkapnya, lihat Daftarkan yang sudah ada Akun AWS.

> **Tip**
>
> Saat Anda mendaftarkan ulang OU, atau saat memperbarui versi landing zone dan beberapa akun anggota, Anda mungkin melihat pesan kegagalan yang menyebutkan -. StackSet AWSControlTowerExecutionRole Ini StackSet di akun manajemen dapat gagal karena peran AWSControlTowerExecutionIAM sudah ada di semua akun anggota terdaftar. Pesan kesalahan ini adalah perilaku yang diharapkan, dan dapat diabaikan.

Perbarui satu akun

Anda dapat memperbarui akun AWS Control Tower individual di konsol AWS Control Tower, atau di konsol Service Catalog.

Untuk memperbarui satu akun di konsol AWS Control Tower, lihatPerbarui akun di konsol.

Untuk memperbarui satu akun di AWS Service Catalog

1. Kunjungi AWS Service Catalog.
2. Di menu navigasi panel kiri, pilih Produk yang disediakan.
3. Pada halaman Produk yang disediakan, pilih tombol radio di sebelah produk yang disediakan yang ingin Anda perbarui.
4. Di kanan atas, pilih dropdown Actions to Update.

Untuk mempelajari lebih lanjut tentang memperbarui AWS Service Catalog, lihat Perbarui produk yang disediakan dan Memperbarui produk di Panduan Administrator Service Catalog.

Tentang kontrol di AWS Control Tower

Kontrol adalah aturan tingkat tinggi yang menyediakan tata kelola berkelanjutan untuk lingkungan Anda secara keseluruhan AWS . Hal ini diungkapkan dalam bahasa yang sederhana. AWS Control Tower menerapkan kontrol preventif, detektif, dan proaktif yang membantu Anda mengatur sumber daya dan memantau kepatuhan di seluruh grup akun. AWS

Kontrol berlaku untuk seluruh unit organisasi (OU), dan setiap AWS akun dalam OU dipengaruhi oleh kontrol. Oleh karena itu, ketika pengguna melakukan pekerjaan di AWS akun mana pun di landing zone Anda, mereka selalu tunduk pada kontrol yang mengatur OU akun mereka.

> **Note**
>
> Kami sedang mentransisikan terminologi kami untuk menyelaraskan lebih baik dengan penggunaan industri dan dengan layanan lainnya. AWS Selama waktu ini, Anda mungkin melihat istilah sebelumnya, pagar pembatas, serta istilah baru, kontrol, dalam dokumentasi, konsol, blog, dan video kami. Istilah-istilah ini identik untuk tujuan kami.

Tujuan dari kontrol

Kontrol membantu Anda mengekspresikan niat kebijakan Anda. Misalnya, jika Anda mengaktifkan kontrol detektif Deteksi Apakah Akses Baca Publik ke Bucket Amazon S3 Diizinkan di OU, Anda dapat menentukan apakah entitas (seperti pengguna) akan diizinkan untuk memiliki akses baca melalui internet ke bucket Amazon S3 apa pun, untuk akun apa pun di bawah OU tersebut.

Kontrol perilaku dan bimbingan

Kontrol dikategorikan menurut perilaku dan bimbingannya.

Perilaku setiap kontrol adalah salah satu preventif, detektif, atau proaktif. Panduan kontrol mengacu pada praktik yang direkomendasikan untuk bagaimana menerapkan setiap kontrol ke OU Anda. Panduan kontrol tidak tergantung pada apakah perilakunya preventif, detektif, atau proaktif.

Kontrol perilaku

- Preventif — Kontrol preventif memastikan bahwa akun Anda mempertahankan kepatuhan, karena melarang tindakan yang mengarah pada pelanggaran kebijakan. Status kontrol preventif ditegakkan atau tidak diaktifkan. Kontrol preventif didukung di semua AWS Wilayah.
- Detektif — Kontrol detektif mendeteksi ketidakpatuhan sumber daya dalam akun Anda, seperti pelanggaran kebijakan, dan memberikan peringatan melalui dasbor. Status kontrol detektif jelas, melanggar, atau tidak diaktifkan. Kontrol Detektif hanya berlaku di AWS Wilayah yang didukung oleh AWS Control Tower.
- Proaktif — Kontrol proaktif memindai sumber daya Anda sebelum disediakan, dan memastikan bahwa sumber daya sesuai dengan kontrol itu. Sumber daya yang tidak sesuai tidak akan disediakan. Kontrol proaktif diimplementasikan melalui AWS CloudFormation kait, dan mereka berlaku untuk sumber daya yang akan disediakan oleh. AWS CloudFormation Status kontrol proaktif adalah LULUS, GAGAL, atau SKIP. Untuk informasi selengkapnya tentang AWS CloudFormation kait, lihat Karakteristik kait dalam dokumentasi. AWS CloudFormation

Implementasi perilaku kontrol

- Kontrol preventif diimplementasikan menggunakan Kebijakan Kontrol Layanan (SCP), yang merupakan bagian dari. AWS Organizations
- Kontrol detektif diimplementasikan menggunakan AWS Config aturan.
- Kontrol proaktif diimplementasikan menggunakan AWS CloudFormation kait.
- Kontrol wajib tertentu diimplementasikan melalui SCP tunggal yang melakukan beberapa tindakan, bukan sebagai SCP unik. Oleh karena itu, SCP yang sama ditunjukkan dalam referensi kontrol, di bawah setiap kontrol wajib yang berlaku SCP tersebut.
- Kontrol Security Hub detektif yang terintegrasi diimplementasikan menggunakan AWS Config aturan, mirip dengan semua kontrol Security Hub. Kontrol ini dimiliki oleh Service-Managed Standard: AWS Control Tower, yang merupakan bagian dari Security Hub.

Panduan kontrol

AWS Control Tower menyediakan tiga kategori panduan: wajib, sangat disarankan, dan kontrol elektif.

- Kontrol wajib selalu diberlakukan di landing zone Anda. Anda tidak dapat mematikannya untuk OU apa pun.

- Kontrol yang sangat disarankan dirancang untuk menegakkan beberapa praktik terbaik umum untuk lingkungan multi-akun yang dirancang dengan baik. Kontrol ini berlaku di tingkat OU, untuk semua akun di OU tersebut.
- Kontrol pilihan memungkinkan Anda melacak atau mengunci tindakan yang biasanya dibatasi di lingkungan AWS perusahaan. Kontrol ini berlaku di tingkat OU, untuk semua akun di OU tersebut.

Default: Saat Anda membuat landing zone baru, AWS Control Tower mengaktifkan semua kontrol wajib secara default dan menerapkannya ke OU tingkat atas Anda. Saat Anda memperluas tata kelola ke OU, AWS Control Tower menerapkan kontrol wajib ke OU secara default. Sangat direkomendasikan dan kontrol elektif tidak diaktifkan secara default.

Pertimbangan untuk kontrol dan OU

Saat bekerja dengan kontrol dan OU, pertimbangkan properti berikut:

Kontrol, zona pendaratan, dan OU

- Setelah Anda membuat landing zone, semua sumber daya di landing zone Anda tunduk pada kontrol. Misalnya, kontrol tertentu berlaku untuk bucket Amazon S3.
- OU yang dibuat melalui AWS Control Tower memiliki kontrol wajib yang diterapkan padanya secara otomatis. Kontrol opsional diterapkan atas kebijaksanaan administrator.
- OU yang dibuat di luar zona landing zone AWS Control Tower (seperti, OU yang tidak terdaftar yang dibuat di AWS Organizations) ditampilkan di konsol AWS Control Tower, tetapi kontrol AWS Control Tower tidak berlaku untuk OU tersebut, kecuali jika menjadi OU terdaftar.
- Mengenai OU bersarang, kontrol pencegahan yang diaktifkan pada OU mana pun yang lebih tinggi di pohon akan berlaku untuk OU yang tidak terdaftar di pohon itu.
- Saat Anda mengaktifkan kontrol pada unit organisasi (OU) yang terdaftar di AWS Control Tower, kontrol pencegahan berlaku untuk semua akun anggota di bawah OU, terdaftar dan tidak terdaftar. Kontrol Detektif hanya berlaku untuk akun terdaftar.

Untuk informasi selengkapnya tentang cara kontrol diterapkan pada OU bersarang, di AWS Control Tower, lihatOU dan kontrol bersarang.

Pengecualian untuk kontrol untuk akun manajemen

Pengguna root dan administrator apa pun di akun manajemen dapat melakukan pekerjaan yang akan ditolak oleh kontrol. Pengecualian ini disengaja. Ini mencegah akun manajemen memasuki keadaan yang tidak dapat digunakan. Semua tindakan yang diambil dalam akun manajemen terus dilacak dalam log yang terkandung dalam akun arsip log, untuk tujuan akuntabilitas dan audit.

Pertimbangan untuk kontrol dan akun

Saat bekerja dengan kontrol dan akun, pertimbangkan properti berikut:

Kontrol dan akun

- Akun yang dibuat melalui Account Factory di AWS Control Tower mewarisi kontrol OU induk, dan sumber daya terkait dibuat.
- Akun yang dibuat di luar zona landing zone AWS Control Tower tidak mewarisi kontrol AWS Control Tower. Ini disebut akun yang tidak terdaftar.
- Akun yang dibuat di luar AWS Control Tower tidak akan mewarisi kontrol di AWS Control Tower hingga Anda mendaftarkannya. Namun, akun yang tidak terdaftar ini ditampilkan di AWS Control Tower.

  Akun mewarisi kontrol dari OU setelah pendaftaran di OU tersebut.
- OU dapat berisi akun anggota terdaftar atau tidak terdaftar.
- Kontrol tidak berlaku untuk akun yang tidak terdaftar kecuali akun tersebut menjadi akun anggota AWS Control Tower OU terdaftar. Dalam hal ini, kontrol preventif untuk OU akan berlaku untuk akun yang tidak terdaftar. Kontrol Detektif tidak akan berlaku.
- Saat Anda mengaktifkan kontrol opsional, AWS Control Tower membuat dan mengelola AWS sumber daya tambahan tertentu di akun Anda. Jangan mengubah atau menghapus sumber daya yang dibuat oleh AWS Control Tower. Melakukannya dapat mengakibatkan kontrol memasuki status yang tidak diketahui. Untuk informasi selengkapnya, lihat AWS Control Tower mengontrol pustaka.
- Ketika Anda memindahkan akun dari satu OU ke yang lain, kontrol dari OU sebelumnya tidak dihapus. Jika Anda mengaktifkan kontrol berbasis kait baru pada OU tujuan, kontrol berbasis kait lama dihapus dari akun, dan kontrol baru menggantikannya. Kontrol yang diterapkan dengan SCP dan AWS Config aturan selalu harus dihapus secara manual saat akun mengubah OU.

Lihat detail kontrol

Untuk melihat detail tentang kontrol individual di konsol, pilih nama kontrol dari tabel di halaman Kontrol.

Untuk melihat detail selengkapnya tentang kontrol individual di Panduan Pengguna AWS Control Tower, lihatTabel metadata kontrol. Untuk setiap kontrol, API ControliDentifer untuk setiap Wilayah tersedia, bersama dengan kerangka kerja dan tujuannya. Informasi tambahan tertentu hanya tersedia di konsol, seperti yang dijelaskan di bagian selanjutnya.

Di setiap halaman detail Kontrol konsol, Anda dapat menemukan detail berikut untuk setiap kontrol:

- Nama — Nama kontrol.
- Tujuan kontrol — Tujuan yang telah ditentukan sebelumnya bahwa kontrol ini membantu Anda menegakkannya. LihatDaftar tujuan pengendalian.
- Layanan — AWS Layanan di mana kontrol ini berlaku.
- Pemilik kontrol — AWS Layanan yang memiliki dan memelihara kontrol ini.
- Perilaku — Perilaku kontrol diatur untuk preventif, detektif, atau proaktif.
- Implementasi — Metode implementasi yang mendasari untuk kontrol ini, seperti SCP, aturan AWS Config terkelola, atau AWS CloudFormation hook.
- Sumber daya — AWS Sumber daya yang dipantau atau dipengaruhi oleh kontrol ini.
- Kerangka kerja - Kerangka kepatuhan standar industri yang dapat ditegakkan oleh kontrol ini, misalnya, NIST 800-53 Rev 5.
- Control ID — Pengidentifikasi unik yang ditetapkan untuk setiap kontrol. Pengidentifikasi ini adalah bagian dari sistem klasifikasi untuk kontrol.
- API ControliDentifier — Pengenal ini diperlukan saat memanggil AWS Control Tower API.
- Bimbingan — Panduan ini wajib, sangat direkomendasikan, atau elektif.
- Keparahan — Risiko relatif yang terkait dengan pelanggaran kontrol ini.
- Tanggal rilis —Tanggal kontrol tersedia.

Status Region deny control ditampilkan sebagai entri terpisah.

Informasi lain mungkin muncul di halaman Detail Kontrol, termasuk ini:

- Deskripsi — Deskripsi singkat tentang kontrol dan fungsinya.

- Pesan remediasi — Saran untuk apa yang harus diubah jika kontrol AWS CloudFormation hook Anda mengembalikan status FAIL.
- Sampel remediasi — Contoh yang menunjukkan konfigurasi yang dapat mengembalikan hasil PASS atau FAIL untuk kontrol AWS CloudFormation hook Anda.
- Pertimbangan penggunaan — Informasi tambahan tentang cara menerapkan kontrol ini atau tentang sumber daya yang dapat dipengaruhi.
- Artefak Gherkin — Gherkin adalah spesifikasi yang dapat dibaca untuk kontrol AWS CloudFormation kait, menunjukkan persyaratan untuk pengujian yang menyebabkan hasil LULUS, GAGAL, atau SKIP dikembalikan.

Untuk melihat artefak kontrol

Setiap kontrol diimplementasikan oleh satu atau lebih artefak. Artefak ini dapat mencakup AWS CloudFormation templat dasar, kebijakan kontrol layanan (SCP) untuk mencegah perubahan konfigurasi tingkat akun atau aktivitas yang dapat membuat penyimpangan konfigurasi, dan untuk mendeteksi pelanggaran kebijakan tingkat akun. Aturan AWS Config

Untuk melihat artefak kontrol, pilih tab Artifact untuk melihat kebijakan kontrol layanan (SCP) AWS Config , aturan,AWS CloudFormation atau templat kebijakan pada halaman Detail kontrol.

Daftar tujuan pengendalian

Setiap kontrol menegakkan salah satu tujuan ini. Terkadang kontrol harus diterapkan dalam suatu kelompok sehingga tujuan kontrol ditegakkan. Informasi tentang kontrol terkait dapat dilihat di konsol AWS Control Tower, di halaman Detail kontrol.

Tujuan kontrol

Untuk informasi lebih lanjut tentang kontrol dan tujuan kontrol yang terkait, lihatTabel metadata kontrol.

- CO.1 Menetapkan penebangan dan pemantauan
- CO.2 Enkripsi data saat istirahat
- CO.3 Enkripsi data dalam perjalanan
- CO.4 Melindungi integritas data
- CO.5 Menegakkan hak istimewa paling sedikit
- CO.6 Batasi akses jaringan

- CO.7 Optimalkan biaya
- CO.8 Meningkatkan ketahanan
- CO.9 Meningkatkan ketersediaan
- CO.10 Lindungi konfigurasi
- CO.11 Mempersiapkan respons insiden
- CO.12 Mengelola kerentanan
- CO.13 Mengelola rahasia
- CO.14 Mempersiapkan pemulihan bencana
- CO.15 Gunakan otentikasi yang kuat

Pengidentifikasi sumber daya untuk API dan kontrol

Setiap kontrol di AWS Control Tower memiliki pengenal unik untuk digunakan dengan API kontrol. Pengenal yang berbeda diberikan untuk setiap Wilayah tempat AWS Control Tower beroperasi. Pengenal untuk setiap kontrol ditampilkan di bidang API ControliDentifier, pada halaman Detail kontrol di konsol AWS Control Tower, dan di. Tabel metadata kontrol

> **Note**
>
> Pengidentifikasi ini berbeda dari bidang ControLid, yang merupakan sistem klasifikasi untuk kontrol.

Lihat pengidentifikasi kontrol untuk semua kontrol

Untuk melihat tabel metadata kontrol, termasuk `controlIdentifier` ARN untuk setiap kontrol dan Wilayah, lihat. Tabel metadata kontrol Tabel juga menyertakan pengidentifikasi untuk kontrol Security Hub yang merupakan bagian dari AWS Security Hub Service-Managed Standard:AWS Control Tower.

Lihat pengidentifikasi kontrol di konsol

Untuk melihat pengidentifikasi kontrol dan detail lainnya tentang kontrol AWS Control Tower di konsol, buka halaman Detail kontrol di konsol AWS Control Tower. Anda dapat menemukan pengenal di bidang API ControliDentifier.

Contoh bentuk Identifier

Saat Anda melihat di konsol AWS Control Tower, berikut adalah contoh pengidentifikasi yang mungkin Anda lihat.

- Contoh Security Hub API ControliDentifier: `arn:aws:controltower:us-east-1::control/OOTDCUSIKIZZ`
- Contoh kontrol lama API ControliDentifier: `arn:aws:controltower:us-east-1::control/AWS-GR_LOG_GROUP_POLICY`
- Contoh kontrol proaktif API ControliDentifier: `arn:aws:controltower:us-east-1::control/EHSOKSSMVFWF`

Kontrol lama (kontrol lama) menyertakan nama kontrol di ARN, tetapi kontrol yang lebih baru memiliki pengidentifikasi yang berbeda, dan itu diharapkan.
Contoh lama: `arn:aws:controltower:us-east-1::control/AWS-GR_CLOUDTRAIL_CHANGE_PROHIBITED`
Contoh baru: `arn:aws:controltower:us-east-1::control/WTDSMKDKDNLE`

Daftar berikut berisi **`API controlIdentifier`** penunjukan (warisan) Kontrol yang sangat direkomendasikan dan Pilihan, preventif, dan detektif, yang dimiliki oleh AWS Control Tower, termasuk kontrol residensi Data elektif. Kontrol wajib tidak dapat dinonaktifkan oleh API kontrol.

Setiap item dalam daftar berikut berfungsi sebagai tautan, yang memberikan informasi lebih lanjut tentang kontrol individu (lama) ini yang dimiliki oleh AWS Control Tower, sebagaimana diberikan. AWS Control Tower mengontrol pustaka

Penunjukan untuk kontrol Pilihan lama

- ARN:AWS:ControlTower:Region: :Control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED
- ARN:AWS:ControlTower:wilayah: :control/aws-gr_audit_bucket_policy_changes_banned
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_AUDIT_BUCKET_Retention_Policy
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_IAM_USER_MFA_enabled
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS

- ARN:AWS:ControlTower:Region: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_RESTRICT_S3_Delete_Without_MFA
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_S3_VERSIONING_enabled

Penunjukan untuk kontrol residensi Data lama (elektif)

- ARN:AWS:ControlTower:Region: :Control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_Disallow_VPC_Internet_Access
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_Disallow_VPN_Connections
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_DMS_REPLICATION_NOT_Public
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_EBS_Snapshot_Public_Restorable_Check
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_EC2_Instance_NO_PUBLIC_IP
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_ElasticSearch_IN_VPC_Only
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_FORWARD
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC
- ARN:AWS:ControlTower:wilayah: :control/aws-gr_sagemaker_notebook_no_direct_internet_access
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_SSM_DOCUMENT_NOT_Public

Penunjukan untuk Legacy Kontrol yang sangat disarankan

- ARN:AWS:ControlTower:Region: :Control/AWS-GR_Encrypted_Volumes
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_EBS_Optimized_Instance
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_EC2_Volume_Inuse_Check
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_RDS_Instance_Public_ACCESS_CHECK
- ARN:AWS:ControlTower:Wilayah: :Control/AWS-GR_RDS_Snapshots_Public_Prohibited
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_RDS_STORAGE_Encrypted
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_RESTRICTED_COMMON_PORTS
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_RESTRICTED_SSH
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_RESTRICT_ROOT_USER
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_ROOT_ACCOUNT_MFA_enabled
- ARN:AWS:ControlTower:wilayah: :control/aws-gr_s3_bucket_public_read_banned
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_FORWARD
- ARN:AWS:ControlTower:Region: :Control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS

Kontrol yang tidak dapat diubah dengan AWS Control Tower API

Kontrol berikut tidak dapat diaktifkan atau dinonaktifkan melalui AWS Control Tower API. Kecuali Wilayah menolak kontrol, semua ini adalah kontrol wajib. Secara umum, kontrol wajib tidak dapat dinonaktifkan. Kontrol penolakan Wilayah harus diubah di konsol.

- AWS-GR_WILAYAH_DENY
- AWS-GR_AUDIT_BUCKET_DELETION_DILARANG
- AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG
- AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG
- AWS-GR_CLOUDTRAIL_CHANGE_DILARANG
- AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED
- AWS-GR_CLOUDTRAIL_DIAKTIFKAN
- AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED
- AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG

- AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY
- AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG
- AWS-GR_CONFIG_CHANGE_DILARANG
- AWS-GR_CONFIG_ENABLED
- AWS-GR_CONFIG_RULE_CHANGE_DILARANG
- AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG
- AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG
- AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG
- AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG
- AWS-GR_IAM_ROLE_CHANGE_DILARANG
- AWS-GR_LAMBDA_CHANGE_DILARANG
- AWS-GR_LOG_GROUP_POLICY
- AWS-GR_SNS_CHANGE_DILARANG
- AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG
- AWS-GR_ENSURE_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS

Temukan pengidentifikasi untuk OU

Untuk informasi selengkapnya tentang cara menemukan pengenal sumber daya untuk OU dan sumber dayanya, lihat Jenis sumber daya yang ditentukan oleh AWS Organizations.

Untuk mempelajari lebih lanjut tentang cara mendapatkan informasi dari OU, lihat Referensi AWS Organizations API.

> **Note**
>
> Informasi status dan status kontrol hanya tersedia di konsol. Ini tidak tersedia dari API publik. Untuk melihat status kontrol, buka halaman Detail kontrol di konsol AWS Control Tower.

Contoh API kontrol

Setiap kontrol di AWS Control Tower memiliki pengenal unik untuk digunakan dengan API kontrol. Pengenal untuk setiap kontrol ditampilkan di bidang API ControliDentifier, pada halaman Detail

kontrol di konsol AWS Control Tower. Pengidentifikasi ini berbeda dari bidang ControLid, yang merupakan sistem klasifikasi untuk kontrol.

> **Note**
>
> Saat Anda memanggil `EnableControl` akun atau OU, `operationIdentifier` nilainya dikembalikan melalui `ListEnabledControls` atau `GetEnabledControl` bahkan jika operasi aktifkan gagal. Di konsol AWS Control Tower, Anda dapat menentukan apakah `EnableControl` operasi berhasil, dengan memverifikasi bahwa kontrol diaktifkan pada akun atau OU. Secara terprogram, Anda dapat melacak status `EnableControl` operasi dengan perintah `GetControlOperation` API, dengan meneruskan nilai `operationIdentifier` seperti yang ditunjukkan dalam contoh berikut.

EnableControl

Untuk informasi selengkapnya tentang operasi API ini, lihat EnableControl.

Contoh masukan untuk EnableControl:

Contoh ini menunjukkan cara menentukan kontrol yang ingin Anda aktifkan, dan mengaktifkan kontrol itu untuk OU target yang Anda identifikasi.

```
{
        controlIdentifier: "arn:aws:controltower:us-west-2::control/AWS-
GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED",
        targetIdentifier: "arn:aws:organizations::123456789123:ou/o-kg8aXXXXXX/ou-prlj-
a5kXXXXX"
        }
```

Contoh output untuk EnableControl:

Sebagai contoh cara menggunakan parameter keluaran ini, Anda dapat meneruskan parameter OperationIdentifier sebagai input ke GetControlOperationAPI, untuk melacak status tugas Anda. EnableControl

```
{
    "operationIdentifier":"e2bXXXXX-6cab-XXXX-bde7-XX0c6fXXXXXX"
}
```

Contoh perintah CLI:

```
aws controltower enable-control \
--control-identifier arn:aws:controltower:us-west-2::control/AWS-
GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED \
--target-identifier arn:aws:organizations::123456789123:ou/o-qnilXXXXXX/ou-vwxu-
qqlXXXXX \
--region us-west-2
```

DisableControl

Untuk informasi selengkapnya tentang operasi API ini, lihat DisableControl.

Contoh masukan untuk DisableControl:

```
{
    controlIdentifier: "arn:aws:controltower:us-west-2::control/AWS-
GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED",
    targetIdentifier: "arn:aws:organizations::123456789123:ou/o-kg8aXXXXXX/ou-prlj-
a5kXXXXX"
}
```

Contoh output untuk DisableControl:

```
{
    "operationIdentifier":"e2bXXXXX-8xai-XXXX-bde7-XX0c6fXXXXXX"
}
```

GetControlOperation

Untuk informasi selengkapnya tentang operasi API ini, lihat GetControlOperation.

Contoh masukan untuk GetControlOperation:

Ketika Anda memberikan OperationIdentifier sebagai input, Anda menerima pesan status sebagai output.

```
{
    operationIdentifier: "e2bXXXXX-6cab-XXXX-bde7-XX0c6fXXXXXX"
}
```

Contoh output untuk GetControlOperation:

```
{
    "ControlOperationStatus":{
        "OperationType": "ENABLE_CONTROL",
        "StartTime": "2022-02-02T20:52:08.034Z",
        "Status": "IN_PROGRESS"
    }
}
```

Contoh output untuk GetControlOperation:

```
{
    "ControlOperationStatus": {
        "EndTime": "2022-04-28T19:36:31Z",
        "OperationType": "DISABLE_CONTROL",
        "StartTime": "2022-04-28T19:35:00Z",
        "Status": "SUCCEEDED"
    }
}
```

```
{
    "ControlOperationStatus": {
        "EndTime": "2022-04-28T19:36:31Z",
        "OperationType": "DISABLE_CONTROL",
        "StartTime": "2022-04-28T19:35:00Z",
        "Status": "FAILED",
        "StatusMessage": "AWS Control Tower cannot add the SCP because the IAM
 user or role does not have permission to perform the requested operation in AWS
 Organizations. To continue, update your access permissions for AWS Organizations. For
 more information, see Access Management in the IAM User Guide."
    }
}
```

GetEnabledControl

Untuk informasi selengkapnya tentang operasi API ini, lihat GetEnabledControl.

Contoh untuk GetEnabledControl

```
aws controltower get-enabled-control --enabled-control-identifier
 arn:aws:controltower:us-east-1:123456789012:enabledcontrol/49DVF3KP34ANNC57{
```

```
    "enabledControlDetails": {
        "arn": "arn:aws:controltower:us-
east-1:123456789012:enabledcontrol/49DVF3KP34ANNC57",
        "controlIdentifier": "arn:aws:controltower:us-east-1::control/AWS-
GR_EBS_OPTIMIZED_INSTANCE",
        "targetIdentifier": "arn:aws:organizations::123456789012:ou/o-ct7amci1en/ou-
slfp-nay7ybhu",
        "targetRegions": [
            {
                "name": "eu-north-1"
            },
            {
                "name": "eu-west-2"
            }
        ],
        "statusSummary": {
            "status": "SUCCEEDED",
            "lastOperationIdentifier": "12e51344-a73a-439a-8477-fb3cd7f8b410"
        },
        "driftStatusSummary": {
            "driftStatus": "NOT_CHECKING"
        }
    }
}
```

ListEnabledControls

Untuk informasi selengkapnya tentang operasi API ini, lihat ListEnabledControls.

Contoh masukan untuk ListEnabledControls:

Contoh ini menunjukkan bagaimana menentukan target OU sebagai input, sehingga Anda dapat menerima daftar kontrol sebagai output.

```
{
    targetIdentifier: "arn:aws:organizations::123456789123:ou/o-kg8aXXXXXX/ou-prlj-
a5kXXXXX",
    nextToken: "bde7-XX0c6fXXXXXX",
    maxResults: 2
}
```

Contoh output untuk ListEnabledControls:

```
{
    "enabledControls": [
        {
            "controlIdentifier": "arn:aws:controltower:us-west-2::control/AWS-
GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED"
        },
        {
            "controlIdentifier": "arn:aws:controltower:us-west-2::control/AWS-
GR_RESTRICT_ROOT_USER"
        }
    ],
    "nextToken": "e2bXXXXX-6cab-XXXX"
}
```

Contoh ini menunjukkan kumpulan nilai yang dikembalikan yang lebih besar untuk ListEnabledControls.

```
aws controltower list-enabled-controls --target-identifier
 arn:aws:organizations::072569612342:ou/o-yy67i3pfv2/ou-slt4-fl6mi3bd --max-items 3
{
    "enabledControls": [
        {
            "arn": "arn:aws:controltower:us-west-2::enabledcontrol/
SOME_ENABLED_CONTROL",
            "controlIdentifier": "arn:aws:controltower:us-west-2::control/
SOME_CONTROL",
            "targetIdentifier": "arn:aws:organizations::072569612342:ou/o-yy67i3pfv2/
ou-slt4-fl6mi3bd",
            "statusSummary": {
                "status": "SUCCEEDED",
                "lastOperationIdentifier": "12e51344-a73a-439a-8477-fb3cd7f8b410"
            },
            "driftStatusSummary": {
                "driftStatus": "NOT_CHECKING"
            }
        },
        {
            "arn": "arn:aws:controltower:us-west-2::enabledcontrol/
OTHER_ENABLED_CONTROL",
            "controlIdentifier": "arn:aws:controltower:us-west-2::control/
OTHER_CONTROL",
            "targetIdentifier": "arn:aws:organizations::072569612342:ou/o-yy67i3pfv2/
ou-slt4-fl6mi3bd",
```

```
            "statusSummary": {
                "status": "FAILED",
                "lastOperationIdentifier": "12e51344-a73a-439a-8477-fb3cd7f8b410"
            },
            "driftStatusSummary": {
                "driftStatus": "UNKNOWN"
            }
        },
        {
            "arn": "arn:aws:controltower:us-west-2::enabledcontrol/
ANOTHER_ENABLED_CONTROL",
            "controlIdentifier": "arn:aws:controltower:us-west-2::control/
ANOTHER_CONTROL",
            "targetIdentifier": "arn:aws:organizations::072569612342:ou/o-yy67i3pfv2/
ou-slt4-fl6mi3bd",
            "statusSummary": {
                "status": "SUCCEEDED",
                "lastOperationIdentifier": "12e51344-a73a-439a-8477-fb3cd7f8b410"
            },
            "driftStatusSummary": {
                "driftStatus": "IN_SYNC"
            }
        }
    ],
    "nextToken": "eyJuZXh0VG9rZW4iOiBudWxsLCAiYm90b190cnVuY2F0ZV9hbW91bnQiOiAyfQ=="
}
```

ListTagsForResource

Untuk informasi selengkapnya tentang operasi API ini, lihat ListTagsForResource.

Contoh untuk ListTagsForResource

```
aws controltower list-tags-for-resource --resource-arn "arn:aws:controltower:us-
east-1:123456789012:enabledcontrol/49DVF3KP34ANNC57"
{
  "TestTagKey": "TestTagValue"
}
```

TagResource

Untuk informasi selengkapnya tentang operasi API ini, lihat TagResource.

Contoh untuk TagResource

```
aws controltower tag-resource --resource-arn "arn:aws:controltower:us-
east-1:123456789012:enabledcontrol/49DVF3KP34ANNC57"} --tags "TestTagKey=TestTagValue"
{
}
```

UntagResource

Untuk informasi selengkapnya tentang operasi API ini, lihat UntagResource.

Contoh untuk UntagResource

```
aws controltower untag-resource --resource-arn "arn:aws:controltower:us-
east-1:123456789012:enabledcontrol/49DVF3KP34ANNC57" --tag-keys "TestTagKey"
{
}
```

UpdateEnabledControl

Untuk informasi selengkapnya tentang operasi API ini, lihat UpdateEnabledControl.

Ubah parameter kontrol:

```
aws controltower update-enabled-control \
    --enabled-control-identifier arn:aws:controltower:us-
east-1:01234567890:enabledcontrol/EXAMPLE_NAME \
    --parameters '[{"key":"AllowedRegions","value":["us-east-1","us-west-1","us-
west-2","us-east-2"]},{"key":"ExemptedPrincipalArns","value":["arn:aws:iam::*:role/
ReadOnly","arn:aws:sts::*:assumed-role/ReadOnly/*"]},{"key":"ExemptedActions","value":
["logs:DescribeLogGroups","logs:StartQuery","logs:GetQueryResults","cloudwatch:Get*","cloudwatc
```

Berikut adalah versi input parameter yang lebih mudah dibaca:

```
[
    {
        "key": "AllowedRegions",
        "value":
        [
            "us-east-1",
            "us-west-1",
            "us-west-2",
```

```
            "us-east-2"
        ]
    },
    {
        "key": "ExemptedPrincipalArns",
        "value":
        [
            "arn:aws:iam::*:role/ReadOnly",
            "arn:aws:sts::*:assumed-role/ReadOnly/*"
        ]
    },
    {
        "key": "ExemptedActions",
        "value":
        [
            "logs:DescribeLogGroups",
            "logs:StartQuery",
            "logs:GetQueryResults",
            "cloudwatch:Get*",
            "cloudwatch:Describe*"
        ]
    }
]
```

Lihat parameter

Anda dapat melihat parameter yang ada untuk kontrol dengan panggilan `GetEnabledControl` API.

Contoh masukan:

```
aws controltower get-enabled-control --enabled-control-identifier
 arn:aws:controltower:us-east-1:01234567890:enabledcontrol/EXAMPLE_NAME \
```

Contoh output:

```
{
    "enabledControlDetails": {
        "arn": "arn:aws:controltower:us-east-1:01234567890:enabledcontrol/
EXAMPLE_NAME",
        "controlIdentifier": "arn:aws:controltower:us-east-1::control/EXAMPLE_NAME",
        "targetIdentifier": "arn:aws:organizations::01234567890:ou/o-EXAMPLE/ou-zzxx-
zzx0zzz2",
        ...
```

```
        ...
        ...
        "parameters": [
            {
                "key": "ExemptedPrincipalArns",
                "value": [
                    "arn:aws:iam::*:role/ReadOnly"
                ]
            },
            {
                "key": "AllowedRegions",
                "value": [
                    "us-east-1",
                    "us-west-1"
                ]
            },
            {
                "key": "ExemptedActions",
                "value": [
                    "logs:DescribeLogGroups",
                    "logs:StartQuery",
                    "logs:GetQueryResults"
                ]
            }
        ]
    }
}
```

Aktifkan kontrol dengan AWS CloudFormation

Anda dapat mengaktifkan kontrol dengan AWS CloudFormation, baik melalui AWS CloudFormation konsol, atau melalui AWS CLI. Bagian ini memberikan contoh dari setiap jenis.

Setiap kontrol di AWS Control Tower memiliki pengenal unik untuk digunakan dengan API kontrol. Pengenal untuk setiap kontrol ditampilkan di bidang API ControliDentifier, pada halaman Detail kontrol di konsol AWS Control Tower. Pengidentifikasi ini berbeda dari bidang ControLid, yang merupakan sistem klasifikasi untuk kontrol.

Buat tumpukan melalui AWS CloudFormation

Anda dapat menggunakannya AWS CloudFormation untuk membantu Anda mengaktifkan kontrol AWS Control Tower. Berikut adalah contoh template.

```
Resources:
    TestControl:
        Type: AWS::ControlTower::EnabledControl
        Properties:
            ControlIdentifier: arn:aws:controltower:us-west-2::control/AWS-
GR_RESTRICT_ROOT_USER
            TargetIdentifier: arn:aws:organizations::123456789012:ou/o-ybfpt9XXXl/ou-
XXXc-nlqXXXXX
```

Untuk membuat tumpukan Anda melalui AWS CloudFormation konsol, edit template untuk berisi kontrol dan target pilihan Anda, lalu simpan template dengan nama file`template.yaml`. Ikuti AWS CloudFormation penyihir. Ketika wizard meminta file template, masukkan file yang Anda simpan sebagai`template.yaml`. Untuk informasi selengkapnya, lihat Membuat tumpukan di CloudFormation konsol Amazon.

> **Note**
>
> Batas `EnableControl` dan `DisableControl` pembaruan di AWS Control Tower adalah 10 operasi bersamaan.

Buat tumpukan melalui AWS CloudFormation dan AWS CLI

Berikut adalah contoh membuat tumpukan dengan CLI.

```
aws cloudformation create-stack --region us-west-2 --stack-name testControlTower --
template-body "$(cat << TEMPLATE
Resources:
  TestControl:
    Type: AWS::ControlTower::EnabledControl
    Properties:
      ControlIdentifier: arn:aws:controltower:us-west-2::control/AWS-
GR_RESTRICT_ROOT_USER
      TargetIdentifier: arn:aws:organizations::123456789012:ou/o-ybfpt9XXXl/ou-XXXc-
nlqXXXXX
TEMPLATE)"
```

Anda juga dapat menyimpan contoh template sebagai `template.yaml` file, lalu mengunggah file Anda ke bucket Amazon S3. Nanti, Anda dapat memberikan URL untuk bucket dengan `--template-url` bendera.

Ketika Anda memasukkan template Anda ke wizard atau melalui CLI, jika tumpukan dibuat, itu berarti kontrol diaktifkan.

Lihat kemajuan tumpukan Anda melalui AWS CLI:

```
aws cloudformation describe-stack-events --region us-west-2 --stack-name
 testControlTower
```

atau

```
aws cloudformation describe-stacks --region us-west-2 --stack-name testControlTower
```

Hapus tumpukan melalui AWS CLI:

```
aws cloudformation delete-stack --region us-west-2 --stack-name testControlTower
```

Konfigurasikan kontrol dengan AWS CloudFormation

Contoh berikut menunjukkan cara mengkonfigurasi kontrol melalui AWS CloudFormation template. Contoh-contoh ini kebetulan menunjukkan Nilai sebagai daftar, tetapi dapat berupa salah satu dari beberapa jenis.

Aktifkan kontrol yang dapat dikonfigurasi dengan templat AWS CloudFormation

Aktifkan kontrol dengan parameter melalui AWS CloudFormation:

```
aws cloudformation create-stack \
    --stack-name ExampleStack \
    --template-body file://ExampleStack.yml \
    --region us-east-1
```

Contoh template di YAMAL dan JSON:

```
Resources:
  MyExampleControl:
    Properties:
      ControlIdentifier: arn:aws:controltower:us-east-1::control/EXAMPLE_NAME
      TargetIdentifier: arn:aws:organizations::01234567890:ou/o-EXAMPLE/ou-zzxx-
zzx0zzz2
      Parameters:
```

```
      - Key: AllowedRegions
        Value:
        - us-east-1
        - us-west-1
      - Key: ExemptedPrincipalArns
        Value:
        - arn:aws:iam::*:role/ReadOnly
      - Key: ExemptedActions
        Value:
        - logs:DescribeLogGroups
        - logs:StartQuery
        - logs:GetQueryResults
    Type: AWS::ControlTower::EnabledControl
```

```
{
  "Resources": {
    "MyExampleControl": {
      "Type": "AWS::ControlTower::EnabledControl",
      "Properties": {
        "TargetIdentifier": "arn:aws:organizations::01234567890:ou/o-EXAMPLE/ou-zzxx-
zzx0zzz2",
        "ControlIdentifier": "arn:aws:controltower:us-east-1::control/EXAMPLE_NAME",
        "Parameters": [
          {
            "Key": "AllowedRegions",
            "Value": [
              "us-east-1",
              "us-west-1"
            ]
          },
          {
            "Key": "ExemptedPrincipalArns",
            "Value": [
              "arn:aws:iam::*:role/ReadOnly"
            ]
          },
          {
            "Key": "ExemptedActions",
            "Value": [
              "logs:DescribeLogGroups",
              "logs:StartQuery",
              "logs:GetQueryResults"
```

```
            ]
          }
        ]
      }
    }
  }
}
```

Aktifkan kontrol pada OU dari konsol

Kontrol wajib dan diwariskan diaktifkan secara otomatis sesuai dengan konfigurasi OU. Kontrol opsional dapat diaktifkan secara manual di OU Anda, dari konsol, atau melalui API kontrol. Prosedur berikut menjelaskan langkah-langkah untuk mengaktifkan kontrol pada OU, dari konsol.

> **Important**
>
> Saat Anda mengaktifkan kontrol opsional, AWS Control Tower membuat dan mengelola AWS sumber daya di akun Anda. Jangan mengubah atau menghapus sumber daya yang dibuat oleh AWS Control Tower. Melakukannya dapat mengakibatkan kontrol memasuki status yang tidak diketahui.

Untuk mengaktifkan kontrol di OU, dari konsol

1. Menggunakan browser web, navigasikan ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower.
2. Dari navigasi kiri, pilih Semua Kontrol.
3. Pilih kontrol yang ingin Anda aktifkan; misalnya, Kontrol: Deteksi Apakah Enkripsi Diaktifkan untuk Volume Amazon EBS Terlampir ke Instans Amazon EC2. Pilihan ini membuka halaman detail kontrol.
4. Dari unit Organisasi diaktifkan, pilih Aktifkan kontrol pada OU.
5. Halaman baru ditampilkan yang mencantumkan nama-nama OU Anda. Identifikasi OU di mana Anda ingin mengaktifkan kontrol ini.
6. Pilih Aktifkan kontrol pada OU.
7. Kontrol Anda sekarang diaktifkan. Mungkin perlu beberapa menit agar perubahan selesai. Ketika itu terjadi, Anda akan melihat bahwa kontrol ini diterapkan ke OU yang Anda pilih.

> **Note**
>
> Anda dapat mengaktifkan kontrol preventif dan detektif secara bersamaan.

Untuk menonaktifkan kontrol untuk OU, dari konsol

1. Menggunakan browser web, navigasikan ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower.
2. Dari navigasi kiri, pilih Kontrol.
3. Pilih kontrol yang ingin Anda nonaktifkan; misalnya, Kontrol: Deteksi Apakah Enkripsi Diaktifkan untuk Volume Amazon EBS Terlampir ke Instans Amazon EC2. Pilihan ini membuka halaman detail kontrol.
4. Dari tab Organizational units enabled, pilih tombol radio di sebelah OU dari mana Anda ingin menghapus kontrol.
5. Pilih Nonaktifkan kontrol di kanan atas.
6. Kontrol Anda sekarang dinonaktifkan. Mungkin perlu beberapa menit agar perubahan selesai. Ketika itu terjadi, Anda akan melihat bahwa kontrol ini tidak lagi diterapkan ke OU yang Anda pilih.

> **Note**
>
> Kontrol penolakan Wilayah OU adalah kontrol khusus dengan parameter. Untuk langkah-langkah tentang cara mengaktifkan kontrol itu, lihatWilayah menolak kontrol diterapkan pada OU.

Penerapan bersamaan untuk kontrol opsional

Saat menerapkan kontrol opsional, Anda dapat menerapkan lebih dari satu kontrol sekaligus. Misalnya, Anda dapat mengaktifkan Deteksi Apakah MFA untuk Pengguna Root Diaktifkan dan Mendeteksi Apakah Akses Tulis Publik ke Bucket Amazon S3 Diizinkan, pada saat yang bersamaan.

Anda dapat menerapkan dan menghapus beberapa kontrol opsional tanpa menunggu operasi kontrol individu selesai, dan hingga 25 operasi kontrol antri. Satu-satunya waktu terbatas adalah ketika AWS

Control Tower sedang dalam proses penyiapan landing zone, atau saat memperluas tata kelola ke organisasi baru.

Fungsionalitas tersedia di konsol dan dengan API

- Terapkan dan hapus kontrol detektif yang berbeda pada OU yang sama, secara bersamaan.
- Terapkan dan hapus kontrol detektif yang berbeda pada OU yang berbeda, secara bersamaan.
- Terapkan dan hapus kontrol detektif yang sama pada beberapa OU, secara bersamaan.
- Terapkan dan hapus kontrol pencegahan yang berbeda pada OU yang sama, secara bersamaan.
- Terapkan dan hapus kontrol pencegahan yang berbeda pada OU yang berbeda, secara bersamaan.
- Terapkan dan hapus kontrol pencegahan yang sama pada beberapa OU, secara bersamaan.
- Terapkan dan hapus kontrol proaktif yang berbeda pada OU yang sama, secara bersamaan.
- Terapkan dan hapus kontrol proaktif yang berbeda pada OU yang berbeda, secara bersamaan.
- Terapkan dan hapus kontrol proaktif yang sama pada beberapa OU, secara bersamaan.
- Anda dapat menerapkan dan menghapus kontrol preventif, detektif, dan proaktif, secara bersamaan.

Saat Anda menerapkan kontrol preventif ke OU bersarang, kontrol preventif memengaruhi semua akun dan OU yang bersarang di bawah target OU, meskipun akun dan OU tersebut tidak terdaftar di AWS Control Tower. Kontrol preventif diimplementasikan menggunakan Kebijakan Kontrol Layanan (SCP), yang merupakan bagian dari. AWS Organizations Kontrol detektif diimplementasikan menggunakan AWS Config aturan. Kontrol proaktif diimplementasikan menggunakan CloudFormation kait.

Kontrol tetap berlaku untuk seluruh OU, saat Anda membuat akun baru atau membuat perubahan pada akun Anda yang ada, dan AWS Control Tower memberikan laporan ringkasan tentang bagaimana setiap akun sesuai dengan kontrol yang diaktifkan. Untuk daftar lengkap kontrol yang tersedia, lihatAWS Control Tower mengontrol pustaka.

Kontrol dan kepatuhan

Dalam AWS Control Tower, kepatuhan mengacu pada status sumber daya, saat dievaluasi sehubungan dengan kontrol detektif yang diterapkan, atau aturan deteksi drift. Kepatuhan pada AWS Control Tower terkait dengan drift — biasanya, sumber daya yang tidak sesuai berada dalam keadaan drift. Kontrol AWS Control Tower mencakup aturan kepatuhan. Mereka membantu Anda

mengidentifikasi sumber daya yang sesuai dan tidak sesuai dengan membantu mengidentifikasi penyimpangan.

Saat AWS Control Tower mengevaluasi kepatuhan sumber daya, AWS Control Tower melaporkan hasil kepatuhan pada tingkat OU, akun, dan kontrol. Bagian ini menjelaskan status kepatuhan secara rinci, untuk kontrol, OU, dan akun.

Pelaporan kepatuhan dimaksudkan untuk memberi tahu administrator cloud kapan sumber daya yang terkait dengan akun di organisasi mereka sesuai dengan kebijakan yang ditetapkan. Ketika sumber daya sesuai, pembangun dapat menyediakan AWS akun baru dengan cepat dalam beberapa klik.

Ketika kami berbicara tentang kepatuhan di AWS Control Tower, kami tidak bermaksud memiliki arti yang sama dengan kepatuhan terhadap peraturan pemerintah, seperti privasi data atau standar informasi kesehatan. Namun, AWS Control Tower dapat membantu organisasi Anda mematuhi banyak peraturan pemerintah, terkadang disebut sebagai kerangka kerja.

- Untuk informasi selengkapnya tentang cara AWS Control Tower membantu Anda mempertahankan kepatuhan terhadap peraturan pemerintah dan standar industri, lihat Validasi Kepatuhan.
- Untuk informasi selengkapnya tentang cara memverifikasi kepatuhan sumber daya AWS Control Tower selama pembuatan AWS CloudFormation tumpukan, lihat posting blog ini, Bagaimana pengguna AWS Control Tower dapat secara proaktif memverifikasi kepatuhan dalam AWS CloudFormation tumpukan.

Untuk tata kelola yang sedang berlangsung, administrator dapat mengaktifkan kontrol yang telah dikonfigurasikan sebelumnya — aturan yang didefinisikan dengan jelas untuk keamanan, operasi, dan kepatuhan. Kontrol ini dapat:

- Mencegah penyebaran sumber daya yang tidak sesuai dengan kebijakan (melalui kontrol preventif, diimplementasikan dengan SCP, atau melalui kontrol proaktif, diimplementasikan dengan kait). AWS CloudFormation
- Terus memantau sumber daya yang digunakan untuk ketidaksesuaian (melalui kontrol detektif, diimplementasikan dengan aturan). AWS Config

Contoh aturan kepatuhan (kontrol) di AWS Control Tower:

- Deteksi Apakah Akses Tulis Publik ke Bucket Amazon S3 Diizinkan
- Deteksi Apakah Lalu Lintas TCP Masuk yang Tidak Dibatasi Diizinkan

Contoh peraturan kepatuhan pemerintah (kerangka kerja):

- Undang-Undang Portabilitas dan Akuntabilitas Asuransi Kesehatan AS tahun 1996 (HIPAA)
- Peraturan Perlindungan Data Umum Uni Eropa 2016 (GDPR)

Bagaimana administrator dapat meninjau kepatuhan?

Kepatuhan terhadap kontrol detektif ditentukan berdasarkan data yang diambil dari AWS Config agregator di akun AWS Control Tower Audit. Anda dapat meninjau status kepatuhan di konsol AWS Control Tower, dengan berlangganan topik SNS yang mengirim pesan email ke akun Audit, atau keduanya.

Status kontrol detektif

Untuk melihat status kepatuhan kontrol detektif di konsol AWS Control Tower, pilih Kontrol di navigasi kiri, pilih nama kontrol dari tabel kontrol, lalu gulir ke bagian Akun di halaman detail kontrol tersebut. Akun dapat menunjukkan status kepatuhan kontrol Unknown jika ada kontrol detektif yang salah dikonfigurasi. Misalnya, status Tidak dikenal sering dapat muncul karena penyimpangan akun, seperti Pergeseran akun yang dipindahkan. Status Tidak Dikenal juga dapat muncul sebagai akibat dari penyimpangan SCP.

> **Note**
>
> AWS Control Tower menampilkan status kepatuhan semua AWS Config aturan yang diterapkan ke unit organisasi yang terdaftar di AWS Control Tower, termasuk aturan yang diaktifkan di luar konsol AWS Control Tower. Untuk melihat status kepatuhan semua aturan Config Anda, buka halaman Detail Akun di konsol AWS Control Tower. Anda akan melihat daftar yang menunjukkan status kepatuhan kontrol yang dikelola oleh AWS Control Tower dan aturan Config yang diterapkan di luar AWS Control Tower. Anda dapat mengidentifikasi aturan yang tidak sesuai. AWS Config

Status kontrol preventif

Status kepatuhan kontrol preventif pada OU dapat dilihat di halaman detail OU, dengan menggulir ke bagian Kontrol yang diaktifkan. Jika ada kontrol pencegahan yang salah dikonfigurasi untuk OU, bidang Negara untuk OU tersebut mungkin menunjukkan status Pendaftaran gagal, di bagian Detail di dekat bagian atas halaman. Kesalahan konfigurasi kontrol preventif paling sering disebabkan oleh

penyimpangan SCP, yang dapat terjadi jika SCP kontrol dimodifikasi atau terlepas dari OU melalui konsol. AWS Organizations

Status kontrol proaktif

Status kepatuhan kontrol juga dapat dilihat di halaman lain:

- Pada halaman Dasbor AWS Control Tower, dengan menggulir ke bagian Kontrol di dekat bagian bawah halaman.
- Pada halaman Detail kontrol, yang dapat Anda lihat dengan memilih nama kontrol di halaman lain.

> **Note**
>
> Status kontrol, seperti yang terlihat di konsol AWS Control Tower, hanya mencerminkan status kontrol yang diaktifkan atau dinonaktifkan untuk OU tertentu. Bidang ini tidak mencerminkan informasi apa pun tentang status kepatuhan kerangka kerja atau status drift lingkungan landing zone. Informasi Status dan Status kontrol hanya tersedia di konsol. Ini tidak tersedia dari API publik. Untuk melihat status kontrol, buka halaman Detail kontrol di konsol AWS Control Tower.

OU bersarang dan kepatuhan

Ketika OU menunjukkan status Noncompliant, itu berarti bahwa salah satu akun langsung di bawah OU berisi sumber daya yang tidak sesuai. Status kepatuhan OU tidak dipengaruhi oleh status kepatuhan OU bersarang di bawah OU, atau status kepatuhan akun apa pun yang tidak secara langsung di bawah OU.

Sumber daya lainnya

Jika akun memiliki sumber daya yang tidak sesuai, akun tersebut dapat ditampilkan dengan status Tidak Sesuai di halaman OU atau Akun di konsol AWS Control Tower. Detail tentang sumber daya tertentu yang menyebabkan status tidak patuh ditampilkan di halaman Detail akun.

Jika akun menunjukkan status Compliant, itu berarti tidak memiliki sumber daya yang tidak sesuai; oleh karena itu, tidak ada detail sumber daya yang ditampilkan di halaman Detail akun, hanya tabel kosong.

Menerima pembaruan status kepatuhan

Untuk menerima pembaruan tentang kepatuhan, Anda dapat berlangganan topik SNS yang mengirim pemberitahuan saat status kepatuhan sumber daya berubah. LihatPemberitahuan kepatuhan oleh SNS di akun audit, nanti di Bab ini.

Untuk informasi selengkapnya tentang cara AWS Control Tower mengumpulkan informasi tentang sumber daya, lihat Dokumentasi AWS Agregator Config.

> Drift mengubah status kepatuhan untuk OU dan sumber daya akun
>
> Sumber daya hanyut dapat ditampilkan dengan status Tidak Dikenal di bidang status Kepatuhan pada konsol AWS Control Tower. Status Tidak Dikenal menunjukkan bahwa AWS Control Tower tidak dapat menentukan status kepatuhan sumber daya, karena ada drift. Drift belum tentu merupakan pelanggaran kepatuhan kontrol detektif. Untuk informasi lebih lanjut tentang drift, lihatMendeteksi dan mengatasi penyimpangan di AWS Control Tower.
> Dalam kasus lain dari jenis penyimpangan ini, sumber daya dapat ditampilkan sebagai sesuai jika tidak. Jika Anda menghapus AWS Config aturan, atau jika Anda mematikan perekam Config, status kepatuhan mungkin tercermin secara tidak akurat di konsol, karena kepatuhan tidak lagi dapat dievaluasi. Misalnya, jika Anda mematikan perekam Config, status yang dievaluasi terakhir terus muncul di konsol. Demikian pula, jika Anda menghapus AWS Config aturan, sumber daya yang dicakup oleh aturan itu selalu menunjukkan kepatuhan. Dalam situasi ini, lingkungan Anda mungkin memiliki beberapa sumber daya yang tidak sesuai yang tidak dilaporkan. Hindari menghapus atau mematikan AWS Config sumber daya Anda.

Status kepatuhan AWS Control Tower untuk OU dan akun

Kepatuhan dilaporkan di dasbor AWS Control Tower untuk akun dan OU. Bagian ini mencantumkan kemungkinan kategori kepatuhan dan ketidakpatuhan di AWS Control Tower, dengan asumsi bahwa kontrol diaktifkan untuk akun atau OU.

- Untuk akun atau OU: Status kepatuhan Compliant, Noncompliant, atau Unknown dimungkinkan. Status kepatuhan mengacu pada status sumber daya yang terkait dengan satu akun, atau status semua akun dalam OU yang memiliki beberapa kontrol yang diaktifkan di dalamnya. Status kepatuhan akun atau OU dapat ditemukan di halaman detail akun atau OU.

> **Note**
>
> Status kontrol, seperti yang terlihat di konsol AWS Control Tower, hanya mencerminkan status kontrol yang diaktifkan atau dinonaktifkan untuk OU tertentu. Bidang ini tidak mencerminkan informasi apa pun tentang status kepatuhan kerangka kerja atau status drift lingkungan landing zone. Informasi Status dan Status kontrol tersedia di konsol AWS Control Tower. Kontrol yang diaktifkan dapat dilihat melalui API publik.

Daftar berikut memberikan informasi lebih lanjut tentang status kepatuhan seperti yang dilaporkan secara khusus untuk OU dan akun anggotanya.

- **`Compliant`**— Aturan kepatuhan sudah berlaku dengan benar. Tidak ada pelanggaran yang terdeteksi untuk sumber daya apa pun. Kontrol diterapkan pada tingkat OU, untuk semua akun terdaftar di OU, dan sumber dayanya.
  - Dilaporkan untuk: Kontrol Detektif (Aturan Config)AWS
  - Apa yang diperiksa:
    - Setiap kontrol detektif individu yang diterapkan ke akun anggota di OU
    - Beberapa kontrol detektif yang diterapkan ke akun anggota di OU
- **`Noncompliant`**— Aturan kepatuhan sudah ada. Namun, sumber daya yang tidak sesuai telah terdeteksi di satu atau lebih akun anggota di OU.
  - Dilaporkan untuk: Kontrol Detektif (Aturan Config)AWS
  - Apa yang diperiksa:
    - Setiap kontrol detektif individu yang diterapkan ke akun anggota di OU
    - Beberapa kontrol detektif yang diterapkan ke akun anggota di OU

Status berikut dapat dilaporkan untuk akun, kontrol, atau OU apa pun.

`Unknown`— Aturan kepatuhan dilanggar atau kepatuhan tidak dapat dijamin.

- Dilaporkan untuk:
  - Kontrol Detektif (Aturan Config)AWS
  - Kontrol pencegahan (SCP)

- Apa yang diperiksa:
  - Kontrol detektif apa pun yang diaktifkan pada akun apa pun yang merupakan anggota OU. Kontrol diaktifkan pada tingkat OU.
  - Kontrol preventif apa pun yang diaktifkan pada akun apa pun yang merupakan anggota OU. Kontrol diaktifkan pada tingkat OU.
  - Pada dasarnya apa pun dengan status kepatuhan (akun, kontrol, sumber daya, atau OU).

Pencegahan dan pemberitahuan drift

Anda dapat mengaktifkan kontrol tertentu dan berlangganan notifikasi SNS tertentu yang membantu Anda menjaga kepatuhan di AWS Control Tower.

Perlindungan pemantauan drift

AWS Control Tower menyediakan metode pasif dan aktif perlindungan pemantauan drift untuk kontrol preventif.

- Perlindungan pasif: AWS Organizations monitor dan log preventif control (SCP) drift.
- Perlindungan aktif: Layanan pemantauan drift AWS Control Tower secara aktif memindai SCP kontrol preventif, secara teratur.

AWS Control Tower memberi tahu Anda melalui pesan SNS, jika drift terdeteksi.

Pencegahan drift

Beberapa kontrol mencegah modifikasi mekanisme pelaporan kepatuhan.

- Larang Perubahan yang Aturan AWS Config Diatur oleh AWS Control Tower(Wajib, kontrol preventif)
- Larang Penghapusan Otorisasi Agregasi AWS Config yang Dibuat oleh AWS Control Tower(Wajib, kontrol preventif)
- Larang Perubahan pada Tag yang Dibuat oleh AWS Control Tower untuk Sumber Daya AWS Config(Wajib, kontrol preventif)
- Larang Perubahan Konfigurasi AWS Config(Wajib, kontrol preventif)

Berbeda dengan kontrol preventif, kontrol detektif memberi tahu Anda tentang sumber daya yang melanggar aturan Config AWS terkait.

Untuk menerima pemberitahuan SNS tentang drift dan kepatuhan kontrol

Untuk informasi tentang cara menerima pemberitahuan kepatuhan drift dan kontrol yang sesuai oleh Amazon SNS, lihat. Pemberitahuan kepatuhan oleh SNS di akun audit

Penerbit dan pelanggan untuk topik SNS

`aws-controltower-AllConfigNotifications`Topiknya:

- Sumber `AWS::Config::DeliveryChannel` daya dikonfigurasi untuk mengirim pemberitahuan tentang perubahan konfigurasi ke topik ini.
- Jenis notifikasi yang mungkin AWS Config dapat dikirim ditentukan di bagian Topik Amazon SNS pada AWS Config dokumentasi.
- `AWS::CloudTrail::Trail`Sumber daya dikonfigurasi untuk mengirim pemberitahuan pengiriman file log ke topik ini.
- Anda dapat berlangganan topik ini.

`aws-controltower-SecurityNotifications`Topiknya:

- `AWS::Events::Rule`Sumber daya dikonfigurasi untuk mengirim pemberitahuan tentang perubahan kepatuhan AWS Config Aturan (salah satu jenis pemberitahuan SNS) ke topik ini.
- Fungsi `aws-controltower-NotificationForwarder` Lambda berlangganan topik ini, dan meneruskan notifikasi SNS ke topik tersebut. `aws-controltower-AggregateSecurityNotifications`

`aws-controltower-AggregateSecurityNotifications`Topiknya:

- Topik ini menerima pemberitahuan dari`aws-controltower-SecurityNotifications`, diteruskan oleh fungsi Lambda.
- Ini juga menerima pemberitahuan drift di Wilayah asal.
- Saat AWS Control Tower membuat topik, langganan ditambahkan untuk alamat email akun audit, dan Anda harus mengonfirmasi langganan.

> **Note**
>
> Titik akhir, seperti alamat email, harus mengonfirmasi setiap langganan, SNS tidak mengirim pesan ke titik akhir hingga langganan dikonfirmasi.

Pemberitahuan kepatuhan oleh SNS di akun audit

Untuk menerima pemberitahuan perubahan kepatuhan dalam email yang dikirim ke akun audit Anda, berlangganan topik Amazon SNS ini:

```
arn:aws:sns:AWSRegion:AuditAccount:aws-controltower-
AggregateSecurityNotifications
```

Saat berlangganan, ganti Wilayah rumah AWS Control Tower Anda yang sebenarnya dan audit informasi akun ke dalam nama topik yang ditampilkan. Anda dapat berlangganan topik SNS yang menerima pemberitahuan tentang setiap AWS Wilayah yang didukung tempat Anda menjalankan AWS Control Tower.

Topik dan notifikasi SNS yang dapat Anda terima

- `aws-controltower-AllConfigNotificationsTopiknya`:

  Ini menerima pemberitahuan dari AWS Config mengenai kepatuhan, ketidakpatuhan, dan perubahan. Ini juga menerima pemberitahuan dari AWS CloudTrail pengiriman file log.
- `aws-controltower-SecurityNotificationsTopiknya`:

  Salah satu topik ini ada untuk setiap AWS Wilayah yang didukung. Ini menerima pemberitahuan kepatuhan, ketidakpatuhan, dan perubahan dari AWS Config di Wilayah tersebut. Ini meneruskan semua pemberitahuan yang masuk ke `aws-controltower-AggregateSecurityNotifications`
- `aws-controltower-AggregateSecurityNotificationsTopiknya`:

  Topik ini ada di setiap AWS Wilayah yang didukung. Ini menerima pemberitahuan perubahan kepatuhan dari topik khusus wilayah`aws-controltower-SecurityNotifications`. Selain itu, di Wilayah asal, ia juga menerima pemberitahuan drift.

Pertimbangan lain tentang topik SNS:

- Semua topik ini ada dan menerima pemberitahuan di akun Audit.
- Secara default, alamat email akun Audit berlangganan topik `aws-controltower-AggregateSecurityNotifications` SNS.
- Topik SNS di AWS Control Tower sangat bising, menurut desain. Misalnya, AWS Config mengirim pemberitahuan setiap kali AWS Config menemukan sumber daya baru.
- Administrator yang ingin menyaring jenis pemberitahuan tertentu dari topik SNS dapat membuat AWS Lambda fungsi dan berlangganan ke topik SNS. Atau, Anda dapat mengatur EventBridge aturan untuk memfilter notifikasi, seperti yang dijelaskan dalam artikel dukungan ini, Bagaimana saya bisa diberi tahu ketika AWS sumber daya tidak sesuai menggunakan Config? AWS
- AWS Pemberitahuan Config berisi objek JSON.
- Pemberitahuan drift AWS Control Tower muncul dalam teks biasa.

Kebijakan topik AWS Config SNS

Kebijakan topik AWS Config SNS berisi kunci `aws:SourceOrgID` kondisi. Kebijakan ditampilkan dalam contoh berikut.

```
SNSAllConfigurationTopicPolicy:
   Type: AWS::SNS::TopicPolicy
   Properties:
     Topics:
       - !Ref SNSAllConfigurationTopic
     PolicyDocument:
       Statement:
         - Sid: AWSSNSPolicy
           Action:
             - sns:Publish
           Effect: Allow
           Resource: !Ref SNSAllConfigurationTopic
           Principal:
             Service:
               - cloudtrail.amazonaws.com
               - config.amazonaws.com
           Condition:
             StringEquals:
               aws:SourceOrgID: !Ref OrganizationId
```

AWS Control Tower mengontrol pustaka

Bagian berikut mencakup entri referensi individual untuk setiap kontrol yang tersedia di AWS Control Tower. Kontrol dikelompokkan menjadi beberapa bagian sesuai dengan karakteristik umum. Setiap entri referensi kontrol mencakup detail, artefak, informasi tambahan, dan pertimbangan yang perlu diingat saat mengaktifkan kontrol khusus pada OU di landing zone Anda.

Untuk tabel ringkasan informasi kontrol, lihatTabel metadata kontrol. Detail tambahan tersedia di konsol AWS Control Tower.

Topik

- Kontrol wajib
- Kontrol proaktif
- Standar Security Hub
- Kontrol yang meningkatkan perlindungan kedaulatan digital
- Kontrol opsional

> **Note**
>
> Empat kontrol wajib dengan `"Sid": "GRCLOUDTRAILENABLED"` identik dengan desain. Kode sampel sudah benar.

Kontrol wajib

Kontrol wajib dimiliki oleh AWS Control Tower, dan berlaku untuk setiap OU di landing zone Anda. Kontrol ini diterapkan secara default saat Anda mengatur landing zone, dan tidak dapat dinonaktifkan. Setelah itu, Anda akan menemukan referensi untuk setiap kontrol wajib yang tersedia di AWS Control Tower.

Topik

- Larang Perubahan Konfigurasi Enkripsi untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log
- Larang Perubahan Konfigurasi Logging untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log

- Larang Perubahan Kebijakan Bucket untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log
- Larang Perubahan Konfigurasi Siklus Hidup untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log
- Larang Perubahan pada Grup CloudWatch Log Amazon Logs yang disiapkan oleh AWS Control Tower
- Larang Penghapusan Otorisasi Agregasi AWS Config yang Dibuat oleh AWS Control Tower
- Larang Penghapusan Arsip Log
- Mendeteksi Pengaturan Akses Baca Publik untuk Arsip Log
- Mendeteksi Pengaturan Akses Tulis Publik untuk Arsip Log
- Larang Perubahan Konfigurasi ke CloudTrail
- Integrasikan CloudTrail Acara dengan CloudWatch Log Amazon
- Aktifkan CloudTrail di Semua Wilayah yang Tersedia
- Aktifkan Validasi Integritas untuk File CloudTrail Log
- Larang Perubahan pada Amazon yang CloudWatch Diatur oleh AWS Control Tower
- Larang Perubahan pada Tag yang Dibuat oleh AWS Control Tower untuk Sumber Daya AWS Config
- Larang Perubahan Konfigurasi AWS Config
- Aktifkan AWS Config di Semua Wilayah yang Tersedia
- Larang Perubahan yang Aturan AWS Config Diatur oleh AWS Control Tower
- Larang Perubahan pada Peran AWS IAM yang Diatur oleh AWS Control Tower dan AWS CloudFormation
- Larang Perubahan pada Fungsi AWS Lambda yang Diatur oleh AWS Control Tower
- Larang Perubahan pada Amazon SNS yang Diatur oleh AWS Control Tower
- Larang Perubahan pada Langganan Amazon SNS yang Diatur oleh AWS Control Tower
- Mendeteksi apakah akun bersama di bawah unit organisasi Keamanan telah AWS CloudTrail atau CloudTrail Lake diaktifkan

> **Note**
>
> Empat kontrol wajib dengan `"Sid": "GRCLOUDTRAILENABLED"` identik dengan desain. Kode sampel sudah benar.

Larang Perubahan Konfigurasi Enkripsi untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log

Kontrol ini mencegah perubahan enkripsi untuk bucket Amazon S3 yang dibuat AWS Control Tower di akun arsip log. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan. Itu tidak dapat diaktifkan pada OU tambahan.

Artefak untuk kontrol ini adalah kebijakan kontrol layanan (SCP) berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCTAUDITBUCKETENCRYPTIONCHANGESPROHIBITED",
            "Effect": "Deny",
            "Action": [
                "s3:PutEncryptionConfiguration"
            ],
            "Resource": ["arn:aws:s3:::aws-controltower*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan Konfigurasi Logging untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log

Kontrol ini mencegah perubahan pada konfigurasi logging untuk bucket Amazon S3 yang dibuat AWS Control Tower di akun arsip log. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan. Itu tidak dapat diaktifkan pada OU tambahan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCTAUDITBUCKETLOGGINGCONFIGURATIONCHANGESPROHIBITED",
            "Effect": "Deny",
            "Action": [
                "s3:PutBucketLogging"
            ],
            "Resource": ["arn:aws:s3:::aws-controltower*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan Kebijakan Bucket untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log

Kontrol ini mencegah perubahan kebijakan bucket untuk bucket Amazon S3 yang dibuat AWS Control Tower di akun arsip log. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan. Itu tidak dapat diaktifkan pada OU tambahan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCTAUDITBUCKETPOLICYCHANGESPROHIBITED",
            "Effect": "Deny",
            "Action": [
                "s3:PutBucketPolicy",
                "s3:DeleteBucketPolicy"
            ],
```

```
            "Resource": ["arn:aws:s3:::aws-controltower*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan Konfigurasi Siklus Hidup untuk AWS Control Tower Membuat Bucket Amazon S3 di Arsip Log

Kontrol ini mencegah perubahan konfigurasi siklus hidup untuk bucket Amazon S3 yang dibuat AWS Control Tower di akun arsip log. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan. Itu tidak dapat diaktifkan pada OU tambahan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCTAUDITBUCKETLIFECYCLECONFIGURATIONCHANGESPROHIBITED",
            "Effect": "Deny",
            "Action": [
                "s3:PutLifecycleConfiguration"
            ],
            "Resource": ["arn:aws:s3:::aws-controltower*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan pada Grup CloudWatch Log Amazon Logs yang disiapkan oleh AWS Control Tower

Kontrol ini mencegah perubahan pada kebijakan retensi untuk grup CloudWatch log Amazon Logs yang dibuat AWS Control Tower di akun arsip log saat Anda menyiapkan landing zone. Ini juga mencegah memodifikasi kebijakan penyimpanan log di akun pelanggan. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRLOGGROUPPOLICY",
            "Effect": "Deny",
            "Action": [
                "logs:DeleteLogGroup",
                "logs:PutRetentionPolicy"
            ],
            "Resource": [
                "arn:aws:logs:*:*:log-group:*aws-controltower*"
            ],
            "Condition": {
                "StringNotLike": {
                    "aws:PrincipalArn": [
                        "arn:aws:iam::*:role/AWSControlTowerExecution"
                    ]
                }
            }
        }
    ]
}
```

Larang Penghapusan Otorisasi Agregasi AWS Config yang Dibuat oleh AWS Control Tower

Kontrol ini mencegah penghapusan otorisasi AWS Config agregasi yang dibuat AWS Control Tower di akun audit saat Anda menyiapkan landing zone. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRCONFIGAGGREGATIONAUTHORIZATIONPOLICY",
      "Effect": "Deny",
      "Action": [
        "config:DeleteAggregationAuthorization"
      ],
      "Resource": [
        "arn:aws:config:*:*:aggregation-authorization*"
      ],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalArn": "arn:aws:iam::*:role/AWSControlTowerExecution"
        },
        "StringLike": {
          "aws:ResourceTag/aws-control-tower": "managed-by-control-tower"
        }
      }
    }
  ]
}
```

Larang Penghapusan Arsip Log

Kontrol ini mencegah penghapusan bucket Amazon S3 yang dibuat oleh AWS Control Tower di akun arsip log. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRAUDITBUCKETDELETIONPROHIBITED",
      "Effect": "Deny",
      "Action": [
        "s3:DeleteBucket"
        ],
      "Resource": [
```

```
        "arn:aws:s3:::aws-controltower*"
        ],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
          }
      }
    }
  ]
}
```

Mendeteksi Pengaturan Akses Baca Publik untuk Arsip Log

Kontrol ini mendeteksi apakah akses baca publik diaktifkan ke bucket Amazon S3 di akun bersama arsip log. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check that your S3 buckets do not allow
 public access
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForS3PublicRead:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks that your S3 buckets do not allow public read access. If an
 S3 bucket policy or bucket ACL allows public read access, the bucket is noncompliant.
      Source:
        Owner: AWS
        SourceIdentifier: S3_BUCKET_PUBLIC_READ_PROHIBITED
      Scope:
        ComplianceResourceTypes:
          - AWS::S3::Bucket
```

Mendeteksi Pengaturan Akses Tulis Publik untuk Arsip Log

Kontrol ini mendeteksi apakah akses tulis publik diaktifkan ke bucket Amazon S3 di akun bersama arsip log. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check that your S3 buckets do not allow
 public access
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForS3PublicWrite:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks that your S3 buckets do not allow public write access. If an
 S3 bucket policy or bucket ACL allows public write access, the bucket is noncompliant.
      Source:
        Owner: AWS
        SourceIdentifier: S3_BUCKET_PUBLIC_WRITE_PROHIBITED
      Scope:
        ComplianceResourceTypes:
          - AWS::S3::Bucket
```

Larang Perubahan Konfigurasi ke CloudTrail

Kontrol ini mencegah perubahan konfigurasi CloudTrail di landing zone Anda. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCLOUDTRAILENABLED",
            "Effect": "Deny",
```

```
            "Action": [
                "cloudtrail:DeleteTrail",
                "cloudtrail:PutEventSelectors",
                "cloudtrail:StopLogging",
                "cloudtrail:UpdateTrail"
            ],
            "Resource": ["arn:aws:cloudtrail:*:*:trail/aws-controltower-*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Integrasikan CloudTrail Acara dengan CloudWatch Log Amazon

Kontrol ini melakukan analisis data aktivitas secara real-time dengan mengirimkan CloudTrail peristiwa ke file CloudWatch log Log. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan pada semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCLOUDTRAILENABLED",
            "Effect": "Deny",
            "Action": [
                "cloudtrail:DeleteTrail",
                "cloudtrail:PutEventSelectors",
                "cloudtrail:StopLogging",
                "cloudtrail:UpdateTrail"
            ],
            "Resource": ["arn:aws:cloudtrail:*:*:trail/aws-controltower-*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
```

```
    ]
}
```

Aktifkan CloudTrail di Semua Wilayah yang Tersedia

Kontrol ini memungkinkan CloudTrail di semua yang tersedia Wilayah AWS. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCLOUDTRAILENABLED",
            "Effect": "Deny",
            "Action": [
                "cloudtrail:DeleteTrail",
                "cloudtrail:PutEventSelectors",
                "cloudtrail:StopLogging",
                "cloudtrail:UpdateTrail"
            ],
            "Resource": ["arn:aws:cloudtrail:*:*:trail/aws-controltower-*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Aktifkan Validasi Integritas untuk File CloudTrail Log

Kontrol ini memungkinkan validasi integritas untuk file CloudTrail log di semua akun dan OU. Ini melindungi integritas log aktivitas akun menggunakan validasi file CloudTrail log, yang membuat file digest yang ditandatangani secara digital yang berisi hash dari setiap log yang menulis ke CloudTrail Amazon S3. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCLOUDTRAILENABLED",
            "Effect": "Deny",
            "Action": [
                "cloudtrail:DeleteTrail",
                "cloudtrail:PutEventSelectors",
                "cloudtrail:StopLogging",
                "cloudtrail:UpdateTrail"
            ],
            "Resource": ["arn:aws:cloudtrail:*:*:trail/aws-controltower-*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrprincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan pada Amazon yang CloudWatch Diatur oleh AWS Control Tower

Kontrol ini melarang perubahan pada Amazon CloudWatch; seperti yang dikonfigurasi oleh AWS Control Tower saat Anda mengatur landing zone. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRCLOUDWATCHEVENTPOLICY",
      "Effect": "Deny",
      "Action": [
        "events:PutRule",
        "events:PutTargets",
        "events:RemoveTargets",
        "events:DisableRule",
        "events:DeleteRule"
      ],
```

```
      "Resource": [
        "arn:aws:events:*:*:rule/aws-controltower-*"
      ],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalARN": "arn:aws:iam::*:role/AWSControlTowerExecution"
        }
      }
    }
  ]
}
```

Larang Perubahan pada Tag yang Dibuat oleh AWS Control Tower untuk Sumber Daya AWS Config

Kontrol ini mencegah perubahan pada tag yang dibuat AWS Control Tower saat Anda menyiapkan landing zone, untuk AWS Config sumber daya yang mengumpulkan data konfigurasi dan kepatuhan. Ini menolak setiap `TagResource` dan `UntagResource` operasi untuk otorisasi agregasi yang ditandai oleh AWS Control Tower. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRCONFIGRULETAGSPOLICY",
      "Effect": "Deny",
      "Action": [
        "config:TagResource",
        "config:UntagResource"
      ],
      "Resource": ["*"],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalARN": "arn:aws:iam::*:role/AWSControlTowerExecution"
        },
        "ForAnyValue:StringEquals": {
          "aws:TagKeys": "aws-control-tower"
        }
      }
```

```
    }
  ]
}
```

Larang Perubahan Konfigurasi AWS Config

Kontrol ini mencegah perubahan konfigurasi ke AWS Config. Ini memastikan bahwa AWS Config merekam konfigurasi sumber daya secara konsisten dengan melarang perubahan AWS Config pengaturan. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCONFIGENABLED",
            "Effect": "Deny",
            "Action": [
                "config:DeleteConfigurationRecorder",
                "config:DeleteDeliveryChannel",
                "config:DeleteRetentionConfiguration",
                "config:PutConfigurationRecorder",
                "config:PutDeliveryChannel",
                "config:PutRetentionConfiguration",
                "config:StopConfigurationRecorder"
            ],
            "Resource": ["*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Aktifkan AWS Config di Semua Wilayah yang Tersedia

Kontrol ini memungkinkan AWS Config di semua yang tersedia Wilayah AWS. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRCONFIGENABLED",
            "Effect": "Deny",
            "Action": [
                "config:DeleteConfigurationRecorder",
                "config:DeleteDeliveryChannel",
                "config:DeleteRetentionConfiguration",
                "config:PutConfigurationRecorder",
                "config:PutDeliveryChannel",
                "config:PutRetentionConfiguration",
                "config:StopConfigurationRecorder"
            ],
            "Resource": ["*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan yang Aturan AWS Config Diatur oleh AWS Control Tower

Kontrol ini melarang perubahan Aturan AWS Config yang diterapkan oleh AWS Control Tower saat landing zone disiapkan. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRCONFIGRULEPOLICY",
      "Effect": "Deny",
      "Action": [
```

```
        "config:PutConfigRule",
        "config:DeleteConfigRule",
        "config:DeleteEvaluationResults",
        "config:DeleteConfigurationAggregator",
        "config:PutConfigurationAggregator"
      ],
      "Resource": ["*"],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalARN": "arn:aws:iam::*:role/AWSControlTowerExecution"
        },
        "StringEquals": {
          "aws:ResourceTag/aws-control-tower": "managed-by-control-tower"
        }
      }
    }
  ]
}
```

Larang Perubahan pada Peran AWS IAM yang Diatur oleh AWS Control Tower dan AWS CloudFormation

Kontrol ini melarang perubahan pada peran AWS IAM yang dibuat AWS Control Tower saat landing zone disiapkan. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Kontrol pembaruan

Versi yang diperbarui telah dirilis untuk kontrol wajib`AWS-GR_IAM_ROLE_CHANGE_PROHIBITED`.

Perubahan pada kontrol ini diperlukan karena akun di OU yang sedang terdaftar ke AWS Control Tower harus mengaktifkan `AWSControlTowerExecution` peran tersebut. Versi kontrol sebelumnya mencegah peran ini dibuat.

AWS Control Tower memperbarui kontrol yang ada untuk menambahkan pengecualian sehingga AWS CloudFormation StackSets dapat membuat `AWSControlTowerExecution` peran. Sebagai langkah kedua, kontrol baru ini melindungi StackSets peran untuk mencegah kepala sekolah di akun anak mendapatkan akses.

Versi kontrol baru melakukan tindakan berikut, selain semua tindakan yang disediakan di versi sebelumnya:

- Memungkinkan `stacksets-exec-*` peran (dimiliki oleh AWS CloudFormation) untuk melakukan tindakan pada peran IAM yang dibuat oleh AWS Control Tower.
- Mencegah perubahan pada peran IAM apa pun di akun anak, di mana nama peran IAM cocok dengan polanya. `stacksets-exec-*`

Pembaruan ke versi kontrol memengaruhi OU dan akun Anda sebagai berikut:

- Jika Anda memperluas tata kelola ke OU, OU yang masuk tersebut menerima versi kontrol yang diperbarui sebagai bagian dari proses pendaftaran. Anda tidak perlu memperbarui landing zone Anda untuk mendapatkan versi terbaru untuk OU ini. AWS Control Tower menerapkan versi terbaru secara otomatis ke OU yang mendaftar.
- Jika Anda memperbarui atau memperbaiki landing zone kapan saja setelah rilis ini, kontrol Anda akan diperbarui ke versi ini untuk penyediaan di masa mendatang.
- OU yang dibuat di atau terdaftar dengan AWS Control Tower sebelum tanggal rilis ini, dan yang merupakan bagian dari landing zone yang belum diperbaiki atau diperbarui setelah tanggal rilis, akan terus beroperasi dengan versi lama kontrol, yang memblokir pembuatan `AWSControlTowerExecution` peran.
- Salah satu konsekuensi dari pembaruan kontrol ini adalah bahwa OU Anda dapat berfungsi dengan berbagai versi kontrol. Perbarui landing zone Anda untuk menerapkan versi kontrol yang diperbarui ke OU Anda secara seragam.

Artefak kontrol yang diperbarui adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
     {
        "Sid": "GRIAMROLEPOLICY",
        "Effect": "Deny",
        "Action": [
          "iam:AttachRolePolicy",
          "iam:CreateRole",
          "iam:DeleteRole",
          "iam:DeleteRolePermissionsBoundary",
          "iam:DeleteRolePolicy",
          "iam:DetachRolePolicy",
          "iam:PutRolePermissionsBoundary",
```

```
          "iam:PutRolePolicy",
          "iam:UpdateAssumeRolePolicy",
          "iam:UpdateRole",
          "iam:UpdateRoleDescription"
        ],
        "Resource": [
          "arn:aws:iam::*:role/aws-controltower-*",
          "arn:aws:iam::*:role/*AWSControlTower*",
          "arn:aws:iam::*:role/stacksets-exec-*"    #this line is new
        ],
        "Condition": {
          "ArnNotLike": {
            "aws:PrincipalArn": [
                "arn:aws:iam::*:role/AWSControlTowerExecution",
                "arn:aws:iam::*:role/stacksets-exec-*"    #this line is new
         ]
       }
      }
    }
  ]
}
```

Artefak sebelumnya untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRIAMROLEPOLICY",
      "Effect": "Deny",
      "Action": [
        "iam:AttachRolePolicy",
        "iam:CreateRole",
        "iam:DeleteRole",
        "iam:DeleteRolePermissionsBoundary",
        "iam:DeleteRolePolicy",
        "iam:DetachRolePolicy",
        "iam:PutRolePermissionsBoundary",
        "iam:PutRolePolicy",
        "iam:UpdateAssumeRolePolicy",
        "iam:UpdateRole",
        "iam:UpdateRoleDescription"
      ],
```

```
      "Resource": [
        "arn:aws:iam::*:role/aws-controltower-*",
        "arn:aws:iam::*:role/*AWSControlTower*"
      ],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
        }
      }
    }
  ]
}
```

Larang Perubahan pada Fungsi AWS Lambda yang Diatur oleh AWS Control Tower

Kontrol ini melarang perubahan pada AWS Lambda fungsi yang disiapkan oleh AWS Control Tower. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRLAMBDAFUNCTIONPOLICY",
      "Effect": "Deny",
      "Action": [
        "lambda:AddPermission",
        "lambda:CreateEventSourceMapping",
        "lambda:CreateFunction",
        "lambda:DeleteEventSourceMapping",
        "lambda:DeleteFunction",
        "lambda:DeleteFunctionConcurrency",
        "lambda:PutFunctionConcurrency",
        "lambda:RemovePermission",
        "lambda:UpdateEventSourceMapping",
        "lambda:UpdateFunctionCode",
        "lambda:UpdateFunctionConfiguration"
      ],
      "Resource": [
        "arn:aws:lambda:*:*:function:aws-controltower-*"
      ],
      "Condition": {
```

```
        "ArnNotLike": {
          "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
        }
      }
    }
  ]
}
```

Larang Perubahan pada Amazon SNS yang Diatur oleh AWS Control Tower

Kontrol ini melarang perubahan pada Amazon SNS yang disiapkan oleh AWS Control Tower. Ini melindungi integritas pengaturan notifikasi Amazon SNS untuk landing zone Anda. Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRSNSTOPICPOLICY",
      "Effect": "Deny",
      "Action": [
        "sns:AddPermission",
        "sns:CreateTopic",
        "sns:DeleteTopic",
        "sns:RemovePermission",
        "sns:SetTopicAttributes"
      ],
      "Resource": [
        "arn:aws:sns:*:*:aws-controltower-*"
      ],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
        }
      }
    }
  ]
}
```

Larang Perubahan pada Langganan Amazon SNS yang Diatur oleh AWS Control Tower

Kontrol ini melarang perubahan pada langganan Amazon SNS yang disiapkan oleh AWS Control Tower. Ini melindungi integritas pengaturan langganan Amazon SNS untuk landing zone Anda, untuk memicu pemberitahuan perubahan kepatuhan. Aturan AWS Config Ini adalah kontrol preventif dengan panduan wajib. Secara default, kontrol ini diaktifkan di semua OU.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRSNSSUBSCRIPTIONPOLICY",
      "Effect": "Deny",
      "Action": [
        "sns:Subscribe",
        "sns:Unsubscribe"
      ],
      "Resource": [
        "arn:aws:sns:*:*:aws-controltower-SecurityNotifications"
      ],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
        }
      }
    }
  ]
}
```

Mendeteksi apakah akun bersama di bawah unit organisasi Keamanan telah AWS CloudTrail atau CloudTrail Lake diaktifkan

Kontrol ini mendeteksi apakah akun bersama di bawah unit organisasi Keamanan telah AWS CloudTrail atau CloudTrail Lake diaktifkan. Aturannya adalah NON_COMPLIANT jika salah satu CloudTrail atau CloudTrail Lake tidak diaktifkan di akun bersama. Ini adalah kontrol detektif dengan bimbingan wajib. Secara default, kontrol ini diaktifkan pada OU Keamanan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
    AWSTemplateFormatVersion: 2010-09-09
  Description: Configure AWS Config rules to detect whether an account has AWS
 CloudTrail or CloudTrail Lake enabled.

  Parameters:
    ConfigRuleName:
      Type: 'String'
      Description: 'Name for the Config rule'

  Resources:
    CheckForCloudtrailEnabled:
      Type: AWS::Config::ConfigRule
      Properties:
        ConfigRuleName: !Sub ${ConfigRuleName}
        Description: Detects whether an account has AWS CloudTrail or CloudTrail Lake
 enabled. The rule is NON_COMPLIANT if either CloudTrail or CloudTrail Lake is not
 enabled in an account.
        Source:
          Owner: AWS
SourceIdentifier: CLOUD_TRAIL_ENABLED
```

Kontrol proaktif

Kontrol proaktif adalah kontrol opsional yang diimplementasikan dengan AWS CloudFormation kait. Kontrol proaktif terbagi dalam empat Kategori utama.

Kontrol ini disebut sebagai proaktif karena mereka memeriksa sumber daya Anda — sebelum sumber daya digunakan — untuk menentukan apakah sumber daya baru akan mematuhi kontrol yang diaktifkan di lingkungan Anda.

Di konsol AWS Control Tower, Anda dapat melihat kontrol dalam grup sesuai dengan kategori yang ditetapkan, yaitu:

- Tujuan kontrol: Tujuan khusus untuk menerapkan kontrol di lingkungan Anda.
- Kerangka kerja: Kerangka kepatuhan standar industri.
- Layanan: AWS Layanan yang dapat diatur oleh kontrol.
- Grup: Grup kontrol yang dirancang untuk membantu Anda memenuhi standar kebijakan tertentu.

Dalam panduan referensi ini, kontrol proaktif dikategorikan menurut layanan AWS terkaitnya.

> **Note**
>
> Anda harus menerapkan kontrol berbasis SCP elektif dengan pengenal CT.CLOUDFORMATION.PR.1 sebelum Anda dapat mengaktifkan kontrol proaktif pada OU. Lihat Larang pengelolaan jenis sumber daya, modul, dan kait dalam registri AWS CloudFormation. Jika SCP ini tidak diaktifkan, Anda akan melihat pesan kesalahan yang mengarahkan Anda untuk mengaktifkan kontrol ini sebagai prasyarat, atau menunjukkannya sebagai ketergantungan untuk kontrol proaktif lainnya.

Perilaku kontrol proaktif

Kontrol proaktif memeriksa sumber daya setiap kali sumber daya tersebut dibuat atau diperbarui melalui operasi AWS CloudFormation tumpukan. Secara khusus, kontrol proaktif ini diimplementasikan sebagai `preCreate` dan `preUpdate` AWS CloudFormation hook handler. Akibatnya, kontrol ini mungkin tidak memengaruhi permintaan yang dibuat langsung ke layanan melalui AWS konsol, melalui AWS API, atau melalui cara lain seperti AWS SDK, atau alat Infrastructure-as-Code (IAC) lainnya. Untuk informasi selengkapnya tentang kapan `preCreate` dan `preUpdate` kait beroperasi, lihat AWS CloudFormation kait.

> **Note**
>
> Kontrol proaktif mengevaluasi string yang diteruskan ke AWS CloudFormation hook di dalam properti. `targetNames` String dan rahasia yang aman tidak diselesaikan sebelum dikirim ke hook, yang mencegah kontrol proaktif mengevaluasi string. Untuk informasi selengkapnya tentang cara `targetNames` diteruskan ke kait, lihat ikhtisar struktur AWS CloudFormation kait.

Saat Anda mengikuti contoh template untuk menyiapkan pengujian untuk kontrol proaktif di lingkungan Anda, ketahuilah bahwa template dibuat untuk menguji satu kontrol tertentu saja. Kontrol lain mungkin tidak menerima peringkat PASS untuk template tersebut. Perilaku ini yang diharapkan. Kami menyarankan Anda menguji kontrol proaktif satu per satu sebelum Anda mengaktifkannya di lingkungan Anda.

> **Note**
>
> Penting untuk diketahui bahwa beberapa kontrol proaktif di AWS Control Tower tidak beroperasi di Wilayah AWS tempat tertentu di mana AWS Control Tower tersedia, karena Wilayah tersebut tidak mendukung fungsionalitas dasar yang diperlukan untuk AWS CloudFormation kait. Akibatnya, saat Anda menerapkan kontrol proaktif melalui AWS Control Tower, kontrol tersebut mungkin tidak beroperasi di semua Wilayah yang Anda atur dengan AWS Control Tower.
> Anda dapat melihat Wilayah untuk setiap kontrol proaktif di konsol AWS Control Tower.

Topik

- Kontrol Amazon API Gateway
- AWS Certificate Manager kontrol
- AWS AppSync kontrol
- Kontrol Amazon Athena
- CloudFront Kontrol Amazon
- AWS CloudTrail kontrol
- CloudWatch Kontrol Amazon
- AWS CodeBuild kontrol
- AWS Database Migration Service (AWS DMS) kontrol
- Kontrol Amazon DocumentDB
- Kontrol Amazon DynamoDB
- Kontrol DynamoDB Accelerator
- AWS Elastic Beanstalk kontrol
- Kontrol Amazon Elastic Compute Cloud (Amazon EC2)
- Kontrol Auto Scaling Amazon Elastic Compute Cloud (Amazon EC2)
- ElastiCache Kontrol Amazon
- Kontrol Registri Kontainer Elastis Amazon
- Kontrol Layanan Kontainer Elastis Amazon
- Kontrol Amazon Elastic File System
- Kontrol Amazon Elastic Kubernetes Service (EKS)

- Kontrol Elastic Load Balancing
- Kontrol Amazon Elastic Map Reduce (Amazon EMR)
- AWS Glue kontrol
- GuardDuty Kontrol Amazon
- AWS Identity and Access Management Kontrol (IAM)
- AWS Key Management Service (AWS KMS) kontrol
- Kontrol Amazon Kinesis
- AWS Lambda kontrol
- Kontrol Amazon MQ
- Amazon Managed Streaming untuk Apache Kafka (Amazon MSK) kontrol
- Kontrol Amazon Neptunus
- AWS Network Firewall kontrol
- OpenSearch Kontrol Amazon
- Kontrol Amazon Relational Database Service (Amazon RDS)
- Kontrol Amazon Redshift
- Kontrol Layanan Penyimpanan Sederhana Amazon (Amazon S3)
- SageMaker Kontrol Amazon
- Kontrol Layanan Antrian Sederhana Amazon (Amazon SQS)
- AWS Step Functions kontrol
- AWS WAF kontrol regional
- AWS WAF kontrol
- AWS WAFV2 kontrol

Kontrol Amazon API Gateway

Topik

- [CT.APIGATEWAY.PR.1] Memerlukan Amazon API Gateway REST dan WebSocket API agar logging diaktifkan
- [CT.APIGATEWAY.PR.2] Memerlukan tahap API Amazon API Gateway REST agar penelusuran AWS X-Ray diaktifkan

- [CT.APIGATEWAY.PR.3] Mengharuskan tahap API Amazon API Gateway REST memiliki enkripsi saat istirahat yang dikonfigurasi untuk data cache
- [CT.APIGATEWAY.PR.4] Memerlukan tahap Amazon API Gateway V2 agar pencatatan akses diaktifkan
- [CT.APIGATEWAY.PR.5] Memerlukan Amazon API Gateway V2 Websocket dan rute HTTP untuk menentukan jenis otorisasi
- [CT.APIGATEWAY.PR.6] Memerlukan domain Amazon API Gateway REST untuk menggunakan kebijakan keamanan yang menentukan versi protokol TLS minimum TLSv1.2

[CT.APIGATEWAY.PR.1] Memerlukan Amazon API Gateway REST dan WebSocket API agar logging diaktifkan

Kontrol ini memeriksa apakah semua metode di tahap Amazon API Gateway memiliki pencatatan eksekusi yang dikonfigurasi.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ApiGateway::Stage`
- AWS CloudFormation aturan penjaga: CT.APIGATEWAY.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.1 contoh templat

Penjelasan

Tahapan REST atau API Amazon WebSocket API Gateway harus mengaktifkan log yang relevan. API Gateway REST dan pencatatan eksekusi WebSocket API menyediakan catatan terperinci tentang permintaan yang dibuat ke API Gateway REST dan tahapan WebSocket API. Tahapannya meliputi respons backend integrasi API, respons otorisasi Lambda, dan titik akhir untuk integrasi. `requestId` AWS

Pertimbangan penggunaan

- Kontrol ini memerlukan tahapan Amazon API Gateway untuk mengonfigurasi pencatatan eksekusi untuk semua metode dan sumber daya (`HttpMethod`dari `*` dan `ResourcePath` dari`/*`).

Remediasi untuk kegagalan aturan

Konfigurasikan pencatatan eksekusi pada tahapan Amazon API Gateway dengan set `MethodSetting` yang `LoggingLevel` disetel ke `ERROR` atau `INFO` untuk semua metode (`HttpMethod`dari `*` dan `ResourcePath` dari`/*`). Pastikan Anda tidak mengatur `LoggingLevel` `OFF` untuk pengaturan metode apa pun.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Tahap Amazon API Gateway - Contoh

Tahap Amazon API Gateway dikonfigurasi dengan pencatatan eksekusi `error` level untuk semua metode dan sumber daya. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ApiGatewayStage": {
        "Type": "AWS::ApiGateway::Stage",
        "Properties": {
            "StageName": "Sample",
            "Description": "Sample Stage",
            "RestApiId": {
                "Ref": "RestApi"
            },
            "DeploymentId": {
                "Ref": "Deployment"
            },
            "MethodSettings": [
                {
                    "ResourcePath": "/*",
                    "HttpMethod": "*",
                    "LoggingLevel": "ERROR"
                }
```

```
            ]
        }
    }
}
```

Contoh YAMAL

```
ApiGatewayStage:
  Type: AWS::ApiGateway::Stage
  Properties:
    StageName: Sample
    Description: Sample Stage
    RestApiId: !Ref 'RestApi'
    DeploymentId: !Ref 'Deployment'
    MethodSettings:
      - ResourcePath: /*
        HttpMethod: '*'
        LoggingLevel: ERROR
```

CT.APIGATEWAY.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   api_gw_v1_execution_logging_enabled_check
#
# Description:
#   This control checks whether all methods in Amazon API Gateway stage have execution
 logging configured.
#
# Reports on:
#   AWS::ApiGateway::Stage
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
```

```
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any API Gateway stage resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: In the stage resource, 'MethodSettings' is not present or is provided and
 is an empty list.
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: In the stage resource, Execution Logging is not configured for all HTTP
 Methods and API resources (In
#            'MethodSettings', 'LoggingLevel' is omitted, or not set to 'ERROR' or
 'INFO', for 'HttpMethod' of '*' and
#            'ResourcePath' of '/*' )
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: In the stage resource, Execution Logging is configured for all HTTP
 Methods and API resources (In
#            'MethodSettings', 'LoggingLevel' is set to 'ERROR' or 'INFO', for
 'HttpMethod' of '*' and
#            'ResourcePath' of '/*' )
#       And: 'LoggingLevel' has been set to 'OFF' for any other Method Setting
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: In the stage resource, Execution Logging is configured for all HTTP
 Methods and API resources (In
```

```
#            'MethodSettings', 'LoggingLevel' is set to 'ERROR' or 'INFO', for
 'HttpMethod' of '*' and
#            'ResourcePath' of '/*' )
#       And: 'LoggingLevel' has not been provided or set to 'ERROR' or 'INFO' for all
 other Method Settings
#      Then: PASS

#
# Constants
#
let API_GW_STAGE_TYPE = "AWS::ApiGateway::Stage"
let INPUT_DOCUMENT = this
let VALID_LOG_LEVELS = [ "ERROR", "INFO" ]

#
# Assignments
#
let api_gateway_stages = Resources.*[ Type == %API_GW_STAGE_TYPE ]

#
# Primary Rules
#
rule api_gw_v1_execution_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %api_gateway_stages not empty {
    check(%api_gateway_stages.Properties)
        <<
        [CT.APIGATEWAY.PR.1]: Require an Amazon API Gateway REST and WebSocket API to
 have logging activated
        [FIX]: Configure execution logging on Amazon API Gateway stages with a
 'MethodSetting' that sets 'LoggingLevel' to 'ERROR' or 'INFO' for all methods
 ('HttpMethod' of '*' and 'ResourcePath' of '/*'). Ensure that you do not set
 'LoggingLevel' to 'OFF' for any method setting.
        >>
}

rule api_gw_v1_execution_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %API_GW_STAGE_TYPE) {
    check(%INPUT_DOCUMENT.%API_GW_STAGE_TYPE.resourceProperties)
        <<
        [CT.APIGATEWAY.PR.1]: Require an Amazon API Gateway REST and WebSocket API to
 have logging activated
        [FIX]: Configure execution logging on Amazon API Gateway stages with a
 'MethodSetting' that sets 'LoggingLevel' to 'ERROR' or 'INFO' for all methods
```

```
 ('HttpMethod' of '*' and 'ResourcePath' of '/*'). Ensure that you do not set
 'LoggingLevel' to 'OFF' for any method setting.
        >>
}

#
# Parameterized Rules
#
rule check(api_gateway_stage) {
    %api_gateway_stage {
        # Scenario 2
        MethodSettings exists
        MethodSettings is_list
        MethodSettings not empty

        # Scenario 3
        # At least one wildcard entry exists with valid logging enabled
        some MethodSettings[*] {
            HttpMethod exists
            ResourcePath exists
            LoggingLevel exists

            HttpMethod == "*"
            ResourcePath == "/*"
            LoggingLevel in %VALID_LOG_LEVELS
        }

        # Scenario 4, 5
        # When other methods explictly set/override logging settings, ensure that
 logging is not disabled
        MethodSettings[*] {
            when LoggingLevel exists {
                LoggingLevel in %VALID_LOG_LEVELS
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.APIGATEWAY.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RestApi:
    Type: AWS::ApiGateway::RestApi
    Properties:
      Name: ExampleRestApi
  GetMethod:
    DependsOn: PutMethod
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: GET
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  PutMethod:
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: PUT
```

```
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  Deployment:
    DependsOn: GetMethod
    Type: 'AWS::ApiGateway::Deployment'
    Properties:
      RestApiId:
        Ref: RestApi
  ApiGatewayStage:
    Type: AWS::ApiGateway::Stage
    Properties:
      StageName: Example
      RestApiId:
        Ref: RestApi
      DeploymentId:
        Ref: Deployment
      MethodSettings:
      - ResourcePath: "/*"
        HttpMethod: "*"
        LoggingLevel: ERROR
      - ResourcePath: "/"
        HttpMethod: GET
        LoggingLevel: INFO
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RestApi:
    Type: AWS::ApiGateway::RestApi
    Properties:
```

```
      Name: ExampleRestApi
  GetMethod:
    DependsOn: PutMethod
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: GET
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  PutMethod:
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: PUT
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  Deployment:
    DependsOn: GetMethod
    Type: 'AWS::ApiGateway::Deployment'
    Properties:
      RestApiId:
        Ref: RestApi
  ApiGatewayStage:
    Type: AWS::ApiGateway::Stage
    Properties:
      StageName: Example
      RestApiId:
        Ref: RestApi
```

```
      DeploymentId:
        Ref: Deployment
```

[CT.APIGATEWAY.PR.2] Memerlukan tahap API Amazon API Gateway REST agar penelusuran AWS X-Ray diaktifkan

Kontrol ini memastikan bahwa penelusuran AWS X-Ray diaktifkan pada API REST Amazon API Gateway.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ApiGateway::Stage`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APIGATEWAY.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APIGATEWAY.PR.2
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.2 contoh templat

Penjelasan

AWS X-Ray penelusuran aktif memungkinkan respons yang lebih cepat terhadap perubahan kinerja dalam infrastruktur yang mendasarinya. Perubahan kinerja dapat mengakibatkan kurangnya ketersediaan API. X-Ray active tracing menyediakan metrik real-time dari permintaan pengguna yang mengalir melalui operasi API API Gateway REST API dan layanan yang terhubung.

Remediasi untuk kegagalan aturan

Atur `TracingEnabled` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Tahap Amazon API Gateway - Contoh

Tahap Amazon API Gateway yang dikonfigurasi dengan penelusuran AWS X-Ray diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ApiGatewayStage": {
        "Type": "AWS::ApiGateway::Stage",
        "Properties": {
            "StageName": "Sample",
            "Description": "Sample Stage",
            "TracingEnabled": true,
            "RestApiId": {
                "Ref": "RestApi"
            },
            "DeploymentId": {
                "Ref": "Deployment"
            }
        }
    }
}
```

Contoh YAMAL

```
ApiGatewayStage:
  Type: AWS::ApiGateway::Stage
  Properties:
    StageName: Sample
    Description: Sample Stage
    TracingEnabled: true
    RestApiId: !Ref 'RestApi'
    DeploymentId: !Ref 'Deployment'
```

Spesifikasi aturan CT.APIGATEWAY.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   api_gw_xray_enabled_check
#
# Description:
#   This control ensures that AWS X-Ray tracing is enabled on Amazon API Gateway REST
 APIs.
#
# Reports on:
#   AWS::ApiGateway::Stage
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any API Gateway stage resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: 'TracingEnabled' is not present on the API Gateway stage
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: 'TracingEnabled' is present on the API Gateway stage and is set to
 bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
```

```
#       And: 'TracingEnabled' is present on the API Gateway stage and is set to
 bool(true)
#      Then: PASS

#
# Constants
#
let API_GW_STAGE_TYPE = "AWS::ApiGateway::Stage"
let INPUT_DOCUMENT = this

#
# Assignments
#
let api_gateway_stages = Resources.*[ Type == %API_GW_STAGE_TYPE ]

#
# Primary Rules
#
rule api_gw_xray_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                   %api_gateway_stages not empty {
    check(%api_gateway_stages.Properties)
        <<
        [CT.APIGATEWAY.PR.2]: Require an Amazon API Gateway REST API stage to have AWS
 X-Ray tracing activated
        [FIX]: Set 'TracingEnabled' to 'true'.
        >>
}

rule api_gw_xray_enabled_check when is_cfn_hook(%INPUT_DOCUMENT, %API_GW_STAGE_TYPE) {
    check(%INPUT_DOCUMENT.%API_GW_STAGE_TYPE.resourceProperties)
        <<
        [CT.APIGATEWAY.PR.2]: Require an Amazon API Gateway REST API stage to have AWS
 X-Ray tracing activated
        [FIX]: Set 'TracingEnabled' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(api_gateway_stage) {
    %api_gateway_stage {
        # Scenario 2, 3, 4
        TracingEnabled exists
```

```
        TracingEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.APIGATEWAY.PR.2 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RestApi:
    Type: AWS::ApiGateway::RestApi
    Properties:
      Name: Testing
  GetMethod:
    DependsOn: PutMethod
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: GET
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
```

```
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  PutMethod:
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: PUT
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  Deployment:
    DependsOn: GetMethod
    Type: 'AWS::ApiGateway::Deployment'
    Properties:
      RestApiId:
        Ref: RestApi
  ApiGatewayStage:
    Type: AWS::ApiGateway::Stage
    Properties:
      StageName: Dev
      Description: Dev Stage
      TracingEnabled: true
      RestApiId:
        Ref: RestApi
      DeploymentId:
        Ref: Deployment
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RestApi:
    Type: AWS::ApiGateway::RestApi
    Properties:
      Name: Testing
  GetMethod:
    DependsOn: PutMethod
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: GET
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  PutMethod:
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: PUT
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  Deployment:
    DependsOn: GetMethod
    Type: 'AWS::ApiGateway::Deployment'
    Properties:
      RestApiId:
        Ref: RestApi
  ApiGatewayStage:
    Type: AWS::ApiGateway::Stage
```

```
    Properties:
      StageName: Dev
      Description: Dev Stage
      TracingEnabled: false
      RestApiId:
        Ref: RestApi
      DeploymentId:
        Ref: Deployment
```

[CT.APIGATEWAY.PR.3] Mengharuskan tahap API Amazon API Gateway REST memiliki enkripsi saat istirahat yang dikonfigurasi untuk data cache

Kontrol ini memeriksa apakah tahap API Amazon API Gateway REST yang mengaktifkan caching juga mengenkripsi cache.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ApiGateway::Stage`
- AWS CloudFormation aturan penjaga: CT.APIGATEWAY.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.3spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.3 contoh templat

Penjelasan

Mengenkripsi data saat istirahat mengurangi risiko bahwa data yang disimpan pada disk dapat diakses oleh pengguna yang tidak diautentikasi. AWS Ini menambahkan satu set kontrol akses untuk membatasi kemampuan pengguna yang tidak sah untuk mendapatkan data. Misalnya, izin API diperlukan untuk mendekripsi data sebelum dapat dibaca.

Untuk lapisan keamanan tambahan, cache API Gateway REST API harus dienkripsi saat istirahat.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk sumber daya tahap API Gateway dengan pengelompokan cache diaktifkan.
- Di mana pengelompokan cache diaktifkan, kontrol ini memerlukan enkripsi cache untuk diaktifkan untuk semua sumber daya dan metode dengan menentukan `MethodSetting` entri dengan `HttpMethod` dari `*` dan `ResourcePath` dari. `/*`

Remediasi untuk kegagalan aturan

Konfigurasikan enkripsi pada cache API Gateway dengan a `MethodSetting` yang disetel `CacheDataEncrypted` ke true untuk semua metode (`HttpMethod`dari `*` dan `ResourcePath` dari`/*`). Pastikan Anda tidak menyetel `CacheDataEncrypted` ke false untuk pengaturan metode apa pun.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Contoh tahap API Gateway

Contoh ini menunjukkan tahap API Gateway yang dikonfigurasi untuk mengenkripsi data cache untuk semua metode (`HttpMethod`dari `*` dan `ResourcePath` dari`/*`). Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ApiGatewayStage": {
        "Type": "AWS::ApiGateway::Stage",
        "Properties": {
            "StageName": "Dev",
            "Description": "Development Stage",
            "CacheClusterEnabled": true,
            "CacheClusterSize": 0.5,
            "RestApiId": {
                "Ref": "RestApi"
            },
            "DeploymentId": {
                "Ref": "Deployment"
            },
```

```
            "MethodSettings": [
                {
                    "ResourcePath": "/*",
                    "HttpMethod": "*",
                    "CacheDataEncrypted": true
                },
                {
                    "ResourcePath": "/",
                    "HttpMethod": "POST"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ApiGatewayStage:
  Type: AWS::ApiGateway::Stage
  Properties:
    StageName: Dev
    Description: Development Stage
    CacheClusterEnabled: true
    CacheClusterSize: 0.5
    RestApiId: !Ref 'RestApi'
    DeploymentId: !Ref 'Deployment'
    MethodSettings:
      - ResourcePath: /*
        HttpMethod: '*'
        CacheDataEncrypted: true
      - ResourcePath: /
        HttpMethod: POST
```

CT.APIGATEWAY.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
```

```
#
# Rule Identifier:
#   api_gw_cache_encrypted_check
#
# Description:
#   This rule checks whether Amazon API Gateway REST API stages that have caching
 enabled also encrypt the caches.
#
# Reports on:
#   AWS::ApiGateway::Stage
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon API Gateway stage resources
#     Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon API Gateway stage resource
#       And: 'CacheClusterEnabled' is not set, or is set to bool(false) on the API
 Gateway stage resource
#     Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon API Gateway stage resource
#       And: 'CacheClusterEnabled' is set to bool(true) on the API Gateway stage
 resource
#       And: In the Stage resource, 'MethodSettings' is not present or is provided and
 is an empty list.
#     Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon API Gateway stage resource
```

```
#       And: 'CacheClusterEnabled' is set to bool(true) on the API Gateway stage
 resource
#       And: In the stage resource, cache data encryption is not enabled for all HTTP
 methods and API resources (In
#           'MethodSettings', 'CacheDataEncrypted' is omitted or set to bool(false) for
 'HttpMethod' of '*' and
#           'ResourcePath' of '/*' )
#     Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: 'CacheClusterEnabled' is set to bool(true) on the API Gateway stage
 resource
#       And: In the stage resource, cache data encryption is configured for all
 'MethodSettings' (CacheDataEncrypted is
#           bool(true) for 'HttpMethod' of '*' and 'ResourcePath' of '/*')
#       And: 'CacheDataEncrypted' has been set to bool(false) for any other method
 settings
#     Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an API Gateway stage resource
#       And: 'CacheClusterEnabled' is set to bool(true) on the API Gateway stage
 resource
#       And: In the stage resource cache data encryption is configured for all
 'MethodSettings' (CacheDataEncrypted is
#           bool(true) for 'HttpMethod' of '*' and 'ResourcePath' of '/*')
#       And: 'CacheDataEncrypted' has not been provided or set to bool(true) for all
 other method settings
#     Then: PASS

#
# Constants
#
let API_GW_STAGE_TYPE = "AWS::ApiGateway::Stage"
let INPUT_DOCUMENT = this

#
# Assignments
#
let api_gateway_stages = Resources.*[ Type == %API_GW_STAGE_TYPE ]
```

```
#
# Primary Rules
#
rule api_gw_cache_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                        %api_gateway_stages not empty {
    check(%api_gateway_stages.Properties)
        <<
        [CT.APIGATEWAY.PR.3]: Require that an Amazon API Gateway REST API stage has
 encryption at rest configured for cache data
        [FIX]: Configure encryption on API Gateway caches with a 'MethodSetting'
 that sets 'CacheDataEncrypted' to true for all methods ('HttpMethod' of '*' and
 'ResourcePath' of '/*'). Ensure that you do not set 'CacheDataEncrypted' to false for
 any method setting.
        >>
}

rule api_gw_cache_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT, %API_GW_STAGE_TYPE)
 {
    check(%INPUT_DOCUMENT.%API_GW_STAGE_TYPE.resourceProperties)
        <<
        [CT.APIGATEWAY.PR.3]: Require that an Amazon API Gateway REST API stage has
 encryption at rest configured for cache data
        [FIX]: Configure encryption on API Gateway caches with a 'MethodSetting'
 that sets 'CacheDataEncrypted' to true for all methods ('HttpMethod' of '*' and
 'ResourcePath' of '/*'). Ensure that you do not set 'CacheDataEncrypted' to false for
 any method setting.
        >>
}

#
# Parameterized Rules
#
rule check(api_gateway_stage) {
    %api_gateway_stage [
        CacheClusterEnabled exists
        CacheClusterEnabled == true
    ] {
        # Scenario 2, 3, 4, 6
        cache_encrypted(this)
    }
}

rule cache_encrypted(api_gateway_stage) {
    %api_gateway_stage {
```

```
        MethodSettings exists
        MethodSettings is_list
        MethodSettings not empty

        some MethodSettings[*] {
            HttpMethod exists
            ResourcePath exists
            CacheDataEncrypted exists

            HttpMethod == "*"
            ResourcePath == "/*"
            CacheDataEncrypted == true
        }

        MethodSettings[*] {
            when CacheDataEncrypted exists {
                CacheDataEncrypted == true
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.APIGATEWAY.PR.3 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RestApi:
    Type: AWS::ApiGateway::RestApi
    Properties:
      Name: ExampleRestApi
  GetMethod:
    DependsOn: PutMethod
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: GET
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  PutMethod:
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: PUT
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  Deployment:
    DependsOn: GetMethod
    Type: 'AWS::ApiGateway::Deployment'
    Properties:
      RestApiId:
        Ref: RestApi
```

```
  ApiGatewayStage:
    Type: AWS::ApiGateway::Stage
    Properties:
      StageName: Example
      Description: Example Stage
      CacheClusterEnabled: true
      CacheClusterSize: 0.5
      RestApiId:
        Ref: RestApi
      DeploymentId:
        Ref: Deployment
      MethodSettings:
      - ResourcePath: "/*"
        HttpMethod: "*"
        CacheDataEncrypted: true
      - ResourcePath: "/"
        HttpMethod: "POST"
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RestApi:
    Type: AWS::ApiGateway::RestApi
    Properties:
      Name: ExampleRestApi
  GetMethod:
    DependsOn: PutMethod
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: GET
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
```

```
      Integration:
        Type: MOCK
  PutMethod:
    Type: AWS::ApiGateway::Method
    Properties:
      HttpMethod: PUT
      RestApiId:
        Ref: RestApi
      ResourceId:
        Fn::GetAtt:
        - "RestApi"
        - "RootResourceId"
      AuthorizationType: NONE
      MethodResponses:
      - StatusCode: "200"
      Integration:
        Type: MOCK
  Deployment:
    DependsOn: GetMethod
    Type: 'AWS::ApiGateway::Deployment'
    Properties:
      RestApiId:
        Ref: RestApi
  ApiGatewayStage:
    Type: AWS::ApiGateway::Stage
    Properties:
      StageName: Example
      Description: Example Stage
      CacheClusterEnabled: true
      CacheClusterSize: 0.5
      RestApiId:
        Ref: RestApi
      DeploymentId:
        Ref: Deployment
      MethodSettings:
      - ResourcePath: "/*"
        HttpMethod: "*"
        CacheDataEncrypted: false
```

[CT.APIGATEWAY.PR.4] Memerlukan tahap Amazon API Gateway V2 agar pencatatan akses diaktifkan

Kontrol ini memeriksa apakah tahap Amazon API Gateway V2 mengaktifkan pencatatan akses. Pencatatan akses didukung untuk HTTP dan WebSocket API.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ApiGatewayV2::Stage`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APIGATEWAY.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APIGATEWAY.PR.4
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.4 contoh templat

Penjelasan

Access logging memungkinkan Anda untuk mencatat siapa yang telah memanggil API Anda dan bagaimana penelepon mendapatkan akses ke API. Anda dapat membuat grup log Anda sendiri atau memilih grup log yang ada yang dapat dikelola oleh API Gateway.

Remediasi untuk kegagalan aturan

Berikan `AccessLogSettings` konfigurasi, setel `DestinationArn` ke ARN grup CloudWatch log Amazon dan `Format` konfigurasi format log satu baris.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Tahap API Amazon API Gateway HTTP - Contoh

Tahap API Amazon API Gateway HTTP dikonfigurasi untuk mengirim log akses API ke Amazon CloudWatch Logs. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "HttpApiStage": {
        "Type": "AWS::ApiGatewayV2::Stage",
        "Properties": {
            "StageName": "SampleStage",
            "Description": "Sample Stage",
            "ApiId": {
                "Ref": "HttpApi"
            },
            "AccessLogSettings": {
                "DestinationArn": {
                    "Fn::GetAtt": [
                        "LogGroup",
                        "Arn"
                    ]
                },
                "Format": "{\"requestId\":\"$context.requestId\", \"ip\":
 \"$context.identity.sourceIp\", \"user\":\"$context.identity.user\",\"requestTime\":
\"$context.requestTime\"}"
            }
        }
    }
}
```

Contoh YAMAL

```
HttpApiStage:
  Type: AWS::ApiGatewayV2::Stage
  Properties:
    StageName: SampleStage
    Description: Sample Stage
    ApiId: !Ref 'HttpApi'
    AccessLogSettings:
      DestinationArn: !GetAtt 'LogGroup.Arn'
      Format: '{"requestId":"$context.requestId", "ip": "$context.identity.sourceIp",
        "user":"$context.identity.user","requestTime":"$context.requestTime"}'
```

Spesifikasi aturan CT.APIGATEWAY.PR.4

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   api_gw_v2_access_logs_enabled_check
#
# Description:
#   This control checks whether Amazon API Gateway V2 stages have access logging
 enabled. Access logging is supported for HTTP and WebSocket APIs.
#
# Reports on:
#   AWS::ApiGatewayV2::Stage
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any APIGatewayV2 stage resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an APIGatewayV2 stage resource
#       And: 'AccessLogSettings' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an APIGatewayV2 stage resource
#       And: 'AccessLogSettings' has been provided
#       And: 'AccessLogSettings.DestinationArn' has not been provided, or has been
 provided as an empty string or
#            invalid local reference
#       And: 'AccessLogSettings.Format' is provided as a non-empty string
```

```
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an APIGatewayV2 stage resource
#       And: 'AccessLogSettings' has been provided
#       And: 'AccessLogSettings.DestinationArn' is provided as a non-empty string or
 valid local reference
#       And: 'AccessLogSettings.Format' has not been provided, or is an empty string
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an APIGatewayV2 stage resource
#       And: 'AccessLogSettings' has been provided
#       And: 'AccessLogSettings.DestinationArn' is provided as a non-empty string or
 valid local reference
#       And: 'AccessLogSettings.Format' is provided as a non-empty string
#      Then: PASS

#
# Constants
#
let API_GW_V2_STAGE_TYPE = "AWS::ApiGatewayV2::Stage"
let INPUT_DOCUMENT = this

#
# Assignments
#
let api_gateway_v2_stages = Resources.*[ Type == %API_GW_V2_STAGE_TYPE ]

#
# Primary Rules
#
rule api_gw_v2_access_logs_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %api_gateway_v2_stages not empty {
    check(%api_gateway_v2_stages.Properties)
        <<
        [CT.APIGATEWAY.PR.4]: Require an Amazon API Gateway V2 stage to have access
 logging activated
            [FIX]: Provide an 'AccessLogSettings' configuration, setting
 'DestinationArn' to the ARN of an Amazon CloudWatch log group and 'Format' to a single
 line log format configuration.
        >>
```

```
}

rule api_gw_v2_access_logs_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %API_GW_V2_STAGE_TYPE) {
    check(%INPUT_DOCUMENT.%API_GW_V2_STAGE_TYPE.resourceProperties)
        <<
        [CT.APIGATEWAY.PR.4]: Require an Amazon API Gateway V2 stage to have access
 logging activated
            [FIX]: Provide an 'AccessLogSettings' configuration, setting
 'DestinationArn' to the ARN of an Amazon CloudWatch log group and 'Format' to a single
 line log format configuration.
        >>
}

#
# Parameterized Rules
#
rule check(api_gateway_v2_stage) {
    %api_gateway_v2_stage {
        # Scenario 2
        AccessLogSettings exists
        AccessLogSettings is_struct

        AccessLogSettings {
            # Scenario 3
            DestinationArn exists
            check_is_string_and_not_empty(DestinationArn) or
            check_local_references(%INPUT_DOCUMENT, DestinationArn,
 "AWS::Logs::LogGroup")

            # Scenario 4, 5
            Format exists
            check_is_string_and_not_empty(Format)
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.APIGATEWAY.PR.4 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties:
      RetentionInDays: 7
  HttpApi:
    Type: AWS::ApiGatewayV2::Api
    Properties:
      Name: ExampleApi
      ProtocolType: HTTP
  HttpApiStage:
    Type: 'AWS::ApiGatewayV2::Stage'
    Properties:
      StageName: ExampleStage
      Description: Example Stage
      ApiId:
        Ref: HttpApi
      AccessLogSettings:
        DestinationArn:
          Fn::GetAtt:
          - "LogGroup"
          - "Arn"
        Format: >-
          {"requestId":"$context.requestId", "ip": "$context.identity.sourceIp",
          "user":"$context.identity.user","requestTime":"$context.requestTime"}
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  HttpApi:
    Type: AWS::ApiGatewayV2::Api
    Properties:
      Name: ExampleApi
      ProtocolType: HTTP
  HttpApiStage:
    Type: 'AWS::ApiGatewayV2::Stage'
    Properties:
      StageName: ExampleStage
      Description: Example Stage
```

```
      ApiId:
        Ref: HttpApi
```

[CT.APIGATEWAY.PR.5] Memerlukan Amazon API Gateway V2 Websocket dan rute HTTP untuk menentukan jenis otorisasi

Kontrol ini memeriksa apakah rute API Amazon API Gateway V2 memiliki jenis otorisasi yang ditetapkan.

- Tujuan kontrol: Gunakan otentikasi yang kuat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::ApiGatewayV2::Route`, `AWS::ApiGatewayV2::ApiGatewayManagedOverrides`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APIGATEWAY.PR.5

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APIGATEWAY.PR.5
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.5 contoh templat

Penjelasan

API Gateway mendukung beberapa mekanisme untuk mengontrol dan mengelola akses ke Websocket atau HTTP API Anda. Dengan menentukan jenis otorisasi, Anda dapat membatasi akses ke API Anda, untuk mengizinkan hanya pengguna atau proses yang diperlukan.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk rute yang dibuat melalui `AWS::ApiGatewayV2::Route` sumber daya, dan penggantian terkelola yang berlaku untuk rute API HTTP yang dibuat melalui pembuatan cepat.

- Kontrol ini tidak mengevaluasi rute API HTTP yang diimpor menggunakan `Body` atau `BodyS3Location` properti sumber `AWS::ApiGatewayV2::API` daya.

Remediasi untuk kegagalan aturan

Untuk rute Amazon API Gateway V2, setel `AuthorizationType` ke`AWS_IAM`, `JWT` atau`CUSTOM`. Untuk Amazon API Gateway V2, rute terkelola diganti dengan`AuthorizationType`, disetel `AuthorizationType` ke`AWS_IAM`, `JWT` atau. `CUSTOM`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Rute Amazon API Gateway V2 - Contoh

Rute Amazon API Gateway V2 dikonfigurasi dengan otorisasi AWS IAM. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ApiGatewayV2Route": {
        "Type": "AWS::ApiGatewayV2::Route",
        "Properties": {
            "ApiId": {
                "Ref": "WebsocketApi"
            },
            "RouteKey": "$connect",
            "AuthorizationType": "AWS_IAM"
        }
    }
}
```

Contoh YAMAL

```
ApiGatewayV2Route:
  Type: AWS::ApiGatewayV2::Route
  Properties:
    ApiId: !Ref 'WebsocketApi'
```

```
    RouteKey: $connect
    AuthorizationType: AWS_IAM
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Penggantian Terkelola Amazon API Gateway V2 - Contoh

Penggantian terkelola Amazon API Gateway V2 yang dikonfigurasi dengan otorisasi AWS IAM. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ApiGatewayManagedOverride": {
        "Type": "AWS::ApiGatewayV2::ApiGatewayManagedOverrides",
        "Properties": {
            "ApiId": {
                "Ref": "HttpApi"
            },
            "Route": {
                "AuthorizationType": "AWS_IAM"
            }
        }
    }
}
```

Contoh YAMAL

```
ApiGatewayManagedOverride:
  Type: AWS::ApiGatewayV2::ApiGatewayManagedOverrides
  Properties:
    ApiId: !Ref 'HttpApi'
    Route:
      AuthorizationType: AWS_IAM
```

Spesifikasi aturan CT.APIGATEWAY.PR.5

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   api_gw_v2_authorization_type_configured_check
#
# Description:
#   This control checks whether Amazon API Gateway V2 API routes have an authorization
 type set.
#
# Reports on:
#   AWS::ApiGatewayV2::Route, AWS::ApiGatewayV2::ApiGatewayManagedOverrides
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon API Gateway V2 route or
 managed route overrides resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon API Gateway V2 managed route
 overrides resource
#       And: In 'Route', 'AuthorizationType' has not been provided
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon API Gateway V2 route resource
#       And: 'AuthorizationType' has not been provided
#      Then: FAIL
#   Scenario: 4
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon API Gateway V2 route or managed
 route overrides resource
#       And: 'AuthorizationType' has been provided and set to a value other than
 'AWS_IAM', 'JWT' or 'CUSTOM'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon API Gateway V2 route or managed
 route overrides resource
#       And: 'AuthorizationType' has been provided and set to a value of 'AWS_IAM',
 'JWT' or 'CUSTOM'
#      Then: PASS

#
# Constants
#
let API_GW_ROUTE_TYPE = "AWS::ApiGatewayV2::Route"
let API_GW_MANAGED_OVERRIDE_TYPE = "AWS::ApiGatewayV2::ApiGatewayManagedOverrides"
let ALLOWED_AUTHORIZATION_TYPES = ["AWS_IAM", "JWT", "CUSTOM"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let api_route = Resources.*[ Type == %API_GW_ROUTE_TYPE ]
let api_override = Resources.*[ Type == %API_GW_MANAGED_OVERRIDE_TYPE ]

#
# Primary Rules
#
rule api_gw_v2_authorization_type_configured_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %api_route not empty {
    check_api_route(%api_route.Properties)
         <<
         [CT.APIGATEWAY.PR.5]: Require Amazon API Gateway V2 Websocket and HTTP routes
 to specify an authorization type
            [FIX]: For Amazon API Gateway V2 routes, set 'AuthorizationType' to
 'AWS_IAM', 'JWT' or 'CUSTOM'. For Amazon API Gateway V2 managed route overrides with
 'AuthorizationType', set 'AuthorizationType' to 'AWS_IAM', 'JWT' or 'CUSTOM'.
         >>
```

```
}

rule api_gw_v2_authorization_type_configured_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %api_override not empty {
    check_api_override(%api_override.Properties)
         <<
         [CT.APIGATEWAY.PR.5]: Require Amazon API Gateway V2 Websocket and HTTP routes
 to specify an authorization type
            [FIX]: For Amazon API Gateway V2 routes, set 'AuthorizationType' to
 'AWS_IAM', 'JWT' or 'CUSTOM'. For Amazon API Gateway V2 managed route overrides with
 'AuthorizationType', set 'AuthorizationType' to 'AWS_IAM', 'JWT' or 'CUSTOM'.
         >>
}

rule api_gw_v2_authorization_type_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %API_GW_ROUTE_TYPE) {
    check_api_route(%INPUT_DOCUMENT.%API_GW_ROUTE_TYPE.resourceProperties)
         <<
         [CT.APIGATEWAY.PR.5]: Require Amazon API Gateway V2 Websocket and HTTP routes
 to specify an authorization type
            [FIX]: For Amazon API Gateway V2 routes, set 'AuthorizationType' to
 'AWS_IAM', 'JWT' or 'CUSTOM'. For Amazon API Gateway V2 managed route overrides with
 'AuthorizationType', set 'AuthorizationType' to 'AWS_IAM', 'JWT' or 'CUSTOM'.
         >>
}

rule api_gw_v2_authorization_type_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %API_GW_MANAGED_OVERRIDE_TYPE) {
    check_api_override(%INPUT_DOCUMENT.
%API_GW_MANAGED_OVERRIDE_TYPE.resourceProperties)
         <<
         [CT.APIGATEWAY.PR.5]: Require Amazon API Gateway V2 Websocket and HTTP routes
 to specify an authorization type
            [FIX]: For Amazon API Gateway V2 routes, set 'AuthorizationType' to
 'AWS_IAM', 'JWT' or 'CUSTOM'. For Amazon API Gateway V2 managed route overrides with
 'AuthorizationType', set 'AuthorizationType' to 'AWS_IAM', 'JWT' or 'CUSTOM'.
         >>
}

#
# Parameterized Rules
#
rule check_api_route(api_route) {
```

```
    %api_route {
        # Scenario 3
        AuthorizationType exists

        # Scenario 4 and 5
        AuthorizationType in %ALLOWED_AUTHORIZATION_TYPES
    }
}

rule check_api_override(api_override) {
    %api_override [
        # Scenario 2
        Route exists
        Route is_struct
        Route {
            AuthorizationType exists
        }
    ]{
        check_api_route(Route)
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
     %doc.%RESOURCE_TYPE.resourceProperties exists
 }
```

CT.APIGATEWAY.PR.5 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ApiGatewayV2Route:
    Type: AWS::ApiGatewayV2::Route
    Properties:
      ApiId: a1bcdef2gh
      RouteKey: $connect
      AuthorizationType: AWS_IAM
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ApiGatewayManagedOverride:
    Type: AWS::ApiGatewayV2::ApiGatewayManagedOverrides
    Properties:
      ApiId: a1bcdef2gh
      Route:
        AuthorizationType: AWS_IAM
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ApiGatewayV2Route:
    Type: AWS::ApiGatewayV2::Route
    Properties:
      ApiId: a1bcdef2gh
      RouteKey: $connect
      AuthorizationType: NONE
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ApiGatewayManagedOverride:
    Type: AWS::ApiGatewayV2::ApiGatewayManagedOverrides
    Properties:
      ApiId: a1bcdef2gh
      Route:
        AuthorizationType: NONE
```

[CT.APIGATEWAY.PR.6] Memerlukan domain Amazon API Gateway REST untuk menggunakan kebijakan keamanan yang menentukan versi protokol TLS minimum TLSv1.2

Kontrol ini memeriksa apakah nama domain Amazon API Gateway REST API memerlukan versi protokol Transport Layer Security minimum dari TLSv1.2 melalui kebijakan keamanannya.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ApiGateway::DomainName`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APIGATEWAY.PR.6

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APIGATEWAY.PR.6
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APIGATEWAY.PR.6 contoh templat

Penjelasan

Protokol TLS mengatasi masalah keamanan jaringan, seperti gangguan dan penyadapan antara klien dan server. Ketika klien Anda membuat jabat tangan TLS ke API Anda melalui domain kustom, Anda dapat memilih versi protokol Transport Layer Security (TLS) minimum. Versi ini diberlakukan untuk domain kustom Amazon API Gateway Anda dengan menetapkan kebijakan keamanan, yang merupakan kombinasi standar dari versi TLS minimum dan cipher suite yang ditawarkan oleh Amazon API Gateway.

Pertimbangan penggunaan

- Versi protokol TLS dan cipher yang digunakan oleh kebijakan keamanan Amazon API Gateway bergantung pada jenis titik akhir API Gateway yang digunakan. Untuk mengetahui lebih lanjut tentang versi protokol TLS dan cipher yang didukung untuk setiap jenis titik akhir, tinjau dokumentasi Amazon API Gateway.

Remediasi untuk kegagalan aturan

Tetapkan nilai SecurityPolicy ke TLS_1_2, atau untuk mengadopsi nilai default, jangan berikan nilai untuk. SecurityPolicy

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Nama Domain Amazon API Gateway - Contoh

Nama domain regional Amazon API Gateway yang dikonfigurasi dengan kebijakan keamanan yang memerlukan minimal TLSv1.2 untuk koneksi klien API. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "DomainName": {
        "Type": "AWS::ApiGateway::DomainName",
        "Properties": {
            "DomainName": "example.com",
            "RegionalCertificateArn": {
                "Ref": "AcmCertificate"
            },
            "EndpointConfiguration": {
                "Types": [
                    "REGIONAL"
                ]
            },
            "SecurityPolicy": "TLS_1_2"
        }
    }
}
```

Contoh YAMAL

```
DomainName:
  Type: AWS::ApiGateway::DomainName
  Properties:
    DomainName: example.com
    RegionalCertificateArn: !Ref 'AcmCertificate'
    EndpointConfiguration:
      Types:
        - REGIONAL
    SecurityPolicy: TLS_1_2
```

Spesifikasi aturan CT.APIGATEWAY.PR.6

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   api_gw_domain_tls_check
#
# Description:
#   This control checks whether an Amazon API Gateway REST API domain name requires a
 minimum Transport Layer Security protocol version of TLSv1.2 by means of its security
 policy.
#
# Reports on:
#   AWS::ApiGateway::DomainName
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document does not contain any API Gateway domain name resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway domain name resource
#       And: 'SecurityPolicy' has been provided and set to a security policy that
 allows
#            a minimum TLS protocol version earlier than TLSv1.2
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway domain name resource
#       And: 'SecurityPolicy' has not been provided
#      Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an API Gateway domain name resource
#       And: 'SecurityPolicy' has been provided and set to a security policy that
 requires
#            a minimum TLS protocol version of TLSv1.2
#      Then: PASS

#
# Constants
#
let API_GW_DOMAIN_NAME_TYPE = "AWS::ApiGateway::DomainName"
let ALLOWED_SECURITY_POLICIES = ["TLS_1_2"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let api_gateway_domain_names = Resources.*[ Type == %API_GW_DOMAIN_NAME_TYPE ]

#
# Primary Rules
#
rule api_gw_domain_tls_check when is_cfn_template(%INPUT_DOCUMENT)
                                 %api_gateway_domain_names not empty {
    check(%api_gateway_domain_names.Properties)
        <<
```

```
        [CT.APIGATEWAY.PR.6]: Require an Amazon API Gateway REST domain to use a
 security policy that specifies a minimum TLS protocol version of TLSv1.2
        [FIX]: Set the value of SecurityPolicy to TLS_1_2, or to adopt the default
 value, do not provide a value for SecurityPolicy.
        >>
}

rule api_gw_domain_tls_check when is_cfn_hook(%INPUT_DOCUMENT,
 %API_GW_DOMAIN_NAME_TYPE) {
    check(%INPUT_DOCUMENT.%API_GW_DOMAIN_NAME_TYPE.resourceProperties)
        <<
        [CT.APIGATEWAY.PR.6]: Require an Amazon API Gateway REST domain to use a
 security policy that specifies a minimum TLS protocol version of TLSv1.2
        [FIX]: Set the value of SecurityPolicy to TLS_1_2, or to adopt the default
 value, do not provide a value for SecurityPolicy.
        >>
}

#
# Parameterized Rules
#
rule check(api_gateway_stage) {
    %api_gateway_stage {
        # Scenario 2, 3, 4
        SecurityPolicy not exists or
        SecurityPolicy in %ALLOWED_SECURITY_POLICIES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.APIGATEWAY.PR.6 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DomainName:
    Type: AWS::ApiGateway::DomainName
    Properties:
      DomainName: example.com
      RegionalCertificateArn: arn:aws:acm:us-west-2:123456789012:certificate/abcd1234-
efg5-1234-1234-1234abcdefgh
      EndpointConfiguration:
        Types:
        - REGIONAL
      SecurityPolicy: TLS_1_2
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DomainName:
    Type: AWS::ApiGateway::DomainName
    Properties:
      DomainName: example.com
      RegionalCertificateArn: arn:aws:acm:us-west-2:123456789012:certificate/abcd1234-
efg5-1234-1234-1234abcdefgh
      EndpointConfiguration:
        Types:
        - REGIONAL
      SecurityPolicy: TLS_1_0
```

AWS Certificate Manager kontrol

Topik

- [CT.ACM.PR.1] Memerlukan AWS Private CA sertifikat untuk memiliki satu nama domain

[CT.ACM.PR.1] Memerlukan AWS Private CA sertifikat untuk memiliki satu nama domain

Kontrol ini memeriksa apakah ada sertifikat CA Pribadi AWS Certificate Manager (ACM) yang memiliki nama domain wildcard, bukan nama domain tunggal.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CertificateManager::Certificate`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ACM.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ACM.PR.1
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ACM.PR.1 contoh templat

Penjelasan

AWS Private CA memungkinkan Anda untuk menggunakan wildcard (*) dalam nama domain, sehingga Anda dapat melindungi beberapa situs dalam domain yang sama. Jenis sertifikat ini menimbulkan beberapa risiko, karena jika kunci pribadi sertifikat dikompromikan, semua domain dan subdomain dengan sertifikat yang disusupi dikompromikan. Kami menyarankan Anda menggunakan sertifikat nama domain tunggal, bukan sertifikat wildcard untuk mengurangi risiko terkait ini.

Remediasi untuk kegagalan aturan

Tetapkan `DomainName` dan setiap entri dalam `SubjectAlternativeNames` ke nama domain yang memenuhi syarat (FQDN) yang tidak berisi wildcard (*).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Certificate Manager Sertifikat CA Pribadi - Contoh Satu

AWS Certificate Manager Sertifikat CA pribadi dikonfigurasi dengan satu domain dan tidak ada nama alternatif subjek. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "Resources": {
        "ACMCertificate": {
            "Type": "AWS::CertificateManager::Certificate",
            "Properties": {
                "CertificateAuthorityArn": "arn:aws:acm-pca:us-
east-1:123456789012:certificate-authority/12345678-1234-1234-1234-123456789012",
                "DomainName": "example.com"
            }
        }
    }
}
```

Contoh YAMAL

```
Resources:
  ACMCertificate:
    Type: AWS::CertificateManager::Certificate
    Properties:
      CertificateAuthorityArn: arn:aws:acm-pca:us-east-1:123456789012:certificate-
authority/12345678-1234-1234-1234-123456789012
      DomainName: example.com
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Certificate Manager Sertifikat CA Pribadi - Contoh Dua

AWS Certificate Manager sertifikat CA pribadi dikonfigurasi dengan domain tunggal dan satu nama alternatif subjek. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "Resources": {
        "ACMCertificate": {
            "Type": "AWS::CertificateManager::Certificate",
            "Properties": {
                "CertificateAuthorityArn": "arn:aws:acm-pca:us-
east-1:123456789012:certificate-authority/12345678-1234-1234-1234-123456789012",
                "DomainName": "example.com",
                "SubjectAlternativeNames": [
                    "www.example.com"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
Resources:
  ACMCertificate:
    Type: AWS::CertificateManager::Certificate
    Properties:
      CertificateAuthorityArn: arn:aws:acm-pca:us-east-1:123456789012:certificate-
authority/12345678-1234-1234-1234-123456789012
      DomainName: example.com
      SubjectAlternativeNames:
        - www.example.com
```

Spesifikasi aturan CT.ACM.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   acm_certificate_domain_name_check
```

```
#
# Description:
#   This control checks whether any AWS Certificate Manager (ACM) Private CA
 certificates have wildcard domain names instead of single domain names.
#
# Reports on:
#   AWS::CertificateManager::Certificate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ACM certificate resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ACM certificate resource
#       And: 'CertificateAuthorityArn' has not been provided
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ACM certificate resource
#       And: 'CertificateAuthorityArn' has been provided
#       And: 'DomainName' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ACM certificate resource
#       And: 'CertificateAuthorityArn' has been provided
#       And: 'SubjectAlternativeNames' has not been provided or provided as an empty
 list
#       And: 'DomainName' has been provided with a string that begins with a wildcard
 character ('*').
#      Then: FAIL
#   Scenario: 5
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ACM certificate resource
#       And: 'CertificateAuthorityArn' has been provided
#       And: 'DomainName' has been provided with a string that does not begin with a
 wildcard character ('*').
#       And: 'SubjectAlternativeNames' has been provided as a non-empty list containing
 a string that
#            begins with a wildcard character ('*').
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ACM certificate resource
#       And: 'CertificateAuthorityArn' has been provided
#       And: 'DomainName' has been provided with a string that does not begin with a
 wildcard character ('*').
#       And: 'SubjectAlternativeNames' has not been provided or provided as an empty
 list
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ACM certificate resource
#       And: 'CertificateAuthorityArn' has been provided
#       And: 'DomainName' has been provided with a string that does not begin with a
 wildcard character ('*').
#       And: 'SubjectAlternativeNames' has been provided as a non-empty list where no
 entries are strings that
#            begin with a wildcard character ('*').
#      Then: PASS

#
# Constants
#
let ACM_CERTIFICATE_TYPE = "AWS::CertificateManager::Certificate"
let WILDCARD_DOMAIN_NAME_REGEX_PATTERN = /^(\*\.).*$/
let INPUT_DOCUMENT = this

#
# Assignments
#
let acm_certificates = Resources.*[ Type == %ACM_CERTIFICATE_TYPE ]
```

```
#
# Primary Rules
#
rule acm_certificate_domain_name_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %acm_certificates not empty {
    check(%acm_certificates.Properties)
        <<
        [CT.ACM.PR.1]: Require an AWS Private CA certificate to have a single domain
 name
            [FIX]: Set 'DomainName' and each entry within 'SubjectAlternativeNames' to
 a fully qualified domain name (FQDN) that does not contain a wildcard (*).
        >>
}

rule acm_certificate_domain_name_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ACM_CERTIFICATE_TYPE) {
    check(%INPUT_DOCUMENT.%ACM_CERTIFICATE_TYPE.resourceProperties)
        <<
        [CT.ACM.PR.1]: Require an AWS Private CA certificate to have a single domain
 name
            [FIX]: Set 'DomainName' and each entry within 'SubjectAlternativeNames' to
 a fully qualified domain name (FQDN) that does not contain a wildcard (*).
        >>
}

#
# Parameterized Rules
#
rule check(acm_certificate) {
    %acm_certificate[
        CertificateAuthorityArn exists
    ] {
        # Scenario 2
        DomainName exists
        # Scenario 3 and 4
        check_wildcarded_domain(DomainName)
        check_subject_alternative_names(this)
    }
}

rule check_subject_alternative_names(acm_certificate) {
    %acm_certificate [
        SubjectAlternativeNames exists
        SubjectAlternativeNames is_list
```

```
        SubjectAlternativeNames not empty
    ] {
        SubjectAlternativeNames[*] {
            check_wildcarded_domain(this)
        }
    }
}

rule check_wildcarded_domain(domain) {
    %domain {
        this is_string
        this != %WILDCARD_DOMAIN_NAME_REGEX_PATTERN
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ACM.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ACMCertificate:
    Type: AWS::CertificateManager::Certificate
    Properties:
```

```
      CertificateAuthorityArn: arn:aws:acm-pca:us-east-1:123456789012:certificate-
authority/12345678-1234-1234-1234-123456789012
      DomainName: example.com
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ACMCertificate:
    Type: AWS::CertificateManager::Certificate
    Properties:
      CertificateAuthorityArn: arn:aws:acm-pca:us-east-1:123456789012:certificate-
authority/12345678-1234-1234-1234-123456789012
      DomainName: '*.example.com'
```

AWS AppSync kontrol

Topik

- [CT.APPSYNC.PR.1] Memerlukan AWS AppSync GraphQL API agar logging diaktifkan
- [CT.APPSYNC.PR.2] Memerlukan AWS AppSync GraphQL API untuk dikonfigurasi dengan visibilitas pribadi
- [CT.APPSYNC.PR.3] Mengharuskan AWS AppSync GraphQL API tidak diautentikasi dengan kunci API
- [CT.APPSYNC.PR.4] Memerlukan cache API AWS AppSync GraphQL agar enkripsi saat transit diaktifkan.
- [CT.APPSYNC.PR.5] Memerlukan cache API AWS AppSync GraphQL agar enkripsi saat istirahat diaktifkan.

[CT.APPSYNC.PR.1] Memerlukan AWS AppSync GraphQL API agar logging diaktifkan

Kontrol ini memeriksa apakah AWS AppSync GraphQL API telah dikonfigurasi untuk mengirim log tingkat permintaan dan tingkat lapangan ke Amazon Logs. CloudWatch

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan

- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AppSync::GraphQLApi`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APPSYNC.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APPSYNC.PR.1
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APPSYNC.PR.1 contoh templat

Penjelasan

AppSync log berguna untuk masalah debugging yang terkait dengan permintaan.

Remediasi untuk kegagalan aturan

Di dalam`LogConfig`, setel `FieldLogLevel` ke `ALL` atau `ERROR` dan setel `CloudWatchLogsRoleArn` ke ARN peran AWS IAM yang dikonfigurasi untuk memungkinkan AWS mengirim log AppSync ke Amazon Logs. CloudWatch

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS AppSync GraphQL API - Contoh

AWS AppSync GraphQL API yang dikonfigurasi untuk mengirim operasi dan penelusuran GraphQL ke Amazon Logs. CloudWatch Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "GraphQLApi": {
        "Type": "AWS::AppSync::GraphQLApi",
        "Properties": {
            "Name": "SampleApi",
            "AuthenticationType": "AWS_IAM",
            "LogConfig": {
                "FieldLogLevel": "ALL",
```

```
                "CloudWatchLogsRoleArn": {
                    "Fn::GetAtt": [
                        "AppSyncLoggingRole",
                        "Arn"
                    ]
                }
            }
        }
    }
}
```

Contoh YAMAL

```
GraphQLApi:
  Type: AWS::AppSync::GraphQLApi
  Properties:
    Name: SampleApi
    AuthenticationType: AWS_IAM
    LogConfig:
      FieldLogLevel: ALL
      CloudWatchLogsRoleArn: !GetAtt 'AppSyncLoggingRole.Arn'
```

Spesifikasi aturan CT.APPSYNC.PR.1

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   appsync_logging_enabled_check
#
# Description:
#   This control checks whether an AWS AppSync GraphQL API has been configured to send
 request-level and field-level logs to Amazon CloudWatch Logs.
#
# Reports on:
#   AWS::AppSync::GraphQLApi
#
```

```
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AppSync GraphQL API resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AppSync GraphQL API resource
#       And: 'LogConfig' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AppSync GraphQL API resource
#       And: 'LogConfig' has been provided
#       And: 'FieldLogLevel' in 'LogConfig' has not been provided or provided and set
 to a value other
#            than 'ERROR' or 'ALL'
#       And: 'CloudWatchLogsRoleArn' in 'LogConfig' has not been provided or provided
 and set to an empty
#            string or invalid local reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AppSync GraphQL API resource
#       And: 'LogConfig' has been provided
#       And: 'FieldLogLevel' in 'LogConfig' has been provided and set to 'ERROR' or
 'ALL'
#       And: 'CloudWatchLogsRoleArn' in 'LogConfig' has not been provided or provided
 and set to an empty
#            string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an AppSync GraphQL API resource
#       And: 'LogConfig' has been provided
#       And: 'FieldLogLevel' in 'LogConfig' has not been provided or provided and set
 to a value other
#            than 'ERROR' or 'ALL'
#       And: 'CloudWatchLogsRoleArn' in 'LogConfig' has been provided and set to a non-
empty string or valid
#            local reference
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AppSync GraphQL API resource
#       And: 'LogConfig' has been provided
#       And: 'FieldLogLevel' in 'LogConfig' has been provided and set to 'ERROR' or
 'ALL'
#       And: 'CloudWatchLogsRoleArn' in 'LogConfig' has been provided and set to a non-
empty string or valid
#            local reference
#      Then: PASS

#
# Constants
#
let APPSYNC_GRAPHQL_API_TYPE = "AWS::AppSync::GraphQLApi"
let ALLOWED_APPSYNC_LOG_LEVELS = [ "ERROR", "ALL" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let appsync_graphql_apis = Resources.*[ Type == %APPSYNC_GRAPHQL_API_TYPE ]

#
# Primary Rules
#
rule appsync_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                        %appsync_graphql_apis not empty {
    check(%appsync_graphql_apis.Properties)
        <<
        [CT.APPSYNC.PR.1]: Require an AWS AppSync GraphQL API to have logging enabled
        [FIX]: Within 'LogConfig', set 'FieldLogLevel' to 'ALL' or 'ERROR' and set
 'CloudWatchLogsRoleArn' to the ARN of an AWS IAM role configured to allow AWS AppSync
 to send logs to Amazon CloudWatch Logs.
```

```
        >>
}

rule appsync_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %APPSYNC_GRAPHQL_API_TYPE) {
    check(%INPUT_DOCUMENT.%APPSYNC_GRAPHQL_API_TYPE.resourceProperties)
        <<
        [CT.APPSYNC.PR.1]: Require an AWS AppSync GraphQL API to have logging enabled
        [FIX]: Within 'LogConfig', set 'FieldLogLevel' to 'ALL' or 'ERROR' and set
 'CloudWatchLogsRoleArn' to the ARN of an AWS IAM role configured to allow AWS AppSync
 to send logs to Amazon CloudWatch Logs.
        >>
}

#
# Parameterized Rules
#
rule check(appsync_graphql_api) {
    %appsync_graphql_api {
        # Scenario 2
        LogConfig exists
        LogConfig is_struct

        LogConfig {
            # Scenarios 3, 4, 5 and 6
            FieldLogLevel exists
            FieldLogLevel in %ALLOWED_APPSYNC_LOG_LEVELS

            CloudWatchLogsRoleArn exists
            check_is_string_and_not_empty(CloudWatchLogsRoleArn) or
            check_local_references(%INPUT_DOCUMENT, CloudWatchLogsRoleArn,
 "AWS::IAM::Role")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
```

```
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.APPSYNC.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
      LogConfig:
        FieldLogLevel: ALL
        CloudWatchLogsRoleArn:
          Fn::GetAtt:
          - AppSyncLoggingRole
          - Arn
  AppSyncLoggingRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - appsync.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: AppSyncLoggingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
      LogConfig:
        FieldLogLevel: NONE
        CloudWatchLogsRoleArn:
          Fn::GetAtt:
          - AppSyncLoggingRole
          - Arn
  AppSyncLoggingRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - appsync.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: AppSyncLoggingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
```

[CT.APPSYNC.PR.2] Memerlukan AWS AppSync GraphQL API untuk dikonfigurasi dengan visibilitas pribadi

Kontrol ini memeriksa apakah AWS AppSync GraphQL API telah dikonfigurasi dengan visibilitas pribadi.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AppSync::GraphQLApi`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APPSYNC.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APPSYNC.PR.2
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.APPSYNC.PR.2

Penjelasan

Jika Anda menggunakan Amazon Virtual Private Cloud (Amazon VPC), Anda dapat membuat API AWS AppSync Pribadi, yang merupakan API yang hanya dapat diakses dari Amazon VPC. Dengan API Pribadi, Anda dapat membatasi akses API ke aplikasi internal Anda dan terhubung ke titik akhir GraphQL dan Realtime tanpa mengekspos data secara publik.

> Pertimbangan penggunaan
>
> - Kontrol ini memerlukan AWS AppSync GraphQL API untuk dikonfigurasi dengan fitur API pribadi, sehingga hanya dapat diakses dari VPC Amazon. Jika Anda memerlukan AWS AppSync GraphQL API agar dapat diakses dari AWS AppSync titik akhir publik, jangan aktifkan kontrol ini.

Remediasi untuk kegagalan aturan

Setel properti Visibilitas ke PRIVATE.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS AppSync API Pribadi - Contoh

AWS AppSync GraphQL API yang dikonfigurasi dengan visibilitas pribadi. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "GraphQLApi": {
        "Type": "AWS::AppSync::GraphQLApi",
        "Properties": {
            "Name": "SampleApi",
            "AuthenticationType": "AWS_IAM",
            "Visibility": "PRIVATE"
        }
    }
}
```

Contoh YAMAL

```
GraphQLApi:
  Type: AWS::AppSync::GraphQLApi
  Properties:
    Name: SampleApi
    AuthenticationType: AWS_IAM
    Visibility: PRIVATE
```

Spesifikasi aturan CT.APPSYNC.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   appsync_api_private_visibility_check
```

```
#
# Description:
#   This control checks whether an AWS AppSync GraphQL API has been configured with
 private visibility.
#
# Reports on:
#   AWS::AppSync::GraphQLApi
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS AppSync GraphQL API resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
#       And: 'Visibility' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
#       And: 'Visibility' has been provided and set to a value other than 'PRIVATE'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
#       And: 'Visibility' has been provided and set to 'PRIVATE'
#      Then: PASS

#
# Constants
#
let APPSYNC_GRAPHQL_API_TYPE = "AWS::AppSync::GraphQLApi"
let ALLOWED_VISIBILITY_LEVELS = [ "PRIVATE" ]
```

```
let INPUT_DOCUMENT = this

#
# Assignments
#
let appsync_graphql_apis = Resources.*[ Type == %APPSYNC_GRAPHQL_API_TYPE ]

#
# Primary Rules
#
rule appsync_api_private_visibility_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %appsync_graphql_apis not empty {
    check(%appsync_graphql_apis.Properties)
        <<
        [CT.APPSYNC.PR.2]: Require an AWS AppSync GraphQL API to be configured with
 private visibility
        [FIX]: Set the Visibility property to PRIVATE.
        >>
}

rule appsync_api_private_visibility_check when is_cfn_hook(%INPUT_DOCUMENT,
 %APPSYNC_GRAPHQL_API_TYPE) {
    check(%INPUT_DOCUMENT.%APPSYNC_GRAPHQL_API_TYPE.resourceProperties)
        <<
        [CT.APPSYNC.PR.2]: Require an AWS AppSync GraphQL API to be configured with
 private visibility
        [FIX]: Set the Visibility property to PRIVATE.
        >>
}

#
# Parameterized Rules
#
rule check(appsync_graphql_api) {
    %appsync_graphql_api {
        # Scenario 2
        Visibility exists
        # Scenarios 3 and 4
        Visibility in %ALLOWED_VISIBILITY_LEVELS
    }
}

#
# Utility Rules
```

```
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Templat contoh CT.APPSYNC.PR.2

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
      Visibility: PRIVATE
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
```

```
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
      Visibility: GLOBAL
```

[CT.APPSYNC.PR.3] Mengharuskan AWS AppSync GraphQL API tidak diautentikasi dengan kunci API

Kontrol ini memeriksa apakah AWS AppSync GraphQL API telah dikonfigurasi dengan jenis otentikasi selain otentikasi API_KEY.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AppSync::GraphQLApi`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APPSYNC.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APPSYNC.PR.3
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APPSYNC.PR.3 contoh templat

Penjelasan

Salah satu cara untuk mengontrol pelambatan untuk titik akhir GraphQL yang tidak diautentikasi adalah melalui penggunaan kunci API. Kunci API direkomendasikan hanya untuk tujuan pengembangan, atau dalam skenario di mana aman untuk mengekspos API publik. Jika kunci API statis dicuri, API dapat menjadi rentan terhadap serangan replay.

Remediasi untuk kegagalan aturan

Setel AuthenticationType properti ke nilai selain API_KEY, dan pastikan tidak ada entri di AdditionalAuthenticationProviders properti yang memiliki AuthenticationType nilai API_KEY.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS AppSync GraphQL API - Contoh

AWS AppSync GraphQL API yang dikonfigurasi dengan otorisasi IAM. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "GraphQLApi": {
        "Type": "AWS::AppSync::GraphQLApi",
        "Properties": {
            "Name": "SampleApi",
            "AuthenticationType": "AWS_IAM"
        }
    }
}
```

Contoh YAMAL

```
GraphQLApi:
  Type: AWS::AppSync::GraphQLApi
  Properties:
    Name: SampleApi
    AuthenticationType: AWS_IAM
```

Spesifikasi aturan CT.APPSYNC.PR.3

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   appsync_authorization_check
#
# Description:
#   This control checks that an AWS AppSync GraphQL API has been configured with an
 authentication type other than API_KEY authentication.
```

```
#
# Reports on:
#   AWS::AppSync::GraphQLApi
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS AppSync GraphQL API resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
#       And: 'AuthenticationType' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
#       And: 'AuthenticationType' has been provided and is equal to 'API_KEY'
#       And: 'AdditionalAuthenticationProviders' has not been provided or provided as
 an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
#       And: 'AuthenticationType' has been provided and is equal to a value other than
 'API_KEY'
#       And: 'AdditionalAuthenticationProviders' has been provided as a non-empty list
#       And: An entry in 'AdditionalAuthenticationProviders' has 'AuthenticationType'
 equal to 'API_KEY'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
```

```
#       And: 'AuthenticationType' has been provided and is equal to a value other than
 'API_KEY'
#       And: 'AdditionalAuthenticationProviders' has not been provided or provided as
 an empty list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API resource
#       And: 'AuthenticationType' has been provided and is equal to a value other than
 'API_KEY'
#       And: 'AdditionalAuthenticationProviders' has been provided as a non-empty list
#       And: No entries in 'AdditionalAuthenticationProviders' have
 'AuthenticationType' equal to 'API_KEY'
#      Then: PASS

#
# Constants
#
let APPSYNC_GRAPHQL_API_TYPE = "AWS::AppSync::GraphQLApi"
let DISALLOWED_AUTHORIZATION_TYPES = [ "API_KEY" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let appsync_graphql_apis = Resources.*[ Type == %APPSYNC_GRAPHQL_API_TYPE ]

#
# Primary Rules
#
rule appsync_authorization_check when is_cfn_template(%INPUT_DOCUMENT)
                                     %appsync_graphql_apis not empty {
    check(%appsync_graphql_apis.Properties)
        <<
        [CT.APPSYNC.PR.3]: Require that an AWS AppSync GraphQL API is not authenticated
 with API keys
        [FIX]: Set the AuthenticationType property to a value other than API_KEY,
 and ensure no entry in the AdditionalAuthenticationProviders property has an
 AuthenticationType value of API_KEY.
        >>
}
```

```
rule appsync_authorization_check when is_cfn_hook(%INPUT_DOCUMENT,
 %APPSYNC_GRAPHQL_API_TYPE) {
    check(%INPUT_DOCUMENT.%APPSYNC_GRAPHQL_API_TYPE.resourceProperties)
        <<
        [CT.APPSYNC.PR.3]: Require that an AWS AppSync GraphQL API is not authenticated
 with API keys
        [FIX]: Set the AuthenticationType property to a value other than API_KEY,
 and ensure no entry in the AdditionalAuthenticationProviders property has an
 AuthenticationType value of API_KEY.
        >>
}

#
# Parameterized Rules
#
rule check(appsync_graphql_api) {
    %appsync_graphql_api {
        # Scenarios 2, 3 and 5
        check_authentication_type(this)
    }

    %appsync_graphql_api [
        AdditionalAuthenticationProviders exists
        AdditionalAuthenticationProviders is_list
        AdditionalAuthenticationProviders not empty
    ] {
        AdditionalAuthenticationProviders[*] {
            # Scenarios 4 and 6
            check_authentication_type(this)
        }
    }
}

rule check_authentication_type(appsync_configuration) {
    %appsync_configuration {
        AuthenticationType exists
        AuthenticationType not in %DISALLOWED_AUTHORIZATION_TYPES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
```

```
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.APPSYNC.PR.3 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
      AdditionalAuthenticationProviders:
      - AuthenticationType: OPENID_CONNECT
```

```
        OpenIDConnectConfig:
          Issuer: https://example.com/
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: API_KEY
```

[CT.APPSYNC.PR.4] Memerlukan cache API AWS AppSync GraphQL agar enkripsi saat transit diaktifkan.

Kontrol ini memeriksa apakah cache AWS AppSync API mengaktifkan enkripsi saat transit.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AppSync::ApiCache`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APPSYNC.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APPSYNC.PR.4
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.APPSYNC.PR.4 contoh templat

Penjelasan

Mengaktifkan fitur ini memastikan bahwa permintaan antara AWS AppSync, cache, dan sumber data (kecuali sumber data HTTP tidak aman) dienkripsi di tingkat jaringan. Karena beberapa pemrosesan diperlukan untuk mengenkripsi dan mendekripsi data di titik akhir, enkripsi dalam transit dapat memengaruhi kinerja.

Remediasi untuk kegagalan aturan

Tetapkan nilai TransitEncryptionEnabled properti ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS AppSync GraphQL API Cache - Contoh

Cache API AWS AppSync GraphQL yang dikonfigurasi dengan enkripsi saat transit diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "GraphQLApiCache": {
        "Type": "AWS::AppSync::ApiCache",
        "Properties": {
            "ApiId": {
                "Fn::GetAtt": "GraphQLApi.ApiId"
            },
            "Type": "SMALL",
            "ApiCachingBehavior": "FULL_REQUEST_CACHING",
            "Ttl": 1200,
            "TransitEncryptionEnabled": true
        }
    }
}
```

Contoh YAMAL

```
GraphQLApiCache:
  Type: AWS::AppSync::ApiCache
  Properties:
    ApiId: !GetAtt 'GraphQLApi.ApiId'
```

```
    Type: SMALL
    ApiCachingBehavior: FULL_REQUEST_CACHING
    Ttl: 1200
    TransitEncryptionEnabled: true
```

Spesifikasi aturan CT.APPSYNC.PR.4

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   appsync_cache_encryption_in_transit_check
#
# Description:
#   This control checks whether an AWS AppSync API cache has encryption in transit
 enabled.
#
# Reports on:
#   AWS::AppSync::ApiCache
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS AppSync GraphQL API cache
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API cache resource
#       And: 'TransitEncryptionEnabled' has not been provided
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API cache resource
#       And: 'TransitEncryptionEnabled' been provided and is equal to a value other
 than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API cache resource
#       And: 'TransitEncryptionEnabled' been provided and is equal to bool(true)
#      Then: PASS

#
# Constants
#
let APPSYNC_GRAPHQL_API_CACHE_TYPE = "AWS::AppSync::ApiCache"
let INPUT_DOCUMENT = this

#
# Assignments
#
let appsync_graphql_api_caches = Resources.*[ Type == %APPSYNC_GRAPHQL_API_CACHE_TYPE ]

#
# Primary Rules
#
rule appsync_cache_encryption_in_transit_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %appsync_graphql_api_caches not
 empty {
    check(%appsync_graphql_api_caches.Properties)
        <<
        [CT.APPSYNC.PR.4]: Require an AWS AppSync GraphQL API cache to have encryption
 in transit enabled.
        [FIX]: Set the value of the TransitEncryptionEnabled property to true.
        >>
}

rule appsync_cache_encryption_in_transit_check when is_cfn_hook(%INPUT_DOCUMENT,
 %APPSYNC_GRAPHQL_API_CACHE_TYPE) {
    check(%INPUT_DOCUMENT.%APPSYNC_GRAPHQL_API_CACHE_TYPE.resourceProperties)
        <<
```

```
        [CT.APPSYNC.PR.4]: Require an AWS AppSync GraphQL API cache to have encryption
 in transit enabled.
        [FIX]: Set the value of the TransitEncryptionEnabled property to true.
        >>
}

#
# Parameterized Rules
#
rule check(appsync_graphql_api_cache) {
    %appsync_graphql_api_cache {
        # Scenario 2
        TransitEncryptionEnabled exists
        # Scenarios 3 and 4
        TransitEncryptionEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.APPSYNC.PR.4 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
  GraphQLApiCache:
    Type: AWS::AppSync::ApiCache
    Properties:
      ApiId:
        Fn::GetAtt: GraphQLApi.ApiId
      Type: SMALL
      ApiCachingBehavior: FULL_REQUEST_CACHING
      Ttl: 1200
      TransitEncryptionEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
  GraphQLApiCache:
    Type: AWS::AppSync::ApiCache
    Properties:
      ApiId:
        Fn::GetAtt: GraphQLApi.ApiId
      Type: SMALL
      ApiCachingBehavior: FULL_REQUEST_CACHING
      Ttl: 1200
      TransitEncryptionEnabled: false
```

[CT.APPSYNC.PR.5] Memerlukan cache API AWS AppSync GraphQL agar enkripsi saat istirahat diaktifkan.

Kontrol ini memeriksa apakah cache AWS AppSync API memiliki enkripsi saat istirahat diaktifkan.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AppSync::ApiCache`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.APPSYNC.PR.5

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.APPSYNC.PR.5
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.APPSYNC.PR.5

Penjelasan

Data yang disimpan ke disk dari memori selama operasi swap dienkripsi pada instance cache. Melindungi data saat istirahat adalah praktik terbaik keamanan yang penting. Ini dapat mengurangi risiko yang terkait dengan paparan data yang tidak diinginkan.

Remediasi untuk kegagalan aturan

Tetapkan nilai AtRestEncryptionEnabled properti ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS AppSync GraphQL API Cache - Contoh

Cache API AWS AppSync GraphQL yang dikonfigurasi dengan enkripsi saat istirahat diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "GraphQLApiCache": {
```

```
        "Type": "AWS::AppSync::ApiCache",
        "Properties": {
            "ApiId": {
                "Fn::GetAtt": "GraphQLApi.ApiId"
            },
            "Type": "SMALL",
            "ApiCachingBehavior": "FULL_REQUEST_CACHING",
            "Ttl": 1200,
            "AtRestEncryptionEnabled": true
        }
    }
}
```

Contoh YAMAL

```
GraphQLApiCache:
  Type: AWS::AppSync::ApiCache
  Properties:
    ApiId: !GetAtt 'GraphQLApi.ApiId'
    Type: SMALL
    ApiCachingBehavior: FULL_REQUEST_CACHING
    Ttl: 1200
    AtRestEncryptionEnabled: true
```

Spesifikasi aturan CT.APPSYNC.PR.5

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   appsync_cache_encryption_at_rest_check
#
# Description:
#   This control checks whether an AWS AppSync API cache has encryption at rest
 enabled.
#
# Reports on:
```

```
#   AWS::AppSync::ApiCache
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS AppSync GraphQL API cache
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API cache resource
#       And: 'AtRestEncryptionEnabled' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API cache resource
#       And: 'AtRestEncryptionEnabled' been provided and is equal to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS AppSync GraphQL API cache resource
#       And: 'AtRestEncryptionEnabled' been provided and is equal to bool(true)
#      Then: PASS

#
# Constants
#
let APPSYNC_GRAPHQL_API_CACHE_TYPE = "AWS::AppSync::ApiCache"
let INPUT_DOCUMENT = this

#
# Assignments
#
```

```
let appsync_graphql_api_caches = Resources.*[ Type == %APPSYNC_GRAPHQL_API_CACHE_TYPE ]

#
# Primary Rules
#
rule appsync_cache_encryption_at_rest_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %appsync_graphql_api_caches not empty
 {
    check(%appsync_graphql_api_caches.Properties)
        <<
        [CT.APPSYNC.PR.5]: Require an AWS AppSync GraphQL API cache to have encryption
 at rest enabled.
        [FIX]: Set the value of the AtRestEncryptionEnabled property to true.
        >>
}

rule appsync_cache_encryption_at_rest_check when is_cfn_hook(%INPUT_DOCUMENT,
 %APPSYNC_GRAPHQL_API_CACHE_TYPE) {
    check(%INPUT_DOCUMENT.%APPSYNC_GRAPHQL_API_CACHE_TYPE.resourceProperties)
        <<
        [CT.APPSYNC.PR.5]: Require an AWS AppSync GraphQL API cache to have encryption
 at rest enabled.
        [FIX]: Set the value of the AtRestEncryptionEnabled property to true.
        >>
}

#
# Parameterized Rules
#
rule check(appsync_graphql_api_cache) {
    %appsync_graphql_api_cache {
        # Scenario 2
        AtRestEncryptionEnabled exists
        # Scenarios 3 and 4
        AtRestEncryptionEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Templat contoh CT.APPSYNC.PR.5

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  GraphQLApi:
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
  GraphQLApiCache:
    Type: AWS::AppSync::ApiCache
    Properties:
      ApiId:
        Fn::GetAtt: GraphQLApi.ApiId
      Type: SMALL
      ApiCachingBehavior: FULL_REQUEST_CACHING
      Ttl: 1200
      AtRestEncryptionEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  GraphQLApi:
```

```
    Type: AWS::AppSync::GraphQLApi
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      AuthenticationType: AWS_IAM
  GraphQLApiCache:
    Type: AWS::AppSync::ApiCache
    Properties:
      ApiId:
        Fn::GetAtt: GraphQLApi.ApiId
      Type: SMALL
      ApiCachingBehavior: FULL_REQUEST_CACHING
      Ttl: 1200
      AtRestEncryptionEnabled: false
```

Kontrol Amazon Athena

Topik

- [CT.ATHENA.PR.2] Memerlukan workgroup Amazon Athena untuk mengenkripsi hasil kueri Athena saat istirahat dengan kunci AWS Key Management Service (KMS)

[CT.ATHENA.PR.2] Memerlukan workgroup Amazon Athena untuk mengenkripsi hasil kueri Athena saat istirahat dengan kunci AWS Key Management Service (KMS)

Kontrol ini memeriksa apakah workgroup Amazon Athena dikonfigurasi untuk mengenkripsi hasil kueri saat istirahat dengan kunci AWS KMS.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Athena::WorkGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ATHENA.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ATHENA.PR.2

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ATHENA.PR.2 contoh templat

Penjelasan

Untuk lapisan keamanan tambahan, Anda dapat mengenkripsi hasil kueri Athena di workgroup dengan AWS Key Management Service (KMS).

> Pertimbangan penggunaan
>
> - Kontrol ini memerlukan workgroup Athena untuk mengganti pengaturan klien dengan mewajibkan `EnforceWorkGroupConfiguration` properti disediakan dan disetel ke true, atau dihilangkan untuk mengadopsi nilai default true.

Remediasi untuk kegagalan aturan

Dalam `WorkGroupConfiguration.ResultConfiguration` parameter, berikan `EncryptionConfiguration` konfigurasi dengan `EncryptionOption` set ke opsi enkripsi berbasis KMS, dan dengan `KmsKey` disetel ke pengenal atau ARN kunci AWS KMS, atau nama alias kunci AWS KMS.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kelompok kerja Amazon Athena - Contoh

Grup kerja Amazon Athena dikonfigurasi untuk mengenkripsi hasil kueri Athena dengan AWS KMS (SSE_KMS). Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "AthenaWorkGroup": {
        "Type": "AWS::Athena::WorkGroup",
        "Properties": {
            "Name": {
                "Fn::Sub": "${AWS::StackName}-example"
            },
            "Description": "Example workgroup",
            "State": "ENABLED",
```

```
            "WorkGroupConfiguration": {
                "EnforceWorkGroupConfiguration": true,
                "ResultConfiguration": {
                    "EncryptionConfiguration": {
                        "KmsKey": {
                            "Ref": "Key"
                        },
                        "EncryptionOption": "SSE_KMS"
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
AthenaWorkGroup:
  Type: AWS::Athena::WorkGroup
  Properties:
    Name: !Sub '${AWS::StackName}-example'
    Description: Example workgroup
    State: ENABLED
    WorkGroupConfiguration:
      EnforceWorkGroupConfiguration: true
      ResultConfiguration:
        EncryptionConfiguration:
          KmsKey: !Ref 'Key'
          EncryptionOption: SSE_KMS
```

Spesifikasi aturan CT.ATHENA.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   athena_workgroup_results_encrypted_at_rest_kms_check
```

```
#
# Description:
#   This control checks whether an Amazon Athena workgroup is configured to encrypt
 query results at rest with an AWS KMS key.
#
# Reports on:
#   AWS::Athena::WorkGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Athena workgroup resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Athena workgroup resource
#       And: 'EnforceWorkGroupConfiguration' in 'WorkGroupConfiguration' has been
 provided and
#            set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Athena workgroup resource
#       And: 'EnforceWorkGroupConfiguration' in 'WorkGroupConfiguration' has not been
 provided or provided
#            and set to bool(true)
#       And: 'EncryptionConfiguration' in 'WorkGroupConfiguration.ResultConfiguration'
 has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Athena workgroup resource
#       And: 'EnforceWorkGroupConfiguration' in 'WorkGroupConfiguration' has not been
 provided or provided
```

```
#            and set to bool(true)
#       And: 'EncryptionConfiguration' in 'WorkGroupConfiguration.ResultConfiguration'
 has been provided
#       And: 'EncryptionOption' in 'EncryptionConfiguration' has not been provided or
 provided as an empty string
#       And: 'KmsKey' in 'EncryptionConfiguration' has not been provided or provided as
 an empty string or
#            invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Athena workgroup resource
#       And: 'EnforceWorkGroupConfiguration' in 'WorkGroupConfiguration' has not been
 provided or provided
#            and set to bool(true)
#       And: 'EncryptionConfiguration' in 'WorkGroupConfiguration.ResultConfiguration'
 has been provided
#       And: 'EncryptionOption' in 'EncryptionConfiguration' has been provided as a
 non-empty string
#       And: 'KmsKey' in 'EncryptionConfiguration' has not been provided or provided as
 an empty string or
#            invalid local reference
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Athena workgroup resource
#       And: 'EnforceWorkGroupConfiguration' in 'WorkGroupConfiguration' has not been
 provided or provided
#            and set to bool(true)
#       And: 'EncryptionConfiguration' in 'WorkGroupConfiguration.ResultConfiguration'
 has been provided
#       And: 'EncryptionOption' in 'EncryptionConfiguration' has not been provided or
 provided as an empty string
#       And: 'KmsKey' in 'EncryptionConfiguration' has been provided as a non-empty
 string or valid local reference to
#            a KMS key or key alias
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Athena workgroup resource
```

```
#       And: 'EnforceWorkGroupConfiguration' in 'WorkGroupConfiguration' has not been
 provided or provided
#            and set to bool(true)
#       And: 'EncryptionConfiguration' in 'WorkGroupConfiguration.ResultConfiguration'
 has been provided
#       And: 'EncryptionOption' in 'EncryptionConfiguration' has been provided as a
 non-empty string
#       And: 'KmsKey' in 'EncryptionConfiguration' has been provided as a non-empty
 string or valid local reference to
#            a KMS key or key alias
#      Then: PASS

#
# Constants
#
let ATHENA_WORKGROUP_TYPE = "AWS::Athena::WorkGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let athena_workgroups = Resources.*[ Type == %ATHENA_WORKGROUP_TYPE ]

#
# Primary Rules
#
rule athena_workgroup_results_encrypted_at_rest_kms_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %athena_workgroups not
 empty {
    check(%athena_workgroups.Properties)
        <<
        [CT.ATHENA.PR.2]: Require an Amazon Athena workgroup to encrypt Athena query
 results at rest with an AWS Key Management Service (KMS) key
        [FIX]: In the 'WorkGroupConfiguration.ResultConfiguration' parameter, provide
 an 'EncryptionConfiguration' configuration with an 'EncryptionOption' set to a KMS-
based encryption option, and with 'KmsKey' set to the identifier or ARN of an AWS KMS
 key, or the name of an AWS KMS key alias.
        >>
}

rule athena_workgroup_results_encrypted_at_rest_kms_check when
 is_cfn_hook(%INPUT_DOCUMENT, %ATHENA_WORKGROUP_TYPE) {
    check(%INPUT_DOCUMENT.%ATHENA_WORKGROUP_TYPE.resourceProperties)
```

```
        <<
        [CT.ATHENA.PR.2]: Require an Amazon Athena workgroup to encrypt Athena query
 results at rest with an AWS Key Management Service (KMS) key
        [FIX]: In the 'WorkGroupConfiguration.ResultConfiguration' parameter, provide
 an 'EncryptionConfiguration' configuration with an 'EncryptionOption' set to a KMS-
based encryption option, and with 'KmsKey' set to the identifier or ARN of an AWS KMS
 key, or the name of an AWS KMS key alias.
        >>
}

#
# Parameterized Rules
#
rule check(athena_workgroup) {
    %athena_workgroup {
        WorkGroupConfiguration exists
        WorkGroupConfiguration is_struct

        WorkGroupConfiguration {
            # Scenario 2
            EnforceWorkGroupConfiguration not exists or
            EnforceWorkGroupConfiguration == true

            ResultConfiguration exists
            ResultConfiguration is_struct
            ResultConfiguration {
                # Scenario 3
                EncryptionConfiguration exists
                EncryptionConfiguration is_struct

                EncryptionConfiguration {
                    # Scenarios 4, 5, 6 and 7
                    EncryptionOption exists
                    check_is_string_and_not_empty(EncryptionOption)

                    KmsKey exists
                    check_is_string_and_not_empty(KmsKey) or
                    check_local_references(%INPUT_DOCUMENT, KmsKey, "AWS::KMS::Key") or
                    check_local_references(%INPUT_DOCUMENT, KmsKey, "AWS::KMS::Alias")
                }
            }
        }
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.ATHENA.PR.2 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Key:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-policy
        Statement:
        - Sid: Enable IAM user permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      KeySpec: SYMMETRIC_DEFAULT
  AthenaWorkGroup:
    Type: AWS::Athena::WorkGroup
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      Description: Example workgroup
      State: ENABLED
      WorkGroupConfiguration:
        EnforceWorkGroupConfiguration: true
        ResultConfiguration:
          EncryptionConfiguration:
            KmsKey:
              Ref: Key
            EncryptionOption: SSE_KMS
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  AthenaWorkGroup:
    Type: AWS::Athena::WorkGroup
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      Description: Example workgroup
      State: ENABLED
      WorkGroupConfiguration:
        ResultConfiguration:
          EncryptionConfiguration:
            EncryptionOption: SSE_S3
```

CloudFront Kontrol Amazon

Topik

- [CT.CLOUDFRONT.PR.1] Memerlukan CloudFront distribusi Amazon agar objek root default dikonfigurasi
- [CT.CLOUDFRONT.PR.2] Memerlukan CloudFront distribusi Amazon apa pun dengan asal yang didukung Amazon S3 agar identitas akses asal dikonfigurasi
- [CT.CLOUDFRONT.PR.3] Memerlukan CloudFront distribusi Amazon agar enkripsi dalam perjalanan dikonfigurasi
- [CT.CLOUDFRONT.PR.4] Memerlukan CloudFront distribusi Amazon agar failover asal dikonfigurasi
- [CT.CLOUDFRONT.PR.5] Memerlukan CloudFront distribusi Amazon apa pun agar logging diaktifkan
- [CT.CLOUDFRONT.PR.6] Memerlukan CloudFront distribusi Amazon untuk menggunakan sertifikat SSL/TLS khusus
- [CT.CLOUDFRONT.PR.7] Memerlukan CloudFront distribusi Amazon untuk menggunakan SNI untuk melayani permintaan HTTPS
- [CT.CLOUDFRONT.PR.8] Memerlukan CloudFront distribusi Amazon untuk mengenkripsi lalu lintas ke asal kustom
- [CT.CLOUDFRONT.PR.9] Memerlukan CloudFront distribusi Amazon untuk memiliki kebijakan keamanan TLSv1.2 sebagai minimum

- [CT.CLOUDFRONT.PR.10] Memerlukan Amazon apa pun CloudFrontdistributions dengan asal yang didukung Amazon S3 agar kontrol akses asal dikonfigurasi
- [CT.CLOUDFRONT.PR.11] Memerlukan CloudFront distribusi Amazon untuk menggunakan protokol SSL yang diperbarui antara lokasi tepi dan asal kustom

[CT.CLOUDFRONT.PR.1] Memerlukan CloudFront distribusi Amazon agar objek root default dikonfigurasi

Kontrol ini memeriksa apakah CloudFront distribusi Amazon dikonfigurasi untuk mengembalikan objek tertentu yang merupakan objek root default.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.1contoh template

Penjelasan

Seorang pengguna mungkin dapat meminta URL root distribusi alih-alih objek dalam distribusi. Dalam situasi ini, menentukan objek root default dapat membantu Anda menghindari mengekspos konten distribusi web Anda.

Remediasi untuk kegagalan aturan

Tentukan objek root default di `DefaultRootObject` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dikonfigurasi dengan objek root default. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "DefaultRootObject": "index.html"
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
```

```
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      DefaultRootObject: index.html
```

CT.CLOUDFRONT.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_default_root_object_configured_check
#
# Description:
#   This control checks whether an Amazon CloudFront distribution is configured to
 return a specific object that is the default root object.
#
# Reports on:
#    AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
```

```
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DefaultRootObject' is not present on the CloudFront distribution resource
 or is present and
#            is an empty string
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DefaultRootObject' is present on the CloudFront distribution resource and
 is a non-empty string
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_default_root_object_configured_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %cloudfront_distributions not
 empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.1]: Require an Amazon CloudFront distribution to have a
 default root object configured
            [FIX]: Specify a default root object in the 'DefaultRootObject' property.
        >>
}
```

```
rule cloudfront_default_root_object_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.1]: Require an Amazon CloudFront distribution to have a
 default root object configured
            [FIX]: Specify a default root object in the 'DefaultRootObject' property.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            # Scenario 2
            DefaultRootObject exists
            # Scenario 3
            check_is_string_and_not_empty(DefaultRootObject)
        }
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDFRONT.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
         ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
```

```
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        DefaultRootObject: index.html
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
```

```
          CachePolicyId:
            Ref: CachePolicy
```

[CT.CLOUDFRONT.PR.2] Memerlukan CloudFront distribusi Amazon apa pun dengan asal yang didukung Amazon S3 agar identitas akses asal dikonfigurasi

Kontrol ini memeriksa apakah CloudFront distribusi Amazon yang didukung oleh Amazon S3 dikonfigurasi dengan identitas akses asal.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.CLOUDFRONT.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.CLOUDFRONT.PR.2
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.2contoh template

Penjelasan

CloudFront OAI mencegah pengguna mendapatkan akses langsung ke konten bucket Amazon S3. Dengan akses langsung ke bucket Amazon S3, pengguna melewati CloudFront distribusi dan izin apa pun yang diterapkan ke konten bucket S3 yang mendasarinya.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk CloudFront distribusi Amazon yang dikonfigurasi dengan satu atau lebih asal yang didukung oleh Amazon S3.

Remediasi untuk kegagalan aturan

Konfigurasikan asal yang didukung Amazon S3 melalui properti. `Origins` Untuk setiap asal yang didukung oleh Amazon S3, konfigurasikan identitas akses asal melalui `OriginAccessIdentity` properti dalam konfigurasi. `S3OriginConfig`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dengan asal bucket Amazon S3 dan identitas akses asal. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleS3Origin",
                        "DomainName": {
                            "Fn::GetAtt": [
                                "OriginBucket",
                                "RegionalDomainName"
                            ]
                        },
                        "S3OriginConfig": {
                            "OriginAccessIdentity": {
                                "Fn::Join": [
                                    "",
                                    [
                                        "origin-access-identity/cloudfront/",
                                        {
                                            "Ref": "OriginBucketOai"
                                        }
                                    ]
                                ]
                            }
                        }
```

```
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleS3Origin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleS3Origin
          DomainName: !GetAtt 'OriginBucket.RegionalDomainName'
          S3OriginConfig:
            OriginAccessIdentity: !Join
              - ''
              - - origin-access-identity/cloudfront/
                - !Ref 'OriginBucketOai'
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleS3Origin
        CachePolicyId: !Ref 'CachePolicy'
```

Spesifikasi aturan CT.CLOUDFRONT.PR.2

```
# ##################################
##       Rule Specification        ##
```

```
####################################
#
# Rule Identifier:
#   cloudfront_origin_access_identity_enabled_check
#
# Description:
#   This control checks whether Amazon CloudFront distributions backed by Amazon S3 are
 configured with an origin access identity.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: No S3 backed 'Origins' are provided on the CloudFront distribution
 resource or 'Origins' is not present on
#            the CloudFront distribution resource or is present and an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'S3Origin' is present on the CloudFront distribution resource
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more S3 backed 'Origins' are configured on the CloudFront
 distribution resource
```

```
#       And: 'OriginAccessIdentity' is not present or is an empty string in the
 'S3OriginConfig' property or invalid
#            local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more S3 backed 'Origins' are provided on the CloudFront
 distribution resource
#       And: 'S3OriginConfig' is present with an 'OriginAccessIdentity for each S3
 backed 'Origin' on the
#            CloudFront distribution resource that is a non-empty string or valid local
 reference
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let S3_BUCKET_DNS_NAME_PATTERN = /(.*)\.s3(-external-\d|[-\.][a-z]*-[a-z]*-[0-9])?
\.amazonaws\.com(\.cn)?$/
let INPUT_DOCUMENT = this
#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_origin_access_identity_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %cloudfront_distributions not
 empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.2]: Require any Amazon CloudFront distributions with Amazon
 S3 backed origins to have an origin access identity configured
            [FIX]: Configure Amazon S3 backed origins by means of the 'Origins'
 property. For each origin backed by Amazon S3, configure an origin access identity by
 means of the 'OriginAccessIdentity' property within an 'S3OriginConfig' configuration.
        >>
}
```

```
rule cloudfront_origin_access_identity_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.2]: Require any Amazon CloudFront distributions with Amazon
 S3 backed origins to have an origin access identity configured
            [FIX]: Configure Amazon S3 backed origins by means of the 'Origins'
 property. For each origin backed by Amazon S3, configure an origin access identity by
 means of the 'OriginAccessIdentity' property within an 'S3OriginConfig' configuration.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution[
        filter_cloudfront_distribution_with_legacy_s3_origins(this)
    ] {
        DistributionConfig {
            # Scenario 3
            S3Origin not exists
        }
    }

    %cloudfront_distribution[
        # Scenario 2
        filter_cloudfront_distribution_with_origins(this)
    ] {
        DistributionConfig {
            # Scenario 4
            Origins [
                DomainName == %S3_BUCKET_DNS_NAME_PATTERN or
                check_origin_domain_name_get_att(DomainName)
            ] {
                S3OriginConfig exists
                S3OriginConfig is_struct
                S3OriginConfig {
                    # Scenario 3 and 5
                    OriginAccessIdentity exists
                    check_is_string_and_not_empty(OriginAccessIdentity) or
                    check_local_oai(OriginAccessIdentity)
                }
```

```
            }
        }
    }
}

rule check_origin_domain_name_get_att(domain) {
  %domain {
    'Fn::GetAtt' {
        this is_list
        this not empty
        this[1] == "DomainName" or
        this[1] == "RegionalDomainName"
    }
    check_local_references(%INPUT_DOCUMENT, this, "AWS::S3::Bucket")
  }
}

rule check_local_oai(oai) {
    %oai {
        'Fn::Join' {
            this[1] exists
            this[1] is_list
            this[1] not empty
            some this[1].* {
                check_local_references(%INPUT_DOCUMENT, this,
 "AWS::CloudFront::CloudFrontOriginAccessIdentity")
            }
        } or
        'Fn::Sub' {
            when this is_list {
                this[1] exists
                this[1] is_struct
                some this[1].* {
                   check_local_references(%INPUT_DOCUMENT, this,
 "AWS::CloudFront::CloudFrontOriginAccessIdentity")
                }
            }
            when this is_string {
                check_is_string_and_not_empty(this)
            }
        }
    }
}
```

```
rule filter_cloudfront_distribution_with_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            Origins exists
            Origins is_list
            Origins not empty
        }
    }
}

rule filter_cloudfront_distribution_with_legacy_s3_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            S3Origin exists
        }
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

```
rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.CLOUDFRONT.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
```

```
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  OriginBucketOai:
    Type: AWS::CloudFront::CloudFrontOriginAccessIdentity
    Properties:
      CloudFrontOriginAccessIdentityConfig:
        Comment:
          Fn::Sub: ${AWS::StackName}-example-oai
  OriginBucket:
    Type: AWS::S3::Bucket
  OriginBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: OriginBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetObject'
            Effect: Allow
            Resource:
              Fn::Join:
              - ''
              - - 'arn:aws:s3:::'
                - Ref: OriginBucket
                - /*
            Principal:
              AWS:
                Fn::Join:
                - ''
                - - 'arn:aws:iam::cloudfront:user/CloudFront Origin Access Identity '
                  - Ref: OriginBucketOai
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleS3Origin
          DomainName:
```

```
            Fn::GetAtt:
            - OriginBucket
            - RegionalDomainName
          S3OriginConfig:
            OriginAccessIdentity:
              Fn::Join:
              - ""
              - - "origin-access-identity/cloudfront/"
                - Ref: OriginBucketOai
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleS3Origin
          CachePolicyId:
            Ref: CachePolicy
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
```

```
        Enabled: false
        Origins:
        - Id: exampleS3Origin
          DomainName: examplebucket.s3.amazonaws.com
          S3OriginConfig: {}
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleS3Origin
          CachePolicyId:
            Ref: CachePolicy
```

[CT.CLOUDFRONT.PR.3] Memerlukan CloudFront distribusi Amazon agar enkripsi dalam perjalanan dikonfigurasi

Kontrol ini memeriksa apakah CloudFront distribusi Amazon Anda menggunakan HTTPS, baik secara langsung atau melalui pengalihan.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.3contoh template

Penjelasan

HTTPS (TLS) dapat membantu mencegah penyerang potensial dari mencoba atau serangan serupa, yang dapat menguping person-in-the-middle atau memanipulasi lalu lintas jaringan. Hanya koneksi terenkripsi melalui HTTPS (TLS) yang diizinkan. Mengenkripsi data dalam perjalanan

dapat memengaruhi kinerja. Kami menyarankan Anda menguji aplikasi Anda dengan fitur ini untuk memahami profil kinerja dan dampak TLS.

Remediasi untuk kegagalan aturan

Atur `ViewerProtocolPolicy` `DefaultCacheBehavior` dan `CacheBehavior` ke `https-only` ataur`edirect-to-https`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh Satu

CloudFront Distribusi Amazon dikonfigurasi dengan perilaku cache default yang memerlukan koneksi penampil untuk menggunakan HTTPS. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                }
            }
        }
    }
```

```
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh Dua

CloudFront Distribusi Amazon dikonfigurasi dengan perilaku cache yang mengarahkan koneksi HTTP penampil ke HTTPS. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
```

```
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "CacheBehaviors": [
                    {
                        "ViewerProtocolPolicy": "redirect-to-https",
                        "TargetOriginId": "sampleOrigin",
                        "PathPattern": "*"
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      CacheBehaviors:
```

```
        - ViewerProtocolPolicy: redirect-to-https
          TargetOriginId: sampleOrigin
          PathPattern: '*'
```

CT.CLOUDFRONT.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   cloudfront_viewer_policy_https_check
#
# Description:
#   This control checks whether your Amazon CloudFront distributions use HTTPS, either
 directly or through a redirection.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.DefaultCacheBehavior' is missing on the CloudFront
 distribution resource
#      Then: FAIL
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.DefaultCacheBehavior' is present on the CloudFront
 distribution resource
#       And: 'ViewerProtocolPolicy' in 'DefaultCacheBehavior' is missing or set to a
 value other than 'https-only' or
#            'redirect-to-https' (e.g. 'allow-all')
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.CacheBehavior' is provided on the CloudFront
 distribution resource
#       And: 'ViewerProtocolPolicy' in the 'CacheBehavior' is  is missing or set to a
 value other than 'https-only' or
#            'redirect-to-https' (e.g. 'allow-all')
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.DefaultCacheBehavior' is present on the CloudFront
 distribution resource
#       And: 'ViewerProtocolPolicy' in 'DefaultCacheBehavior' is set to 'https-only' or
 'redirect-to-https'
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.CacheBehavior' are provided on the CloudFront
 distribution resource as a non-empty list
#       And: 'ViewerProtocolPolicy' in the 'CacheBehavior' is set to 'https-only' or
 'redirect-to-https'
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let ALLOWED_VIEWER_PROTOCOL_POLICIES = [ "https-only", "redirect-to-https" ]
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_viewer_policy_https_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %cloudfront_distributions not empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.3]: Require an Amazon CloudFront distribution to have
 encryption in transit configured
            [FIX]: Set 'ViewerProtocolPolicy' in 'DefaultCacheBehavior' and
 'CacheBehavior' to 'https-only' or 'redirect-to-https'.
        >>
}

rule cloudfront_viewer_policy_https_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.3]: Require an Amazon CloudFront distribution to have
 encryption in transit configured
            [FIX]: Set 'ViewerProtocolPolicy' in 'DefaultCacheBehavior' and
 'CacheBehavior' to 'https-only' or 'redirect-to-https'.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            DefaultCacheBehavior exists
            DefaultCacheBehavior is_struct

            DefaultCacheBehavior {
```

```
                # Scenarios 2 and 4
                check_viewer_protocol_policy(this)
            }

            when CacheBehaviors exists
                 CacheBehaviors is_list
                 CacheBehaviors not empty {

                    CacheBehaviors[*] {
                        # Scenarios 3 and 5
                        check_viewer_protocol_policy(this)
                    }
            }
        }
    }
}

rule check_viewer_protocol_policy(cache_behaviour) {
    %cache_behaviour {
        ViewerProtocolPolicy exists
        ViewerProtocolPolicy in %ALLOWED_VIEWER_PROTOCOL_POLICIES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDFRONT.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: allow-all
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
```

[CT.CLOUDFRONT.PR.4] Memerlukan CloudFront distribusi Amazon agar failover asal dikonfigurasi

Kontrol ini memeriksa apakah CloudFront distribusi Amazon Anda dikonfigurasi dengan grup asal yang berisi dua anggota grup asal.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.4contoh template

Penjelasan

CloudFront origin failover dapat meningkatkan ketersediaan. Origin failover secara otomatis mengalihkan lalu lintas ke asal sekunder jika asal primer tidak tersedia atau jika mengembalikan kode status respons HTTP tertentu.

Remediasi untuk kegagalan aturan

Konfigurasikan grup asal di CloudFront Distribusi Amazon dengan dua anggota grup asal.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh Satu

CloudFront Distribusi Amazon dikonfigurasi dengan grup asal yang berisi dua anggota grup asal. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
```

```
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "one.example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    },
                    {
                        "Id": "sampleOrigin2",
                        "DomainName": "two.example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "OriginGroups": {
                    "Quantity": 1,
                    "Items": [
                        {
                            "Id": "ExampleOriginGroup",
                            "FailoverCriteria": {
                                "StatusCodes": {
                                    "Items": [
                                        400
                                    ],
                                    "Quantity": 1
                                }
                            },
                            "Members": {
                                "Quantity": 2,
                                "Items": [
                                    {
```

```
                                        "OriginId": "sampleOrigin"
                                    },
                                    {
                                        "OriginId": "sampleOrigin2"
                                    }
                                ]
                            }
                        }
                    ]
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: one.example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        - Id: sampleOrigin2
          DomainName: two.example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      OriginGroups:
        Quantity: 1
        Items:
          - Id: ExampleOriginGroup
            FailoverCriteria:
              StatusCodes:
```

```
                Items:
                  - 400
                Quantity: 1
            Members:
              Quantity: 2
              Items:
                - OriginId: sampleOrigin
                - OriginId: sampleOrigin2
```

CT.CLOUDFRONT.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_origin_failover_enabled_check
#
# Description:
#   This control checks whether your Amazon CloudFront distribution is configured with
 an origin group that contains two origin group members.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains a CloudFront distribution resource
#       And: 'OriginGroups' is not present on the CloudFront distribution resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'OriginGroups' is present on the CloudFront distribution resource
#       And: 'Quantity' within 'OriginGroups' is 0
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'OriginGroups' is present on the CloudFront distribution resource
#       And: 'Quantity' within 'OriginGroups' is >= 1
#       And: 'Quantity' within 'Members' is < 2
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'OriginGroups' is present on the CloudFront distribution resource
#       And: 'Quantity' within 'OriginGroups' is >= 1
#       And: 'Quantity' within 'Members' is == 2
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_origin_failover_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                   %cloudfront_distributions not empty
 {
```

```
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.4]: Require an Amazon CloudFront distribution to have origin
 failover configured
            [FIX]: Configure an origin group on the Amazon CloudFront Distribution with
 two origin group members.
        >>
}

rule cloudfront_origin_failover_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.4]: Require an Amazon CloudFront distribution to have origin
 failover configured
            [FIX]: Configure an origin group on the Amazon CloudFront Distribution with
 two origin group members.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            # Scenario 2
            OriginGroups exists
            OriginGroups is_struct

            OriginGroups {
                # Scenario 3
                Quantity exists
                Quantity >= 1

                Items exists
                Items is_list
                Items not empty

                Items[*] {
                    Members exists
```

```
                    Members is_struct
                    Members {
                        # Scenarios 4 and 5
                        Quantity == 2
                    }
                }
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDFRONT.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
```

```
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: one.example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        - Id: exampleOrigin2
          DomainName: two.example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        OriginGroups:
          Quantity: 1
          Items:
          - Id: ExampleOriginGroup
            FailoverCriteria:
              StatusCodes:
                Items:
                - 400
                Quantity: 1
            Members:
              Quantity: 2
              Items:
              - OriginId: exampleOrigin
              - OriginId: exampleOrigin2
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
```

[CT.CLOUDFRONT.PR.5] Memerlukan CloudFront distribusi Amazon apa pun agar logging diaktifkan

Kontrol ini memeriksa apakah CloudFront distribusi Amazon dikonfigurasi dengan pencatatan akses.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.5contoh template

Penjelasan

CloudFront log akses memberikan informasi rinci tentang setiap permintaan pengguna yang CloudFront menerima. Setiap log berisi informasi seperti tanggal dan waktu permintaan diterima, alamat IP penampil yang membuat permintaan, sumber permintaan, dan nomor port permintaan dari penampil.

Log akses ini berguna untuk aplikasi seperti audit keamanan dan akses, dan dalam penyelidikan forensik.

Remediasi untuk kegagalan aturan

Setel `Bucket` `DistributionConfig.Logging` ke bucket Amazon S3 yang telah dikonfigurasi untuk menerima log akses CloudFront distribusi Amazon.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dikonfigurasi dengan pencatatan akses diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "Logging": {
                    "Bucket": {
                        "Fn::GetAtt": [
                            "LoggingBucket",
                            "RegionalDomainName"
                        ]
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
```

```
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      Logging:
        Bucket: !GetAtt 'LoggingBucket.RegionalDomainName'
```

CT.CLOUDFRONT.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_access_logs_enabled_check
#
# Description:
#   This control checks whether Amazon CloudFront distributions are configured with
 access logging.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.Logging.Bucket' configuration is not present on the
 CloudFront distribution resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.Logging' configuration is present on the CloudFront
 distribution resource
#       And: 'Bucket' has been provided in the 'DistributionConfig.Logging'
 configuration with with an empty string or
#            invalid local reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.Logging' configuration is present on the CloudFront
 distribution resource
#       And: A 'Bucket' property has been provided within the
 'DistributionConfig.Logging' configuration with a
#            non-empty string or valid local stack reference
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
```

```
#
rule cloudfront_access_logs_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %cloudfront_distributions not empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.5]: Require any Amazon CloudFront distribution to have
 logging enabled
            [FIX]: Set 'Bucket' in 'DistributionConfig.Logging' to an Amazon S3 bucket
 that has been configured to receive Amazon CloudFront distribution access logs.
        >>
}

rule cloudfront_access_logs_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.5]: Require any Amazon CloudFront distribution to have
 logging enabled
            [FIX]: Set 'Bucket' in 'DistributionConfig.Logging' to an Amazon S3 bucket
 that has been configured to receive Amazon CloudFront distribution access logs.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            Logging exists
            Logging is_struct
            Logging {
                # Scenario 2
                Bucket exists

                # Scenarios 3 and 4
                check_is_string_and_not_empty(Bucket) or
                check_local_references(%INPUT_DOCUMENT, Bucket, %S3_BUCKET_TYPE)
            }
        }
    }
```

```
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.CLOUDFRONT.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  LoggingBucket:
    Type: AWS::S3::Bucket
    Properties: {}
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetBucketAcl'
              - 's3:PutBucketAcl'
            Effect: Allow
```

```
            Resource:
              Fn::Join:
              - ''
              - - 'arn:aws:s3:::'
                - Ref: LoggingBucket
            Principal:
              AWS:
                Ref: AWS::AccountId
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        Logging:
          Bucket:
            Fn::GetAtt:
            - LoggingBucket
            - RegionalDomainName
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
```

```
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
```

[CT.CLOUDFRONT.PR.6] Memerlukan CloudFront distribusi Amazon untuk menggunakan sertifikat SSL/TLS khusus

Kontrol ini memeriksa apakah sertifikat yang terkait dengan CloudFront distribusi Amazon adalah sertifikat SSL/TLS kustom.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.6spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.6contoh template

Penjelasan

Sertifikat SSL/TLS khusus memberi pengguna Anda akses ke konten dengan menggunakan nama domain alternatif. Anda dapat menyimpan sertifikat khusus di AWS Certificate Manager (disarankan), atau di IAM.

> Pertimbangan penggunaan
>
> - Kontrol ini memerlukan konfigurasi sertifikat penampil yang hanya kompatibel dengan CloudFront distribusi Amazon yang digunakan`Aliases`, juga dikenal sebagai nama domain alternatif atau CNames.

Remediasi untuk kegagalan aturan

Berikan `ViewerCertificate` konfigurasi dengan nilai untuk`AcmCertificateArn`,`MinimumProtocolVersion`, dan`SslSupportMethod`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dikonfigurasi dengan sertifikat AWS Certificate Manager SSL. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
```

```
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "ViewerCertificate": {
                    "AcmCertificateArn": {
                        "Ref": "ACMCertificate"
                    },
                    "MinimumProtocolVersion": "TLSv1.2_2021",
                    "SslSupportMethod": "sni-only"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
```

```
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      ViewerCertificate:
        AcmCertificateArn: !Ref 'ACMCertificate'
        MinimumProtocolVersion: TLSv1.2_2021
        SslSupportMethod: sni-only
```

CT.CLOUDFRONT.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_custom_ssl_certificate_check
#
# Description:
#   This control checks whether the certificate associated with an Amazon CloudFront
 distribution is a custom SSL/TLS certificate.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is not present on the CloudFront distribution resource
```

```
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is present on the CloudFront distribution resource
#       And: 'CloudFrontDefaultCertificate' is set to bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is present on the CloudFront distribution resource
#       And: One of 'AcmCertificateArn' or 'IamCertificateId' are not provided or
 provided as empty strings or invalid
#            local references
#       And: One of 'MinimumProtocolVersion' and 'SslSupportMethod' is not provided or
 provided as an empty string
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is present on the CloudFront distribution resource
#       And: 'AcmCertificateArn' or 'IamCertificateId' are provided in the
 'ViewerCertificate' configuration as
#             non-empty strings or 'AcmCertificateArn' is a valid local reference
#       And: 'MinimumProtocolVersion' and 'SslSupportMethod' are provided as non-empty
 strings
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
```

```
#
rule cloudfront_custom_ssl_certificate_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %cloudfront_distributions not empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.6]: Require an Amazon CloudFront distribution to use custom
 SSL/TLS certificates
            [FIX]: Provide a 'ViewerCertificate' configuration with values for
 'AcmCertificateArn', 'MinimumProtocolVersion', and 'SslSupportMethod'.
        >>
}

rule cloudfront_custom_ssl_certificate_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.6]: Require an Amazon CloudFront distribution to use custom
 SSL/TLS certificates
            [FIX]: Provide a 'ViewerCertificate' configuration with values for
 'AcmCertificateArn', 'MinimumProtocolVersion', and 'SslSupportMethod'.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            ViewerCertificate exists
            ViewerCertificate is_struct

            ViewerCertificate {
                CloudFrontDefaultCertificate not exists or
                CloudFrontDefaultCertificate == false

                check_custom_acm_certificate_provided(AcmCertificateArn,
 "AWS::CertificateManager::Certificate") or
                check_custom_iam_certificate_provided(IamCertificateId)

                MinimumProtocolVersion exists
```

```
                check_is_string_and_not_empty(MinimumProtocolVersion)

                SslSupportMethod exists
                check_is_string_and_not_empty(SslSupportMethod)
            }
        }
    }
}

rule check_custom_acm_certificate_provided(certificate, cfn_type) {
    %certificate {
        this exists
        check_is_string_and_not_empty(this) or
        check_local_references(%INPUT_DOCUMENT, this, %cfn_type)
    }
}

rule check_custom_iam_certificate_provided(certificate) {
    %certificate {
        this exists
        check_is_string_and_not_empty(this)
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

```
rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.CLOUDFRONT.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
```

```
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        ViewerCertificate:
          AcmCertificateArn:
            Ref: ACMCertificate
          MinimumProtocolVersion: TLSv1.2_2021
          SslSupportMethod: sni-only
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
```

```
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        ViewerCertificate:
          CloudFrontDefaultCertificate: true
```

[CT.CLOUDFRONT.PR.7] Memerlukan CloudFront distribusi Amazon untuk menggunakan SNI untuk melayani permintaan HTTPS

Kontrol ini memeriksa apakah CloudFront distribusi Amazon Anda dikonfigurasi untuk menggunakan SNI untuk melayani permintaan HTTPS.

- Tujuan kontrol: Enkripsi data dalam perjalanan, Meningkatkan ketersediaan

- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.7spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.7spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.7contoh template

Penjelasan

Server Name Indication (SNI) adalah perpanjangan dari protokol TLS. Ini didukung oleh browser dan klien yang dirilis setelah 2010. Jika Anda mengonfigurasi CloudFront untuk melayani permintaan HTTPS menggunakan SNI, CloudFront kaitkan nama domain alternatif Anda dengan alamat IP untuk setiap lokasi tepi. Saat penampil mengirimkan permintaan HTTPS untuk konten Anda, DNS mengirimkan permintaan ke alamat IP untuk lokasi tepi yang benar. Alamat IP untuk nama domain Anda ditentukan selama negosiasi jabat tangan SSL/TLS; alamat IP tidak didedikasikan untuk distribusi Anda.

> **Pertimbangan penggunaan**
>
> - Kontrol ini memerlukan konfigurasi sertifikat penampil yang hanya kompatibel dengan CloudFront distribusi Amazon yang menggunakan `Aliases` (juga dikenal sebagai nama domain alternatif atau CNames)

Remediasi untuk kegagalan aturan

Di dalam`ViewerCertificate`, atur `SslSupportMethod` `kesni-only`, `MinimumProtocolVersion` ke protokol yang mendukung SNI (`TLSv1`atau lebih besar), dan `AcmCertificateArn` ke ARN sertifikat ACM. AWS

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dikonfigurasi untuk menggunakan SNI untuk melayani permintaan HTTPS. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "ViewerCertificate": {
                    "AcmCertificateArn": {
                        "Ref": "ACMCertificate"
                    },
                    "MinimumProtocolVersion": "TLSv1.2_2021",
                    "SslSupportMethod": "sni-only"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      ViewerCertificate:
        AcmCertificateArn: !Ref 'ACMCertificate'
        MinimumProtocolVersion: TLSv1.2_2021
        SslSupportMethod: sni-only
```

CT.CLOUDFRONT.PR.7spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_sni_enabled_check
#
# Description:
#   This control checks whether your Amazon CloudFront distributions are configured to
 use SNI to serve HTTPS requests.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
```

```
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is not present on the CloudFront distribution resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is present on the CloudFront distribution resource
#       And: 'CloudFrontDefaultCertificate' is set to bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is present on the CloudFront distribution resource
#       And: 'AcmCertificateArn' or 'IamCertificateId' are provided in the
 'ViewerCertificate' configuration
#       And: 'MinimumProtocolVersion' is provided in the 'ViewerCertificate'
 configuration with a protocol that does not
#            support SNI (SSLv3)
#       Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is present on the CloudFront distribution resource
#       And: 'AcmCertificateArn' or 'IamCertificateId' are provided in the
 'ViewerCertificate' configuration
#       And: 'MinimumProtocolVersion' is provided in the 'ViewerCertificate'
 configuration with a protocol that supports
#            SNI (TLSv1 or greater)
```

```
#       And: 'SslSupportMethod' is set to 'vip'
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'ViewerCertificate' is present on the CloudFront distribution resource
#       And: 'AcmCertificateArn' or 'IamCertificateId' are provided in the
 'ViewerCertificate' configuration
#       And: 'MinimumProtocolVersion' is provided in the 'ViewerCertificate'
 configuration with a protocol that supports
#            SNI (TLSv1 or greater)
#       And: 'SslSupportMethod' is set to 'sni-only'
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let UNSUPPORTED_PROTOCOLS_FOR_SNI = [ "SSLv3" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_sni_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                        %cloudfront_distributions not empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.7]: Require an Amazon CloudFront distribution to use SNI to
 serve HTTPS requests
            [FIX]: Within 'ViewerCertificate', set 'SslSupportMethod' to 'sni-only',
 'MinimumProtocolVersion' to a protocol that supports SNI ('TLSv1' or greater), and
 'AcmCertificateArn' to the ARN of an AWS ACM certificate.
        >>
}

rule cloudfront_sni_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
```

```
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.7]: Require an Amazon CloudFront distribution to use SNI to
 serve HTTPS requests
            [FIX]: Within 'ViewerCertificate', set 'SslSupportMethod' to 'sni-only',
 'MinimumProtocolVersion' to a protocol that supports SNI ('TLSv1' or greater), and
 'AcmCertificateArn' to the ARN of an AWS ACM certificate.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            ViewerCertificate exists
            ViewerCertificate is_struct

            ViewerCertificate {
                CloudFrontDefaultCertificate not exists or
                CloudFrontDefaultCertificate == false

                check_custom_acm_certificate_provided(AcmCertificateArn,
 "AWS::CertificateManager::Certificate") or
                check_custom_iam_certificate_provided(IamCertificateId)

                MinimumProtocolVersion exists
                MinimumProtocolVersion not in %UNSUPPORTED_PROTOCOLS_FOR_SNI

                SslSupportMethod exists
                SslSupportMethod == "sni-only"
            }
        }
    }
}

rule check_custom_acm_certificate_provided(certificate, cfn_type) {
    %certificate {
        this exists
        check_is_string_and_not_empty(this) or
```

```
        check_local_references(%INPUT_DOCUMENT, this, %cfn_type)
    }
}

rule check_custom_iam_certificate_provided(certificate) {
    %certificate {
        this exists
        check_is_string_and_not_empty(this)
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}
```

```
rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.CLOUDFRONT.PR.7contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
```

```
          HostedZoneId: ZZZHHHHWWWWAAA
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        ViewerCertificate:
          AcmCertificateArn:
            Ref: ACMCertificate
          MinimumProtocolVersion: TLSv1.2_2021
          SslSupportMethod: sni-only
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
```

```
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        ViewerCertificate:
          AcmCertificateArn:
            Ref: ACMCertificate
          MinimumProtocolVersion: TLSv1
          SslSupportMethod: vip
```

[CT.CLOUDFRONT.PR.8] Memerlukan CloudFront distribusi Amazon untuk mengenkripsi lalu lintas ke asal kustom

Kontrol ini memeriksa apakah CloudFront distribusi Amazon Anda mengenkripsi lalu lintas ke asal kustom.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.8spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.8spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.8contoh template

Penjelasan

HTTPS (TLS) dapat membantu mencegah penyadapan atau manipulasi lalu lintas jaringan. Hanya koneksi terenkripsi melalui HTTPS (TLS) yang diizinkan.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk CloudFront distribusi Amazon yang memiliki satu atau lebih asal yang dikonfigurasi.

Remediasi untuk kegagalan aturan

Untuk asal CloudFront kustom Amazon, setel `OriginProtocolPolicy` ke `https-only` atau penampil pencocokan penampil `. When setting` OriginProtocolPolicy `to` pencocokan `, do not set` ViewerProtocolPolicy `to` izinkan semua' untuk perilaku cache apa pun.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh Satu

CloudFront Distribusi Amazon dikonfigurasi untuk memerlukan koneksi HTTPS ke asal kustom, melalui kebijakan protokol asal`https-only`. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "CacheBehaviors": [
                    {
                        "ViewerProtocolPolicy": "https-only",
                        "TargetOriginId": "sampleOrigin",
                        "PathPattern": "*",
                        "CachePolicyId": {
                            "Ref": "CachePolicy"
                        }
                    }
                ],
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
```

```
  Properties:
    DistributionConfig:
      Enabled: false
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      CacheBehaviors:
        - ViewerProtocolPolicy: https-only
          TargetOriginId: sampleOrigin
          PathPattern: '*'
          CachePolicyId: !Ref 'CachePolicy'
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh Dua

CloudFront Distribusi Amazon dikonfigurasi untuk memerlukan koneksi HTTPS ke asal kustom, melalui kebijakan protokol asal`match-viewer`. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
```

```
                "CacheBehaviors": [
                    {
                        "ViewerProtocolPolicy": "https-only",
                        "TargetOriginId": "sampleOrigin",
                        "PathPattern": "*",
                        "CachePolicyId": {
                            "Ref": "CachePolicy"
                        }
                    }
                ],
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "match-viewer"
                        }
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      CacheBehaviors:
        - ViewerProtocolPolicy: https-only
          TargetOriginId: sampleOrigin
          PathPattern: '*'
          CachePolicyId: !Ref 'CachePolicy'
      Origins:
```

```
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: match-viewer
```

CT.CLOUDFRONT.PR.8spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_traffic_to_origin_encrypted_check
#
# Description:
#   This control checks whether your Amazon CloudFront distributions are encrypting
 traffic to custom origins.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIPs
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'Origins' is not present or is an empty list
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There are no 'Origins' with a 'CustomOriginConfig'
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'CustomOrigin' is present on the CloudFront distribution resource
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: At least one 'Origins' with a 'CustomOriginConfig' has an
 'OriginProtocolPolicy' of 'http-only'
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: At least one 'Origins' with a 'CustomOriginConfig' has an
 'OriginProtocolPolicy' of 'match-viewer'
#       And: Any 'ViewerProtocolPolicy' is set to 'allow-all' for
 'DefaultCacheBehavior' or any configured
#            'CacheBehaviors'
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: All 'Origins' with a 'CustomOriginConfig' have an 'OriginProtocolPolicy'
 of 'https-only'
#      Then: PASS
#   Scenario: 8
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront Distribution resource
#       And: One or more 'Origins' has been configured
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: At least one 'Origins' with a 'CustomOriginConfig' has an
 'OriginProtocolPolicy' of 'match-viewer'
#       And: 'ViewerProtocolPolicy' is not set to 'allow-all' for both
 'DefaultCacheBehavior' and any configured
#            'CacheBehaviors'
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_traffic_to_origin_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %cloudfront_distributions not
 empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.8]: Require an Amazon CloudFront distribution to encrypt
 traffic to custom origins
            [FIX]: For Amazon CloudFront custom origins, set 'OriginProtocolPolicy' to
 'https-only' or match-viewer'. When setting 'OriginProtocolPolicy' to 'match-viewer',
 do not set 'ViewerProtocolPolicy' to 'allow-all' for any cache behaviors.
        >>
}

rule cloudfront_traffic_to_origin_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
```

```
        [CT.CLOUDFRONT.PR.8]: Require an Amazon CloudFront distribution to encrypt
 traffic to custom origins
            [FIX]: For Amazon CloudFront custom origins, set 'OriginProtocolPolicy' to
 'https-only' or match-viewer'. When setting 'OriginProtocolPolicy' to 'match-viewer',
 do not set 'ViewerProtocolPolicy' to 'allow-all' for any cache behaviors.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution[
        filter_cloudfront_distribution_with_legacy_origins(this)
    ] {
        DistributionConfig {
            # Scenario 4
            CustomOrigin not exists
        }
    }

    %cloudfront_distribution [
        # Scenario 2
        filter_cloudfront_distribution_with_origins(this)
    ] {
        let cloudfront_distro = this

        DistributionConfig {
            Origins [
                # Scenario 3
                CustomOriginConfig exists
                CustomOriginConfig is_struct
            ] {
                CustomOriginConfig {
                    # Scenario 5
                    OriginProtocolPolicy != "http-only"
                    # Scenario 6
                    OriginProtocolPolicy == "https-only" or
                    # Scenario 6 and 8

 match_viewer_policy_with_no_allow_all_viewer_protocol_policy(OriginProtocolPolicy,
 %cloudfront_distro)
                }
            }
```

```
        }
    }
}

rule
 match_viewer_policy_with_no_allow_all_viewer_protocol_policy(origin_protocol_policy,
 cloudfront_distribution) {
    %origin_protocol_policy {
        this == "match-viewer"

        %cloudfront_distribution {
            DistributionConfig {
                DefaultCacheBehavior exists
                DefaultCacheBehavior is_struct

                DefaultCacheBehavior {
                    check_viewer_protocol_policy(this)
                }

                when CacheBehaviors exists
                     CacheBehaviors is_list
                     CacheBehaviors not empty {

                        CacheBehaviors[*] {
                            check_viewer_protocol_policy(this)
                        }
                }
            }
        }
    }
}

rule check_viewer_protocol_policy(cache_behaviour) {
    %cache_behaviour {
        ViewerProtocolPolicy exists
        ViewerProtocolPolicy != "allow-all"
    }
}

rule filter_cloudfront_distribution_with_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct
```

```
        DistributionConfig {
            Origins exists
            Origins is_list
            Origins not empty
        }
    }
}

rule filter_cloudfront_distribution_with_legacy_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            CustomOrigin exists
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDFRONT.PR.8contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        CacheBehaviors:
        - ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          PathPattern: '*'
          CachePolicyId:
            Ref: CachePolicy
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        DefaultCacheBehavior:
          ViewerProtocolPolicy: allow-all
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: match-viewer
```

[CT.CLOUDFRONT.PR.9] Memerlukan CloudFront distribusi Amazon untuk memiliki kebijakan keamanan TLSv1.2 sebagai minimum

Kontrol ini memeriksa apakah CloudFront distribusi Amazon Anda menggunakan kebijakan keamanan minimum dan rangkaian sandi TLSv1.2 atau lebih tinggi untuk koneksi penampil.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.9spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.9spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.9contoh template

Penjelasan

AWS Control Tower merekomendasikan agar Anda menggunakan SSL/TLS untuk berkomunikasi dengan sumber daya. AWS Kami merekomendasikan TLS versi 1.2 atau yang lebih baru.

Anda dapat menentukan kebijakan keamanan yang CloudFront akan digunakan untuk koneksi HTTPS dengan pemirsa. Kebijakan keamanan menentukan dua pengaturan: 1) protokol SSL/TLS minimum yang CloudFront dapat digunakan untuk berkomunikasi dengan pemirsa, dan 2) cipher yang CloudFront dapat digunakan untuk mengenkripsi konten yang dikembalikan ke pemirsa.

> Pertimbangan penggunaan
>
> - Kontrol ini memerlukan konfigurasi sertifikat penampil yang hanya kompatibel dengan CloudFront distribusi Amazon yang digunakan`Aliases`, juga dikenal sebagai nama domain alternatif atau CNames.

Remediasi untuk kegagalan aturan

Berikan `ViewerCertificate` konfigurasi dengan `MinimumProtocolVersion` set ke TLSv1.2 atau lebih tinggi.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dikonfigurasi untuk menggunakan TLS versi 1.2 untuk koneksi HTTPS penampil. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only"
                        }
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "ViewerCertificate": {
                    "MinimumProtocolVersion": "TLSv1.2_2018",
                    "AcmCertificateArn": {
                        "Ref": "ACMCertificate"
                    },
                    "SslSupportMethod": "vip"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      ViewerCertificate:
        MinimumProtocolVersion: TLSv1.2_2018
        AcmCertificateArn: !Ref 'ACMCertificate'
        SslSupportMethod: vip
```

CT.CLOUDFRONT.PR.9spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_security_policy_check
#
# Description:
#   This control checks whether your Amazon CloudFront distributions are using a
 minimum security policy and cipher suite of TLSv1.2 or greater for viewer connections.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
```

```
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.ViewerCertificate' is not present on the CloudFront
 distribution resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.ViewerCertificate' is present on the CloudFront
 distribution resource
#       And: 'CloudFrontDefaultCertificate' in 'ViewerCertificate' is set to bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.ViewerCertificate' is present on the CloudFront
 distribution resource
#       And: 'CloudFrontDefaultCertificate' is not provided in 'ViewerCertificate' or
 provided and set to bool(false)
#       And: 'MinimumProtocolVersion' is not provided in 'ViewerCertificate' or
 provided as an empty string
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.ViewerCertificate' is present on the CloudFront
 distribution resource
#       And: 'CloudFrontDefaultCertificate' is not provided in 'ViewerCertificate' or
 provided and set to bool(false)
```

```
#       And: 'MinimumProtocolVersion' is provided in 'ViewerCertificate' and is to one
 of SSLv3, TLSv1,
#             TLSv1_2016, or TLSv1.1_2016
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'DistributionConfig.ViewerCertificate' is present on the CloudFront
 distribution resource
#       And: 'CloudFrontDefaultCertificate' is not provided in 'ViewerCertificate' or
 provided and set to bool(false)
#       And: 'MinimumProtocolVersion' is provided in 'ViewerCertificate' and is not set
 to SSLv3, TLSv1,
#            TLSv1_2016, or TLSv1.1_2016
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let INPUT_DOCUMENT = this
let NON_COMPLIANT_TLS_POLICIES_LIST = ["SSLv3", "TLSv1", "TLSv1_2016", "TLSv1.1_2016"]

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_security_policy_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %cloudfront_distributions not empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.9]: Require an Amazon CloudFront distribution to have a
 security policy of TLSv1.2 as a minimum
            [FIX]: Provide a 'ViewerCertificate' configuration with
 'MinimumProtocolVersion' set to TLSv1.2 or higher.
        >>
}
```

```
rule cloudfront_security_policy_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.9]: Require an Amazon CloudFront distribution to have a
 security policy of TLSv1.2 as a minimum
            [FIX]: Provide a 'ViewerCertificate' configuration with
 'MinimumProtocolVersion' set to TLSv1.2 or higher.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            # Scenario 2
            ViewerCertificate exists
            ViewerCertificate is_struct

            ViewerCertificate {
                # Scenario 3
                CloudFrontDefaultCertificate not exists or
                CloudFrontDefaultCertificate == false

                # Scenario 4, 5 and 6
                MinimumProtocolVersion exists

                check_is_string_and_not_empty(MinimumProtocolVersion)
                MinimumProtocolVersion not in %NON_COMPLIANT_TLS_POLICIES_LIST
            }
        }
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
```

```
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDFRONT.PR.9contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
```

```
            QueryStringBehavior: none
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        ViewerCertificate:
          MinimumProtocolVersion: TLSv1.2_2018
          AcmCertificateArn:
            Ref: ACMCertificate
          SslSupportMethod: sni-only
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
```

```
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        ViewerCertificate:
          MinimumProtocolVersion: TLSv1
          AcmCertificateArn:
            Ref: ACMCertificate
          SslSupportMethod: vip
```

[CT.CLOUDFRONT.PR.10] Memerlukan Amazon apa pun CloudFrontdistributions dengan asal yang didukung Amazon S3 agar kontrol akses asal dikonfigurasi

Kontrol ini memeriksa apakah CloudFront distribusi Amazon Anda yang didukung oleh Amazon S3 dikonfigurasi untuk menggunakan kontrol akses asal.

- Tujuan kontrol: Menerapkan hak istimewa paling sedikit, Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.10spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.10spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.10contoh template

Penjelasan

CloudFront OAC mencegah pengguna mendapatkan akses langsung ke konten bucket Amazon S3. Akses langsung bucket S3 melewati CloudFront distribusi dan izin apa pun yang diterapkan ke konten bucket S3 yang mendasarinya.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk CloudFront distribusi Amazon yang memiliki satu atau lebih asal yang didukung oleh Amazon S3 yang dikonfigurasi.

Remediasi untuk kegagalan aturan

`Origins`Properti mengonfigurasi asal yang didukung oleh Amazon S3. Untuk setiap asal yang didukung oleh Amazon S3, konfigurasikan pengenal kontrol akses asal menggunakan properti. `OriginAccessControlId`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dengan asal bucket Amazon S3, dikonfigurasi dengan kontrol akses asal. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": {
                            "Fn::GetAtt": [
                                "OriginBucket",
                                "RegionalDomainName"
                            ]
                        },
                        "OriginAccessControlId": {
                            "Ref": "OriginAccessControl"
                        },
                        "S3OriginConfig": {}
                    }
                ],
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      Origins:
        - Id: sampleOrigin
          DomainName: !GetAtt 'OriginBucket.RegionalDomainName'
          OriginAccessControlId: !Ref 'OriginAccessControl'
          S3OriginConfig: {}
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
```

CT.CLOUDFRONT.PR.10spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_origin_access_control_enabled_check
#
# Description:
#   This control checks whether your Amazon CloudFront distributions backed by Amazon
 S3 are configured to use an origin access control.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
```

```
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: No S3 backed 'Origins' are provided on the CloudFront distribution
 resource or 'Origins' is not present on
#            the CloudFront distribution resource or is present and an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'S3Origin' is present on the CloudFront distribution resource
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more S3 backed 'Origins' are configured on the CloudFront
 distribution resource
#       And: 'OriginAccessControlId' is not present for the 'Origin' or is an empty
 string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more S3 backed 'Origins' are provided on the CloudFront
 distribution resource
#       And: 'OriginAccessControlId' is present for each S3 backed 'Origin' and is a
 non-empty string or valid local
#            reference
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
```

```
let CLOUDFRONT_ORIGIN_ACCESS_CONTROL_TYPE = "AWS::CloudFront::OriginAccessControl"
let S3_BUCKET_DNS_NAME_PATTERN = /(.*)\.s3(-external-\d|[-\.][a-z]*-[a-z]*-[0-9])?
\.amazonaws\.com(\.cn)?$/
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
rule cloudfront_origin_access_control_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %cloudfront_distributions not
 empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.10]: Require any Amazon CloudFront distributions with Amazon
 S3 backed origins to have origin access control configured
            [FIX]: The 'Origins' property configures origins backed by Amazon S3. For
 each origin backed by Amazon S3, configure an origin access control identifier using
 the 'OriginAccessControlId' property.
        >>
}

rule cloudfront_origin_access_control_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.10]: Require any Amazon CloudFront distributions with Amazon
 S3 backed origins to have origin access control configured
            [FIX]: The 'Origins' property configures origins backed by Amazon S3. For
 each origin backed by Amazon S3, configure an origin access control identifier using
 the 'OriginAccessControlId' property.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution[
```

```
        filter_cloudfront_distribution_with_legacy_s3_origins(this)
    ] {
        DistributionConfig {
            # Scenario 3
            S3Origin not exists
        }
    }

    %cloudfront_distribution[
        # Scenario 2
        filter_cloudfront_distribution_with_origins(this)
    ] {
        DistributionConfig {
            Origins [
                # Scenario 4
                DomainName == %S3_BUCKET_DNS_NAME_PATTERN or
                check_origin_domain_name_get_att(DomainName)
            ] {
                # Scenario 3 and 5
                OriginAccessControlId exists
                check_is_string_and_not_empty(OriginAccessControlId) or
                check_local_references(%INPUT_DOCUMENT, OriginAccessControlId,
 %CLOUDFRONT_ORIGIN_ACCESS_CONTROL_TYPE)
            }
        }
    }
}

rule filter_cloudfront_distribution_with_legacy_s3_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            S3Origin exists
        }
    }
}

rule filter_cloudfront_distribution_with_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct
```

```
        DistributionConfig {
            Origins exists
            Origins is_list
            Origins not empty
        }
    }
}

rule check_origin_domain_name_get_att(domain) {
  %domain {
    'Fn::GetAtt' {
        this is_list
        this not empty
        this[1] == "DomainName" or
        this[1] == "RegionalDomainName"
    }
    check_local_references(%INPUT_DOCUMENT, this, "AWS::S3::Bucket")
  }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
```

```
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.CLOUDFRONT.PR.10contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
```

```
          QueryStringBehavior: none
  OriginAccessControl:
    Type: AWS::CloudFront::OriginAccessControl
    Properties:
      OriginAccessControlConfig:
        Name:
          Fn::Sub: ${AWS::StackName}-example-oac
        OriginAccessControlOriginType: s3
        SigningBehavior: always
        SigningProtocol: sigv4
  OriginBucket:
    Type: AWS::S3::Bucket
  OriginBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: OriginBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetObject'
            Effect: Allow
            Resource:
              Fn::Join:
              - ''
              - - 'arn:aws:s3:::'
                - Ref: OriginBucket
                - /*
            Principal:
              Service: cloudfront.amazonaws.com
            Condition:
              StringEquals:
                "AWS:SourceArn":
                  Fn::Join:
                  - ''
                  - - 'arn:aws:cloudfront::'
                    - Ref: AWS::AccountId
                    - ':distribution/'
                    - Ref: CloudFrontDistribution
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
```

```
        Enabled: false
        Origins:
        - Id: exampleOrigin
          DomainName:
            Fn::GetAtt:
            - OriginBucket
            - RegionalDomainName
          OriginAccessControlId:
            Ref: OriginAccessControl
          S3OriginConfig: {}
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
            QueryStringBehavior: none
  OriginBucketOai:
    Type: AWS::CloudFront::CloudFrontOriginAccessIdentity
    Properties:
```

```
      CloudFrontOriginAccessIdentityConfig:
        Comment:
          Fn::Sub: ${AWS::StackName}-example-oai
  OriginBucket:
    Type: AWS::S3::Bucket
  OriginBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: OriginBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetObject'
            Effect: Allow
            Resource:
              Fn::Join:
              - ''
              - - 'arn:aws:s3:::'
                - Ref: OriginBucket
                - /*
            Principal:
              AWS:
                Fn::Join:
                - ''
                - - 'arn:aws:iam::cloudfront:user/CloudFront Origin Access Identity '
                  - Ref: OriginBucketOai
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        Origins:
        - Id: exampleS3Origin
          DomainName:
            Fn::GetAtt:
            - OriginBucket
            - RegionalDomainName
          S3OriginConfig:
            OriginAccessIdentity:
              Fn::Sub: "origin-access-identity/cloudfront/${OriginBucketOai}"
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
```

```
          TargetOriginId: exampleS3Origin
          CachePolicyId:
            Ref: CachePolicy
```

[CT.CLOUDFRONT.PR.11] Memerlukan CloudFront distribusi Amazon untuk menggunakan protokol SSL yang diperbarui antara lokasi tepi dan asal kustom

Kontrol ini memeriksa apakah CloudFront distribusi Amazon Anda menggunakan protokol SSL yang tidak digunakan lagi untuk komunikasi HTTPS antara lokasi tepi dan asal kustom. CloudFront

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudFront::Distribution`
- AWS CloudFormation aturan penjaga: CT.CLOUDFRONT.PR.11spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.11spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDFRONT.PR.11contoh template

Penjelasan

Pada 2015, Internet Engineering Task Force (IETF) secara resmi mengumumkan bahwa SSL 3.0 harus dihentikan, karena protokolnya tidak cukup aman. Kami menyarankan Anda menggunakan TLSv1.2 atau yang lebih baru untuk komunikasi HTTPS ke asal kustom Anda.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk CloudFront distribusi Amazon yang memiliki satu atau lebih asal kustom yang dikonfigurasi.

Remediasi untuk kegagalan aturan

Hapus protokol SSL yang tidak digunakan lagi dari dalam yang memiliki konfigurasi. `OriginSSLProtocols` `Origins` `CustomOriginConfig`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudFront Distribusi Amazon - Contoh

CloudFront Distribusi Amazon dikonfigurasi untuk menggunakan TLS v1.2 sebagai protokol SSL asal. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudFrontDistribution": {
        "Type": "AWS::CloudFront::Distribution",
        "Properties": {
            "DistributionConfig": {
                "Enabled": false,
                "DefaultCacheBehavior": {
                    "ViewerProtocolPolicy": "https-only",
                    "TargetOriginId": "sampleOrigin",
                    "CachePolicyId": {
                        "Ref": "CachePolicy"
                    }
                },
                "Origins": [
                    {
                        "Id": "sampleOrigin",
                        "DomainName": "example.com",
                        "CustomOriginConfig": {
                            "OriginProtocolPolicy": "https-only",
                            "OriginSSLProtocols": [
                                "TLSv1.2"
                            ]
                        }
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
CloudFrontDistribution:
  Type: AWS::CloudFront::Distribution
  Properties:
    DistributionConfig:
      Enabled: false
      DefaultCacheBehavior:
        ViewerProtocolPolicy: https-only
        TargetOriginId: sampleOrigin
        CachePolicyId: !Ref 'CachePolicy'
      Origins:
        - Id: sampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
            OriginSSLProtocols:
              - TLSv1.2
```

CT.CLOUDFRONT.PR.11spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudfront_no_deprecated_ssl_protocols_check
#
# Description:
#   This control checks whether your Amazon CloudFront distributions are using
 deprecated SSL protocols for HTTPS communication between CloudFront edge locations and
 custom origins.
#
# Reports on:
#   AWS::CloudFront::Distribution
#
# Evaluates:
```

```
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudFront distribution resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'Origins' is not present or is an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There are no 'Origins' with a 'CustomOriginConfig'
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: All 'Origins' with a 'CustomOriginConfig' have an 'OriginProtocolPolicy'
 of 'http-only'
#      Then: SKIP
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: 'CustomOrigin' is present on the CloudFront distribution resource
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
```

```
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: One or more 'Origins' with a 'CustomOriginConfig' have an
 'OriginProtocolPolicy' not equal to 'http-only'
#       And: 'OriginSSLProtocols' has not been specified or specified as an empty list
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: One or more 'Origins' with a 'CustomOriginConfig' have an
 'OriginProtocolPolicy' not equal to 'http-only'
#       And: 'OriginSSLProtocols' has been specified as a non-empty list and contains
 'SSLv3'
#      Then: FAIL
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudFront distribution resource
#       And: One or more 'Origins' has been configured
#       And: There one or more 'Origins' with a 'CustomOriginConfig'
#       And: One or more 'Origins' with a 'CustomOriginConfig' have an
 'OriginProtocolPolicy' not equal to 'http-only'
#       And: 'OriginSSLProtocols' has been specified as a non-empty list and does not
 contain 'SSLv3'
#      Then: PASS

#
# Constants
#
let CLOUDFRONT_DISTRIBUTION_TYPE = "AWS::CloudFront::Distribution"
let UNSUPPORTED_ORIGIN_SSL_PROTOCOLS = [ "SSLv3" ]
let OUT_OF_SCOPE_PROTOCOL_POLICIES = [ "http-only" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudfront_distributions = Resources.*[ Type == %CLOUDFRONT_DISTRIBUTION_TYPE ]

#
# Primary Rules
#
```

```
rule cloudfront_no_deprecated_ssl_protocols_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %cloudfront_distributions not
 empty {
    check(%cloudfront_distributions.Properties)
        <<
        [CT.CLOUDFRONT.PR.11]: Require an Amazon CloudFront distribution to use updated
 SSL protocols between edge locations and custom origins
            [FIX]: Remove deprecated SSL protocols from 'OriginSSLProtocols' in
 'Origins' that have 'CustomOriginConfig' configurations.
        >>
}

rule cloudfront_no_deprecated_ssl_protocols_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDFRONT_DISTRIBUTION_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDFRONT_DISTRIBUTION_TYPE.resourceProperties)
        <<
        [CT.CLOUDFRONT.PR.11]: Require an Amazon CloudFront distribution to use updated
 SSL protocols between edge locations and custom origins
            [FIX]: Remove deprecated SSL protocols from 'OriginSSLProtocols' in
 'Origins' that have 'CustomOriginConfig' configurations.
        >>
}

#
# Parameterized Rules
#
rule check(cloudfront_distribution) {
    %cloudfront_distribution[
        filter_cloudfront_distribution_with_legacy_origins(this)
    ] {
        DistributionConfig {
            # Scenario 5
            CustomOrigin not exists
        }
    }

    %cloudfront_distribution[
        # Scenario 2
        filter_cloudfront_distribution_with_origins(this)
    ] {
        DistributionConfig {
            Origins [
                # Scenario 3 and 4
                CustomOriginConfig exists
```

```
                CustomOriginConfig is_struct
                filter_custom_origin_config(CustomOriginConfig)
            ] {
                CustomOriginConfig {
                    # Scenario 6, 7 and 8
                    OriginSSLProtocols exists
                    OriginSSLProtocols is_list
                    OriginSSLProtocols not empty
                    %UNSUPPORTED_ORIGIN_SSL_PROTOCOLS.* not in OriginSSLProtocols
                }
            }
        }
    }
}


rule filter_cloudfront_distribution_with_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            Origins exists
            Origins is_list
            Origins not empty
        }
    }
}

rule filter_cloudfront_distribution_with_legacy_origins(cloudfront_distribution) {
    %cloudfront_distribution {
        DistributionConfig exists
        DistributionConfig is_struct

        DistributionConfig {
            CustomOrigin exists
        }
    }
}

rule filter_custom_origin_config(custom_origin_config) {
    %custom_origin_config {
        OriginProtocolPolicy exists
        OriginProtocolPolicy not in %OUT_OF_SCOPE_PROTOCOL_POLICIES
```

```
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDFRONT.PR.11contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
```

```
          QueryStringsConfig:
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
            OriginSSLProtocols:
            - TLSv1
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CachePolicy:
    Type: AWS::CloudFront::CachePolicy
    Properties:
      CachePolicyConfig:
        DefaultTTL: 20
        MaxTTL: 20
        MinTTL: 19
        Name:
          Fn::Sub: ${AWS::StackName}-example-cache-policy
ParametersInCacheKeyAndForwardedToOrigin:
          CookiesConfig:
            CookieBehavior: none
          EnableAcceptEncodingGzip: false
          HeadersConfig:
            HeaderBehavior: none
          QueryStringsConfig:
```

```
            QueryStringBehavior: none
  CloudFrontDistribution:
    Type: AWS::CloudFront::Distribution
    Properties:
      DistributionConfig:
        Enabled: false
        DefaultCacheBehavior:
          ViewerProtocolPolicy: https-only
          TargetOriginId: exampleOrigin
          CachePolicyId:
            Ref: CachePolicy
        Origins:
        - Id: exampleOrigin
          DomainName: example.com
          CustomOriginConfig:
            OriginProtocolPolicy: https-only
            OriginSSLProtocols:
            - SSLv3
```

AWS CloudTrail kontrol

Topik

- [CT.CLOUDTRAIL.PR.1] Memerlukan AWS CloudTrail jejak untuk mengaktifkan enkripsi saat istirahat
- [CT.CLOUDTRAIL.PR.2] Memerlukan AWS CloudTrail jejak agar validasi file log diaktifkan
- [CT.CLOUDTRAIL.PR.3] Memerlukan AWS CloudTrail jejak untuk memiliki konfigurasi grup CloudWatch log Amazon Logs
- [CT.CLOUDTRAIL.PR.4] Memerlukan penyimpanan data acara AWS CloudTrail Lake untuk mengaktifkan enkripsi saat istirahat dengan kunci AWS KMS

[CT.CLOUDTRAIL.PR.1] Memerlukan AWS CloudTrail jejak untuk mengaktifkan enkripsi saat istirahat

Kontrol ini memeriksa apakah Anda AWS CloudTrail dikonfigurasi untuk menggunakan enkripsi server-side encryption (SSE). AWS KMS key

- Tujuan kontrol: Enkripsi data saat istirahat

- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudTrail::Trail`
- AWS CloudFormation aturan penjaga: CT.CLOUDTRAIL.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDTRAIL.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDTRAIL.PR.1 contoh template

Penjelasan

Untuk lapisan keamanan tambahan untuk file CloudTrail log sensitif Anda, Anda harus menggunakan enkripsi sisi server dengan AWS KMS keys (SSE-KMS) untuk file CloudTrail log Anda untuk enkripsi saat istirahat. Perhatikan bahwa secara default, file log yang dikirimkan CloudTrail ke bucket Anda dienkripsi oleh enkripsi sisi server Amazon dengan kunci enkripsi yang dikelola Amazon S3 (SSE-S3).

Remediasi untuk kegagalan aturan

Atur `KMSKeyId` properti ke kunci KMS yang valid.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CloudTrail trail - Contoh

AWS CloudTrail Trail dikonfigurasi untuk menggunakan enkripsi sisi server dengan AWS KMS keys (SSE-KMS). Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudTrail": {
        "Type": "AWS::CloudTrail::Trail",
        "Properties": {
            "IsLogging": true,
            "KMSKeyId": {
```

```
                "Ref": "KMSKey"
            },
            "S3BucketName": {
                "Ref": "LoggingBucket"
            }
        }
    }
}
```

Contoh YAMAL

```
CloudTrail:
  Type: AWS::CloudTrail::Trail
  Properties:
    IsLogging: true
    KMSKeyId: !Ref 'KMSKey'
    S3BucketName: !Ref 'LoggingBucket'
```

CT.CLOUDTRAIL.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloud_trail_encryption_enabled_check
#
# Description:
#   This rule checks whether AWS CloudTrail is configured to use the server-side
 encryption (SSE) AWS KMS key encryption.
#
# Reports on:
#   AWS::CloudTrail::Trail
#
# Evaluates:
#   AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
```

```
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any AWS CloudTrail trails
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a CloudTrail trail resource
#       And: 'KMSKeyId' is not present
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a CloudTrail trail resource
#       And: 'KMSKeyId' has been provided and is set to an empty string or a non-valid
 local reference to a KMS key or
#            Alias
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a CloudTrail trail resource
#       And: 'KMSKeyId' has been provided and is a non-empty string or a valid
 reference to a KMS key or Alias.
#      Then: PASS

#
# Constants
#
let CLOUDTRAIL_TRAIL_TYPE = "AWS::CloudTrail::Trail"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudtrail_trails = Resources.*[ Type == %CLOUDTRAIL_TRAIL_TYPE ]

#
# Primary Rules
#
```

```
rule cloud_trail_encryption_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %cloudtrail_trails not empty {
    check_cloudtrail_kms_key_configuration(%cloudtrail_trails.Properties)
        < <
        [CT.CLOUDTRAIL.PR.1]: Require an AWS CloudTrail trail to have encryption at
 rest activated
        [FIX]: Set the 'KMSKeyId' property to a valid KMS key.
        >>
}

rule cloud_trail_encryption_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDTRAIL_TRAIL_TYPE) {
    check_cloudtrail_kms_key_configuration(%INPUT_DOCUMENT.
%CLOUDTRAIL_TRAIL_TYPE.resourceProperties)
        <<
        [CT.CLOUDTRAIL.PR.1]: Require an AWS CloudTrail trail to have encryption at
 rest activated
        [FIX]: Set the 'KMSKeyId' property to a valid KMS key.
        >>
}

#
# Parameterized Rules
#
rule check_cloudtrail_kms_key_configuration(cloudtrail_trail){
    %cloudtrail_trail {
        # Scenario 2
        KMSKeyId exists
        # Scenario 3 and 4
        check_is_string_and_not_empty(KMSKeyId) or
        check_kms_key_id_local_ref(KMSKeyId)
    }
}

rule check_kms_key_id_local_ref(key_ref) {
    %key_ref {
      check_local_references(%INPUT_DOCUMENT, this, "AWS::KMS::Key") or
      check_local_references(%INPUT_DOCUMENT, this, "AWS::KMS::Alias")
    }
 }

#
# Utility Rules
#
```

```
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_RESOURCE_TYPE) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_RESOURCE_TYPE) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_RESOURCE_TYPE
    }
}
```

CT.CLOUDTRAIL.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KMSKey:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-cloudtrail-key-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
        - Sid: Allow CloudTrail to encrypt logs
          Effect: Allow
          Action: "kms:GenerateDataKey*"
          Principal:
            Service: "cloudtrail.amazonaws.com"
          Resource: '*'
          Condition:
            StringLike:
              "kms:EncryptionContext:aws:cloudtrail:arn": [
                Fn::Sub: "arn:aws:cloudtrail:*:${AWS::AccountId}:trail/*"
              ]
            StringEquals:
              "aws:SourceArn":
                Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
        - Sid: Allow CloudTrail to describe key
          Effect: Allow
          Principal:
            Service: "cloudtrail.amazonaws.com"
          Action: kms:DescribeKey
          Resource: '*'
```

```
        - Sid: Allow principals in the account to decrypt log files
          Effect: Allow
          Principal:
            AWS: "*"
          Action:
           - "kms:Decrypt"
           - "kms:ReEncryptFrom"
          Resource: "*"
          Condition:
            StringEquals:
              "kms:CallerAccount":
                Ref: AWS::AccountId
              "kms:EncryptionContext:aws:cloudtrail:arn":
                Fn::Sub: "arn:aws:cloudtrail:*:${AWS::AccountId}:trail/*"
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetBucketAcl'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
```

```
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                's3:x-amz-acl': 'bucket-owner-full-control'
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
  CloudTrail:
    Type: AWS::CloudTrail::Trail
    Properties:
      IsLogging: true
      TrailName:
        Fn::Sub: ${AWS::StackName}-example-trail
      KMSKeyId:
        Ref: KMSKey
      S3BucketName:
        Ref: LoggingBucket
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
```

```
              - 's3:GetBucketAcl'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                's3:x-amz-acl': 'bucket-owner-full-control'
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
  CloudTrail:
    Type: AWS::CloudTrail::Trail
    Properties:
      IsLogging: true
      TrailName:
        Fn::Sub: ${AWS::StackName}-example-trail
      S3BucketName:
        Ref: LoggingBucket
```

[CT.CLOUDTRAIL.PR.2] Memerlukan AWS CloudTrail jejak agar validasi file log diaktifkan

Kontrol ini memeriksa apakah validasi integritas file log diaktifkan pada AWS CloudTrail jejak.

- Tujuan kontrol: Kelola rahasia
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudTrail::Trail`
- AWS CloudFormation aturan penjaga: CT.CLOUDTRAIL.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDTRAIL.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDTRAIL.PR.2 contoh template

Penjelasan

CloudTrail validasi file log membuat file digest yang ditandatangani secara digital yang berisi hash dari setiap log yang menulis ke Amazon S3. CloudTrail Anda dapat menggunakan file intisari ini untuk menentukan apakah file log diubah, dihapus, atau tidak diubah setelah CloudTrail mengirimkan log.

AWS Control Tower merekomendasikan agar Anda mengaktifkan validasi file di semua jalur. Validasi file log memberikan pemeriksaan integritas tambahan CloudTrail log.

Remediasi untuk kegagalan aturan

Setel `EnableLogFileValidation` properti CloudTrail sumber daya ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CloudTrail trail - Contoh

AWS CloudTrail jejak dikonfigurasi dengan validasi file log. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
```

```
    "CloudTrail": {
        "Type": "AWS::CloudTrail::Trail",
        "Properties": {
            "IsLogging": true,
            "S3BucketName": {
                "Ref": "LoggingBucket"
            },
            "KMSKeyId": {
                "Ref": "KMSKey"
            },
            "EnableLogFileValidation": true
        }
    }
}
```

Contoh YAMAL

```
CloudTrail:
  Type: AWS::CloudTrail::Trail
  Properties:
    IsLogging: true
    S3BucketName: !Ref 'LoggingBucket'
    KMSKeyId: !Ref 'KMSKey'
    EnableLogFileValidation: true
```

CT.CLOUDTRAIL.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloud_trail_log_file_validation_enabled_check
#
# Description:
#   This control checks whether log file integrity validation is enabled on an AWS
 CloudTrail trail.
#
```

```
# Reports on:
#   AWS::CloudTrail::Trail
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any CloudTrail trails
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a CloudTrail trail resource
#       And: 'EnableLogFileValidation' is not present
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a CloudTrail trail resource
#       And: 'EnableLogFileValidation' is present and and is set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a CloudTrail trail resource
#       And: 'EnableLogFileValidation' is present and set to bool(true)
#      Then: PASS

#
# Constants
#
let CLOUDTRAIL_TRAIL_TYPE = "AWS::CloudTrail::Trail"
let INPUT_DOCUMENT = this

#
# Assignments
#
```

```
let cloudtrail_trails = Resources.*[ Type == %CLOUDTRAIL_TRAIL_TYPE ]

#
# Primary Rules
#
rule cloud_trail_log_file_validation_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %cloudtrail_trails not empty {
    check(%cloudtrail_trails.Properties)
        <<
        [CT.CLOUDTRAIL.PR.2]: Require an AWS CloudTrail trail to have log file
 validation activated
        [FIX]: Set the CloudTrail resource 'EnableLogFileValidation' property to true.
        >>
}

rule cloud_trail_log_file_validation_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDTRAIL_TRAIL_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDTRAIL_TRAIL_TYPE.resourceProperties)
        <<
        [CT.CLOUDTRAIL.PR.2]: Require an AWS CloudTrail trail to have log file
 validation activated
        [FIX]: Set the CloudTrail resource 'EnableLogFileValidation' property to true.
        >>
}

#
# Parameterized Rules
#
rule check(cloudtrail_trail){
    %cloudtrail_trail {
        # Scenario 2
        EnableLogFileValidation exists
        # Scenario 3 and 4
        EnableLogFileValidation == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDTRAIL.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetBucketAcl'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
```

```
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                's3:x-amz-acl': 'bucket-owner-full-control'
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
  CloudTrail:
    Type: AWS::CloudTrail::Trail
    Properties:
      IsLogging: true
      TrailName:
        Fn::Sub: ${AWS::StackName}-example-trail
      S3BucketName:
        Ref: LoggingBucket
      EnableLogFileValidation: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
```

```
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetBucketAcl'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                's3:x-amz-acl': 'bucket-owner-full-control'
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
  CloudTrail:
    Type: AWS::CloudTrail::Trail
    Properties:
      IsLogging: true
      TrailName:
        Fn::Sub: ${AWS::StackName}-example-trail
      S3BucketName:
```

```
        Ref: LoggingBucket
      EnableLogFileValidation: false
```

[CT.CLOUDTRAIL.PR.3] Memerlukan AWS CloudTrail jejak untuk memiliki konfigurasi grup CloudWatch log Amazon Logs

Kontrol ini memeriksa apakah AWS CloudTrail jejak Anda dikonfigurasi untuk mengirim log ke Log CloudWatch Log Amazon.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudTrail::Trail`
- AWS CloudFormation aturan penjaga: CT.CLOUDTRAIL.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CLOUDTRAIL.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDTRAIL.PR.3 contoh template

Penjelasan

CloudTrail merekam panggilan AWS API yang dibuat di akun tertentu. Informasi yang direkam meliputi: identitas pemanggil API, waktu panggilan API, alamat IP sumber pemanggil API, parameter permintaan, dan elemen respons yang dikembalikan oleh file. Layanan AWS

CloudTrail menggunakan Amazon S3 untuk penyimpanan dan pengiriman file log. Anda dapat menangkap CloudTrail log dalam bucket S3 tertentu untuk analisis jangka panjang. Untuk melakukan analisis real-time, Anda dapat mengonfigurasi CloudTrail untuk mengirim log ke CloudWatch Log.

Untuk jejak yang diaktifkan Wilayah AWS di semua akun, CloudTrail kirimkan file log dari semua Wilayah tersebut ke grup CloudWatch log Log.

AWS CloudTrail merekomendasikan agar Anda mengirim CloudTrail log ke CloudWatch Log. Perhatikan bahwa rekomendasi ini dimaksudkan untuk memastikan bahwa aktivitas akun ditangkap, dipantau, dan diwaspadai dengan tepat. Anda dapat menggunakan CloudWatch Log untuk mengatur ini dengan AWS layanan Anda. Rekomendasi ini tidak menghalangi penggunaan solusi yang berbeda.

Mengirim CloudTrail CloudWatch log ke Log memfasilitasi pencatatan aktivitas real-time dan historis berdasarkan pengguna, API, sumber daya, dan alamat IP. Anda dapat menggunakan pendekatan ini untuk membuat alarm dan pemberitahuan untuk aktivitas akun anomali atau sensitivitas.

Remediasi untuk kegagalan aturan

Mengatur `CloudWatchLogsLogGroupArn` dan `CloudWatchLogsRoleArn` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CloudTrail trail - Contoh

AWS CloudTrail jejak dikonfigurasi untuk mengirim acara ke Amazon CloudWatch Logs. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudTrail": {
        "Type": "AWS::CloudTrail::Trail",
        "Properties": {
            "IsLogging": true,
            "S3BucketName": {
                "Ref": "LoggingBucket"
            },
            "CloudWatchLogsRoleArn": {
                "Fn::GetAtt": [
                    "LogRole",
                    "Arn"
                ]
            },
            "CloudWatchLogsLogGroupArn": {
                "Fn::GetAtt": [
                    "LogGroup",
                    "Arn"
                ]
```

```
            }
        }
    }
}
```

Contoh YAMAL

```
CloudTrail:
  Type: AWS::CloudTrail::Trail
  Properties:
    IsLogging: true
    S3BucketName: !Ref 'LoggingBucket'
    CloudWatchLogsRoleArn: !GetAtt 'LogRole.Arn'
    CloudWatchLogsLogGroupArn: !GetAtt 'LogGroup.Arn'
```

CT.CLOUDTRAIL.PR.3spesifikasi aturan

```
# ##################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   cloud_trail_cloud_watch_logs_enabled_check
#
# Description:
#   This rule checks whether AWS CloudTrail trails are configured to send logs to
 Amazon CloudWatch Logs.
#
# Reports on:
#   AWS::CloudTrail::Trail
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
```

```
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any AWS CloudTrail trails
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an AWS CloudTrail trail resource
#       And: 'CloudWatchLogsLogGroupArn' or 'CloudWatchLogsRoleArn' is not present
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an AWS CloudTrail trail resource
#       And: 'CloudWatchLogsLogGroupArn' is set to a non-empty string or a valid local
 reference to a log group
#       And: 'CloudWatchLogsRoleArn' is set to an empty string or a non-valid local
 reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an AWS CloudTrail trail resource
#       And: 'CloudWatchLogsLogGroupArn' is set to an empty string or an invalid local
 reference
#       And: 'CloudWatchLogsRoleArn' is set to a non-empty string or a valid local
 reference to an IAM role
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an AWS CloudTrail trail resource
#       And: 'CloudWatchLogsRoleArn' is set to a non-empty string or a valid local
 reference to an IAM role
#       And: 'CloudWatchLogsLogGroupArn' is set to a non-empty string or a valid local
 reference to a log group
#      Then: PASS

#
# Constants
#
let CLOUDTRAIL_TRAIL_TYPE = "AWS::CloudTrail::Trail"
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let cloudtrail_trails = Resources.*[ Type == %CLOUDTRAIL_TRAIL_TYPE ]

#
# Primary Rules
#
rule cloud_trail_cloud_watch_logs_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %cloudtrail_trails not empty {
    check_cloudtrail_log_group_configuration(%cloudtrail_trails.Properties)
        <<
        [CT.CLOUDTRAIL.PR.3]: Require an AWS CloudTrail trail to have an CloudTrail log
 group configuration
        [FIX]: Set the 'CloudWatchLogsLogGroupArn' and 'CloudWatchLogsRoleArn'
 properties.
        >>
}

rule cloud_trail_cloud_watch_logs_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDTRAIL_TRAIL_TYPE) {
    check_cloudtrail_log_group_configuration(%INPUT_DOCUMENT.
%CLOUDTRAIL_TRAIL_TYPE.resourceProperties)
        <<
        [CT.CLOUDTRAIL.PR.3]: Require an AWS CloudTrail trail to have an CloudTrail log
 group configuration
        [FIX]: Set the 'CloudWatchLogsLogGroupArn' and 'CloudWatchLogsRoleArn'
 properties.
        >>
}

#
# Parameterized Rules
#
rule check_cloudtrail_log_group_configuration(cloudtrail_trail) {
    %cloudtrail_trail {
        # Scenario 2
        CloudWatchLogsLogGroupArn exists
        CloudWatchLogsRoleArn exists

        # Scenario 3, 4 and 5
        check_cloudwatch_log_group_arn(CloudWatchLogsLogGroupArn)
        check_cloudwatch_log_role_arn(CloudWatchLogsRoleArn)
```

```
    }
}

rule check_cloudwatch_log_group_arn(log_group) {
   %log_group {
      check_is_string_and_not_empty(this) or
      check_local_references(%INPUT_DOCUMENT, this, "AWS::Logs::LogGroup")
    }
}

rule check_cloudwatch_log_role_arn(log_role) {
   %log_role {
      check_is_string_and_not_empty(this) or
      check_local_references(%INPUT_DOCUMENT, this, "AWS::IAM::Role")
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_RESOURCE_TYPE) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        } or Ref {
```

```
            query_for_resource(%doc, this, %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_RESOURCE_TYPE) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_RESOURCE_TYPE
    }
}
```

CT.CLOUDTRAIL.PR.3 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetBucketAcl'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
            Principal:
```

```
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                's3:x-amz-acl': 'bucket-owner-full-control'
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
  CloudWatchLogsRole:
    Type: "AWS::IAM::Role"
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Sid: AssumeRole
          Effect: Allow
          Principal:
            Service: 'cloudtrail.amazonaws.com'
          Action: 'sts:AssumeRole'
      Policies:
      - PolicyName: 'cloudtrail-policy'
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - 'logs:CreateLogStream'
```

```
            - 'logs:PutLogEvents'
            Resource:
              Fn::GetAtt: [LogGroup, Arn]
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties: {}
  CloudTrail:
    Type: AWS::CloudTrail::Trail
    Properties:
      IsLogging: true
      TrailName:
        Fn::Sub: ${AWS::StackName}-example-trail
      S3BucketName:
        Ref: LoggingBucket
      CloudWatchLogsRoleArn:
        Fn::GetAtt:
        - CloudWatchLogsRole
        - Arn
      CloudWatchLogsLogGroupArn:
        Fn::GetAtt:
        - LogGroup
        - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:GetBucketAcl'
            Effect: Allow
```

```
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - 'arn:aws:s3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              Service: "cloudtrail.amazonaws.com"
            Condition:
              StringEquals:
                's3:x-amz-acl': 'bucket-owner-full-control'
                "aws:SourceArn":
                  Fn::Sub: "arn:aws:cloudtrail:${AWS::Region}:${AWS::AccountId}:trail/
${AWS::StackName}-example-trail"
  CloudTrail:
    Type: AWS::CloudTrail::Trail
    Properties:
      IsLogging: true
      TrailName:
        Fn::Sub: ${AWS::StackName}-example-trail
      S3BucketName:
        Ref: LoggingBucket
```

[CT.CLOUDTRAIL.PR.4] Memerlukan penyimpanan data acara AWS CloudTrail Lake untuk mengaktifkan enkripsi saat istirahat dengan kunci AWS KMS

Kontrol ini memeriksa apakah penyimpanan data peristiwa CloudTrail Lake dienkripsi saat istirahat dengan kunci KMS.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudTrail::EventDataStore`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.CLOUDTRAIL.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.CLOUDTRAIL.PR.4
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDTRAIL.PR.4 contoh template

Penjelasan

Mengenkripsi data saat istirahat mengurangi risiko bahwa pengguna yang tidak diautentikasi AWS dapat memperoleh akses ke data yang disimpan pada disk. Untuk menambahkan kontrol atas kunci enkripsi, Anda dapat menggunakan kunci yang dikelola pelanggan dari. AWS KMS Anda memiliki kontrol penuh atas kunci KMS ini. Anda dapat membuat dan memelihara kebijakan utama mereka, kebijakan IAM, dan hibah, mengaktifkan dan menonaktifkan kunci, memutar materi kriptografi mereka, menambahkan tag, membuat alias yang merujuk ke kunci KMS, dan menjadwalkan kunci KMS untuk dihapus.

Pertimbangan penggunaan

- Semua peristiwa di penyimpanan data acara AWS CloudTrail Lake dienkripsi dengan CloudTrail menggunakan kunci KMS yang AWS memiliki dan mengelola untuk Anda. Untuk menambahkan kontrol atas kunci enkripsi, Anda dapat menggunakan kunci yang dikelola pelanggan dari. AWS KMS Untuk informasi selengkapnya, lihat Konsep AWS KMS dalam Panduan Developer AWS KMS .

Remediasi untuk kegagalan aturan

Setel `KmsKeyId` parameter ke ARN kunci yang AWS KMS dikelola pelanggan, dikonfigurasi dengan izin yang memungkinkan prinsipal CloudTrail layanan menggunakan kunci tersebut.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

CloudTrail Penyimpanan data acara danau - Contoh

CloudTrail Penyimpanan data acara Lake dikonfigurasi untuk mengenkripsi data saat istirahat dengan AWS KMS kunci. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CloudTrailEventDataStore": {
        "Type": "AWS::CloudTrail::EventDataStore",
        "Properties": {
            "Name": {
                "Fn::Sub": "${AWS::StackName}-example"
            },
            "TerminationProtectionEnabled": false,
            "KmsKeyId": {
                "Fn::GetAtt": [
                    "KMSKey",
                    "Arn"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
CloudTrailEventDataStore:
  Type: AWS::CloudTrail::EventDataStore
  Properties:
    Name: !Sub '${AWS::StackName}-example'
    TerminationProtectionEnabled: false
    KmsKeyId: !GetAtt 'KMSKey.Arn'
```

Spesifikasi aturan CT.CLOUDTRAIL.PR.4

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloud_trail_event_datastore_encrypted_at_rest_kms_check
#
# Description:
#   This control checks whether a CloudTrail Lake event data store is encrypted at rest
 with a KMS key.
#
# Reports on:
#   AWS::CloudTrail::EventDataStore
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudTrail event data store
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudTrail event data store resource
#       And: 'KmsKeyId' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudTrail event data store resource
```

```
#       And: 'KmsKeyId' has been provided as an empty string or invalid local reference
#            to a KMS keyID or alias
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation Hook
 Document
#       And: The input document contains a CloudTrail event data store resource
#       And: 'KmsKeyId' has been provided as a non-empty string or valid local
 reference
#            to a KMS keyID or alias
#      Then: PASS

#
# Constants
#
let CLOUDTRAIL_EVENT_DATASTORE_TYPE = "AWS::CloudTrail::EventDataStore"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudtrail_event_datastores = Resources.*[ Type ==
 %CLOUDTRAIL_EVENT_DATASTORE_TYPE ]

#
# Primary Rules
#
rule cloud_trail_event_datastore_encrypted_at_rest_kms_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %cloudtrail_event_datastores not empty {
    check(%cloudtrail_event_datastores.Properties)
        <<
        [CT.CLOUDTRAIL.PR.4]: Require an CloudTrail Lake event data store to enable
 encryption at rest with an AWS KMS key
        [FIX]: Set the 'KmsKeyId' parameter to the ARN of an AWS KMS customer-managed
 key, configured with permissions that allow the CloudTrail service principal to use
 the key.
        >>
}

rule cloud_trail_event_datastore_encrypted_at_rest_kms_check when
 is_cfn_hook(%INPUT_DOCUMENT, %CLOUDTRAIL_EVENT_DATASTORE_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDTRAIL_EVENT_DATASTORE_TYPE.resourceProperties)
```

```
        <<
        [CT.CLOUDTRAIL.PR.4]: Require an CloudTrail Lake event data store to enable
 encryption at rest with an AWS KMS key
        [FIX]: Set the 'KmsKeyId' parameter to the ARN of an AWS KMS customer-managed
 key, configured with permissions that allow the CloudTrail service principal to use
 the key.
        >>
}

#
# Parameterized Rules
#
rule check(cloudtrail_event_datastore) {
    %cloudtrail_event_datastore {
        # Scenario 2
        KmsKeyId exists

        # Scenario 3 and 4
        check_is_string_and_not_empty(KmsKeyId) or
        check_local_references(%INPUT_DOCUMENT, KmsKeyId, "AWS::KMS::Key") or
        check_local_references(%INPUT_DOCUMENT, KmsKeyId, "AWS::KMS::Alias")
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

```
rule check_local_references(doc, reference_properties, referenced_RESOURCE_TYPE) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_RESOURCE_TYPE) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_RESOURCE_TYPE
    }
}
```

CT.CLOUDTRAIL.PR.4 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KMSKey:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
```

```
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
        - Sid: Allow CloudTrail to encrypt event data store
          Effect: Allow
          Principal:
            Service: "cloudtrail.amazonaws.com"
          Action:
          - "kms:GenerateDataKey"
          - "kms:Decrypt"
          Resource: "*"
      KeySpec: SYMMETRIC_DEFAULT
      EnableKeyRotation: true
  CloudTrailEventDataStore:
    Type: AWS::CloudTrail::EventDataStore
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      TerminationProtectionEnabled: false
      MultiRegionEnabled: false
      KmsKeyId:
        Fn::GetAtt:
        - KMSKey
        - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CloudTrailEventDataStore:
    Type: AWS::CloudTrail::EventDataStore
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      TerminationProtectionEnabled: false
      MultiRegionEnabled: false
```

CloudWatch Kontrol Amazon

Topik

- [CT.CLOUDWATCH.PR.1] Memerlukan alarm CloudWatch Amazon agar tindakan dikonfigurasi untuk status alarm
- [CT.CLOUDWATCH.PR.2] Memerlukan grup log CloudWatch Amazon untuk dipertahankan setidaknya selama satu tahun
- [CT.CLOUDWATCH.PR.3] Memerlukan grup log CloudWatch Amazon untuk dienkripsi saat istirahat dengan kunci KMS AWS
- [CT.CLOUDWATCH.PR.4] Memerlukan alarm Amazon agar tindakan diaktifkan CloudWatch

[CT.CLOUDWATCH.PR.1] Memerlukan alarm CloudWatch Amazon agar tindakan dikonfigurasi untuk status alarm

Kontrol ini memeriksa apakah CloudWatch alarm Amazon memiliki setidaknya satu tindakan yang dikonfigurasi untuk status alarm.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudWatch::Alarm`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.CLOUDWATCH.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.CLOUDWATCH.PR.1
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDWATCH.PR.1 contoh templat

Penjelasan

AWS Control Tower merekomendasikan untuk mengonfigurasi tindakan untuk alarm agar mengingatkan Anda secara otomatis saat alarm dalam status alarm dan metrik yang dipantau berada di luar ambang batas yang ditentukan. Konfigurasi ini memastikan bahwa alarm dipantau,

dan tindakan yang diperlukan diambil saat alarm dipicu. Memantau alarm membantu Anda mengidentifikasi aktivitas yang tidak biasa dan merespons dengan cepat masalah keamanan dan operasional. Anda dapat menentukan tindakan yang harus dilakukan alarm saat masuk ke status OK, ALARM, dan INSUFFICIENT_DATA. Tindakan CloudWatch alarm yang paling umum dalam status alarm adalah memberi tahu satu atau beberapa pengguna dengan mengirim pesan ke topik Amazon Simple Notification Service (Amazon SNS).

Remediasi untuk kegagalan aturan

Setel `AlarmActions` ke daftar dengan satu atau beberapa nilai tindakan alarm.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon CloudWatch Alarm - Contoh

CloudWatch Alarm Amazon dikonfigurasi untuk memberi tahu topik SNS saat CloudWatch alarm dalam status alarm. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "Alarm": {
        "Type": "AWS::CloudWatch::Alarm",
        "Properties": {
            "ComparisonOperator": "GreaterThanOrEqualToThreshold",
            "EvaluationPeriods": 1,
            "Period": 300,
            "Threshold": 1.0,
            "Namespace": "AWS/Lambda",
            "MetricName": "Errors",
            "TreatMissingData": "missing",
            "Statistic": "Sum",
            "DatapointsToAlarm": 1,
            "ActionsEnabled": true,
            "AlarmActions": [
                {
                    "Ref": "Topic"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
Alarm:
  Type: AWS::CloudWatch::Alarm
  Properties:
    ComparisonOperator: GreaterThanOrEqualToThreshold
    EvaluationPeriods: 1
    Period: 300
    Threshold: 1.0
    Namespace: AWS/Lambda
    MetricName: Errors
    TreatMissingData: missing
    Statistic: Sum
    DatapointsToAlarm: 1
    ActionsEnabled: true
    AlarmActions:
      - !Ref 'Topic'
```

Spesifikasi aturan CT.CLOUDWATCH.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudwatch_alarm_action_check
#
# Description:
#   This control checks whether an Amazon CloudWatch alarm has at least one action
 configured for the alarm state.
#
# Reports on:
#   AWS::CloudWatch::Alarm
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
```

```
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudWatch alarm resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch alarm resource
#       And: 'AlarmActions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch alarm resource
#       And: 'AlarmActions' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation Hook
 Document
#       And: The input document contains a CloudWatch alarm resource
#       And: 'AlarmActions' has been provided as a non-empty list
#      Then: PASS

#
# Constants
#
let CLOUDWATCH_ALARM_TYPE = "AWS::CloudWatch::Alarm"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudwatch_alarms = Resources.*[ Type == %CLOUDWATCH_ALARM_TYPE ]

#
# Primary Rules
#
rule cloudwatch_alarm_action_check when is_cfn_template(%INPUT_DOCUMENT)
                                        %cloudwatch_alarms not empty {
```

```
    check(%cloudwatch_alarms.Properties)
        <<
        [CT.CLOUDWATCH.PR.1]: Require an Amazon CloudWatch alarm to have an action
 configured for the alarm state
        [FIX]: Set 'AlarmActions' to a list with one or more alarm action values.
        >>
}

rule cloudwatch_alarm_action_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDWATCH_ALARM_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDWATCH_ALARM_TYPE.resourceProperties)
        <<
        [CT.CLOUDWATCH.PR.1]: Require an Amazon CloudWatch alarm to have an action
 configured for the alarm state
        [FIX]: Set 'AlarmActions' to a list with one or more alarm action values.
        >>
}

#
# Parameterized Rules
#
rule check(cloudwatch_alarm){
    %cloudwatch_alarm {
        # Scenario 2
        AlarmActions exists
        # Scenarios 3 and 4
        AlarmActions is_list
        AlarmActions not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDWATCH.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Topic:
    Type: AWS::SNS::Topic
    Properties: {}
  Alarm:
    Type: AWS::CloudWatch::Alarm
    Properties:
      ComparisonOperator: GreaterThanOrEqualToThreshold
      EvaluationPeriods: 1
      Period: 300
      Threshold: 1.0
      Namespace: AWS/Lambda
      MetricName: Errors
      TreatMissingData: missing
      Statistic: Sum
      DatapointsToAlarm: 1
      ActionsEnabled: true
      AlarmActions:
      - Ref: Topic
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Alarm:
    Type: AWS::CloudWatch::Alarm
    Properties:
      ComparisonOperator: GreaterThanOrEqualToThreshold
```

```
      EvaluationPeriods: 1
      Period: 300
      Threshold: 1.0
      Namespace: AWS/Lambda
      MetricName: Errors
      TreatMissingData: missing
      Statistic: Sum
      DatapointsToAlarm: 1
      ActionsEnabled: true
```

[CT.CLOUDWATCH.PR.2] Memerlukan grup log CloudWatch Amazon untuk dipertahankan setidaknya selama satu tahun

Kontrol ini memeriksa apakah periode penyimpanan Grup CloudWatch Log Amazon disetel ke nilai yang lebih besar dari atau sama dengan 365 hari.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Logs::LogGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.CLOUDWATCH.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.CLOUDWATCH.PR.2
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDWATCH.PR.2 contoh template

Penjelasan

Amazon CloudWatch Logs memusatkan log dari semua sistem, aplikasi, dan AWS layanan Anda dalam satu layanan yang sangat skalabel. Anda dapat menggunakan Amazon CloudWatch Logs untuk memantau, menyimpan, dan mengambil file log Anda dari instans Amazon EC2, CloudTrail Route 53, dan sumber lainnya. Mempertahankan log Anda setidaknya selama satu tahun dapat membantu Anda mematuhi standar penyimpanan log.

Remediasi untuk kegagalan aturan

Menghilangkan nilai bidang `RetentionInDays` untuk mengadopsi pengaturan retensi default`Never expire`, atau set `RetentionInDays` ke nilai integer lebih besar dari atau sama dengan 365.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup CloudWatch Log Amazon - Contoh

Grup CloudWatch log Amazon dikonfigurasi untuk menyimpan log selama satu tahun (365 hari). Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LogGroup": {
        "Type": "AWS::Logs::LogGroup",
        "Properties": {
            "RetentionInDays": 365
        }
    }
}
```

Contoh YAMAL

```
LogGroup:
  Type: AWS::Logs::LogGroup
  Properties:
    RetentionInDays: 365
```

Spesifikasi aturan CT.CLOUDWATCH.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
```

```
#   cloudwatch_log_group_retention_period_check
#
# Description:
#   This control checks whether an Amazon CloudWatch Log Group retention period is set
 to a value greater than or equal to 365 days.
#
# Reports on:
#   AWS::Logs::LogGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudWatch log group resources
#     Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch log group resource
#       And: 'RetentionInDays' has been provided and set to a non integer value or
#            integer value less than 365
#     Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch log group resource
#       And: 'RetentionInDays' has not been provided
#     Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation Hook
 Document
#       And: The input document contains a CloudWatch log group resource
#       And: 'RetentionInDays' has been provided and set to an integer value greater
 than or equal to 365
#     Then: PASS

#
# Constants
```

```
#
let CLOUDWATCH_LOGS_TYPE = "AWS::Logs::LogGroup"
let MINIMUM_RETENTION_IN_DAYS = 365
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudwatch_log_groups = Resources.*[ Type == %CLOUDWATCH_LOGS_TYPE ]

#
# Primary Rules
#
rule cloudwatch_log_group_retention_period_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %cloudwatch_log_groups not empty
 {
    check(%cloudwatch_log_groups.Properties)
        <<
        [CT.CLOUDWATCH.PR.2]: Require an Amazon CloudWatch log group to be retained for
 at least one year
        [FIX]: Omit the field value of 'RetentionInDays' to adopt the default retention
 setting of 'Never expire', or set 'RetentionInDays' to an integer value greater than
 or equal to 365.
        >>
}

rule cloudwatch_log_group_retention_period_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDWATCH_LOGS_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDWATCH_LOGS_TYPE.resourceProperties)
        <<
        [CT.CLOUDWATCH.PR.2]: Require an Amazon CloudWatch log group to be retained for
 at least one year
        [FIX]: Omit the field value of 'RetentionInDays' to adopt the default retention
 setting of 'Never expire', or set 'RetentionInDays' to an integer value greater than
 or equal to 365.
        >>
}

#
# Parameterized Rules
#
rule check(cloudwatch_log_group){
    %cloudwatch_log_group {
        # Scenario 3
```

```
        RetentionInDays not exists or

        # Scenarios 2 and 4
        RetentionInDays >= %MINIMUM_RETENTION_IN_DAYS
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CLOUDWATCH.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties:
      RetentionInDays: 365
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties:
      RetentionInDays: 1
```

[CT.CLOUDWATCH.PR.3] Memerlukan grup log CloudWatch Amazon untuk dienkripsi saat istirahat dengan kunci KMS AWS

Kontrol ini memeriksa apakah grup CloudWatch log Amazon Logs dienkripsi saat istirahat dengan kunci KMS AWS

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Logs::LogGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.CLOUDWATCH.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.CLOUDWATCH.PR.3
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDWATCH.PR.3 contoh templat

Penjelasan

Grup CloudWatch log Amazon Logs dienkripsi secara default menggunakan enkripsi sisi server. Untuk menambahkan kontrol atas kunci enkripsi, Anda dapat menggunakan kunci yang dikelola pelanggan dari AWS KMS. Anda memiliki kontrol penuh atas kunci KMS ini, termasuk membuat dan memelihara kebijakan utama mereka, kebijakan IAM, dan hibah, mengaktifkan dan menonaktifkan kunci, memutar materi kriptografi mereka, menambahkan tag, membuat alias yang merujuk ke kunci KMS, dan menjadwalkan kunci KMS untuk dihapus.

Remediasi untuk kegagalan aturan

Setel `KmsKeyId` ke ARN kunci yang AWS KMS dikelola pelanggan yang dikonfigurasi dengan izin yang memungkinkan prinsipal CloudWatch layanan menggunakan kunci tersebut.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup CloudWatch Log Amazon - Contoh

Grup CloudWatch log Amazon dikonfigurasi untuk mengenkripsi log dengan kunci yang dikelola AWS KMS pelanggan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LogGroup": {
        "Type": "AWS::Logs::LogGroup",
        "Properties": {
            "KmsKeyId": {
                "Fn::GetAtt": [
                    "KMSKey",
                    "Arn"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
LogGroup:
  Type: AWS::Logs::LogGroup
  Properties:
    KmsKeyId: !GetAtt 'KMSKey.Arn'
```

Spesifikasi aturan CT.CLOUDWATCH.PR.3

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudwatch_log_group_encrypted_check
#
# Description:
#   This control checks whether an Amazon CloudWatch log group is encrypted at rest
 with an AWS KMS key
#
# Reports on:
#   AWS::Logs::LogGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudWatch log group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch log group resource
#       And: 'KmsKeyId' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch log group resource
#       And: 'KmsKeyId' has been provided as an empty string or invalid local reference
 to a KMS Key
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch log group resource
```

```
#       And: 'KmsKeyId' has been provided as a non-empty string or valid local
 reference to a KMS Key
#      Then: PASS

#
# Constants
#
let CLOUDWATCH_LOGS_TYPE = "AWS::Logs::LogGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudwatch_log_groups = Resources.*[ Type == %CLOUDWATCH_LOGS_TYPE ]

#
# Primary Rules
#
rule cloudwatch_log_group_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %cloudwatch_log_groups not empty {
    check(%cloudwatch_log_groups.Properties)
        <<
        [CT.CLOUDWATCH.PR.3]: Require an Amazon CloudWatch log group to be encrypted at
 rest with an AWS KMS key
        [FIX]: Set 'KmsKeyId' to the ARN of an AWS KMS customer managed key configured
 with permissions that allow the CloudWatch service principal to use the key.
        >>
}

rule cloudwatch_log_group_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDWATCH_LOGS_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDWATCH_LOGS_TYPE.resourceProperties)
        <<
        [CT.CLOUDWATCH.PR.3]: Require an Amazon CloudWatch log group to be encrypted at
 rest with an AWS KMS key
        [FIX]: Set 'KmsKeyId' to the ARN of an AWS KMS customer managed key configured
 with permissions that allow the CloudWatch service principal to use the key.
        >>
}

#
# Parameterized Rules
#
rule check(cloudwatch_log_group){
```

```
    %cloudwatch_log_group {
        # Scenario 2
        KmsKeyId exists
        # Scenario 3 and 4
        check_is_string_and_not_empty(KmsKeyId) or
        check_local_references(%INPUT_DOCUMENT, KmsKeyId, "AWS::KMS::Key")
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
```

```
    %referenced_resource not empty
    %referenced_resource {
        Type == %resource_type
    }
}
```

CT.CLOUDWATCH.PR.3 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KMSKey:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-cloudwatch-logs-key-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: "*"
        - Sid: Enable Logs
          Effect: Allow
          Principal:
            Service:
              Fn::Sub: logs.${AWS::Region}.amazonaws.com
          Action:
          - kms:Encrypt*
          - kms:Decrypt*
          - kms:ReEncrypt*
          - kms:GenerateDataKey*
          - kms:Describe
          Resource: "*"
          Condition:
```

```
            ArnEquals:
              kms:EncryptionContext:aws:logs:arn:
                Fn::Sub: arn:${AWS::Partition}:logs:${AWS::Region}:${AWS::AccountId}:*
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties:
      KmsKeyId:
        Fn::GetAtt:
        - KMSKey
        - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties: {}
```

[CT.CLOUDWATCH.PR.4] Memerlukan alarm Amazon agar tindakan diaktifkan CloudWatch

Kontrol ini memeriksa apakah CloudWatch alarm Amazon mengaktifkan tindakan.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CloudWatch::Alarm`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.CLOUDWATCH.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.CLOUDWATCH.PR.4
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CLOUDWATCH.PR.4 contoh templat

Penjelasan

Tindakan alarm secara otomatis mengingatkan Anda ketika metrik yang dipantau berada di luar ambang batas yang ditentukan. Jika tindakan alarm dinonaktifkan, tidak ada tindakan yang dijalankan saat alarm berubah status, sehingga Anda tidak akan diberitahu tentang perubahan dalam metrik yang dipantau. AWS Control Tower merekomendasikan untuk mengaktifkan tindakan CloudWatch alarm untuk membantu Anda merespons masalah keamanan dan operasional dengan cepat.

Remediasi untuk kegagalan aturan

Setel `ActionsEnabled` ke `true` atau tidak menyediakan `ActionsEnabled` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon CloudWatch Alarm - Contoh

CloudWatch Alarm Amazon yang dikonfigurasi dengan tindakan alarm diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "Alarm": {
        "Type": "AWS::CloudWatch::Alarm",
        "Properties": {
            "AlarmActions": [
                {
                    "Ref": "Topic"
                }
            ],
            "ComparisonOperator": "GreaterThanOrEqualToThreshold",
            "EvaluationPeriods": 1,
            "Period": 300,
            "Threshold": 1.0,
            "Namespace": "AWS/Lambda",
            "MetricName": "Errors",
            "TreatMissingData": "missing",
            "Statistic": "Sum",
            "DatapointsToAlarm": 1,
            "ActionsEnabled": true
        }
    }
}
```

Contoh YAMAL

```
Alarm:
  Type: AWS::CloudWatch::Alarm
  Properties:
    AlarmActions:
      - !Ref 'Topic'
    ComparisonOperator: GreaterThanOrEqualToThreshold
    EvaluationPeriods: 1
    Period: 300
    Threshold: 1.0
    Namespace: AWS/Lambda
    MetricName: Errors
    TreatMissingData: missing
    Statistic: Sum
    DatapointsToAlarm: 1
    ActionsEnabled: true
```

Spesifikasi aturan CT.CLOUDWATCH.PR.4

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   cloudwatch_alarm_action_enabled_check
#
# Description:
#   This control checks whether an Amazon CloudWatch alarm has actions enabled.
#
# Reports on:
#   AWS::CloudWatch::Alarm
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
```

```
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CloudWatch alarm resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch alarm resource
#       And: 'ActionsEnabled' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CloudWatch alarm resource
#       And: 'ActionsEnabled' has not been provided
#      Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation Hook
 Document
#       And: The input document contains a CloudWatch alarm resource
#       And: 'ActionsEnabled' has been provided with a value of bool(true)
#      Then: PASS

#
# Constants
#
let CLOUDWATCH_ALARM_TYPE = "AWS::CloudWatch::Alarm"
let INPUT_DOCUMENT = this

#
# Assignments
#
let cloudwatch_alarms = Resources.*[ Type == %CLOUDWATCH_ALARM_TYPE ]

#
# Primary Rules
#
rule cloudwatch_alarm_action_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %cloudwatch_alarms not empty {
```

```
    check(%cloudwatch_alarms.Properties)
        <<
        [CT.CLOUDWATCH.PR.4]: Require an Amazon CloudWatch alarm to have actions
 activated
        [FIX]: Set 'ActionsEnabled' to 'true' or do not provide the 'ActionsEnabled'
 property.
        >>
}

rule cloudwatch_alarm_action_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CLOUDWATCH_ALARM_TYPE) {
    check(%INPUT_DOCUMENT.%CLOUDWATCH_ALARM_TYPE.resourceProperties)
        <<
        [CT.CLOUDWATCH.PR.4]: Require an Amazon CloudWatch alarm to have actions
 activated
        [FIX]: Set 'ActionsEnabled' to 'true' or do not provide the 'ActionsEnabled'
 property.
        >>
}

#
# Parameterized Rules
#
rule check(cloudwatch_alarm){
    %cloudwatch_alarm {
        # Scenario 3
        ActionsEnabled not exists or
        # Scenarios 2 and 4
        ActionsEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.CLOUDWATCH.PR.4 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Topic:
    Type: AWS::SNS::Topic
    Properties: {}
  Alarm:
    Type: AWS::CloudWatch::Alarm
    Properties:
      AlarmActions:
      - Ref: Topic
      ComparisonOperator: GreaterThanOrEqualToThreshold
      EvaluationPeriods: 1
      Period: 300
      Threshold: 1.0
      Namespace: AWS/Lambda
      MetricName: Errors
      TreatMissingData: missing
      Statistic: Sum
      DatapointsToAlarm: 1
      ActionsEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Topic:
    Type: AWS::SNS::Topic
    Properties: {}
```

```
  Alarm:
    Type: AWS::CloudWatch::Alarm
    Properties:
      AlarmActions:
      - Ref: Topic
      ComparisonOperator: GreaterThanOrEqualToThreshold
      EvaluationPeriods: 1
      Period: 300
      Threshold: 1.0
      Namespace: AWS/Lambda
      MetricName: Errors
      TreatMissingData: missing
      Statistic: Sum
      DatapointsToAlarm: 1
      ActionsEnabled: false
```

AWS CodeBuild kontrol

Topik

- [CT.CODEBUILD.PR.1] Memerlukan URL repositori sumber OAuth on GitHub atau Bitbucket untuk proyek AWS CodeBuild
- [CT.CODEBUILD.PR.2] Memerlukan variabel lingkungan AWS CodeBuild proyek apa pun untuk mengenkripsi kredensyal dalam variabel lingkungan
- [CT.CODEBUILD.PR.3] Memerlukan lingkungan AWS CodeBuild proyek apa pun agar logging dikonfigurasi
- [CT.CODEBUILD.PR.5] Memerlukan enkripsi pada semua artefak AWS CodeBuild proyek
- [CT.CODEBUILD.PR.6] Memerlukan enkripsi pada semua log Amazon S3 untuk proyek AWS CodeBuild

[CT.CODEBUILD.PR.1] Memerlukan URL repositori sumber OAuth on GitHub atau Bitbucket untuk proyek AWS CodeBuild

Kontrol ini memeriksa apakah URL repositori sumber Bitbucket berisi token akses pribadi atau nama pengguna dan kata sandi. GitHub

- Tujuan kontrol: Gunakan otentikasi yang kuat
- Implementasi: Aturan AWS CloudFormation Penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CodeBuild::Project`
- AWS CloudFormation aturan penjaga: CT.CODEBUILD.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.1contoh template

Penjelasan

Kredensi otentikasi tidak boleh disimpan atau ditransmisikan dalam teks yang jelas atau muncul di URL repositori. Alih-alih token akses pribadi atau nama pengguna dan kata sandi, Anda harus menggunakan OAuth untuk memberikan otorisasi untuk mengakses GitHub atau repositori Bitbucket. Menggunakan token akses pribadi atau nama pengguna dan kata sandi dapat mengekspos kredensyal Anda ke paparan data yang tidak diinginkan dan akses yang tidak sah.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk AWS CodeBuild proyek dengan jenis sumber primer atau sekunder dari `GitHub` atau`Bitbucket`.

Remediasi untuk kegagalan aturan

Hapus semua kredensyal yang disematkan dari URL repositori dalam konfigurasi sumber proyek. AWS CodeBuild Sebagai gantinya, hubungkan CodeBuild proyek Anda ke `GitHub` atau `Bitbucket` repositori dengan mengonfigurasi `GitHub Access Token` atau `Bitbucket App Password` kredensyal di atau. AWS Management Console AWS CLI

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Satu

AWS CodeBuild proyek dikonfigurasi dengan lokasi sumber GitHub utama yang tidak berisi token akses pribadi. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Artifacts": {
                "Type": "NO_ARTIFACTS"
            },
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
            },
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n
 - npm install\n  build:\n    commands:\n      - npm test\nartifacts:\n  files:\n    -
 '**/*'\n",
                "Type": "GITHUB",
                "Location": "https://github.com/username/repo.git"
            }
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Artifacts:
      Type: NO_ARTIFACTS
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
```

```
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      BuildSpec: |
        version: 0.2
        phases:
          install:
            commands:
              - npm install
          build:
            commands:
              - npm test
        artifacts:
          files:
            - '**/*'
      Type: GITHUB
      Location: https://github.com/username/repo.git
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Dua

AWS CodeBuild proyek dikonfigurasi dengan lokasi sumber primer dan sekunder yang tidak mengandung kredensyal atau token akses pribadi. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Artifacts": {
                "Type": "NO_ARTIFACTS"
            },
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
            },
```

```
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n
 - npm install\n  build:\n    commands:\n      - npm test\nartifacts:\n  files:\n    -
 '**/*'\n",
                "Type": "BITBUCKET",
                "Location": "https://bitbucket.org/user/repo.git"
            },
            "SecondarySources": [
                {
                    "Type": "GITHUB",
                    "Location": "https://github.com/username/repo.git",
                    "SourceIdentifier": "GitHubSource"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Artifacts:
      Type: NO_ARTIFACTS
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      BuildSpec: |
        version: 0.2
        phases:
          install:
```

```
            commands:
              - npm install
          build:
            commands:
              - npm test
        artifacts:
          files:
            - '**/*'
      Type: BITBUCKET
      Location: https://bitbucket.org/user/repo.git
    SecondarySources:
      - Type: GITHUB
        Location: https://github.com/username/repo.git
        SourceIdentifier: GitHubSource
```

CT.CODEBUILD.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   codebuild_project_source_repo_url_check
#
# Description:
#   This control checks whether the GitHub or Bitbucket source repository URL contains
 either personal access tokens or a username and password.
#
# Reports on:
#   AWS::CodeBuild::Project
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CodeBuild project resources
#       Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Source' configuration is not of 'Type' 'GITHUB' or 'BITBUCKET'
#       And: 'SecondarySources' configuration is not provided or is provided and does
 not have any item of 'Type'
#            'GITHUB' or 'BITBUCKET'
#       Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Source' configuration is of 'Type' 'GITHUB' or 'BITBUCKET'
#       And: 'Source' configuration has a 'Location' that contains credentials
 (username and password for BitBucket
#            and Access Token for GitHub)
#       Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'SecondarySources' configuration is provided
#       And: 'SecondarySources' configuration has one or more items of 'Type' 'GITHUB'
 or 'BITBUCKET'
#       And: 'SecondarySources' configuration has one or more items with 'Location'
 that contains credentials
#            (username and password for BitBucket and Access Token for GitHub)
#       Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Source' configuration is of 'Type' 'GITHUB' or 'BITBUCKET'
#       And: 'Source' configuration has a 'Location' that does not contain credentials
 (username and password for
#            BitBucket and Access Token for GitHub)
#       And: 'SecondarySources' configuration is not provided or is provided and does
 not have any item of 'Type'
#            'GITHUB' or 'BITBUCKET'
```

```
#       Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Source' configuration is of 'Type' 'GITHUB' or 'BITBUCKET'
#       And: 'Source' configuration has a 'Location' that does not contain credentials
 (username and password for
#            BitBucket and Access Token for GitHub)
#       And: 'SecondarySources' configuration is provided
#       And: 'SecondarySources' configuration has one or more items of 'Type' 'GITHUB'
 or 'BITBUCKET'
#       And: 'SecondarySources' configuration has one or more items with 'Location'
 that does not contain credentials
#            (username and password for BitBucket and Access Token for GitHub)
#       Then: PASS

#
# Constants
#
let CODEBUILD_PROJECT_TYPE = "AWS::CodeBuild::Project"
let INPUT_DOCUMENT = this
let GITHUB_COMPLIANT_URL_PATTERN = /^(http(s)?)(:\/\/github\.com\/)([^\/]+)\/([\w\.-]+)
(\.git)?$/
let BITBUCKET_COMPLIANT_URL_PATTERN = /^https?:\/\/bitbucket\.org/

#
# Assignments
#
let codebuild_project = Resources.*[ Type == %CODEBUILD_PROJECT_TYPE ]

#
# Primary Rules
#
rule codebuild_project_source_repo_url_check when is_cfn_template(%INPUT_DOCUMENT)
                                                 %codebuild_project not empty {
    check(%codebuild_project.Properties)
        <<
        [CT.CODEBUILD.PR.1]: Require OAuth on GitHub or Bitbucket source repository
 URLs for AWS CodeBuild projects
            [FIX]: Remove any embedded credentials from repository URLs in AWS
 CodeBuild project source configurations. Instead, connect your CodeBuild projects
 to 'GitHub' or 'Bitbucket' repositories by configuring 'GitHub Access Token' or
 'Bitbucket App Password' credentials in the AWS Management Console or AWS CLI.
```

```
        >>
}

rule codebuild_project_source_repo_url_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CODEBUILD_PROJECT_TYPE) {
    check(%INPUT_DOCUMENT.%CODEBUILD_PROJECT_TYPE.resourceProperties)
        <<
        [CT.CODEBUILD.PR.1]: Require OAuth on GitHub or Bitbucket source repository
 URLs for AWS CodeBuild projects
            [FIX]: Remove any embedded credentials from repository URLs in AWS
 CodeBuild project source configurations. Instead, connect your CodeBuild projects
 to 'GitHub' or 'Bitbucket' repositories by configuring 'GitHub Access Token' or
 'Bitbucket App Password' credentials in the AWS Management Console or AWS CLI.
        >>
}

#
# Parameterized Rules
#
rule check(codebuild_project) {
    %codebuild_project[
        filter_github_or_bitbucket_source_configuration(this) or
        filter_github_or_bitbucket_secondary_sources_configuration(this)
    ] {
        # Scenario 3, 5 and 6
        check_source(Source)
        # Scenario 4 and 6
        check_secondary_sources(this)
    }
}

rule filter_github_or_bitbucket_source_configuration(codebuild_project) {
    %codebuild_project {
        Source exists
        Source is_struct
        Source {
            Type == "GITHUB" or
            Type == "BITBUCKET"
        }
    }
}

rule filter_github_or_bitbucket_secondary_sources_configuration(codebuild_project) {
    %codebuild_project {
```

```
        SecondarySources exists
        SecondarySources is_list
        SecondarySources not empty

        some SecondarySources[*] {
            Type == "GITHUB" or
            Type == "BITBUCKET"
        }
    }
}

rule check_source(codebuild_source) {
    %codebuild_source [
        Type == "GITHUB"
    ] {
        Location exists
        Location == %GITHUB_COMPLIANT_URL_PATTERN
    }
    %codebuild_source [
        Type == "BITBUCKET"
    ] {
        Location exists
        Location == %BITBUCKET_COMPLIANT_URL_PATTERN
    }
}

rule check_secondary_sources(codebuild_project) {
    %codebuild_project [
        # Scenario 2
        SecondarySources exists
        SecondarySources is_list
        SecondarySources not empty
    ] {
        # Scenario 4 and 6
        SecondarySources[*] {
            check_source(this)
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
```

```
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CODEBUILD.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
```

```
        - Arn
      Source:
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
          artifacts:
            files:
              - '**/*'
        Type: GITHUB
        Location: https://github.com/username/repo.git
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
```

```
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
          artifacts:
            files:
              - '**/*'
        Type: BITBUCKET
        Location: https://username:password@bitbucket.org/user/repo.git
```

[CT.CODEBUILD.PR.2] Memerlukan variabel lingkungan AWS CodeBuild proyek apa pun untuk mengenkripsi kredensyal dalam variabel lingkungan

Kontrol ini memeriksa apakah AWS CodeBuild proyek berisi variabel lingkungan `AWS_ACCESS_KEY_ID` dan `AWS_SECRET_ACCESS_KEY` disimpan sebagai`PLAINTEXT`.

- Tujuan kontrol: Gunakan otentikasi yang kuat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CodeBuild::Project`
- AWS CloudFormation aturan penjaga: CT.CODEBUILD.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.2contoh template

Penjelasan

Kredensyal otentikasi AWS_ACCESS_KEY_ID dan AWS_SECRET_ACCESS_KEY tidak boleh disimpan dalam teks yang jelas, karena ini dapat menyebabkan paparan data yang tidak diinginkan dan akses yang tidak sah.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk AWS CodeBuild proyek yang dikonfigurasi dengan `AWS_ACCESS_KEY_ID` dan variabel `AWS_SECRET_ACCESS_KEY` lingkungan

Remediasi untuk kegagalan aturan

Gunakan `PARAMETER_STORE` atau `SECRETS_MANAGER` untuk menyimpan nilai-nilai untuk variabel lingkungan bernama `AWS_ACCESS_KEY_ID` atau`AWS_SECRET_ACCESS_KEY`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh

AWS CodeBuild proyek dikonfigurasi untuk menggunakan kredensyal yang disimpan di. AWS Secrets Manager Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Artifacts": {
                "Type": "NO_ARTIFACTS"
            },
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER",
                "EnvironmentVariables": [
                    {
                        "Name": "AWS_ACCESS_KEY_ID",
```

```
                        "Type": "SECRETS_MANAGER",
                        "Value": "sample_secret:access_key_id"
                    },
                    {
                        "Name": "AWS_SECRET_ACCESS_KEY",
                        "Type": "SECRETS_MANAGER",
                        "Value": "sample_secret:secret_access_key"
                    }
                ]
            },
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "Type": "NO_SOURCE",
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n
 - npm install\n  build:\n    commands:\n      - npm test\nartifacts:\n  files:\n    -
 '**/*'\n"
            }
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Artifacts:
      Type: NO_ARTIFACTS
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
      EnvironmentVariables:
        - Name: AWS_ACCESS_KEY_ID
          Type: SECRETS_MANAGER
          Value: sample_secret:access_key_id
```

```
        - Name: AWS_SECRET_ACCESS_KEY
          Type: SECRETS_MANAGER
          Value: sample_secret:secret_access_key
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      Type: NO_SOURCE
      BuildSpec: |
        version: 0.2
        phases:
          install:
            commands:
              - npm install
          build:
            commands:
              - npm test
        artifacts:
          files:
            - '**/*'
```

CT.CODEBUILD.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   codebuild_project_envvar_awscred_check
#
# Description:
#   This control checks whether AWS CodeBuild projects contain environment variables
 'AWS_ACCESS_KEY_ID' and 'AWS_SECRET_ACCESS_KEY' stored as 'PLAINTEXT'.
#
# Reports on:
#   AWS::CodeBuild::Project
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation Hook
#
# Rule Parameters:
#   None
```

```
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CodeBuild project resources
#     Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Environment' configuration does not contains 'EnvironmentVariables'
#     Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Environment' configuration contains 'EnvironmentVariables'
#       And: 'EnvironmentVariables' contain variables named 'AWS_ACCESS_KEY_ID' or
 'AWS_SECRET_ACCESS_KEY'
#       And: 'Type' is not provided for 'AWS_ACCESS_KEY_ID' and 'AWS_SECRET_ACCESS_KEY'
 environment variables or is
#            provided as an empty string.
#     Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Environment' configuration contains 'EnvironmentVariables'
#       And: 'EnvironmentVariables' contain variables named 'AWS_ACCESS_KEY_ID' or
 'AWS_SECRET_ACCESS_KEY'
#       And: 'Type' is set to 'PLAINTEXT' for 'AWS_ACCESS_KEY_ID' or
 'AWS_SECRET_ACCESS_KEY' environment variables
#     Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Environment' configuration contains 'EnvironmentVariables'
#       And: 'EnvironmentVariables' does not contain variables named
 'AWS_ACCESS_KEY_ID' or 'AWS_SECRET_ACCESS_KEY'
#     Then: PASS
#   Scenario: 6
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Environment' configuration contains 'EnvironmentVariables'
#       And: 'EnvironmentVariables' contain variables named 'AWS_ACCESS_KEY_ID' or
 'AWS_SECRET_ACCESS_KEY'
#       And: 'Type' is provided as a non-empty string and not set to 'PLAINTEXT' for
 'AWS_ACCESS_KEY_ID' or
#            'AWS_SECRET_ACCESS_KEY' environment variables
#     Then: PASS



#
# Constants
#
let CODEBUILD_PROJECT_TYPE = "AWS::CodeBuild::Project"
let AWS_CREDENTIAL_ENV_VAR_NAMES = [ "AWS_ACCESS_KEY_ID", "AWS_SECRET_ACCESS_KEY" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let codebuild_project = Resources.*[ Type == %CODEBUILD_PROJECT_TYPE ]

#
# Primary Rules
#
rule codebuild_project_envvar_awscred_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %codebuild_project not empty {
    check(%codebuild_project.Properties)
        <<
        [CT.CODEBUILD.PR.2]: Require any AWS CodeBuild project environment variable to
 encrypt credentials in environment variables
            [FIX]: Use 'PARAMETER_STORE' or 'SECRETS_MANAGER' to store values for
 environment variables named 'AWS_ACCESS_KEY_ID' or 'AWS_SECRET_ACCESS_KEY'.
        >>
}

rule codebuild_project_envvar_awscred_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CODEBUILD_PROJECT_TYPE) {
    check(%INPUT_DOCUMENT.%CODEBUILD_PROJECT_TYPE.resourceProperties)
        <<
        [CT.CODEBUILD.PR.2]: Require any AWS CodeBuild project environment variable to
 encrypt credentials in environment variables
```

```
            [FIX]: Use 'PARAMETER_STORE' or 'SECRETS_MANAGER' to store values for
 environment variables named 'AWS_ACCESS_KEY_ID' or 'AWS_SECRET_ACCESS_KEY'.
        >>
}

#
# Parameterized Rules
#
rule check(codebuild_project) {
    %codebuild_project [
        # Scenario 2
        filter_codebuild_projects_with_environment_variables(this)
    ] {
        Environment exists
        Environment is_struct
        Environment {
            EnvironmentVariables exists
            EnvironmentVariables is_list
            EnvironmentVariables not empty
            EnvironmentVariables [
                # Scenario 3, 4 and 6
                Name in %AWS_CREDENTIAL_ENV_VAR_NAMES
            ] {
                # Scenario 3
                Type exists
                check_is_string_and_not_empty(Type)
                # Scenario 4 and 6
                Type != "PLAINTEXT"
            }
        }
    }
}

rule filter_codebuild_projects_with_environment_variables(codebuild_project) {
    %codebuild_project {
        Environment exists
        Environment is_struct

        Environment {
            # Scenario 2
            EnvironmentVariables exists
            EnvironmentVariables is_list
            EnvironmentVariables not empty
        }
```

```
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.CODEBUILD.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
```

```
          Action: sts:AssumeRole
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
        EnvironmentVariables:
        - Name: AWS_ACCESS_KEY_ID
          Type: SECRETS_MANAGER
          Value: example_secret:access_key_id
        - Name: AWS_SECRET_ACCESS_KEY
          Type: SECRETS_MANAGER
          Value: example_secret:secret_access_key
        - Name: some_other_variable
          Type: PLAINTEXT
          Value: example
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
          artifacts:
            files:
              - '**/*'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
        EnvironmentVariables:
        - Name: AWS_ACCESS_KEY_ID
          Type: PLAINTEXT
          Value: EXAMPLE_ACCESS_KEY_ID
        - Name: AWS_SECRET_ACCESS_KEY
          Type: PLAINTEXT
          Value: EXAMPLE_SECRET_ACCESS_KEY
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
```

```
        artifacts:
          files:
            - '**/*'
```

[CT.CODEBUILD.PR.3] Memerlukan lingkungan AWS CodeBuild proyek apa pun agar logging dikonfigurasi

Kontrol ini memeriksa apakah lingkungan AWS CodeBuild proyek memiliki setidaknya satu opsi pencatatan yang diaktifkan.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CodeBuild::Project`
- AWS CloudFormation aturan penjaga: CT.CODEBUILD.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.3contoh template

Penjelasan

Dari perspektif keamanan, logging adalah fitur penting untuk memungkinkan, untuk membantu upaya forensik masa depan jika terjadi insiden keamanan. Mengkorelasikan anomali dalam CodeBuild proyek dengan deteksi ancaman dapat meningkatkan kepercayaan pada keakuratan deteksi ancaman tersebut.

Remediasi untuk kegagalan aturan

Atur `LogsConfig` dengan `S3Logs` konfigurasi `CloudWatchLogs` atau.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Satu

AWS CodeBuild proyek dikonfigurasi untuk mengaktifkan logging, melalui Amazon CloudWatch Logs. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Artifacts": {
                "Type": "NO_ARTIFACTS"
            },
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
            },
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "Type": "NO_SOURCE",
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n      -
 npm install\n  build:\n    commands:\n      - npm test\n"
            },
            "LogsConfig": {
                "CloudWatchLogs": {
                    "Status": "ENABLED"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Artifacts:
      Type: NO_ARTIFACTS
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      Type: NO_SOURCE
      BuildSpec: "version: 0.2\nphases:\n  install:\n    commands:\n      - npm install
\n\
        \  build:\n    commands:\n      - npm test\n"
    LogsConfig:
      CloudWatchLogs:
        Status: ENABLED
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Dua

AWS CodeBuild proyek dikonfigurasi untuk mengaktifkan logging, melalui Amazon S3. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Artifacts": {
                "Type": "NO_ARTIFACTS"
            },
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
```

```
            },
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "Type": "NO_SOURCE",
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n      -
 npm install\n  build:\n    commands:\n      - npm test\n"
            },
            "LogsConfig": {
                "S3Logs": {
                    "Status": "ENABLED",
                    "Location": {
                        "Fn::Join": [
                            "/",
                            [
                                {
                                    "Ref": "S3Bucket"
                                },
                                "path/to/directory"
                            ]
                        ]
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Artifacts:
      Type: NO_ARTIFACTS
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
```

```
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      Type: NO_SOURCE
      BuildSpec: "version: 0.2\nphases:\n  install:\n    commands:\n      - npm install
\n\
        \  build:\n    commands:\n      - npm test\n"
    LogsConfig:
      S3Logs:
        Status: ENABLED
        Location: !Join
          - /
          - - !Ref 'S3Bucket'
            - path/to/directory
```

CT.CODEBUILD.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   codebuild_project_logging_enabled_check
#
# Description:
#   This control checks whether AWS CodeBuild projects environment has at least one
 logging option enabled.
#
# Reports on:
#   AWS::CodeBuild::Project
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CodeBuild project resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is not provided on the CodeBuild project resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: Neither 'CloudWatchLogs' or 'S3Logs' are present in 'LogsConfig'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: 'CloudWatchLogs' is not present in 'LogsConfig'
#       And: 'S3Logs' is present in 'LogsConfig' with 'Status' set to 'DISABLED'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: 'S3Logs' is not present in 'LogsConfig'
#       And: 'CloudWatchLogs' is present in 'LogsConfig' with 'Status' set to
 'DISABLED'
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: 'CloudWatchLogs' and 'S3Logs' are present in 'LogsConfig' with 'Status'
 set to 'DISABLED'
#      Then: FAIL
#   Scenario: 7
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: 'CloudWatchLogs' is not present in 'LogsConfig'
#       And: 'S3Logs' is present in 'LogsConfig' with 'Status' set to 'ENABLED'
#       And: 'Location' has not been provided in 'S3Logs', or has been provided as an
 empty string or
#             invalid local reference
#      Then: FAIL
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: 'S3Logs' is not present in 'LogsConfig'
#       And: 'CloudWatchLogs' is present in 'LogsConfig' with 'Status' set to 'ENABLED'
#      Then: PASS
#   Scenario: 9
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: 'CloudWatchLogs' is not present in 'LogsConfig'
#       And: 'S3Logs' is present in 'LogsConfig' with 'Status' set to 'ENABLED'
#       And: 'Location' has been provided in 'S3Logs' as a non-empty string or valid
 local reference
#      Then: PASS
#   Scenario: 10
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'LogsConfig' is provided on the CodeBuild project resource
#       And: 'CloudWatchLogs' is present in 'LogsConfig' with 'Status' set to 'ENABLED'
#       And: 'S3Logs' is present in 'LogsConfig' with 'Status' set to 'ENABLED'
#       And: 'Location' has been provided in 'S3Logs' as a non-empty string or valid
 local reference
#      Then: PASS

#
# Constants
#
let CODEBUILD_PROJECT_TYPE = "AWS::CodeBuild::Project"
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let codebuild_project = Resources.*[ Type == %CODEBUILD_PROJECT_TYPE ]

#
# Primary Rules
#
rule codebuild_project_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                  %codebuild_project not empty {
    check(%codebuild_project.Properties)
        <<
        [CT.CODEBUILD.PR.3]: Require any AWS CodeBuild project environment to have
 logging configured
            [FIX]: Set 'LogsConfig' with a 'CloudWatchLogs' or 'S3Logs' configuration.
        >>
}

rule codebuild_project_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CODEBUILD_PROJECT_TYPE) {
    check(%INPUT_DOCUMENT.%CODEBUILD_PROJECT_TYPE.resourceProperties)
        <<
        [CT.CODEBUILD.PR.3]: Require any AWS CodeBuild project environment to have
 logging configured
            [FIX]: Set 'LogsConfig' with a 'CloudWatchLogs' or 'S3Logs' configuration.
        >>
}

#
# Parameterized Rules
#
rule check(codebuild_project) {
    %codebuild_project {
        # Scenario 2
        LogsConfig exists
        LogsConfig is_struct

        LogsConfig {
            # Scenario 3
            check_cloudwatch_logs(this) or
            check_s3_logs(this)
        }
    }
```

```
}

rule check_cloudwatch_logs(codebuild_project) {
    %codebuild_project {
        # Scenario 4
        CloudWatchLogs exists
        CloudWatchLogs is_struct

        CloudWatchLogs {
            # Scenario 5, 6, 8 and 10
            Status exists
            Status == "ENABLED"
        }
    }
}

rule check_s3_logs(codebuild_project) {
    %codebuild_project {
        # Scenario 4
        S3Logs exists
        S3Logs is_struct

        S3Logs {
            # Scenario 4, 6, 9 and 10
            Status exists
            Status == "ENABLED"

            # Scenario 7, 9 and 10
            Location exists
            check_is_string_and_not_empty(Location) or
            check_local_references(%INPUT_DOCUMENT, Location, "AWS::S3::Bucket") or
            check_join_references(%INPUT_DOCUMENT, Location, "AWS::S3::Bucket")
        }
    }
}

rule check_join_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::Join' {
            this is_list
            this not empty
            some this[1][*] {
                check_local_references(%doc, this, %referenced_resource_type)
            }
```

```
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.CODEBUILD.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: CodeBuildProjectPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
```

```
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
      LogsConfig:
        CloudWatchLogs:
          Status: ENABLED
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
```

```
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
      LogsConfig:
        S3Logs:
          Status: DISABLED
        CloudWatchLogs:
          Status: DISABLED
```

[CT.CODEBUILD.PR.5] Memerlukan enkripsi pada semua artefak AWS CodeBuild proyek

Kontrol ini memeriksa apakah AWS CodeBuild proyek dikonfigurasi untuk mengenkripsi artefak.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CodeBuild::Project`
- AWS CloudFormation aturan penjaga: CT.CODEBUILD.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.5spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.5contoh template

Penjelasan

Enkripsi data saat istirahat adalah praktik terbaik yang direkomendasikan. Ini menambahkan lapisan manajemen akses di sekitar data Anda. Jika terjadi kompromi pada CodeBuild artefak Anda, enkripsi saat istirahat memastikan bahwa data Anda dilindungi dari akses yang tidak diinginkan.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk AWS CodeBuild proyek yang dikonfigurasi untuk mengembalikan artefak primer atau sekunder sebagai output.

Remediasi untuk kegagalan aturan

Atur `EncryptionDisabled` properti di `Artifacts` dan apa pun `SecondaryArtifacts` kefalse, atau hilangkan `EncryptionDisabled` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Satu

AWS CodeBuild proyek dikonfigurasi untuk mengembalikan artefak primer sebagai output dengan enkripsi artefak diaktifkan, dengan cara default. AWS CloudFormation Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
            },
```

```
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "Type": "NO_SOURCE",
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n
 - npm install\n  build:\n    commands:\n      - npm test\nartifacts:\n  files:\n    -
 '**/*'\n"
            },
            "Artifacts": {
                "Type": "S3",
                "Location": {
                    "Ref": "S3Bucket"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      Type: NO_SOURCE
      BuildSpec: |
        version: 0.2
        phases:
          install:
            commands:
              - npm install
          build:
```

```
            commands:
              - npm test
        artifacts:
          files:
            - '**/*'
    Artifacts:
      Type: S3
      Location: !Ref 'S3Bucket'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Dua

AWS CodeBuild proyek dikonfigurasi untuk mengembalikan artefak primer dan sekunder sebagai output dengan enkripsi artefak diaktifkan, melalui properti. `EncryptionDisabled` Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
            },
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "Type": "NO_SOURCE",
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n
  - npm install\n  build:\n    commands:\n      - npm test\nartifacts:\n  files:\n
  - '**/*'\n  secondary-artifacts:\n    secondaryArtifact:\n      files:\n        -
 'directory/file1'\n"
```

```
            },
            "Artifacts": {
                "Type": "S3",
                "EncryptionDisabled": false,
                "Location": {
                    "Ref": "S3Bucket"
                }
            },
            "SecondaryArtifacts": [
                {
                    "Type": "S3",
                    "EncryptionDisabled": false,
                    "ArtifactIdentifier": "secondaryArtifact",
                    "Location": {
                        "Ref": "S3Bucket"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      Type: NO_SOURCE
      BuildSpec: |
        version: 0.2
        phases:
          install:
            commands:
              - npm install
          build:
```

```
            commands:
              - npm test
        artifacts:
          files:
            - '**/*'
          secondary-artifacts:
            secondaryArtifact:
              files:
                - 'directory/file1'
    Artifacts:
      Type: S3
      EncryptionDisabled: false
      Location: !Ref 'S3Bucket'
    SecondaryArtifacts:
      - Type: S3
        EncryptionDisabled: false
        ArtifactIdentifier: secondaryArtifact
        Location: !Ref 'S3Bucket'
```

CT.CODEBUILD.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   codebuild_project_artifact_encryption_check
#
# Description:
#   This control checks whether AWS CodeBuild projects are configured to encrypt
 artifacts.
#
# Reports on:
#   AWS::CodeBuild::Project
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
```

```
#
# Scenarios:
#   Scenario 1:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CodeBuild project resources
#      Then: SKIP
#   Scenario 2:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Artifacts' configuration is provided and is of 'Type' 'NO_ARTIFACTS'
#       And: 'SecondaryArtifacts' configuration is not provided or provided with an
 empty list
#      Then: SKIP
#   Scenario 3:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Artifacts' configuration is provided and is of 'Type' 'NO_ARTIFACTS'
#       And: 'SecondaryArtifacts' configuration is provided as a non-empty list
#       And: All 'SecondaryArtifacts' entries have 'Type' set to 'NO_ARTIFACTS'
#      Then: SKIP
#   Scenario 4:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Artifacts' configuration is provided and is not of 'Type' 'NO_ARTIFACTS'
#       And: 'EncryptionDisabled' within 'Artifacts' configuration is provided and set
 to bool(true)
#      Then: FAIL
#   Scenario 5:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'SecondaryArtifacts' configuration is provided
#       And: There exists one or more items in 'SecondaryArtifacts' which have
 'EncryptionDisabled' set to bool(true)
#      Then: FAIL
#   Scenario 6:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'Artifacts.EncryptionDisabled' is not provided, or is set to bool(false)
```

```
#       And: There exists no item in 'SecondaryArtifacts' which has
 'EncryptionDisabled' set to bool(true)
#      Then: PASS

#
# Constants
#
let CODEBUILD_PROJECT_TYPE = "AWS::CodeBuild::Project"
let INPUT_DOCUMENT = this

#
# Assignments
#
let codebuild_project = Resources.*[ Type == %CODEBUILD_PROJECT_TYPE ]

#
# Primary Rules
#
rule codebuild_project_artifact_encryption_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %codebuild_project not empty {
    check(%codebuild_project.Properties)
        <<
        [CT.CODEBUILD.PR.5]: Require encryption on all AWS CodeBuild project artifacts
            [FIX]: Set the 'EncryptionDisabled' property in 'Artifacts' and any
 'SecondaryArtifacts' to 'false', or omit the 'EncryptionDisabled' property.
        >>
}

rule codebuild_project_artifact_encryption_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CODEBUILD_PROJECT_TYPE) {
    check(%INPUT_DOCUMENT.%CODEBUILD_PROJECT_TYPE.resourceProperties)
        <<
        [CT.CODEBUILD.PR.5]: Require encryption on all AWS CodeBuild project artifacts
            [FIX]: Set the 'EncryptionDisabled' property in 'Artifacts' and any
 'SecondaryArtifacts' to 'false', or omit the 'EncryptionDisabled' property.
        >>
}

#
# Parameterized Rules
#
rule check(codebuild_project) {
    %codebuild_project [
        filter_codebuild_projects(this)
```

```
    ] {
        Artifacts {
            # Scenario 4 and 6
            check_artifact(this)
        }
        # Scenario 5
        SecondaryArtifacts not exists or
        check_secondary_artifacts(this)
    }
}

rule check_secondary_artifacts(codebuild_project) {
    %codebuild_project {
        SecondaryArtifacts is_list
        SecondaryArtifacts[*] {
            # Scenario 5 and 6
            check_artifact(this)
        }
    }
}

rule check_artifact(artifact) {
    %artifact {
        EncryptionDisabled not exists or
        EncryptionDisabled == false
    }
}

rule filter_codebuild_projects(codebuild_project) {
    %codebuild_project {
        # Scenario 2 and 3
        Artifacts exists
        Artifacts is_struct
        Artifacts {
            filter_artifact(this)
        } or
        filter_secondary_artifacts(this)
    }
}

rule filter_secondary_artifacts(codebuild_project) {
    %codebuild_project {
        # Scenario 2
        SecondaryArtifacts exists
```

```
        SecondaryArtifacts is_list
        SecondaryArtifacts not empty
        SecondaryArtifacts[*] {
            # Scenario 3
            filter_artifact(this)
        }
    }
}

rule filter_artifact(artifact) {
    %artifact {
       Type exists
       Type != "NO_ARTIFACTS"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CODEBUILD.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
```

```
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: CodeBuildProjectPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
          - Effect: Allow
            Action:
            - s3:PutObject
            - s3:GetBucketAcl
            - s3:GetBucketLocation
            Resource:
            - Fn::GetAtt:
              - S3Bucket
              - Arn
            - Fn::Join:
              - ""
              - - Fn::GetAtt:
                  - S3Bucket
                  - Arn
                - "/*"
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties: {}
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
```

```
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
          artifacts:
            files:
              - '**/*'
      Artifacts:
        Type: S3
        Location:
          Ref: S3Bucket
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
```

```
      - PolicyName: CodeBuildProjectPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
          - Effect: Allow
            Action:
            - s3:PutObject
            - s3:GetBucketAcl
            - s3:GetBucketLocation
            Resource:
            - Fn::GetAtt:
              - S3Bucket
              - Arn
            - Fn::Join:
              - ""
              - - Fn::GetAtt:
                  - S3Bucket
                  - Arn
                - "/*"
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties: {}
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
```

```
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
          artifacts:
            files:
              - '**/*'
      Artifacts:
        Type: S3
        EncryptionDisabled: true
        Location:
          Ref: S3Bucket
```

[CT.CODEBUILD.PR.6] Memerlukan enkripsi pada semua log Amazon S3 untuk proyek AWS CodeBuild

Kontrol ini memeriksa apakah AWS CodeBuild proyek yang dikonfigurasi dengan log Amazon S3 telah mengaktifkan enkripsi.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::CodeBuild::Project`
- AWS CloudFormation aturan penjaga: CT.CODEBUILD.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.6spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.CODEBUILD.PR.6contoh template

Penjelasan

Enkripsi data saat istirahat adalah praktik terbaik yang direkomendasikan. Ini menambahkan lapisan manajemen akses di sekitar data Anda. Jika terjadi kompromi pada CodeBuild artefak Anda, enkripsi saat istirahat memastikan bahwa data Anda dilindungi dari akses yang tidak diinginkan.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk AWS CodeBuild proyek dengan pengiriman log ke Amazon S3 diaktifkan.

Remediasi untuk kegagalan aturan

`EncryptionDisabled`Atur `S3Logs` ke`false`, atau jangan tentukan `EncryptionDisabled` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Satu

AWS CodeBuild proyek dikonfigurasi untuk mengenkripsi log yang dikirimkan ke tujuan pencatatan Amazon S3, dengan cara AWS CloudFormation default. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Artifacts": {
                "Type": "NO_ARTIFACTS"
            },
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
            },
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
```

```
                ]
            },
            "Source": {
                "Type": "NO_SOURCE",
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n
 - npm install\n  build:\n    commands:\n      - npm test\nartifacts:\n  files:\n    -
 '**/*'\n"
            },
            "LogsConfig": {
                "S3Logs": {
                    "Status": "ENABLED",
                    "Location": {
                        "Ref": "S3Bucket"
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Artifacts:
      Type: NO_ARTIFACTS
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      Type: NO_SOURCE
      BuildSpec: |
        version: 0.2
        phases:
          install:
            commands:
              - npm install
          build:
```

```
            commands:
              - npm test
        artifacts:
          files:
            - '**/*'
    LogsConfig:
      S3Logs:
        Status: ENABLED
        Location: !Ref 'S3Bucket'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS CodeBuild Proyek - Contoh Dua

AWS CodeBuild proyek dikonfigurasi untuk mengenkripsi log yang dikirimkan ke tujuan pencatatan Amazon S3, melalui properti. `EncryptionDisabled` Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "CodeBuildProject": {
        "Type": "AWS::CodeBuild::Project",
        "Properties": {
            "Artifacts": {
                "Type": "NO_ARTIFACTS"
            },
            "Environment": {
                "ComputeType": "BUILD_GENERAL1_SMALL",
                "Image": "aws/codebuild/standard:4.0",
                "Type": "LINUX_CONTAINER"
            },
            "ServiceRole": {
                "Fn::GetAtt": [
                    "CodeBuildServiceRole",
                    "Arn"
                ]
            },
            "Source": {
                "Type": "NO_SOURCE",
```

```
                "BuildSpec": "version: 0.2\nphases:\n  install:\n    commands:\n
 - npm install\n  build:\n    commands:\n      - npm test\nartifacts:\n  files:\n    -
 '**/*'\n"
            },
            "LogsConfig": {
                "S3Logs": {
                    "Status": "ENABLED",
                    "Location": {
                        "Ref": "S3Bucket"
                    },
                    "EncryptionDisabled": false
                }
            }
        }
    }
}
```

Contoh YAMAL

```
CodeBuildProject:
  Type: AWS::CodeBuild::Project
  Properties:
    Artifacts:
      Type: NO_ARTIFACTS
    Environment:
      ComputeType: BUILD_GENERAL1_SMALL
      Image: aws/codebuild/standard:4.0
      Type: LINUX_CONTAINER
    ServiceRole: !GetAtt 'CodeBuildServiceRole.Arn'
    Source:
      Type: NO_SOURCE
      BuildSpec: |
        version: 0.2
        phases:
          install:
            commands:
              - npm install
          build:
            commands:
              - npm test
        artifacts:
```

```
          files:
            - '**/*'
    LogsConfig:
      S3Logs:
        Status: ENABLED
        Location: !Ref 'S3Bucket'
        EncryptionDisabled: false
```

CT.CODEBUILD.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   codebuild_project_s3_logs_encrypted_check
#
# Description:
#   This control checks whether AWS CodeBuild projects configured with Amazon S3 logs
 have encryption enabled.
#
# Reports on:
#   AWS::CodeBuild::Project
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario 1:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any CodeBuild project resources
#      Then: SKIP
#   Scenario 2:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
```

```
#       And: 'S3Logs' in 'LogsConfig' configuration is not provided
#      Then: SKIP
#   Scenario 3:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'S3Logs' in 'LogsConfig' configuration is provided and its 'Status' is set
 to 'DISABLED'
#      Then: SKIP
#   Scenario 4:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'S3Logs' in 'LogsConfig' configuration is provided and its 'Status' is set
 to 'ENABLED'
#       And: 'EncryptionDisabled' within 'S3Logs' is provided and set to bool(true)
#      Then: FAIL
#   Scenario 5:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'S3Logs' in 'LogsConfig' configuration is provided and its 'Status' is set
 to 'ENABLED'
#       And: 'EncryptionDisabled' within 'S3Logs' is not provided
#      Then: PASS
#   Scenario 6:
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a CodeBuild project resource
#       And: 'S3Logs' in 'LogsConfig' configuration is provided and its 'Status' is set
 to 'ENABLED'
#       And: 'EncryptionDisabled' within 'S3Logs' is provided and set to bool(false)
#      Then: PASS

#
# Constants
#
let CODEBUILD_PROJECT_TYPE = "AWS::CodeBuild::Project"
let INPUT_DOCUMENT = this

#
# Assignments
#
let codebuild_project = Resources.*[ Type == %CODEBUILD_PROJECT_TYPE ]
```

```
#
# Primary Rules
#
rule codebuild_project_s3_logs_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %codebuild_project not empty {
    check(%codebuild_project.Properties)
        <<
        [CT.CODEBUILD.PR.6]: Require encryption on all Amazon S3 logs for AWS CodeBuild
 projects
            [FIX]: Set 'EncryptionDisabled' in 'S3Logs' to 'false', or do not specify
 the 'EncryptionDisabled' property.
        >>
}

rule codebuild_project_s3_logs_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %CODEBUILD_PROJECT_TYPE) {
    check(%INPUT_DOCUMENT.%CODEBUILD_PROJECT_TYPE.resourceProperties)
        <<
        [CT.CODEBUILD.PR.6]: Require encryption on all Amazon S3 logs for AWS CodeBuild
 projects
            [FIX]: Set 'EncryptionDisabled' in 'S3Logs' to 'false', or do not specify
 the 'EncryptionDisabled' property.
        >>
}

#
# Parameterized Rules
#
rule check(codebuild_project) {
    %codebuild_project [
        # Scenario 2 and 3
        filter_codebuild_projects(this)
    ] {
        LogsConfig {
            S3Logs {
                # Scenario 5
                EncryptionDisabled not exists or
                # Scenario 4 and 6
                EncryptionDisabled == false
            }
        }
    }
}
```

```
rule filter_codebuild_projects(codebuild_project) {
    %codebuild_project {
        LogsConfig exists
        LogsConfig is_struct
        LogsConfig {
            # Scenario 2 and 3
            S3Logs exists
            S3Logs is_struct
            S3Logs {
                Status exists
                # Scenario 3 and 4
                Status == "ENABLED"
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.CODEBUILD.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  CodeBuildServiceRole:
```

```
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: CodeBuildProjectPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
          - Effect: Allow
            Action:
            - s3:PutObject
            - s3:GetBucketAcl
            - s3:GetBucketLocation
            Resource:
              - Fn::GetAtt:
                - S3Bucket
                - Arn
              - Fn::Join:
                - ""
                - - Fn::GetAtt:
                    - S3Bucket
                    - Arn
                  - "/*"
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties: {}
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
```

```
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
          artifacts:
            files:
              - '**/*'
      LogsConfig:
        S3Logs:
          Status: ENABLED
          Location:
            Ref: S3Bucket
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  CodeBuildServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
```

```
            Service: codebuild.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: CodeBuildProjectPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
          - Effect: Allow
            Action:
            - s3:PutObject
            - s3:GetBucketAcl
            - s3:GetBucketLocation
            Resource:
              - Fn::GetAtt:
                - S3Bucket
                - Arn
              - Fn::Join:
                - ""
                - - Fn::GetAtt:
                    - S3Bucket
                    - Arn
                  - "/*"
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties: {}
  CodeBuildProject:
    Type: AWS::CodeBuild::Project
    Properties:
      Artifacts:
        Type: NO_ARTIFACTS
      Environment:
        ComputeType: BUILD_GENERAL1_SMALL
        Image: aws/codebuild/standard:4.0
        Type: LINUX_CONTAINER
      ServiceRole:
        Fn::GetAtt:
        - CodeBuildServiceRole
```

```
        - Arn
      Source:
        Type: NO_SOURCE
        BuildSpec: |
          version: 0.2
          phases:
            install:
              commands:
                - npm install
            build:
              commands:
                - npm test
          artifacts:
            files:
              - '**/*'
      LogsConfig:
        S3Logs:
          Status: ENABLED
          Location:
            Ref: S3Bucket
          EncryptionDisabled: true
```

AWS Database Migration Service (AWS DMS) kontrol

Topik

- [CT.DMS.PR.1] Mengharuskan instance AWS DMS replikasi publik tidak bersifat publik
- [CT.DMS.PR.2] Memerlukan Titik Akhir AWS Database Migration Service (DMS) untuk mengenkripsi koneksi untuk titik akhir sumber dan target

[CT.DMS.PR.1] Mengharuskan instance AWS DMS replikasi publik tidak bersifat publik

Kontrol ini memeriksa apakah instance AWS DMS replikasi Anda bersifat publik.

- Tujuan kontrol: Batasi akses jaringan, Terapkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DMS::ReplicationInstance`
- AWS CloudFormation aturan penjaga: CT.DMS.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.DMS.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DMS.PR.1contoh template

Penjelasan

Instance replikasi pribadi memiliki alamat IP pribadi yang tidak dapat Anda akses di luar jaringan replikasi. Anda menggunakan instans pribadi ketika basis data sumber dan target berada di jaringan yang sama yang terhubung ke instans replikasi VPC. Jaringan dapat dihubungkan ke VPC dengan menggunakan VPN, AWS Direct Connect, atau VPC peering.

Remediasi untuk kegagalan aturan

Atur `PubliclyAccessible` ke `false`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS DMS Contoh Replikasi - Contoh

AWS DMS contoh replikasi dikonfigurasi dengan akses publik dinonaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "DMSReplicationInstance": {
        "Type": "AWS::DMS::ReplicationInstance",
        "Properties": {
            "ReplicationInstanceClass": "dms.t3.micro",
            "PubliclyAccessible": false
        }
    }
}
```

Contoh YAMAL

```
DMSReplicationInstance:
  Type: AWS::DMS::ReplicationInstance
  Properties:
    ReplicationInstanceClass: dms.t3.micro
    PubliclyAccessible: false
```

CT.DMS.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
# Rule Identifier:
#   dms_replication_instance_not_public_check
#
# Description:
#   This control checks whether your AWS DMS replication instance is public.
#
# Reports on:
#   AWS::DMS::ReplicationInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS DMS replication instance
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a AWS DMS replication instance resource
#       And: 'PubliclyAccessible' is not present on the AWS DMS replication instance
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a AWS DMS replication instance resource
#       And: 'PubliclyAccessible' is present on the AWS DMS replication instance
#            and is set to bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a AWS DMS replication instance resource
#       And: 'PubliclyAccessible' is present on the AWS DMS replication instance
#            and is set to bool(false)
#      Then: PASS

#
# Constants
#
let DMS_REPLICATION_INSTANCE_TYPE = "AWS::DMS::ReplicationInstance"
let INPUT_DOCUMENT = this

#
# Assignments
#
let dms_replication_instances = Resources.*[ Type == %DMS_REPLICATION_INSTANCE_TYPE ]

#
# Primary Rules
#
rule dms_replication_instance_not_public_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %dms_replication_instances not
 empty {
    check(%dms_replication_instances.Properties)
        <<
        [CT.DMS.PR.1]: Require that a public AWS DMS replication instance is not public
        [FIX]: Set 'PubliclyAccessible' to 'false'.
        >>
}

rule dms_replication_instance_not_public_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DMS_REPLICATION_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%DMS_REPLICATION_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.DMS.PR.1]: Require that a public AWS DMS replication instance is not public
```

```
        [FIX]: Set 'PubliclyAccessible' to 'false'.
        >>
}

#
# Parameterized Rules
#
rule check(dms_replication_instances) {
    %dms_replication_instances {
        # Scenario 2
        PubliclyAccessible exists
        # Scenario 3 and 4
        PubliclyAccessible == false
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.DMS.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DMSReplicationInstance:
    Type: AWS::DMS::ReplicationInstance
```

```
    Properties:
      ReplicationInstanceClass: dms.t3.micro
      PubliclyAccessible: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DMSReplicationInstance:
    Type: AWS::DMS::ReplicationInstance
    Properties:
      ReplicationInstanceClass: dms.t3.micro
      PubliclyAccessible: true
```

[CT.DMS.PR.2] Memerlukan Titik Akhir AWS Database Migration Service (DMS) untuk mengenkripsi koneksi untuk titik akhir sumber dan target

Kontrol ini memeriksa apakah Endpoint AWS Database Migration Service (AWS DMS) dikonfigurasi untuk mengenkripsi koneksi untuk titik akhir sumber dan target dengan menggunakan Secure Sockets Layer (SSL).

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DMS::Endpoint`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.DMS.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.DMS.PR.2
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DMS.PR.2 contoh template

Penjelasan

Anda dapat mengenkripsi koneksi untuk titik akhir sumber dan target menggunakan Lapisan Soket Aman (SSL). Dengan mengaktifkan enkripsi dalam perjalanan dengan SSL, Anda dapat melindungi kerahasiaan data selama migrasi data. AWS DMS

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk AWS DMS titik akhir dengan EngineName propertimysql,,,, oracle postgres mariadb auroraaurora-postgresql, db2, sybase , , mongodb docdb sqlserver'. , or
- Tidak semua mode SSL bekerja dengan semua titik akhir basis data. Lihat Menggunakan SSL dengan AWS Database Migration Service di Panduan AWS Database Migration Service Pengguna untuk informasi tentang mode SSL mana yang didukung untuk setiap mesin database, dan batasan penggunaan SSL. AWS DMS

Remediasi untuk kegagalan aturan

Tetapkan nilai SslMode properti ke mode enkripsi yang didukung untuk mesin titik akhir (salah satu require, verify-ca, atau verify-full).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS DMS Endpoint - Contoh

AWS DMS Endpoint yang dikonfigurasi dengan target postgres database dan enkripsi koneksi menggunakan SSL (TLS). Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "Endpoint": {
        "Type": "AWS::DMS::Endpoint",
        "Properties": {
            "DatabaseName": "sample-db",
            "EndpointType": "target",
            "Username": {
                "Fn::Sub": "{{resolve:secretsmanager:${DMSEndpointSecret}::username}}"
            },
```

```
            "Password": {
                "Fn::Sub": "{{resolve:secretsmanager:${DMSEndpointSecret}::password}}"
            },
            "Port": 1234,
            "ServerName": "server.db.example.com",
            "EngineName": "postgres",
            "SslMode": "require"
        }
    }
}
```

Contoh YAMAL

```
Endpoint:
  Type: AWS::DMS::Endpoint
  Properties:
    DatabaseName: sample-db
    EndpointType: target
    Username: !Sub '{{resolve:secretsmanager:${DMSEndpointSecret}::username}}'
    Password: !Sub '{{resolve:secretsmanager:${DMSEndpointSecret}::password}}'
    Port: 1234
    ServerName: server.db.example.com
    EngineName: postgres
    SslMode: require
```

Spesifikasi aturan CT.DMS.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   dms_endpoint_ssl_configured_check
#
# Description:
#   This control checks whether an AWS Database Migration Service (AWS DMS) Endpoint is
 configured to encrypt connections for source and target endpoints by using
Secure Sockets Layer (SSL).
```

```
#
# Reports on:
#   AWS::DMS::Endpoint
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS DMS endpoint resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a AWS DMS endpoint resource
#       And: 'EngineName' has been set to an engine other than an engine that supports
 configuration
#            of SSL connections via 'SslMode' (values other than 'mysql', 'oracle',
 'postgres', 'mariadb',
#            'aurora', 'aurora-postgresql', 'db2, 'sybase', 'mongodb', 'docdb',
 'sqlserver')
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a AWS DMS endpoint resource
#       And: 'EngineName' has been set to an engine that supports configuration of SSL
 connections via 'SslMode'
#            ('mysql', 'oracle', 'postgres', 'mariadb', 'aurora', 'aurora-postgresql',
#            'db2, 'sybase', 'mongodb', 'docdb', 'sqlserver')
#       And: 'SslMode' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a AWS DMS endpoint resource
#       And: 'EngineName' has been set to an engine that supports configuration of SSL
 connections via 'SslMode'
#            ('mysql', 'oracle', 'postgres', 'mariadb', 'aurora', 'aurora-postgresql',
```

```
#            'db2, 'sybase', 'mongodb', 'docdb', 'sqlserver')
#       And: 'SslMode' has been provided and set to a value other than 'require',
 'verify-ca' or 'verify-full'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a AWS DMS endpoint resource
#       And: 'EngineName' has been set to an engine that supports configuration of SSL
 connections via 'SslMode'
#            ('mysql', 'oracle', 'postgres', 'mariadb', 'aurora', 'aurora-postgresql',
#            'db2, 'sybase', 'mongodb', 'docdb', 'sqlserver')
#       And: 'SslMode' has been provided and set to 'require', 'verify-ca' or 'verify-
full'
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let DMS_ENDPOINT_TYPE = "AWS::DMS::Endpoint"
let DMS_ENGINE_NAMES_WITH_SSL_SUPPORT = [
    "mysql",
    "oracle",
    "postgres",
    "mariadb",
    "aurora",
    "aurora-postgresql",
    "db2",
    "sybase",
    "mongodb",
    "docdb",
    "sqlserver"
]
let ALLOWED_DMS_SSL_MODES = [
    "require",
    "verify-ca",
    "verify-full"
]

#
# Assignments
#
let dms_endpoints = Resources.*[ Type == %DMS_ENDPOINT_TYPE ]
```

```
#
# Primary Rules
#
rule dms_endpoint_ssl_configured_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %dms_endpoints not empty {
    check(%dms_endpoints.Properties)
        <<
        [CT.DMS.PR.2]: Require an AWS Database Migration Service (AWS DMS) Endpoint to
 encrypt connections for source and target endpoints
        [FIX]: Set the value of the SslMode property to a supported encryption mode for
 the endpoint engine (one of require, verify-ca, or verify-full).
        >>
}

rule dms_endpoint_ssl_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DMS_ENDPOINT_TYPE) {
    check(%INPUT_DOCUMENT.%DMS_ENDPOINT_TYPE.resourceProperties)
        <<
        [CT.DMS.PR.2]: Require an AWS Database Migration Service (AWS DMS) Endpoint to
 encrypt connections for source and target endpoints
        [FIX]: Set the value of the SslMode property to a supported encryption mode for
 the endpoint engine (one of require, verify-ca, or verify-full).
        >>
}

#
# Parameterized Rules
#
rule check(dms_endpoint) {
    %dms_endpoint [
        # Scenario 2
        EngineName exists
        EngineName in %DMS_ENGINE_NAMES_WITH_SSL_SUPPORT
    ] {
        # Scenario 3
        SslMode exists
        # Scenarios 4 and 5
        SslMode in %ALLOWED_DMS_SSL_MODES
    }
}

#
# Utility Rules
```

```
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.DMS.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DMSEndpointSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Example DMS endpoint secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\;+%{},'
  Endpoint:
    Type: AWS::DMS::Endpoint
    Properties:
      DatabaseName: example-db
      EndpointType: target
      Username:
        Fn::Sub: '{{resolve:secretsmanager:${DMSEndpointSecret}::username}}'
      Password:
        Fn::Sub: '{{resolve:secretsmanager:${DMSEndpointSecret}::password}}'
      Port: 1234
      ServerName: server.db.example.com
```

```
      EngineName: postgres
      SslMode: require
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DMSEndpointSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Example DMS endpoint secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\;+%{},'
  Endpoint:
    Type: AWS::DMS::Endpoint
    Properties:
      DatabaseName: example-db
      EndpointType: target
      Username:
        Fn::Sub: '{{resolve:secretsmanager:${DMSEndpointSecret}::username}}'
      Password:
        Fn::Sub: '{{resolve:secretsmanager:${DMSEndpointSecret}::password}}'
      Port: 1234
      ServerName: server.db.example.com
      EngineName: postgres
```

Kontrol Amazon DocumentDB

Topik

- [CT.DOCUMENTDB.PR.1] Memerlukan cluster Amazon DocumentDB untuk dienkripsi saat istirahat
- [CT.DOCUMENTDB.PR.2] Memerlukan cluster Amazon DocumentDB untuk memiliki periode retensi cadangan lebih dari atau sama dengan tujuh hari

[CT.DOCUMENTDB.PR.1] Memerlukan cluster Amazon DocumentDB untuk dienkripsi saat istirahat

Kontrol ini memeriksa apakah enkripsi penyimpanan diaktifkan untuk klaster Amazon DocumentDB (dengan kompatibilitas MongoDB).

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DocDB::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.DOCUMENTDB.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.DOCUMENTDB.PR.1
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DOCUMENTDB.PR.1 contoh template

Penjelasan

Anda mengenkripsi data at rest di klaster Amazon DocumentDB dengan menentukan opsi enkripsi penyimpanan saat Anda membuat klaster. Enkripsi penyimpanan diaktifkan di seluruh cluster, dan diterapkan ke semua instance, termasuk instance utama dan replika apa pun. Hal ini juga diterapkan pada volume penyimpanan cluster Anda, data, indeks, log, backup otomatis, dan snapshot.

Cluster yang Anda buat menggunakan AWS CloudFormation memiliki enkripsi saat istirahat dimatikan secara default. Oleh karena itu, Anda harus secara eksplisit mengaktifkan enkripsi saat istirahat menggunakan properti. `StorageEncrypted`

Remediasi untuk kegagalan aturan

Tetapkan nilai `StorageEncrypted` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon DocumentDB - Contoh

Cluster Amazon DocumentDB yang dikonfigurasi dengan enkripsi penyimpanan diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DocumentDBCluster": {
        "Type": "AWS::DocDB::DBCluster",
        "Properties": {
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:
${DocumentDBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:
${DocumentDBClusterSecret}::password}}"
            },
            "StorageEncrypted": true
        }
    }
}
```

Contoh YAMAL

```
DocumentDBCluster:
  Type: AWS::DocDB::DBCluster
  Properties:
    MasterUsername: !Sub '{{resolve:secretsmanager:
${DocumentDBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:
${DocumentDBClusterSecret}::password}}'
    StorageEncrypted: true
```

Spesifikasi aturan CT.DOCUMENTDB.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
```

```
#   docdb_cluster_encrypted_check
#
# Description:
#   This control checks whether storage encryption is enabled for an Amazon DocumentDB
 (with MongoDB compatibility) cluster.
#
# Reports on:
#   AWS::DocDB::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Document DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Document DB cluster resource
#       And: 'StorageEncrypted' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Document DB cluster resource
#       And: 'StorageEncrypted' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Document DB cluster resource
#       And: 'StorageEncrypted' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
```

```
let DOCUMENT_DB_CLUSTER_TYPE = "AWS::DocDB::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let document_db_clusters = Resources.*[ Type == %DOCUMENT_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule docdb_cluster_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                        %document_db_clusters not empty {
    check(%document_db_clusters.Properties)
        <<
        [CT.DOCUMENTDB.PR.1]: Require an Amazon DocumentDB cluster to be encrypted at
 rest
        [FIX]: Set the value of the 'StorageEncrypted' parameter to true.
        >>
}

rule docdb_cluster_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DOCUMENT_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%DOCUMENT_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.DOCUMENTDB.PR.1]: Require an Amazon DocumentDB cluster to be encrypted at
 rest
        [FIX]: Set the value of the 'StorageEncrypted' parameter to true.
        >>
}

#
# Parameterized Rules
#
rule check(document_db_cluster) {
    %document_db_cluster {
        # Scenario 2
        StorageEncrypted exists
        # Scenarios 3 and 4
        StorageEncrypted == true
    }
}

#
```

```
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.DOCUMENTDB.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DocumentDBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: \"@/\\
  DocumentDBCluster:
    Type: AWS::DocDB::DBCluster
    Properties:
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::password}}'
      StorageEncrypted: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DocumentDBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: \"@/\\
  DocumentDBCluster:
    Type: AWS::DocDB::DBCluster
    Properties:
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::password}}'
      StorageEncrypted: false
```

[CT.DOCUMENTDB.PR.2] Memerlukan cluster Amazon DocumentDB untuk memiliki periode retensi cadangan lebih dari atau sama dengan tujuh hari

Kontrol ini memeriksa apakah periode retensi klaster Amazon DocumentDB disetel ke tujuh hari atau lebih (>=7). Periode retensi default adalah satu hari.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DocDB::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.DOCUMENTDB.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.DOCUMENTDB.PR.2

- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DOCUMENTDB.PR.2 contoh template

Penjelasan

Amazon DocumentDB membuat snapshot otomatis harian dari klaster Anda selama jendela backup klaster Anda. Amazon DocumentDB menyimpan snapshot otomatis klaster Anda sesuai dengan periode retensi cadangan yang Anda tentukan, memungkinkan Anda memulihkan ke titik mana pun dalam periode retensi cadangan. Cuplikan harian ini memperkuat ketahanan sistem Anda, dan ini dapat membantu Anda pulih dengan cepat dari insiden keamanan.

Remediasi untuk kegagalan aturan

Tetapkan nilai `BackupRetentionPeriod` parameter ke nilai integer antara 7 dan 35 hari (inklusif).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon DocumentDB - Contoh

Cluster Amazon DocumentDB yang dikonfigurasi dengan periode retensi cadangan tujuh (7) hari. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DocumentDBCluster": {
        "Type": "AWS::DocDB::DBCluster",
        "Properties": {
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:
${DocumentDBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:
${DocumentDBClusterSecret}::password}}"
            },
            "BackupRetentionPeriod": 7
        }
    }
}
```

Contoh YAMAL

```
DocumentDBCluster:
  Type: AWS::DocDB::DBCluster
  Properties:
    MasterUsername: !Sub '{{resolve:secretsmanager:
${DocumentDBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:
${DocumentDBClusterSecret}::password}}'
    BackupRetentionPeriod: 7
```

Spesifikasi aturan CT.DOCUMENTDB.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   docdb_cluster_backup_retention_check
#
# Description:
#   This control checks whether an Amazon DocumentDB cluster retention period is set to
 seven or more days (>=7).
#
# Reports on:
#   AWS::DocDB::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Document DB cluster resources
#      Then: SKIP
```

```
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Document DB cluster resource
#       And: 'BackupRetentionPeriod' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Document DB cluster resource
#       And: 'BackupRetentionPeriod' has been provided and set to an integer value less
 than seven (<7)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Document DB cluster resource
#       And: 'BackupRetentionPeriod' has been provided and set to an integer value
 greater than or equal to seven (>=7)
#      Then: PASS

#
# Constants
#
let DOCUMENT_DB_CLUSTER_TYPE = "AWS::DocDB::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let document_db_clusters = Resources.*[ Type == %DOCUMENT_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule docdb_cluster_backup_retention_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %document_db_clusters not empty {
    check(%document_db_clusters.Properties)
        <<
        [CT.DOCUMENTDB.PR.2]: Require an Amazon DocumentDB cluster to have automatic
 backups enabled
        [FIX]: Set the value of the 'BackupRetentionPeriod' parameter to an integer
 value between 7 and 35 days (inclusive).
        >>
```

```
}

rule docdb_cluster_backup_retention_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DOCUMENT_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%DOCUMENT_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.DOCUMENTDB.PR.2]: Require an Amazon DocumentDB cluster to have automatic
 backups enabled
        [FIX]: Set the value of the 'BackupRetentionPeriod' parameter to an integer
 value between 7 and 35 days (inclusive).
        >>
}

#
# Parameterized Rules
#
rule check(document_db_cluster) {
    %document_db_cluster {
        # Scenario 2
        BackupRetentionPeriod exists
        # Scenarios 3 and 4
        BackupRetentionPeriod >= 7
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.DOCUMENTDB.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DocumentDBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: '\"@/\\'
  DocumentDBCluster:
    Type: AWS::DocDB::DBCluster
    Properties:
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::password}}'
      BackupRetentionPeriod: 7
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DocumentDBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: '\"@/\\'
  DocumentDBCluster:
    Type: AWS::DocDB::DBCluster
```

```
    Properties:
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DocumentDBClusterSecret}::password}}'
      BackupRetentionPeriod: 1
```

Kontrol Amazon DynamoDB

Topik

- [CT.DYNAMODB.PR.1] Mengharuskan point-in-time pemulihan untuk tabel Amazon DynamoDB diaktifkan
- [CT.DYNAMODB.PR.2] Memerlukan tabel Amazon DynamoDB untuk dienkripsi saat istirahat menggunakan kunci AWS KMS

[CT.DYNAMODB.PR.1] Mengharuskan point-in-time pemulihan untuk tabel Amazon DynamoDB diaktifkan

Kontrol ini memeriksa apakah point-in-time pemulihan (PITR) diaktifkan untuk tabel Amazon DynamoDB.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DynamoDB::Table`
- AWS CloudFormation aturan penjaga: CT.DYNAMODB.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.DYNAMODB.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DYNAMODB.PR.1contoh template

Penjelasan

Cadangan membantu Anda pulih lebih cepat dari insiden keamanan. Mereka juga memperkuat ketahanan sistem Anda. Amazon point-in-time DynamoDB recovery (PITR) mengotomatiskan backup untuk tabel DynamoDB, yang dapat mengurangi waktu yang diperlukan untuk memulihkan dari operasi penghapusan atau penulisan yang tidak disengaja. Tabel DynamoDB yang mengaktifkan PITR dapat dikembalikan ke titik waktu mana pun dalam 35 hari terakhir.

Remediasi untuk kegagalan aturan

Berikan `PointInTimeRecoverySpecification` konfigurasi dan atur `PointInTimeRecoveryEnabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Tabel Amazon DynamoDB - Contoh

Tabel Amazon DynamoDB dikonfigurasi point-in-time dengan pemulihan diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DynamoDBTable": {
        "Type": "AWS::DynamoDB::Table",
        "Properties": {
            "AttributeDefinitions": [
                {
                    "AttributeName": "PK",
                    "AttributeType": "S"
                }
            ],
            "BillingMode": "PAY_PER_REQUEST",
            "KeySchema": [
                {
                    "AttributeName": "PK",
                    "KeyType": "HASH"
                }
            ],
            "PointInTimeRecoverySpecification": {
                "PointInTimeRecoveryEnabled": true
            }
        }
    }
```

```
}
```

Contoh YAMAL

```
DynamoDBTable:
  Type: AWS::DynamoDB::Table
  Properties:
    AttributeDefinitions:
      - AttributeName: PK
        AttributeType: S
    BillingMode: PAY_PER_REQUEST
    KeySchema:
      - AttributeName: PK
        KeyType: HASH
    PointInTimeRecoverySpecification:
      PointInTimeRecoveryEnabled: true
```

CT.DYNAMODB.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
# Rule Identifier:
#   dynamodb_table_pitr_enabled_check
#
# Description:
#   This control checks whether point-in-time recovery (PITR) is enabled for an Amazon
 DynamoDB table.
#
# Reports on:
#   AWS::DynamoDB::Table
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Paramaeters:
#   None
#
```

```
# Scenarios:
#   Scenario: 1
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any DynamoDB table resources
#       Then: SKIP
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contains a DynamoDB table resource
#        And: 'PointInTimeRecoverySpecification' is not present on the DynamoDB table
 resource
#       Then: FAIL
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contains a DynamoDB table resource
#        And: 'PointInTimeRecoverySpecification' is present on the DynamoDB table
 resource
#        And: 'PointInTimeRecoveryEnabled' in 'PointInTimeRecoverySpecification' is
 missing or is a value
#              other than bool(true)
#       Then: FAIL
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contains a DynamoDB table resource
#        And: 'PointInTimeRecoverySpecification' is present on the DynamoDB table
 resource
#        And: 'PointInTimeRecoveryEnabled' in 'PointInTimeRecoverySpecification' is
 present and set to bool(true)
#       Then: PASS

#
# Constants
#
let DYNAMODB_TABLE_TYPE = "AWS::DynamoDB::Table"
let INPUT_DOCUMENT = this

#
# Assignments
#
let dynamodb_tables = Resources.*[ Type == %DYNAMODB_TABLE_TYPE ]
```

```
#
# Primary Rules
#
rule dynamodb_table_pitr_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %dynamodb_tables not empty {
    check(%dynamodb_tables.Properties)
        <<
        [CT.DYNAMODB.PR.1]: Require that point-in-time recovery for an Amazon DynamoDB
 table is activated
            [FIX]: Provide a 'PointInTimeRecoverySpecification' configuration and set
 'PointInTimeRecoveryEnabled' to 'true'.
        >>
}

rule dynamodb_table_pitr_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DYNAMODB_TABLE_TYPE) {
    check(%INPUT_DOCUMENT.%DYNAMODB_TABLE_TYPE.resourceProperties)
        <<
        [CT.DYNAMODB.PR.1]: Require that point-in-time recovery for an Amazon DynamoDB
 table is activated
            [FIX]: Provide a 'PointInTimeRecoverySpecification' configuration and set
 'PointInTimeRecoveryEnabled' to 'true'.
        >>
}

rule check(dynamodb_table) {
    %dynamodb_table {
        # Scenario 2
        PointInTimeRecoverySpecification exists
        PointInTimeRecoverySpecification is_struct

        # Scenario 3 and 4
        PointInTimeRecoverySpecification {
            PointInTimeRecoveryEnabled exists
            PointInTimeRecoveryEnabled == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, DYNAMODB_TABLE_TYPE) {
    %doc.%DYNAMODB_TABLE_TYPE.resourceProperties exists
}
```

CT.DYNAMODB.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DynamoDBTable:
    Type: AWS::DynamoDB::Table
    Properties:
      AttributeDefinitions:
        - AttributeName: "PK"
          AttributeType: "S"
      BillingMode: "PAY_PER_REQUEST"
      KeySchema:
        - AttributeName: "PK"
          KeyType: "HASH"
      PointInTimeRecoverySpecification:
        PointInTimeRecoveryEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DynamoDBTable:
    Type: AWS::DynamoDB::Table
```

```
    Properties:
      AttributeDefinitions:
        - AttributeName: "PK"
          AttributeType: "S"
      BillingMode: "PAY_PER_REQUEST"
      KeySchema:
        - AttributeName: "PK"
          KeyType: "HASH"
      PointInTimeRecoverySpecification:
        PointInTimeRecoveryEnabled: false
```

[CT.DYNAMODB.PR.2] Memerlukan tabel Amazon DynamoDB untuk dienkripsi saat istirahat menggunakan kunci AWS KMS

Kontrol ini memeriksa apakah tabel Amazon DynamoDB Anda dienkripsi dengan AWS Key Management Service kunci (KMS).

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DynamoDB::Table`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.DYNAMODB.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.DYNAMODB.PR.2
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DYNAMODB.PR.2 contoh template

Penjelasan

Enkripsi Amazon DynamoDB saat istirahat menyediakan lapisan perlindungan data tambahan, karena selalu mengamankan data Anda dalam tabel terenkripsi - termasuk kunci utama, indeks sekunder lokal dan global, aliran, tabel global, cadangan, dan klaster DynamoDB Accelerator (DAX), setiap kali data disimpan dalam media tahan lama.

Enkripsi saat istirahat terintegrasi dengan AWS KMS untuk mengelola kunci enkripsi yang digunakan untuk mengenkripsi tabel Anda.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya mengharuskan kunci KMS digunakan untuk enkripsi sisi server. Ini tidak memeriksa properti kunci KMS yang digunakan, seperti apakah kunci KMS dikelola pelanggan atau dikelola layanan.

Remediasi untuk kegagalan aturan

Berikan `SSESpecification` konfigurasi dan atur `SSEEnabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Tabel Amazon DynamoDB - Contoh

Tabel Amazon DynamoDB dikonfigurasi untuk mengenkripsi data saat istirahat AWS Key Management Service dengan kunci (KMS). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DynamoDBTable": {
        "Type": "AWS::DynamoDB::Table",
        "Properties": {
            "AttributeDefinitions": [
                {
                    "AttributeName": "PK",
                    "AttributeType": "S"
                }
            ],
            "BillingMode": "PAY_PER_REQUEST",
            "KeySchema": [
                {
                    "AttributeName": "PK",
                    "KeyType": "HASH"
                }
            ],
            "SSESpecification": {
```

```
                "SSEEnabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
DynamoDBTable:
  Type: AWS::DynamoDB::Table
  Properties:
    AttributeDefinitions:
      - AttributeName: PK
        AttributeType: S
    BillingMode: PAY_PER_REQUEST
    KeySchema:
      - AttributeName: PK
        KeyType: HASH
    SSESpecification:
      SSEEnabled: true
```

Spesifikasi aturan CT.DYNAMODB.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   dynamodb_table_encrypted_kms_check
#
# Description:
#   This control checks whether your Amazon DynamoDB table is encrypted with an AWS Key
 Management Service (KMS) key.
#
# Reports on:
#   AWS::DynamoDB::Table
#
# Evaluates:
```

```
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any DynamoDB table resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DynamoDB table resources
#       And: 'SSEEnabled' in 'SSESpecification' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DynamoDB table resources
#       And: 'SSEEnabled' in 'SSESpecification' has been provided and set to a value
 other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DynamoDB table resources
#       And: 'SSEEnabled' in 'SSESpecification' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let DYNAMODB_TABLE_TYPE = "AWS::DynamoDB::Table"
let INPUT_DOCUMENT = this

#
# Assignments
#
let dynamodb_tables = Resources.*[ Type == %DYNAMODB_TABLE_TYPE ]

#
# Primary Rules
```

```
#
rule dynamodb_table_encrypted_kms_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %dynamodb_tables not empty {
    check(%dynamodb_tables.Properties)
        <<
        [CT.DYNAMODB.PR.2]: Require an Amazon DynamoDB table to be encrypted at rest
 using an AWS KMS key
        [FIX]: Provide a 'SSESpecification' configuration and set 'SSEEnabled' to
 'true'.
        >>
}

rule dynamodb_table_encrypted_kms_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DYNAMODB_TABLE_TYPE) {
    check(%INPUT_DOCUMENT.%DYNAMODB_TABLE_TYPE.resourceProperties)
        <<
        [CT.DYNAMODB.PR.2]: Require an Amazon DynamoDB table to be encrypted at rest
 using an AWS KMS key
        [FIX]: Provide a 'SSESpecification' configuration and set 'SSEEnabled' to
 'true'.
        >>
}

rule check(dynamodb_table) {
    %dynamodb_table {
        # Scenario 2
        SSESpecification exists
        SSESpecification is_struct

        # Scenarios 3 and 4
        SSESpecification {
            SSEEnabled exists
            SSEEnabled == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, DYNAMODB_TABLE_TYPE) {
    %doc.%DYNAMODB_TABLE_TYPE.resourceProperties exists
}
```

CT.DYNAMODB.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DynamoDBTable:
    Type: AWS::DynamoDB::Table
    Properties:
      AttributeDefinitions:
      - AttributeName: PK
        AttributeType: S
      BillingMode: PAY_PER_REQUEST
      KeySchema:
      - AttributeName: PK
        KeyType: HASH
      SSESpecification:
        SSEEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DynamoDBTable:
    Type: AWS::DynamoDB::Table
    Properties:
      AttributeDefinitions:
      - AttributeName: PK
```

```
        AttributeType: S
      BillingMode: PAY_PER_REQUEST
      KeySchema:
      - AttributeName: PK
        KeyType: HASH
      SSESpecification:
        SSEEnabled: false
```

Kontrol DynamoDB Accelerator

Topik

- [CT.DAX.PR.1] Memerlukan enkripsi saat istirahat untuk semua cluster Amazon DynamoDB Accelerator (DAX)
- [CT.DAX.PR.2] Memerlukan klaster Amazon DAX untuk menyebarkan node ke setidaknya tiga Availability Zone
- [CT.DAX.PR.3] Memerlukan klaster Amazon DAX untuk mengenkripsi data dalam perjalanan dengan Transport Layer Security (TLS)

[CT.DAX.PR.1] Memerlukan enkripsi saat istirahat untuk semua cluster Amazon DynamoDB Accelerator (DAX)

Kontrol ini memeriksa apakah klaster Amazon DynamoDB Accelerator (DAX) dienkripsi saat istirahat.

> **Note**
>
> Kontrol CT.DAX.PR.1 tidak dapat diaktifkan dari Wilayah Kanada (Tengah), Wilayah Eropa (Stockholm), dan Wilayah Asia Pasifik (Seoul), karena jenis `AWS::DAX::Cluster` sumber daya tidak tersedia di Wilayah tersebut. Jika Wilayah asal Anda bukan salah satu dari ketiganya, Anda dapat mengaktifkan kontrol untuk ketiga Wilayah ini dari Wilayah asal lainnya, jika ketiga Wilayah ini diatur oleh AWS Control Tower di landing zone Anda. Misalnya, jika Wilayah asal Anda adalah Wilayah AS Barat (Oregon), Anda dapat menerapkan kontrol ke Wilayah Kanada (Tengah), jika Wilayah Kanada (Tengah) diatur oleh AWS Control Tower.

- Tujuan kontrol: Enkripsi data saat istirahat

- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DAX::Cluster`
- AWS CloudFormation aturan penjaga: CT.DAX.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.DAX.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DAX.PR.1contoh template

Penjelasan

Mengenkripsi data saat istirahat mengurangi risiko bahwa data yang disimpan pada disk dapat diakses oleh pengguna yang tidak diautentikasi. AWS Enkripsi menambahkan satu set kontrol akses lainnya, yang membatasi kemampuan pengguna yang tidak sah untuk mendapatkan akses ke data. Misalnya, izin API harus mendekripsi data sebelum dapat dibaca.

Remediasi untuk kegagalan aturan

Berikan `SSESpecification` konfigurasi dengan `SSEEnabled` set ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon DAX Cluster - Contoh

Amazon DAX cluster dikonfigurasi dengan enkripsi sisi server diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DAXCluster": {
        "Type": "AWS::DAX::Cluster",
        "Properties": {
            "IAMRoleARN": {
                "Fn::GetAtt": [
                    "DAXServiceRole",
```

```
                    "Arn"
                ]
            },
            "NodeType": "dax.t3.small",
            "ReplicationFactor": 1,
            "SSESpecification": {
                "SSEEnabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
DAXCluster:
  Type: AWS::DAX::Cluster
  Properties:
    IAMRoleARN: !GetAtt 'DAXServiceRole.Arn'
    NodeType: dax.t3.small
    ReplicationFactor: 1
    SSESpecification:
      SSEEnabled: true
```

CT.DAX.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   dax_cluster_encryption_enabled_check
#
# Description:
#   This control checks whether Amazon DynamoDB Accelerator (DAX) clusters are
 encrypted at rest.
#
# Reports on:
#   AWS::DAX::Cluster
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any DAX Cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains at least one DAX Cluster resource
#       And: 'SSESpecification' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains at least one DAX Cluster resource
#       And: 'SSESpecification' has been provided and 'SSESpecification.SSEEnabled' is
 missing or has been set to a
#            value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains at least one DAX Cluster resource
#       And: 'SSESpecification' has been provided and 'SSESpecification.SSEEnabled' is
 present and has been set to
#            bool(true)
#      Then: PASS

#
# Constants
#
let DAX_CLUSTER_TYPE = "AWS::DAX::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
```

```
#
let dax_clusters = Resources.*[ Type == %DAX_CLUSTER_TYPE ]

#
# Primary Rules
#
rule dax_cluster_encryption_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %dax_clusters not empty {
    check(%dax_clusters.Properties)
        <<
        [CT.DAX.PR.1]: Require encryption at rest for all Amazon DynamoDB Accelerator
 (DAX) clusters
            [FIX]: Provide an 'SSESpecification' configuration with 'SSEEnabled' set to
 'true'.
        >>
}

rule dax_cluster_encryption_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DAX_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%DAX_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.DAX.PR.1]: Require encryption at rest for all Amazon DynamoDB Accelerator
 (DAX) clusters
            [FIX]: Provide an 'SSESpecification' configuration with 'SSEEnabled' set to
 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(dax_cluster) {
    %dax_cluster {
        # Scenario 2
        SSESpecification exists
        SSESpecification is_struct

        # Scenario 3 and 4
        SSESpecification {
            SSEEnabled exists
            SSEEnabled == true
        }
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.DAX.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DAXServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: dax.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: DynamoAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
```

```
            Action:
            - dynamodb:DescribeTable
            - dynamodb:PutItem
            - dynamodb:GetItem
            - dynamodb:UpdateItem
            - dynamodb:DeleteItem
            - dynamodb:Query
            - dynamodb:Scan
            - dynamodb:BatchGetItem
            - dynamodb:BatchWriteItem
            - dynamodb:ConditionCheckItem
            Resource:
              Fn::Sub: arn:${AWS::Partition}:dynamodb:${AWS::Region}:
${AWS::AccountId}:*
  DAXCluster:
    Type: AWS::DAX::Cluster
    Properties:
      IAMRoleARN:
        Fn::GetAtt: [DAXServiceRole, Arn]
      NodeType: dax.t3.small
      ReplicationFactor: 1
      SSESpecification:
        SSEEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DAXServiceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: dax.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
```

```
      - PolicyName: DynamoAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - dynamodb:DescribeTable
            - dynamodb:PutItem
            - dynamodb:GetItem
            - dynamodb:UpdateItem
            - dynamodb:DeleteItem
            - dynamodb:Query
            - dynamodb:Scan
            - dynamodb:BatchGetItem
            - dynamodb:BatchWriteItem
            - dynamodb:ConditionCheckItem
            Resource:
              Fn::Sub: arn:${AWS::Partition}:dynamodb:${AWS::Region}:
${AWS::AccountId}:*
  DAXCluster:
    Type: AWS::DAX::Cluster
    Properties:
      IAMRoleARN:
        Fn::GetAtt: [DAXServiceRole, Arn]
      NodeType: dax.t3.small
      ReplicationFactor: 1
      SSESpecification:
        SSEEnabled: false
```

[CT.DAX.PR.2] Memerlukan klaster Amazon DAX untuk menyebarkan node ke setidaknya tiga Availability Zone

Kontrol ini memeriksa apakah klaster Amazon DAX dikonfigurasi untuk menyebarkan node cluster ke setidaknya tiga Availability Zone.

- Tujuan kontrol: Meningkatkan ketahanan, Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DAX::Cluster`

- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.DAX.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.DAX.PR.2
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DAX.PR.2 contoh template

Penjelasan

AWS Control Tower merekomendasikan agar Anda menerapkan cluster Amazon DAX Anda di beberapa Availability Zone. Teknik penyebaran ini memungkinkan Anda untuk merancang dan mengoperasikan aplikasi dan database yang gagal di antara Availability Zones secara otomatis, tanpa gangguan. Untuk penggunaan produksi, kami sangat menyarankan Anda menerapkan DAX di setidaknya tiga node, dengan setiap node ditempatkan ke Availability Zone yang berbeda.

Remediasi untuk kegagalan aturan

Atur `ReplicationFactor` parameter ke nilai integer lebih besar dari atau sama dengan tiga (>= 3), dan atur `AvailabilityZones` parameter ke daftar yang berisi tiga entri Availability Zone unik.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon DAX - Contoh

Cluster Amazon DAX dikonfigurasi dengan tiga node dan tiga Availability Zone yang berbeda. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DaxCluster": {
        "Type": "AWS::DAX::Cluster",
        "Properties": {
            "IAMRoleARN": {
                "Fn::GetAtt": [
                    "DaxDynamoAccessRole",
                    "Arn"
```

```
                ]
            },
            "NodeType": "dax.t3.small",
            "ReplicationFactor": 3,
            "AvailabilityZones": [
                {
                    "Fn::Select": [
                        0,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                },
                {
                    "Fn::Select": [
                        1,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                },
                {
                    "Fn::Select": [
                        2,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
DaxCluster:
  Type: AWS::DAX::Cluster
  Properties:
    IAMRoleARN: !GetAtt 'DaxDynamoAccessRole.Arn'
    NodeType: dax.t3.small
```

```
    ReplicationFactor: 3
    AvailabilityZones:
      - !Select
        - 0
        - !GetAZs ''
      - !Select
        - 1
        - !GetAZs ''
      - !Select
        - 2
        - !GetAZs ''
```

Spesifikasi aturan CT.DAX.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   dax_cluster_multi_az_check
#
# Description:
#   This control checks whether an Amazon DAX cluster is configured to deploy cluster
 nodes to at least three Availability Zones.
#
# Reports on:
#   AWS::DAX::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any DAX cluster resources
#      Then: SKIP
```

```
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DAX cluster resource
#       And: 'ReplicationFactor' has not been provided or has been provided as an
 integer
#            value less than three (< 3)
#       And: 'AvailabilityZones' has not been provided or provided as an empty list or
#            list with less than three unique entires
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DAX cluster resource
#       And: 'ReplicationFactor' has been provided as an integer value greater than or
#            equal to three (>= 3)
#       And: 'AvailabilityZones' has not been provided or provided as an empty list or
#            list with less than three unique entires
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DAX cluster resource
#       And: 'ReplicationFactor' has not been provided or has been provided as an
 integer
#            value less than three (< 3)
#       And: 'AvailabilityZones' has been provided as a list with three or more unique
 entires
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DAX cluster resource
#       And: 'ReplicationFactor' has been provided as an integer value greater than or
#            equal to three (>= 3)
#       And: 'AvailabilityZones' has been provided as a list with three or more unique
 entires
#      Then: PASS

#
# Constants
#
let DAX_CLUSTER_TYPE = "AWS::DAX::Cluster"
let MINIMUM_NODE_COUNT = 3
```

```
let INPUT_DOCUMENT = this

#
# Assignments
#
let dax_clusters = Resources.*[ Type == %DAX_CLUSTER_TYPE ]

#
# Primary Rules
#
rule dax_cluster_multi_az_check when is_cfn_template(%INPUT_DOCUMENT)
                                    %dax_clusters not empty {
    check(%dax_clusters.Properties)
        <<
        [CT.DAX.PR.2]: Require an Amazon DAX cluster to deploy nodes to at least three
 Availability Zones
        [FIX]: Set the 'ReplicationFactor' parameter to an integer value greater
 than or equal to three (>= 3), and set the 'AvailabilityZones' parameter to a list
 containing three unique Availability Zone entries.
        >>
}

rule dax_cluster_multi_az_check when is_cfn_hook(%INPUT_DOCUMENT, %DAX_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%DAX_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.DAX.PR.2]: Require an Amazon DAX cluster to deploy nodes to at least three
 Availability Zones
        [FIX]: Set the 'ReplicationFactor' parameter to an integer value greater
 than or equal to three (>= 3), and set the 'AvailabilityZones' parameter to a list
 containing three unique Availability Zone entries.
        >>
}

#
# Parameterized Rules
#
rule check(dax_cluster) {
    %dax_cluster {
        # Scenario 2
        ReplicationFactor exists

        AvailabilityZones exists
        AvailabilityZones is_list
        AvailabilityZones not empty
```

```
        # Scenarios 3, 4 and 5
        ReplicationFactor >= %MINIMUM_NODE_COUNT

        AvailabilityZones[0] exists
        AvailabilityZones[1] exists
        AvailabilityZones[2] exists

        let az_one = AvailabilityZones[0]
        let az_two = AvailabilityZones[1]
        let az_three = AvailabilityZones[2]

        check_az_is_unique(%az_one, %az_two, %az_three)
        check_az_is_unique(%az_two, %az_one, %az_three)
    }
}

rule check_az_is_unique(az, first_az, second_az) {
    %az not in %first_az
    %az not in %second_az
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.DAX.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DaxDynamoAccessRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: dax.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: DynamoAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - dynamodb:DescribeTable
            - dynamodb:PutItem
            - dynamodb:GetItem
            - dynamodb:UpdateItem
            - dynamodb:DeleteItem
            - dynamodb:Query
            - dynamodb:Scan
            - dynamodb:BatchGetItem
            - dynamodb:BatchWriteItem
            - dynamodb:ConditionCheckItem
            Resource:
              Fn::Sub: arn:${AWS::Partition}:dynamodb:${AWS::Region}:
${AWS::AccountId}:*
  DaxCluster:
    Type: AWS::DAX::Cluster
    Properties:
      IAMRoleARN:
        Fn::GetAtt:
        - DaxDynamoAccessRole
        - Arn
      NodeType: dax.t3.small
      ReplicationFactor: 3
      AvailabilityZones:
```

```
      - Fn::Select:
        - 0
        - Fn::GetAZs: ''
      - Fn::Select:
        - 1
        - Fn::GetAZs: ''
      - Fn::Select:
        - 2
        - Fn::GetAZs: ''
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DaxDynamoAccessRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: dax.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: DynamoAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - dynamodb:DescribeTable
            - dynamodb:PutItem
            - dynamodb:GetItem
            - dynamodb:UpdateItem
            - dynamodb:DeleteItem
            - dynamodb:Query
            - dynamodb:Scan
            - dynamodb:BatchGetItem
```

```
            - dynamodb:BatchWriteItem
            - dynamodb:ConditionCheckItem
            Resource:
              Fn::Sub: arn:${AWS::Partition}:dynamodb:${AWS::Region}:
${AWS::AccountId}:*
  DaxCluster:
    Type: AWS::DAX::Cluster
    Properties:
      IAMRoleARN:
        Fn::GetAtt:
        - DaxDynamoAccessRole
        - Arn
      NodeType: dax.t3.small
      ReplicationFactor: 3
```

[CT.DAX.PR.3] Memerlukan klaster Amazon DAX untuk mengenkripsi data dalam perjalanan dengan Transport Layer Security (TLS)

Kontrol ini memeriksa apakah titik akhir klaster Amazon DynamoDB Accelerator (DAX) dikonfigurasi untuk mengenkripsi data dalam perjalanan dengan Transport Layer Security (TLS).

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::DAX::Cluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.DAX.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.DAX.PR.3
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.DAX.PR.3 contoh templat

Penjelasan

Amazon DynamoDB Accelerator (DAX) mendukung enkripsi dalam transit data antara aplikasi Anda dan cluster DAX Anda, sehingga Anda dapat menggunakan DAX dalam aplikasi dengan persyaratan enkripsi yang ketat. Enkripsi DAX dalam perjalanan memastikan bahwa semua permintaan dan tanggapan antara aplikasi dan klaster dienkripsi oleh keamanan tingkat transportasi (TLS), dan bahwa koneksi ke cluster dapat diautentikasi dengan verifikasi sertifikat x509 cluster.

Pertimbangan penggunaan

- Untuk mengaktifkan enkripsi dalam perjalanan antara aplikasi Anda dan klaster DAX, pastikan untuk menggunakan versi terbaru dari klien DAX mana pun yang mendukung TLS di aplikasi Anda.

  Enkripsi saat bergerak tidak dapat diaktifkan pada klaster DAX yang sudah ada. Untuk menggunakan enkripsi saat bergerak dalam aplikasi DAX yang sudah ada, buat klaster baru dengan enkripsi saat bergerak diaktifkan, alihkan lalu lintas aplikasi Anda ke klaster tersebut, lalu hapus klaster lama.

Remediasi untuk kegagalan aturan

Tetapkan nilai ClusterEndpointEncryptionType properti ke TLS.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon DAX Cluster - Contoh

Cluster Amazon DAX yang dikonfigurasi untuk mengenkripsi data dalam perjalanan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DaxCluster": {
        "Type": "AWS::DAX::Cluster",
        "Properties": {
            "IAMRoleARN": {
                "Fn::GetAtt": [
                    "DaxDynamoAccessRole",
                    "Arn"
                ]
```

```
            },
            "NodeType": "dax.t3.small",
            "ReplicationFactor": 3,
            "ClusterEndpointEncryptionType": "TLS"
        }
    }
}
```

Contoh YAMAL

```
DaxCluster:
  Type: AWS::DAX::Cluster
  Properties:
    IAMRoleARN: !GetAtt 'DaxDynamoAccessRole.Arn'
    NodeType: dax.t3.small
    ReplicationFactor: 3
    ClusterEndpointEncryptionType: TLS
```

Spesifikasi aturan CT.DAX.PR.3

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   dax_tls_endpoint_encryption_check
#
# Description:
#   This control checks whether an Amazon DAX cluster endpoint is configured to encrypt
 data in transit with Transport Layer Security (TLS).
#
# Reports on:
#   AWS::DAX::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
```

```
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any DAX cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DAX cluster resource
#       And: 'ClusterEndpointEncryptionType' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DAX cluster resource
#       And: 'ClusterEndpointEncryptionType' has been provided and set to a value other
 than 'TLS'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a DAX cluster resource
#       And: 'ClusterEndpointEncryptionType' has been provided and set to 'TLS'
#      Then: PASS

#
# Constants
#
let DAX_CLUSTER_TYPE = "AWS::DAX::Cluster"
let ALLOWED_CLUSTER_ENCRYPTION_TYPES = [ "TLS" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let dax_clusters = Resources.*[ Type == %DAX_CLUSTER_TYPE ]

#
# Primary Rules
#
rule dax_tls_endpoint_encryption_check when is_cfn_template(%INPUT_DOCUMENT)
```

```
                                            %dax_clusters not empty {
    check(%dax_clusters.Properties)
        <<
        [CT.DAX.PR.3]: Require an Amazon DAX cluster to encrypt data in transit with
 Transport Layer Security (TLS)
        [FIX]: Set the value of the ClusterEndpointEncryptionType property to TLS.
        >>
}

rule dax_tls_endpoint_encryption_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DAX_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%DAX_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.DAX.PR.3]: Require an Amazon DAX cluster to encrypt data in transit with
 Transport Layer Security (TLS)
        [FIX]: Set the value of the ClusterEndpointEncryptionType property to TLS.
        >>
}

#
# Parameterized Rules
#
rule check(dax_cluster) {
    %dax_cluster {
        # Scenario 2
        ClusterEndpointEncryptionType exists

        # Scenarios 3 and 4
        ClusterEndpointEncryptionType in %ALLOWED_CLUSTER_ENCRYPTION_TYPES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.DAX.PR.3 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DaxDynamoAccessRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: dax.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: DynamoAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - dynamodb:DescribeTable
            - dynamodb:PutItem
            - dynamodb:GetItem
            - dynamodb:UpdateItem
            - dynamodb:DeleteItem
            - dynamodb:Query
            - dynamodb:Scan
            - dynamodb:BatchGetItem
            - dynamodb:BatchWriteItem
            - dynamodb:ConditionCheckItem
            Resource:
              Fn::Sub: arn:${AWS::Partition}:dynamodb:${AWS::Region}:
${AWS::AccountId}:*
```

```
  DaxCluster:
    Type: AWS::DAX::Cluster
    Properties:
      IAMRoleARN:
        Fn::GetAtt:
        - DaxDynamoAccessRole
        - Arn
      NodeType: dax.t3.small
      ReplicationFactor: 3
      ClusterEndpointEncryptionType: TLS
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DaxDynamoAccessRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: dax.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: DynamoAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - dynamodb:DescribeTable
            - dynamodb:PutItem
            - dynamodb:GetItem
            - dynamodb:UpdateItem
            - dynamodb:DeleteItem
            - dynamodb:Query
            - dynamodb:Scan
```

```
            - dynamodb:BatchGetItem
            - dynamodb:BatchWriteItem
            - dynamodb:ConditionCheckItem
            Resource:
              Fn::Sub: arn:${AWS::Partition}:dynamodb:${AWS::Region}:
${AWS::AccountId}:*
  DaxCluster:
    Type: AWS::DAX::Cluster
    Properties:
      IAMRoleARN:
        Fn::GetAtt:
        - DaxDynamoAccessRole
        - Arn
      NodeType: dax.t3.small
      ReplicationFactor: 3
      ClusterEndpointEncryptionType: NONE
```

AWS Elastic Beanstalk kontrol

Topik

- [CT.ELASTICBEANSTALK.PR.1] Memerlukan AWS Elastic Beanstalk lingkungan agar pelaporan kesehatan yang ditingkatkan diaktifkan
- [CT.ELASTICBEANSTALK.PR.2] Memerlukan AWS Elastic Beanstalk lingkungan agar pembaruan platform terkelola dikonfigurasi
- [CT.ELASTICBEANSTALK.PR.3] Memerlukan lingkungan AWS Elastic Beanstalk untuk memiliki konfigurasi logging

[CT.ELASTICBEANSTALK.PR.1] Memerlukan AWS Elastic Beanstalk lingkungan agar pelaporan kesehatan yang ditingkatkan diaktifkan

Kontrol ini memeriksa apakah AWS Elastic Beanstalk lingkungan dan templat konfigurasi dikonfigurasi untuk pelaporan `enhanced` kesehatan.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya:`AWS::ElasticBeanstalk::Environment`, `AWS::ElasticBeanstalk::ConfigurationTemplate`
- AWS CloudFormation aturan penjaga: CT.ELASTICBEANSTALK.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICBEANSTALK.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICBEANSTALK.PR.1contoh template

Penjelasan

Pelaporan kesehatan yang ditingkatkan Elastic Beanstalk memungkinkan respons yang lebih cepat terhadap perubahan kesehatan infrastruktur yang mendasarinya. Perubahan ini dapat mengakibatkan kurangnya ketersediaan aplikasi.

Pelaporan kesehatan yang ditingkatkan Elastic Beanstalk menyediakan deskriptor status untuk mengukur tingkat keparahan masalah yang diidentifikasi dan mengidentifikasi kemungkinan penyebab untuk diselidiki. Agen kesehatan Elastic Beanstalk, termasuk dalam Amazon Machine Images (AMI) yang didukung, mengevaluasi log dan metrik instans EC2 lingkungan.

Remediasi untuk kegagalan aturan

Untuk AWS Elastic Beanstalk lingkungan, konfigurasikan `OptionSetting` dengan `Namespace` set `keaws:elasticbeanstalk:healthreporting:system`, `OptionName` set `keSystemType`, dan `Value` atur `keenhanced`. Untuk templat AWS Elastic Beanstalk konfigurasi, konfigurasikan `OptionSetting` dengan `Namespace` set `keaws:elasticbeanstalk:healthreporting:system`, `OptionName` atur `keSystemType`, dan `Value` atur `keenhanced`. Hilangkan pengaturan ini untuk mengadopsi nilai default. `enhanced`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Elastic Beanstalk Lingkungan - Contoh

AWS Elastic Beanstalk lingkungan yang dikonfigurasi dengan pelaporan kesehatan yang ditingkatkan diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticBeanstalkEnvironment": {
        "Type": "AWS::ElasticBeanstalk::Environment",
        "Properties": {
            "ApplicationName": {
                "Ref": "App"
            },
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.0 running Python 3.8",
            "OptionSettings": [
                {
                    "Namespace": "aws:elasticbeanstalk:healthreporting:system",
                    "OptionName": "SystemType",
                    "Value": "enhanced"
                },
                {
                    "Namespace": "aws:autoscaling:launchconfiguration",
                    "OptionName": "IamInstanceProfile",
                    "Value": {
                        "Ref": "InstanceProfile"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkEnvironment:
  Type: AWS::ElasticBeanstalk::Environment
  Properties:
    ApplicationName: !Ref 'App'
    SolutionStackName: 64bit Amazon Linux 2 v3.4.0 running Python 3.8
    OptionSettings:
      - Namespace: aws:elasticbeanstalk:healthreporting:system
        OptionName: SystemType
        Value: enhanced
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value: !Ref 'InstanceProfile'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Elastic Beanstalk Template Konfigurasi - Contoh Satu

AWS Elastic Beanstalk templat konfigurasi yang dikonfigurasi dengan pelaporan kesehatan yang disempurnakan, diaktifkan dengan cara AWS CloudFormation default. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticBeanstalkConfigurationTemplate": {
        "Type": "AWS::ElasticBeanstalk::ConfigurationTemplate",
        "Properties": {
            "ApplicationName": {
                "Ref": "App"
            },
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.0 running Python 3.8",
            "OptionSettings": [
                {
                    "Namespace": "aws:autoscaling:launchconfiguration",
                    "OptionName": "IamInstanceProfile",
                    "Value": {
                        "Ref": "InstanceProfile"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkConfigurationTemplate:
  Type: AWS::ElasticBeanstalk::ConfigurationTemplate
  Properties:
    ApplicationName: !Ref 'App'
```

```
    SolutionStackName: 64bit Amazon Linux 2 v3.4.0 running Python 3.8
    OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value: !Ref 'InstanceProfile'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Elastic Beanstalk Template Konfigurasi - Contoh Dua

AWS Elastic Beanstalk templat konfigurasi yang dikonfigurasi dengan pelaporan kesehatan yang disempurnakan, diaktifkan melalui entri di `OptionSettings` properti. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticBeanstalkConfigurationTemplate": {
        "Type": "AWS::ElasticBeanstalk::ConfigurationTemplate",
        "Properties": {
            "ApplicationName": {
                "Ref": "App"
            },
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.0 running Python 3.8",
            "OptionSettings": [
                {
                    "Namespace": "aws:elasticbeanstalk:healthreporting:system",
                    "OptionName": "SystemType",
                    "Value": "enhanced"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkConfigurationTemplate:
  Type: AWS::ElasticBeanstalk::ConfigurationTemplate
  Properties:
    ApplicationName: !Ref 'App'
    SolutionStackName: 64bit Amazon Linux 2 v3.4.0 running Python 3.8
    OptionSettings:
      - Namespace: aws:elasticbeanstalk:healthreporting:system
        OptionName: SystemType
        Value: enhanced
```

CT.ELASTICBEANSTALK.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elastic_beanstalk_enhanced_health_reporting_enabled_check
#
# Description:
#   This control checks whether AWS Elastic Beanstalk environments and configuration
 templates are configured for 'enhanced' health reporting.
#
# Reports on:
#   AWS::ElasticBeanstalk::Environment, AWS::ElasticBeanstalk::ConfigurationTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Beanstalk environment
 resources or
#            Elastic Beanstalk configuration template resources
#      Then: SKIP
```

```
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Beanstalk environment resource
#       And: 'OptionSettings' is not present in the resource properties or is an empty
 list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Beanstalk environment resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: No entry in the 'OptionSettings' list has both a 'Namespace' property with
 a value of
#            'aws:elasticbeanstalk:healthreporting:system'
#            and an 'OptionName' property with value of 'SystemType'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Beanstalk environment resource or
 an Elastic Beanstalk
#            configuration template resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: An entry in the 'OptionSettings' list has a 'Namespace' property with a
 value of
#            'aws:elasticbeanstalk:healthreporting:system'
#       And: That same entry has an 'OptionName' property with a value of 'SystemType'
#       And: That same entry has a 'Value' property with a value of anything other than
 'enhanced', or the 'Value'
#            property is not provided.
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Beanstalk configuration template
 resource
#       And: 'OptionSettings' is not present in the resource properties or is an empty
 list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an Elastic Beanstalk configuration template
 resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: No entry in the 'OptionSettings' list has both a 'Namespace' property with
 a value of
#            'aws:elasticbeanstalk:healthreporting:system'
#            and an 'OptionName' property with value of 'SystemType'
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Beanstalk environment resource or
 an Elastic Beanstalk
#            configuration template resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: Every entry in the 'OptionSettings' list that has both a 'Namespace'
 property with a value of
#            'aws:elasticbeanstalk:healthreporting:system'
#            and an 'OptionName' property with a value of 'SystemType' also has a
 'Value' property with a value of
#            'enhanced'
#      Then: PASS

#
# Constants
#
let ELASTIC_BEANSTALK_ENVIRONMENT_TYPE = "AWS::ElasticBeanstalk::Environment"
let ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE =
 "AWS::ElasticBeanstalk::ConfigurationTemplate"
let ELASTIC_BEANSTALK_ENHANCED_HEALTH_REPORTING_NAMESPACE =
 "aws:elasticbeanstalk:healthreporting:system"
let ELASTIC_BEANSTALK_SYSTEM_TYPE_OPTION_NAME = "SystemType"
let ELASTIC_BEANSTALK_ENHANCED_VALUE = "enhanced"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_beanstalk_environments = Resources.*[ Type ==
 %ELASTIC_BEANSTALK_ENVIRONMENT_TYPE ]
let elastic_beanstalk_configuration_templates = Resources.*[ Type ==
 %ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE ]

#
```

```
# Primary Rules
#
rule elastic_beanstalk_enhanced_health_reporting_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %elastic_beanstalk_environments not empty {
    check_elastic_beanstalk_environments(%elastic_beanstalk_environments.Properties)
        <<
        [CT.ELASTICBEANSTALK.PR.1]: Require AWS Elastic Beanstalk environments to have
 enhanced health reporting enabled
        [FIX]: For AWS Elastic Beanstalk environments, configure an 'OptionSetting'
 with 'Namespace' set to 'aws:elasticbeanstalk:healthreporting:system', 'OptionName'
 set to 'SystemType', and 'Value' set to 'enhanced'. For AWS Elastic Beanstalk
 configuration templates, configure an 'OptionSetting' with 'Namespace' set to
 'aws:elasticbeanstalk:healthreporting:system', 'OptionName' set to 'SystemType', and
 'Value' set to 'enhanced'. Omit this setting to adopt the default value of 'enhanced'.
        >>
}

rule elastic_beanstalk_enhanced_health_reporting_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %elastic_beanstalk_configuration_templates not empty {

 check_elastic_beanstalk_configuration_templates(%elastic_beanstalk_configuration_templates.Pro
        <<
        [CT.ELASTICBEANSTALK.PR.1]: Require AWS Elastic Beanstalk environments to have
 enhanced health reporting enabled
        [FIX]: For AWS Elastic Beanstalk environments, configure an 'OptionSetting'
 with 'Namespace' set to 'aws:elasticbeanstalk:healthreporting:system', 'OptionName'
 set to 'SystemType', and 'Value' set to 'enhanced'. For AWS Elastic Beanstalk
 configuration templates, configure an 'OptionSetting' with 'Namespace' set to
 'aws:elasticbeanstalk:healthreporting:system', 'OptionName' set to 'SystemType', and
 'Value' set to 'enhanced'. Omit this setting to adopt the default value of 'enhanced'.
        >>
}

rule elastic_beanstalk_enhanced_health_reporting_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %ELASTIC_BEANSTALK_ENVIRONMENT_TYPE) {
    check_elastic_beanstalk_environments(%INPUT_DOCUMENT.
%ELASTIC_BEANSTALK_ENVIRONMENT_TYPE.resourceProperties)
        <<
        [CT.ELASTICBEANSTALK.PR.1]: Require AWS Elastic Beanstalk environments to have
 enhanced health reporting enabled
```

```
        [FIX]: For AWS Elastic Beanstalk environments, configure an 'OptionSetting'
 with 'Namespace' set to 'aws:elasticbeanstalk:healthreporting:system', 'OptionName'
 set to 'SystemType', and 'Value' set to 'enhanced'. For AWS Elastic Beanstalk
 configuration templates, configure an 'OptionSetting' with 'Namespace' set to
 'aws:elasticbeanstalk:healthreporting:system', 'OptionName' set to 'SystemType', and
 'Value' set to 'enhanced'. Omit this setting to adopt the default value of 'enhanced'.
        >>
}

rule elastic_beanstalk_enhanced_health_reporting_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE) {
    check_elastic_beanstalk_configuration_templates(%INPUT_DOCUMENT.
%ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.ELASTICBEANSTALK.PR.1]: Require AWS Elastic Beanstalk environments to have
 enhanced health reporting enabled
        [FIX]: For AWS Elastic Beanstalk environments, configure an 'OptionSetting'
 with 'Namespace' set to 'aws:elasticbeanstalk:healthreporting:system', 'OptionName'
 set to 'SystemType', and 'Value' set to 'enhanced'. For AWS Elastic Beanstalk
 configuration templates, configure an 'OptionSetting' with 'Namespace' set to
 'aws:elasticbeanstalk:healthreporting:system', 'OptionName' set to 'SystemType', and
 'Value' set to 'enhanced'. Omit this setting to adopt the default value of 'enhanced'.
        >>
}

#
# Parameterized Rules
#
rule check_elastic_beanstalk_environments(elastic_beanstalk_environments) {
    %elastic_beanstalk_environments {
        # Scenario 2
        check_option_settings_exists_or_is_non_empty_list(this)

        # Scenario 3, 4, 7
        check_option_settings_enhanced(OptionSettings[*])
    }
}

rule
 check_elastic_beanstalk_configuration_templates(elastic_beanstalk_configuration_templates)
 {
    %elastic_beanstalk_configuration_templates {
        # Scenario 7
        check_option_settings_with_enhanced_health_reporting(this) or
```

```
        # Scenario 6
        check_option_settings_without_health_reporting(this) or
        # Scenario 5
        check_option_settings_not_exists_or_is_empty_list(this)
    }
}

rule
 check_option_settings_with_enhanced_health_reporting(elastic_beanstalk_configuration_templates
 {
    %elastic_beanstalk_configuration_templates [
        filter_option_settings_with_health_reporting(this)
    ] {
        check_option_settings_enhanced(OptionSettings[*])
    }
}

rule
 filter_option_settings_with_health_reporting(elastic_beanstalk_configuration_templates)
 {
    some %elastic_beanstalk_configuration_templates {
        check_option_settings_exists_or_is_non_empty_list(this)

        some OptionSettings[*] {
            Namespace exists
            OptionName exists

            Namespace == %ELASTIC_BEANSTALK_ENHANCED_HEALTH_REPORTING_NAMESPACE
            OptionName == %ELASTIC_BEANSTALK_SYSTEM_TYPE_OPTION_NAME
        }
    }
}

rule check_option_settings_enhanced(option_settings) {
    # Scenario 3, 4
    some %option_settings[*] {
        Namespace exists
        OptionName exists
        Value exists

        Namespace == %ELASTIC_BEANSTALK_ENHANCED_HEALTH_REPORTING_NAMESPACE
        OptionName == %ELASTIC_BEANSTALK_SYSTEM_TYPE_OPTION_NAME
        Value == %ELASTIC_BEANSTALK_ENHANCED_VALUE
    }
```

```
    # Scenario 7
    let option_setting_duplicates = OptionSettings [
        Namespace exists
        OptionName exists
        Value exists

        Namespace == %ELASTIC_BEANSTALK_ENHANCED_HEALTH_REPORTING_NAMESPACE
        OptionName == %ELASTIC_BEANSTALK_SYSTEM_TYPE_OPTION_NAME
        Value != %ELASTIC_BEANSTALK_ENHANCED_VALUE
    ]
    %option_setting_duplicates empty
}


rule
 check_option_settings_without_health_reporting(elastic_beanstalk_configuration_templates)
 {
    some %elastic_beanstalk_configuration_templates {
        check_option_settings_exists_or_is_non_empty_list(this)

        let option_settings_with_health_reporting = OptionSettings [
            Namespace exists
            OptionName exists

            Namespace == %ELASTIC_BEANSTALK_ENHANCED_HEALTH_REPORTING_NAMESPACE
            OptionName == %ELASTIC_BEANSTALK_SYSTEM_TYPE_OPTION_NAME
        ]
        %option_settings_with_health_reporting empty
    }
}

rule check_option_settings_exists_or_is_non_empty_list(elastic_beanstalk_resource) {
    %elastic_beanstalk_resource {
        OptionSettings exists
        OptionSettings is_list
        OptionSettings not empty
    }
}

rule check_option_settings_not_exists_or_is_empty_list(configuration_template) {
    %configuration_template {
        OptionSettings not exists or
        check_is_empty_list(OptionSettings)
```

```
    }
}

rule check_is_empty_list(option_settings) {
    %option_settings {
        this is_list
        this empty
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICBEANSTALK.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
        - Effect: Allow
```

```
          Principal:
            Service:
            - elasticbeanstalk.amazonaws.com
          Action:
          - 'sts:AssumeRole'
  InstanceProfile:
    Type: AWS::IAM::InstanceProfile
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
    Type: AWS::ElasticBeanstalk::Application
  ElasticBeanstalkConfigurationTemplate:
    Type: AWS::ElasticBeanstalk::ConfigurationTemplate
    Properties:
      ApplicationName:
        Ref: App
      SolutionStackName: "64bit Amazon Linux 2 v3.4.0 running Python 3.8"
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - ec2.amazonaws.com
          Action:
          - 'sts:AssumeRole'
```

```
  InstanceProfile:
    Type: AWS::IAM::InstanceProfile
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
    Type: AWS::ElasticBeanstalk::Application
  ElasticBeanstalkEnvironment:
    Type: AWS::ElasticBeanstalk::Environment
    Properties:
      SolutionStackName: "64bit Amazon Linux 2 v3.4.0 running Python 3.8"
      ApplicationName:
        Ref: App
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
      - Namespace: aws:elasticbeanstalk:healthreporting:system
        OptionName: SystemType
        Value: basic
```

[CT.ELASTICBEANSTALK.PR.2] Memerlukan AWS Elastic Beanstalk lingkungan agar pembaruan platform terkelola dikonfigurasi

Kontrol ini memeriksa apakah pembaruan platform terkelola di AWS Elastic Beanstalk lingkungan dan templat konfigurasi diaktifkan.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::ElasticBeanstalk::Environment`, `AWS::ElasticBeanstalk::ConfigurationTemplate`
- AWS CloudFormation aturan penjaga: CT.ELASTICBEANSTALK.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICBEANSTALK.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICBEANSTALK.PR.2contoh template

Penjelasan

Pembaruan platform terkelola memastikan bahwa perbaikan, pembaruan, dan fitur platform terbaru untuk lingkungan diinstal. Menjaga instalasi patch up to date adalah langkah penting dalam mengamankan sistem.

> Pertimbangan penggunaan
>
> - Saat mengatur tindakan terkelola pada AWS Elastic Beanstalk lingkungan dan templat konfigurasi, Anda juga harus menyediakan `PreferredStartTime` dan `UpdateLevel` opsi pengaturan.
> - Kontrol ini memungkinkan Anda untuk mengatur tindakan terkelola pada AWS Elastic Beanstalk lingkungan saja, karena pengaturan tingkat lingkungan lebih diutamakan daripada pengaturan yang ditentukan dalam templat konfigurasi.
> - Kontrol ini tidak memungkinkan Anda untuk menonaktifkan tindakan terkelola pada templat AWS Elastic Beanstalk konfigurasi.

Remediasi untuk kegagalan aturan

Untuk AWS Elastic Beanstalk lingkungan, buat `OptionSetting` dengan `Namespace` nilai yang disetel ke`aws:elasticbeanstalk:managedactions`, `OptionName` atur ke`ManagedActionsEnabled`, dan `Value` atur ke`true`. Untuk templat konfigurasi Elastic Beanstalk, `OptionSetting` buat sebuah `Namespace` dengan nilai yang disetel ke, `aws:elasticbeanstalk:managedactions` atur `OptionName` ke, dan `ManagedActionsEnabled` `true` atur ke`Value`, atau hilangkan pengaturan ini untuk mengadopsi nilai default. `true`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Elastic Beanstalk Lingkungan - Contoh

AWS Elastic Beanstalk lingkungan yang dikonfigurasi dengan pembaruan platform terkelola diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticBeanstalkEnvironment": {
        "Type": "AWS::ElasticBeanstalk::Environment",
        "Properties": {
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.0 running Python 3.8",
            "ApplicationName": {
                "Ref": "App"
            },
            "OptionSettings": [
                {
                    "Namespace": "aws:autoscaling:launchconfiguration",
                    "OptionName": "IamInstanceProfile",
                    "Value": {
                        "Ref": "InstanceProfile"
                    }
                },
                {
                    "Namespace": "aws:elasticbeanstalk:managedactions",
                    "OptionName": "ManagedActionsEnabled",
                    "Value": true
                },
                {
                    "Namespace": "aws:elasticbeanstalk:managedactions",
                    "OptionName": "PreferredStartTime",
                    "Value": "Tue:09:00"
                },
                {
                    "Namespace": "aws:elasticbeanstalk:managedactions",
                    "OptionName": "ServiceRoleForManagedUpdates",
                    "Value": "AWSServiceRoleForElasticBeanstalkManagedUpdates"
                },
                {
                    "Namespace": "aws:elasticbeanstalk:managedactions:platformupdate",
                    "OptionName": "UpdateLevel",
                    "Value": "patch"
                }
```

```
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkEnvironment:
  Type: AWS::ElasticBeanstalk::Environment
  Properties:
    SolutionStackName: 64bit Amazon Linux 2 v3.4.0 running Python 3.8
    ApplicationName: !Ref 'App'
    OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value: !Ref 'InstanceProfile'
      - Namespace: aws:elasticbeanstalk:managedactions
        OptionName: ManagedActionsEnabled
        Value: true
      - Namespace: aws:elasticbeanstalk:managedactions
        OptionName: PreferredStartTime
        Value: Tue:09:00
      - Namespace: aws:elasticbeanstalk:managedactions
        OptionName: ServiceRoleForManagedUpdates
        Value: AWSServiceRoleForElasticBeanstalkManagedUpdates
      - Namespace: aws:elasticbeanstalk:managedactions:platformupdate
        OptionName: UpdateLevel
        Value: patch
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Elastic Beanstalk Template Konfigurasi - Contoh Satu

AWS Elastic Beanstalk templat konfigurasi yang dikonfigurasi dengan pembaruan platform terkelola diaktifkan, melalui CloudFormation default AWS. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticBeanstalkConfigurationTemplate": {
        "Type": "AWS::ElasticBeanstalk::ConfigurationTemplate",
        "Properties": {
            "ApplicationName": {
                "Ref": "App"
            },
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.0 running Python 3.8",
            "OptionSettings": [
                {
                    "Namespace": "aws:autoscaling:launchconfiguration",
                    "OptionName": "IamInstanceProfile",
                    "Value": {
                        "Ref": "InstanceProfile"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkConfigurationTemplate:
  Type: AWS::ElasticBeanstalk::ConfigurationTemplate
  Properties:
    ApplicationName: !Ref 'App'
    SolutionStackName: 64bit Amazon Linux 2 v3.4.0 running Python 3.8
    OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value: !Ref 'InstanceProfile'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Elastic Beanstalk Template Konfigurasi - Contoh Dua

AWS Elastic Beanstalk templat konfigurasi yang dikonfigurasi dengan pembaruan platform terkelola diaktifkan, melalui entri di `OptionSettings` properti. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticBeanstalkConfigurationTemplate": {
        "Type": "AWS::ElasticBeanstalk::ConfigurationTemplate",
        "Properties": {
            "ApplicationName": {
                "Ref": "App"
            },
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.0 running Python 3.8",
            "OptionSettings": [
                {
                    "Namespace": "aws:elasticbeanstalk:managedactions",
                    "OptionName": "ManagedActionsEnabled",
                    "Value": true
                },
                {
                    "Namespace": "aws:elasticbeanstalk:managedactions",
                    "OptionName": "PreferredStartTime",
                    "Value": "Tue:09:00"
                },
                {
                    "Namespace": "aws:elasticbeanstalk:managedactions:platformupdate",
                    "OptionName": "UpdateLevel",
                    "Value": "minor"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkConfigurationTemplate:
  Type: AWS::ElasticBeanstalk::ConfigurationTemplate
  Properties:
    ApplicationName: !Ref 'App'
    SolutionStackName: 64bit Amazon Linux 2 v3.4.0 running Python 3.8
    OptionSettings:
      - Namespace: aws:elasticbeanstalk:managedactions
```

```
        OptionName: ManagedActionsEnabled
        Value: true
      - Namespace: aws:elasticbeanstalk:managedactions
        OptionName: PreferredStartTime
        Value: Tue:09:00
      - Namespace: aws:elasticbeanstalk:managedactions:platformupdate
        OptionName: UpdateLevel
        Value: minor
```

CT.ELASTICBEANSTALK.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elastic_beanstalk_managed_updates_enabled_check
#
# Description:
#   This control checks whether managed platform updates in AWS Elastic Beanstalk
 environments and configuration templates are activated.
#
# Reports on:
#   AWS::ElasticBeanstalk::Environment, AWS::ElasticBeanstalk::ConfigurationTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElasticBeanstalk environment
 resources or ElasticBeanstalk
#            configuration template resources
#      Then: SKIP
#   Scenario: 2
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource
#       And: 'OptionSettings' is not present in the resource properties or is an empty
 list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: No entry in the 'OptionSettings' list has both a 'Namespace' property with
 a value of
#            'aws:elasticbeanstalk:managedactions' and an 'OptionName' property with a
 value of 'ManagedActionsEnabled'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource or an
 ElasticBeanstalk
#            configuration template resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: An entry in the 'OptionSettings' list has a 'Namespace' property with a
 value of
#            'aws:elasticbeanstalk:managedactions'
#       And: That same entry has an 'OptionName' property with a value of
 'ManagedActionsEnabled'
#       And: That same entry has a 'Value' property with a value of anything other than
 bool(true), or the 'Value'
#            property is not provided.
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk configuration template
 resource
#       And: 'OptionSettings' is not present in the resource properties or is an empty
 list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an ElasticBeanstalk configuration template
 resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: No entry in the 'OptionSettings' list has both a 'Namespace' property with
 a value of
#            'aws:elasticbeanstalk:managedactions' and an 'OptionName' property with a
 value of 'ManagedActionsEnabled'
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource or an
 ElasticBeanstalk
#            configuration template resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: Every entry in the 'OptionSettings' list that has both a 'Namespace'
 property with a value of
#            'aws:elasticbeanstalk:managedactions' and an 'OptionName' property with a
 value of 'ManagedActionsEnabled'
#            also has a 'Value' property with a value of bool(true)
#      Then: PASS

#
# Constants
#
let ELASTIC_BEANSTALK_ENVIRONMENT_TYPE = "AWS::ElasticBeanstalk::Environment"
let ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE =
 "AWS::ElasticBeanstalk::ConfigurationTemplate"
let ELASTIC_BEANSTALK_MANAGED_ACTIONS_NAMESPACE = "aws:elasticbeanstalk:managedactions"
let ELASTIC_BEANSTALK_MANAGED_ACTIONS_OPTION_NAME = "ManagedActionsEnabled"
let ELASTIC_BEANSTALK_MANAGED_ACTIONS_ENABLED_VALUE = ["true", true]
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_beanstalk_environments = Resources.*[ Type ==
 %ELASTIC_BEANSTALK_ENVIRONMENT_TYPE ]
let elastic_beanstalk_configuration_templates = Resources.*[ Type ==
 %ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE ]

#
# Primary Rules
#
```

```
rule elastic_beanstalk_managed_updates_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %elastic_beanstalk_environments not empty {
    check_elastic_beanstalk_environments(%elastic_beanstalk_environments.Properties)
        <<
        [CT.ELASTICBEANSTALK.PR.2]: Require an AWS Elastic Beanstalk environment to
 have managed platform updates configured
            [FIX]: For AWS Elastic Beanstalk environments, create an 'OptionSetting'
 with a 'Namespace' value set to  'aws:elasticbeanstalk:managedactions', 'OptionName'
 set to 'ManagedActionsEnabled', and 'Value' set to 'true'. For Elastic Beanstalk
 configuration templates, create an 'OptionSetting' with a 'Namespace' value set to
 'aws:elasticbeanstalk:managedactions', 'OptionName' set to 'ManagedActionsEnabled',
 and 'Value' set to 'true', or omit this setting to adopt the default value of 'true'.
        >>
}

rule elastic_beanstalk_managed_updates_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %elastic_beanstalk_configuration_templates not empty {

 check_elastic_beanstalk_configuration_templates(%elastic_beanstalk_configuration_templates.Pro
        <<
        [CT.ELASTICBEANSTALK.PR.2]: Require an AWS Elastic Beanstalk environment to
 have managed platform updates configured
            [FIX]: For AWS Elastic Beanstalk environments, create an 'OptionSetting'
 with a 'Namespace' value set to  'aws:elasticbeanstalk:managedactions', 'OptionName'
 set to 'ManagedActionsEnabled', and 'Value' set to 'true'. For Elastic Beanstalk
 configuration templates, create an 'OptionSetting' with a 'Namespace' value set to
 'aws:elasticbeanstalk:managedactions', 'OptionName' set to 'ManagedActionsEnabled',
 and 'Value' set to 'true', or omit this setting to adopt the default value of 'true'.
        >>
}

rule elastic_beanstalk_managed_updates_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_BEANSTALK_ENVIRONMENT_TYPE) {
    check_elastic_beanstalk_environments(%INPUT_DOCUMENT.
%ELASTIC_BEANSTALK_ENVIRONMENT_TYPE.resourceProperties)
        <<
        [CT.ELASTICBEANSTALK.PR.2]: Require an AWS Elastic Beanstalk environment to
 have managed platform updates configured
            [FIX]: For AWS Elastic Beanstalk environments, create an 'OptionSetting'
 with a 'Namespace' value set to  'aws:elasticbeanstalk:managedactions', 'OptionName'
```

```
 set to 'ManagedActionsEnabled', and 'Value' set to 'true'. For Elastic Beanstalk
 configuration templates, create an 'OptionSetting' with a 'Namespace' value set to
 'aws:elasticbeanstalk:managedactions', 'OptionName' set to 'ManagedActionsEnabled',
 and 'Value' set to 'true', or omit this setting to adopt the default value of 'true'.
        >>
}

rule elastic_beanstalk_managed_updates_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE) {
    check_elastic_beanstalk_configuration_templates(%INPUT_DOCUMENT.
%ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.ELASTICBEANSTALK.PR.2]: Require an AWS Elastic Beanstalk environment to
 have managed platform updates configured
            [FIX]: For AWS Elastic Beanstalk environments, create an 'OptionSetting'
 with a 'Namespace' value set to  'aws:elasticbeanstalk:managedactions', 'OptionName'
 set to 'ManagedActionsEnabled', and 'Value' set to 'true'. For Elastic Beanstalk
 configuration templates, create an 'OptionSetting' with a 'Namespace' value set to
 'aws:elasticbeanstalk:managedactions', 'OptionName' set to 'ManagedActionsEnabled',
 and 'Value' set to 'true', or omit this setting to adopt the default value of 'true'.
        >>
}

#
# Parameterized Rules
#
rule check_elastic_beanstalk_environments(elastic_beanstalk_environments) {
    %elastic_beanstalk_environments {
        # Scenario 2
        check_option_settings_exists_and_is_non_empty_list(this)

        # Scenario 3, 4, 7
        check_option_settings_managed_actions_enabled(OptionSettings[*])
    }
}

rule
 check_elastic_beanstalk_configuration_templates(elastic_beanstalk_configuration_templates)
 {
    %elastic_beanstalk_configuration_templates {
        # Scenario 7
        check_option_settings_with_managed_actions_enabled(this) or
        # Scenario 6
        check_option_settings_without_managed_actions(this) or
```

```
        # Scenario 5
        check_option_settings_not_exists_or_is_empty_list(this)
    }
}

rule
 check_option_settings_with_managed_actions_enabled(elastic_beanstalk_configuration_templates)
 {
    %elastic_beanstalk_configuration_templates [
        filter_option_settings_with_managed_actions(this)
    ] {
        check_option_settings_managed_actions_enabled(OptionSettings[*])
    }
}

rule
 filter_option_settings_with_managed_actions(elastic_beanstalk_configuration_templates)
 {
    some %elastic_beanstalk_configuration_templates {
        check_option_settings_exists_and_is_non_empty_list(this)

        some OptionSettings[*] {
            Namespace exists
            OptionName exists

            Namespace == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_NAMESPACE
            OptionName == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_OPTION_NAME
        }
    }
}

rule check_option_settings_managed_actions_enabled(option_settings) {
    # Scenario 3, 4
    some %option_settings[*] {
        Namespace exists
        OptionName exists
        Value exists

        Namespace == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_NAMESPACE
        OptionName == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_OPTION_NAME
        Value in %ELASTIC_BEANSTALK_MANAGED_ACTIONS_ENABLED_VALUE
    }

    # Scenario 7
```

```
    let option_setting_duplicates = OptionSettings [
        Namespace exists
        OptionName exists
        Value exists

        Namespace == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_NAMESPACE
        OptionName == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_OPTION_NAME
        Value not in %ELASTIC_BEANSTALK_MANAGED_ACTIONS_ENABLED_VALUE
    ]
    %option_setting_duplicates empty
}


rule
 check_option_settings_without_managed_actions(elastic_beanstalk_configuration_templates)
 {
    some %elastic_beanstalk_configuration_templates {
        check_option_settings_exists_and_is_non_empty_list(this)

        let option_settings_with_managed_actions = OptionSettings [
            Namespace exists
            OptionName exists

            Namespace == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_NAMESPACE
            OptionName == %ELASTIC_BEANSTALK_MANAGED_ACTIONS_OPTION_NAME
        ]
        %option_settings_with_managed_actions empty
    }
}

rule check_option_settings_exists_and_is_non_empty_list(elastic_beanstalk_resource) {
    %elastic_beanstalk_resource {
        OptionSettings exists
        OptionSettings is_list
        OptionSettings not empty
    }
}

rule check_option_settings_not_exists_or_is_empty_list(configuration_template) {
    %configuration_template {
        OptionSettings not exists or
        check_is_empty_list(OptionSettings)
    }
}
```

```
rule check_is_empty_list(option_settings) {
    %option_settings {
        this is_list
        this empty
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICBEANSTALK.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
        - Effect: Allow
          Principal:
            Service:
```

```
            - elasticbeanstalk.amazonaws.com
          Action:
          - 'sts:AssumeRole'
  InstanceProfile:
    Type: AWS::IAM::InstanceProfile
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
    Type: AWS::ElasticBeanstalk::Application
  ElasticBeanstalkConfigurationTemplate:
    Type: AWS::ElasticBeanstalk::ConfigurationTemplate
    Properties:
      ApplicationName:
        Ref: App
      SolutionStackName: "64bit Amazon Linux 2 v3.4.0 running Python 3.8"
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - ec2.amazonaws.com
          Action:
          - 'sts:AssumeRole'
  InstanceProfile:
    Type: AWS::IAM::InstanceProfile
```

```
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
    Type: AWS::ElasticBeanstalk::Application
  ElasticBeanstalkEnvironment:
    Type: AWS::ElasticBeanstalk::Environment
    Properties:
      SolutionStackName: "64bit Amazon Linux 2 v3.4.0 running Python 3.8"
      ApplicationName:
        Ref: App
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
      - Namespace: aws:elasticbeanstalk:managedactions
        OptionName: ManagedActionsEnabled
        Value: false
```

[CT.ELASTICBEANSTALK.PR.3] Memerlukan lingkungan AWS Elastic Beanstalk untuk memiliki konfigurasi logging

Kontrol ini memeriksa apakah lingkungan AWS Elastic Beanstalk dikonfigurasi untuk mengirim log ke Amazon Logs. CloudWatch

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::ElasticBeanstalk::Environment`, `AWS::ElasticBeanstalk::ConfigurationTemplate`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICBEANSTALK.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICBEANSTALK.PR.3

- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICBEANSTALK.PR.3 contoh template

Penjelasan

Pemantauan adalah bagian penting dalam menjaga keandalan, ketersediaan, dan kinerja solusi AWS Anda. Kami menyarankan Anda mengumpulkan data pemantauan dari semua bagian solusi AWS Anda, sehingga Anda dapat men-debug kegagalan multi-titik, jika terjadi. Dari perspektif keamanan, logging adalah fitur penting untuk memungkinkan upaya forensik masa depan dalam kasus insiden keamanan.

Pertimbangan penggunaan

- Kontrol ini hanya memerlukan pengaktifan logging ke Amazon CloudWatch Logs di lingkungan AWS Elastic Beanstalk, karena pengaturan tingkat lingkungan lebih diutamakan daripada setelan yang ditentukan dalam templat konfigurasi.
- Kontrol ini tidak mengizinkan secara eksplisit menonaktifkan logging ke Amazon CloudWatch Logs pada templat konfigurasi AWS Elastic Beanstalk.

Remediasi untuk kegagalan aturan

Untuk lingkungan AWS Elastic Beanstalk, `OptionSetting` buat set `Namespace` dengan set ke, `aws:elasticbeanstalk:cloudwatch:logs` set `OptionName` ke, `StreamLogs` dan set ke. `Value` `true` Untuk templat konfigurasi Elastic Beanstalk, `OptionSetting` buat `Namespace` dengan `aws:elasticbeanstalk:cloudwatch:logs` set `OptionName` ke, atur ke, dan `StreamLogs` `true` atur ke`Value`, atau hilangkan ini. `OptionSetting`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Lingkungan AWS Elastic Beanstalk - Contoh

Lingkungan AWS Elastic Beanstalk yang dikonfigurasi untuk mengalirkan log ke CloudWatch Amazon Logs melalui entri di properti. `OptionSettings` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
```

```
    "ElasticBeanstalkEnvironment": {
        "Type": "AWS::ElasticBeanstalk::Environment",
        "Properties": {
            "ApplicationName": {
                "Ref": "App"
            },
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.1 running Python 3.8",
            "OptionSettings": [
                {
                    "Namespace": "aws:autoscaling:launchconfiguration",
                    "OptionName": "IamInstanceProfile",
                    "Value": {
                        "Ref": "InstanceProfile"
                    }
                },
                {
                    "Namespace": "aws:elasticbeanstalk:cloudwatch:logs",
                    "OptionName": "StreamLogs",
                    "Value": true
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkEnvironment:
  Type: AWS::ElasticBeanstalk::Environment
  Properties:
    ApplicationName: !Ref 'App'
    SolutionStackName: 64bit Amazon Linux 2 v3.4.1 running Python 3.8
    OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value: !Ref 'InstanceProfile'
      - Namespace: aws:elasticbeanstalk:cloudwatch:logs
        OptionName: StreamLogs
        Value: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Templat Konfigurasi AWS Elastic Beanstalk - Contoh

Templat konfigurasi AWS Elastic Beanstalk dikonfigurasi untuk mengalirkan log ke CloudWatch Amazon Logs melalui entri di properti. `OptionSettings` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticBeanstalkConfigurationTemplate": {
        "Type": "AWS::ElasticBeanstalk::ConfigurationTemplate",
        "Properties": {
            "ApplicationName": {
                "Ref": "App"
            },
            "SolutionStackName": "64bit Amazon Linux 2 v3.4.1 running Python 3.8",
            "OptionSettings": [
                {
                    "Namespace": "aws:autoscaling:launchconfiguration",
                    "OptionName": "IamInstanceProfile",
                    "Value": {
                        "Ref": "InstanceProfile"
                    }
                },
                {
                    "Namespace": "aws:elasticbeanstalk:cloudwatch:logs",
                    "OptionName": "StreamLogs",
                    "Value": true
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticBeanstalkConfigurationTemplate:
  Type: AWS::ElasticBeanstalk::ConfigurationTemplate
```

```
  Properties:
    ApplicationName: !Ref 'App'
    SolutionStackName: 64bit Amazon Linux 2 v3.4.1 running Python 3.8
    OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value: !Ref 'InstanceProfile'
      - Namespace: aws:elasticbeanstalk:cloudwatch:logs
        OptionName: StreamLogs
        Value: true
```

Spesifikasi aturan CT.ELASTICBEANSTALK.PR.3

```
# ##################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   elastic_beanstalk_logs_to_cloudwatch_check
#
# Description:
#   This control checks whether an AWS Elastic Beanstalk environment is configured to
 send logs to Amazon CloudWatch Logs.
#
# Reports on:
#   AWS::ElasticBeanstalk::Environment, AWS::ElasticBeanstalk::ConfigurationTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElasticBeanstalk environment
 resources or ElasticBeanstalk
#            configuration template resources
```

```
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource
#       And: 'OptionSettings' is not present in the resource properties or is an empty
 list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: No entry in the 'OptionSettings' list has both a 'Namespace' property with
 a value of
#            'aws:elasticbeanstalk:cloudwatch:logs' and an 'OptionName' property with a
 value of 'StreamLogs'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource or an
 ElasticBeanstalk
#            configuration template resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: An entry in the 'OptionSettings' list has a 'Namespace' property with a
 value of
#            'aws:elasticbeanstalk:cloudwatch:logs'
#       And: That same entry has an 'OptionName' property with a value of 'StreamLogs'
#       And: That same entry has a 'Value' property with a value of anything other than
 bool(true), or the 'Value'
#            property is not provided.
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk configuration template
 resource
#       And: 'OptionSettings' is not present in the resource properties or is an empty
 list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an ElasticBeanstalk configuration template
 resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: No entry in the 'OptionSettings' list has both a 'Namespace' property with
 a value of
#            'aws:elasticbeanstalk:cloudwatch:logs' and an 'OptionName' property with a
 value of 'StreamLogs'
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticBeanstalk environment resource or an
 ElasticBeanstalk
#            configuration template resource
#       And: 'OptionSettings' is present in the resource properties as a non-empty list
#       And: Every entry in the 'OptionSettings' list that has both a 'Namespace'
 property with a value of
#            'aws:elasticbeanstalk:cloudwatch:logs' and an 'OptionName' property with a
 value of 'StreamLogs'
#            also has a 'Value' property with a value of bool(true)
#      Then: PASS

#
# Constants
#
let ELASTIC_BEANSTALK_ENVIRONMENT_TYPE = "AWS::ElasticBeanstalk::Environment"
let ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE =
 "AWS::ElasticBeanstalk::ConfigurationTemplate"
let ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_NAMESPACE =
 "aws:elasticbeanstalk:cloudwatch:logs"
let ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_OPTION_NAME = "StreamLogs"
let ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_ENABLED_VALUE = ["true", true]
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_beanstalk_environments = Resources.*[ Type ==
 %ELASTIC_BEANSTALK_ENVIRONMENT_TYPE ]
let elastic_beanstalk_configuration_templates = Resources.*[ Type ==
 %ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE ]

#
# Primary Rules
```

```
#
rule elastic_beanstalk_logs_to_cloudwatch_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %elastic_beanstalk_environments
 not empty {
    check_elastic_beanstalk_environments(%elastic_beanstalk_environments.Properties)
        <<
        [CT.ELASTICBEANSTALK.PR.3]: Require an AWS Elastic Beanstalk environment to
 have a logging configuration
        [FIX]: For AWS Elastic Beanstalk environments, establish an 'OptionSetting'
 with a 'Namespace' set to 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName'
 set to 'StreamLogs', and 'Value' set to 'true'. For Elastic Beanstalk
 configuration templates, establish an 'OptionSetting' with a 'Namespace' set to
 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName' set to 'StreamLogs', and 'Value'
 set to 'true', or omit this 'OptionSetting'.
        >>
}

rule elastic_beanstalk_logs_to_cloudwatch_check when is_cfn_template(%INPUT_DOCUMENT)

 %elastic_beanstalk_configuration_templates not empty {

 check_elastic_beanstalk_configuration_templates(%elastic_beanstalk_configuration_templates.Pro
        <<
        [CT.ELASTICBEANSTALK.PR.3]: Require an AWS Elastic Beanstalk environment to
 have a logging configuration
        [FIX]: For AWS Elastic Beanstalk environments, establish an 'OptionSetting'
 with a 'Namespace' set to 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName'
 set to 'StreamLogs', and 'Value' set to 'true'. For Elastic Beanstalk
 configuration templates, establish an 'OptionSetting' with a 'Namespace' set to
 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName' set to 'StreamLogs', and 'Value'
 set to 'true', or omit this 'OptionSetting'.
        >>
}

rule elastic_beanstalk_logs_to_cloudwatch_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_BEANSTALK_ENVIRONMENT_TYPE) {
    check_elastic_beanstalk_environments(%INPUT_DOCUMENT.
%ELASTIC_BEANSTALK_ENVIRONMENT_TYPE.resourceProperties)
        <<
        [CT.ELASTICBEANSTALK.PR.3]: Require an AWS Elastic Beanstalk environment to
 have a logging configuration
        [FIX]: For AWS Elastic Beanstalk environments, establish an 'OptionSetting'
 with a 'Namespace' set to 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName'
 set to 'StreamLogs', and 'Value' set to 'true'. For Elastic Beanstalk
```

```
 configuration templates, establish an 'OptionSetting' with a 'Namespace' set to
 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName' set to 'StreamLogs', and 'Value'
 set to 'true', or omit this 'OptionSetting'.
        >>
}

rule elastic_beanstalk_logs_to_cloudwatch_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE) {
    check_elastic_beanstalk_configuration_templates(%INPUT_DOCUMENT.
%ELASTIC_BEANSTALK_CONFIGURATION_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.ELASTICBEANSTALK.PR.3]: Require an AWS Elastic Beanstalk environment to
 have a logging configuration
        [FIX]: For AWS Elastic Beanstalk environments, establish an 'OptionSetting'
 with a 'Namespace' set to 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName'
 set to 'StreamLogs', and 'Value' set to 'true'. For Elastic Beanstalk
 configuration templates, establish an 'OptionSetting' with a 'Namespace' set to
 'aws:elasticbeanstalk:cloudwatch:logs', 'OptionName' set to 'StreamLogs', and 'Value'
 set to 'true', or omit this 'OptionSetting'.
        >>
}

#
# Parameterized Rules
#
rule check_elastic_beanstalk_environments(elastic_beanstalk_environments) {
    %elastic_beanstalk_environments {
        # Scenario 2
        check_option_settings_exists_and_is_non_empty_list(this)

        # Scenario 3, 4, 7
        check_option_settings_cloudwatch_logs_enabled(OptionSettings[*])
    }
}

rule
 check_elastic_beanstalk_configuration_templates(elastic_beanstalk_configuration_templates)
 {
    %elastic_beanstalk_configuration_templates {
        # Scenario 7
        check_option_settings_with_cloudwatch_logs_enabled(this) or
        # Scenario 6
        check_option_settings_without_cloudwatch_logs(this) or
        # Scenario 5
```

```
        check_option_settings_not_exists_or_is_empty_list(this)
    }
}

rule
 check_option_settings_with_cloudwatch_logs_enabled(elastic_beanstalk_configuration_templates)
 {
    %elastic_beanstalk_configuration_templates [
        filter_option_settings_with_cloudwatch_logs(this)
    ] {
        check_option_settings_cloudwatch_logs_enabled(OptionSettings[*])
    }
}

rule
 filter_option_settings_with_cloudwatch_logs(elastic_beanstalk_configuration_templates)
 {
    some %elastic_beanstalk_configuration_templates {
        check_option_settings_exists_and_is_non_empty_list(this)

        some OptionSettings[*] {
            Namespace exists
            OptionName exists

            Namespace == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_NAMESPACE
            OptionName == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_OPTION_NAME
        }
    }
}

rule check_option_settings_cloudwatch_logs_enabled(option_settings) {
    # Scenario 3, 4
    some %option_settings[*] {
        Namespace exists
        OptionName exists
        Value exists

        Namespace == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_NAMESPACE
        OptionName == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_OPTION_NAME
        Value in %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_ENABLED_VALUE
    }

    # Scenario 7
    let option_setting_duplicates = OptionSettings [
```

```
        Namespace exists
        OptionName exists
        Value exists

        Namespace == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_NAMESPACE
        OptionName == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_OPTION_NAME
        Value not in %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_ENABLED_VALUE
    ]
    %option_setting_duplicates empty
}


rule
 check_option_settings_without_cloudwatch_logs(elastic_beanstalk_configuration_templates)
 {
    some %elastic_beanstalk_configuration_templates {
        check_option_settings_exists_and_is_non_empty_list(this)

        let option_settings_with_cloudwatch_logs = OptionSettings [
            Namespace exists
            OptionName exists

            Namespace == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_NAMESPACE
            OptionName == %ELASTIC_BEANSTALK_CLOUDWATCH_LOGS_OPTION_NAME
        ]
        %option_settings_with_cloudwatch_logs empty
    }
}

rule check_option_settings_exists_and_is_non_empty_list(elastic_beanstalk_resource) {
    %elastic_beanstalk_resource {
        OptionSettings exists
        OptionSettings is_list
        OptionSettings not empty
    }
}

rule check_option_settings_not_exists_or_is_empty_list(configuration_template) {
    %configuration_template {
        OptionSettings not exists or
        check_is_empty_list(OptionSettings)
    }
}
```

```
rule check_is_empty_list(option_settings) {
    %option_settings {
        this is_list
        this empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICBEANSTALK.PR.3 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - elasticbeanstalk.amazonaws.com
          Action:
```

```
          - sts:AssumeRole
  InstanceProfile:
    Type: AWS::IAM::InstanceProfile
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
    Type: AWS::ElasticBeanstalk::Application
    Properties: {}
  ElasticBeanstalkEnvironment:
    Type: AWS::ElasticBeanstalk::Environment
    Properties:
      ApplicationName:
        Ref: App
      SolutionStackName: 64bit Amazon Linux 2 v3.4.1 running Python 3.8
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
      - Namespace: aws:elasticbeanstalk:cloudwatch:logs
        OptionName: StreamLogs
        Value: true
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - elasticbeanstalk.amazonaws.com
          Action:
          - sts:AssumeRole
  InstanceProfile:
```

```
    Type: AWS::IAM::InstanceProfile
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
    Type: AWS::ElasticBeanstalk::Application
    Properties: {}
  ElasticBeanstalkConfigurationTemplate:
    Type: AWS::ElasticBeanstalk::ConfigurationTemplate
    Properties:
      ApplicationName:
        Ref: App
      SolutionStackName: 64bit Amazon Linux 2 v3.4.1 running Python 3.8
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
      - Namespace: aws:elasticbeanstalk:cloudwatch:logs
        OptionName: StreamLogs
        Value: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - elasticbeanstalk.amazonaws.com
          Action:
          - sts:AssumeRole
  InstanceProfile:
    Type: AWS::IAM::InstanceProfile
```

```
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
    Type: AWS::ElasticBeanstalk::Application
    Properties: {}
  ElasticBeanstalkEnvironment:
    Type: AWS::ElasticBeanstalk::Environment
    Properties:
      ApplicationName:
        Ref: App
      SolutionStackName: 64bit Amazon Linux 2 v3.4.1 running Python 3.8
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  InstanceRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - elasticbeanstalk.amazonaws.com
          Action:
          - sts:AssumeRole
  InstanceProfile:
    Type: AWS::IAM::InstanceProfile
    Properties:
      Roles:
      - Ref: InstanceRole
  App:
```

```
    Type: AWS::ElasticBeanstalk::Application
    Properties: {}
  ElasticBeanstalkConfigurationTemplate:
    Type: AWS::ElasticBeanstalk::ConfigurationTemplate
    Properties:
      ApplicationName:
        Ref: App
      SolutionStackName: 64bit Amazon Linux 2 v3.4.1 running Python 3.8
      OptionSettings:
      - Namespace: aws:autoscaling:launchconfiguration
        OptionName: IamInstanceProfile
        Value:
          Ref: InstanceProfile
      - Namespace: aws:elasticbeanstalk:cloudwatch:logs
        OptionName: StreamLogs
        Value: false
```

Kontrol Amazon Elastic Compute Cloud (Amazon EC2)

Topik

- [CT.EC2.PR.1] Memerlukan template peluncuran Amazon EC2 agar IMDSv2 dikonfigurasi
- [CT.EC2.PR.2] Mengharuskan template peluncuran Amazon EC2 membatasi batas token hop hingga maksimal satu
- [CT.EC2.PR.3] Mengharuskan aturan grup keamanan Amazon EC2 tidak menggunakan rentang IP sumber 0.0.0.0/0 atau ::/0 untuk port selain 80 dan 443
- [CT.EC2.PR.4] Mengharuskan aturan grup keamanan Amazon EC2 tidak menggunakan rentang IP sumber 0.0.0.0/0 atau ::/0 untuk port berisiko tinggi tertentu
- [CT.EC2.PR.5] Memerlukan ACL jaringan Amazon EC2 apa pun untuk mencegah masuknya dari 0.0.0.0/0 ke port 22 atau port 3389
- [CT.EC2.PR.6] Mengharuskan gateway transit Amazon EC2 menolak permintaan lampiran VPC Amazon otomatis
- [CT.EC2.PR.7] Memerlukan sumber daya volume Amazon EBS untuk dienkripsi saat istirahat saat ditentukan dengan menggunakan AWS::EC2::Instance BlockDeviceMappingsproperti atau jenis sumber daya AWS::EC2::Volume

- [CT.EC2.PR.8] Memerlukan instans Amazon EC2 untuk disetel AssociatePublicIpAddresske false pada antarmuka jaringan baru yang dibuat melalui NetworkInterfacesproperti di sumber daya AWS::EC2::Instance
- [CT.EC2.PR.9] Memerlukan templat peluncuran Amazon EC2 apa pun untuk tidak menetapkan alamat IP publik secara otomatis ke antarmuka jaringan
- [CT.EC2.PR.10] Memerlukan templat peluncuran Amazon EC2 agar pemantauan CloudWatch terperinci Amazon diaktifkan
- [CT.EC2.PR.11] Mengharuskan subnet Amazon EC2 tidak secara otomatis menetapkan alamat IP publik
- [CT.EC2.PR.12] Memerlukan instans Amazon EC2 untuk menentukan paling banyak satu antarmuka jaringan melalui NetworkInterfacesproperti di sumber daya AWS::EC2::Instance
- [CT.EC2.PR.13] Memerlukan instans Amazon EC2 agar pemantauan terperinci diaktifkan
- [CT.EC2.PR.14] Memerlukan volume Amazon EBS yang dikonfigurasi melalui templat peluncuran Amazon EC2 untuk mengenkripsi data saat istirahat
- [CT.EC2.PR.15] Memerlukan instans Amazon EC2 untuk menggunakan jenis instans AWS Nitro saat membuat dari tipe sumber daya " AWS::EC2::LaunchTemplate
- [CT.EC2.PR.16] Memerlukan instans Amazon EC2 untuk menggunakan jenis instans AWS Nitro saat dibuat menggunakan tipe sumber daya " AWS::EC2::Instance
- [CT.EC2.PR.17] Memerlukan host khusus Amazon EC2 untuk menggunakan jenis instans AWS Nitro
- [CT.EC2.PR.18] Memerlukan armada Amazon EC2 untuk mengganti hanya template peluncuran tersebut dengan tipe instans AWS Nitro
- [CT.EC2.PR.19] Memerlukan instans Amazon EC2Amazon EC2 untuk menggunakan jenis instans AWS Nitro yang mendukung enkripsi dalam perjalanan antar instance saat dibuat menggunakan tipe sumber daya AWS::EC2::Instance
- [CT.EC2.PR.20] Memerlukan armada Amazon EC2 untuk mengganti hanya template peluncuran dengan tipe instans AWS Nitro yang mendukung enkripsi dalam perjalanan antar instans

[CT.EC2.PR.1] Memerlukan template peluncuran Amazon EC2 agar IMDSv2 dikonfigurasi

Kontrol ini memeriksa apakah templat peluncuran Amazon EC2 Anda dikonfigurasi dengan Layanan Metadata Instans Versi 2 (IMDSv2).

- Tujuan kontrol: Menerapkan hak istimewa paling sedikit, Lindungi konfigurasi

- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::LaunchTemplate`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.1contoh template

Penjelasan

Metadata instans mengonfigurasi dan mengelola instance yang sedang berjalan. IMDS menyediakan akses ke kredensyal sementara yang sering diputar, sehingga Anda tidak perlu mendistribusikan kredensyal sensitif ke instance, baik secara manual maupun terprogram. IMDS dilampirkan secara lokal ke setiap instans EC2. Ini berjalan pada alamat IP khusus 169.254.169.254. Alamat IP ini hanya dapat diakses oleh perangkat lunak yang berjalan pada instance.

Versi 2 IMDS menambahkan perlindungan untuk kerentanan yang dapat digunakan untuk mendapatkan akses ke IMDS:`Open website application firewalls`,, dan. `Open reverse proxies` `Server-side request forgery (SSRF) vulnerabilities` `'Open Layer 3 firewalls and network address translation (NAT)`

AWS Control Tower merekomendasikan agar Anda mengonfigurasi instans EC2 Anda dengan IMDSv2.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk template peluncuran Amazon EC2 yang memungkinkan akses ke metadata instans.

Remediasi untuk kegagalan aturan

Di dalam `LaunchTemplateData` properti, berikan `MetadataOptions` konfigurasi dan atur nilai `HttpTokens` to`required`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Templat Peluncuran Amazon EC2 - Contoh

Template peluncuran Amazon EC2 yang dikonfigurasi dengan IMDSv2 diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "InstanceType": "t3.micro",
                "ImageId": {
                    "Ref": "LatestAmiId"
                },
                "MetadataOptions": {
                    "HttpTokens": "required"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
EC2LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
    LaunchTemplateData:
      InstanceType: t3.micro
      ImageId: !Ref 'LatestAmiId'
```

```
      MetadataOptions:
        HttpTokens: required
```

CT.EC2.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_launch_template_imdsv2_check
#
# Description:
#   This control checks whether your Amazon EC2 launch templates are configured with
 Instance Metadata Service Version 2 (IMDSv2).
#
# Reports on:
#   AWS::EC2::LaunchTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 launch template resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'LaunchTemplateData' has not been provided or
 'LaunchTemplateData.MetadataOptions.HttpEndpoint' has
#             been provided and is equal to 'disabled'
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'LaunchTemplateData' has been provided
#       And: 'MetadataOptions.HttpEndpoint' in 'LaunchTemplateData' has not been
 provided or has been provided and
#            is equal to 'enabled'
#       And: 'MetadataOptions.HttpTokens' in 'LaunchTemplateData' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'LaunchTemplateData' has been provided
#       And: 'MetadataOptions.HttpEndpoint' in 'LaunchTemplateData' has not been
 provided or has been provided and
#            is equal to 'enabled'
#       And: 'MetadataOptions.HttpTokens' in 'LaunchTemplateData' has been provided and
 set to a value other than 'required'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'LaunchTemplateData' has been provided
#       And: 'MetadataOptions.HttpEndpoint' in 'LaunchTemplateData' has not been
 provided or has been provided and
#            is equal to 'enabled'
#       And: 'MetadataOptions.HttpTokens' in 'LaunchTemplateData' has been provided and
 set to 'required'
#      Then: PASS

#
# Constants
#
let EC2_LAUNCH_TEMPLATE_TYPE = "AWS::EC2::LaunchTemplate"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_launch_templates = Resources.*[ Type == %EC2_LAUNCH_TEMPLATE_TYPE ]

#
```

```
# Primary Rules
#
rule ec2_launch_template_imdsv2_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %ec2_launch_templates not empty {
    check(%ec2_launch_templates.Properties)
        <<
        [CT.EC2.PR.1]: Require an Amazon EC2 launch template to have IMDSv2 configured
            [FIX]: Within the 'LaunchTemplateData' property, provide a
 'MetadataOptions' configuration and set the value of 'HttpTokens' to 'required'.
        >>
}

rule ec2_launch_template_imdsv2_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_LAUNCH_TEMPLATE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_LAUNCH_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.1]: Require an Amazon EC2 launch template to have IMDSv2 configured
            [FIX]: Within the 'LaunchTemplateData' property, provide a
 'MetadataOptions' configuration and set the value of 'HttpTokens' to 'required'.
        >>
}

#
# Parameterized Rules
#
rule check(launch_template) {
    %launch_template [
        # Scenario 2
        filter_launch_template_imds_enabled(this)
    ] {
        LaunchTemplateData exists
        LaunchTemplateData is_struct

        LaunchTemplateData {
            # Scenario 3, 4 and 5
            MetadataOptions exists
            MetadataOptions is_struct
            MetadataOptions {
                HttpTokens exists
                HttpTokens == "required"
            }
        }
    }
}
```

```
rule filter_launch_template_imds_enabled(launch_template) {
    %launch_template {
        LaunchTemplateData exists
        LaunchTemplateData is_struct
        LaunchTemplateData {
            MetadataOptions not exists or
            filter_metadata_options_imds_enabled(this)
        }
    }
}

rule filter_metadata_options_imds_enabled(metadata_options) {
    %metadata_options {
        MetadataOptions is_struct
        MetadataOptions {
            HttpEndpoint not exists or
            HttpEndpoint == "enabled"
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        InstanceType: t3.micro
        ImageId:
          Ref: LatestAmiId
        MetadataOptions:
          HttpTokens: required
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        InstanceType: t3.micro
        ImageId:
          Ref: LatestAmiId
        MetadataOptions:
          HttpTokens: optional
```

[CT.EC2.PR.2] Mengharuskan template peluncuran Amazon EC2 membatasi batas token hop hingga maksimal satu

Kontrol ini memeriksa apakah template peluncuran Amazon EC2 memiliki batas hop token metadata yang disetel ke. 1

- Tujuan kontrol: Menerapkan hak istimewa paling sedikit, Lindungi konfigurasi
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::LaunchTemplate`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.2contoh template

Penjelasan

Amazon Instance Metadata Service (IMDS) menyediakan informasi metadata tentang instans Amazon EC2, yang berguna untuk konfigurasi aplikasi. Membatasi respons HTTP PUT untuk layanan metadata ke instans EC2 melindungi IMDS dari penggunaan yang tidak sah.

Bidang Time To Live (TTL) dalam paket IP dikurangi satu pada setiap hop. Pengurangan ini dapat digunakan untuk memastikan bahwa paket tidak bergerak di luar EC2. IMDSv2 melindungi instans EC2 yang mungkin salah dikonfigurasi sebagai router terbuka, firewall lapisan 3, VPN, terowongan, atau perangkat NAT, yang mencegah pengguna yang tidak sah mengambil metadata. Dengan ImDSv2, respons PUT yang berisi token rahasia tidak dapat berjalan di luar instance, karena batas hop respons metadata default diatur ke 1. Namun, jika nilai ini lebih besar dari 1, token dapat meninggalkan instans EC2.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk template peluncuran Amazon EC2 yang memungkinkan akses ke metadata instans.

- Kontrol ini tidak kompatibel dengan template peluncuran Amazon EC2 yang memerlukan batas token hop 2.

Remediasi untuk kegagalan aturan

Di dalam `LaunchTemplateData` properti, berikan `MetadataOptions` konfigurasi dengan nilai `HttpPutResponseLimit` set to1, atau hilangkan `HttpPutResponseLimit` properti untuk mengadopsi nilai AWS CloudFormation default. 1

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Template Peluncuran Amazon EC2 - Contoh Satu

Template peluncuran Amazon EC2 yang dikonfigurasi dengan akses ke metadata instans diaktifkan dan batas token hop sebesar1, ditetapkan melalui default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "MetadataOptions": {
                    "HttpEndpoint": "enabled"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
EC2LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
```

```
    LaunchTemplateData:
      MetadataOptions:
        HttpEndpoint: enabled
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Template Peluncuran Amazon EC2 - Contoh Dua

Templat peluncuran Amazon EC2 yang dikonfigurasi dengan akses ke metadata instans diaktifkan dan batas token hop sebesar1, yang ditetapkan melalui properti. `MetadataOptions` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "MetadataOptions": {
                    "HttpEndpoint": "enabled",
                    "HttpPutResponseHopLimit": 1
                }
            }
        }
    }
}
```

Contoh YAMAL

```
EC2LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
    LaunchTemplateData:
      MetadataOptions:
        HttpEndpoint: enabled
        HttpPutResponseHopLimit: 1
```

CT.EC2.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_launch_template_token_hop_limit_check
#
# Description:
#   This control checks whether an Amazon EC2 launch template has a metadata token hop
 limit set to '1'.
#
# Reports on:
#   AWS::EC2::LaunchTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any EC2 launch template resources
#       Then: SKIP
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.MetadataOptions' has been provided
#        And: 'LaunchTemplateData.MetadataOptions.HttpEndpoint' has been provided and
 is equal to 'disabled'
#       Then: SKIP
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.MetadataOptions' has been provided
#        And: 'LaunchTemplateData.MetadataOptions.HttpEndpoint' has not been provided
 or has been provided and is
#             equal to 'enabled'
#        And: 'LaunchTemplateData.MetadataOptions.HttpPutResponseHopLimit' has been
 provided and is not equal to
#             an integer of 1.
#       Then: FAIL
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.MetadataOptions' has not been provided
#       Then: PASS
#   Scenario: 5
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.MetadataOptions' has been provided
#        And: 'LaunchTemplateData.MetadataOptions.HttpEndpoint' has not been provided
 or has been provided and is
#             equal to 'enabled'
#        And: 'LaunchTemplateData.MetadataOptions.HttpPutResponseHopLimit' has not been
 provided
#       Then: PASS
#   Scenario: 6
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.MetadataOptions' has been provided
#        And: 'LaunchTemplateData.MetadataOptions.HttpEndpoint' has not been provided
 or has been provided and is
#             equal to 'enabled'
#        And: 'LaunchTemplateData.MetadataOptions.HttpPutResponseHopLimit' has been
 provided and is equal to an
#             integer of 1.
#       Then: PASS

#
# Constants
#
let EC2_LAUNCH_TEMPLATE_TYPE = "AWS::EC2::LaunchTemplate"
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let ec2_launch_templates = Resources.*[ Type == %EC2_LAUNCH_TEMPLATE_TYPE ]

#
# Primary Rules
#
rule ec2_launch_template_token_hop_limit_check when is_cfn_template(this)
                                                    %ec2_launch_templates not empty {
    check(%ec2_launch_templates.Properties)
        <<
        [CT.EC2.PR.2]: Require that Amazon EC2 launch templates restrict the token hop
 limit to a maximum of one
            [FIX]: Within the 'LaunchTemplateData' property, provide a
 'MetadataOptions' configuration with the value of 'HttpPutResponseLimit' set to '1',
 or omit the 'HttpPutResponseLimit' property to adopt the AWS CloudFormation default
 value of '1'.
        >>
}

rule ec2_launch_template_token_hop_limit_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_LAUNCH_TEMPLATE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_LAUNCH_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.2]: Require that Amazon EC2 launch templates restrict the token hop
 limit to a maximum of one
            [FIX]: Within the 'LaunchTemplateData' property, provide a
 'MetadataOptions' configuration with the value of 'HttpPutResponseLimit' set to '1',
 or omit the 'HttpPutResponseLimit' property to adopt the AWS CloudFormation default
 value of '1'.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_launch_template) {
  %ec2_launch_template[
      # Scenario 2, 3 and 4
      filter_launch_template(this)
  ] {
      # Scenario 5 and 6
```

```
      LaunchTemplateData {
          MetadataOptions not exists or
          MetadataOptions {
              HttpPutResponseHopLimit not exists or
              HttpPutResponseHopLimit == 1
          }
      }
  }
}

rule filter_launch_template(ec2_launch_template) {
  %ec2_launch_template {
      LaunchTemplateData exists
      LaunchTemplateData is_struct
      LaunchTemplateData {
          MetadataOptions not exists or
          filter_metadata_options_provided(this)
      }
  }
}

rule filter_metadata_options_provided(options) {
  %options {
      MetadataOptions is_struct
      MetadataOptions {
          HttpEndpoint not exists or
          HttpEndpoint == "enabled"
      }
  }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
  %doc {
    AWSTemplateFormatVersion exists  or
    Resources exists
  }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        InstanceType: t3.micro
        ImageId:
          Ref: LatestAmiId
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        MetadataOptions:
          HttpPutResponseHopLimit: 2
```

[CT.EC2.PR.3] Mengharuskan aturan grup keamanan Amazon EC2 tidak menggunakan rentang IP sumber **`0.0.0.0/0`** atau **`::/0`** untuk port selain 80 dan 443

Kontrol ini memeriksa apakah aturan grup keamanan Amazon EC2 berisi string `0.0.0.0/0` atau `::/0` sebagai rentang IP sumber. Kontrol ini tidak dipicu jika aturan memungkinkan koneksi ke port 80 atau 443 dengan TCP, UDP, ICMP, atau ICMPv6. Penggunaan daftar awalan terkelola tidak didukung.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::EC2::SecurityGroup`, `AWS::EC2::SecurityGroupIngress`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.3spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.3contoh template

Penjelasan

Grup keamanan menyediakan penyaringan stateful dari lalu lintas jaringan masuk dan keluar ke sumber daya. AWS Melarang penggunaan string `0.0.0.0/0` atau `::/0` membantu melindungi terhadap kesalahan konfigurasi umum ini dan mendorong pengguna untuk memilih rentang yang selaras dengan prinsip hak istimewa paling sedikit.

AWS merekomendasikan pendekatan berlapis, untuk memastikan bahwa akses jaringan disediakan hanya jika diperlukan untuk kebutuhan bisnis Anda. Aturan kelompok keamanan harus mengikuti prinsip akses yang paling tidak memiliki hak istimewa. Akses tidak terbatas meningkatkan peluang untuk aktivitas berbahaya. Kecuali port diizinkan secara khusus, port harus menolak akses tidak terbatas (alamat IP apa pun dengan `/0` akhiran).

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk grup keamanan Amazon EC2 dan sumber daya masuk grup keamanan EC2 dengan aturan masuk yang memungkinkan lalu lintas masuk dari atau `0.0.0.0/0` `::/0`
- Kontrol ini tidak mengizinkan penggunaan `SourcePrefixListId` properti pada sumber daya Amazon EC2 Security Group dan Amazon EC2 Security Group Ingress.

Remediasi untuk kegagalan aturan

Pastikan bahwa grup keamanan dengan aturan masuk yang memungkinkan lalu lintas TCP atau UDP dari atau `::/0` mengizinkan lalu lintas dari port `0.0.0.0/0` `80` atau hanya. `443`

Penggunaan daftar awalan terkelola tidak didukung.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Keamanan Amazon EC2 - Contoh Satu

Grup Keamanan Amazon EC2 memungkinkan lalu lintas TCP masuk dari port. `0.0.0.0/0` `80` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityGroup": {
        "Type": "AWS::EC2::SecurityGroup",
        "Properties": {
            "GroupDescription": {
                "Fn::Sub": "${AWS::StackName}-example"
            },
            "SecurityGroupIngress": [
                {
                    "IpProtocol": "tcp",
                    "CidrIp": "0.0.0.0/0",
                    "FromPort": 80,
                    "ToPort": 80
                }
            ]
        }
```

```
    }
}
```

Contoh YAMAL

```
SecurityGroup:
  Type: AWS::EC2::SecurityGroup
  Properties:
    GroupDescription: !Sub '${AWS::StackName}-example'
    SecurityGroupIngress:
      - IpProtocol: tcp
        CidrIp: '0.0.0.0/0'
        FromPort: 80
        ToPort: 80
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Keamanan Amazon EC2 - Contoh Dua

Grup Keamanan Amazon EC2 memungkinkan lalu lintas TCP masuk dari port. `0.0.0.0/0` `443` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityGroup": {
        "Type": "AWS::EC2::SecurityGroup",
        "Properties": {
            "GroupDescription": {
                "Fn::Sub": "${AWS::StackName}-example"
            },
            "SecurityGroupIngress": [
                {
                    "IpProtocol": "tcp",
                    "CidrIp": "0.0.0.0/0",
                    "FromPort": 443,
                    "ToPort": 443
                }
```

```
            ]
        }
    }
}
```

Contoh YAMAL

```
SecurityGroup:
  Type: AWS::EC2::SecurityGroup
  Properties:
    GroupDescription: !Sub '${AWS::StackName}-example'
    SecurityGroupIngress:
      - IpProtocol: tcp
        CidrIp: '0.0.0.0/0'
        FromPort: 443
        ToPort: 443
```

CT.EC2.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   vpc_sg_open_only_to_authorized_ports_check
#
# Description:
#    This control checks whether the Amazon EC2 security group contains the string
 '0.0.0.0/0' or '::/0' as a source IP range.
#    This control is not triggered if a rule allows connection to port 80 or 443 with
 TCP, UDP, ICMP, or ICMPv6.
#
# Reports on:
#   AWS::EC2::SecurityGroup, AWS::EC2::SecurityGroupIngress
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
```

```
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 security group or EC2
 security group ingress resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 security group resource or EC2
 security group ingress resource
#       And: The EC2 security group or EC2 security group ingress resource does not
 allow inbound traffic from a source
#            prefix list and has no rules allowing inbound traffic from source
 '0.0.0.0/0' or '::/0'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 security group resource or EC2
 security group ingress resource
#       And: The EC2 security group or EC2 security group ingress resource has rules
 allowing inbound traffic
#            from a source prefix list, or source '0.0.0.0/0' or '::/0'
#       And: The EC2 security group or EC2 security group ingress resource has a rule
 that allows all traffic
#            ('IpProtocol' is set to '-1' or another protocol number)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 security group resource or EC2
 security group ingress resource
#       And: The EC2 security group or EC2 security group ingress resource has rules
 allowing inbound traffic
#            from a source prefix list, or source '0.0.0.0/0' or '::/0'
#       And: The EC2 security group or EC2 security group ingress resource has no rules
 that allow all traffic
#            ('IpProtocol' is not set to '-1' or another protocol number)
#       And: Ports allowed are not in the list of allowed ports
```

```
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 security group resource or EC2
 security group ingress resource
#       And: The EC2 security group or EC2 security group ingress resource has rules
 allowing inbound traffic
#            from a source prefix list, or source '0.0.0.0/0' or '::/0'
#       And: The EC2 security group or EC2 security group ingress resource has no rules
 that allow all traffic
#            ('IpProtocol' is not set to '-1' or another protocol number)
#       And: Ports allowed are in the list of allowed ports
#      Then: PASS

#
# Constants
#
let SECURITY_GROUP_TYPE = "AWS::EC2::SecurityGroup"
let SECURITY_GROUP_INGRESS_TYPE = "AWS::EC2::SecurityGroupIngress"
let ALLOWED_PORTS = [80, 443]
let AUTHORIZED_PROTOCOLS = ["tcp", "udp", "icmp", "icmpv6"]
let UNRESTRICTED_IPV4_RANGES = ["0.0.0.0/0"]
let UNRESTRICTED_IPV6_RANGES = ["::/0"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_security_groups = Resources[
    Type == %SECURITY_GROUP_TYPE
]
let ec2_security_group_ingress_rules = Resources[
    Type == %SECURITY_GROUP_INGRESS_TYPE
]

#
# Primary Rules
#
rule vpc_sg_open_only_to_authorized_ports_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %ec2_security_groups not empty {

    check_security_group(%ec2_security_groups.Properties)
        <<
```

```
        [CT.EC2.PR.3]: Require that any Amazon EC2 security group rule does not use the
 source IP range 0.0.0.0/0 or ::/0 for ports other than 80 and 443
        [FIX]: Ensure that security groups with ingress rules that allow TCP or UDP
 traffic from '0.0.0.0/0' or '::/0' only allow traffic to ports 80 or 443. The use of
 managed prefix lists is not supported.
        >>
}

rule vpc_sg_open_only_to_authorized_ports_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %ec2_security_group_ingress_rules
 not empty {

    check_ingress_rule(%ec2_security_group_ingress_rules.Properties)
        <<
        [CT.EC2.PR.3]: Require that any Amazon EC2 security group rule does not use the
 source IP range 0.0.0.0/0 or ::/0 for ports other than 80 and 443
        [FIX]: Ensure that security groups with ingress rules that allow TCP or UDP
 traffic from '0.0.0.0/0' or '::/0' only allow traffic to ports 80 or 443. The use of
 managed prefix lists is not supported.
        >>
}

rule vpc_sg_open_only_to_authorized_ports_check when is_cfn_hook(%INPUT_DOCUMENT,
 %SECURITY_GROUP_TYPE) {

    check_security_group(%INPUT_DOCUMENT.%SECURITY_GROUP_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.3]: Require that any Amazon EC2 security group rule does not use the
 source IP range 0.0.0.0/0 or ::/0 for ports other than 80 and 443
        [FIX]: Ensure that security groups with ingress rules that allow TCP or UDP
 traffic from '0.0.0.0/0' or '::/0' only allow traffic to ports 80 or 443. The use of
 managed prefix lists is not supported.
        >>
}

rule vpc_sg_open_only_to_authorized_ports_check when is_cfn_hook(%INPUT_DOCUMENT,
 %SECURITY_GROUP_INGRESS_TYPE) {

    check_ingress_rule(%INPUT_DOCUMENT.%SECURITY_GROUP_INGRESS_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.3]: Require that any Amazon EC2 security group rule does not use the
 source IP range 0.0.0.0/0 or ::/0 for ports other than 80 and 443
```

```
        [FIX]: Ensure that security groups with ingress rules that allow TCP or UDP
 traffic from '0.0.0.0/0' or '::/0' only allow traffic to ports 80 or 443. The use of
 managed prefix lists is not supported.
        >>
}

#
# Parameterized Rules
#
rule check_security_group(security_group) {
    %security_group [
        SecurityGroupIngress exists
        SecurityGroupIngress is_list
        SecurityGroupIngress not empty
    ] {
        SecurityGroupIngress[*] {
            check_ingress_rule(this)
        }
    }
}

rule check_ingress_rule(ingress_rule) {
    %ingress_rule[ CidrIp in %UNRESTRICTED_IPV4_RANGES or
                   CidrIpv6 in %UNRESTRICTED_IPV6_RANGES or
                   SourcePrefixListId exists ] {
        # Scenario 3
        IpProtocol exists
        IpProtocol in %AUTHORIZED_PROTOCOLS

        when IpProtocol in ["tcp", "udp"] {
            FromPort exists
            ToPort exists
            # Scenarios 4 and 5
            check_ports(FromPort, ToPort)
        }
    }
}

rule check_ports(from_port, to_port) {
    %from_port in %ALLOWED_PORTS
    %to_port in %ALLOWED_PORTS
    %from_port in %to_port
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      SecurityGroupIngress:
      - IpProtocol: tcp
        CidrIp: 0.0.0.0/0
        FromPort: 80
        ToPort: 80
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  PrefixList:
    Type: AWS::EC2::PrefixList
    Properties:
      PrefixListName:
        Fn::Sub: ${AWS::StackName}-example
      AddressFamily: IPv4
      MaxEntries: 10
      Entries:
        - Cidr: "0.0.0.0/0"
          Description: Public internet
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription:
        Fn::Sub: ${AWS::StackName}-example
  SecurityGroupIngress:
    Type: AWS::EC2::SecurityGroupIngress
    Properties:
      GroupId:
        Fn::GetAtt: [ SecurityGroup, GroupId ]
      IpProtocol: -1
      SourcePrefixListId:
        Ref: PrefixList
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription:
        Fn::Sub: ${AWS::StackName}-example
  SecurityGroupIngress:
    Type: AWS::EC2::SecurityGroupIngress
    Properties:
      GroupId:
        Fn::GetAtt: [ SecurityGroup, GroupId ]
      IpProtocol: udp
```

```
      CidrIp: 0.0.0.0/0
      FromPort: 80
      ToPort: 90
```

[CT.EC2.PR.4] Mengharuskan aturan grup keamanan Amazon EC2 tidak menggunakan rentang IP sumber **`0.0.0.0/0`** atau **`::/0`** untuk port berisiko tinggi tertentu

Kontrol ini memeriksa apakah aturan grup keamanan Amazon EC2 yang berisi string `0.0.0.0/0` atau `::/0` sebagai rentang IP sumber tidak mengizinkan lalu lintas TCP, UDP, ICMP, atau ICMPv6 yang masuk ke port berikut:,,,,,3389,,,,,,,,20,23,110,143,3306,8080,1433,9200,9300,,25,445, 13521,1434. 4333 5432 5500 5601 22 3000 5000 8088 8888 Penggunaan daftar awalan terkelola tidak didukung.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::EC2::SecurityGroup`, `AWS::EC2::SecurityGroupIngress`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.4contoh template

Penjelasan

Grup keamanan menyediakan penyaringan stateful dari lalu lintas jaringan masuk dan keluar ke sumber daya. AWS Melarang penggunaan string `0.0.0.0/0` atau `::/0` membantu melindungi terhadap kesalahan konfigurasi umum ini dan mendorong pengguna untuk memilih rentang yang selaras dengan prinsip hak istimewa paling sedikit.

AWS merekomendasikan pendekatan berlapis, untuk memastikan bahwa akses jaringan disediakan hanya jika diperlukan untuk kebutuhan bisnis Anda. Tidak ada grup keamanan yang mengizinkan akses masuk tanpa batas ke port berikut:

3389, 20, 23, 110, 143, 3306, 8080, 1433, 9200, 9300, 25, 445, 135, 21, 1434, 4333, 5432, 5500, 5601, 22, 3000, 5000, 8088, 8888.

Akses tidak terbatas (0.0.0.0/0) meningkatkan peluang untuk aktivitas berbahaya, seperti peretasan, denial-of-service serangan, dan kehilangan data.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk grup keamanan Amazon EC2 dan sumber daya masuk grup keamanan dengan aturan masuk yang memungkinkan lalu lintas masuk dari atau. `0.0.0.0/0` `::/0`
> - Kontrol ini tidak mengizinkan penggunaan `SourcePrefixListId` properti pada sumber daya Amazon EC2 Security Group dan Amazon EC2 Security Group Ingress.

Remediasi untuk kegagalan aturan

Hapus aturan masuknya grup keamanan Amazon EC2 yang mengizinkan lalu lintas dari `0.0.0.0/0` atau `::/0` ke port berisiko tinggi:3389,,,,20,,23,110,143,3306,8080,,1433,9200,9300,25,445,,135,21,1434,4333,5432,,5500, 560122,3000. 5000 8088 8888

Penggunaan daftar awalan terkelola tidak didukung.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Keamanan Amazon EC2 - Contoh

Grup keamanan Amazon EC2 dikonfigurasi untuk memungkinkan lalu lintas dari rentang IP sumber `0.0.0.0/0` atau `::/0` pada rentang port yang tidak menyertakan port berisiko tinggi. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityGroup": {
        "Type": "AWS::EC2::SecurityGroup",
        "Properties": {
            "GroupDescription": "sample-security-group",
            "SecurityGroupIngress": [
```

```
                {
                    "IpProtocol": "tcp",
                    "CidrIp": "0.0.0.0/0",
                    "FromPort": 80,
                    "ToPort": 80
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
SecurityGroup:
  Type: AWS::EC2::SecurityGroup
  Properties:
    GroupDescription: sample-security-group
    SecurityGroupIngress:
      - IpProtocol: tcp
        CidrIp: '0.0.0.0/0'
        FromPort: 80
        ToPort: 80
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Aturan Masuk Grup Keamanan Amazon EC2 - Contoh

Aturan masuknya grup keamanan Amazon EC2 dikonfigurasi untuk memungkinkan lalu lintas dari rentang IP sumber `0.0.0.0/0` atau `::/0` pada rentang port yang tidak menyertakan port berisiko tinggi. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityGroupIngress": {
        "Type": "AWS::EC2::SecurityGroupIngress",
        "Properties": {
            "GroupId": {
                "Fn::GetAtt": [
```

```
                    "SecurityGroup",
                    "GroupId"
                ]
            },
            "IpProtocol": "tcp",
            "CidrIp": "0.0.0.0/0",
            "FromPort": 80,
            "ToPort": 90
        }
    }
}
```

Contoh YAMAL

```
SecurityGroupIngress:
  Type: AWS::EC2::SecurityGroupIngress
  Properties:
    GroupId: !GetAtt 'SecurityGroup.GroupId'
    IpProtocol: tcp
    CidrIp: '0.0.0.0/0'
    FromPort: 80
    ToPort: 90
```

CT.EC2.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   vpc_sg_restricted_common_ports_check
#
# Description:
#   This control checks whether an Amazon EC2 security group rule that contains the
 strings '0.0.0.0/0' or '::/0' as a source IP range
#   does not allow incoming TCP, UDP, ICMP, ICMPv6 traffic to the following ports:
 '3389', '20', '23', '110', '143',
#   '3306', '8080', '1433', '9200', '9300', '25', '445', '135', '21', '1434', '4333',
 '5432', '5500', '5601', '22', '3000', '5000',
```

```
#   '8088', '8888'.
#
# Reports on:
#   AWS::EC2::SecurityGroup, AWS::EC2::SecurityGroupIngress
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation Hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 security group or EC2 security
 group ingress resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 security group resource or EC2 security
 group ingress resource
#       And: EC2 security group or EC2 security group ingress resource does not allow
 inbound traffic from a source
#            prefix list and has no rules allowing inbound traffic from source
 '0.0.0.0/0' or '::/0'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 security group resource or EC2 security
 group ingress resource
#       And: EC2 security group or EC2 security group ingress resource has rules
 allowing inbound traffic
#            from a source prefix list, or source '0.0.0.0/0' or '::/0'
#       And: EC2 security group or EC2 security group ingress resource has a rule that
 allows all traffic
#            ('IpProtocol' is set to '-1' or another protocol number)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an EC2 security group resource or EC2 security
 group ingress resource
#       And: EC2 security group or EC2 security group ingress resource has rules
 allowing inbound traffic
#            from a source prefix list, or source '0.0.0.0/0' or '::/0'
#       And: EC2 security group or EC2 security group ingress resource has no rules
 that allow all traffic
#            ('IpProtocol' is not set to '-1' or another protocol number)
#       And: Ports allowed are in the list of blocked ports
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 security group resource or EC2 security
 group ingress resource
#       And: EC2 security group or EC2 security group ingress resource has rules
 allowing inbound traffic
#            from a source prefix list, or source '0.0.0.0/0' or '::/0'
#       And: EC2 security group or EC2 security group ingress resource has no rules
 that allow all traffic
#            ('IpProtocol' is not set to '-1' or another protocol number)
#       And: Ports allowed are not in the list of blocked ports
#      Then: PASS

#
# Constants
#
let SECURITY_GROUP_TYPE = "AWS::EC2::SecurityGroup"
let SECURITY_GROUP_INGRESS_TYPE = "AWS::EC2::SecurityGroupIngress"
let BLOCKED_PORTS = [3389, 20, 23, 110, 143, 3306, 8080, 1433, 9200, 9300, 25, 445,
 135, 21, 1434, 4333, 5432, 5500,
                     5601, 22, 3000, 5000, 8088, 8888]
let AUTHORIZED_PROTOCOLS = ["tcp", "udp", "icmp", "icmpv6"]
let UNRESTRICTED_IPV4_RANGES = ["0.0.0.0/0"]
let UNRESTRICTED_IPV6_RANGES = ["::/0"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_security_groups = Resources[
    Type == %SECURITY_GROUP_TYPE
]
let ec2_security_group_ingress_rules = Resources[
```

```
    Type == %SECURITY_GROUP_INGRESS_TYPE
]

#
# Primary Rules
#
rule vpc_sg_restricted_common_ports_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %ec2_security_groups not empty {

    check_security_group(%ec2_security_groups.Properties)
        <<
        [CT.EC2.PR.4]: Require that any Amazon EC2 security group rule does not use the
 source IP range 0.0.0.0/0 or ::/0 for specific high-risk ports
            [FIX]: Remove Amazon EC2 security group ingress rules that allow traffic
 from '0.0.0.0/0' or '::/0' to high-risk ports: '3389', '20', '23', '110', '143',
 '3306', '8080', '1433', '9200', '9300', '25', '445', '135', '21', '1434', '4333',
 '5432', '5500', '5601', '22', '3000', '5000', '8088', '8888'. The use of managed
 prefix lists is not supported.
        >>
}

rule vpc_sg_restricted_common_ports_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %ec2_security_group_ingress_rules not
 empty {

    check_ingress_rule(%ec2_security_group_ingress_rules.Properties)
        <<
        [CT.EC2.PR.4]: Require that any Amazon EC2 security group rule does not use the
 source IP range 0.0.0.0/0 or ::/0 for specific high-risk ports
            [FIX]: Remove Amazon EC2 security group ingress rules that allow traffic
 from '0.0.0.0/0' or '::/0' to high-risk ports: '3389', '20', '23', '110', '143',
 '3306', '8080', '1433', '9200', '9300', '25', '445', '135', '21', '1434', '4333',
 '5432', '5500', '5601', '22', '3000', '5000', '8088', '8888'. The use of managed
 prefix lists is not supported.
        >>
}

rule vpc_sg_restricted_common_ports_check when is_cfn_hook(%INPUT_DOCUMENT,
 %SECURITY_GROUP_TYPE) {

    check_security_group(%INPUT_DOCUMENT.%SECURITY_GROUP_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.4]: Require that any Amazon EC2 security group rule does not use the
 source IP range 0.0.0.0/0 or ::/0 for specific high-risk ports
```

```
            [FIX]: Remove Amazon EC2 security group ingress rules that allow traffic
 from '0.0.0.0/0' or '::/0' to high-risk ports: '3389', '20', '23', '110', '143',
 '3306', '8080', '1433', '9200', '9300', '25', '445', '135', '21', '1434', '4333',
 '5432', '5500', '5601', '22', '3000', '5000', '8088', '8888'. The use of managed
 prefix lists is not supported.
        >>
}

rule vpc_sg_restricted_common_ports_check when is_cfn_hook(%INPUT_DOCUMENT,
 %SECURITY_GROUP_INGRESS_TYPE) {

    check_ingress_rule(%INPUT_DOCUMENT.%SECURITY_GROUP_INGRESS_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.4]: Require that any Amazon EC2 security group ruledoes not use the
 source IP range 0.0.0.0/0 or ::/0 for specific high-risk ports
            [FIX]: Remove Amazon EC2 security group ingress rules that allow traffic
 from '0.0.0.0/0' or '::/0' to high-risk ports: '3389', '20', '23', '110', '143',
 '3306', '8080', '1433', '9200', '9300', '25', '445', '135', '21', '1434', '4333',
 '5432', '5500', '5601', '22', '3000', '5000', '8088', '8888'. The use of managed
 prefix lists is not supported.
        >>
}

#
# Parameterized Rules
#
rule check_security_group(security_group) {
    %security_group [
        SecurityGroupIngress exists
        SecurityGroupIngress is_list
        SecurityGroupIngress not empty
    ] {
        SecurityGroupIngress[*] {
            check_ingress_rule(this)
        }
    }
}

rule check_ingress_rule(ingress_rule) {
    %ingress_rule[ CidrIp in %UNRESTRICTED_IPV4_RANGES or
                   CidrIpv6 in %UNRESTRICTED_IPV6_RANGES or
                   SourcePrefixListId exists ] {
        # Scenario 3
        IpProtocol exists
```

```
        IpProtocol in %AUTHORIZED_PROTOCOLS

        when IpProtocol in ["tcp", "udp"] {
            FromPort exists
            ToPort exists

            let ingress_block = this

            %BLOCKED_PORTS.* {
                # Scenarios 4 and 5
                check_ports(this, %ingress_block.FromPort, %ingress_block.ToPort)
            }
        }
    }
}
rule check_ports(port, FromPort, ToPort) {
    %FromPort > %port or
    %ToPort < %port
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      SecurityGroupIngress:
      - IpProtocol: tcp
        CidrIp: 0.0.0.0/0
        FromPort: 80
        ToPort: 80
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  PrefixList:
    Type: AWS::EC2::PrefixList
    Properties:
      PrefixListName:
        Fn::Sub: ${AWS::StackName}-example
      AddressFamily: IPv4
      MaxEntries: 10
      Entries:
        - Cidr: "0.0.0.0/0"
          Description: Public internet
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      SecurityGroupIngress:
      - IpProtocol: -1
        SourcePrefixListId:
          Ref: PrefixList
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      SecurityGroupIngress:
      - IpProtocol: tcp
        CidrIp: 0.0.0.0/0
        FromPort: 22
        ToPort: 22
```

[CT.EC2.PR.5] Memerlukan ACL jaringan Amazon EC2 apa pun untuk mencegah masuknya dari 0.0.0.0/0 ke port 22 atau port 3389

Kontrol ini memeriksa apakah entri masuk ACL jaringan Amazon EC2 memungkinkan lalu lintas masuk yang tidak dibatasi (`0.0.0.0/0`atau) untuk SSH atau `::/0` RDP.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::NetworkAclEntry`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.5contoh template

Penjelasan

Akses ke port administrasi server jarak jauh, seperti port 22 (SSH) dan port 3389 (RDP), tidak boleh diakses publik, karena port ini memungkinkan akses yang tidak diinginkan ke sumber daya dalam VPC Anda.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk sumber daya entri ACL jaringan Amazon EC2 yang memungkinkan lalu lintas masuk yang tidak dibatasi.

Remediasi untuk kegagalan aturan

Untuk entri ACL jaringan Amazon EC2 yang memungkinkan konektivitas masuk pada port 22 atau port 3389, sediakan rentang CIDR di `CidrBlock` atau `Ipv6CidrBlock` yang tidak mengizinkan lalu lintas dari semua sumber.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Entri ACL Jaringan Amazon EC2 - Contoh Satu

Entri ACL jaringan Amazon EC2 dikonfigurasi untuk memungkinkan lalu lintas TCP IPv4 inbound tidak terbatas dalam rentang port tidak termasuk port 22 (SSH) dan port 3389 (RDP). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "NetworkAclEntry": {
        "Type": "AWS::EC2::NetworkAclEntry",
        "Properties": {
            "CidrBlock": "0.0.0.0/0",
            "Egress": false,
            "NetworkAclId": {
                "Ref": "NACL"
            },
            "Protocol": 6,
            "PortRange": {
                "From": 2000,
                "To": 2005
            },
            "RuleAction": "allow",
```

```
            "RuleNumber": 100
        }
    }
}
```

Contoh YAMAL

```
NetworkAclEntry:
  Type: AWS::EC2::NetworkAclEntry
  Properties:
    CidrBlock: '0.0.0.0/0'
    Egress: false
    NetworkAclId: !Ref 'NACL'
    Protocol: 6
    PortRange:
      From: 2000
      To: 2005
    RuleAction: allow
    RuleNumber: 100
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Entri ACL Jaringan Amazon EC2 - Contoh Dua

Entri ACL jaringan Amazon EC2 dikonfigurasi untuk memungkinkan lalu lintas UDP IPv6 masuk tidak terbatas dalam rentang port tidak termasuk port 3389 (RDP). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "NetworkAclEntry": {
        "Type": "AWS::EC2::NetworkAclEntry",
        "Properties": {
            "Ipv6CidrBlock": "::/0",
            "Egress": false,
            "NetworkAclId": {
                "Ref": "NACL"
```

```
            },
            "Protocol": 17,
            "PortRange": {
                "From": 100,
                "To": 200
            },
            "RuleAction": "allow",
            "RuleNumber": 100
        }
    }
}
```

Contoh YAMAL

```
NetworkAclEntry:
  Type: AWS::EC2::NetworkAclEntry
  Properties:
    Ipv6CidrBlock: ::/0
    Egress: false
    NetworkAclId: !Ref 'NACL'
    Protocol: 17
    PortRange:
      From: 100
      To: 200
    RuleAction: allow
    RuleNumber: 100
```

CT.EC2.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   nacl_no_unrestricted_ssh_rdp_check
#
# Description:
```

```
#   This control checks whether the Amazon EC2 network ACL inbound entry allows
 unrestricted incoming traffic ('0.0.0.0/0' or '::/0') for SSH or RDP.
#
# Reports on:
#   AWS::EC2::NetworkAclEntry
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 network ACL entry resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a EC2 network ACL entry resource
#       And: EC2 network ACL entry resource has no CIDR block allowing inbound traffic
#            from source '0.0.0.0/0' or '::/0'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a EC2 network ACL entry resource
#       And: EC2 network ACL entry resource allows inbound traffic
#            from source '0.0.0.0/0' or '::/0'
#       And: EC2 network ACL entry resource allows all traffic
#            ('IpProtocol' is set to '-1')
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a EC2 network ACL entry resource
#       And: EC2 network ACL entry resource allows inbound traffic
#            from source '0.0.0.0/0' or '::/0'
#       And: EC2 network ACL entry resource allows TCP (protocol 6) traffic
#       And: EC2 network ACL entry resource allows traffic from a PortRange that
 includes 22
#      Then: FAIL
```

```
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a EC2 network ACL entry resource
#       And: EC2 network ACL entry resource allows inbound traffic
#            from source '0.0.0.0/0' or '::/0'
#       And: EC2 network ACL entry resource allows TCP (protocol 6) or UDP (protocol
 17) traffic
#       And: EC2 network ACL entry resource allows traffic from a PortRange that
 includes 3389
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a EC2 network ACL entry resource
#       And: EC2 network ACL entry resource allows inbound traffic
#            from source '0.0.0.0/0' or '::/0'
#       And: EC2 network ACL entry resource allows TCP (protocol 6) traffic
#       And: EC2 network ACL entry resource allows traffic from a PortRange that
 excludes 22
#      Then: PASS
# Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a EC2 network ACL entry resource
#       And: EC2 network ACL entry resource allows inbound traffic
#            from source '0.0.0.0/0' or '::/0'
#       And: EC2 network ACL entry resource allows TCP (protocol 6) or UDP (protocol
 17) traffic
#       And: EC2 network ACL entry resource allows traffic from a PortRange that
 excludes 3389
#      Then: PASS

#
# Constants
#
let NETWORK_ACL_TYPE = "AWS::EC2::NetworkAclEntry"
let INPUT_DOCUMENT = this
let ALL_TRAFFIC_PROTOCOL = [-1, "-1"]
let TCP_PROTOCOL = [6, "6"]
let UDP_PROTOCOL = [17, "17"]
let UNRESTRICTED_IPV4_RANGES = ["0.0.0.0/0"]
let UNRESTRICTED_IPV6_RANGES = ["::/0"]
let SSH_PORT = 22
```

```
let RDP_PORT = 3389

#
# Assignments
#
let nacl_entries = Resources.*[ Type == %NETWORK_ACL_TYPE ]

#
# Primary Rules
#
rule nacl_no_unrestricted_ssh_rdp_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %nacl_entries not empty {
    check(%nacl_entries.Properties)
        <<
        [CT.EC2.PR.5]: Require any Amazon EC2 network ACL to prevent ingress from
 0.0.0.0/0 to port 22 or port 3389
        [FIX]: For Amazon EC2 network ACL entries that allow inbound connectivity on
 port 22 or port 3389, provide a CIDR range in 'CidrBlock' or 'Ipv6CidrBlock' that does
 not allow traffic from all sources.
        >>
}

rule nacl_no_unrestricted_ssh_rdp_check when is_cfn_hook(%INPUT_DOCUMENT,
 %NETWORK_ACL_TYPE) {
    check(%INPUT_DOCUMENT.%NETWORK_ACL_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.5]: Require any Amazon EC2 network ACL to prevent ingress from
 0.0.0.0/0 to port 22 or port 3389
        [FIX]: For Amazon EC2 network ACL entries that allow inbound connectivity on
 port 22 or port 3389, provide a CIDR range in 'CidrBlock' or 'Ipv6CidrBlock' that does
 not allow traffic from all sources.
        >>
}

#
# Parameterized Rules
#
rule check(nacl_entry) {
    %nacl_entry [
        # Scenario 2
        filter_allow_unrestricted_ingress(this)
    ] {
        # Scenario 3
        Protocol exists
```

```
        Protocol not in %ALL_TRAFFIC_PROTOCOL

        # Scenario 4, 6
        check_for_open_ssh(this)

        # Scenario 5, 7
        check_for_open_rdp(this)
    }
}

rule filter_allow_unrestricted_ingress(nacl_entry) {
    Egress not exists or
    Egress != true

    CidrBlock in %UNRESTRICTED_IPV4_RANGES or
    Ipv6CidrBlock in %UNRESTRICTED_IPV6_RANGES

    RuleAction == "allow"
}

rule check_for_open_ssh(nacl_entry) {
    %nacl_entry [
        Protocol in %TCP_PROTOCOL
    ] {
        check_port_range_exists(this)
        check_ports(%SSH_PORT, PortRange.From, PortRange.To)
   }
}

rule check_for_open_rdp(nacl_entry) {
    %nacl_entry [
           Protocol in %TCP_PROTOCOL or
           Protocol in %UDP_PROTOCOL
    ] {
        check_port_range_exists(this)
        check_ports(%RDP_PORT, PortRange.From, PortRange.To)
   }
}

rule check_port_range_exists(nacl_entry) {
    PortRange exists
    PortRange is_struct
    PortRange {
        From exists
```

```
        To exists
    }
}

rule check_ports(port, nacl_from_port, nacl_to_port) {
    %nacl_from_port > %port or
    %nacl_to_port < %port
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, NETWORK_ACL_TYPE) {
    %doc.%NETWORK_ACL_TYPE.resourceProperties exists
}
```

CT.EC2.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 192.168.0.0/16
  NACL:
    Type: AWS::EC2::NetworkAcl
    Properties:
      VpcId:
        Ref: VPC
```

```
  NetworkAclEntry:
    Type: AWS::EC2::NetworkAclEntry
    Properties:
      CidrBlock: 0.0.0.0/0
      Egress: false
      NetworkAclId:
        Ref: NACL
      Protocol: 6
      PortRange:
        From: 2000
        To: 2005
      RuleAction: allow
      RuleNumber: 100
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 192.168.0.0/16
  NACL:
    Type: AWS::EC2::NetworkAcl
    Properties:
      VpcId:
        Ref: VPC
  NetworkAclEntry:
    Type: AWS::EC2::NetworkAclEntry
    Properties:
      CidrBlock: 0.0.0.0/0
      Egress: false
      NetworkAclId:
        Ref: NACL
      Protocol: 6
      PortRange:
        From: 3000
        To: 3500
      RuleAction: allow
      RuleNumber: 100
```

[CT.EC2.PR.6] Mengharuskan gateway transit Amazon EC2 menolak permintaan lampiran VPC Amazon otomatis

Kontrol ini memeriksa apakah gateway transit Amazon EC2 dikonfigurasi untuk menerima permintaan lampiran Amazon VPC secara otomatis.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::TransitGateway`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.6spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.6contoh template

Penjelasan

Mengaktifkan `AutoAcceptSharedAttachments` properti mengonfigurasi gateway transit untuk menerima permintaan lampiran VPC lintas akun secara otomatis, tanpa memverifikasi permintaan atau akun dari mana lampiran berasal. Sejalan dengan praktik otorisasi dan otentikasi terbaik, kami sarankan untuk mematikan fitur ini, untuk memastikan bahwa hanya permintaan lampiran VPC resmi yang diterima.

Remediasi untuk kegagalan aturan

Hilangkan `AutoAcceptSharedAttachments` properti atau atur properti ke`disable`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Transit Gateway - Contoh

AWS Transit Gateway dikonfigurasi untuk menonaktifkan penerimaan otomatis lampiran VPC Amazon lintas akun. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "TransitGateway": {
        "Type": "AWS::EC2::TransitGateway",
        "Properties": {
            "AutoAcceptSharedAttachments": "disable"
        }
    }
}
```

Contoh YAMAL

```
TransitGateway:
  Type: AWS::EC2::TransitGateway
  Properties:
    AutoAcceptSharedAttachments: disable
```

CT.EC2.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_transit_gateway_auto_vpc_attach_disabled_check
#
# Description:
#   This control checks whether Amazon EC2 transit gateways are configured to accept
 Amazon VPC attachment requests automatically.
#
# Reports on:
```

```
#   AWS::EC2::TransitGateway
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 transit gateway resources
#      Then: SKIP
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 transit gateway resource
#        And: 'AutoAcceptSharedAttachments' configuration has been provided and is set
 to a value other than 'disable'
#       Then: FAIL
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 transit gateway resource
#        And: 'AutoAcceptSharedAttachments' configuration has not been provided
#       Then: PASS
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 transit gateway resource
#        And: 'AutoAcceptSharedAttachments' configuration has been provided and set to
 'disable'
#       Then: PASS

#
# Constants
#
let EC2_TRANSIT_GATEWAY_TYPE = "AWS::EC2::TransitGateway"
let INPUT_DOCUMENT = this

#
# Assignments
#
```

```
let ec2_transit_gateway = Resources.*[ Type == %EC2_TRANSIT_GATEWAY_TYPE ]

#
# Primary Rules
#
rule ec2_transit_gateway_auto_vpc_attach_disabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %ec2_transit_gateway not
 empty {
    check(%ec2_transit_gateway.Properties)
        <<
        [CT.EC2.PR.6]: Require that Amazon EC2 transit gateways refuse automatic Amazon
 VPC attachment requests
            [FIX]: Omit the 'AutoAcceptSharedAttachments' property or set the property
 to 'disable'.
        >>
}

rule ec2_transit_gateway_auto_vpc_attach_disabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %EC2_TRANSIT_GATEWAY_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_TRANSIT_GATEWAY_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.6]: Require that Amazon EC2 transit gateways refuse automatic Amazon
 VPC attachment requests
            [FIX]: Omit the 'AutoAcceptSharedAttachments' property or set the property
 to 'disable'.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_transit_gateway) {
    %ec2_transit_gateway {
        # Scenario 3
        AutoAcceptSharedAttachments not exists or
        # Scenario 2 and 4
        AutoAcceptSharedAttachments == "disable"
    }
}

#
# Utility Rules
#
```

```
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  TransitGateway:
    Type: AWS::EC2::TransitGateway
    Properties:
      AutoAcceptSharedAttachments: disable
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  TransitGateway:
    Type: AWS::EC2::TransitGateway
    Properties:
      AutoAcceptSharedAttachments: enable
```

[CT.EC2.PR.7] Memerlukan sumber daya volume Amazon EBS untuk dienkripsi saat istirahat saat ditentukan dengan menggunakan AWS::EC2::Instance BlockDeviceMappingsproperti atau jenis sumber daya AWS::EC2::Volume

Kontrol ini memeriksa apakah volume Amazon EC2 EBS mandiri dan volume Amazon Elastic Block Store (EBS) Amazon Elastic Block Store (EBS) yang dibuat melalui Pemetaan Perangkat Blok instans EC2 dienkripsi saat diam. Secara khusus, ia memeriksa apakah properti Terenkripsi disetel ke true baik dalam definisi sumber daya volume EBS atau properti definisi sumber daya instans EC2. BlockDeviceMappings

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::EC2::Instance`, `AWS::EC2::Volume`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.7spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.7spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.7contoh template

Penjelasan

Untuk menambahkan lapisan keamanan data sensitif Anda dalam volume Amazon EC2 EBS, Anda harus mengaktifkan enkripsi EBS saat istirahat. Enkripsi Amazon EBS menawarkan solusi enkripsi langsung untuk sumber daya EBS Anda yang tidak mengharuskan Anda membangun, memelihara, dan mengamankan infrastruktur manajemen kunci Anda sendiri. Ini menggunakan kunci KMS saat membuat volume dan snapshot terenkripsi.

Volume Amazon Elastic Block Store (EBS) dapat diwarisi dari:

- Gambar Mesin Amazon (AMI) yang ditentukan dengan `ImageId` properti
- Template Peluncuran ditentukan dengan `LaunchTemplateId` properti

Pertimbangan penggunaan

- Untuk pemetaan perangkat blok instans Amazon EC2, kontrol ini tidak memeriksa pemetaan perangkat blok apa pun yang dibuat melalui templat peluncuran EC2 atau diwariskan melalui AMI tempat instans diluncurkan.

Remediasi untuk kegagalan aturan

Setel `Encryption` ke true pada Volume Amazon EC2 EBS.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans Amazon EC2 - Contoh

Instans Amazon EC2 dengan volume EBS terenkripsi. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Instance": {
        "Type": "AWS::EC2::Instance",
        "Properties": {
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "InstanceType": "t3.micro",
            "NetworkInterfaces": [
                {
                    "DeviceIndex": 0,
                    "SubnetId": {
                        "Ref": "Subnet"
                    },
                    "AssociatePublicIpAddress": false
                }
            ],
            "BlockDeviceMappings": [
                {
                    "DeviceName": "/dev/sdm",
                    "Ebs": {
                        "VolumeType": "gp3",
                        "Iops": 200,
```

```
                        "Encrypted": true,
                        "DeleteOnTermination": true,
                        "VolumeSize": 20
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EC2Instance:
  Type: AWS::EC2::Instance
  Properties:
    ImageId: !Ref 'LatestAmiId'
    InstanceType: t3.micro
    NetworkInterfaces:
      - DeviceIndex: 0
        SubnetId: !Ref 'Subnet'
        AssociatePublicIpAddress: false
    BlockDeviceMappings:
      - DeviceName: /dev/sdm
        Ebs:
          VolumeType: gp3
          Iops: 200
          Encrypted: true
          DeleteOnTermination: true
          VolumeSize: 20
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Volume Amazon EBS - Contoh

Volume Amazon EBS dengan enkripsi dikonfigurasi. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EBSVolume": {
        "Type": "AWS::EC2::Volume",
        "Properties": {
            "Size": 100,
            "AvailabilityZone": {
                "Fn::Select": [
                    0,
                    {
                        "Fn::GetAZs": ""
                    }
                ]
            },
            "Encrypted": true
        }
    }
}
```

Contoh YAMAL

```
EBSVolume:
  Type: AWS::EC2::Volume
  Properties:
    Size: 100
    AvailabilityZone: !Select
      - 0
      - !GetAZs ''
    Encrypted: true
```

CT.EC2.PR.7spesifikasi aturan

```
# ##################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ec2_encrypted_volumes_check
#
```

```
# Description:
#   Checks whether standalone Amazon EC2 EBS volumes and new EC2 EBS volumes created
 through EC2 instance
#   Block Device Mappings are encrypted at rest.
#
# Reports on:
#   AWS::EC2::Instance, AWS::EC2::Volume
#
# Evaluates:
# AWS CloudFormation, CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 volume resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'BlockDeviceMappings' has not been provided or has been provided as an
 empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'BlockDeviceMappings' has been provided as a non-empty list
#       And: 'Ebs' has been provided in a 'BlockDeviceMappings' configuration
#       And: 'Encrypted' has not been provided in the 'Ebs' configuration
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'BlockDeviceMappings' has been provided as a non-empty list
#       And: 'Ebs' has been provided in a 'BlockDeviceMappings' configuration
#       And: 'Encrypted' has been provided in the 'Ebs' configuration and set to
 bool(false)
#      Then: FAIL
```

```
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an EC2 volume resource
#       And: 'Encrypted' on the EC2 volume has not been provided
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an EC2 volume resource
#       And: 'Encrypted' on the EC2 volume has been provided and is set to bool(false)
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'BlockDeviceMappings' has been provided as a non-empty list
#       And: 'Ebs' has been provided in a 'BlockDeviceMappings' configuration
#       And: 'Encrypted' has been provided in the 'Ebs' configuration and set to
 bool(true)
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an EC2 volume resource
#       And: 'Encrypted' on the EC2 volume has been provided and is set to bool(true)
#      Then: PASS

#
# Constants
#
let EC2_VOLUME_TYPE = "AWS::EC2::Volume"
let EC2_INSTANCE_TYPE = "AWS::EC2::Instance"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_volumes = Resources.*[ Type == %EC2_VOLUME_TYPE ]
let ec2_instances = Resources.*[ Type == %EC2_INSTANCE_TYPE ]

#
# Primary Rules
#
```

```
rule ec2_encrypted_volumes_check when is_cfn_template(%INPUT_DOCUMENT)
                                     %ec2_volumes not empty {
    check_volume(%ec2_volumes.Properties)
        <<
        [CT.EC2.PR.7]: Require that an Amazon EBS volume attached to an Amazon EC2
 instance is encrypted at rest
        [FIX]: Set 'Encryption' to true on EC2 EBS Volumes.
        >>
}

rule ec2_encrypted_volumes_check when is_cfn_hook(%INPUT_DOCUMENT, %EC2_VOLUME_TYPE) {
    check_volume(%INPUT_DOCUMENT.%EC2_VOLUME_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.7]: Require that an Amazon EBS volume attached to an Amazon EC2
 instance is encrypted at rest
        [FIX]: Set 'Encryption' to true on EC2 EBS Volumes.
        >>
}

rule ec2_encrypted_volumes_check when is_cfn_template(%INPUT_DOCUMENT)
                                     %ec2_instances not empty {
    check_instance(%ec2_instances.Properties)
        <<
        [CT.EC2.PR.7]: Require that an Amazon EBS volume attached to an Amazon EC2
 instance is encrypted at rest
        [FIX]: Set 'Encryption' to true on EC2 EBS Volumes.
        >>
}

rule ec2_encrypted_volumes_check when is_cfn_hook(%INPUT_DOCUMENT, %EC2_INSTANCE_TYPE)
 {
    check_instance(%INPUT_DOCUMENT.%EC2_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.7]: Require that an Amazon EBS volume attached to an Amazon EC2
 instance is encrypted at rest
        [FIX]: Set 'Encryption' to true on EC2 EBS Volumes.
        >>
}

#
# Parameterized Rules
#

rule check_instance(ec2_instance) {
```

```
    %ec2_instance[
        filter_ec2_instance_block_device_mappings(this)
    ] {
        BlockDeviceMappings[
            Ebs exists
            Ebs is_struct
        ] {
            check_volume(Ebs)
        }
    }
}

rule check_volume(ec2_volume) {
    %ec2_volume {
        # Scenario 2
        Encrypted exists
        # Scenarios 3 and 4
        Encrypted == true
    }
}

rule filter_ec2_instance_block_device_mappings(ec2_instance) {
    %ec2_instance {
        BlockDeviceMappings exists
        BlockDeviceMappings is_list
        BlockDeviceMappings not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.7contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      NetworkInterfaces:
      - DeviceIndex: 0
        SubnetId:
          Ref: Subnet
        AssociatePublicIpAddress: false
```

```
      BlockDeviceMappings:
      - DeviceName: "/dev/sdm"
        Ebs:
          VolumeType: gp3
          Iops: 200
          Encrypted: true
          DeleteOnTermination: true
          VolumeSize: 20
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
```

```
      NetworkInterfaces:
      - DeviceIndex: 0
        SubnetId:
          Ref: Subnet
        AssociatePublicIpAddress: false
      BlockDeviceMappings:
      - DeviceName: "/dev/sdm"
        Ebs:
          VolumeType: gp3
          Iops: 200
          Encrypted: false
          DeleteOnTermination: true
          VolumeSize: 20
```

[CT.EC2.PR.8] Memerlukan instans Amazon EC2 untuk disetel AssociatePublicIpAddresske false pada antarmuka jaringan baru yang dibuat melalui NetworkInterfacesproperti di sumber daya AWS::EC2::Instance

Kontrol ini memeriksa apakah instans Amazon EC2 Anda dikonfigurasi untuk tidak mengaitkan alamat IP publik secara default. Secara khusus, kontrol ini memerlukan konfigurasi AssociatePublicIpAddressparameter ke false pada antarmuka jaringan baru yang dibuat melalui NetworkInterfacesproperti.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::Instance`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.8spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.8spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.8contoh template

Kontrol ini tidak kompatibel dengan AWS Cloud9

Masalah kompatibilitas muncul dengan AWS Cloud9 kontrol proaktif AWS Control Tower ini,[CT.EC2.PR.8] Memerlukan instans Amazon EC2 untuk disetel AssociatePublicIpAddresske false pada antarmuka jaringan baru yang dibuat melalui NetworkInterfacesproperti di sumber daya AWS::EC2::Instance. Jika kontrol ini diaktifkan, Anda tidak dapat membuat lingkungan Amazon EC2 di. AWS Cloud9 Untuk informasi selengkapnya, lihat Pemecahan Masalah AWS Cloud9.

Penjelasan

Alamat IPv4 publik adalah alamat IP yang dapat dijangkau dari internet. Jika Anda meluncurkan instans Anda dengan alamat IP publik, maka instans EC2 Anda dapat dijangkau dari internet. Alamat IPv4 pribadi adalah alamat IP yang tidak dapat dijangkau dari internet. Anda dapat menggunakan alamat IPv4 pribadi untuk komunikasi antara instans EC2 di VPC yang sama atau di jaringan pribadi Anda yang terhubung.

Alamat IPv6 unik secara global, dan karenanya dapat dijangkau dari internet. Namun, secara default semua subnet memiliki atribut pengalamatan IPv6 disetel ke false.

Pengaturan antarmuka jaringan dapat diwarisi dari Template Peluncuran yang ditentukan dengan LaunchTemplateIdproperti.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk antarmuka jaringan baru yang dibuat melalui NetworkInterfacesproperti, di mana NetworkInterfaceIdbelum ditentukan.
- Kontrol ini memerlukan informasi subnet yang akan ditentukan dalam `NetworkInterfaces` konfigurasi, bukan `SubnetId` properti tingkat root.
- Kontrol ini tidak memeriksa antarmuka jaringan yang mungkin dibuat dalam template peluncuran Amazon EC2 yang dapat direferensikan oleh properti. LaunchTemplateId
- Masalah kompatibilitas muncul dengan AWS Cloud9 kontrol proaktif AWS Control Tower ini. Jika kontrol ini diaktifkan, Anda tidak dapat membuat lingkungan Amazon EC2 di. AWS Cloud9

Remediasi untuk kegagalan aturan

Tentukan antarmuka jaringan menggunakan `NetworkInterfaces` properti alih-alih `SubnetId` properti tingkat root. Setel `AssociatePublicIpAddress` ke false dalam setiap `NetworkInterfaces` konfigurasi.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans Amazon EC2 - Contoh

Instans Amazon EC2 dikonfigurasi dengan antarmuka baru yang menonaktifkan asosiasi alamat IP publik saat pembuatan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Instance": {
        "Type": "AWS::EC2::Instance",
        "Properties": {
            "InstanceType": "t3.micro",
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "NetworkInterfaces": [
                {
                    "DeviceIndex": 0,
                    "SubnetId": {
                        "Ref": "Subnet"
                    },
                    "AssociatePublicIpAddress": false
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EC2Instance:
  Type: AWS::EC2::Instance
```

```
  Properties:
    InstanceType: t3.micro
    ImageId: !Ref 'LatestAmiId'
    NetworkInterfaces:
      - DeviceIndex: 0
        SubnetId: !Ref 'Subnet'
        AssociatePublicIpAddress: false
```

CT.EC2.PR.8spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_instance_no_public_ip_check
#
# Description:
#   This control checks whether your Amazon EC2 instance is configured to associate a
 public IP address.
#
# Reports on:
#   AWS::EC2::Instance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
```

```
#       And: 'NetworkInterfaces' is not present on the EC2 instance resource or is an
 empty list
#       And: 'SubnetId' is not provided as a top-level resource property
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'NetworkInterfaces' is present on the EC2 instance resource as a non-empty
 list
#       And: 'NetworkInterfaceId' is present for a configuration in 'NetworkInterfaces'
 and is a non-empty string or
#             valid local reference
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'NetworkInterfaces' is not provided
#       And: 'SubnetId' is provided as a top-level resource property
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'NetworkInterfaces' is present on the EC2 instance resource with one or
 more configurations
#       And: 'NetworkInterfaceId' is not present or is present and and is an empty
 string or invalid local reference for
#            a configuration in 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is not present for a configuration in
 'NetworkInterfaces'
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'NetworkInterfaces' is present on the EC2 instance resource
#       And: 'NetworkInterfaceId' is not present or is present and and is an empty
 string or invalid local reference for
#            a configuration in 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is present for a configuration in
 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is set to bool(true)
```

```
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'NetworkInterfaces' is present on the EC2 instance resource
#       And: 'NetworkInterfaceId' is not present or is present and and is an empty
 string or invalid local reference for
#            a configuration in 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is present for a configuration in
 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is set to bool(false)
#      Then: PASS

#
# Constants
#
let EC2_INSTANCE_TYPE = "AWS::EC2::Instance"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_instances = Resources.*[ Type == %EC2_INSTANCE_TYPE ]

#
# Primary Rules
#
rule ec2_instance_no_public_ip_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %ec2_instances not empty {
    check(%ec2_instances.Properties)
        <<
        [CT.EC2.PR.8]: Require any Amazon EC2 instance to have a non-public IP address
        [FIX]: Specify network interfaces using the 'NetworkInterfaces' property
 instead of the root level 'SubnetId' property. Set 'AssociatePublicIpAddress' to false
 within each 'NetworkInterfaces' configuration.
        >>
}

rule ec2_instance_no_public_ip_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.8]: Require any Amazon EC2 instance to have a non-public IP address
```

```
        [FIX]: Specify network interfaces using the 'NetworkInterfaces' property
 instead of the root level 'SubnetId' property. Set 'AssociatePublicIpAddress' to false
 within each 'NetworkInterfaces' configuration.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_instance) {
    %ec2_instance[ SubnetId exists ] {
        # Scenario 5
        SubnetId not exists
    }

    %ec2_instance[
        # Scenario 2
        NetworkInterfaces exists
        NetworkInterfaces is_list
        NetworkInterfaces not empty
    ] {
        NetworkInterfaces[
            # Scenario 3 and 4
            filter_network_interfaces(this)
        ] {
            # Scenario 6
            AssociatePublicIpAddress exists
            # Scenarios 7 and 8
            AssociatePublicIpAddress == false
        }
    }
}

rule filter_network_interfaces(network_interface) {
    %network_interface {
        NetworkInterfaceId not exists or
        filter_property_is_empty_string(NetworkInterfaceId) or
        filter_exclude_valid_local_reference(%INPUT_DOCUMENT, NetworkInterfaceId,
 "AWS::EC2::NetworkInterface")
     }
}

rule filter_property_is_empty_string(value) {
    %value {
```

```
        this is_string
        this == /\A\s*\z/
    }
}

rule filter_exclude_valid_local_reference(doc, reference_properties,
 referenced_resource_type) {
    %reference_properties {
        this not is_string
        this is_struct

        when this.'Fn::GetAtt' exists {
            'Fn::GetAtt' {
                when filter_query_template_resources(%doc, this[0],
 %referenced_resource_type) {
                    this not exists
                }
                this exists
            }
        }
        when this.'Fn::GetAtt' not exists {
            this exists
        }
    }
}

rule filter_query_template_resources(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type in %referenced_resource_type
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.8contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      InstanceType: t3.micro
      ImageId:
        Ref: LatestAmiId
      NetworkInterfaces:
```

```
      - DeviceIndex: 0
        SubnetId:
          Ref: Subnet
        AssociatePublicIpAddress: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      InstanceType: t3.micro
      ImageId:
        Ref: LatestAmiId
      SubnetId:
        Ref: Subnet
```

[CT.EC2.PR.9] Memerlukan templat peluncuran Amazon EC2 apa pun untuk tidak menetapkan alamat IP publik secara otomatis ke antarmuka jaringan

Kontrol ini memeriksa apakah templat peluncuran Amazon EC2 Anda dikonfigurasi untuk menetapkan alamat IP publik ke antarmuka jaringan.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::LaunchTemplate`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.9spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.9spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.9contoh template

Penjelasan

Alamat IP publik adalah alamat IP yang dapat dijangkau dari internet. Jika Anda mengonfigurasi antarmuka jaringan Anda dengan alamat IP publik, maka sumber daya yang terkait dengan antarmuka jaringan tersebut dapat dijangkau dari internet. Sumber daya EC2 tidak boleh diakses publik, karena ini memungkinkan akses yang tidak diinginkan ke server aplikasi Anda.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk antarmuka jaringan baru yang dibuat dengan menggunakan `NetworkInterfaceId` properti di `LaunchTemplateData` (`NetworkInterfaces`konfigurasi di mana a `NetworkInterfaceId` belum ditentukan).
- Kontrol ini memerlukan pengaturan `AssociatePublicIpAddress` `false` pada antarmuka jaringan baru yang dibuat melalui `NetworkInterfaces` properti di`LaunchTemplateData`.

Remediasi untuk kegagalan aturan

Setel `AssociatePublicIpAddress` ke `false` dalam setiap `NetworkInterfaces` konfigurasi di`LaunchTemplateData`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Templat Peluncuran Amazon EC2 - Contoh

Template peluncuran Amazon EC2 yang dikonfigurasi dengan antarmuka jaringan yang menonaktifkan asosiasi alamat IP publik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "NetworkInterfaces": [
                    {
                        "DeviceIndex": 0,
                        "SubnetId": {
                            "Ref": "Subnet"
                        },
                        "AssociatePublicIpAddress": false
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
EC2LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
    LaunchTemplateData:
      NetworkInterfaces:
```

```
        - DeviceIndex: 0
          SubnetId: !Ref 'Subnet'
          AssociatePublicIpAddress: false
```

CT.EC2.PR.9spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ec2_launch_template_public_ip_disabled_check
#
# Description:
#   This control checks whether your Amazon EC2 launch templates are configured to
 assign public IP addresses to network interfaces.
#
# Reports on:
#   AWS::EC2::LaunchTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 launch template
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 launch template resource
#       And: 'NetworkInterfaces' is not provided in 'LaunchTemplateData'
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 launch template resource
#       And: 'LaunchTemplateData.NetworkInterfaces' is present on the Amazon EC2 launch
 template resource as a non empty list
#       And: 'NetworkInterfaceId' is present for a configuration in 'NetworkInterfaces'
 and is a non-empty string or
#             valid local reference
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 launch template resource
#       And: 'LaunchTemplateData.NetworkInterfaces' is present on the Amazon EC2 launch
 template resource
#       And: 'NetworkInterfaceId' is not present or is present and is an empty string
 or invalid local reference for
#            a configuration in 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is not present for a configuration in
 'NetworkInterfaces'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 launch template resource
#       And: 'LaunchTemplateData.NetworkInterfaces' is present on the Amazon EC2 launch
 template resource
#       And: 'NetworkInterfaceId' is not present or is present and is an empty string
 or invalid local reference for
#            a configuration in 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is present for a configuration in
 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is set to bool(true)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 launch template resource
#       And: 'LaunchTemplateData.NetworkInterfaces' is present on the Amazon EC2 launch
 template resource
#       And: 'NetworkInterfaceId' is not present or is present and is an empty string
 or invalid local reference for
#            a configuration in 'NetworkInterfaces'
```

```
#       And: 'AssociatePublicIpAddress' is present for a configuration in
 'NetworkInterfaces'
#       And: 'AssociatePublicIpAddress' is set to bool(false)
#      Then: PASS

#
# Constants
#
let EC2_LAUNCH_TEMPLATE_TYPE = "AWS::EC2::LaunchTemplate"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_launch_templates = Resources.*[ Type == %EC2_LAUNCH_TEMPLATE_TYPE ]

#
# Primary Rules
#
rule ec2_launch_template_public_ip_disabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                       %ec2_launch_templates not empty
 {
    check(%ec2_launch_templates.Properties)
        <<
        [CT.EC2.PR.9]: Require any Amazon EC2 launch template not to auto-assign public
 IP addresses to network interfaces
        [FIX]: Set 'AssociatePublicIpAddress' to 'false' within each
 'NetworkInterfaces' configuration in 'LaunchTemplateData'.
        >>
}

rule ec2_launch_template_public_ip_disabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_LAUNCH_TEMPLATE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_LAUNCH_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.9]: Require any Amazon EC2 launch template not to auto-assign public
 IP addresses to network interfaces
        [FIX]: Set 'AssociatePublicIpAddress' to 'false' within each
 'NetworkInterfaces' configuration in 'LaunchTemplateData'.
        >>
}

#
# Parameterized Rules
```

```
#
rule check(ec2_launch_templates) {
    %ec2_launch_templates[
        # Scenario 2
        filter_launch_template(this)
    ] {
        LaunchTemplateData {
            NetworkInterfaces[
                # Scenario 3 and 4
                filter_network_interfaces(this)
            ] {
                # Scenario 5 and 6
                AssociatePublicIpAddress exists
                AssociatePublicIpAddress == false
            }
        }
    }
}

rule filter_launch_template(ec2_launch_template) {
    %ec2_launch_template {
        LaunchTemplateData exists
        LaunchTemplateData is_struct
        LaunchTemplateData {
            NetworkInterfaces exists
            NetworkInterfaces is_list
            NetworkInterfaces not empty
        }
    }
}

rule filter_network_interfaces(network_interface) {
    %network_interface {
        NetworkInterfaceId not exists or
        filter_property_is_empty_string(NetworkInterfaceId) or
        filter_exclude_valid_local_reference(%INPUT_DOCUMENT, NetworkInterfaceId,
 "AWS::EC2::NetworkInterface")
    }
}

rule filter_property_is_empty_string(value) {
    %value {
        this is_string
        this == /\A\s*\z/
```

```
    }
}

rule filter_exclude_valid_local_reference(doc, reference_properties,
 referenced_resource_type) {
    %reference_properties {
        this not is_string
        this is_struct

        when this.'Fn::GetAtt' exists {
            'Fn::GetAtt' {
                when query_for_resource(%doc, this[0], %referenced_resource_type) {
                    this not exists
                }
                this exists
            }
        }
        when this.'Fn::GetAtt' not exists {
            this exists
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.EC2.PR.9contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        NetworkInterfaces:
        - DeviceIndex: 0
          SubnetId:
            Ref: Subnet
          AssociatePublicIpAddress: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        NetworkInterfaces:
        - DeviceIndex: 0
          SubnetId:
            Ref: Subnet
          AssociatePublicIpAddress: true
```

[CT.EC2.PR.10] Memerlukan templat peluncuran Amazon EC2 agar pemantauan CloudWatch terperinci Amazon diaktifkan

Kontrol ini memeriksa apakah template peluncuran Amazon EC2 telah mengaktifkan pemantauan terperinci.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::LaunchTemplate`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.10spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.10spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.10contoh template

Penjelasan

Pemantauan adalah bagian penting dalam menjaga keandalan, ketersediaan, dan kinerja AWS solusi Anda. Anda harus mengumpulkan data pemantauan dari semua bagian AWS solusi Anda sehingga Anda dapat lebih mudah men-debug kegagalan multi-titik jika terjadi. Dari perspektif keamanan, logging juga merupakan fitur penting untuk memungkinkan upaya forensik future dalam kasus insiden keamanan.

Remediasi untuk kegagalan aturan

Di`LaunchTemplateData`, berikan `Monitoring` konfigurasi dengan `Enabled` set ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Templat Peluncuran Amazon EC2 - Contoh

Template peluncuran Amazon EC2 yang dikonfigurasi dengan pemantauan terperinci diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "Monitoring": {
                    "Enabled": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
EC2LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
    LaunchTemplateData:
      Monitoring:
        Enabled: true
```

CT.EC2.PR.10spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_launch_template_monitoring_enabled_check
#
# Description:
#   This control checks whether the Amazon EC2 launch template has detailed monitoring
 enabled.
#
# Reports on:
#   AWS::EC2::LaunchTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any EC2 launch template resources
#       Then: SKIP
```

```
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.Monitoring.Enabled' has not been provided or has been
 provided and is empty.
#       Then: FAIL
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.Monitoring.Enabled' has been provided
#        And: 'LaunchTemplateData.Monitoring.Enabled' is equal to a value other than
 bool(true)
#       Then: FAIL
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an EC2 launch template resource
#        And: 'LaunchTemplateData.Monitoring.Enabled' has been provided
#        And: 'LaunchTemplateData.Monitoring.Enabled' is equal to bool(true)
#       Then: PASS

#
# Constants
#
let EC2_LAUNCH_TEMPLATE_TYPE = "AWS::EC2::LaunchTemplate"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_launch_templates = Resources.*[ Type == %EC2_LAUNCH_TEMPLATE_TYPE ]

#
# Primary Rules
#
rule ec2_launch_template_monitoring_enabled_check when is_cfn_template(this)
                                                       %ec2_launch_templates not empty
 {
    check(%ec2_launch_templates.Properties)
        <<
        [CT.EC2.PR.10]: Require Amazon EC2 launch templates to have Amazon CloudWatch
 detailed monitoring activated
```

```
        [FIX]: In 'LaunchTemplateData', provide a 'Monitoring' configuration with
 'Enabled' set to 'true'.
        >>
}

rule ec2_launch_template_monitoring_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_LAUNCH_TEMPLATE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_LAUNCH_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.10]: Require Amazon EC2 launch templates to have Amazon CloudWatch
 detailed monitoring activated
        [FIX]: In 'LaunchTemplateData', provide a 'Monitoring' configuration with
 'Enabled' set to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_launch_template) {
    %ec2_launch_template {
        # Scenario 2
        LaunchTemplateData exists
        LaunchTemplateData is_struct

        LaunchTemplateData {
            Monitoring exists
            Monitoring is_struct

            # Scenario 3 and 4
            Monitoring {
                Enabled exists
                Enabled == true
            }

        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.10contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        Monitoring:
          Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        Monitoring:
          Enabled: false
```

[CT.EC2.PR.11] Mengharuskan subnet Amazon EC2 tidak secara otomatis menetapkan alamat IP publik

Kontrol ini memeriksa apakah subnet Amazon VPC Anda menetapkan alamat IP publik secara otomatis.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::Subnet`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.11spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.11spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.11contoh template

Penjelasan

Semua subnet memiliki atribut yang menentukan apakah antarmuka jaringan yang dibuat di subnet secara otomatis menerima alamat IPv4 publik. Ketika diluncurkan ke subnet yang memiliki atribut ini diaktifkan, instance menerima alamat IP publik yang ditetapkan ke antarmuka jaringan utama mereka.

Pertimbangan penggunaan

- Kontrol ini menonaktifkan penetapan otomatis alamat IP publik untuk antarmuka jaringan baru di subnet Amazon VPC.
- Ketika kontrol ini beroperasi, alamat IP publik dapat ditetapkan ke antarmuka jaringan melalui pengaturan tingkat sumber daya. (Misalnya, penetapan alamat IP publik dapat dilakukan pada waktu peluncuran instans EC2.)

Remediasi untuk kegagalan aturan

Hilangkan `MapPublicIpOnLaunch` properti untuk menggunakan konfigurasi default, atau atur `MapPublicIpOnLaunch` properti `kefalse`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon VPC Subnet - Contoh Satu

Amazon VPC subnet dikonfigurasi untuk menonaktifkan penetapan otomatis alamat IP publik dengan cara default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Subnet": {
        "Type": "AWS::EC2::Subnet",
        "Properties": {
            "VpcId": {
                "Ref": "VPC"
            },
            "CidrBlock": "10.0.0.0/24",
            "AvailabilityZone": {
                "Fn::Select": [
                    0,
                    {
                        "Fn::GetAZs": ""
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
Subnet:
  Type: AWS::EC2::Subnet
  Properties:
    VpcId: !Ref 'VPC'
```

```
    CidrBlock: 10.0.0.0/24
    AvailabilityZone: !Select
      - 0
      - !GetAZs ''
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon VPC Subnet - Contoh Dua

Amazon VPC subnet dikonfigurasi untuk menonaktifkan penetapan otomatis alamat IP publik melalui properti. `MapPublicIpOnLaunch` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Subnet": {
        "Type": "AWS::EC2::Subnet",
        "Properties": {
            "VpcId": {
                "Ref": "VPC"
            },
            "CidrBlock": "10.0.0.0/24",
            "AvailabilityZone": {
                "Fn::Select": [
                    0,
                    {
                        "Fn::GetAZs": ""
                    }
                ]
            },
            "MapPublicIpOnLaunch": false
        }
    }
}
```

Contoh YAMAL

```
Subnet:
  Type: AWS::EC2::Subnet
  Properties:
    VpcId: !Ref 'VPC'
    CidrBlock: 10.0.0.0/24
    AvailabilityZone: !Select
      - 0
      - !GetAZs ''
    MapPublicIpOnLaunch: false
```

CT.EC2.PR.11spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
#
# Rule Identifier:
#   subnet_auto_assign_public_ip_disabled_check
#
# Description:
#   This control checks whether your Amazon VPC subnets automatically assign public IP
 addresses.
#
# Reports on:
#   AWS::EC2::Subnet
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 subnet resources
#      Then: SKIP
#   Scenario: 2
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 subnet resource
#       And: 'MapPublicIpOnLaunch' is present and set to bool(true)
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 subnet resource
#       And: 'MapPublicIpOnLaunch' is not present
#      Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 subnet resource
#       And: 'MapPublicIpOnLaunch' is present and set to bool(false)
#      Then: PASS

#
# Constants
#
let EC2_SUBNET_TYPE  = "AWS::EC2::Subnet"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_subnets = Resources.*[ Type == %EC2_SUBNET_TYPE ]

#
# Primary Rules
#
rule subnet_auto_assign_public_ip_disabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %ec2_subnets not empty {
    check(%ec2_subnets.Properties)
        <<
        [CT.EC2.PR.11]: Require that an Amazon EC2 subnet does not automatically assign
 public IP addresses
        [FIX]: Omit the 'MapPublicIpOnLaunch' property to use the default
 configuration, or set the 'MapPublicIpOnLaunch' property to 'false'.
        >>
}
```

```
rule subnet_auto_assign_public_ip_disabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_SUBNET_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_SUBNET_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.11]: Require that an Amazon EC2 subnet does not automatically assign
 public IP addresses
        [FIX]: Omit the 'MapPublicIpOnLaunch' property to use the default
 configuration, or set the 'MapPublicIpOnLaunch' property to 'false'.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_subnet) {
    %ec2_subnet {
        # Scenario 3
        MapPublicIpOnLaunch not exists or
        # Scenarios 2 and 4
        MapPublicIpOnLaunch == false
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.11contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
      MapPublicIpOnLaunch: true
```

[CT.EC2.PR.12] Memerlukan instans Amazon EC2 untuk menentukan paling banyak satu antarmuka jaringan melalui NetworkInterfacesproperti di sumber daya AWS::EC2::Instance

Kontrol ini memeriksa apakah instans Amazon Elastic Compute Cloud (Amazon EC2) menggunakan beberapa ENI (Elastic Network Interfaces). Secara khusus, ia memeriksa apakah AWS::EC2::Instancesumber daya menentukan beberapa ENI di properti. NetworkInterfaces

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::Instance`
- AWS CloudFormation aturan penjaga: CT.EC2.PR.12spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.EC2.PR.12spesifikasi aturan
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.12contoh template

Penjelasan

Beberapa ENI dapat menyebabkan instance dual-homed, yang berarti instance yang memiliki beberapa subnet. Duplikasi ini dapat menambah kompleksitas keamanan jaringan dan memperkenalkan jalur dan akses jaringan yang tidak diinginkan.

Pengaturan antarmuka jaringan dapat diwarisi dari Template Peluncuran yang ditentukan dengan LaunchTemplateIdproperti.

Pertimbangan penggunaan

- Kontrol ini tidak memeriksa antarmuka jaringan yang dapat ditentukan dalam templat peluncuran Amazon EC2 dan direferensikan oleh properti. LaunchTemplateId
- Aturan ini tidak kompatibel dengan skenario di mana NetworkInterfacesproperti harus digunakan untuk menentukan beberapa ENI. Misalnya, kontrol ini mungkin gagal jika

instans Amazon EC2 milik kluster Amazon EKS menentukan lebih dari satu ENI melalui properti. NetworkInterfaces

Remediasi untuk kegagalan aturan

Konfigurasikan instans Amazon EC2 hanya dengan satu ENI.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans Amazon EC2 - Contoh

Instans EC2 dengan antarmuka jaringan tunggal. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Instance": {
        "Type": "AWS::EC2::Instance",
        "Properties": {
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "NetworkInterfaces": [
                {
                    "SubnetId": {
                        "Ref": "TestSubnet"
                    },
                    "DeviceIndex": 0
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EC2Instance:
  Type: AWS::EC2::Instance
  Properties:
```

```
    ImageId: !Ref 'LatestAmiId'
    NetworkInterfaces:
      - SubnetId: !Ref 'TestSubnet'
        DeviceIndex: 0
```

CT.EC2.PR.12spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_instance_multiple_eni_check
#
# Description:
#   Checks whether Amazon Elastic Compute Cloud (Amazon EC2) instances use multiple
 ENIs (Elastic Network Interfaces)
#   or Elastic Fabric Adapters (EFAs).
#
# Reports on:
#   AWS::EC2::Instance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'NetworkInterfaces' is not present or is present and contains 0
 configurations
```

```
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'NetworkInterfaces' is present and contains >1 configurations
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'NetworkInterfaces' is present
#       And: 'NetworkInterfaces' is present and contains 1 configuration
#      Then: PASS

#
# Constants
#
let EC2_INSTANCE_TYPE = "AWS::EC2::Instance"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_instances = Resources.*[ Type == %EC2_INSTANCE_TYPE ]

#
# Primary Rules
#
rule ec2_instance_multiple_eni_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %ec2_instances not empty {
    check(%ec2_instances.Properties)
        <<
        [CT.EC2.PR.12]: Require an Amazon EC2 instance to configure one ENI only
        [FIX]: Configure Amazon EC2 instances with only one ENI.
        >>

}

rule ec2_instance_multiple_eni_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_INSTANCE_TYPE) {

    check(%INPUT_DOCUMENT.%EC2_INSTANCE_TYPE.resourceProperties)
        <<
```

```
        [CT.EC2.PR.12]: Require an Amazon EC2 instance to configure one ENI only
        [FIX]: Configure Amazon EC2 instances with only one ENI.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_instance) {
    %ec2_instance [
        # Scenario 2
        NetworkInterfaces exists
        NetworkInterfaces is_list
        NetworkInterfaces not empty
    ] {
        # Scenario 3 and 4
        NetworkInterfaces[1] not exists
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.12contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      NetworkInterfaces:
      - SubnetId:
          Ref: Subnet
        DeviceIndex: 0
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
```

```
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      NetworkInterfaces:
      - SubnetId:
          Ref: Subnet
        DeviceIndex: 0
      - SubnetId:
          Ref: Subnet
        DeviceIndex: 1
```

[CT.EC2.PR.13] Memerlukan instans Amazon EC2 agar pemantauan terperinci diaktifkan

Kontrol ini memeriksa apakah instans Amazon EC2 telah mengaktifkan pemantauan terperinci.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::Instance`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.13

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.13

- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.13 contoh template

Penjelasan

Secara default, semua instans Amazon EC2 dibuat dengan pemantauan dasar yang mengirimkan log tingkat host ke CloudWatch Amazon setiap lima (5) menit. Dengan pemantauan terperinci, log tingkat host dikumpulkan setiap satu (1) menit sebagai gantinya, yang mengarah ke deteksi lebih cepat dari kemungkinan aktivitas berbahaya atau anomali.

> Pertimbangan penggunaan
>
> - Saat Anda mengaktifkan pemantauan terperinci, Anda akan dikenakan biaya per metrik yang dikirim ke CloudWatch. Anda tidak dikenai biaya untuk penyimpanan data. Untuk informasi selengkapnya, lihat halaman CloudWatch harga Amazon.

Remediasi untuk kegagalan aturan

Atur `Monitoring` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans EC2 - Contoh

Instans EC2 dengan pemantauan terperinci diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Parameters": {
        "LatestAmiId": {
            "Description": "Region specific latest AMI ID from the Parameter Store",
            "Type": "AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>",
            "Default": "/aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2"
        }
    },
    "Resources": {
```

```
        "VPC": {
            "Type": "AWS::EC2::VPC",
            "Properties": {
                "CidrBlock": "10.0.0.0/16",
                "EnableDnsSupport": "true",
                "EnableDnsHostnames": "true"
            }
        },
        "Subnet": {
            "Type": "AWS::EC2::Subnet",
            "Properties": {
                "VpcId": {
                    "Ref": "VPC"
                },
                "CidrBlock": "10.0.0.0/24"
            }
        },
        "EC2Instance": {
            "Type": "AWS::EC2::Instance",
            "Properties": {
                "ImageId": {
                    "Ref": "LatestAmiId"
                },
                "InstanceType": "t3.micro",
                "NetworkInterfaces": [
                    {
                        "SubnetId": {
                            "Ref": "Subnet"
                        },
                        "DeviceIndex": 0
                    }
                ],
                "Monitoring": true
            }
        }
    }
}
```

Contoh YAMAL

```
Parameters:
```

```
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId: !Ref 'VPC'
      CidrBlock: 10.0.0.0/24
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId: !Ref 'LatestAmiId'
      InstanceType: t3.micro
      NetworkInterfaces:
        - SubnetId: !Ref 'Subnet'
          DeviceIndex: 0
      Monitoring: true
```

Spesifikasi aturan CT.EC2.PR.13

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_instance_detailed_monitoring_enabled_check
#
# Description:
#   This control checks whether an Amazon EC2 instance has detailed monitoring enabled.
#
# Reports on:
#   AWS::EC2::Instance
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'Monitoring' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 instance resource
#       And: 'Monitoring' has been provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation Hook
 Document
#       And: The input document contains an EC2 instance resource
#       And: 'Monitoring' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let EC2_INSTANCE_TYPE = "AWS::EC2::Instance"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_instances = Resources.*[ Type == %EC2_INSTANCE_TYPE ]

#
```

```
# Primary Rules
#
rule ec2_instance_detailed_monitoring_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %ec2_instances not empty {
    check(%ec2_instances.Properties)
        <<
        [CT.EC2.PR.13]: Require an Amazon EC2 instance to have detailed monitoring
 enabled
        [FIX]: Set 'Monitoring' to 'true'.
        >>

}

rule ec2_instance_detailed_monitoring_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.13]: Require an Amazon EC2 instance to have detailed monitoring
 enabled
        [FIX]: Set 'Monitoring' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_instance) {
    %ec2_instance {
        # Scenario 2
        Monitoring exists
        # Scenarios 3 and 4
        Monitoring == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
```

```
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.13 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      NetworkInterfaces:
      - SubnetId:
          Ref: Subnet
```

```
        DeviceIndex: 0
      Monitoring: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      NetworkInterfaces:
      - SubnetId:
          Ref: Subnet
        DeviceIndex: 0
      Monitoring: false
```

[CT.EC2.PR.14] Memerlukan volume Amazon EBS yang dikonfigurasi melalui templat peluncuran Amazon EC2 untuk mengenkripsi data saat istirahat

Kontrol ini memeriksa apakah templat peluncuran Amazon EC2 dengan pemetaan perangkat blok volume EBS dikonfigurasi untuk mengaktifkan enkripsi volume EBS.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::LaunchTemplate`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.14

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.14
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.14 contoh templat

Penjelasan

Untuk menambahkan lapisan keamanan data sensitif Anda dalam volume EBS, Anda harus mengaktifkan enkripsi EBS saat istirahat. Enkripsi Amazon EBS menawarkan solusi enkripsi langsung untuk sumber daya EBS Anda. Ini tidak mengharuskan Anda untuk membangun, memelihara, dan mengamankan infrastruktur manajemen kunci Anda sendiri, dan menggunakan kunci KMS saat membuat volume dan snapshot terenkripsi.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk template peluncuran EC2 yang menentukan pemetaan perangkat blok EBS.
- Saat Anda meluncurkan sebuah instans menggunakan templat peluncuran, Anda dapat mengganti parameter yang ditentukan di templat peluncuran. Untuk memastikan bahwa enkripsi diaktifkan untuk pemetaan perangkat blok EBS saat Anda meluncurkan instance dengan templat peluncuran melalui `AWS::EC2::Instance` sumber daya, gunakan kontrol ini bersama dengan. `CT.EC2.PR.7`

Remediasi untuk kegagalan aturan

Untuk setiap entri dalam `BlockDeviceMappings` parameter dengan `Ebs` konfigurasi, atur `Encryption` ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Templat peluncuran Amazon EC2 - Contoh

Template peluncuran Amazon EC2 yang dikonfigurasi dengan pemetaan perangkat blok EBS yang mengaktifkan ensikrpsi volume. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "BlockDeviceMappings": [
                    {
                        "DeviceName": "/dev/sdc",
                        "Ebs": {
                            "Encrypted": true
                        }
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
    LaunchTemplateData:
      BlockDeviceMappings:
```

```
        - DeviceName: /dev/sdc
          Ebs:
            Encrypted: true
```

Spesifikasi aturan CT.EC2.PR.14

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ec2_launch_template_encrypted_volumes_check
#
# Description:
#   This control checks whether an Amazon EC2 launch template with EBS volume block
 device mappings is configured to enable EBS volume encryption.
#
# Reports on:
#   AWS::EC2::LaunchTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 launch template resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'BlockDeviceMappings' in 'LaunchTemplateData' has not been provided or has
#            been provided as an empty list
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'BlockDeviceMappings' in 'LaunchTemplateData' been provided as a non-empty
 list
#       And: No entries in 'BlockDeviceMappings' contain 'Ebs' as a struct
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'BlockDeviceMappings' in 'LaunchTemplateData' been provided as a non-empty
 list
#       And: An entry in 'BlockDeviceMappings' contains 'Ebs' as a struct
#       And: In the same entry, 'Encrypted' in 'Ebs' has not been provided or has been
 provided
#            and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EC2 launch template resource
#       And: 'BlockDeviceMappings' in 'LaunchTemplateData' been provided as a non-empty
 list
#       And: An entry in 'BlockDeviceMappings' contains 'Ebs' as a struct
#       And: In the same entry, 'Encrypted' in 'Ebs' has not been provided or has been
 provided
#            and set to bool(true)
#      Then: PASS

#
# Constants
#
let EC2_LAUNCH_TEMPLATE_TYPE = "AWS::EC2::LaunchTemplate"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ec2_launch_templates = Resources.*[ Type == %EC2_LAUNCH_TEMPLATE_TYPE ]

#
# Primary Rules
#
```

```
rule ec2_launch_template_encrypted_volumes_check when is_cfn_template(this)
                                                      %ec2_launch_templates not empty {
    check(%ec2_launch_templates.Properties)
        <<
        [CT.EC2.PR.14]: Require an Amazon EBS volume configured through an Amazon EC2
 launch template to encrypt data at rest
        [FIX]: For every entry in the 'BlockDeviceMappings' parameter with an 'Ebs'
 configuration, set 'Encryption' to true.
        >>
}

rule ec2_launch_template_encrypted_volumes_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_LAUNCH_TEMPLATE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_LAUNCH_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.14]: Require an Amazon EBS volume configured through an Amazon EC2
 launch template to encrypt data at rest
        [FIX]: For every entry in the 'BlockDeviceMappings' parameter with an 'Ebs'
 configuration, set 'Encryption' to true.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_launch_template) {
    %ec2_launch_template [
        # Scenarios 2 and 3
        filter_launch_template_contains_ebs_block_device_mappings(this)
    ] {
        LaunchTemplateData {
            BlockDeviceMappings[
                Ebs exists
                Ebs is_struct
            ] {
                Ebs {
                    # Scenarios 4 and 5
                    Encrypted exists
                    Encrypted == true
                }
            }
        }
    }
}
```

```
rule filter_launch_template_contains_ebs_block_device_mappings(launch_template) {
    %launch_template {
        LaunchTemplateData exists
        LaunchTemplateData is_struct

        LaunchTemplateData {
            BlockDeviceMappings exists
            BlockDeviceMappings is_list
            BlockDeviceMappings not empty

            some BlockDeviceMappings[*] {
                Ebs exists
                Ebs is_struct
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.14 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        BlockDeviceMappings:
        - DeviceName: /dev/sdc
          Ebs:
            Encrypted: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        BlockDeviceMappings:
        - DeviceName: /dev/sdc
          Ebs:
            Encrypted: false
```

[CT.EC2.PR.15] Memerlukan instans Amazon EC2 untuk menggunakan jenis instans AWS Nitro saat membuat dari tipe sumber daya " AWS::EC2::LaunchTemplate

Kontrol ini memeriksa apakah templat peluncuran Amazon EC2 yang menentukan jenis instans Amazon EC2 atau menggunakan pemilihan instans berbasis atribut, AWS hanya menentukan jenis instans Nitro.

- Tujuan kontrol: Melindungi integritas data, Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::LaunchTemplate`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.15

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.15
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.15 contoh templat

Penjelasan

Sistem AWS Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro menyediakan keamanan yang ditingkatkan yang terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instance. AWS Nitro membongkar sumber daya virtualisasi ke perangkat keras dan perangkat lunak khusus, yang meminimalkan permukaan serangan. Akhirnya, Sistem Nitro memiliki model keamanan terkunci untuk melarang akses administratif, menghilangkan kemungkinan kesalahan manusia dan gangguan.

Untuk informasi tentang jenis instans Nitro, lihat Instans yang dibangun di Sistem Nitro di Panduan Pengguna Amazon EC2 untuk Instans Linux.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk meluncurkan template yang menentukan jenis instans Amazon EC2 melalui InstanceType properti atau menggunakan pemilihan instance berbasis atribut melalui properti. InstanceRequirements
- Saat Anda meluncurkan sebuah instans menggunakan templat peluncuran, Anda dapat mengganti parameter yang ditentukan di templat peluncuran. Untuk meluncurkan instance dengan tipe instans Nitro saat menggunakan template peluncuran, gunakan kontrol ini bersama dengan kontrol proaktif terkait.

Remediasi untuk kegagalan aturan

Ketika InstanceType in LaunchTemplateData telah disediakan, atur InstanceType ke jenis instans Amazon EC2 yang didasarkan pada sistem AWS Nitro. Ketika InstanceRequirements in LaunchTemplateData telah disediakan, atur AllowedInstanceTypes ke daftar jenis instans Amazon EC2 berdasarkan sistem AWS Nitro.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Template Peluncuran Amazon EC2 - Contoh Satu

Template peluncuran Amazon EC2 yang dikonfigurasi dengan tipe instans berdasarkan sistem AWS Nitro. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "InstanceType": "t3.micro"
            }
        }
    }
}
```

Contoh YAMAL

```
LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
    LaunchTemplateData:
      InstanceType: t3.micro
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Template Peluncuran Amazon EC2 - Contoh Dua

Template peluncuran Amazon EC2 yang dikonfigurasi dengan konfigurasi persyaratan instans yang menyertakan instans yang diizinkan berdasarkan sistem Nitro. AWS Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "LaunchTemplate": {
        "Type": "AWS::EC2::LaunchTemplate",
        "Properties": {
            "LaunchTemplateData": {
                "InstanceRequirements": {
                    "AllowedInstanceTypes": [
                        "m5.*",
                        "c5.*"
                    ],
                    "VCpuCount": {
                        "Max": 16,
                        "Min": 1
                    },
                    "MemoryMiB": {
                        "Min": 1024,
                        "Max": 17000
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
LaunchTemplate:
  Type: AWS::EC2::LaunchTemplate
  Properties:
    LaunchTemplateData:
      InstanceRequirements:
        AllowedInstanceTypes:
          - m5.*
          - c5.*
        VCpuCount:
          Max: 16
          Min: 1
        MemoryMiB:
          Min: 1024
          Max: 17000
```

Spesifikasi aturan CT.EC2.PR.15

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_launch_template_nitro_instance_type_check
#
# Description:
#   This control checks whether Amazon EC2 launch templates that specify an Amazon
 EC2 instance type or use attribute based instance selection, specify only AWS Nitro
 instance types.
#
# Reports on:
#   AWS::EC2::LaunchTemplate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' or 'InstanceRequirements' in 'LaunchTemplateData' has not
 been provided
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' in 'LaunchTemplateData' has been provided
#       And: 'InstanceType' has been set to a non-Nitro instance type
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceRequirements' in 'LaunchTemplateData' has been provided as a
 struct
#       And: In 'InstanceRequirements', 'AllowedInstanceTypes' has not been provided or
 provided as
#            an empty list
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceRequirements' in 'LaunchTemplateData' has been provided as a
 struct
#       And: In 'InstanceRequirements', 'AllowedInstanceTypes' has been provided as a
 non-empty list
#            that contains one or more non-Nitro instance types
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' in 'LaunchTemplateData' has been provided
#       And: 'InstanceType' has been set to a Nitro instance type
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceRequirements' in 'LaunchTemplateData' has been provided as a
 struct
#       And: In 'InstanceRequirements', 'AllowedInstanceTypes' has been provided as a
 non-empty list
#            that contains only Nitro instance types
#      Then: PASS

#
# Constants
```

```
#
let INPUT_DOCUMENT = this
let EC2_LAUNCH_TEMPLATE_TYPE = "AWS::EC2::LaunchTemplate"
let NITRO_INSTANCE_TYPES = [
    /^a1\./,
    /^c5\./, /^c5a\./, /^c5ad\./, /^c5d\./, /^c5n\./, /^c6a\./, /^c6g\./, /^c6gd\./, /
^c6gn\./, /^c6i\./, /^c6id\./, /^c6in\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^d3\./, /^d3en\./, /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./, /^g5g\./,
    /^hpc6a\./, /^hpc6id\./, /^hpc7a\./, /^hpc7g\./,
    /^i3.metal$/, /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./, /
^is4gen\./,
    /^m5\./, /^m5a\./, /^m5ad\./, /^m5d\./, /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /
^m6g\./, /^m6gd\./, /^m6i\./, /^m6id\./, /^m6idn\./, /^m6in\./, /^m7a\./, /^m7g\./, /
^m7gd\./, /^m7i\./, /^m7i-flex\./, /^mac1.metal$/, /^mac2.metal$/, /^mac2-m2pro.metal
$/,
    /^p3dn\./, /^p4d\./, /^p4de\./, /^p5\./,
    /^r5\./, /^r5a\./, /^r5ad\./, /^r5b\./, /^r5d\./, /^r5dn\./, /^r5n\./, /^r6a\./, /
^r6g\./, /^r6gd\./, /^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7g\./, /^r7gd\./,
    /^t3\./, /^t3a\./, /^t4g\./, /^trn1\./, /^trn1n\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-3tb1\./, /^u-6tb1\./, /^u-9tb1\./,
    /^vt1\./,
    /^x2gd\./, /^x2idn\./, /^x2iedn\./, /^x2iezn\./,
    /^z1d\./
]

#
# Assignments
#
let ec2_launch_templates = Resources.*[ Type == %EC2_LAUNCH_TEMPLATE_TYPE ]

#
# Primary Rules
#
rule ec2_launch_template_nitro_instance_type_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %ec2_launch_templates not empty
 {
    check(%ec2_launch_templates.Properties)
        <<
        [CT.EC2.PR.15]: Require an Amazon EC2 instance to use an AWS Nitro instance
 type when creating from the 'AWS::EC2::LaunchTemplate' resource type
        [FIX]: When InstanceType in LaunchTemplateData has been provided, set
 InstanceType to an Amazon EC2 instance type that is based on the AWS Nitro system.
```

```
        When InstanceRequirements in LaunchTemplateData has been provided, set
 AllowedInstanceTypes to a list of Amazon EC2 instance types based on the AWS Nitro
 system.
        >>
}

rule ec2_launch_template_nitro_instance_type_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_LAUNCH_TEMPLATE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_LAUNCH_TEMPLATE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.15]: Require an Amazon EC2 instance to use an AWS Nitro instance
 type when creating from the 'AWS::EC2::LaunchTemplate' resource type
        [FIX]: When InstanceType in LaunchTemplateData has been provided, set
 InstanceType to an Amazon EC2 instance type that is based on the AWS Nitro system.
 When InstanceRequirements in LaunchTemplateData has been provided,
        set AllowedInstanceTypes to a list of Amazon EC2 instance types based on the
 AWS Nitro system.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_launch_template) {
    %ec2_launch_template[
        # Scenario 2
        filter_instance_type_provided(this)
    ] {
        LaunchTemplateData {
            # Scenarios 3 and 6
            InstanceType in %NITRO_INSTANCE_TYPES
        }
    }

    %ec2_launch_template[
        # Scenario 2
        filter_instance_requirements_provided(this)
    ] {
        LaunchTemplateData {
            InstanceRequirements is_struct
            InstanceRequirements {
                # Scenarios 4, 5 and 7
                AllowedInstanceTypes exists
                AllowedInstanceTypes is_list
```

```
                AllowedInstanceTypes not empty
                AllowedInstanceTypes[*] in %NITRO_INSTANCE_TYPES
            }
        }
    }
}

rule filter_instance_type_provided(ec2_launch_template) {
    %ec2_launch_template {
        LaunchTemplateData exists
        LaunchTemplateData is_struct

        LaunchTemplateData {
            InstanceType exists
        }
    }
}

rule filter_instance_requirements_provided(ec2_launch_template) {
    %ec2_launch_template {
        LaunchTemplateData exists
        LaunchTemplateData is_struct

        LaunchTemplateData {
            InstanceRequirements exists
        }
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.15 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        InstanceType: t3.micro
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        InstanceRequirements:
          AllowedInstanceTypes:
          - m5.*
          - c5.*
          VCpuCount:
            Max: 16
            Min: 1
          MemoryMiB:
            Min: 1024
            Max: 17000
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        InstanceType: t2.micro
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        InstanceRequirements:
          AllowedInstanceTypes:
          - t2.micro
          VCpuCount:
            Max: 16
            Min: 1
          MemoryMiB:
            Min: 1024
            Max: 17000
```

[CT.EC2.PR.16] Memerlukan instans Amazon EC2 untuk menggunakan jenis instans AWS Nitro saat dibuat menggunakan tipe sumber daya " AWS::EC2::Instance

Kontrol ini memeriksa apakah instans Amazon EC2 dikonfigurasi untuk dijalankan menggunakan jenis instans AWS Nitro.

- Tujuan kontrol: Melindungi integritas data, Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::Instance`

- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.16

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.16
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.16 contoh template

Penjelasan

Sistem Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro memberikan keamanan yang ditingkatkan karena terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instans. Sumber daya virtualisasi diturunkan ke perangkat keras dan perangkat lunak khusus, meminimalkan permukaan serangan. Model keamanan Sistem Nitro dikunci untuk melarang akses administratif, mengurangi kemungkinan kesalahan manusia dan gangguan.

> Pertimbangan penggunaan
>
> - Kontrol ini mengharuskan InstanceType properti disediakan dan disetel ke jenis instans Nitro. Pengaturan ini mencegah Anda mewarisi jenis instans, melalui templat peluncuran Amazon EC2.

Remediasi untuk kegagalan aturan

Tetapkan nilai InstanceType properti ke jenis instans Amazon EC2 berdasarkan sistem AWS Nitro.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans Amazon EC2 - Contoh

Instans Amazon EC2 yang dikonfigurasi dengan tipe instans berdasarkan sistem AWS Nitro. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Instance": {
        "Type": "AWS::EC2::Instance",
        "Properties": {
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "InstanceType": "t3.micro"
        }
    }
}
```

Contoh YAMAL

```
EC2Instance:
  Type: AWS::EC2::Instance
  Properties:
    ImageId: !Ref 'LatestAmiId'
    InstanceType: t3.micro
```

Spesifikasi aturan CT.EC2.PR.16

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_instance_nitro_instance_type_check
#
# Description:
#   This control checks whether an Amazon EC2 instance is configured to run using an
 AWS Nitro instance type.
#
# Reports on:
#   AWS::EC2::Instance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
```

```
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' been provided and set to a non-Nitro instance type
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' been provided and set to a Nitro instance type
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let EC2_INSTANCE_TYPE = "AWS::EC2::Instance"
let NITRO_INSTANCE_TYPES = [
    /^a1\./,
    /^c5\./, /^c5a\./, /^c5ad\./, /^c5d\./, /^c5n\./, /^c6a\./, /^c6g\./, /^c6gd\./, /
^c6gn\./, /^c6i\./, /^c6id\./, /^c6in\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^d3\./, /^d3en\./, /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./, /^g5g\./,
    /^hpc6a\./, /^hpc6id\./, /^hpc7a\./, /^hpc7g\./,
    /^i3.metal$/, /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./, /
^is4gen\./,
```

```
    /^m5\./, /^m5a\./, /^m5ad\./, /^m5d\./, /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /
^m6g\./, /^m6gd\./, /^m6i\./, /^m6id\./, /^m6idn\./, /^m6in\./, /^m7a\./, /^m7g\./, /
^m7gd\./, /^m7i\./, /^m7i-flex\./, /^mac1.metal$/, /^mac2-m2pro.metal$/, /^mac2.metal
$/,
    /^p3dn\./, /^p4d\./, /^p4de\./, /^p5\./,
    /^r5\./, /^r5a\./, /^r5ad\./, /^r5b\./, /^r5d\./, /^r5dn\./, /^r5n\./, /^r6a\./, /
^r6g\./, /^r6gd\./, /^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7a\./, /^r7g\./, /
^r7gd\./, /^r7iz\./,
    /^t3\./, /^t3a\./, /^t4g\./, /^trn1\./, /^trn1n\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-3tb1\./, /^u-6tb1\./, /^u-9tb1\./,
    /^vt1\./,
    /^x2gd\./, /^x2idn\./, /^x2iedn\./, /^x2iezn\./,
    /^z1d\./
]

#
# Assignments
#
let ec2_instances = Resources.*[ Type == %EC2_INSTANCE_TYPE ]

#
# Primary Rules
#
rule ec2_instance_nitro_instance_type_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %ec2_instances not empty {
    check(%ec2_instances.Properties)
        <<
        [CT.EC2.PR.16]: Require an Amazon EC2 instance to use an AWS Nitro instance
 type when created using the 'AWS::EC2::Instance' resource type
        [FIX]: Set the value of the InstanceType property to an Amazon EC2 instance
 type based on the AWS Nitro system.
        >>
}

rule ec2_instance_nitro_instance_type_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.16]: Require an Amazon EC2 instance to use an AWS Nitro instance
 type when created using the 'AWS::EC2::Instance' resource type
        [FIX]: Set the value of the InstanceType property to an Amazon EC2 instance
 type based on the AWS Nitro system.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(ec2_instance) {
    %ec2_instance {
        # Scenario 2
        InstanceType exists
        # Scenarios 3 and 4
        InstanceType in %NITRO_INSTANCE_TYPES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.16 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
```

```
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t2.micro
```

[CT.EC2.PR.17] Memerlukan host khusus Amazon EC2 untuk menggunakan jenis instans AWS Nitro

Kontrol ini memeriksa apakah host khusus Amazon EC2 dikonfigurasi untuk dijalankan menggunakan jenis instans atau keluarga AWS Nitro.

- Tujuan kontrol: Melindungi integritas data, Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::Host`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.17

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.17
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.17 contoh templat

Penjelasan

Sistem Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro memberikan keamanan yang ditingkatkan karena terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instans. Sumber daya virtualisasi diturunkan ke perangkat keras dan perangkat lunak khusus, meminimalkan permukaan serangan. Model keamanan Sistem Nitro dikunci untuk melarang akses administratif, mengurangi kemungkinan kesalahan manusia dan gangguan.

Pertimbangan penggunaan

- Saat mengalokasikan host khusus di akun, Anda dapat memilih konfigurasi yang mendukung satu jenis instans, atau beberapa jenis instans dalam keluarga instans yang sama. Jumlah instans yang dapat Anda jalankan di host tergantung pada konfigurasi yang Anda pilih. Lihat Konfigurasi kapasitas instans di Panduan Pengguna Amazon EC2 untuk Instans Linux untuk informasi tentang dukungan untuk jenis instans tunggal dan beberapa jenis instans.

Remediasi untuk kegagalan aturan

Tetapkan nilai InstanceType properti ke jenis instans Amazon EC2 yang didasarkan pada sistem AWS Nitro, dan yang mendukung host khusus, atau tetapkan nilai InstanceFamily properti ke keluarga instans Amazon EC2 yang didasarkan pada sistem AWS Nitro, dan yang mendukung host khusus dan beberapa jenis instans.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Host Amazon EC2 - Contoh Satu

Host khusus Amazon EC2 yang dikonfigurasi dengan keluarga instans yang didasarkan pada sistem AWS Nitro, dan yang mendukung host khusus dan beberapa jenis instans. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DedicatedHost": {
        "Type": "AWS::EC2::Host",
        "Properties": {
            "AutoPlacement": "on",
            "AvailabilityZone": {
                "Fn::Select": [
                    0,
                    {
                        "Fn::GetAZs": ""
                    }
                ]
            },
            "InstanceFamily": "m5"
        }
    }
}
```

Contoh YAMAL

```
DedicatedHost:
  Type: AWS::EC2::Host
  Properties:
    AutoPlacement: 'on'
    AvailabilityZone: !Select
      - 0
      - !GetAZs ''
    InstanceFamily: m5
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Host Amazon EC2 - Contoh Dua

Host khusus Amazon EC2 yang dikonfigurasi dengan tipe instans yang didasarkan pada sistem AWS Nitro, dan yang mendukung host khusus. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DedicatedHost": {
        "Type": "AWS::EC2::Host",
        "Properties": {
            "AutoPlacement": "on",
            "AvailabilityZone": {
                "Fn::Select": [
                    0,
                    {
                        "Fn::GetAZs": ""
                    }
                ]
            },
            "InstanceType": "m6a.large"
        }
    }
}
```

Contoh YAMAL

```
DedicatedHost:
  Type: AWS::EC2::Host
  Properties:
    AutoPlacement: 'on'
    AvailabilityZone: !Select
      - 0
      - !GetAZs ''
    InstanceType: m6a.large
```

Spesifikasi aturan CT.EC2.PR.17

```
# ####################################
##       Rule Specification        ##
####################################
#
```

```
# Rule Identifier:
#   ec2_host_nitro_check
#
# Description:
#   This control checks whether an Amazon EC2 dedicated host is configured to run using
 an AWS Nitro instance type or family.
#
# Reports on:
#   AWS::EC2::Host
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 dedicated host
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon EC2 dedicated host resource
#       And: 'InstanceFamily' or 'InstanceType' have not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon EC2 dedicated host resource
#       And: 'InstanceType' has not been provided
#       And: 'InstanceFamily' has been provided and set to an instance family other
 than
#            a Nitro instance family with support for both dedicated hosts and multiple
#            instance types
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon EC2 dedicated host resource
#       And: 'InstanceFamily' has not been provided
```

```
#       And: 'InstanceType' has been provided and set to an instance type other than
#            a Nitro instance type with dedicated host support
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon EC2 dedicated host resource
#       And: 'InstanceType' has not been provided
#       And: 'InstanceFamily' has been provided and set to a Nitro instance family with
#            support for both dedicated hosts and multiple instance types
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon EC2 dedicated host resource
#       And: 'InstanceFamily' has not been provided
#       And: 'InstanceType' has been provided and set to a Nitro instance type with
#            dedicated host support
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let EC2_DEDICATED_HOST_TYPE = "AWS::EC2::Host"
let NITRO_INSTANCE_FAMILIES_WITH_DEDICATED_HOST_SUPPORT = [
    /^a1$/,
    /^m5$/, /^m5n$/, /^m6i$/,
    /^c5$/, /^c5n$/, /^c6i$/,
    /^r5$/, /^r5n$/, /^r6i$/,
    /^t3$/
]
let NITRO_INSTANCE_TYPES_WITH_DEDICATED_HOST_SUPPORT = [
    /^a1\./,
    /^c5\./, /^c5d\./, /^c5n\./, /^c6a\./, /^c6g\./, /^c6gd\./, /^c6gn\./, /^c6i\./, /
^c6id\./, /^c6in\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./, /^g5g\./,
    /^i3.metal$/, /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./,
    /^m5\./, /^m5d\./, /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /^m6g\./, /^m6gd\./, /
^m6i\./, /^m6id\./, /^m6idn\./, /^m6in\./, /^m7a\./, /^m7g\./, /^m7gd\./, /^m7i\./, /
^mac1.metal$/, /^mac2-m2pro.metal$/, /^mac2.metal$/,
    /^p4d\./, /^p4de\./, /^p5\./,
```

```
    /^r5\./, /^r5b\./, /^r5d\./, /^r5dn\./, /^r5n\./, /^r6a\./, /^r6g\./, /^r6gd\./, /
^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7a\./, /^r7g\./, /^r7gd\./, /^r7iz\./,
    /^t3\./, /^trn1\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-6tb1\./, /^u-9tb1\./,
    /^x2gd\./, /^x2idn\./, /^x2iedn\./, /^x2iezn\./,
    /^z1d\./
]

#
# Assignments
#
let ec2_dedicated_hosts = Resources.*[ Type == %EC2_DEDICATED_HOST_TYPE ]

#
# Primary Rules
#
rule ec2_host_nitro_check when is_cfn_template(%INPUT_DOCUMENT)
                              %ec2_dedicated_hosts not empty {
    check(%ec2_dedicated_hosts.Properties)
        <<
        [CT.EC2.PR.17]: Require an Amazon EC2 dedicated host to use an AWS Nitro
 instance type
        [FIX]: Set the value of the InstanceType property to an Amazon EC2 instance
 type that is based on the AWS Nitro system, and
        that supports dedicated hosts, or set the value of the InstanceFamily property
 to an Amazon EC2 instance family that is
        based on the AWS Nitro system, and that supports dedicated hosts and multiple
 instance types.
        >>
}

rule ec2_host_nitro_check when is_cfn_hook(%INPUT_DOCUMENT, %EC2_DEDICATED_HOST_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_DEDICATED_HOST_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.17]: Require an Amazon EC2 dedicated host to use an AWS Nitro
 instance type
        [FIX]: Set the value of the InstanceType property to an Amazon EC2 instance
 type that is based on the AWS Nitro system, and
        that supports dedicated hosts, or set the value of the InstanceFamily property
 to an Amazon EC2 instance family that is based
        on the AWS Nitro system, and that supports dedicated hosts and multiple
 instance types.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(ec2_dedicated_host) {
    %ec2_dedicated_host {
        # Scenario 2
        InstanceFamily exists or
        InstanceType exists
    }

    %ec2_dedicated_host[
        InstanceFamily exists
    ] {
        # Scenario 3 and 5
        InstanceFamily in %NITRO_INSTANCE_FAMILIES_WITH_DEDICATED_HOST_SUPPORT
    }
    %ec2_dedicated_host[
        InstanceType exists
    ] {
        # Scenario 4 and 6
        InstanceType in %NITRO_INSTANCE_TYPES_WITH_DEDICATED_HOST_SUPPORT
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.17 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DedicatedHost:
    Type: AWS::EC2::Host
    Properties:
      AutoPlacement: 'on'
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
      InstanceFamily: m5
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DedicatedHost:
    Type: AWS::EC2::Host
    Properties:
      AutoPlacement: 'on'
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
      InstanceType: m6a.large
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DedicatedHost:
    Type: AWS::EC2::Host
    Properties:
      AutoPlacement: 'on'
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
      InstanceType: c4.large
```

[CT.EC2.PR.18] Memerlukan armada Amazon EC2 untuk mengganti hanya template peluncuran tersebut dengan tipe instans AWS Nitro

Kontrol ini memeriksa apakah armada Amazon EC2 hanya mengganti template peluncuran dengan AWS jenis instans Nitro.

- Tujuan kontrol: Melindungi integritas data, Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::EC2Fleet`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.18

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.18
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.18 contoh templat

Penjelasan

Sistem Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro memberikan keamanan yang ditingkatkan karena terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instans. Sumber daya virtualisasi diturunkan ke perangkat keras dan

perangkat lunak khusus, meminimalkan permukaan serangan. Model keamanan Sistem Nitro dikunci untuk melarang akses administratif, mengurangi kemungkinan kesalahan manusia dan gangguan.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku ketika penggantian template peluncuran telah disediakan, khususnya, entri dalam `LaunchTemplateConfigs` menentukan satu atau lebih `Overrides` yang juga menyertakan nilai untuk atau properti. `InstanceType` `InstanceRequirements`
- Kontrol ini tidak memeriksa jenis instance yang dikonfigurasi pada template peluncuran. Untuk memastikan bahwa template peluncuran menggunakan jenis instans Nitro, gunakan kontrol ini bersama dengan kontrol terkait yang memeriksa template peluncuran untuk jenis instans Nitro.

Remediasi untuk kegagalan aturan

Untuk entri apa pun dalam LaunchTemplateConfigs parameter, jika memiliki satu atau lebih properti Overrides yang juga menyertakan `InstanceType` atau `InstanceRequirements` bidang, tetapkan nilai `InstanceType` bidang ke jenis instans EC2 berdasarkan sistem AWS Nitro, atau tetapkan nilai `AllowedInstanceTypes` bidang di InstanceRequirements properti ke satu atau beberapa jenis instans EC2 yang didasarkan pada sistem AWS Nitro.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Armada Amazon EC2 - Contoh Satu

Armada Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran dan jenis instans berdasarkan sistem Nitro. AWS Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Fleet": {
        "Type": "AWS::EC2::EC2Fleet",
        "Properties": {
            "TargetCapacitySpecification": {
                "TotalTargetCapacity": 1,
                "DefaultTargetCapacityType": "on-demand"
```

```
            },
            "LaunchTemplateConfigs": [
                {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": [
                                "LaunchTemplate",
                                "LatestVersionNumber"
                            ]
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceType": "t3.micro"
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EC2Fleet:
  Type: AWS::EC2::EC2Fleet
  Properties:
    TargetCapacitySpecification:
      TotalTargetCapacity: 1
      DefaultTargetCapacityType: on-demand
    LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceType: t3.micro
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Armada Amazon EC2 - Contoh Dua

Armada Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran dan persyaratan instans yang menentukan daftar instans yang diizinkan berdasarkan sistem Nitro. AWS Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Fleet": {
        "Type": "AWS::EC2::EC2Fleet",
        "Properties": {
            "TargetCapacitySpecification": {
                "TotalTargetCapacity": 1,
                "DefaultTargetCapacityType": "on-demand"
            },
            "LaunchTemplateConfigs": [
                {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": [
                                "LaunchTemplate",
                                "LatestVersionNumber"
                            ]
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceRequirements": {
                                "VCpuCount": {
                                    "Min": 2,
                                    "Max": 4
                                },
                                "MemoryMiB": {
                                    "Min": 4000,
                                    "Max": 8000
                                },
                                "AllowedInstanceTypes": [
```

```
                                    "m5.*",
                                    "c5.*"
                                ]
                            }
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EC2Fleet:
  Type: AWS::EC2::EC2Fleet
  Properties:
    TargetCapacitySpecification:
      TotalTargetCapacity: 1
      DefaultTargetCapacityType: on-demand
    LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceRequirements:
              VCpuCount:
                Min: 2
                Max: 4
              MemoryMiB:
                Min: 4000
                Max: 8000
              AllowedInstanceTypes:
                - m5.*
                - c5.*
```

Spesifikasi aturan CT.EC2.PR.18

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ec2_fleet_nitro_instance_override_check
#
# Description:
#   This control checks that Amazon EC2 fleets only override launch templates with AWS
 Nitro instance types.
#
# Reports on:
#   AWS::EC2::EC2Fleet
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 fleet resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: For every entry in 'LaunchTemplateConfigs', 'Overrides' has not been
 provided
#            or has been provided as an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: For an entry in 'LaunchTemplateConfigs', 'Overrides' has been provided as
 a non-empty list
#       And: For the same entry in 'LaunchTemplateConfigs', no entries in 'Overrides'
 include
#            'InstanceType' or 'InstanceRequirements'
#      Then: SKIP
```

```
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to
 an instance type
#            other than a Nitro instance type
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has not been
 provided or has been
#            provided as an empty list
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has not been
 provided as a non-empty list
#       And: An entry in 'AllowedInstanceTypes' is set to an instance type other than a
 Nitro instance type
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to a
 Nitro instance type
#      Then: PASS
#   Scenario: 8
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has not been
 provided as a non-empty list
#       And: Every entry in 'AllowedInstanceTypes' is set to a Nitro instance type
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let EC2_FLEET_TYPE = "AWS::EC2::EC2Fleet"
let NITRO_INSTANCE_TYPES = [
    /^a1\./,
    /^c5\./, /^c5a\./, /^c5ad\./, /^c5d\./, /^c5n\./, /^c6a\./, /^c6g\./, /^c6gd\./, /
^c6gn\./, /^c6i\./, /^c6id\./, /^c6in\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^d3\./, /^d3en\./, /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./, /^g5g\./,
    /^hpc6a\./, /^hpc6id\./, /^hpc7a\./, /^hpc7g\./,
    /^i3.metal$/, /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./, /
^is4gen\./,
    /^m5\./, /^m5a\./, /^m5ad\./, /^m5d\./, /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /
^m6g\./, /^m6gd\./, /^m6i\./, /^m6id\./, /^m6idn\./, /^m6in\./, /^m7a\./, /^m7g\./, /
^m7gd\./, /^m7i\./, /^m7i-flex\./, /^mac1.metal$/, /^mac2-m2pro.metal$/, /^mac2.metal
$/,
    /^p3dn\./, /^p4d\./, /^p4de\./, /^p5\./,
    /^r5\./, /^r5a\./, /^r5ad\./, /^r5b\./, /^r5d\./, /^r5dn\./, /^r5n\./, /^r6a\./, /
^r6g\./, /^r6gd\./, /^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7a\./, /^r7g\./, /
^r7gd\./, /^r7iz\./,
    /^t3\./, /^t3a\./, /^t4g\./, /^trn1\./, /^trn1n\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-3tb1\./, /^u-6tb1\./, /^u-9tb1\./,
    /^vt1\./,
    /^x2gd\./, /^x2idn\./, /^x2iedn\./, /^x2iezn\./,
    /^z1d\./
]

#
# Assignments
#
let ec2_fleets = Resources.*[ Type == %EC2_FLEET_TYPE ]
```

```
#
# Primary Rules
#
rule ec2_fleet_nitro_instance_override_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %ec2_fleets not empty {
    check(%ec2_fleets.Properties)
        <<
        [CT.EC2.PR.18]: Require an Amazon EC2 fleet to override only those launch
 templates with AWS Nitro instance types
        [FIX]: For any entry in the LaunchTemplateConfigs parameter, if it has one or
 more Overrides properties that also include 'InstanceType' or 'InstanceRequirements'
 fields, set the value of the 'InstanceType' field to an Amazon EC2 instance type based
 on the AWS Nitro system, or set the value of the 'AllowedInstanceTypes' field in the
 InstanceRequirements property to one or more Amazon EC2 instance types that are based
 on the AWS Nitro system.
        >>
}

rule ec2_fleet_nitro_instance_override_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_FLEET_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_FLEET_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.18]: Require an Amazon EC2 fleet to override only those launch
 templates with AWS Nitro instance types
        [FIX]: For any entry in the LaunchTemplateConfigs parameter, if it has one or
 more Overrides properties that also include 'InstanceType' or 'InstanceRequirements'
 fields, set the value of the 'InstanceType' field to an Amazon EC2 instance type based
 on the AWS Nitro system, or set the value of the 'AllowedInstanceTypes' field in the
 InstanceRequirements property to one or more Amazon EC2 instance types that are based
 on the AWS Nitro system.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_fleet) {
    %ec2_fleet [
        # Scenarios 2 and 3
        filter_launch_template_overrides(this)
    ] {
        LaunchTemplateConfigs[*] {
            Overrides[ InstanceType exists ] {
```

```
                # Scenarios 4 and 7
                InstanceType in %NITRO_INSTANCE_TYPES
            }
            Overrides[ InstanceRequirements exists ] {
                InstanceRequirements {
                    # Scenarios 5, 6 and 8
                    AllowedInstanceTypes exists
                    AllowedInstanceTypes is_list
                    AllowedInstanceTypes not empty
                    AllowedInstanceTypes[*] in %NITRO_INSTANCE_TYPES
                }
            }
        }
    }
}

rule filter_launch_template_overrides(ec2_fleet) {
    %ec2_fleet {
        LaunchTemplateConfigs exists
        LaunchTemplateConfigs is_list
        LaunchTemplateConfigs not empty

        some LaunchTemplateConfigs[*] {
            Overrides exists
            Overrides is_list
            Overrides not empty

            some Overrides[*] {
                InstanceType exists or
                InstanceRequirements exists
            }
        }
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
```

```
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.18 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
            Ref: LaunchTemplate
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceType: t3.micro
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
            Ref: LaunchTemplate
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceRequirements:
            VCpuCount:
              Min: 2
              Max: 4
            MemoryMiB:
              Min: 4000
              Max: 8000
            AllowedInstanceTypes:
            - m5.*
            - c5.*
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
            Ref: LaunchTemplate
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceType: t2.micro
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
```

```
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
            Ref: LaunchTemplate
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceRequirements:
            VCpuCount:
              Min: 0
              Max: 4
            MemoryMiB:
              Min: 0
              Max: 4000
            AllowedInstanceTypes:
            - c4.large
```

[CT.EC2.PR.19] Memerlukan instans Amazon EC2Amazon EC2 untuk menggunakan jenis instans AWS Nitro yang mendukung enkripsi dalam perjalanan antar instance saat dibuat menggunakan tipe sumber daya AWS::EC2::Instance

Kontrol ini memeriksa apakah instans Amazon EC2 telah dikonfigurasi untuk dijalankan menggunakan jenis instans Nitro yang mendukung enkripsi dalam perjalanan antar instans.

- Tujuan kontrol: Enkripsi data dalam perjalanan, Lindungi integritas data, Terapkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya: `AWS::EC2::Instance`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.19

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.19
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.19 contoh templat

Penjelasan

Sistem Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro memberikan keamanan yang ditingkatkan karena terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instans. Sumber daya virtualisasi diturunkan ke perangkat keras dan perangkat lunak khusus, meminimalkan permukaan serangan. Model keamanan Sistem Nitro dikunci untuk melarang akses administratif, mengurangi kemungkinan kesalahan manusia dan gangguan.

AWS menyediakan konektivitas aman dan pribadi antara instans Amazon EC2 dari semua jenis. Selain itu, beberapa jenis instance memanfaatkan kemampuan pembongkaran perangkat keras Sistem Nitro yang mendasarinya untuk mengenkripsi lalu lintas dalam transit antar instance, secara otomatis. Proses enkripsi ini menggunakan algoritma Authenticated Encryption with Associated Data (AEAD), dengan enkripsi 256-bit. Ini tidak berdampak pada kinerja jaringan.

Pertimbangan penggunaan

- Kontrol ini mengharuskan InstanceType properti disediakan dan disetel ke jenis instans Nitro yang mendukung enkripsi dalam perjalanan antar instance. Pengaturan ini mencegah Anda mewarisi jenis instans melalui templat peluncuran Amazon EC2.
- Untuk mendukung enkripsi lalu lintas dalam transit antar instans, selain menggunakan salah satu jenis instans Amazon EC2 yang diperlukan oleh kontrol ini, instans harus berada di Wilayah yang sama, dan mereka harus berada dalam VPC yang sama atau grup VPC peered, di mana lalu lintas tidak melewati perangkat atau layanan jaringan virtual, seperti penyeimbang beban atau gateway transit.

Remediasi untuk kegagalan aturan

Setel `InstanceType` ke jenis instans Amazon EC2 berdasarkan sistem AWS Nitro yang mendukung enkripsi dalam perjalanan antar instans.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans Amazon EC2 - Contoh

Instans Amazon EC2 yang dikonfigurasi dengan tipe instans berdasarkan sistem AWS Nitro, dan yang mendukung enkripsi saat transit antar instance. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Instance": {
        "Type": "AWS::EC2::Instance",
        "Properties": {
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "InstanceType": "t3.micro"
        }
    }
}
```

Contoh YAMAL

```
EC2Instance:
  Type: AWS::EC2::Instance
  Properties:
    ImageId: !Ref 'LatestAmiId'
    InstanceType: t3.micro
```

Spesifikasi aturan CT.EC2.PR.19

```
# ##################################
```

```
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ec2_instance_nitro_encryption_in_transit_check
#
# Description:
#   This control checks whether an Amazon EC2 instance has been configured to run using
 a Nitro instance type that supports encryption in-transit between instances.
#
# Reports on:
#   AWS::EC2::Instance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
#       And: 'InstanceType' been provided and set to an instance type other than a
 Nitro
#            instance type that supports encryption in-transit between instances
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 instance resource
```

```
#       And: 'InstanceType' been provided and set to a Nitro instance type that
 supports
#            encryption in-transit between instances
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let EC2_INSTANCE_TYPE = "AWS::EC2::Instance"
let NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES = [
    /^c5a\./, /^c5ad\./, /^c5n\./, /^c6a\./, /^c6gn\./, /^c6i\./, /^c6id\./, /^c6in
\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^d3\./, /^d3en\./, /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./,
    /^hpc6a\./, /^hpc6id\./, /^hpc7a\./, /^hpc7g\./,
    /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./, /^is4gen\./,
    /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /^m6i\./, /^m6id\./, /^m6idn\./, /^m6in
\./, /^m7a\./, /^m7g\./, /^m7gd\./, /^m7i\./, /^m7i-flex\./,
    /^p3dn\./, /^p4d\./, /^p4de\./, /^p5\./,
    /^r5dn\./, /^r5n\./, /^r6a\./, /^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7a
\./, /^r7g\./, /^r7gd\./, /^r7iz\./,
    /^trn1\./, /^trn1n\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-3tb1\./, /^u-6tb1\./, /^u-9tb1\./,
    /^vt1\./,
    /^x2idn\./, /^x2iedn\./, /^x2iezn\./
]

#
# Assignments
#
let ec2_instances = Resources.*[ Type == %EC2_INSTANCE_TYPE ]

#
# Primary Rules
#
rule ec2_instance_nitro_encryption_in_transit_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %ec2_instances not empty {
    check(%ec2_instances.Properties)
        <<
        [CT.EC2.PR.19]: Require an Amazon EC2 instance to use a nitro instance
 type that supports encryption in-transit between instances when created using the
 AWS::EC2::Instance resource type
```

```
        [FIX]: Set 'InstanceType' to an Amazon EC2 instance type based on the AWS Nitro
 system that supports encryption in-transit between instances.
        >>
}

rule ec2_instance_nitro_encryption_in_transit_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EC2_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.19]: Require an Amazon EC2 instance to use a nitro instance
 type that supports encryption in-transit between instances when created using the
 AWS::EC2::Instance resource type
        [FIX]: Set 'InstanceType' to an Amazon EC2 instance type based on the AWS Nitro
 system that supports encryption in-transit between instances.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_instance) {
    %ec2_instance {
        # Scenario 2
        InstanceType exists
        # Scenarios 3 and 4
        InstanceType in %NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.19 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: c5a.large
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2Instance:
    Type: AWS::EC2::Instance
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t2.micro
```

[CT.EC2.PR.20] Memerlukan armada Amazon EC2 untuk mengganti hanya template peluncuran dengan tipe instans AWS Nitro yang mendukung enkripsi dalam perjalanan antar instans

Kontrol ini memeriksa apakah armada Amazon EC2 hanya mengganti templat peluncuran berdasarkan jenis instans AWS Nitro yang mendukung enkripsi saat transit antar instans.

- Tujuan kontrol: Enkripsi data dalam perjalanan, Lindungi integritas data, Terapkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EC2::EC2Fleet`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EC2.PR.20

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EC2.PR.20
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EC2.PR.20 contoh template

Penjelasan

Sistem Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro memberikan keamanan yang ditingkatkan karena terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instans. Sumber daya virtualisasi diturunkan ke perangkat keras dan perangkat lunak khusus, meminimalkan permukaan serangan. Model keamanan Sistem Nitro dikunci untuk melarang akses administratif, mengurangi kemungkinan kesalahan manusia dan gangguan.

AWS menyediakan konektivitas aman dan pribadi antara instans Amazon EC2 dari semua jenis. Selain itu, beberapa jenis instance memanfaatkan kemampuan pembongkaran perangkat keras Sistem Nitro yang mendasarinya untuk mengenkripsi lalu lintas dalam transit antar instance, secara otomatis. Proses enkripsi ini menggunakan algoritma Authenticated Encryption with Associated Data (AEAD), dengan enkripsi 256-bit. Ini tidak berdampak pada kinerja jaringan.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku ketika penggantian template peluncuran telah disediakan, khususnya, entri dalam `LaunchTemplateConfigs` menentukan satu atau lebih `Overrides` yang juga menyertakan nilai untuk atau properti. `InstanceType` `InstanceRequirements`
- Kontrol ini tidak memeriksa jenis instance yang dikonfigurasi pada template peluncuran. Untuk memastikan bahwa template peluncuran menggunakan jenis instans Nitro yang mendukung enkripsi dalam perjalanan antar instance, gunakan kontrol ini bersama dengan kontrol terkait yang memeriksa templat peluncuran untuk jenis instans Nitro, dan bahwa jenis instans Nitro mendukung enkripsi dalam perjalanan antar instance.
- Untuk mendukung enkripsi lalu lintas dalam transit antar instans, selain menggunakan salah satu jenis instans EC2 yang diperlukan oleh kontrol ini, instans harus sama Wilayah AWS, dan mereka harus berada dalam VPC yang sama atau grup VPC peered, di mana lalu lintas tidak melewati perangkat atau layanan jaringan virtual, seperti penyeimbang beban atau gateway transit.

Remediasi untuk kegagalan aturan

Untuk entri apa pun dalam LaunchTemplateConfigs parameter, jika memiliki satu atau beberapa properti Overrides yang juga menyertakan `InstanceType` atau `InstanceRequirements` bidang, tetapkan nilai InstanceType bidang ke jenis instans Amazon EC2 yang didasarkan pada AWS sistem Nitro, dan yang mendukung enkripsi dalam perjalanan antar instance, atau tetapkan nilai bidang di InstanceRequirements properti ke satu atau beberapa AllowedInstanceTypes jenis instans Amazon EC2 yang didasarkan pada AWS sistem Nitro, dan enkripsi pendukung di transit antar instance.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Armada Amazon EC2 - Contoh Satu

Armada Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran dan jenis instans yang didasarkan pada sistem AWS Nitro, dan yang mendukung enkripsi saat transit antar instance. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Fleet": {
        "Type": "AWS::EC2::EC2Fleet",
        "Properties": {
            "TargetCapacitySpecification": {
                "TotalTargetCapacity": 1,
                "DefaultTargetCapacityType": "on-demand"
            },
            "LaunchTemplateConfigs": [
                {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": [
                                "LaunchTemplate",
                                "LatestVersionNumber"
                            ]
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceType": "c5a.large"
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EC2Fleet:
  Type: AWS::EC2::EC2Fleet
  Properties:
    TargetCapacitySpecification:
      TotalTargetCapacity: 1
      DefaultTargetCapacityType: on-demand
    LaunchTemplateConfigs:
```

```
      - LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceType: c5a.large
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Armada Amazon EC2 - Contoh Dua

Armada Amazon EC2 yang dikonfigurasi dengan penggantian templat peluncuran dan persyaratan instans yang menentukan daftar instans yang diizinkan, yang didasarkan pada sistem AWS Nitro, dan yang mendukung enkripsi saat transit antar instance. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "EC2Fleet": {
        "Type": "AWS::EC2::EC2Fleet",
        "Properties": {
            "TargetCapacitySpecification": {
                "TotalTargetCapacity": 1,
                "DefaultTargetCapacityType": "on-demand"
            },
            "LaunchTemplateConfigs": [
                {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": [
                                "LaunchTemplate",
                                "LatestVersionNumber"
                            ]
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceRequirements": {
```

```
                                "VCpuCount": {
                                    "Min": 2,
                                    "Max": 4
                                },
                                "MemoryMiB": {
                                    "Min": 4000,
                                    "Max": 8000
                                },
                                "AllowedInstanceTypes": [
                                    "m6a.*",
                                    "c5a.*"
                                ]
                            }
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EC2Fleet:
  Type: AWS::EC2::EC2Fleet
  Properties:
    TargetCapacitySpecification:
      TotalTargetCapacity: 1
      DefaultTargetCapacityType: on-demand
    LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceRequirements:
              VCpuCount:
                Min: 2
                Max: 4
              MemoryMiB:
                Min: 4000
                Max: 8000
```

```
              AllowedInstanceTypes:
                - m6a.*
                - c5a.*
```

Spesifikasi aturan CT.EC2.PR.20

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ec2_fleet_nitro_encryption_in_transit_override_check
#
# Description:
#   This control checks whether an Amazon EC2 fleet overrides only the launch templates
 based upon AWS Nitro instance types that support encryption in transit between
 instances.
#
# Reports on:
#   AWS::EC2::EC2Fleet
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EC2 fleet resources
#     Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: For every entry in 'LaunchTemplateConfigs', 'Overrides' has not been
 provided
#            or has been provided as an empty list
```

```
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: For an entry in 'LaunchTemplateConfigs', 'Overrides' has been provided as
 a non-empty list
#       And: For the same entry in 'LaunchTemplateConfigs', no entries in 'Overrides'
 include
#            'InstanceType' or 'InstanceRequirements'
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to
 an instance type
#            other than a Nitro instance type that supports encryption in-transit
 between instances
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has not been
 provided or has been
#            provided as an empty list
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has been
 provided as a non-empty list
#       And: An entry in 'AllowedInstanceTypes' is set to an instance type other than a
 Nitro instance
```

```
#            type that supports encryption in-transit between instances
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to a
 Nitro instance type that
#            supports encryption in-transit between instances
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 fleet resource
#       And: 'Overrides' in 'LaunchTemplateConfigs' has been provided as a non-empty
 list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has been
 provided as a non-empty list
#       And: Every entry in 'AllowedInstanceTypes' is set to a Nitro instance type that
#            supports encryption in-transit between instances
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let EC2_FLEET_TYPE = "AWS::EC2::EC2Fleet"
let NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES = [
    /^c5a\./, /^c5ad\./, /^c5n\./, /^c6a\./, /^c6gn\./, /^c6i\./, /^c6id\./, /^c6in
\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^d3\./, /^d3en\./, /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./,
    /^hpc6a\./, /^hpc6id\./, /^hpc7a\./, /^hpc7g\./,
    /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./, /^is4gen\./,
    /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /^m6i\./, /^m6id\./, /^m6idn\./, /^m6in
\./, /^m7a\./, /^m7g\./, /^m7gd\./, /^m7i\./, /^m7i-flex\./,
    /^p3dn\./, /^p4d\./, /^p4de\./, /^p5\./,
    /^r5dn\./, /^r5n\./, /^r6a\./, /^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7a
\./, /^r7g\./, /^r7gd\./, /^r7iz\./,
    /^trn1\./, /^trn1n\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-3tb1\./, /^u-6tb1\./, /^u-9tb1\./,
```

```
    /^vt1\./,
    /^x2idn\./, /^x2iedn\./, /^x2iezn\./
]

#
# Assignments
#
let ec2_fleets = Resources.*[ Type == %EC2_FLEET_TYPE ]

#
# Primary Rules
#
rule ec2_fleet_nitro_encryption_in_transit_override_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %ec2_fleets not empty {
    check(%ec2_fleets.Properties)
        <<
        [CT.EC2.PR.20]: Require an Amazon Amazon EC2 fleet to override only those
 launch templates with AWS Nitro instance types that support encryption in transit
 between instances
        [FIX]: For any entry in the LaunchTemplateConfigs parameter, if it has one or
 more Overrides properties that also include 'InstanceType' or 'InstanceRequirements'
 fields, set the value of the InstanceType field to an EC2 instance type that's based
 on the AWS Nitro system, and that supports encryption in transit between instances, or
 set the value of the AllowedInstanceTypes field in the InstanceRequirements property
 to one or more EC2 instance types that are based on the AWS Nitro system, and that
 support encryption in transit between instances.
        >>
}

rule ec2_fleet_nitro_encryption_in_transit_override_check when
 is_cfn_hook(%INPUT_DOCUMENT, %EC2_FLEET_TYPE) {
    check(%INPUT_DOCUMENT.%EC2_FLEET_TYPE.resourceProperties)
        <<
        [CT.EC2.PR.20]: Require an Amazon EC2 fleet to override only those launch
 templates with AWS Nitro instance types that support encryption in transit between
 instances
        [FIX]: For any entry in the LaunchTemplateConfigs parameter, if it has one or
 more Overrides properties that also include 'InstanceType' or 'InstanceRequirements'
 fields,
        set the value of the InstanceType field to an Amazon EC2 instance type that's
 based on the AWS Nitro system, and that supports encryption in transit between
 instances, or
```

```
        set the value of the AllowedInstanceTypes field in the InstanceRequirements
 property to one or more Amazon EC2 instance types that are based on the AWS Nitro
 system, and that support encryption in transit between instances.
        >>
}

#
# Parameterized Rules
#
rule check(ec2_fleet) {
    %ec2_fleet [
        # Scenarios 2 and 3
        filter_launch_template_overrides(this)
    ] {
        LaunchTemplateConfigs[*] {
            Overrides[ InstanceType exists ] {
                # Scenarios 4 and 7
                InstanceType in %NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES
            }
            Overrides[ InstanceRequirements exists ] {
                InstanceRequirements {
                    # Scenarios 5, 6 and 8
                    AllowedInstanceTypes exists
                    AllowedInstanceTypes is_list
                    AllowedInstanceTypes not empty
                    AllowedInstanceTypes[*] in
 %NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES
                }
            }
        }
    }
}

rule filter_launch_template_overrides(ec2_fleet) {
    %ec2_fleet {
        LaunchTemplateConfigs exists
        LaunchTemplateConfigs is_list
        LaunchTemplateConfigs not empty

        some LaunchTemplateConfigs[*] {
            Overrides exists
            Overrides is_list
            Overrides not empty
```

```
            some Overrides[*] {
                InstanceType exists or
                InstanceRequirements exists
            }
        }
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EC2.PR.20 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
```

```
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
            Ref: LaunchTemplate
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceType: c5a.large
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
```

```
            Ref: LaunchTemplate
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceRequirements:
            VCpuCount:
              Min: 2
              Max: 4
            MemoryMiB:
              Min: 4000
              Max: 8000
            AllowedInstanceTypes:
            - m6a.*
            - c5a.*
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
            Ref: LaunchTemplate
```

```
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceType: t2.micro
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  EC2Fleet:
    Type: AWS::EC2::EC2Fleet
    Properties:
      TargetCapacitySpecification:
        TotalTargetCapacity: 1
        DefaultTargetCapacityType: on-demand
      LaunchTemplateConfigs:
      - LaunchTemplateSpecification:
          LaunchTemplateId:
            Ref: LaunchTemplate
          Version:
            Fn::GetAtt: [LaunchTemplate, LatestVersionNumber]
        Overrides:
        - InstanceRequirements:
            VCpuCount:
              Min: 0
              Max: 4
            MemoryMiB:
              Min: 0
              Max: 4000
```

```
            AllowedInstanceTypes:
            - c4.large
```

Kontrol Auto Scaling Amazon Elastic Compute Cloud (Amazon EC2)

Topik

- [CT.AUTOSCALING.PR.1] Memerlukan grup Auto Scaling Amazon EC2 untuk memiliki beberapa Availability Zone
- [CT.AUTOSCALING.PR.2] Memerlukan konfigurasi peluncuran grup Auto Scaling Amazon EC2 untuk mengonfigurasi instans Amazon EC2 untuk IMDSv2
- [CT.AUTOSCALING.PR.4] Memerlukan grup Auto Scaling Amazon EC2 yang terkait dengan Elastic Load AWS Balancing (ELB) agar pemeriksaan kesehatan ELB diaktifkan
- [CT.AUTOSCALING.PR.5] Memerlukan selain konfigurasi peluncuran grup Auto Scaling Amazon EC2 tidak memiliki instans Amazon EC2 dengan alamat IP publik
- [CT.AUTOSCALING.PR.6] Memerlukan grup Auto Scaling Amazon EC2 untuk menggunakan beberapa jenis instans
- [CT.AUTOSCALING.PR.8] Memerlukan grup Auto Scaling Amazon EC2 agar templat peluncuran EC2 dikonfigurasi
- [CT.AUTOSCALING.PR.9] Memerlukan volume Amazon EBS yang dikonfigurasi melalui konfigurasi peluncuran Auto Scaling Amazon EC2 untuk mengenkripsi data saat istirahat
- [CT.AUTOSCALING.PR.10] Memerlukan grup Auto Scaling Amazon EC2 untuk AWS hanya menggunakan jenis instans Nitro saat mengganti template peluncuran
- [CT.AUTOSCALING.PR.11] Hanya memerlukan jenis instans AWS Nitro yang mendukung enkripsi lalu lintas jaringan antar instans untuk ditambahkan ke grup Auto Scaling Amazon EC2, saat mengganti template peluncuran

[CT.AUTOSCALING.PR.1] Memerlukan grup Auto Scaling Amazon EC2 untuk memiliki beberapa Availability Zone

Kontrol ini memeriksa apakah grup Auto Scaling Amazon EC2 Anda mencakup beberapa Availability Zone.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::AutoScalingGroup`
- AWS CloudFormation aturan penjaga: CT.AUTOSCALING.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.1contoh template

Penjelasan

Grup Auto Scaling Amazon EC2 dapat dikonfigurasi untuk menggunakan beberapa Availability Zone. Grup Auto Scaling dengan satu Availability Zone lebih disukai dalam beberapa kasus penggunaan, seperti pekerjaan batch atau ketika biaya transfer antar-AZ harus dijaga seminimal mungkin. Namun, grup Auto Scaling yang tidak menjangkau beberapa Availability Zone tidak akan meluncurkan instance di Availability Zone lain untuk mengkompensasi jika Availability Zone tunggal yang dikonfigurasi menjadi tidak tersedia.

Remediasi untuk kegagalan aturan

Konfigurasikan grup Auto Scaling dengan beberapa Availability Zone.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling - Contoh

Grup Auto Scaling dikonfigurasi dengan beberapa Availability Zone. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "LaunchTemplate": {
```

```
                "LaunchTemplateId": {
                    "Ref": "LaunchTemplate"
                },
                "Version": {
                    "Fn::GetAtt": "LaunchTemplate.LatestVersionNumber"
                }
            },
            "MaxSize": "1",
            "MinSize": "0",
            "DesiredCapacity": "1",
            "AvailabilityZones": [
                {
                    "Fn::Select": [
                        0,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                },
                {
                    "Fn::Select": [
                        1,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    LaunchTemplate:
      LaunchTemplateId: !Ref 'LaunchTemplate'
      Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
    MaxSize: '1'
```

```
    MinSize: '0'
    DesiredCapacity: '1'
    AvailabilityZones:
      - !Select
        - 0
        - !GetAZs ''
      - !Select
        - 1
        - !GetAZs ''
```

CT.AUTOSCALING.PR.1spesifikasi aturan

```
#####################################
##       Rule Specification        ##
#####################################

Rule Identifier:
  autoscaling_multiple_az_check

Description:
  Checks if Auto Scaling groups span multiple Availability Zones.

Reports on:
   AWS::AutoScaling::AutoScalingGroup

Evaluates: AWS CloudFormation, AWS CloudFormation hook

Rule Parameters:
  None

Scenarios:
  Scenario: 1
    Given: The input document is an AWS CloudFormation or CloudFormation hook document
      And: The input document does not contain any Auto Scaling groups
     Then: SKIP
  Scenario: 2
    Given: The input document is an AWS CloudFormation or CloudFormation hoo document
      And: The input document contains an Auto Scaling group resource
      And: 'AvailabilityZones' is not present on the Auto Scaling group resource
     Then: FAIL
```

```
  Scenario: 3
    Given: The input document is an AWS CloudFormation or CloudFormation hook document
      And: The input document contains an Auto Scaling group resource
      And: 'AvailabilityZones' is present on the Auto Scaling group resource
      And: The number of 'AvailabilityZones' present is less than 2 (< 2) or the number
 of
           unique 'AvailabilityZones' provided is less than 2 (< 2)
     Then: FAIL
  Scenario: 4
    Given: The input document is an AWS CloudFormation or CloudFormation Hook Document
      And: The input document contains an Auto Scaling group resource
      And: 'AvailabilityZones' is present on the Auto Scaling group resource
      And: The number of 'AvailabilityZones' present is greater than or equal to 2 (>=
 2)
      And: At least two unique 'AvailabilityZones' have been provided
     Then: PASS
```

CT.AUTOSCALING.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
        InstanceType: t3.micro
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
```

```
      LaunchTemplate:
        LaunchTemplateId:
          Ref: LaunchTemplate
        Version:
          Fn::GetAtt: LaunchTemplate.LatestVersionNumber
      MaxSize: '1'
      MinSize: '0'
      DesiredCapacity: '1'
      AvailabilityZones:
      - Fn::Select:
        - 0
        - Fn::GetAZs: ""
      - Fn::Select:
        - 1
        - Fn::GetAZs: ""
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
        InstanceType: t3.micro
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      LaunchTemplate:
        LaunchTemplateId:
          Ref: LaunchTemplate
        Version:
          Fn::GetAtt: LaunchTemplate.LatestVersionNumber
```

```
      MaxSize: '1'
      MinSize: '0'
      DesiredCapacity: '1'
      AvailabilityZones:
      - Fn::Select:
        - 0
        - Fn::GetAZs: ""
```

[CT.AUTOSCALING.PR.2] Memerlukan konfigurasi peluncuran grup Auto Scaling Amazon EC2 untuk mengonfigurasi instans Amazon EC2 untuk IMDSv2

Kontrol ini memeriksa apakah konfigurasi peluncuran Auto Scaling Amazon EC2 dikonfigurasi agar memerlukan penggunaan Layanan Metadata Instans Versi 2 (IMDSv2).

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::LaunchConfiguration`
- AWS CloudFormation aturan penjaga: CT.AUTOSCALING.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.2spesifikasi aturan
- Untuk contoh CloudFront Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.2contoh template

Penjelasan

IMDS menyediakan data tentang instans Anda, yang dapat Anda gunakan untuk mengonfigurasi atau mengelola instance yang sedang berjalan.

IMDS versi 2 menambahkan perlindungan yang tidak tersedia di IMDSv1, untuk melindungi instans EC2 Anda lebih lanjut.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk konfigurasi peluncuran Auto Scaling Amazon EC2 yang memungkinkan akses ke metadata instans.

Remediasi untuk kegagalan aturan

Berikan `MetadataOptions` konfigurasi dan atur nilai `HttpTokens` `kerequired`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Konfigurasi Peluncuran Auto Scaling Amazon EC2 - Contoh

Konfigurasi peluncuran Auto Scaling Amazon EC2 dengan IMDSv2 diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingLaunchConfiguration": {
        "Type": "AWS::AutoScaling::LaunchConfiguration",
        "Properties": {
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "InstanceType": "t3.micro",
            "MetadataOptions": {
                "HttpTokens": "required"
            }
        }
    }
}
```

Contoh YAMAL

```
AutoScalingLaunchConfiguration:
  Type: AWS::AutoScaling::LaunchConfiguration
```

```
  Properties:
    ImageId: !Ref 'LatestAmiId'
    InstanceType: t3.micro
    MetadataOptions:
      HttpTokens: required
```

CT.AUTOSCALING.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   autoscaling_launch_config_requires_imdsv2_check
#
# Description:
#   This control checks whether an Amazon EC2 Auto Scaling launch configuration is
 configured to require the use of Instance Metadata Service Version 2 (IMDSv2).
#
# Reports on:
#   AWS::AutoScaling::LaunchConfiguration
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#  Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Autoscaling launch configuration
 resources
#      Then: SKIP
#  Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Autoscaling launch configuration resource
#       And: 'MetadataOptions' has been provided.
```

```
#       And: 'MetadataOptions.HttpEndpoint' has been provided is equal to 'disabled'
#      Then: SKIP
#  Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Autoscaling launch configuration resource
#       And: 'MetadataOptions.HttpEndpoint' has not been provided or has been provided
 and is equal to 'enabled'
#       And: 'MetadataOptions.HttpTokens' has not been provided
#      Then: FAIL
#  Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Autoscaling launch configuration resource
#       And: 'MetadataOptions' has been provided.
#       And: 'MetadataOptions.HttpEndpoint' has not been provided or has been provided
 and is equal to 'enabled'
#       And: 'MetadataOptions.HttpTokens' has been provided and set to a value other
 than 'required'
#      Then: FAIL
#  Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Autoscaling launch configuration resource
#       And: 'MetadataOptions' has been provided.
#       And: 'MetadataOptions.HttpEndpoint' has not been provided or has been provided
 and is equal to 'enabled'
#       And: 'MetadataOptions.HttpTokens' has been provided and set to 'required'
#      Then: PASS

#
# Constants
#
let AUTOSCALING_LAUNCH_CONFIGURATION_TYPE = "AWS::AutoScaling::LaunchConfiguration"
let INPUT_DOCUMENT = this

#
# Assignments
#
let autoscaling_launch_configurations = Resources.*[ Type ==
 %AUTOSCALING_LAUNCH_CONFIGURATION_TYPE ]

#
# Primary Rules
```

```
#
rule autoscaling_launch_config_requires_imdsv2_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %autoscaling_launch_configurations not empty {
    check(%autoscaling_launch_configurations.Properties)
        <<
        [CT.AUTOSCALING.PR.2]: Require an Amazon EC2 Auto Scaling group launch
 configuration to configure Amazon EC2 instances for IMDSv2
            [FIX]: Provide a 'MetadataOptions' configuration and set the value of
 'HttpTokens' to 'required'.
        >>
}

rule autoscaling_launch_config_requires_imdsv2_check when is_cfn_hook(%INPUT_DOCUMENT,
 %AUTOSCALING_LAUNCH_CONFIGURATION_TYPE) {
    check(%INPUT_DOCUMENT.%AUTOSCALING_LAUNCH_CONFIGURATION_TYPE.resourceProperties)
        <<
        [CT.AUTOSCALING.PR.2]: Require an Amazon EC2 Auto Scaling group launch
 configuration to configure Amazon EC2 instances for IMDSv2
            [FIX]: Provide a 'MetadataOptions' configuration and set the value of
 'HttpTokens' to 'required'.
        >>
}

#
# Parameterized Rules
#
rule check(autoscaling_launch_configuration) {
    %autoscaling_launch_configuration [
        # Scenario 2
        filter_autoscaling_launch_configurations(this)
    ] {
        # Scenario 3, 4 and 5
        MetadataOptions exists
        MetadataOptions is_struct

        MetadataOptions {
            HttpTokens exists
            HttpTokens == "required"
        }
    }
}
```

```
rule filter_autoscaling_launch_configurations(autoscaling_launch_configurations) {
    %autoscaling_launch_configurations {
        MetadataOptions not exists or
        filter_metadata_options(this)
    }
}

rule filter_metadata_options(metadata_options) {
    %metadata_options {
        MetadataOptions is_struct
        MetadataOptions {
            HttpEndpoint not exists or
            HttpEndpoint == "enabled"
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.AUTOSCALING.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
```

```
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  AutoScalingLaunchConfiguration:
    Type: AWS::AutoScaling::LaunchConfiguration
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      MetadataOptions:
        HttpTokens: required
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  AutoScalingLaunchConfiguration:
    Type: AWS::AutoScaling::LaunchConfiguration
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      MetadataOptions:
        HttpTokens: optional
```

[CT.AUTOSCALING.PR.4] Memerlukan grup Auto Scaling Amazon EC2 yang terkait dengan Elastic Load AWS Balancing (ELB) agar pemeriksaan kesehatan ELB diaktifkan

Kontrol ini memeriksa apakah grup Auto Scaling Amazon EC2 yang terkait dengan penyeimbang beban menggunakan pemeriksaan kesehatan Elastic Load Balancing.

- Tujuan kontrol: Meningkatkan ketersediaan

- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::AutoScalingGroup`
- AWS CloudFormation aturan penjaga: CT.AUTOSCALING.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: GitHub

Penjelasan

Persyaratan konfigurasi ini memastikan bahwa grup dapat menentukan kesehatan instans berdasarkan tes tambahan yang disediakan oleh penyeimbang beban. Menggunakan pemeriksaan kesehatan Elastic Load Balancing dapat membantu mendukung ketersediaan aplikasi yang menggunakan grup EC2 Auto Scaling.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk grup Auto Scaling yang terkait dengan Classic Load Balancer atau Grup Target

Remediasi untuk kegagalan aturan

Konfigurasikan grup Auto Scaling Amazon EC2 yang terkait dengan Elastic Load Balancing untuk menggunakan pemeriksaan kesehatan Elastic Load Balancing.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling - Contoh Satu

Grup Auto Scaling dengan asosiasi Classic Load Balancer dan pemeriksaan kesehatan Elastic Load Balancing. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "LaunchTemplate": {
                "LaunchTemplateId": {
                    "Ref": "LaunchTemplate"
                },
                "Version": {
                    "Fn::GetAtt": "LaunchTemplate.LatestVersionNumber"
                }
            },
            "MaxSize": "1",
            "MinSize": "0",
            "DesiredCapacity": "1",
            "LoadBalancerNames": [
                {
                    "Ref": "ElasticLoadBalancer"
                }
            ],
            "HealthCheckType": "ELB",
            "VPCZoneIdentifier": [
                {
                    "Ref": "Subnet"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    LaunchTemplate:
      LaunchTemplateId: !Ref 'LaunchTemplate'
      Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
    MaxSize: '1'
    MinSize: '0'
```

```
    DesiredCapacity: '1'
    LoadBalancerNames:
      - !Ref 'ElasticLoadBalancer'
    HealthCheckType: ELB
    VPCZoneIdentifier:
      - !Ref 'Subnet'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling - Contoh Dua

Grup Auto Scaling dengan asosiasi Grup Target dan pemeriksaan kesehatan Elastic Load Balancing. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "LaunchTemplate": {
                "LaunchTemplateId": {
                    "Ref": "LaunchTemplate"
                },
                "Version": {
                    "Fn::GetAtt": "LaunchTemplate.LatestVersionNumber"
                }
            },
            "MaxSize": "1",
            "MinSize": "0",
            "DesiredCapacity": "1",
            "TargetGroupARNs": [
                {
                    "Ref": "ELBv2TargetGroup"
                }
            ],
            "HealthCheckType": "ELB",
            "VPCZoneIdentifier": [
                {
                    "Ref": "Subnet"
                }
```

```
            ]
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    LaunchTemplate:
      LaunchTemplateId: !Ref 'LaunchTemplate'
      Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
    MaxSize: '1'
    MinSize: '0'
    DesiredCapacity: '1'
    TargetGroupARNs:
      - !Ref 'ELBv2TargetGroup'
    HealthCheckType: ELB
    VPCZoneIdentifier:
      - !Ref 'Subnet'
```

CT.AUTOSCALING.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   autoscaling_group_elb_healthcheck_required_check
#
# Description:
#   This control checks whether your Amazon EC2 Auto Scaling groups that are associated
 with a load balancer are using
Elastic Load Balancing health checks.
#
# Reports on:
#   AWS::AutoScaling::AutoScalingGroup
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Auto Scaling groups
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Auto Scaling group resource
#       And: 'LoadBalancerNames' or 'TargetGroupARNs' are not present on the Auto
 Scaling group resource or empty lists
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Auto Scaling Group resource
#       And: 'LoadBalancerNames' or 'TargetGroupARNs' are present on the Auto Scaling
 group with at least
#            one configuration
#       And: 'HealthCheckType' is not present
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Auto Scaling group resource
#       And: 'LoadBalancerNames' or 'TargetGroupARNs' are present on the Auto Scaling
 group with at least
#            one configuration
#       And: 'HealthCheckType' is present and set to a value other than 'ELB' (e.g.
 'EC2')
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Auto Scaling group resource
```

```
#       And: 'LoadBalancerNames' or 'TargetGroupARNs' are present on the Auto Scaling
 group resource with at least
#            one configuration
#       And: 'HealthCheckType' is present and set to 'ELB'
#      Then: PASS

#
# Constants
#
let AUTOSCALING_GROUP_TYPE = "AWS::AutoScaling::AutoScalingGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let autoscaling_groups = Resources.*[ Type == %AUTOSCALING_GROUP_TYPE ]

#
# Primary Rules
#
rule autoscaling_group_elb_healthcheck_required_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                              %autoscaling_groups not
 empty {
    check(%autoscaling_groups.Properties)
        <<
        [CT.AUTOSCALING.PR.4]: Require an Amazon EC2 Auto Scaling group associated with
 an AWS Elastic Load Balancer (ELB) to have ELB health checks activated
        [FIX]: Configure Amazon EC2 Auto Scaling groups associated with an Elastic Load
 Balancing load balancer to use Elastic Load Balancing health checks.
        >>
}

rule autoscaling_group_elb_healthcheck_required_check when is_cfn_hook(%INPUT_DOCUMENT,
 %AUTOSCALING_GROUP_TYPE) {
    check(this.%AUTOSCALING_GROUP_TYPE.resourceProperties)
        <<
        [CT.AUTOSCALING.PR.4]: Require an Amazon EC2 Auto Scaling group associated with
 an AWS Elastic Load Balancer (ELB) to have ELB health checks activated
        [FIX]: Configure Amazon EC2 Auto Scaling groups associated with an Elastic Load
 Balancing load balancer to use Elastic Load Balancing health checks.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(autoscaling_group) {
    %autoscaling_group [
        filter_list_exists_and_not_empty(LoadBalancerNames) or
        filter_list_exists_and_not_empty(TargetGroupARNs)
    ] {
       check_healthcheck_type_on_asg(this)
    }
}

rule filter_list_exists_and_not_empty(property) {
    %property {
        # Scenario 2
        this exists
        this is_list
        this not empty
    }
}

rule check_healthcheck_type_on_asg(asg) {
    %asg {
        # Scenario 3
        HealthCheckType exists
        # Scenario 4 and 5
        HealthCheckType == "ELB"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

[CT.AUTOSCALING.PR.5] Memerlukan selain konfigurasi peluncuran grup Auto Scaling Amazon EC2 tidak memiliki instans Amazon EC2 dengan alamat IP publik

Kontrol ini memeriksa apakah grup Auto Scaling Amazon EC2 memiliki alamat IP publik yang dikonfigurasi melalui Konfigurasi Peluncuran.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::LaunchConfiguration`
- AWS CloudFormation aturan penjaga: CT.AUTOSCALING.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.5contoh template

Penjelasan

Instans Amazon EC2 dalam konfigurasi peluncuran grup Auto Scaling tidak boleh memiliki alamat IP publik terkait, kecuali dalam kasus edge terbatas. Instans Amazon EC2 seharusnya hanya dapat diakses dari belakang penyeimbang beban alih-alih langsung terpapar ke internet.

Remediasi untuk kegagalan aturan

Setel `AssociatePublicIpAddress` ke false pada Konfigurasi Peluncuran Auto Scaling.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Konfigurasi Peluncuran Auto Scaling - Contoh

Konfigurasi Peluncuran Auto Scaling dikonfigurasi untuk menonaktifkan asosiasi alamat IP publik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingLaunchConfiguration": {
        "Type": "AWS::AutoScaling::LaunchConfiguration",
        "Properties": {
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "InstanceType": "t3.micro",
            "AssociatePublicIpAddress": false
        }
    }
}
```

Contoh YAMAL

```
AutoScalingLaunchConfiguration:
  Type: AWS::AutoScaling::LaunchConfiguration
  Properties:
    ImageId: !Ref 'LatestAmiId'
    InstanceType: t3.micro
    AssociatePublicIpAddress: false
```

CT.AUTOSCALING.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   autoscaling_launch_config_public_ip_disabled_check
#
# Description:
#   Checks if Auto Scaling Launch Configurations have been configured to disable public
 IP address association.
#
# Reports on:
```

```
#   AWS::Auto Scaling::LaunchConfiguration
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation Hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Auto Scaling Launch Configuration
 Resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Auto Scaling Launch Configuration Resource
#       And: 'AssociatePublicIpAddress' is not present on the Auto Scaling Launch
 Configuration Resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Auto Scaling Launch Configuration Resource
#       And: 'AssociatePublicIpAddress' is present on the Auto Scaling Launch
 Configuration Resource
#            and is set to bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Auto Scaling Launch Configuration Resource
#       And: 'AssociatePublicIpAddress' is present on the Auto Scaling Launch
 Configuration Resource
#            and is set to bool(false)
#      Then: PASS

#
# Constants
#
let AUTOSCALING_LAUNCH_CONFIGURATION_TYPE = 'AWS::AutoScaling::LaunchConfiguration'
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let autoscaling_launch_configurations = Resources.*[ Type ==
 %AUTOSCALING_LAUNCH_CONFIGURATION_TYPE ]

#
# Primary Rules
#
rule autoscaling_launch_config_public_ip_disabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %autoscaling_launch_configurations not empty {

    check(%autoscaling_launch_configurations.Properties)
        <<
        [CT.AUTOSCALING.PR.5]: Require than an Amazon EC2 Auto Scaling group launch
 configuration does not have EC2 instances with public IP addresses
        [FIX]: Set 'AssociatePublicIpAddress' to false on Auto Scaling Launch
 Configurations.
        >>

}

rule autoscaling_launch_config_public_ip_disabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AUTOSCALING_LAUNCH_CONFIGURATION_TYPE) {

    check(%INPUT_DOCUMENT.%AUTOSCALING_LAUNCH_CONFIGURATION_TYPE.resourceProperties)
        <<
        [CT.AUTOSCALING.PR.5]: Require than an Amazon EC2 Auto Scaling group launch
 configuration does not have EC2 instances with public IP addresses
        [FIX]: Set 'AssociatePublicIpAddress' to false on Auto Scaling Launch
 Configurations.
        >>
}

#
# Parameterized Rules
#
rule check(launch_configuration) {
    %launch_configuration {
        # Scenario 2
        AssociatePublicIpAddress exists
```

```
        # Scenarios 3 and 4
        AssociatePublicIpAddress == false
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.AUTOSCALING.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  AutoScalingLaunchConfiguration:
    Type: AWS::AutoScaling::LaunchConfiguration
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      AssociatePublicIpAddress: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  AutoScalingLaunchConfiguration:
    Type: AWS::AutoScaling::LaunchConfiguration
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      AssociatePublicIpAddress: true
```

[CT.AUTOSCALING.PR.6] Memerlukan grup Auto Scaling Amazon EC2 untuk menggunakan beberapa jenis instans

Kontrol ini memeriksa apakah grup Auto Scaling Amazon EC2 menggunakan beberapa tipe instans melalui kebijakan instans campuran dan penggantian jenis instans eksplisit.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::AutoScalingGroup`
- AWS CloudFormation aturan penjaga: CT.AUTOSCALING.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.6spesifikasi aturan

- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.6contoh template

Penjelasan

Anda dapat meningkatkan ketersediaan dengan menerapkan aplikasi Anda di beberapa jenis instans yang berjalan di beberapa Availability Zone. AWS Control Tower merekomendasikan penggunaan beberapa jenis instans sehingga grup Auto Scaling dapat meluncurkan jenis instans lain jika kapasitas instans tidak mencukupi di Availability Zone yang Anda pilih.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk grup Auto Scaling Amazon EC2 yang tidak menggunakan pemilihan jenis instans berbasis atribut dalam kebijakan instans campuran (dikonfigurasi dengan menggunakan properti dalam kebijakan instans campuran). `InstanceRequirements` `Overrides`

Remediasi untuk kegagalan aturan

Dalam `MixedInstancePolicy` konfigurasi, berikan `LaunchTemplate` konfigurasi dengan dua entri di `Overrides` properti. Dalam setiap penggantian, setel `InstanceType` properti ke jenis instans Amazon EC2 yang berbeda.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling Amazon EC2 - Contoh

Grup Auto Scaling Amazon EC2 dikonfigurasi dengan beberapa jenis instans. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "VPCZoneIdentifier": [
                {
```

```
                    "Ref": "Subnet"
                }
            ],
            "MaxSize": "2",
            "MinSize": "1",
            "MixedInstancesPolicy": {
                "LaunchTemplate": {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "EC2LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": [
                                "EC2LaunchTemplate",
                                "LatestVersionNumber"
                            ]
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceType": "t3.micro"
                        },
                        {
                            "InstanceType": "m5.large"
                        }
                    ]
                }
            }
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    VPCZoneIdentifier:
      - !Ref 'Subnet'
    MaxSize: '2'
    MinSize: '1'
```

```
    MixedInstancesPolicy:
      LaunchTemplate:
        LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'EC2LaunchTemplate'
          Version: !GetAtt 'EC2LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceType: t3.micro
          - InstanceType: m5.large
```

CT.AUTOSCALING.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   autoscaling_mixed_instances_policy_multiple_instance_types_check
#
# Description:
#   This control checks whether an Amazon EC2 Auto Scaling group uses multiple instance
 types through a mixed instance policy and explicit instance type overrides.
#
# Reports on:
#   AWS::AutoScaling::AutoscalingGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#  Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Autoscaling Group resources
#      Then: SKIP
#  Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains Autoscaling Group resources
#       And: 'MixedInstancesPolicy.LaunchTemplate.Overrides' has been provided as a
 list
#       And: There exists any 'Overrides' entry where 'InstanceRequirements' is present
#       And: There exists no 'Overrides' entry where 'InstanceType' is present
#      Then: SKIP
#  Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains Autoscaling Group resources
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has been
 provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.Overrides' has not been provided
#      Then: FAIL
#  Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains Autoscaling Group resources
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has been
 provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.Overrides' has been provided as a
 list
#       And: 'InstanceType' is not present or is present as a empty string in
 'MixedInstancesPolicy.LaunchTemplate.Overrides'
#      Then: FAIL
#  Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains Autoscaling Group resources
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has been
 provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.Overrides' has been provided as a
 list
#       And: There exists any 'Overrides' entry where 'InstanceRequirements' is present
#       And: There exists any 'Overrides' entry where 'InstanceType' is present
#      Then: FAIL
#  Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains Autoscaling Group resources
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has been
 provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.Overrides' has been provided as a
 list
```

```
#       And: 'InstanceType' is present in
 'MixedInstancesPolicy.LaunchTemplate.Overrides' as a non empty string
#       And: Length of 'MixedInstancesPolicy.LaunchTemplate.Overrides' is less than or
 equal to 1
#      Then: FAIL
#  Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains Autoscaling Group resources
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has been
 provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.Overrides' has been provided as a
 list
#       And: 'InstanceType' is present in
 'MixedInstancesPolicy.LaunchTemplate.Overrides' as a non empty string
#       And: Length of 'MixedInstancesPolicy.LaunchTemplate.Overrides' is greater than
 1
#      Then: PASS

#
# Constants
#
let AUTOSCALING_GROUP_TYPE = "AWS::AutoScaling::AutoScalingGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let autoscaling_groups = Resources.*[ Type == %AUTOSCALING_GROUP_TYPE ]

#
# Primary Rules
#
rule autoscaling_mixed_instances_policy_multiple_instance_types_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %autoscaling_groups not empty {
    check(%autoscaling_groups.Properties)
        <<
        [CT.AUTOSCALING.PR.6]: Require any Amazon EC2 Auto Scaling groups to use
 multiple instance types
            [FIX]: Within a 'MixedInstancePolicy' configuration, provide a
 'LaunchTemplate' configuration with two entries in the 'Overrides' property. Within
```

```
 each override, set the 'InstanceType' property to a different Amazon EC2 instance
 type.
        >>
}

rule autoscaling_mixed_instances_policy_multiple_instance_types_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AUTOSCALING_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%AUTOSCALING_GROUP_TYPE.resourceProperties)
        <<
        [CT.AUTOSCALING.PR.6]: Require any Amazon EC2 Auto Scaling groups to use
 multiple instance types
            [FIX]: Within a 'MixedInstancePolicy' configuration, provide a
 'LaunchTemplate' configuration with two entries in the 'Overrides' property. Within
 each override, set the 'InstanceType' property to a different Amazon EC2 instance
 type.
        >>
}

#
# Parameterized Rules
#
rule check(autoscaling_group) {
    %autoscaling_group [
        # Scenario 2
        filter_asg_no_instance_requirement_overrides(this)
    ] {
        # Scenario 4, 5, 6
        MixedInstancesPolicy exists
        MixedInstancesPolicy is_struct

        MixedInstancesPolicy {
            LaunchTemplate exists
            LaunchTemplate is_struct

            LaunchTemplate {
                LaunchTemplateSpecification exists
                LaunchTemplateSpecification is_struct

                Overrides exists
                Overrides is_list
                Overrides not empty

                Overrides[0] exists
                Overrides[1] exists
```

```
                Overrides[*] {
                    InstanceType exists
                    check_is_string_and_not_empty(InstanceType)
                }

                Overrides[0].InstanceType not in Overrides[1].InstanceType
            }
        }
    }

    %autoscaling_group [
        # Scenario 2
        filter_asg_conflicting_overrides(this)
    ] {
        MixedInstancesPolicy {
            LaunchTemplate {
                Overrides[*] {
                    check_mutually_exclusive_property_combination(InstanceType,
 InstanceRequirements) or
                    check_mutually_exclusive_property_combination(InstanceRequirements,
 InstanceType)
                }
            }
        }
    }
}

rule filter_asg_no_instance_requirement_overrides(autoscaling_group) {
    %autoscaling_group {
        MixedInstancesPolicy not exists or
        filter_mixed_instances_policy_no_instance_requirement_overrides(this)
    }
}

rule filter_mixed_instances_policy_no_instance_requirement_overrides(autoscaling_group)
 {
    %autoscaling_group {
        MixedInstancesPolicy is_struct
        MixedInstancesPolicy {
            LaunchTemplate not exists or
            filter_launch_templates_no_instance_requirement_overrides(this)
        }
    }
```

```
}

rule filter_launch_templates_no_instance_requirement_overrides(launch_template) {
    %launch_template {
        LaunchTemplate is_struct
        LaunchTemplate {
            Overrides not exists or
            filter_overrides_no_instance_requirement_overrides(this)
        }
    }
}

rule filter_overrides_no_instance_requirement_overrides(overrides) {
    %overrides {
        Overrides is_list
        Overrides empty or
        Overrides[*] {
            InstanceRequirements not exists
        }
    }
}

rule filter_asg_conflicting_overrides(autoscaling_group) {
    %autoscaling_group {
        MixedInstancesPolicy not exists or
        filter_mixed_instances_policy_conflicting_overrides(this)
    }
}

rule filter_mixed_instances_policy_conflicting_overrides(autoscaling_group) {
    %autoscaling_group {
        MixedInstancesPolicy is_struct
        MixedInstancesPolicy {
            LaunchTemplate not exists or
            filter_launch_templates_conflicting_overrides(this)
        }
    }
}

rule filter_launch_templates_conflicting_overrides(launch_template) {
    %launch_template {
        LaunchTemplate is_struct
        LaunchTemplate {
            Overrides not exists or
```

```
            filter_overrides_conflicting_overrides(this)
        }
    }
}

rule filter_overrides_conflicting_overrides(overrides) {
    %overrides {
        Overrides is_list
        Overrides empty or
        some Overrides[*] {
            InstanceRequirements exists
            InstanceType exists
        }
    }
}

rule check_mutually_exclusive_property_combination(property1, property2) {
    %property1 not exists
    %property2 exists
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.AUTOSCALING.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateName:
        Fn::Sub: ${AWS::StackName}-example
      LaunchTemplateData:
        InstanceType: t3.micro
        ImageId:
          Ref: LatestAmiId
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      VPCZoneIdentifier:
      - Ref: Subnet
```

```
      MaxSize: '2'
      MinSize: '1'
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: EC2LaunchTemplate
            Version:
              Fn::GetAtt:
              - EC2LaunchTemplate
              - LatestVersionNumber
          Overrides:
          - InstanceType: t3.micro
          - InstanceType: m5.large
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateName:
        Fn::Sub: ${AWS::StackName}-example
      LaunchTemplateData:
        InstanceType: t3.micro
        ImageId:
          Ref: LatestAmiId
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
```

```
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      VPCZoneIdentifier:
      - Ref: Subnet
      MaxSize: '2'
      MinSize: '1'
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: EC2LaunchTemplate
            Version:
              Fn::GetAtt:
              - EC2LaunchTemplate
              - LatestVersionNumber
          Overrides:
          - InstanceType: t3.micro
```

[CT.AUTOSCALING.PR.8] Memerlukan grup Auto Scaling Amazon EC2 agar templat peluncuran EC2 dikonfigurasi

Kontrol ini memeriksa apakah grup Auto Scaling Amazon EC2 dikonfigurasi untuk menggunakan templat peluncuran EC2.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::AutoScalingGroup`
- AWS CloudFormation aturan penjaga: CT.AUTOSCALING.PR.8spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.8spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.AUTOSCALING.PR.8contoh template

Penjelasan

Grup Auto Scaling dapat dibuat dari template peluncuran EC2 atau dari konfigurasi peluncuran. Jika Anda menggunakan template peluncuran untuk membuat grup Auto Scaling, Anda memiliki akses ke fitur dan peningkatan terbaru.

Remediasi untuk kegagalan aturan

Menyediakan `LaunchTemplate` atau `MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification` konfigurasi dengan valid `Version` dan a `LaunchTemplateId` atau`LaunchTemplateName`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling Amazon EC2 - Contoh Satu

Grup Auto Scaling Amazon EC2 dikonfigurasi dengan template peluncuran EC2. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "VPCZoneIdentifier": [
                {
                    "Ref": "Subnet"
                }
            ],
            "MaxSize": "2",
            "MinSize": "1",
            "LaunchTemplate": {
                "LaunchTemplateName": "SampleLaunchTemplate",
```

```
                "Version": {
                    "Fn::GetAtt": [
                        "EC2LaunchTemplate",
                        "LatestVersionNumber"
                    ]
                }
            }
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    VPCZoneIdentifier:
      - !Ref 'Subnet'
    MaxSize: '2'
    MinSize: '1'
    LaunchTemplate:
      LaunchTemplateName: SampleLaunchTemplate
      Version: !GetAtt 'EC2LaunchTemplate.LatestVersionNumber'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling Amazon EC2 - Contoh Dua

Grup Auto Scaling Amazon EC2 dikonfigurasi dengan kebijakan instans campuran dan templat peluncuran EC2. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "VPCZoneIdentifier": [
```

```
                {
                    "Ref": "Subnet"
                }
            ],
            "MaxSize": "2",
            "MinSize": "1",
            "MixedInstancesPolicy": {
                "LaunchTemplate": {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "EC2LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": [
                                "EC2LaunchTemplate",
                                "LatestVersionNumber"
                            ]
                        }
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    VPCZoneIdentifier:
      - !Ref 'Subnet'
    MaxSize: '2'
    MinSize: '1'
    MixedInstancesPolicy:
      LaunchTemplate:
        LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'EC2LaunchTemplate'
          Version: !GetAtt 'EC2LaunchTemplate.LatestVersionNumber'
```

CT.AUTOSCALING.PR.8spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   autoscaling_launch_template_check
#
# Description:
#   This control checks whether an Amazon EC2 Auto Scaling group is configured to use
 an EC2 launch template.
#
# Reports on:
#   AWS::AutoScaling::AutoscalingGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#  Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contains any Amazon EC2 Auto Scaling group
 resources
#      Then: SKIP
#  Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling group resource
#       And: 'LaunchTemplate' has not been provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has not
 been provided
#      Then: FAIL
#  Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling group resource
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has not
 been provided
```

```
#       And: 'LaunchTemplate' has been provided
#       And: 'LaunchTemplate' has an invalid configuration ('Version' has not been
 provided and one of 'LaunchTemplateId'
#            or 'LaunchTemplateName' has not been provided or 'Version' has been
 provided as an empty string or invalid local
#            reference and one of 'LaunchTemplateId' or 'LaunchTemplateName' has been
 provided as an empty string or an
#            invalid local reference)
#      Then: FAIL
#  Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling group resource
#       And: 'LaunchTemplate' has not been provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has been
 provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has an
 invalid configuration ('Version' has
#            not been provided and one of 'LaunchTemplateId' or 'LaunchTemplateName'
 has not been provided or 'Version' has
#            been provided as an empty string or invalid local reference and one of
 'LaunchTemplateId' or 'LaunchTemplateName'
#            has been provided as an empty string or an invalid local reference)
#      Then: FAIL
#  Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling group resource
#       And: 'LaunchTemplate' has been provided
#       And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has
#            been provided.
#       Then: FAIL
#   Scenario: 6
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an Amazon EC2 Auto Scaling group resource
#        And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has not
 been provided
#        And: 'LaunchTemplate' has been provided
#        And: 'LaunchTemplate' has a valid configuration ('Version' has been provided
 and one of 'LaunchTemplateId' or
#             'LaunchTemplateName' has been provided as a non-empty string or valid
 local reference)
#       Then: PASS
```

```
#   Scenario: 7
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an Amazon EC2 Auto Scaling group resource
#        And: 'LaunchTemplate' has not been provided
#        And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has
 been provided
#        And: 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' has a
 valid configuration ('Version' has
#             been provided and one of 'LaunchTemplateId' or 'LaunchTemplateName' has
 been provided as a non-empty string
#             or valid local reference)
#       Then: PASS

#
# Constants
#
let AUTOSCALING_GROUP_TYPE = "AWS::AutoScaling::AutoScalingGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let autoscaling_groups = Resources.*[ Type == %AUTOSCALING_GROUP_TYPE ]

#
# Primary Rules
#
rule autoscaling_launch_template_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %autoscaling_groups not empty {
    check(%autoscaling_groups.Properties)
        <<
        [CT.AUTOSCALING.PR.8]: Require an Amazon EC2 Auto Scaling group to have EC2
 launch templates configured
            [FIX]: Provide a 'LaunchTemplate' or
 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' configuration with a
 valid 'Version' and a 'LaunchTemplateId' or 'LaunchTemplateName'.
        >>
}

rule autoscaling_launch_template_check when is_cfn_hook(%INPUT_DOCUMENT,
 %AUTOSCALING_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%AUTOSCALING_GROUP_TYPE.resourceProperties)
        <<
```

```
        [CT.AUTOSCALING.PR.8]: Require an Amazon EC2 Auto Scaling group to have EC2
 launch templates configured
            [FIX]: Provide a 'LaunchTemplate' or
 'MixedInstancesPolicy.LaunchTemplate.LaunchTemplateSpecification' configuration with a
 valid 'Version' and a 'LaunchTemplateId' or 'LaunchTemplateName'.
        >>
}

#
# Parameterized Rules
#
rule check(autoscaling_groups) {
    %autoscaling_groups {
        # Scenario 3 and 6
        check_launch_template(this) or

        # Scenario 4 and 7
        check_mixed_instances_policy(this)
    }
}

rule check_launch_template(autoscaling_groups) {
    %autoscaling_groups {
        check_mutually_exclusive_property_combination(LaunchTemplate,
 MixedInstancesPolicy)
        LaunchTemplate is_struct
        LaunchTemplate {
            check_valid_launch_template_config(this)
        }
    }
}

rule check_mixed_instances_policy(autoscaling_groups) {
    %autoscaling_groups {
        check_mutually_exclusive_property_combination(MixedInstancesPolicy,
 LaunchTemplate)
        MixedInstancesPolicy is_struct
        MixedInstancesPolicy {
            LaunchTemplate exists
            LaunchTemplate is_struct
            LaunchTemplate {
                LaunchTemplateSpecification exists
                LaunchTemplateSpecification is_struct
                check_valid_launch_template_config(LaunchTemplateSpecification)
```

```
            }
        }
    }
}

rule check_valid_launch_template_config(launch_template_specification) {
    %launch_template_specification {
        check_valid_launch_template_property(Version)
        check_valid_prop_combination(LaunchTemplateId, LaunchTemplateName) or
        check_valid_prop_combination(LaunchTemplateName, LaunchTemplateId)
    }
}

rule check_valid_prop_combination(valid_property, invalid_property) {
    check_mutually_exclusive_property_combination(%valid_property, %invalid_property)
    check_valid_launch_template_property(%valid_property)
}

rule check_mutually_exclusive_property_combination(valid_property, invalid_property) {
    %invalid_property not exists
    %valid_property exists
}

rule check_valid_launch_template_property(property) {
    %property {
        check_is_string_and_not_empty(this) or
        check_local_references(%INPUT_DOCUMENT, this, "AWS::EC2::LaunchTemplate")
    }
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.AUTOSCALING.PR.8contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  EC2LaunchTemplate:
```

```
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateName:
        Fn::Sub: ${AWS::StackName}-example
      LaunchTemplateData:
        InstanceType: t3.micro
        ImageId:
          Ref: LatestAmiId
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      VPCZoneIdentifier:
      - Ref: Subnet
      MaxSize: '2'
      MinSize: '1'
      LaunchTemplate:
        LaunchTemplateId:
          Ref: EC2LaunchTemplate
        Version:
          Fn::GetAtt:
          - EC2LaunchTemplate
          - LatestVersionNumber
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  AutoScalingLaunchConfiguration:
    Type: AWS::AutoScaling::LaunchConfiguration
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      LaunchConfigurationName: "AutoScalingLaunchConfiguration"
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      VPCZoneIdentifier:
      - Ref: Subnet
      MaxSize: '2'
      MinSize: '1'
      LaunchConfigurationName: "AutoScalingLaunchConfiguration"
```

[CT.AUTOSCALING.PR.9] Memerlukan volume Amazon EBS yang dikonfigurasi melalui konfigurasi peluncuran Auto Scaling Amazon EC2 untuk mengenkripsi data saat istirahat

Kontrol ini memeriksa apakah konfigurasi peluncuran Auto Scaling dengan pemetaan perangkat blok volume Amazon EBS mengaktifkan enkripsi volume Amazon EBS.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::LaunchConfiguration`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.AUTOSCALING.PR.9

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.AUTOSCALING.PR.9
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Contoh templat CT.AUTOSCALING.PR.9

Penjelasan

Aktifkan enkripsi Amazon EBS saat istirahat, untuk memberikan lapisan keamanan tambahan untuk data sensitif Anda dalam volume Amazon EBS. Enkripsi Amazon EBS menawarkan solusi enkripsi langsung untuk sumber daya Amazon EBS Anda. Ini tidak mengharuskan Anda untuk membangun, memelihara, dan mengamankan infrastruktur manajemen kunci Anda sendiri. Ini menggunakan kunci KMS saat membuat volume dan snapshot terenkripsi.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk konfigurasi peluncuran Auto Scaling Amazon EC2 yang menentukan pemetaan perangkat blok Amazon EBS.

Remediasi untuk kegagalan aturan

Untuk setiap entri dalam BlockDeviceMappings parameter dengan `Ebs` konfigurasi, atur nilai `Encryption` ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Konfigurasi Peluncuran Auto Scaling Amazon EC2 - Contoh

Konfigurasi peluncuran Auto Scaling Amazon EC2 yang dikonfigurasi dengan pemetaan perangkat blok Amazon EBS yang mengaktifkan enkripsi volume. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "LaunchConfiguration": {
        "Type": "AWS::AutoScaling::LaunchConfiguration",
        "Properties": {
            "ImageId": {
                "Ref": "LatestAmiId"
            },
            "InstanceType": "t3.micro",
            "BlockDeviceMappings": [
                {
                    "DeviceName": "/dev/sdc",
                    "Ebs": {
                        "Encrypted": true,
                        "VolumeSize": 100,
                        "VolumeType": "gp3"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
LaunchConfiguration:
  Type: AWS::AutoScaling::LaunchConfiguration
  Properties:
    ImageId: !Ref 'LatestAmiId'
    InstanceType: t3.micro
    BlockDeviceMappings:
```

```
      - DeviceName: /dev/sdc
        Ebs:
          Encrypted: true
          VolumeSize: 100
          VolumeType: gp3
```

Spesifikasi aturan CT.AUTOSCALING.PR.9

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   autoscaling_launch_config_encrypted_volumes_check
#
# Description:
#   This control checks whether Auto Scaling launch configurations with Amazon EBS
 volume block device mappings enable Amazon EBS volume encryption.
#
# Reports on:
#   AWS::AutoScaling::LaunchConfiguration
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 Auto Scaling launch
 configuration resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling launch
 configuration resource
```

```
#       And: 'BlockDeviceMappings' has not been provided or has been provided as an
 empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling launch
 configuration resource
#       And: 'BlockDeviceMappings' has been provided as a non-empty list
#       And: No entries in 'BlockDeviceMappings' contain 'Ebs' as a struct
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling launch
 configuration resource
#       And: 'BlockDeviceMappings' has been provided as a non-empty list
#       And: An entry in 'BlockDeviceMappings' contains 'Ebs' as a struct
#       And: In the same entry, 'Encrypted' in 'Ebs' has not been provided or has been
 provided
#            and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 Auto Scaling launch
 configuration resource
#       And: 'BlockDeviceMappings' has been provided as a non-empty list
#       And: An entry in 'BlockDeviceMappings' contains 'Ebs' as a struct
#       And: In the same entry, 'Encrypted' in 'Ebs' has been provided and set to
 bool(true)
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let AUTOSCALING_LAUNCH_CONFIGURATION_TYPE = "AWS::AutoScaling::LaunchConfiguration"

#
# Assignments
#
let autoscaling_launch_configurations = Resources.*[ Type ==
 %AUTOSCALING_LAUNCH_CONFIGURATION_TYPE ]
```

```
#
# Primary Rules
#
rule autoscaling_launch_config_encrypted_volumes_check when is_cfn_template(this)

 %autoscaling_launch_configurations not empty {
    check(%autoscaling_launch_configurations.Properties)
        <<
        [CT.AUTOSCALING.PR.9]: Require an Amazon EBS volume configured through an
 Amazon EC2 Auto Scaling launch configuration to encrypt data at rest
        [FIX]: For every entry in the BlockDeviceMappings parameter with an 'Ebs'
 configuration, set the value of 'Encryption' to true.
        >>
}

rule autoscaling_launch_config_encrypted_volumes_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AUTOSCALING_LAUNCH_CONFIGURATION_TYPE) {
    check(%INPUT_DOCUMENT.%AUTOSCALING_LAUNCH_CONFIGURATION_TYPE.resourceProperties)
        <<
        [CT.AUTOSCALING.PR.9]: Require an Amazon EBS volume configured through an
 Amazon EC2 Auto Scaling launch configuration to encrypt data at rest
        [FIX]: For every entry in the BlockDeviceMappings parameter with an 'Ebs'
 configuration, set the value of 'Encryption' to true.
        >>
}

#
# Parameterized Rules
#
rule check(autoscaling_launch_configuration) {
    %autoscaling_launch_configuration [
        # Scenarios 2 and 3
        filter_launch_configuration_contains_ebs_block_device_mappings(this)
    ] {
        BlockDeviceMappings[
            Ebs exists
            Ebs is_struct
        ] {
            Ebs {
                # Scenarios 4 and 5
                Encrypted exists
                Encrypted == true
            }
```

```
        }
    }
}

rule
 filter_launch_configuration_contains_ebs_block_device_mappings(launch_configuration) {
    %launch_configuration {
        BlockDeviceMappings exists
        BlockDeviceMappings is_list
        BlockDeviceMappings not empty

        some BlockDeviceMappings[*] {
            Ebs exists
            Ebs is_struct
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Contoh templat CT.AUTOSCALING.PR.9

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
```

```
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchConfiguration:
    Type: AWS::AutoScaling::LaunchConfiguration
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      BlockDeviceMappings:
      - DeviceName: /dev/sdc
        Ebs:
          Encrypted: true
          VolumeSize: 100
          VolumeType: gp3
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value "AWS::EC2::Image::Id"
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  LaunchConfiguration:
    Type: AWS::AutoScaling::LaunchConfiguration
    Properties:
      ImageId:
        Ref: LatestAmiId
      InstanceType: t3.micro
      BlockDeviceMappings:
      - DeviceName: /dev/sdc
        Ebs:
          Encrypted: false
          VolumeSize: 100
          VolumeType: gp3
```

[CT.AUTOSCALING.PR.10] Memerlukan grup Auto Scaling Amazon EC2 untuk AWS hanya menggunakan jenis instans Nitro saat mengganti template peluncuran

Kontrol ini memeriksa apakah, saat menggunakan penggantian parameter `MixedInstancesPolicy` sumber daya, grup Auto Scaling Amazon EC2 akan mengganti template peluncuran dengan menentukan jenis instans Nitro saja. AWS

- Tujuan kontrol: Melindungi integritas data, Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::AutoScalingGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.AUTOSCALING.PR.10

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.AUTOSCALING.PR.10
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.AUTOSCALING.PR.10

Penjelasan

Sistem Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro memberikan keamanan yang ditingkatkan karena terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instans. Sumber daya virtualisasi diturunkan ke perangkat keras dan perangkat lunak khusus, sehingga meminimalkan permukaan serangan. Model keamanan Sistem Nitro dikunci untuk melarang akses administratif, sangat mengurangi kemungkinan kesalahan manusia dan gangguan.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk grup Auto Scaling Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran yang menentukan jenis instans atau atribut instans. `LaunchTemplate.LaunchTemplateSpecification`Konfigurasi menentukan satu atau lebih `Overrides` yang juga menyertakan `InstanceType` atau`InstanceRequirements`.

- Kontrol ini tidak memeriksa jenis instance yang dikonfigurasi pada template peluncuran. Untuk memastikan bahwa template peluncuran menggunakan jenis instans Nitro, gunakan kontrol ini bersama dengan kontrol terkait yang memeriksa template peluncuran untuk jenis instans Nitro.

Remediasi untuk kegagalan aturan

Dalam MixedInstancesPolicy. LaunchTemplate properti, jika memiliki satu atau beberapa `Overrides` bidang yang menyertakan `InstanceType` atau`InstanceRequirements`, tetapkan nilai `InstanceType` ke jenis instans Amazon EC2 yang didasarkan pada sistem AWS Nitro, atau tetapkan nilai `AllowedInstanceTypes` in `InstanceRequirements` ke satu atau beberapa jenis instans Amazon EC2 yang didasarkan pada sistem Nitro. AWS

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling Amazon EC2 - Contoh Satu

Grup Auto Scaling Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran dan jenis instans berdasarkan sistem Nitro. AWS Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "MixedInstancesPolicy": {
                "LaunchTemplate": {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": "LaunchTemplate.LatestVersionNumber"
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceType": "t3.micro"
```

```
                        }
                    ]
                }
            },
            "MaxSize": 1,
            "MinSize": 0,
            "DesiredCapacity": 1,
            "VPCZoneIdentifier": [
                {
                    "Ref": "Subnet"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    MixedInstancesPolicy:
      LaunchTemplate:
        LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceType: t3.micro
    MaxSize: 1
    MinSize: 0
    DesiredCapacity: 1
    VPCZoneIdentifier:
      - !Ref 'Subnet'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling Amazon EC2 - Contoh Dua

Grup Auto Scaling Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran dan persyaratan instans yang menentukan daftar instans yang diizinkan berdasarkan sistem Nitro. AWS Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "MixedInstancesPolicy": {
                "LaunchTemplate": {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": "LaunchTemplate.LatestVersionNumber"
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceRequirements": {
                                "AllowedInstanceTypes": [
                                    "m5.*",
                                    "c5.*"
                                ],
                                "VCpuCount": {
                                    "Min": 2,
                                    "Max": 4
                                },
                                "MemoryMiB": {
                                    "Min": 4000,
                                    "Max": 8000
                                }
                            }
                        }
                    ]
                }
            },
```

```
            "MaxSize": 1,
            "MinSize": 0,
            "DesiredCapacity": 1,
            "VPCZoneIdentifier": [
                {
                    "Ref": "Subnet"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    MixedInstancesPolicy:
      LaunchTemplate:
        LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceRequirements:
              AllowedInstanceTypes:
                - m5.*
                - c5.*
              VCpuCount:
                Min: 2
                Max: 4
              MemoryMiB:
                Min: 4000
                Max: 8000
    MaxSize: 1
    MinSize: 0
    DesiredCapacity: 1
    VPCZoneIdentifier:
      - !Ref 'Subnet'
```

Spesifikasi aturan CT.AUTOSCALING.PR.10

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   autoscaling_group_nitro_instance_override_check
#
# Description:
#   This control checks whether, when using a mixed instance policy, an Amazon EC2 Auto
 Scaling group overrides launch templates with AWS Nitro instance types only.
#
# Reports on:
#   AWS::AutoScaling::AutoScalingGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation Hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 auto scaling group
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has not been provided
 or
#            has been provided as an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
```

```
#       And: No entries in 'Overrides' include 'InstanceType' or 'InstanceRequirements'
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to
 an instance type
#            other than a Nitro instance type
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has not been
 provided or has been
#            provided as an empty list
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has been
 provided as a non-empty list
#       And: An entry in 'AllowedInstanceTypes' is set to an instance type other than a
 Nitro instance type
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to a
 Nitro instance type
#      Then: PASS
```

```
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has been
 provided as a non-empty list
#       And: Every entry in 'AllowedInstanceTypes' is set to a Nitro instance type
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let AUTOSCALING_GROUP_TYPE = "AWS::AutoScaling::AutoScalingGroup"
let NITRO_INSTANCE_TYPES = [
    /^a1\./,
    /^c5\./, /^c5a\./, /^c5ad\./, /^c5d\./, /^c5n\./, /^c6a\./, /^c6g\./, /^c6gd\./, /
^c6gn\./, /^c6i\./, /^c6id\./, /^c6in\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^d3\./, /^d3en\./, /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./, /^g5g\./,
    /^hpc6a\./, /^hpc6id\./, /^hpc7a\./, /^hpc7g\./,
    /^i3.metal$/, /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./, /
^is4gen\./,
    /^m5\./, /^m5a\./, /^m5ad\./, /^m5d\./, /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /
^m6g\./, /^m6gd\./, /^m6i\./, /^m6id\./, /^m6idn\./, /^m6in\./, /^m7a\./, /^m7g\./, /
^m7gd\./, /^m7i\./, /^m7i-flex\./, /^mac1.metal$/, /^mac2-m2pro.metal$/, /^mac2.metal
$/,
    /^p3dn\./, /^p4d\./, /^p4de\./, /^p5\./,
    /^r5\./, /^r5a\./, /^r5ad\./, /^r5b\./, /^r5d\./, /^r5dn\./, /^r5n\./, /^r6a\./, /
^r6g\./, /^r6gd\./, /^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7a\./, /^r7g\./, /
^r7gd\./, /^r7iz\./,
    /^t3\./, /^t3a\./, /^t4g\./, /^trn1\./, /^trn1n\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-3tb1\./, /^u-6tb1\./, /^u-9tb1\./,
    /^vt1\./,
    /^x2gd\./, /^x2idn\./, /^x2iedn\./, /^x2iezn\./,
    /^z1d\./
]

#
# Assignments
#
```

```
let autoscaling_groups = Resources.*[ Type == %AUTOSCALING_GROUP_TYPE ]

#
# Primary Rules
#
rule autoscaling_group_nitro_instance_override_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %autoscaling_groups not empty
 {
    check(%autoscaling_groups.Properties)
        <<
        [CT.AUTOSCALING.PR.10]: Require an Amazon EC2 Auto Scaling group to override
 only those launch templates with AWS Nitro instance types
        [FIX]: In the MixedInstancesPolicy.LaunchTemplate property, if it has one or
 more 'Overrides' fields that include 'InstanceType' or 'InstanceRequirements',
        set the value of 'InstanceType' to an Amazon EC2 instance type that is
 based on the AWS Nitro system, or set the value of 'AllowedInstanceTypes' in
 'InstanceRequirements' to one or more Amazon EC2 instance
        types that are based on the AWS Nitro system.
        >>
}

rule autoscaling_group_nitro_instance_override_check when is_cfn_hook(%INPUT_DOCUMENT,
 %AUTOSCALING_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%AUTOSCALING_GROUP_TYPE.resourceProperties)
        <<
        [CT.AUTOSCALING.PR.10]: Require an Amazon EC2 Auto Scaling group to override
 only those launch templates with AWS Nitro instance types
        [FIX]: In the MixedInstancesPolicy.LaunchTemplate property, if it has one or
 more 'Overrides' fields that include 'InstanceType' or 'InstanceRequirements',
        set the value of 'InstanceType' to an Amazon EC2 instance type that is
 based on the AWS Nitro system, or set the value of 'AllowedInstanceTypes' in
 'InstanceRequirements' to one or more Amazon EC2
        instance types that are based on the AWS Nitro system.
        >>
}

#
# Parameterized Rules
#
rule check(autoscaling_group) {
    %autoscaling_group [
        # Scenarios 2 and 3
        filter_launch_template_overrides(this)
```

```
    ] {
        MixedInstancesPolicy {
            LaunchTemplate {
                Overrides[ InstanceType exists ] {
                    # Scenarios 4 and 7
                    InstanceType in %NITRO_INSTANCE_TYPES
                }
                Overrides[ InstanceRequirements exists ] {
                    InstanceRequirements {
                        # Scenarios 5, 6 and 8
                        AllowedInstanceTypes exists
                        AllowedInstanceTypes is_list
                        AllowedInstanceTypes not empty
                        AllowedInstanceTypes[*] in %NITRO_INSTANCE_TYPES
                    }
                }
            }
        }
    }
}

rule filter_launch_template_overrides(autoscaling_group) {
    %autoscaling_group {
        MixedInstancesPolicy exists
        MixedInstancesPolicy is_struct

        MixedInstancesPolicy {
            LaunchTemplate exists
            LaunchTemplate is_struct

            LaunchTemplate {
                Overrides exists
                Overrides is_list
                Overrides not empty

                some Overrides[*] {
                    InstanceType exists or
                    InstanceRequirements exists
                }
            }
        }
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Templat contoh CT.AUTOSCALING.PR.10

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
```

```
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceType: t3.micro
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
```

```
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceRequirements:
              AllowedInstanceTypes:
              - m5.*
              - c5.*
              VCpuCount:
                Min: 2
                Max: 4
              MemoryMiB:
                Min: 4000
                Max: 8000
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
```

```
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceType: t2.micro
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceRequirements:
              AllowedInstanceTypes:
              - c4.large
              VCpuCount:
```

```
                Max: 16
                Min: 1
              MemoryMiB:
                Min: 1000
                Max: 17000
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

[CT.AUTOSCALING.PR.11] Hanya memerlukan jenis instans AWS Nitro yang mendukung enkripsi lalu lintas jaringan antar instans untuk ditambahkan ke grup Auto Scaling Amazon EC2, saat mengganti template peluncuran

Kontrol ini memeriksa apakah grup Auto Scaling Amazon EC2 AWS menggunakan jenis instans Nitro yang mendukung enkripsi lalu lintas jaringan antar instans, saat mengganti template peluncuran. Grup Auto Scaling membuat penggantian ini dalam parameter. `AWS::Autoscaling::AutoscalingGroup.MixedInstancesPolicy.LaunchTemplate`

- Tujuan kontrol: Enkripsi data dalam perjalanan, Lindungi integritas data, Terapkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AutoScaling::AutoScalingGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.AUTOSCALING.PR.11

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.AUTOSCALING.PR.11
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Contoh templat CT.AUTOSCALING.PR.11

Penjelasan

Sistem Nitro adalah kumpulan komponen perangkat keras dan perangkat lunak yang dibangun oleh AWS untuk memungkinkan kinerja tinggi, ketersediaan tinggi, dan keamanan tinggi. Sistem Nitro memberikan keamanan yang ditingkatkan karena terus memantau, melindungi, dan memverifikasi perangkat keras dan firmware instans. Sumber daya virtualisasi diturunkan ke perangkat keras dan perangkat lunak khusus, sehingga meminimalkan permukaan serangan. Model keamanan Sistem Nitro dikunci untuk melarang akses administratif, sangat mengurangi kemungkinan kesalahan manusia dan gangguan.

AWS menyediakan konektivitas aman dan pribadi antara instans Amazon EC2 dari semua jenis. Selain itu, beberapa jenis instance menggunakan kemampuan pembongkaran perangkat keras Sistem Nitro yang mendasarinya untuk mengenkripsi lalu lintas dalam transit antar instance, secara otomatis. Enkripsi ini menggunakan algoritma Authenticated Encryption with Associated Data (AEAD), dan enkripsi 256-bit. Ini tidak berdampak pada kinerja jaringan.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk grup Auto Scaling Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran yang menentukan jenis instans atau atribut instans. `LaunchTemplate.LaunchTemplateSpecification`Konfigurasi menentukan satu atau lebih `Overrides` yang juga menyertakan `InstanceType` atau`InstanceRequirements`.
- Kontrol ini tidak memeriksa jenis instance yang dikonfigurasi pada template peluncuran. Untuk memastikan bahwa template peluncuran menggunakan jenis instans Nitro yang mendukung enkripsi dalam perjalanan antar instance, gunakan kontrol ini bersama dengan kontrol terkait yang memeriksa templat peluncuran untuk jenis instans Nitro yang mendukung enkripsi dalam perjalanan antar instance.
- Untuk mendukung enkripsi lalu lintas dalam transit antar instans, instans Amazon EC2 harus menjadi salah satu jenis yang diperlukan oleh kontrol ini, instans harus Wilayah AWS sama, dan mereka harus berada dalam VPC yang sama atau grup VPC peered, di mana lalu lintas tidak melewati perangkat atau layanan jaringan virtual, seperti penyeimbang beban atau gateway transit.

Remediasi untuk kegagalan aturan

`MixedInstancesPolicy.LaunchTemplate`Dengan satu atau lebih `Overrides` yang menyertakan `InstanceType` atau`InstanceRequirements`, setel `InstanceType` ke jenis instans EC2 berdasarkan sistem AWS Nitro yang mendukung enkripsi dalam perjalanan antar instans, atau

disetel `InstanceRequirements` ke satu atau beberapa jenis instans EC2 berdasarkan sistem AWS Nitro yang mendukung enkripsi `AllowedInstanceTypes` dalam transit antar instans.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling Amazon EC2 - Contoh Satu

Grup Auto Scaling Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran dan jenis instans yang didasarkan pada sistem Nitro. AWS Ini mendukung enkripsi dalam perjalanan antar instance. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "MixedInstancesPolicy": {
                "LaunchTemplate": {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": "LaunchTemplate.LatestVersionNumber"
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceType": "c5a.large"
                        }
                    ]
                }
            },
            "MaxSize": 1,
            "MinSize": 0,
            "DesiredCapacity": 1,
            "VPCZoneIdentifier": [
                {
                    "Ref": "Subnet"
                }
            ]
```

```
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    MixedInstancesPolicy:
      LaunchTemplate:
        LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceType: c5a.large
    MaxSize: 1
    MinSize: 0
    DesiredCapacity: 1
    VPCZoneIdentifier:
      - !Ref 'Subnet'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Auto Scaling Amazon EC2 - Contoh Dua

Grup Auto Scaling Amazon EC2 yang dikonfigurasi dengan penggantian template peluncuran dan persyaratan instansnya, yang menentukan daftar instans yang diizinkan yang didasarkan pada sistem Nitro. AWS Ini mendukung enkripsi dalam perjalanan antar instance. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "AutoScalingGroup": {
        "Type": "AWS::AutoScaling::AutoScalingGroup",
        "Properties": {
            "MixedInstancesPolicy": {
```

```
                "LaunchTemplate": {
                    "LaunchTemplateSpecification": {
                        "LaunchTemplateId": {
                            "Ref": "LaunchTemplate"
                        },
                        "Version": {
                            "Fn::GetAtt": "LaunchTemplate.LatestVersionNumber"
                        }
                    },
                    "Overrides": [
                        {
                            "InstanceRequirements": {
                                "AllowedInstanceTypes": [
                                    "c5a.*",
                                    "m6a.*"
                                ],
                                "VCpuCount": {
                                    "Min": 2,
                                    "Max": 4
                                },
                                "MemoryMiB": {
                                    "Min": 4000,
                                    "Max": 8000
                                }
                            }
                        }
                    ]
                }
            },
            "MaxSize": 1,
            "MinSize": 0,
            "DesiredCapacity": 1,
            "VPCZoneIdentifier": [
                {
                    "Ref": "Subnet"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
AutoScalingGroup:
  Type: AWS::AutoScaling::AutoScalingGroup
  Properties:
    MixedInstancesPolicy:
      LaunchTemplate:
        LaunchTemplateSpecification:
          LaunchTemplateId: !Ref 'LaunchTemplate'
          Version: !GetAtt 'LaunchTemplate.LatestVersionNumber'
        Overrides:
          - InstanceRequirements:
              AllowedInstanceTypes:
                - c5a.*
                - m6a.*
              VCpuCount:
                Min: 2
                Max: 4
              MemoryMiB:
                Min: 4000
                Max: 8000
    MaxSize: 1
    MinSize: 0
    DesiredCapacity: 1
    VPCZoneIdentifier:
      - !Ref 'Subnet'
```

Spesifikasi aturan CT.AUTOSCALING.PR.11

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   autoscaling_group_nitro_encryption_in_transit_override_check
#
# Description:
#   This control checks whether an Auto Scaling group, when using a mixed instance
 policy, overrides only those launch templates with AWS Nitro
instance types that support encryption in transit between instances.
#
```

```
# Reports on:
#   AWS::AutoScaling::AutoScalingGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EC2 auto scaling group
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has not been provided
 or
#            has been provided as an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: No entries in 'Overrides' include 'InstanceType' or 'InstanceRequirements'
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to
 an instance type
#            other than a Nitro instance type that supports encryption in-transit
 between instances
#      Then: FAIL
#   Scenario: 5
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has not been
 provided or has been
#            provided as an empty list
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has been
 provided as a non-empty list
#       And: An entry in 'AllowedInstanceTypes' is set to an instance type other than a
 Nitro instance type
#            that supports encryption in-transit between instances
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceType' has been provided and set to a
 Nitro instance type
#            that supports encryption in-transit between instances
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EC2 auto scaling group resource
#       And: 'Overrides' in 'MixedInstancesPolicy.LaunchTemplate' has been provided as
 a non-empty list
#       And: For an entry in 'Overrides', 'InstanceRequirements' has been provided
#       And: For the same entry in 'Overrides', 'AllowedInstanceTypes' has been
 provided as a non-empty list
#       And: Every entry in 'AllowedInstanceTypes' is set to a Nitro instance type that
#            supports encryption in-transit between instances
```

```
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let AUTOSCALING_GROUP_TYPE = "AWS::AutoScaling::AutoScalingGroup"
let NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES = [
    /^c5a\./, /^c5ad\./, /^c5n\./, /^c6a\./, /^c6gn\./, /^c6i\./, /^c6id\./, /^c6in
\./, /^c7g\./, /^c7gd\./, /^c7gn\./, /^c7i\./,
    /^d3\./, /^d3en\./, /^dl1\./,
    /^g4ad\./, /^g4dn\./, /^g5\./,
    /^hpc6a\./, /^hpc6id\./, /^hpc7a\./, /^hpc7g\./,
    /^i3en\./, /^i4g\./, /^i4i\./, /^im4gn\./, /^inf1\./, /^inf2\./, /^is4gen\./,
    /^m5dn\./, /^m5n\./, /^m5zn\./, /^m6a\./, /^m6i\./, /^m6id\./, /^m6idn\./, /^m6in
\./, /^m7a\./, /^m7g\./, /^m7gd\./, /^m7i\./, /^m7i-flex\./,
    /^p3dn\./, /^p4d\./, /^p4de\./, /^p5\./,
    /^r5dn\./, /^r5n\./, /^r6a\./, /^r6i\./, /^r6id\./, /^r6idn\./, /^r6in\./, /^r7a
\./, /^r7g\./, /^r7gd\./, /^r7iz\./,
    /^trn1\./, /^trn1n\./,
    /^u-12tb1\./, /^u-18tb1\./, /^u-24tb1\./, /^u-3tb1\./, /^u-6tb1\./, /^u-9tb1\./,
    /^vt1\./,
    /^x2idn\./, /^x2iedn\./, /^x2iezn\./
]

#
# Assignments
#
let autoscaling_groups = Resources.*[ Type == %AUTOSCALING_GROUP_TYPE ]

#
# Primary Rules
#
rule autoscaling_group_nitro_encryption_in_transit_override_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %autoscaling_groups not empty {
    check(%autoscaling_groups.Properties)
        <<
        [CT.AUTOSCALING.PR.11]: Require an Amazon EC2 instance to use a Nitro instance
 type that supports encryption in transit between instances when created using the
        'AWS::AutoScaling::AutoScalingGroup' resource type
```

```
        [FIX]: In 'MixedInstancesPolicy.LaunchTemplate' with one or more 'Overrides'
 that include 'InstanceType' or 'InstanceRequirements', set either 'InstanceType' to an
 Amazon EC2 instance type based on
        the AWS Nitro system that supports encryption in-transit between instances,
 or set 'AllowedInstanceTypes' in 'InstanceRequirements' to one or more Amazon EC2
 instance types based on the AWS Nitro system
        that supports encryption in-transit between instances.
        >>
}

rule autoscaling_group_nitro_encryption_in_transit_override_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AUTOSCALING_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%AUTOSCALING_GROUP_TYPE.resourceProperties)
        <<
        [CT.AUTOSCALING.PR.11]: Require an Amazon EC2 instance to use a Nitro instance
 type that supports encryption in transit between instances when created using the
        'AWS::AutoScaling::AutoScalingGroup' resource type
        [FIX]: In 'MixedInstancesPolicy.LaunchTemplate' with one or more 'Overrides'
 that include 'InstanceType' or 'InstanceRequirements', set either 'InstanceType' to an
 Amazon EC2 instance type based on the AWS Nitro
        system that supports encryption in-transit between instances, or set
 'AllowedInstanceTypes' in 'InstanceRequirements' to one or more Amazon EC2 instance
 types based on the AWS Nitro system
        that supports encryption in-transit between instances.
        >>
}

#
# Parameterized Rules
#
rule check(autoscaling_group) {
    %autoscaling_group [
        # Scenarios 2 and 3
        filter_launch_template_overrides(this)
    ] {
        MixedInstancesPolicy {
            LaunchTemplate {
                Overrides[ InstanceType exists ] {
                    # Scenarios 4 and 7
                    InstanceType in %NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES
                }
                Overrides[ InstanceRequirements exists ] {
                    InstanceRequirements {
                        # Scenarios 5, 6 and 8
```

```
                        AllowedInstanceTypes exists
                        AllowedInstanceTypes is_list
                        AllowedInstanceTypes not empty
                        AllowedInstanceTypes[*] in
 %NITRO_ENCRYPTION_IN_TRANSIT_INSTANCE_TYPES
                    }
                }
            }
        }
    }
}

rule filter_launch_template_overrides(autoscaling_group) {
    %autoscaling_group {
        MixedInstancesPolicy exists
        MixedInstancesPolicy is_struct

        MixedInstancesPolicy {
            LaunchTemplate exists
            LaunchTemplate is_struct

            LaunchTemplate {
                Overrides exists
                Overrides is_list
                Overrides not empty

                some Overrides[*] {
                    InstanceType exists or
                    InstanceRequirements exists
                }
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Contoh templat CT.AUTOSCALING.PR.11

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
```

```
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceType: c5a.large
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
```

```
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceRequirements:
              AllowedInstanceTypes:
              - m6a.*
              - c5a.*
              VCpuCount:
                Min: 2
                Max: 4
              MemoryMiB:
                Min: 4000
                Max: 8000
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
```

```
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceType: t2.micro
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Parameters:
  LatestAmiId:
    Description: Region specific latest AMI ID from the Parameter Store
    Type: AWS::SSM::Parameter::Value 'AWS::EC2::Image::Id'
    Default: /aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2
```

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
  LaunchTemplate:
    Type: AWS::EC2::LaunchTemplate
    Properties:
      LaunchTemplateData:
        ImageId:
          Ref: LatestAmiId
  AutoScalingGroup:
    Type: AWS::AutoScaling::AutoScalingGroup
    Properties:
      MixedInstancesPolicy:
        LaunchTemplate:
          LaunchTemplateSpecification:
            LaunchTemplateId:
              Ref: LaunchTemplate
            Version:
              Fn::GetAtt: LaunchTemplate.LatestVersionNumber
          Overrides:
          - InstanceRequirements:
              AllowedInstanceTypes:
              - c4.large
              VCpuCount:
                Max: 16
                Min: 1
              MemoryMiB:
                Min: 1000
                Max: 17000
      MaxSize: 1
      MinSize: 0
      DesiredCapacity: 1
      VPCZoneIdentifier:
      - Ref: Subnet
```

ElastiCache Kontrol Amazon

Topik

- [CT.ELASTICACHE.PR.1] Memerlukan Amazon untuk cluster Redis agar cadangan otomatis diaktifkan ElastiCache
- [CT.ELASTICACHE.PR.2] Memerlukan Amazon ElastiCache untuk kluster Redis agar pemutakhiran versi minor otomatis diaktifkan
- [CT.ELASTICACHE.PR.3] Memerlukan ElastiCache Amazon untuk grup replikasi Redis agar failover otomatis diaktifkan
- [CT.ELASTICACHE.PR.4] Memerlukan grup replikasi Amazon ElastiCache agar enkripsi diaktifkan saat istirahat
- [CT.ELASTICACHE.PR.5] Memerlukan ElastiCache Amazon untuk grup replikasi Redis agar enkripsi saat transit diaktifkan
- [CT.ELASTICACHE.PR.6] Memerlukan cluster cache Amazon ElastiCache untuk menggunakan grup subnet khusus
- [CT.ELASTICACHE.PR.7] Memerlukan grup replikasi ElastiCache Amazon dari versi Redis sebelumnya agar Redis AUTH diaktifkan
- [CT.ELASTICACHE.PR.8] Memerlukan grup ElastiCache replikasi Amazon dari versi Redis yang lebih baru agar otentikasi RBAC diaktifkan

[CT.ELASTICACHE.PR.1] Memerlukan Amazon untuk cluster Redis agar cadangan otomatis diaktifkan ElastiCache

Kontrol ini memeriksa apakah klaster Amazon ElastiCache Redis memiliki pencadangan otomatis yang diaktifkan.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::CacheCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.1
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.1 contoh template

Penjelasan

Saat pencadangan otomatis diaktifkan, Amazon ElastiCache membuat cadangan cluster setiap hari. Tidak ada dampak pada cluster, dan perubahannya langsung terjadi. Pencadangan otomatis dapat membantu mencegah kehilangan data. Jika terjadi kegagalan, Anda dapat membuat cluster baru, dan memulihkan data Anda dari cadangan terbaru.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk cluster ElastiCache cache Amazon dengan tipe mesin `redis`

Remediasi untuk kegagalan aturan

Tetapkan nilai `SnapshotRetentionLimit` parameter ke nilai integer lebih besar dari 0.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

ElastiCache Cluster Cache Amazon - Contoh

ElastiCache Cluster cache Amazon yang dikonfigurasi dengan pencadangan otomatis diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "CacheCluster": {
        "Type": "AWS::ElastiCache::CacheCluster",
        "Properties": {
            "Engine": "redis",
            "NumCacheNodes": 1,
            "CacheNodeType": "cache.t3.micro",
```

```
            "VpcSecurityGroupIds": [
                {
                    "Ref": "SecurityGroup"
                }
            ],
            "CacheSubnetGroupName": {
                "Ref": "SubnetGroup"
            },
            "SnapshotRetentionLimit": 5
        }
    }
}
```

Contoh YAMAL

```
CacheCluster:
  Type: AWS::ElastiCache::CacheCluster
  Properties:
    Engine: redis
    NumCacheNodes: 1
    CacheNodeType: cache.t3.micro
    VpcSecurityGroupIds:
      - !Ref 'SecurityGroup'
    CacheSubnetGroupName: !Ref 'SubnetGroup'
    SnapshotRetentionLimit: 5
```

Spesifikasi aturan CT.ELASTICACHE.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_redis_cluster_auto_backup_check
#
# Description:
#   This control checks whether an Amazon ElastiCache Redis cluster has automatic
 backups enabled.
```

```
#
# Reports on:
#   AWS::ElastiCache::CacheCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElastiCache cache cluster
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache CacheCluster resource
#       And: 'Engine' has not been provided or has been provided and is not set to
 'redis'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cache cluster resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'SnapshotRetentionLimit' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cache cluster resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'SnapshotRetentionLimit' has been provided and set to a non-integer value
 or an integer value of 0
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cache cluster resource
#       And: 'Engine' has been provided and set to 'redis'
```

```
#       And: 'SnapshotRetentionLimit' has been provided and set to an integer value
 greater than 0
#      Then: PASS

#
# Constants
#
let ELASTICACHE_CACHE_CLUSTER_TYPE = "AWS::ElastiCache::CacheCluster"
let REDIS_ENGINE_TYPE = "redis"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticache_clusters = Resources.*[ Type == %ELASTICACHE_CACHE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule elasticache_redis_cluster_auto_backup_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %elasticache_clusters not empty {
    check(%elasticache_clusters.Properties)
        <<
        [CT.ELASTICACHE.PR.1]: Require an Amazon ElastiCache for Redis cluster to have
 automatic backups activated
        [FIX]: Set the value of the 'SnapshotRetentionLimit' parameter to an integer
 value greater than 0.
        >>
}

rule elasticache_redis_cluster_auto_backup_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_CACHE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_CACHE_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.ELASTICACHE.PR.1]: Require an Amazon ElastiCache for Redis cluster to have
 automatic backups activated
        [FIX]: Set the value of the 'SnapshotRetentionLimit' parameter to an integer
 value greater than 0.
        >>
}

#
# Parameterized Rules
#
```

```
rule check(elasticache_cache_cluster) {
    %elasticache_cache_cluster [
        # Scenario 2
        Engine exists
        Engine == %REDIS_ENGINE_TYPE
    ] {
        # Scenarios 3, 4 and 5
        SnapshotRetentionLimit exists
        SnapshotRetentionLimit > 0
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICACHE.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
```

```
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: test
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Cache Subnet Group
      SubnetIds:
      - Ref: Subnet
  CacheCluster:
    Type: AWS::ElastiCache::CacheCluster
    Properties:
      Engine: redis
      NumCacheNodes: 1
      CacheNodeType: cache.t3.micro
      VpcSecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      SnapshotRetentionLimit: 5
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: test
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Cache Subnet Group
      SubnetIds:
      - Ref: Subnet
  CacheCluster:
    Type: AWS::ElastiCache::CacheCluster
    Properties:
      Engine: redis
      NumCacheNodes: 1
      CacheNodeType: cache.t3.micro
      VpcSecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      SnapshotRetentionLimit: 0
```

[CT.ELASTICACHE.PR.2] Memerlukan Amazon ElastiCache untuk kluster Redis agar pemutakhiran versi minor otomatis diaktifkan

Kontrol ini memeriksa apakah klaster Amazon ElastiCache untuk Redis mengaktifkan peningkatan versi minor otomatis.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::CacheCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.2
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.2 contoh template

Penjelasan

Dengan mengaktifkan upgrade versi minor otomatis, Anda memastikan bahwa pembaruan versi minor terbaru ke cluster ElastiCache cache Amazon diinstal. Upgrade ini mungkin termasuk patch keamanan dan perbaikan bug. Tetap up to date dengan instalasi patch adalah langkah penting dalam mengamankan sistem.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk cluster ElastiCache cache Amazon dengan tipe mesin `redis` dan versi mesin 6.0 atau yang lebih baru.

Remediasi untuk kegagalan aturan

Tetapkan nilai `AutoMinorVersionUpgrade` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

ElastiCache Cluster Cache Amazon - Contoh

ElastiCache Cluster cache Amazon yang dikonfigurasi dengan peningkatan versi minor otomatis diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElastCacheCacheCluster": {
        "Type": "AWS::ElastiCache::CacheCluster",
        "Properties": {
            "CacheNodeType": "cache.t3.micro",
            "NumCacheNodes": "1",
            "VpcSecurityGroupIds": [
                {
                    "Fn::GetAtt": [
                        "SecurityGroup",
                        "GroupId"
                    ]
                }
            ],
            "Engine": "redis",
            "EngineVersion": 6.0,
            "AutoMinorVersionUpgrade": true
        }
    }
}
```

Contoh YAMAL

```
ElastCacheCacheCluster:
  Type: AWS::ElastiCache::CacheCluster
  Properties:
    CacheNodeType: cache.t3.micro
    NumCacheNodes: '1'
    VpcSecurityGroupIds:
      - !GetAtt 'SecurityGroup.GroupId'
    Engine: redis
```

```
    EngineVersion: 6.0
    AutoMinorVersionUpgrade: true
```

Spesifikasi aturan CT.ELASTICACHE.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_auto_minor_version_upgrade_check
#
# Description:
#   This control checks whether an Amazon ElastiCache for Redis cluster has automatic
 minor version upgrades enabled.
#
# Reports on:
#   AWS::ElastiCache::CacheCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElastiCache cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'Engine' has not been provided or has been provided and is not set to
 'redis'
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'Engine' has been provided and is set to 'redis'
#       And: 'EngineVersion' has been provided and set to a version less than 6
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'Engine' has been provided and is set to 'redis'
#       And: 'EngineVersion' has not been provided or 'EngineVersion' has been provided
 and set
#            to a version greater than or equal to 6
#       And: 'AutoMinorVersionUpgrade' has not been provided
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'Engine' has been provided and is set to 'redis'
#       And: 'EngineVersion' has not been provided or 'EngineVersion' has been provided
 and set
#            to a version greater than or equal to 6
#       And: 'AutoMinorVersionUpgrade' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'Engine' has been provided and is set to 'redis'
#       And: 'EngineVersion' has not been provided or 'EngineVersion' has been provided
 and set
#            to a version greater than or equal to 6
#       And: 'AutoMinorVersionUpgrade' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let ELASTICACHE_CLUSTER_TYPE = "AWS::ElastiCache::CacheCluster"
let INPUT_DOCUMENT = this
let REDIS_ENGINE_TYPE = "redis"
```

```
let UNSUPPORTED_REDIS_ENGINE_VERSIONS_FOR_AUTO_UPGRADE = [
    /^2\./,
    /^3\./,
    /^4\./,
    /^5\./
]

#
# Assignments
#
let elasticache_clusters = Resources.*[ Type == %ELASTICACHE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule elasticache_auto_minor_version_upgrade_check when is_cfn_template(%INPUT_DOCUMENT)
                                                       %elasticache_clusters not empty
 {
    check(%elasticache_clusters.Properties)
        <<
        [CT.ELASTICACHE.PR.2]: Require an Amazon ElastiCache for Redis cluster to have
 automatic minor version upgrades activated
        [FIX]: Set the value of the 'AutoMinorVersionUpgrade' parameter to true.
        >>
}

rule elasticache_auto_minor_version_upgrade_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.ELASTICACHE.PR.2]: Require an Amazon ElastiCache for Redis cluster to have
 automatic minor version upgrades activated
        [FIX]: Set the value of the 'AutoMinorVersionUpgrade' parameter to true.
        >>
}

#
# Parameterized Rules
#
rule check(elasticache_clusters) {
    %elasticache_clusters [
        # Scenario 2
        Engine exists
        Engine == %REDIS_ENGINE_TYPE
```

```
        # Scenario 3
        EngineVersion not exists or
        EngineVersion not in %UNSUPPORTED_REDIS_ENGINE_VERSIONS_FOR_AUTO_UPGRADE
    ] {
        # Scenario 4, 5 and 6
        AutoMinorVersionUpgrade exists
        AutoMinorVersionUpgrade == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICACHE.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      SecurityGroupIngress:
      - IpProtocol: tcp
        FromPort: 11211
```

```
        ToPort: 11211
        CidrIp: 10.0.0.0/24
  ElastCacheCacheCluster:
    Type: AWS::ElastiCache::CacheCluster
    Properties:
      CacheNodeType: cache.t3.micro
      NumCacheNodes: '1'
      VpcSecurityGroupIds:
      - Fn::GetAtt:
        - SecurityGroup
        - GroupId
      Engine: redis
      AutoMinorVersionUpgrade: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      SecurityGroupIngress:
      - IpProtocol: tcp
        FromPort: 11211
        ToPort: 11211
        CidrIp: 10.0.0.0/24
  ElastCacheCacheCluster:
    Type: AWS::ElastiCache::CacheCluster
    Properties:
      CacheNodeType: cache.t3.micro
      NumCacheNodes: '1'
      VpcSecurityGroupIds:
      - Fn::GetAtt:
        - SecurityGroup
        - GroupId
      Engine: redis
      AutoMinorVersionUpgrade: false
```

[CT.ELASTICACHE.PR.3] Memerlukan ElastiCache Amazon untuk grup replikasi Redis agar failover otomatis diaktifkan

Kontrol ini memeriksa apakah grup replikasi Amazon ElastiCache Redis mengaktifkan failover otomatis.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::ReplicationGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.3
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.3 contoh template

Penjelasan

Ketika failover otomatis diaktifkan untuk grup replikasi, peran node utama akan gagal ke salah satu replika baca, secara otomatis. Promosi failover dan replika ini memastikan bahwa Anda dapat melanjutkan penulisan ke primer baru segera setelah promosi selesai, sehingga mengurangi waktu henti secara keseluruhan jika terjadi kegagalan.

Remediasi untuk kegagalan aturan

Tetapkan nilai `AutomaticFailoverEnabled` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup ElastiCache Replikasi Amazon - Contoh

Grup ElastiCache replikasi Amazon yang dikonfigurasi dengan failover otomatis diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ReplicationGroup": {
        "Type": "AWS::ElastiCache::ReplicationGroup",
        "Properties": {
            "ReplicationGroupDescription": "Sample replication group",
            "CacheNodeType": "cache.t3.micro",
            "SecurityGroupIds": [
                {
                    "Ref": "SecurityGroup"
                }
            ],
            "CacheSubnetGroupName": {
                "Ref": "SubnetGroup"
            },
            "NumCacheClusters": 2,
            "Engine": "redis",
            "AutomaticFailoverEnabled": true
        }
    }
}
```

Contoh YAMAL

```
ReplicationGroup:
  Type: AWS::ElastiCache::ReplicationGroup
  Properties:
    ReplicationGroupDescription: Sample replication group
    CacheNodeType: cache.t3.micro
    SecurityGroupIds:
      - !Ref 'SecurityGroup'
    CacheSubnetGroupName: !Ref 'SubnetGroup'
    NumCacheClusters: 2
    Engine: redis
    AutomaticFailoverEnabled: true
```

Spesifikasi aturan CT.ELASTICACHE.PR.3

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_repl_grp_backup_enabled_check
#
# Description:
#   This control checks whether an Amazon ElastiCache Redis replication group has
 automatic failover enabled.
#
# Reports on:
#   AWS::ElastiCache::ReplicationGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElastiCache replication group
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has not been provided or has been provided and is not set to
 'redis'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'AutomaticFailoverEnabled' has not been provided
#      Then: FAIL
```

```
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'AutomaticFailoverEnabled' has been provided and is set to a value other
 than bool(true)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'AutomaticFailoverEnabled' has been provided and is set to a value of
 bool(true)
#      Then: PASS

#
# Constants
#
let ELASTICACHE_REPLICATION_GROUP_TYPE = "AWS::ElastiCache::ReplicationGroup"
let REDIS_ENGINE_TYPE = "redis"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticache_replication_groups = Resources.*[ Type ==
 %ELASTICACHE_REPLICATION_GROUP_TYPE ]

#
# Primary Rules
#
rule elasticache_repl_grp_auto_failover_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %elasticache_replication_groups not empty {
    check(%elasticache_replication_groups.Properties)
        <<
        [CT.ELASTICACHE.PR.3]: Require an Amazon ElastiCache for Redis replication
 group to have automatic failover activated
        [FIX]: Set the value of the 'AutomaticFailoverEnabled' parameter to true.
        >>
}
```

```
rule elasticache_repl_grp_auto_failover_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_REPLICATION_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_REPLICATION_GROUP_TYPE.resourceProperties)
        <<
        [CT.ELASTICACHE.PR.3]: Require an Amazon ElastiCache for Redis replication
 group to have automatic failover activated
        [FIX]: Set the value of the 'AutomaticFailoverEnabled' parameter to true.
        >>
}

#
# Parameterized Rules
#
rule check(elasticache_replication_group) {
    %elasticache_replication_group [
        # Scenario 2
        Engine exists
        Engine == %REDIS_ENGINE_TYPE
    ] {
        # Scenarios 3, 4 and 5
        AutomaticFailoverEnabled exists
        AutomaticFailoverEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICACHE.PR.3 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Example subnet group
      SubnetIds:
      - Ref: Subnet
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      ReplicationGroupDescription:
```

```
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      NumCacheClusters: 2
      Engine: redis
      AutomaticFailoverEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
```

```
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Example subnet group
      SubnetIds:
      - Ref: Subnet
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      ReplicationGroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      NumCacheClusters: 2
      Engine: redis
      AutomaticFailoverEnabled: false
```

[CT.ELASTICACHE.PR.4] Memerlukan grup replikasi Amazon ElastiCache agar enkripsi diaktifkan saat istirahat

Kontrol ini memeriksa apakah grup ElastiCache replikasi Amazon mengaktifkan encryption-at-rest pengaturan.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::ReplicationGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.4
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.4 contoh template

Penjelasan

Enkripsi data saat istirahat adalah praktik terbaik yang direkomendasikan yang menambahkan lapisan manajemen akses di sekitar data Anda. Jika terjadi kompromi pada node ElastiCache replika Amazon Anda, encryption-at-rest pengaturan ini memastikan bahwa data Anda dilindungi dari akses yang tidak diinginkan.

Pertimbangan penggunaan

- Kontrol ini memerlukan penggunaan enkripsi saat istirahat, yang didukung hanya untuk grup replikasi dengan versi mesin Redis 3.2.6 atau lebih tinggi.

Remediasi untuk kegagalan aturan

Tetapkan nilai `AtRestEncryptionEnabled` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup ElastiCache Replikasi Amazon - Contoh

Grup ElastiCache replikasi Amazon dikonfigurasi dengan enkripsi saat istirahat diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElastiCacheReplicationGroup": {
        "Type": "AWS::ElastiCache::ReplicationGroup",
        "Properties": {
            "CacheSubnetGroupName": {
                "Ref": "SubnetGroup"
            },
            "CacheNodeType": "cache.t3.medium",
            "NumCacheClusters": 2,
            "Engine": "redis",
            "ReplicationGroupDescription": "Sample replication group",
            "AtRestEncryptionEnabled": true
        }
    }
}
```

Contoh YAMAL

```
ElastiCacheReplicationGroup:
  Type: AWS::ElastiCache::ReplicationGroup
  Properties:
    CacheSubnetGroupName: !Ref 'SubnetGroup'
    CacheNodeType: cache.t3.medium
    NumCacheClusters: 2
    Engine: redis
    ReplicationGroupDescription: Sample replication group
    AtRestEncryptionEnabled: true
```

Spesifikasi aturan CT.ELASTICACHE.PR.4

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_repl_grp_encrypted_at_rest_check
#
# Description:
#   This control checks whether an Amazon ElastiCache replication group has the
 encryption-at-rest setting enabled.
#
# Reports on:
#   AWS::ElastiCache::ReplicationGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#  Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElastiCache ReplicationGroup
 resources
#      Then: SKIP
#  Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has not been provided or has been provided and is not set to
 'redis'
#      Then: SKIP
#  Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'AtRestEncryptionEnabled' has not been provided
#      Then: FAIL
#  Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'AtRestEncryptionEnabled' has been provided and is set to a value other
 than bool(true)
#      Then: FAIL
#  Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'AtRestEncryptionEnabled' has been provided and is set to a value of
 bool(true)
#      Then: PASS

#
# Constants
#
let ELASTICACHE_REPLICATION_GROUP_TYPE = "AWS::ElastiCache::ReplicationGroup"
let INPUT_DOCUMENT = this

#
# Assignments
```

```
#
let elasticache_replication_groups = Resources.*[ Type ==
 %ELASTICACHE_REPLICATION_GROUP_TYPE ]

#
# Primary Rules
#
rule elasticache_repl_grp_encrypted_at_rest_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %elasticache_replication_groups
 not empty {
    check(%elasticache_replication_groups.Properties)
        <<
        [CT.ELASTICACHE.PR.4]: Require an Amazon ElastiCache replication group to have
 encryption at rest activated
        [FIX]: Set the value of the 'AtRestEncryptionEnabled' parameter to true.
        >>
}

rule elasticache_repl_grp_encrypted_at_rest_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_REPLICATION_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_REPLICATION_GROUP_TYPE.resourceProperties)
        <<
        [CT.ELASTICACHE.PR.4]: Require an Amazon ElastiCache replication group to have
 encryption at rest activated
        [FIX]: Set the value of the 'AtRestEncryptionEnabled' parameter to true.
        >>
}

#
# Parameterized Rules
#
rule check(elasticache_replication_group) {
    %elasticache_replication_group [
        # Scenario 2
        filter_elasticache_replication_group(this)
    ] {
        # Scenario 3
        AtRestEncryptionEnabled exists

        # Scenarios 4 and 5
        AtRestEncryptionEnabled == true
    }
}
```

```
rule filter_elasticache_replication_group(elasticache_replication_group) {
    %elasticache_replication_group {
        Engine exists
        Engine == "redis"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICACHE.PR.4 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
```

```
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Example subnet group
      SubnetIds:
      - Ref: Subnet
  ElastiCacheReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      CacheSubnetGroupName:
        Ref: SubnetGroup
      CacheNodeType: cache.t3.medium
      NumCacheClusters: 2
      Engine: redis
      ReplicationGroupDescription: Example replication group
      AtRestEncryptionEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
```

```
        - 0
        - Fn::GetAZs: ''
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Example subnet group
      SubnetIds:
      - Ref: Subnet
  ElastiCacheReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      CacheSubnetGroupName:
        Ref: SubnetGroup
      CacheNodeType: cache.t3.medium
      NumCacheClusters: 2
      Engine: redis
      ReplicationGroupDescription: Example replication group
      AtRestEncryptionEnabled: false
```

[CT.ELASTICACHE.PR.5] Memerlukan ElastiCache Amazon untuk grup replikasi Redis agar enkripsi saat transit diaktifkan

Kontrol ini memeriksa apakah grup ElastiCache replikasi Amazon telah encryption-in-transit diaktifkan.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::ReplicationGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.5

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.5
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.5 contoh template

Penjelasan

TLS dapat digunakan untuk membantu mencegah penyerang potensial menguping atau memanipulasi lalu lintas jaringan menggunakan atau serangan serupa. person-in-the-middle Enkripsi ElastiCache in-transit Amazon adalah fitur opsional yang dapat Anda gunakan untuk membantu melindungi data Anda saat berpindah dari satu lokasi ke lokasi lain.

Pertimbangan penggunaan

- E ncryption-in-transit didukung pada grup ElastiCache replikasi Amazon yang menjalankan Redis versi 3.2.6, 4.0.10 dan yang lebih baru.
- Karena pemrosesan diperlukan untuk mengenkripsi dan mendekripsi data di titik akhir, penerapan enkripsi bergerak dapat mengurangi performa. Kami menyarankan Anda melakukan benchmark enkripsi dalam transit, dibandingkan dengan tidak ada enkripsi, pada data Anda sendiri, untuk menentukan dampak kinerja encryption-in-transit terhadap implementasi Anda.

Remediasi untuk kegagalan aturan

Tetapkan nilai `TransitEncryptionEnabled` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup ElastiCache Replikasi Amazon - Contoh

Grup ElastiCache replikasi Amazon dikonfigurasi dengan encryption-in-transit diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ReplicationGroup": {
        "Type": "AWS::ElastiCache::ReplicationGroup",
        "Properties": {
            "ReplicationGroupDescription": "Sample replication group",
            "CacheNodeType": "cache.t3.micro",
            "SecurityGroupIds": [
                {
                    "Ref": "SecurityGroup"
```

```
                }
            ],
            "CacheSubnetGroupName": {
                "Ref": "SubnetGroup"
            },
            "NumCacheClusters": 2,
            "Engine": "redis",
            "TransitEncryptionEnabled": true
        }
    }
}
```

Contoh YAMAL

```
ReplicationGroup:
  Type: AWS::ElastiCache::ReplicationGroup
  Properties:
    ReplicationGroupDescription: Sample replication group
    CacheNodeType: cache.t3.micro
    SecurityGroupIds:
      - !Ref 'SecurityGroup'
    CacheSubnetGroupName: !Ref 'SubnetGroup'
    NumCacheClusters: 2
    Engine: redis
    TransitEncryptionEnabled: true
```

Spesifikasi aturan CT.ELASTICACHE.PR.5

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_repl_grp_encrypted_in_transit_check
#
# Description:
#   This control checks whether an Amazon ElastiCache replication group has encryption-
in-transit enabled.
```

```
#
# Reports on:
#   AWS::ElastiCache::ReplicationGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElastiCache ReplicationGroup
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has not been provided or has been provided and is not set to
 'redis'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'TransitEncryptionEnabled' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'TransitEncryptionEnabled' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache ReplicationGroup resource
#       And: 'Engine' has been provided and set to 'redis'
```

```
#       And: 'TransitEncryptionEnabled' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let ELASTICACHE_REPLICATION_GROUP_TYPE = "AWS::ElastiCache::ReplicationGroup"
let REDIS_ENGINE_TYPE = "redis"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticache_replication_groups = Resources.*[ Type ==
 %ELASTICACHE_REPLICATION_GROUP_TYPE ]

#
# Primary Rules
#
rule elasticache_repl_grp_encrypted_in_transit_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %elasticache_replication_groups not empty {
    check(%elasticache_replication_groups.Properties)
        <<
        [CT.ELASTICACHE.PR.5]: Require an Amazon ElastiCache for Redis replication
 group to have encryption in transit activated
        [FIX]: Set the value of the 'TransitEncryptionEnabled' parameter to true.
        >>
}

rule elasticache_repl_grp_encrypted_in_transit_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_REPLICATION_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_REPLICATION_GROUP_TYPE.resourceProperties)
        <<
        [CT.ELASTICACHE.PR.5]: Require an Amazon ElastiCache for Redis replication
 group to have encryption in transit activated
        [FIX]: Set the value of the 'TransitEncryptionEnabled' parameter to true.
        >>
}

#
# Parameterized Rules
#
```

```
rule check(elasticache_replication_group) {
    %elasticache_replication_group [
        # Scenario 2
        Engine exists
        Engine == %REDIS_ENGINE_TYPE
    ] {
        # Scenarios 3, 4 and 5
        TransitEncryptionEnabled exists
        TransitEncryptionEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICACHE.PR.5 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
```

```
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Example subnet group
      SubnetIds:
      - Ref: Subnet
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      ReplicationGroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      NumCacheClusters: 2
      Engine: redis
      TransitEncryptionEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Example subnet group
      SubnetIds:
      - Ref: Subnet
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      ReplicationGroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
```

```
    NumCacheClusters: 2
    Engine: redis
    TransitEncryptionEnabled: false
```

[CT.ELASTICACHE.PR.6] Memerlukan cluster cache Amazon ElastiCache untuk menggunakan grup subnet khusus

Kontrol ini memeriksa apakah cluster ElastiCache cache Amazon dikonfigurasi dengan grup subnet kustom.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::CacheCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.6

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.6
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.6 contoh template

Penjelasan

Saat Anda meluncurkan ElastiCache cluster, AWS membuat grup subnet default jika tidak ada yang sudah ada. Grup default menggunakan subnet dari VPC default. Menggunakan grup subnet khusus memungkinkan Anda untuk lebih membatasi akses jaringan ke ElastiCache cluster.

> **Pertimbangan penggunaan**
>
> - Aturan ini mengevaluasi apakah cluster ElastiCache cache Amazon telah dikonfigurasi dengan grup subnet kustom.
> - Grup subnet khusus mungkin berisi subnet yang berada di Amazon VPC default.

Remediasi untuk kegagalan aturan

Setel `CacheSubnetGroupName` parameter ke nama grup subnet ElastiCache cache Amazon kustom.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

ElastiCache Cluster Cache Amazon - Contoh

ElastiCache Cluster cache Amazon yang dikonfigurasi dengan grup subnet kustom. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ElasticacheCluster": {
        "Type": "AWS::ElastiCache::CacheCluster",
        "Properties": {
            "Engine": "memcached",
            "CacheNodeType": "cache.t3.micro",
            "NumCacheNodes": "1",
            "CacheSubnetGroupName": {
                "Ref": "SubnetGroup"
            },
            "VpcSecurityGroupIds": [
                {
                    "Fn::GetAtt": [
                        "SecurityGroup",
                        "GroupId"
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ElasticacheCluster:
  Type: AWS::ElastiCache::CacheCluster
```

```
  Properties:
    Engine: memcached
    CacheNodeType: cache.t3.micro
    NumCacheNodes: '1'
    CacheSubnetGroupName: !Ref 'SubnetGroup'
    VpcSecurityGroupIds:
      - !GetAtt 'SecurityGroup.GroupId'
```

Spesifikasi aturan CT.ELASTICACHE.PR.6

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_subnet_group_check
#
# Description:
#   This control checks whether an Amazon ElastiCache cache cluster is configured with
 a custom subnet group.
#
# Reports on:
#   AWS::ElastiCache::CacheCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElastiCache cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
```

```
#       And: 'CacheSubnetGroupName' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'CacheSubnetGroupName' has been provided as an empty string or as a non-
valid local reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'CacheSubnetGroupName' has been provided and set to a value of 'default'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache cluster resource
#       And: 'CacheSubnetGroupName' has been provided as a non-empty string or a valid
 local reference
#      Then: PASS

#
# Constants
#
let ELASTICACHE_CACHE_CLUSTER_TYPE = "AWS::ElastiCache::CacheCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticache_cache_clusters = Resources.*[ Type == %ELASTICACHE_CACHE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule elasticache_subnet_group_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %elasticache_cache_clusters not empty {
    check(%elasticache_cache_clusters.Properties)
        <<
        [CT.ELASTICACHE.PR.6]: Require an Amazon ElastiCache cache cluster to use a
 custom subnet group
```

```
        [FIX]: Set the 'CacheSubnetGroupName' parameter to the name of a custom Amazon
 ElastiCache cache subnet group.
        >>
}

rule elasticache_subnet_group_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_CACHE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_CACHE_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.ELASTICACHE.PR.6]: Require an Amazon ElastiCache cache cluster to use a
 custom subnet group
        [FIX]: Set the 'CacheSubnetGroupName' parameter to the name of a custom Amazon
 ElastiCache cache subnet group.
        >>
}

#
# Parameterized Rules
#
rule check(elasticache_cache_cluster) {
    %elasticache_cache_cluster {
        # Scenario 2
        CacheSubnetGroupName exists

        # Scenarios 3, 4 and 5
        check_subnet_group_is_not_default(this) or
        check_local_references(%INPUT_DOCUMENT, CacheSubnetGroupName,
 "AWS::ElastiCache::SubnetGroup")
    }
}

rule check_subnet_group_is_not_default(elasticache_cache_cluster) {
        %elasticache_cache_cluster {
            check_is_string_and_not_empty(CacheSubnetGroupName)
            CacheSubnetGroupName != "default"
        }
    }

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.ELASTICACHE.PR.6 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Example subnet group
      SubnetIds:
      - Ref: Subnet
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - IpProtocol: tcp
        FromPort: 11211
        ToPort: 11211
        CidrIp: 10.0.0.0/24
  CacheCluster:
    Type: AWS::ElastiCache::CacheCluster
    Properties:
      Engine: memcached
      CacheNodeType: cache.t3.micro
      NumCacheNodes: '1'
      CacheSubnetGroupName:
        Ref: SubnetGroup
```

```
      VpcSecurityGroupIds:
      - Fn::GetAtt: [SecurityGroup, GroupId]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      SecurityGroupIngress:
      - IpProtocol: tcp
        FromPort: 11211
        ToPort: 11211
        CidrIp: 10.0.0.0/24
  CacheCluster:
    Type: AWS::ElastiCache::CacheCluster
    Properties:
      Engine: memcached
      CacheNodeType: cache.t3.micro
      NumCacheNodes: '1'
      VpcSecurityGroupIds:
      - Fn::GetAtt: [SecurityGroup, GroupId]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      SecurityGroupIngress:
      - IpProtocol: tcp
        FromPort: 11211
```

```
        ToPort: 11211
        CidrIp: 10.0.0.0/24
  CacheCluster:
    Type: AWS::ElastiCache::CacheCluster
    Properties:
      Engine: memcached
      CacheNodeType: cache.t3.micro
      NumCacheNodes: '1'
      CacheSubnetGroupName: default
      VpcSecurityGroupIds:
      - Fn::GetAtt: [SecurityGroup, GroupId]
```

[CT.ELASTICACHE.PR.7] Memerlukan grup replikasi ElastiCache Amazon dari versi Redis sebelumnya agar Redis AUTH diaktifkan

Kontrol ini memeriksa apakah grup ElastiCache replikasi Amazon dengan versi mesin lebih awal dari 6.0 mengaktifkan Redis AUTH.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::ReplicationGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.7

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.7
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.7 contoh template

Penjelasan

Token, atau kata sandi, autentikasi Redis, memungkinkan Redis mewajibkan kata sandi sebelum mengizinkan klien menjalankan perintah, sehingga meningkatkan keamanan data.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk grup ElastiCache replikasi Amazon versi mesin Redis lebih awal dari enam (6).
- Kontrol ini encryption-in-transit harus diaktifkan pada grup replikasi melalui `TransitEncryptionEnabled` properti.

Remediasi untuk kegagalan aturan

Atur nilai `AuthToken` parameter ke string antara 16 karakter dan 128 karakter panjangnya, yang hanya berisi karakter ASCII yang dapat dicetak dan tidak mengandung karakter non-alfanumerik di luar set (! , &,

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup ElastiCache Replikasi Amazon - Contoh

Grup ElastiCache replikasi Amazon yang dikonfigurasi dengan otentikasi Redis AUTH diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ReplicationGroup": {
        "Type": "AWS::ElastiCache::ReplicationGroup",
        "Properties": {
            "ReplicationGroupDescription": "Sample replication group",
            "CacheNodeType": "cache.t3.micro",
            "SecurityGroupIds": [
                {
                    "Ref": "SecurityGroup"
                }
            ],
            "CacheSubnetGroupName": {
                "Ref": "SubnetGroup"
            },
            "NumCacheClusters": 2,
            "Engine": "redis",
            "EngineVersion": "5.0.6",
            "TransitEncryptionEnabled": true,
```

```
            "AuthToken": {
                "Fn::Sub": "{{resolve:secretsmanager:
${ReplicationGroupSecret}::password}}"
            }
        }
    }
}
```

Contoh YAMAL

```
ReplicationGroup:
  Type: AWS::ElastiCache::ReplicationGroup
  Properties:
    ReplicationGroupDescription: Sample replication group
    CacheNodeType: cache.t3.micro
    SecurityGroupIds:
      - !Ref 'SecurityGroup'
    CacheSubnetGroupName: !Ref 'SubnetGroup'
    NumCacheClusters: 2
    Engine: redis
    EngineVersion: 5.0.6
    TransitEncryptionEnabled: true
    AuthToken: !Sub '{{resolve:secretsmanager:${ReplicationGroupSecret}::password}}'
```

Spesifikasi aturan CT.ELASTICACHE.PR.7

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_repl_grp_redis_auth_enabled_check
#
# Description:
#   This control checks whether an Amazon ElastiCache replication group with an engine
 version earlier than 6.0 has Redis AUTH enabled.
#
# Reports on:
```

```
#   AWS::ElastiCache::ReplicationGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElastiCache replication group
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has not been provided or has been provided and is not set to
 'redis'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has been provided and is set to 'redis'
#       And: 'EngineVersion' has not been provided or has been provided and set to a
 version greater than or equal to 6
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has been provided and is set to 'redis'
#       And: 'EngineVersion' has been provided and set to a version less than 6
#       And: 'AuthToken' has not been provided or has been provided and set to an empty
 string
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElastiCache replication group resource
#       And: 'Engine' has been provided and is set to 'redis'
```

```
#       And: 'EngineVersion' has been provided and set to a version less than 6
#       And: 'AuthToken' has been provided and set to a non-empty string
#      Then: PASS

#
# Constants
#
let ELASTICACHE_REPLICATION_GROUP_TYPE = "AWS::ElastiCache::ReplicationGroup"
let REDIS_ENGINE_TYPE = "redis"
let SUPPORTED_REDIS_ENGINE_VERSIONS_FOR_REDIS_AUTH = [
    /^2\./,
    /^3\./,
    /^4\./,
    /^5\./
]
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticache_replication_groups = Resources.*[ Type ==
 %ELASTICACHE_REPLICATION_GROUP_TYPE ]

#
# Primary Rules
#
rule elasticache_repl_grp_redis_auth_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %elasticache_replication_groups
 not empty {
    check(%elasticache_replication_groups.Properties)
        <<
        [CT.ELASTICACHE.PR.7]: Require an Amazon ElastiCache replication group of
 earlier Redis versions to have Redis AUTH activated
        [FIX]: Set the value of the 'AuthToken' parameter to a string between
 16 characters and 128 characters in length, which contains only printable ASCII
 characters and does not contain non-alphanumeric characters outside of the set (!, &,
        >>
}

rule elasticache_repl_grp_redis_auth_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_REPLICATION_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_REPLICATION_GROUP_TYPE.resourceProperties)
        <<
```

```
        [CT.ELASTICACHE.PR.7]: Require an Amazon ElastiCache replication group of
 earlier Redis versions to have Redis AUTH activated
        [FIX]: Set the value of the 'AuthToken' parameter to a string between
 16 characters and 128 characters in length, which contains only printable ASCII
 characters and does not contain non-alphanumeric characters outside of the set (!, &,
        >>
}

#
# Parameterized Rules
#
rule check(elasticache_replication_group) {
    %elasticache_replication_group [
        # Scenario 2
        Engine exists
        Engine == %REDIS_ENGINE_TYPE

        # Scenario 3
        EngineVersion exists
        EngineVersion in %SUPPORTED_REDIS_ENGINE_VERSIONS_FOR_REDIS_AUTH
    ] {
        # Scenarios 4 and 5
        AuthToken exists
        check_is_string_and_not_empty(AuthToken)
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
```

```
        this != /\A\s*\z/
    }
}
```

CT.ELASTICACHE.PR.7 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
```

```
      Description: Cache subnet group
      SubnetIds:
      - Ref: Subnet
  ReplicationGroupSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Replication group secret
      GenerateSecretString:
        SecretStringTemplate: "{}"
        GenerateStringKey: password
        PasswordLength: 64
        ExcludePunctuation: true
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      ReplicationGroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      NumCacheClusters: 2
      Engine: redis
      EngineVersion: 5.0.6
      TransitEncryptionEnabled: true
      AuthToken:
        Fn::Sub: '{{resolve:secretsmanager:${ReplicationGroupSecret}::password}}'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
```

```
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example security group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Cache subnet group
      SubnetIds:
      - Ref: Subnet
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      ReplicationGroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      NumCacheClusters: 2
      Engine: redis
      EngineVersion: 3.2.6
      TransitEncryptionEnabled: true
```

[CT.ELASTICACHE.PR.8] Memerlukan grup ElastiCache replikasi Amazon dari versi Redis yang lebih baru agar otentikasi RBAC diaktifkan

Kontrol ini memeriksa apakah grup ElastiCache replikasi Amazon dengan versi mesin lebih besar dari atau sama dengan 6.0 mengaktifkan otentikasi RBAC.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElastiCache::ReplicationGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICACHE.PR.8

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICACHE.PR.8
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICACHE.PR.8 contoh template

Penjelasan

Kontrol Akses Berbasis Peran (RBAC) membantu Anda membuat pengguna dan menetapkan izin khusus kepada mereka, dengan menggunakan string akses. Anda menetapkan pengguna ke grup pengguna yang selaras dengan peran tertentu, seperti administrator, atau sumber daya manusia. Peran tersebut dikerahkan ke Amazon ElastiCache untuk grup replikasi Redis. Teknik ini menetapkan batas keamanan antara klien yang menggunakan grup replikasi Redis yang sama, dan mencegah klien memiliki akses ke data klien lain. Jika Anda menggunakan otentikasi RBAC melalui Redis AUTH, ini mengurangi jumlah kredensyal yang diperlukan untuk akses terautentikasi ke grup replikasi Amazon. ElastiCache

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk grup ElastiCache replikasi Amazon dari versi mesin Redis yang lebih besar dari atau sama dengan 6.0
- Kontrol ini memerlukan enkripsi dalam perjalanan untuk diaktifkan pada grup replikasi melalui properti TransitEncryptionEnabled

Remediasi untuk kegagalan aturan

Tetapkan nilai UserGroupIds properti ke daftar yang berisi setidaknya satu pengidentifikasi grup ElastiCache pengguna Amazon.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup ElastiCache Replikasi Amazon - Contoh

Grup ElastiCache replikasi Amazon yang dikonfigurasi dengan otentikasi RBAC diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ReplicationGroup": {
        "Type": "AWS::ElastiCache::ReplicationGroup",
        "Properties": {
            "ReplicationGroupDescription": "Sample replication group",
            "CacheNodeType": "cache.t3.micro",
            "SecurityGroupIds": [
                {
                    "Ref": "SecurityGroup"
                }
            ],
            "CacheSubnetGroupName": {
                "Ref": "SubnetGroup"
            },
            "NumCacheClusters": 2,
            "Engine": "redis",
            "EngineVersion": 6.2,
            "TransitEncryptionEnabled": true,
            "UserGroupIds": [
                {
                    "Ref": "UserGroup"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ReplicationGroup:
  Type: AWS::ElastiCache::ReplicationGroup
  Properties:
    ReplicationGroupDescription: Sample replication group
    CacheNodeType: cache.t3.micro
    SecurityGroupIds:
      - !Ref 'SecurityGroup'
    CacheSubnetGroupName: !Ref 'SubnetGroup'
    NumCacheClusters: 2
    Engine: redis
    EngineVersion: 6.2
    TransitEncryptionEnabled: true
    UserGroupIds:
      - !Ref 'UserGroup'
```

Spesifikasi aturan CT.ELASTICACHE.PR.8

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticache_repl_grp_rbac_auth_enabled_check
#
# Description:
#   This control checks whether Amazon ElastiCache replication groups with an engine
 version greater than or equal to 6.0 have RBAC authentication enabled.
#
# Reports on:
#   AWS::ElastiCache::ReplicationGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon ElastiCache replication
 group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ElastiCache replication group
 resource
#       And: 'Engine' has not been provided or has been provided and is not set to
 'redis'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ElastiCache replication group
 resource
#       And: 'Engine' has been provided and is set to 'redis'
#       And: 'EngineVersion' has been provided and set to a version less than 6
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ElastiCache replication group
 resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'EngineVersion' has not been provided or has been provided and set to a
 version greater than or equal to 6
#       And: 'UserGroupIds' has not been provided or has been provided as an empty list
 or a list containing an empty
#            string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ElastiCache replication group
 resource
#       And: 'Engine' has been provided and set to 'redis'
#       And: 'EngineVersion' has not been provided or has been provided and set to a
 version greater than or equal to 6
#       And: 'UserGroupIds' has been provided as a list containing non-empty strings or
 valid local references
#      Then: PASS
```

```
#
# Constants
#
let ELASTICACHE_REPLICATION_GROUP_TYPE = "AWS::ElastiCache::ReplicationGroup"
let REDIS_ENGINE_TYPE = "redis"
let UNSUPPORTED_REDIS_ENGINE_VERSIONS_FOR_RBAC = [
    /^2\./,
    /^3\./,
    /^4\./,
    /^5\./
]
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticache_replication_groups = Resources.*[ Type ==
 %ELASTICACHE_REPLICATION_GROUP_TYPE ]

#
# Primary Rules
#
rule elasticache_repl_grp_rbac_auth_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %elasticache_replication_groups
 not empty {
    check(%elasticache_replication_groups.Properties)
        <<
        [CT.ELASTICACHE.PR.8]: Require an Amazon ElastiCache replication group of later
 Redis versions to have RBAC authentication activated
        [FIX]: Set the value of the UserGroupIds property to a list that contains at
 least one Amazon ElastiCache user group identifier.
        >>
}

rule elasticache_repl_grp_rbac_auth_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICACHE_REPLICATION_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICACHE_REPLICATION_GROUP_TYPE.resourceProperties)
        <<
        [CT.ELASTICACHE.PR.8]: Require an Amazon ElastiCache replication group of later
 Redis versions to have RBAC authentication activated
        [FIX]: Set the value of the UserGroupIds property to a list that contains at
 least one Amazon ElastiCache user group identifier.
        >>
```

```
}

#
# Parameterized Rules
#
rule check(elasticache_replication_group) {
    %elasticache_replication_group [
        # Scenario 2
        Engine exists
        Engine == %REDIS_ENGINE_TYPE

        # Scenario 3
        EngineVersion not exists or
        EngineVersion not in %UNSUPPORTED_REDIS_ENGINE_VERSIONS_FOR_RBAC
    ] {
        # Scenarios 4, 5 and 6
        UserGroupIds exists
        UserGroupIds is_list
        UserGroupIds not empty

        UserGroupIds[*] {
            check_is_string_and_not_empty(this) or
            check_local_references(%INPUT_DOCUMENT, this,
 "AWS::ElastiCache::UserGroup")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
```

```
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.ELASTICACHE.PR.8 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
```

```
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: test
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Cache Subnet Group
      SubnetIds:
      - Ref: Subnet
  UserGroup:
    Type: AWS::ElastiCache::UserGroup
    Properties:
      Engine: redis
      UserGroupId:
        Fn::Sub: ${AWS::StackName}-example-group
      UserIds:
      - default
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
      ReplicationGroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      NumCacheClusters: 2
      Engine: redis
      UserGroupIds:
```

```
      - Ref: UserGroup
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: test
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - FromPort: 443
        IpProtocol: tcp
        ToPort: 443
        CidrIp: 0.0.0.0/0
  SubnetGroup:
    Type: AWS::ElastiCache::SubnetGroup
    Properties:
      Description: Cache Subnet Group
      SubnetIds:
      - Ref: Subnet
  ReplicationGroup:
    Type: AWS::ElastiCache::ReplicationGroup
    Properties:
```

```
      ReplicationGroupDescription:
        Fn::Sub: ${AWS::StackName}-example
      CacheNodeType: cache.t3.micro
      SecurityGroupIds:
      - Ref: SecurityGroup
      CacheSubnetGroupName:
        Ref: SubnetGroup
      NumCacheClusters: 2
      Engine: redis
```

Kontrol Registri Kontainer Elastis Amazon

Topik

- [CT.ECR.PR.1] Mengharuskan repositori Amazon ECR agar kebijakan siklus hidup dikonfigurasi
- [CT.ECR.PR.2] Mengharuskan repositori pribadi Amazon ECR agar pemindaian gambar diaktifkan
- [CT.ECR.PR.3] Mengharuskan repositori pribadi Amazon ECR agar kekekalan tag diaktifkan

[CT.ECR.PR.1] Mengharuskan repositori Amazon ECR agar kebijakan siklus hidup dikonfigurasi

Kontrol ini memeriksa apakah repositori Amazon Elastic Container Registry (Amazon ECR) pribadi memiliki setidaknya satu kebijakan siklus hidup yang dikonfigurasi.

- Tujuan kontrol: Kelola kerentanan, Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECR::Repository`
- AWS CloudFormation aturan penjaga: CT.ECR.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECR.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECR.PR.1contoh template

Penjelasan

Kebijakan siklus hidup Amazon ECR menentukan manajemen siklus hidup gambar dalam repositori. Dengan mengonfigurasi kebijakan siklus hidup, Anda dapat mengotomatiskan pembersihan gambar yang tidak digunakan dan kedaluwarsa gambar, berdasarkan usia atau hitungan. Mengotomatiskan tugas-tugas ini dapat membantu Anda menghindari penggunaan gambar usang secara tidak sengaja di repositori Anda.

Remediasi untuk kegagalan aturan

Berikan `LifecyclePolicy` konfigurasi dan atur `LifecyclePolicyText` ke kebijakan siklus hidup repositori Amazon ECR.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Repositori Amazon ECR - Contoh

Repositori Amazon ECR dikonfigurasi dengan kebijakan siklus hidup. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECRRepository": {
        "Type": "AWS::ECR::Repository",
        "Properties": {
            "LifecyclePolicy": {
                "LifecyclePolicyText": "{\n  \"rules\": [\n    {\n      \"rulePriority
\": 1,\n      \"description\": \"Expire images older than 14 days\",\n      \"selection
\": {\n        \"tagStatus\": \"untagged\",\n        \"countType\": \"sinceImagePushed
\",\n        \"countUnit\": \"days\",\n        \"countNumber\": 14\n      },\n
 \"action\": {\n        \"type\": \"expire\"\n      }\n    }\n  ]\n}\n"
            }
        }
    }
}
```

Contoh YAMAL

```
ECRRepository:
  Type: AWS::ECR::Repository
  Properties:
    LifecyclePolicy:
      LifecyclePolicyText: |
        {
          "rules": [
            {
              "rulePriority": 1,
              "description": "Expire images older than 14 days",
              "selection": {
                "tagStatus": "untagged",
                "countType": "sinceImagePushed",
                "countUnit": "days",
                "countNumber": 14
              },
              "action": {
                "type": "expire"
              }
            }
          ]
        }
```

CT.ECR.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#    ecr_private_lifecycle_policy_configured_check
#
# Description:
#   This control checks whether a private Amazon Elastic Container Registry (ECR)
 repository has at least one lifecycle policy configured.
#
# Reports on:
#    AWS::ECR::Repository
#
# Evaluates:
```

```
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#    None
#
# Scenarios:
#  Scenario: 1
#    Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#      And: The input document does not contain any ECR repository resources
#     Then: SKIP
#  Scenario: 2
#    Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#      And: The input document contains an ECR repository resource
#      And: 'LifecyclePolicy' is not present
#     Then: FAIL
#  Scenario: 3
#    Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#      And: The input document contains an ECR repository resource
#      And: 'LifecyclePolicy' is present
#      And: 'LifecyclePolicyText' has not been provided in the 'LifecyclePolicy'
 configuration or has been provided as
#            an empty string
#     Then: FAIL
#  Scenario: 4
#    Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#      And: The input document contains an ECR repository resource
#      And: 'LifecyclePolicy' is present
#      And: 'LifecyclePolicyText' has been provided in the 'LifecyclePolicy'
 configuration with a non-empty string
#     Then: PASS

#
# Constants
#
let ECR_REPOSITORY_TYPE = "AWS::ECR::Repository"
let INPUT_DOCUMENT = this

#
# Assignments
#
```

```
let ecr_repositories = Resources.*[ Type == %ECR_REPOSITORY_TYPE ]

#
# Primary Rules
#
rule ecr_private_lifecycle_policy_configured_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %ecr_repositories not empty {
    check(%ecr_repositories.Properties)
        <<
        [CT.ECR.PR.1]: Require Amazon ECR repositories to have a lifecycle policy
 configured
            [FIX]: Provide a 'LifecyclePolicy' configuration and set
 'LifecyclePolicyText' to an Amazon ECR repository lifecycle policy.
        >>
}

rule ecr_private_lifecycle_policy_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECR_REPOSITORY_TYPE) {
    check(%INPUT_DOCUMENT.%ECR_REPOSITORY_TYPE.resourceProperties)
        <<
        [CT.ECR.PR.1]: Require Amazon ECR repositories to have a lifecycle policy
 configured
            [FIX]: Provide a 'LifecyclePolicy' configuration and set
 'LifecyclePolicyText' to an Amazon ECR repository lifecycle policy.
        >>
}

#
# Parameterized Rules
#
rule check(ecr_repository) {
    %ecr_repository {
        #Scenario 3
        LifecyclePolicy exists
        LifecyclePolicy is_struct
        LifecyclePolicy {
            #Scenario 4
            LifecyclePolicyText exists
            check_is_string_and_not_empty(LifecyclePolicyText)
        }
    }
}
```

```
#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
     %value {
         this is_string
         this != /\A\s*\z/
     }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECR.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECRRepository:
    Type: AWS::ECR::Repository
    Properties:
      LifecyclePolicy:
        LifecyclePolicyText: |
          {
            "rules": [
              {
                "rulePriority": 1,
                "description": "Expire images older than 14 days",
                "selection": {
```

```
                "tagStatus": "untagged",
                "countType": "sinceImagePushed",
                "countUnit": "days",
                "countNumber": 14
              },
              "action": {
                "type": "expire"
              }
            }
          ]
        }
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECRRepository:
    Type: AWS::ECR::Repository
    Properties: {}
```

[CT.ECR.PR.2] Mengharuskan repositori pribadi Amazon ECR agar pemindaian gambar diaktifkan

Kontrol ini memeriksa apakah repositori Amazon Elastic Container Registry (Amazon ECR) pribadi mengaktifkan pemindaian gambar.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECR::Repository`
- AWS CloudFormation aturan penjaga: CT.ECR.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECR.PR.2spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECR.PR.2contoh template

Penjelasan

Pemindaian gambar Amazon ECR membantu mengidentifikasi kerentanan perangkat lunak dalam gambar kontainer Anda. Amazon ECR menggunakan database Common Vulnerabilities and Exposures (CVEs) dari proyek Clair open-source, dan menyediakan daftar temuan pemindaian. Mengaktifkan pemindaian gambar di repositori Amazon ECR menambahkan lapisan verifikasi mengenai integritas dan keamanan gambar yang disimpan.

Remediasi untuk kegagalan aturan

Atur `ScanOnPush` `ImageScanningConfiguration` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Repositori Amazon ECR - Contoh

Repositori Amazon ECR dengan pemindaian gambar diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECRRepository": {
        "Type": "AWS::ECR::Repository",
        "Properties": {
            "ImageScanningConfiguration": {
                "ScanOnPush": true
            }
        }
    }
}
```

Contoh YAMAL

```
ECRRepository:
```

```
  Type: AWS::ECR::Repository
  Properties:
    ImageScanningConfiguration:
      ScanOnPush: true
```

CT.ECR.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecr_private_image_scanning_enabled_check
#
# Description:
#   This control checks whether a private Amazon Elastic Container Registry (Amazon
 ECR) repository has image scanning enabled.
#
# Reports on:
#   AWS::ECR::Repository
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon ECR repository resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECR repository resource
#       And: 'ImageScanningConfiguration.ScanOnPush' has not been provided
#      Then: FAIL
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECR repository resource
#       And: 'ImageScanningConfiguration.ScanOnPush' has been provided and set to a
 value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECR repository resource
#       And: 'ImageScanningConfiguration.ScanOnPush' has been provided and set to
 bool(true)
#      Then: PASS

#
# Constants
#
let ECR_REPOSITORY_TYPE = "AWS::ECR::Repository"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecr_repositories = Resources.*[ Type == %ECR_REPOSITORY_TYPE ]

#
# Primary Rules
#
rule ecr_private_image_scanning_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                   %ecr_repositories not empty {
    check(%ecr_repositories.Properties)
        <<
        [CT.ECR.PR.2]: Require Amazon ECR private repositories to have image scanning
 enabled
        [FIX]: Set 'ScanOnPush' in 'ImageScanningConfiguration' to 'true'.
        >>
}

rule ecr_private_image_scanning_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECR_REPOSITORY_TYPE) {
    check(%INPUT_DOCUMENT.%ECR_REPOSITORY_TYPE.resourceProperties)
        <<
        [CT.ECR.PR.2]: Require Amazon ECR private repositories to have image scanning
 enabled
```

```
        [FIX]: Set 'ScanOnPush' in 'ImageScanningConfiguration' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(ecr_repository) {
    %ecr_repository {
        # Scenario 2
        ImageScanningConfiguration exists
        ImageScanningConfiguration is_struct

        ImageScanningConfiguration {
            # Scenario 3 and 4
            ScanOnPush exists
            ScanOnPush == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECR.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECRRepository:
    Type: AWS::ECR::Repository
    Properties:
      ImageScanningConfiguration:
        ScanOnPush: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECRRepository:
    Type: AWS::ECR::Repository
    Properties:
      ImageScanningConfiguration:
        ScanOnPush: false
```

[CT.ECR.PR.3] Mengharuskan repositori pribadi Amazon ECR agar kekekalan tag diaktifkan

Kontrol ini memeriksa apakah repositori Amazon Elastic Container Registry (Amazon ECR) pribadi memiliki kekekalan tag yang diaktifkan.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECR::Repository`
- AWS CloudFormation aturan penjaga: CT.ECR.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECR.PR.3spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECR.PR.3contoh template

Penjelasan

Kekekalan tag Amazon ECR memungkinkan pelanggan untuk mengandalkan tag deskriptif gambar sebagai mekanisme andal yang melacak dan mengidentifikasi gambar secara unik. Tag yang tidak dapat diubah bersifat statis, yang berarti bahwa setiap tag mengacu pada gambar yang unik. Penandaan ini meningkatkan keandalan dan skalabilitas, karena penggunaan tag statis selalu menghasilkan gambar yang sama yang digunakan. Saat dikonfigurasi, kekekalan tag mencegah tag diganti, yang mengurangi permukaan serangan.

Remediasi untuk kegagalan aturan

Atur `ImageTagMutability` ke `IMMUTABLE`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Repositori Amazon ECR - Contoh

Repositori Amazon ECR dikonfigurasi dengan tag yang tidak dapat diubah. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECRRepository": {
        "Type": "AWS::ECR::Repository",
        "Properties": {
            "ImageTagMutability": "IMMUTABLE"
        }
    }
}
```

Contoh YAMAL

```
ECRRepository:
  Type: AWS::ECR::Repository
```

```
  Properties:
    ImageTagMutability: IMMUTABLE
```

CT.ECR.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecr_private_tag_immutability_enabled_check
#
# Description:
#   This control checks whether a private Amazon Elastic Container Registry (Amazon
 ECR) repository has tag immutability enabled.
#
# Reports on:
#   AWS::ECR::Repository
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ECR repository resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECR repository resource
#       And: 'ImageTagMutability' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an ECR repository resource
#       And: 'ImageTagMutability' has been provided with a value of 'MUTABLE'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECR repository resource
#       And: 'ImageTagMutability' has been provided with a value of 'IMMUTABLE'
#      Then: PASS

#
# Constants
#
let ECR_REPOSITORY_TYPE = "AWS::ECR::Repository"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecr_repositories = Resources.*[ Type == %ECR_REPOSITORY_TYPE ]

#
# Primary Rules
#
rule ecr_private_tag_immutability_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %ecr_repositories not empty {
    check(%ecr_repositories.Properties)
        <<
        [CT.ECR.PR.3]: Require Amazon ECR private repositories to have tag immutability
 enabled
        [FIX]: Set 'ImageTagMutability' to 'IMMUTABLE'.
        >>
}

rule ecr_private_tag_immutability_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECR_REPOSITORY_TYPE) {
    check(%INPUT_DOCUMENT.%ECR_REPOSITORY_TYPE.resourceProperties)
        <<
        [CT.ECR.PR.3]: Require Amazon ECR private repositories to have tag immutability
 enabled
        [FIX]: Set 'ImageTagMutability' to 'IMMUTABLE'.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(ecr_repository) {
    %ecr_repository {
        # Scenario 2, 3 and 4
        ImageTagMutability exists
        ImageTagMutability == "IMMUTABLE"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECR.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECRRepository:
    Type: AWS::ECR::Repository
    Properties:
      ImageTagMutability: IMMUTABLE
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECRRepository:
    Type: AWS::ECR::Repository
    Properties:
      ImageTagMutability: MUTABLE
```

Kontrol Layanan Kontainer Elastis Amazon

Topik

- [CT.ECS.PR.1] Memerlukan Amazon ECS Fargate Services untuk berjalan pada versi platform Fargate terbaru
- [CT.ECS.PR.2] Memerlukan klaster Amazon ECS untuk mengaktifkan wawasan kontainer
- [CT.ECS.PR.3] Memerlukan definisi tugas Amazon ECS apa pun untuk menentukan pengguna yang bukan root
- [CT.ECS.PR.4] Memerlukan tugas Amazon ECS untuk menggunakan mode jaringan 'awsvpc'
- [CT.ECS.PR.5] Memerlukan definisi tugas Amazon ECS yang aktif untuk memiliki konfigurasi logging
- [CT.ECS.PR.6] Memerlukan wadah Amazon ECS untuk mengizinkan akses hanya-baca ke sistem file root
- [CT.ECS.PR.7] Memerlukan definisi tugas Amazon ECS untuk memiliki batas penggunaan memori tertentu
- [CT.ECS.PR.8] Mengharuskan definisi tugas Amazon ECS untuk memiliki mode jaringan yang aman dan definisi pengguna
- [CT.ECS.PR.9] Memerlukan layanan Amazon ECS untuk tidak menetapkan alamat IP publik secara otomatis
- [CT.ECS.PR.10] Mengharuskan definisi tugas Amazon ECS tidak membagikan namespace proses host
- [CT.ECS.PR.11] Memerlukan wadah Amazon ECS untuk dijalankan sebagai non-hak istimewa
- [CT.ECS.PR.12] Mengharuskan definisi tugas Amazon ECS tidak meneruskan rahasia sebagai variabel lingkungan wadah

[CT.ECS.PR.1] Memerlukan Amazon ECS Fargate Services untuk berjalan pada versi platform Fargate terbaru

Kontrol ini memeriksa apakah layanan Amazon Elastic Container Service (Amazon ECS) Fargate dikonfigurasi untuk digunakan `LATEST` menggunakan versi platform, bukan nomor versi yang ditentukan.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::Service`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.1 contoh template

Penjelasan

AWS Fargate Versi platform mengacu pada lingkungan runtime tertentu untuk infrastruktur tugas Fargate, yang merupakan kombinasi dari versi runtime kernel dan container. Versi platform baru dirilis saat lingkungan runtime berkembang. Misalnya, versi baru dapat dirilis untuk pembaruan kernel atau sistem operasi, fitur baru, perbaikan bug, atau pembaruan keamanan. Pembaruan dan tambalan keamanan diterapkan secara otomatis untuk tugas Fargate Anda. Jika ditemukan masalah keamanan yang memengaruhi versi platform, AWS tambal versi platform.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk layanan Amazon ECS dengan `LaunchType FARGATE`

Remediasi untuk kegagalan aturan

Kapan `LaunchType` diatur ke`FARGATE`, atur `PlatformVersion` properti ke `LATEST` atau hilangkan `PlatformVersion` properti (default:`LATEST`).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Layanan Amazon ECS - Contoh Satu

Layanan Amazon ECS dikonfigurasi untuk menerapkan menggunakan versi `LATEST` platform dengan cara default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSService": {
        "Type": "AWS::ECS::Service",
        "Properties": {
            "Cluster": {
                "Ref": "ECSCluster"
            },
            "DesiredCount": 1,
            "TaskDefinition": {
                "Ref": "ECSTaskDefinition"
            },
            "NetworkConfiguration": {
                "AwsvpcConfiguration": {
                    "AssignPublicIp": "DISABLED",
                    "Subnets": [
                        {
                            "Ref": "SubnetOne"
                        },
                        {
                            "Ref": "SubnetTwo"
                        }
                    ]
                }
            },
            "LaunchType": "FARGATE"
        }
    }
}
```

Contoh YAMAL

```
ECSService:
  Type: AWS::ECS::Service
  Properties:
    Cluster: !Ref 'ECSCluster'
    DesiredCount: 1
    TaskDefinition: !Ref 'ECSTaskDefinition'
    NetworkConfiguration:
      AwsvpcConfiguration:
        AssignPublicIp: DISABLED
        Subnets:
          - !Ref 'SubnetOne'
          - !Ref 'SubnetTwo'
    LaunchType: FARGATE
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Layanan Amazon ECS - Contoh Dua

Layanan Amazon ECS dikonfigurasi untuk menerapkan menggunakan versi `LATEST` platform melalui properti. `PlatformVersion` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSService": {
        "Type": "AWS::ECS::Service",
        "Properties": {
            "Cluster": {
                "Ref": "ECSCluster"
            },
            "DesiredCount": 1,
            "TaskDefinition": {
                "Ref": "ECSTaskDefinition"
            },
            "NetworkConfiguration": {
```

```
                "AwsvpcConfiguration": {
                    "AssignPublicIp": "DISABLED",
                    "Subnets": [
                        {
                            "Ref": "SubnetOne"
                        },
                        {
                            "Ref": "SubnetTwo"
                        }
                    ]
                }
            },
            "LaunchType": "FARGATE",
            "PlatformVersion": "LATEST"
        }
    }
}
```

Contoh YAMAL

```
ECSService:
  Type: AWS::ECS::Service
  Properties:
    Cluster: !Ref 'ECSCluster'
    DesiredCount: 1
    TaskDefinition: !Ref 'ECSTaskDefinition'
    NetworkConfiguration:
      AwsvpcConfiguration:
        AssignPublicIp: DISABLED
        Subnets:
          - !Ref 'SubnetOne'
          - !Ref 'SubnetTwo'
    LaunchType: FARGATE
    PlatformVersion: LATEST
```

CT.ECS.PR.1spesifikasi aturan

```
# ##################################
```

```
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ecs_fargate_latest_platform_version_check
#
# Description:
#   This control checks whether Amazon Elastic Container Service (Amazon ECS) Fargate
 services are configured to deploy using the 'LATEST' platform version rather than a
 specified version number.
#
# Reports on:
#   AWS::ECS::Service
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain an Amazon ECS service resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS service resource
#       And: 'LaunchType' is not present
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS service resource
#       And: 'LaunchType' is present and not set to 'FARGATE'
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS service resource
#       And: 'LaunchType' is present and set to 'FARGATE'
#       And: 'PlatformVersion' is present and not set to 'LATEST'
```

```
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS service resource
#       And: 'LaunchType' is present and set to 'FARGATE'
#       And: 'PlatformVersion' is not present
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS service resource
#       And: 'LaunchType' is present and set to 'FARGATE'
#       And: 'PlatformVersion' is set to 'LATEST'
#      Then: PASS

#
# Constants
#
let ECS_SERVICE_TYPE = "AWS::ECS::Service"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_services = Resources.*[ Type == %ECS_SERVICE_TYPE ]

#
# Primary Rules
#
rule ecs_fargate_latest_platform_version_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %ecs_services not empty {
    check(%ecs_services.Properties)
        <<
        [CT.ECS.PR.1]: Require Amazon ECS Fargate Services to run on the latest Fargate
 platform version
        [FIX]: When 'LaunchType' is set to 'FARGATE', set the 'PlatformVersion'
 property to 'LATEST' or omit the 'PlatformVersion' property (default: 'LATEST').
        >>
}

rule ecs_fargate_latest_platform_version_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_SERVICE_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_SERVICE_TYPE.resourceProperties)
```

```
        <<
        [CT.ECS.PR.1]: Require Amazon ECS Fargate Services to run on the latest Fargate
 platform version
        [FIX]: When 'LaunchType' is set to 'FARGATE', set the 'PlatformVersion'
 property to 'LATEST' or omit the 'PlatformVersion' property (default: 'LATEST').
        >>
}

#
# Parameterized Rules
#
rule check(ecs_service) {
    %ecs_service [ filter_launch_type_is_fargate(this) ]{
        # Scenario 5
        PlatformVersion not exists  or

        # Scenario 4 and 6
        check_fargate_version_latest(PlatformVersion)
    }
}

rule filter_launch_type_is_fargate(ecs_service) {
    %ecs_service {
        # Scenario 2
        LaunchType exists
        LaunchType is_string

        # Scenario 3
        LaunchType == "FARGATE"
    }
}

rule check_fargate_version_latest(property) {
    %property {
        this is_string
        this == "LATEST"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
```

```
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ECSCluster:
    Type: AWS::ECS::Cluster
    Properties:
      CapacityProviders:
        - FARGATE
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
      Memory: '512'
      RequiresCompatibilities:
        - FARGATE
      NetworkMode: awsvpc
      Cpu: 256
  ECSService:
    Type: AWS::ECS::Service
    Properties:
      Cluster:
        Ref: ECSCluster
      DesiredCount: 0
      TaskDefinition:
        Ref: ECSTaskDefinition
      NetworkConfiguration:
        AwsvpcConfiguration:
          AssignPublicIp: DISABLED
          Subnets:
           - Ref: SubnetOne
           - Ref: SubnetTwo
      LaunchType: FARGATE
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
```

```
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ECSCluster:
    Type: AWS::ECS::Cluster
    Properties:
      CapacityProviders:
        - FARGATE
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
      Memory: '512'
      RequiresCompatibilities:
        - FARGATE
      NetworkMode: awsvpc
      Cpu: 256
  ECSService:
```

```
    Type: AWS::ECS::Service
    Properties:
      Cluster:
        Ref: ECSCluster
      DesiredCount: 0
      TaskDefinition:
        Ref: ECSTaskDefinition
      NetworkConfiguration:
        AwsvpcConfiguration:
          AssignPublicIp: DISABLED
          Subnets:
           - Ref: SubnetOne
           - Ref: SubnetTwo
      LaunchType: FARGATE
      PlatformVersion: 1.4.0
```

[CT.ECS.PR.2] Memerlukan klaster Amazon ECS untuk mengaktifkan wawasan kontainer

Kontrol ini memeriksa apakah klaster Amazon Elastic Container Service (Amazon ECS) Anda mengaktifkan wawasan kontainer.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::Cluster`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.2contoh template

Penjelasan

Pemantauan adalah bagian penting dalam menjaga keandalan, ketersediaan, dan kinerja klaster Amazon ECS. Gunakan wawasan CloudWatch kontainer untuk mengumpulkan, menggabungkan, dan meringkas metrik dan log dari aplikasi dan layanan mikro dalam kontainer Anda. CloudWatch Secara otomatis mengumpulkan metrik untuk banyak sumber daya, seperti CPU, memori, disk, dan jaringan. Kemampuan wawasan kontainer juga menyediakan informasi diagnostik, seperti kegagalan restart kontainer, yang membantu Anda mengisolasi masalah dan menyelesaikannya dengan cepat. Anda dapat menyetel CloudWatch alarm pada metrik yang dikumpulkan oleh wawasan kontainer.

Remediasi untuk kegagalan aturan

Aktifkan wawasan kontainer di kluster Amazon ECS dengan entri `ClusterSettings` yang telah `Name` disetel `containerInsights` dan `Value` disetel ke. `enabled`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon ECS Cluster - Contoh

Cluster Amazon ECS dikonfigurasi dengan wawasan kontainer yang diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSCluster": {
        "Type": "AWS::ECS::Cluster",
        "Properties": {
            "ClusterSettings": [
                {
                    "Name": "containerInsights",
                    "Value": "enabled"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ECSCluster:
```

```
  Type: AWS::ECS::Cluster
  Properties:
    ClusterSettings:
      - Name: containerInsights
        Value: enabled
```

CT.ECS.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_container_insights_enabled_check
#
# Description:
#   This control checks whether your Amazon Elastic Container Service (Amazon ECS)
 clusters have container insights enabled.
#
# Reports on:
#   AWS::ECS::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain an Amazon ECS cluster resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS cluster resource
#       And: 'ClusterSettings' property is not present or is an empty list
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS cluster resource
#       And: 'ClusterSettings' property is present
#       And: An entry with 'Name' set to 'containerInsights' is not present in
 'ClusterSettings'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS cluster resource
#       And: 'ClusterSettings' property is present
#       And: An entry with 'Name' set to 'containerInsights' is present in
 'ClusterSettings' with a 'Value' not set
#            to 'enabled'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an Amazon ECS cluster resource
#       And: 'ClusterSettings' property is present
#       And: An entry with 'Name' set to 'containerInsights' is present in
 'ClusterSettings' with a 'Value' set to
#            'enabled'
#      Then: PASS

#
# Constants
#
let ECS_CLUSTER_TYPE = "AWS::ECS::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_clusters = Resources.*[ Type == %ECS_CLUSTER_TYPE ]

#
# Primary Rules
#
rule ecs_container_insights_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %ecs_clusters not empty {
    check(%ecs_clusters.Properties)
```

```
        <<
        [CT.ECS.PR.2]: Require any Amazon ECS cluster to have container insights
 activated
        [FIX]: Enable container insights on Amazon ECS clusters with an entry in
 'ClusterSettings' that has 'Name' set to 'containerInsights' and 'Value' set to
 'enabled'.
        >>
}

rule ecs_container_insights_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.2]: Require any Amazon ECS cluster to have container insights
 activated
        [FIX]: Enable container insights on Amazon ECS clusters with an entry in
 'ClusterSettings' that has 'Name' set to 'containerInsights' and 'Value' set to
 'enabled'.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_cluster) {
    %ecs_cluster {
        # Scenario 2
        ClusterSettings exists
        ClusterSettings is_list
        ClusterSettings not empty

        # Scenario 3, 4 and 5
        some ClusterSettings[*] {
            Name exists
            Value exists

            Name is_string
            Value is_string

            Name == "containerInsights"
            Value == "enabled"
        }
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSCluster:
    Type: AWS::ECS::Cluster
    Properties:
      ClusterSettings:
      - Name: containerInsights
        Value: enabled
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSCluster:
    Type: AWS::ECS::Cluster
    Properties:
```

```
      ClusterSettings:
      - Name: containerInsights
        Value: disabled
```

[CT.ECS.PR.3] Memerlukan definisi tugas Amazon ECS apa pun untuk menentukan pengguna yang bukan root

Kontrol ini memeriksa apakah definisi tugas Amazon Elastic Container Service (ECS) berjalan sebagai pengguna non-root dalam wadah Amazon ECS.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit, Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.3contoh template

Penjelasan

Ini adalah praktik terbaik untuk menjalankan kontainer sebagai pengguna pengguna non-root. Secara default, kontainer berjalan sebagai pengguna pengguna root, kecuali `User` direktif disertakan dalam Dockerfile Anda. Kemampuan Linux default yang ditetapkan oleh Docker membatasi tindakan yang dapat dijalankan sebagai pengguna pengguna root, tetapi hanya sedikit. Misalnya, wadah yang berjalan sebagai pengguna pengguna root tidak memiliki akses ke perangkat.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS yang dikonfigurasi dengan definisi kontainer.

Remediasi untuk kegagalan aturan

Setel `User` properti ke pengguna pengguna non-root.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh

Definisi tugas Amazon ECS dikonfigurasi dengan definisi kontainer dan pengguna pengguna non-root. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "Memory": "512",
            "ContainerDefinitions": [
                {
                    "Essential": true,
                    "Image": "nginx:latest",
                    "Name": "SampleContainerA",
                    "User": "sampleuser",
                    "Memory": 256
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    Memory: '512'
    ContainerDefinitions:
      - Essential: true
```

```
        Image: nginx:latest
        Name: SampleContainerA
        User: sampleuser
        Memory: 256
```

CT.ECS.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_task_definition_nonroot_user_check
#
# Description:
#   This control checks whether Amazon Elastic Container Service (ECS) task definitions
 run as a non-root user within Amazon ECS containers.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain an ECS task definition resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' is not present or is an empty list
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present and is not an empty list
#       And: One or more containers defined in 'ContainerDefinitions' do not provide a
 'User' property
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' is present and is not an empty list
#       And: One or more containers defined in 'ContainerDefinitions' has a 'User'
 property set to a root user
#            value (0, 'root', '0:<group>', 'root:<group>')
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' is present and is not an empty list
#       And: All containers defined in 'ContainerDefinitions' do not have a 'User'
 property set to a root user
#            value (0, 'root', '0:<group>', 'root:<group>')
#      Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this
let ROOT_USER_PATTERNS = [ 0 , "0" , "root" , /^0:.*$/ , /^root:.*$/ ]

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_task_definition_nonroot_user_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
```

```
        <<
        [CT.ECS.PR.3]: Require any Amazon ECS task definition to specify a user that is
 not the root
            [FIX]: Set the 'User' property to a non-root user.
        >>
}

rule ecs_task_definition_nonroot_user_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.3]: Require any Amazon ECS task definition to specify a user that is
 not the root
            [FIX]: Set the 'User' property to a non-root user.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition [
        filter_container_definitions_is_present(this)
    ]{
        ContainerDefinitions[*] {
            # Scenario 3
            User exists

            # Scenario 4 and 5
            User not in %ROOT_USER_PATTERNS
        }
    }
}

rule filter_container_definitions_is_present(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        ContainerDefinitions exists
        ContainerDefinitions is_list
        ContainerDefinitions not empty
    }
}

#
```

```
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainerA
        User: exampleuser
        Memory: 256
      - Name: ExampleContainerB
        Image: alpine:latest
        User: exampleuser
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainerA
        User: exampleuser
        Memory: 256
      - Name: ExampleContainerB
        Image: alpine:latest
        User: root
```

[CT.ECS.PR.4] Memerlukan tugas Amazon ECS untuk menggunakan mode jaringan 'awsvpc'

Kontrol ini memeriksa apakah mode jaringan untuk definisi tugas Amazon Elastic Container Service (ECS) disetel ke`awsvpc`.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.4contoh template

Penjelasan

Amazon ECS merekomendasikan penggunaan mode `awsvpc` jaringan, kecuali Anda memiliki alasan khusus untuk menggunakan mode jaringan yang berbeda. Mode `awsvpc` jaringan menyederhanakan jaringan kontainer, dan memberi Anda kontrol atas cara aplikasi kontainer berkomunikasi satu sama lain, atau dengan layanan lain, dalam VPC Anda. Mode `awsvpc` jaringan memberikan keamanan yang lebih baik untuk kontainer Anda, karena memungkinkan Anda untuk menggunakan grup keamanan dan alat pemantauan jaringan pada tingkat terperinci dalam tugas Anda. Setiap tugas memiliki elastic network interface (ENI) sendiri; oleh karena itu, Anda dapat menyertakan fitur jaringan Amazon EC2 lainnya, seperti VPC Flow Logs, yang membantu Anda memantau lalu lintas di antara tugas-tugas Anda.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS untuk jenis peluncuran `EC2` dan`Fargate`.

Remediasi untuk kegagalan aturan

Setel `NetworkMode` ke `awsvpc` untuk tugas Amazon ECS yang diterapkan ke Amazon EC2 atau. AWS Fargate

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh

Definisi tugas Amazon ECS dikonfigurasi dengan mode `awsvpc` jaringan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Resources": {
        "ECSTaskDefinition": {
            "Type": "AWS::ECS::TaskDefinition",
            "Properties": {
                "ContainerDefinitions": [
                    {
                        "Essential": true,
                        "Image": "nginx:latest",
                        "Name": "SampleContainer"
```

```
                    }
                ],
                "Memory": 512,
                "NetworkMode": "awsvpc"
            }
        }
    }
}
```

Contoh YAMAL

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
        - Essential: true
          Image: nginx:latest
          Name: SampleContainer
      Memory: 512
      NetworkMode: awsvpc
```

CT.ECS.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ecs_awsvpc_networking_enabled_check
#
# Description:
#   This control checks whether the networking mode for Amazon Elastic Container
 Service (ECS) task definitions is set to 'awsvpc'.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
```

```
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain an ECS task definition resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'RequiresCompatibilities' is present and only has one entry in the list
 set to 'EXTERNAL'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'RequiresCompatibilities' is either not present or set to a list with
 entries that include 'EC2',
#            'FARGATE' or both.
#       And: 'NetworkMode' is not present
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'RequiresCompatibilities' is either not present or set to a list with
 entries that include 'EC2',
#            'FARGATE' or both.
#       And: 'NetworkMode' is present
#       And: 'NetworkMode' is not set to 'awsvpc'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'RequiresCompatibilities' is either not present or set to a list with
 entries that include 'EC2',
```

```
#            'FARGATE' or both.
#       And: 'NetworkMode' is present
#       And: 'NetworkMode' is set to 'awsvpc'
#      Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let ALLOWED_NETWORK_MODES = [ "awsvpc" ]
let SUPPORTED_LAUNCH_PLATFORMS = [ "EC2" , "FARGATE" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_awsvpc_networking_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
        <<
        [CT.ECS.PR.4]: Require Amazon ECS tasks to use 'awsvpc' networking mode
            [FIX]: Set 'NetworkMode' to 'awsvpc' for Amazon ECS tasks that deploy to
 Amazon EC2 or AWS Fargate.
        >>
}

rule ecs_awsvpc_networking_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.4]: Require Amazon ECS tasks to use 'awsvpc' networking mode
            [FIX]: Set 'NetworkMode' to 'awsvpc' for Amazon ECS tasks that deploy to
 Amazon EC2 or AWS Fargate.
        >>
}

#
# Parameterized Rules
#
```

```
rule check(ecs_task_definition) {
    %ecs_task_definition [ filter_external_task_definitions(this) ] {
        # Scenario 3
        NetworkMode exists

        # Scenario 4 and 5
        NetworkMode is_string
        NetworkMode in %ALLOWED_NETWORK_MODES
    }
}

rule filter_external_task_definitions(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        RequiresCompatibilities not exists or
        filter_supported_task_definitions(RequiresCompatibilities)
    }
}

rule filter_supported_task_definitions(requires_compatibilities) {
    %requires_compatibilities {
        this is_list
        this not empty
        some this[*] in %SUPPORTED_LAUNCH_PLATFORMS
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainer
      Memory: 512
      NetworkMode: awsvpc
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainer
      Memory: 512
```

[CT.ECS.PR.5] Memerlukan definisi tugas Amazon ECS yang aktif untuk memiliki konfigurasi logging

Kontrol ini memeriksa apakah definisi tugas Amazon Elastic Container Service (ECS) memiliki konfigurasi logging yang ditentukan.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.5contoh template

Penjelasan

Pemantauan merupakan bagian penting dalam menjaga keandalan, ketersediaan, dan kinerja Amazon Elastic Container Service (ECS) dan AWS lingkungan Anda. Kami menyarankan Anda mengumpulkan data pemantauan dari semua bagian AWS lingkungan Anda, karena data ini dapat membantu Anda men-debug kegagalan multi-titik, jika kegagalan tersebut terjadi.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS yang dikonfigurasi dengan definisi kontainer.

Remediasi untuk kegagalan aturan

Untuk setiap definisi kontainer, dalam `LogConfiguration` atur `LogDriver` properti ke driver log yang didukung.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh

Definisi tugas Amazon ECS dikonfigurasi untuk mengirim informasi log ke Amazon CloudWatch Logs untuk setiap definisi kontainer. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "Memory": "512",
            "ContainerDefinitions": [
                {
                    "Name": "ContainerA",
                    "Image": "nginx:latest",
                    "Essential": true,
                    "LogConfiguration": {
                        "LogDriver": "awslogs",
                        "Options": {
                            "awslogs-group": {
                                "Ref": "LogGroup"
                            },
                            "awslogs-stream-prefix": "Container-A-LogStream",
                            "awslogs-region": {
                                "Ref": "AWS::Region"
                            }
                        }
                    }
                },
                {
                    "Name": "ContainerB",
                    "Image": "nginx:latest",
                    "LogConfiguration": {
                        "LogDriver": "awslogs",
                        "Options": {
                            "awslogs-group": {
                                "Ref": "LogGroup"
                            },
                            "awslogs-stream-prefix": "Container-B-LogStream",
                            "awslogs-region": {
                                "Ref": "AWS::Region"
                            }
                        }
                    }
                }
            ]
        }
```

```
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    Memory: '512'
    ContainerDefinitions:
      - Name: ContainerA
        Image: nginx:latest
        Essential: true
        LogConfiguration:
          LogDriver: awslogs
          Options:
            awslogs-group: !Ref 'LogGroup'
            awslogs-stream-prefix: Container-A-LogStream
            awslogs-region: !Ref 'AWS::Region'
      - Name: ContainerB
        Image: nginx:latest
        LogConfiguration:
          LogDriver: awslogs
          Options:
            awslogs-group: !Ref 'LogGroup'
            awslogs-stream-prefix: Container-B-LogStream
            awslogs-region: !Ref 'AWS::Region'
```

CT.ECS.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   ecs_task_definition_log_configuration_check
#
# Description:
```

```
#   This control checks whether Amazon Elastic Container Service (ECS) task definitions
 have a logging configuration specified.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain an ECS task definition resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is not present or is an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present and is not an empty list
#       And: One or more containers defined  in 'ContainerDefinitions' do not have
 'LogConfiguration' set or it is set
#            to an empty struct
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present and is not an empty list
#       And: One or more containers defined  in 'ContainerDefinitions' have
 'LogConfiguration' property present
#       And: 'LogConfiguration.LogDriver' is not present or is set to an empty string
#      Then: FAIL
#   Scenario: 5
```

```
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present
#       And: All containers defined  in 'ContainerDefinitions' have 'LogConfiguration'
 property present
#       And: 'LogConfiguration.LogDriver' is present and set to a non-empty string
#      Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_task_definition_log_configuration_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
        <<
        [CT.ECS.PR.5]: Require an active Amazon ECS task definition to have a logging
 configuration
            [FIX]: For each container definition, within 'LogConfiguration' set the
 'LogDriver' property to a supported log driver.
        >>
}

rule ecs_task_definition_log_configuration_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.5]: Require an active Amazon ECS task definition to have a logging
 configuration
            [FIX]: For each container definition, within 'LogConfiguration' set the
 'LogDriver' property to a supported log driver.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition [
        filter_container_definitions_is_present(this)
    ]{
        ContainerDefinitions[*] {
            # Scenario 3
            LogConfiguration exists
            LogConfiguration is_struct
            LogConfiguration not empty

            # Scenario 4 and 5
            LogConfiguration {
                LogDriver exists
                check_is_string_and_not_empty(LogDriver)
            }
        }
    }
}

rule filter_container_definitions_is_present(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        ContainerDefinitions exists
        ContainerDefinitions is_list
        ContainerDefinitions not empty
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LogGroup:
    Type: AWS::Logs::LogGroup
    DeletionPolicy: Delete
    UpdateReplacePolicy: Delete
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      ContainerDefinitions:
      - Name: ContainerA
        LogConfiguration:
          LogDriver: awslogs
          Options:
            awslogs-group:
              Ref: LogGroup
            awslogs-stream-prefix: Container-A-LogStream
            awslogs-region:
              Ref: AWS::Region
        Essential: true
        Image: nginx:latest
      - Name: ContainerB
        LogConfiguration:
          LogDriver: awslogs
```

```
          Options:
            awslogs-group:
              Ref: LogGroup
            awslogs-stream-prefix: Container-B-LogStream
            awslogs-region:
              Ref: AWS::Region
        Image: nginx:latest
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LogGroup:
    Type: AWS::Logs::LogGroup
    DeletionPolicy: Delete
    UpdateReplacePolicy: Delete
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      ContainerDefinitions:
      - Name: ContainerA
        Essential: true
        Image: nginx:latest
      - Name: ContainerB
        Image: nginx:latest
        LogConfiguration:
          LogDriver: awslogs
          Options:
            awslogs-group:
              Ref: LogGroup
            awslogs-stream-prefix: Container-B-LogStream
            awslogs-region:
              Ref: AWS::Region
```

[CT.ECS.PR.6] Memerlukan wadah Amazon ECS untuk mengizinkan akses hanya-baca ke sistem file root

Kontrol ini memeriksa apakah definisi tugas Amazon Elastic Container Service (Amazon ECS) telah dikonfigurasi untuk memerlukan akses hanya-baca ke sistem file root container.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.6spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.6contoh template

Penjelasan

Mengaktifkan opsi ini mengurangi vektor serangan keamanan. Ketika diaktifkan, sistem file instance container tidak dapat dirusak atau ditulis kecuali jika secara eksplisit memberikan izin baca-tulis pada folder dan direktori sistem file. Kontrol ini menganut prinsip hak istimewa paling sedikit.

> **Pertimbangan penggunaan**
>
> - Kontrol ini tidak kompatibel dengan definisi tugas Amazon ECS yang menggunakan wadah Windows.

Remediasi untuk kegagalan aturan

Atur `ReadonlyRootFilesystem` properti `true` untuk semua`ContainerDefinitions`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh

Definisi tugas Amazon ECS dengan akses hanya-baca ke sistem file root kontainer. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "ContainerDefinitions": [
                {
                    "Essential": true,
                    "Image": "nginx:latest",
                    "Name": "SampleContainerA",
                    "ReadonlyRootFilesystem": true
                },
                {
                    "Image": "alpine:latest",
                    "Name": "SampleContainerB",
                    "ReadonlyRootFilesystem": true
                }
            ],
            "Memory": "512"
        }
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainerA
        ReadonlyRootFilesystem: true
      - Image: alpine:latest
```

```
        Name: SampleContainerB
        ReadonlyRootFilesystem: true
    Memory: '512'
```

CT.ECS.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
# Rule Identifier:
#   ecs_containers_readonly_access_check
#
# Description:
#   This control checks whether Amazon Elastic Container Service (Amazon ECS) task
 definitions have been configured to require read-only access to container root
 filesystems.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
# Scenario: 1
#   Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#     And: The input document does not contain an Amazon ECS task definition resource
#    Then: SKIP
# Scenario: 2
#   Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#     And: The input document contains an Amazon ECS task definition resource
#     And: 'ContainerDefinitions' property is not present or is empty
#    Then: SKIP
# Scenario: 3
```

```
#   Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#     And: The input document contains an Amazon ECS task definition resource
#     And: 'ContainerDefinitions' property is present
#     And: One or more containers defined  in 'ContainerDefinitions' do not have
 'ReadonlyRootFilesystem' present
#    Then: FAIL
# Scenario: 4
#   Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#     And: The input document contains an Amazon ECS task definition resource
#     And: 'ContainerDefinitions' property is present
#     And: One or more containers defined  in 'ContainerDefinitions' have the value of
 'ReadonlyRootFilesystem' set to
#          bool(false)
#     Then: FAIL
# Scenario: 5
#   Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#     And: The input document contains an Amazon ECS task definition resource
#     And: 'ContainerDefinitions' property is present
#     And: All containers defined  in 'ContainerDefinitions' have the value of
 'ReadonlyRootFilesystem' set to
#          bool(true)
#    Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_containers_readonly_access_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
        <<
```

```
        [CT.ECS.PR.6]: Require Amazon ECS containers to allow read-only access to the
 root filesystem
        [FIX]: Set the 'ReadonlyRootFilesystem' property to 'true' for all
 'ContainerDefinitions'.
        >>
}

rule ecs_containers_readonly_access_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.6]: Require Amazon ECS containers to allow read-only access to the
 root filesystem
        [FIX]: Set the 'ReadonlyRootFilesystem' property to 'true' for all
 'ContainerDefinitions'.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition [ filter_container_definitions_is_present(this) ]{
        ContainerDefinitions[*] {
            # Scenario 3
            ReadonlyRootFilesystem exists

            # Scenario 4
            ReadonlyRootFilesystem == true
        }
    }
}

rule filter_container_definitions_is_present(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        ContainerDefinitions exists
        ContainerDefinitions is_list
        ContainerDefinitions not empty
    }
}

#
# Utility Rules
```

```
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainerA
        ReadonlyRootFilesystem: true
      - Image: alpine:latest
        Name: SampleContainerB
        ReadonlyRootFilesystem: true
      Memory: '512'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainerA
        ReadonlyRootFilesystem: false
      - Image: alpine:latest
        Name: SampleContainerB
        ReadonlyRootFilesystem: false
      Memory: '512'
```

[CT.ECS.PR.7] Memerlukan definisi tugas Amazon ECS untuk memiliki batas penggunaan memori tertentu

Kontrol ini memeriksa apakah definisi tugas Amazon Elastic Container Service (ECS) telah menetapkan batas memori untuk definisi kontainer.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.7spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.7spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.7contoh template

Penjelasan

Kami menyarankan Anda menentukan memori maksimum yang tersedia untuk kontainer Anda, karena batas ini melindungi sumber daya Anda jika terjadi akses berbahaya ke kontainer Anda.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS yang dikonfigurasi dengan definisi kontainer.

Remediasi untuk kegagalan aturan

Tetapkan `Memory` properti `ContainerDefinitions` untuk definisi tugas Amazon ECS.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh

Definisi tugas Amazon ECS dikonfigurasi dengan batas memori yang ditentukan untuk definisi kontainer. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "ContainerDefinitions": [
                {
                    "Essential": true,
                    "Image": "nginx:latest",
                    "Name": "SampleContainer",
                    "Memory": 256
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
```

```
  Type: AWS::ECS::TaskDefinition
  Properties:
    ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
        Memory: 256
```

CT.ECS.PR.7spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_task_definition_memory_hard_limit_check
#
# Description:
#   This control checks whether Amazon Elastic Container Service (ECS) task definitions
 have specified a memory limit for container definitions.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain an ECS task definition resource
#      Then: SKIP
#   Scenario: 2
#    Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#      And: The input document contains an ECS task definition resource
```

```
#      And: 'ContainerDefinitions' property is not present or is an empty list
#     Then: SKIP
#   Scenario: 3
#    Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#      And: The input document contains an ECS task definition resource
#      And: 'ContainerDefinitions' property is present and is not an empty list
#      And: One or more containers defined in 'ContainerDefinitions' do not have
 'Memory' property set
#     Then: FAIL
#   Scenario: 4
#    Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#      And: The input document contains an ECS task definition resource
#      And: 'ContainerDefinitions' property is present and is not an empty list
#      And: One or more containers defined in 'ContainerDefinitions' have 'Memory'
 property set to an integer
#           value less than four (< 4)
#     Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present
#       And: All containers defined in 'ContainerDefinitions' have 'Memory' property
 set to an integer value
#            greater than or equal to four (>= 4)
#      Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_task_definition_memory_hard_limit_check when is_cfn_template(%INPUT_DOCUMENT)
```

```
                                                    %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
        <<
        [CT.ECS.PR.7]: Require an Amazon ECS task definition to have a specific memory
 usage limit
            [FIX]: Set the 'Memory' property in 'ContainerDefinitions' for Amazon ECS
 task definitions.
        >>
}

rule ecs_task_definition_memory_hard_limit_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.7]: Require an Amazon ECS task definition to have a specific memory
 usage limit
            [FIX]: Set the 'Memory' property in 'ContainerDefinitions' for Amazon ECS
 task definitions.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition [filter_container_definitions_is_present(this)]{
        ContainerDefinitions[*] {
            # Scenario 3
            Memory exists

            # Scenario 4 and 5
            Memory >= 4
        }
    }
}

rule filter_container_definitions_is_present(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        ContainerDefinitions exists
        ContainerDefinitions is_list
        ContainerDefinitions not empty
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.7contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainerA
        Memory: 256
      - Image: alpine:latest
        Name: ExampleContainerB
        Memory: 512
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: "512"
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainerA
        Memory: 256
      - Image: alpine:latest
        Name: ExampleContainerB
        Memory: 3
```

[CT.ECS.PR.8] Mengharuskan definisi tugas Amazon ECS untuk memiliki mode jaringan yang aman dan definisi pengguna

Kontrol ini memeriksa apakah definisi tugas Amazon Elastic Container Service (ECS) yang menggunakan mode `host` jaringan memiliki definisi container istimewa, dan apakah definisi tersebut menentukan definisi pengguna non-root.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.8spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.8spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.8contoh template

Penjelasan

Jika definisi tugas memiliki hak istimewa yang tinggi, itu menyiratkan bahwa pelanggan telah secara khusus memilih konfigurasi itu. Kontrol ini memeriksa eskalasi hak istimewa yang tidak terduga, yang terjadi ketika definisi tugas memungkinkan jaringan host, tetapi pelanggan belum memilih hak istimewa yang lebih tinggi.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS yang mencakup mode `host` jaringan dan satu atau beberapa definisi kontainer.
- Kontrol ini tidak kompatibel dengan definisi tugas Amazon ECS yang menggunakan wadah Windows.

Remediasi untuk kegagalan aturan

Untuk definisi tugas Amazon ECS yang menggunakan mode `host` jaringan, definisi container Anda harus menyetel `User` properti ke pengguna non-root. Selain itu, untuk memilih hak istimewa yang ditinggikan, konfigurasikan kontainer agar berjalan dalam mode istimewa dengan menyetel `Privileged` properti ke. `true`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh Satu

Definisi tugas Amazon ECS dengan mode jaringan host yang dikonfigurasi untuk definisi kontainer istimewa. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "Memory": "512",
            "NetworkMode": "host",
            "ContainerDefinitions": [
                {
                    "Name": "SampleContainerA",
                    "User": "root",
                    "Privileged": true,
```

```
                    "Image": "nginx:latest",
                    "Essential": true
                },
                {
                    "Name": "SampleContainerB",
                    "User": "root",
                    "Privileged": true,
                    "Image": "alpine:latest"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    Memory: '512'
    NetworkMode: host
    ContainerDefinitions:
      - Name: SampleContainerA
        User: root
        Privileged: true
        Image: nginx:latest
        Essential: true
      - Name: SampleContainerB
        User: root
        Privileged: true
        Image: alpine:latest
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh Dua

Definisi tugas Amazon ECS dengan mode jaringan host yang dikonfigurasi untuk definisi wadah pengguna non-root dan mode istimewa dinonaktifkan, melalui default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "Memory": "512",
            "NetworkMode": "host",
            "ContainerDefinitions": [
                {
                    "Name": "SampleContainerA",
                    "User": "root",
                    "Privileged": true,
                    "Image": "nginx:latest",
                    "Essential": true
                },
                {
                    "Name": "SampleContainerB",
                    "User": "root",
                    "Privileged": true,
                    "Image": "alpine:latest"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    Memory: '512'
    NetworkMode: host
    ContainerDefinitions:
      - Name: SampleContainerA
        User: root
        Privileged: true
        Image: nginx:latest
        Essential: true
```

```
      - Name: SampleContainerB
        User: root
        Privileged: true
        Image: alpine:latest
```

CT.ECS.PR.8spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_task_definition_user_for_host_mode_check
#
# Description:
#   This control checks whether Amazon Elastic Container Service (ECS) task definitions
 that use 'host' networking mode have a privileged container definition, and whether
 they specify a non-root user definition.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain an ECS task definition resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is not present or is an empty list
#      Then: SKIP
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present and is not an empty list
#       And: 'NetworkMode' property is either not present or set to a value other than
 'host'
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present and is not an empty list
#       And: 'NetworkMode' property is present and set to 'host'
#       And: A container defined in 'ContainerDefinitions' has 'Privileged' property
 not set or is set as bool(false)
#       And: This same container either does not have the 'User' property set or has it
 set to a value that translates
#            to root user
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present
#       And: 'NetworkMode' property is present and set to 'host'
#       And: All Containers defined in 'ContainerDefinitions' either have the
 'Privileged' property set to bool(true)
#            or have their 'User' property set to a value that does not translate to
 root user
#      Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this
let ROOT_USER_PATTERNS = [ 0 , "0" , "root" , /^0:.*$/ , /^root:.*$/ ]
let VALID_NETWORK_MODES = [ "host" ]

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]
```

```
#
# Primary Rules
#
rule ecs_task_definition_user_for_host_mode_check when is_cfn_template(%INPUT_DOCUMENT)
                                                       %ecs_task_definitions not empty
 {
    check(%ecs_task_definitions.Properties)
        <<
        [CT.ECS.PR.8]: Require Amazon ECS task definitions to have secure networking
 modes and user definitions
            [FIX]: For Amazon ECS task definitions that use 'host' networking mode,
 your container definitions must set the 'User' property to a non-root user. Also,
 to opt into elevated privileges, configure containers to run in privileged mode by
 setting the  'Privileged' property to 'true'.
        >>
}

rule ecs_task_definition_user_for_host_mode_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.8]: Require Amazon ECS task definitions to have secure networking
 modes and user definitions
            [FIX]: For Amazon ECS task definitions that use 'host' networking mode,
 your container definitions must set the 'User' property to a non-root user. Also,
 to opt into elevated privileges, configure containers to run in privileged mode by
 setting the  'Privileged' property to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition [
        filter_nw_mode_container_definitions(this)
    ]{
        ContainerDefinitions[*] {
            # Scenario 4 and 5
            check_elevated_privilege_containers(this) or
            check_nonroot_user_containers(this)
        }
    }
```

```
}

rule check_elevated_privilege_containers(container_definition) {
    %container_definition {
        Privileged exists
        Privileged == true
    }
}

rule check_nonroot_user_containers(container_definition) {
    %container_definition {
        User exists
        User not in %ROOT_USER_PATTERNS
    }
}

rule filter_nw_mode_container_definitions(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        ContainerDefinitions exists
        ContainerDefinitions is_list
        ContainerDefinitions not empty

        # Scenario 3
        NetworkMode exists
        NetworkMode is_string
        NetworkMode in %VALID_NETWORK_MODES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.8contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      NetworkMode: host
      ContainerDefinitions:
      - Name: ExampleContainerA
        User: root
        Privileged: true
        Image: nginx:latest
        Essential: true
      - Name: ExampleContainerB
        User: root
        Privileged: true
        Image: alpine:latest
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      NetworkMode: host
      ContainerDefinitions:
      - Name: ExampleContainerA
        User: root
        Privileged: true
```

```
        Image: nginx:latest
        Essential: true
      - Name: ExampleContainerB
        Image: alpine:latest
        User: root
```

[CT.ECS.PR.9] Memerlukan layanan Amazon ECS untuk tidak menetapkan alamat IP publik secara otomatis

Kontrol ini memeriksa apakah sumber daya layanan Amazon Elastic Container Service (Amazon ECS) Anda dikonfigurasi untuk menetapkan alamat IP publik secara otomatis.

- Tujuan kontrol: Batasi akses jaringan, Terapkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::Service`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.9spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.9spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.9contoh template

Penjelasan

Alamat IP publik adalah alamat IP yang dapat dijangkau dari internet. Jika Anda meluncurkan instans Amazon ECS Anda dengan alamat IP publik, maka instans Amazon ECS Anda dapat dijangkau dari internet. Layanan Amazon ECS tidak boleh diakses publik, karena memungkinkan akses yang tidak diinginkan ke server aplikasi kontainer Anda.

Remediasi untuk kegagalan aturan

Atur `AssignPublicIp` `NetworkConfiguration.AwsvpcConfiguration` ke`DISABLED`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Layanan Amazon ECS - Contoh Satu

Layanan Amazon ECS dikonfigurasi untuk melarang penetapan alamat IP publik otomatis, dengan cara default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSService": {
        "Type": "AWS::ECS::Service",
        "Properties": {
            "Cluster": {
                "Ref": "ECSCluster"
            },
            "DesiredCount": 0,
            "TaskDefinition": {
                "Ref": "ECSTaskDefinition"
            },
            "LaunchType": "FARGATE",
            "NetworkConfiguration": {
                "AwsvpcConfiguration": {
                    "Subnets": [
                        {
                            "Ref": "SubnetOne"
                        },
                        {
                            "Ref": "SubnetTwo"
                        }
                    ]
                }
            }
        }
    }
}
```

Contoh YAMAL

```
ECSService:
  Type: AWS::ECS::Service
  Properties:
```

```
    Cluster: !Ref 'ECSCluster'
    DesiredCount: 0
    TaskDefinition: !Ref 'ECSTaskDefinition'
    LaunchType: FARGATE
    NetworkConfiguration:
      AwsvpcConfiguration:
        Subnets:
          - !Ref 'SubnetOne'
          - !Ref 'SubnetTwo'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Layanan Amazon ECS - Contoh Dua

Layanan Amazon ECS dikonfigurasi untuk melarang penetapan alamat IP publik otomatis, melalui properti. `AssignPublicIp` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ECSService": {
        "Type": "AWS::ECS::Service",
        "Properties": {
            "Cluster": {
                "Ref": "ECSCluster"
            },
            "DesiredCount": 0,
            "TaskDefinition": {
                "Ref": "ECSTaskDefinition"
            },
            "LaunchType": "FARGATE",
            "NetworkConfiguration": {
                "AwsvpcConfiguration": {
                    "AssignPublicIp": "DISABLED",
                    "Subnets": [
                        {
                            "Ref": "SubnetOne"
                        },
                        {
                            "Ref": "SubnetTwo"
                        }
```

```
                    ]
                }
            }
        }
    }
}
```

Contoh YAMAL

```
ECSService:
  Type: AWS::ECS::Service
  Properties:
    Cluster: !Ref 'ECSCluster'
    DesiredCount: 0
    TaskDefinition: !Ref 'ECSTaskDefinition'
    LaunchType: FARGATE
    NetworkConfiguration:
      AwsvpcConfiguration:
        AssignPublicIp: DISABLED
        Subnets:
          - !Ref 'SubnetOne'
          - !Ref 'SubnetTwo'
```

CT.ECS.PR.9spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_service_assign_public_ip_disabled_check
#
# Description:
#   This control checks whether your Amazon Elastic Container Service (Amazon ECS)
 service resources are configured to assign public IP addresses automatically.
#
# Reports on:
#   AWS::ECS::Service
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain an Amazon ECS service resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECS service resource
#       And: 'NetworkConfiguration' property is not present
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECS service resource
#       And: 'NetworkConfiguration.AwsvpcConfiguration' property is not present
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECS service resource
#       And: 'NetworkConfiguration.AwsvpcConfiguration' property is present
#       And: 'AssignPublicIp' property is present and set to 'ENABLED'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECS service resource
#       And: 'NetworkConfiguration.AwsvpcConfiguration' property is present
#       And: 'AssignPublicIp' property is not present
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon ECS service resource
#       And: 'NetworkConfiguration.AwsvpcConfiguration' property is present
```

```
#       And: 'AssignPublicIp' property is present and set to 'DISABLED'
#      Then: PASS

#
# Constants
#
let ECS_SERVICE_TYPE = "AWS::ECS::Service"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_services = Resources.*[ Type == %ECS_SERVICE_TYPE ]

#
# Primary Rules
#
rule ecs_service_assign_public_ip_disabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %ecs_services not empty {
    check(%ecs_services.Properties)
        <<
        [CT.ECS.PR.9]: Require Amazon ECS services not to assign public IP addresses
 automatically
        [FIX]: Set 'AssignPublicIp' in 'NetworkConfiguration.AwsvpcConfiguration' to
 'DISABLED'.
        >>
}

rule ecs_service_assign_public_ip_disabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_SERVICE_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_SERVICE_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.9]: Require Amazon ECS services not to assign public IP addresses
 automatically
        [FIX]: Set 'AssignPublicIp' in 'NetworkConfiguration.AwsvpcConfiguration' to
 'DISABLED'.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_service) {
    %ecs_service [filter_ecs_service_with_vpc_configuration(this)] {
```

```
        NetworkConfiguration {
            AwsvpcConfiguration {
                # Scenario 5
                AssignPublicIp not exists or

                # Scenario 6
                check_assign_public_ip_property(AssignPublicIp)
            }
        }
    }
}

rule check_assign_public_ip_property(public_ip) {
    %public_ip {
        this is_string
        this == "DISABLED"
    }
}

rule filter_ecs_service_with_vpc_configuration(ecs_service) {
    %ecs_service {
        # Scenario 2
        NetworkConfiguration exists
        NetworkConfiguration is_struct

        # Scenarion 3 and 4
        NetworkConfiguration {
            AwsvpcConfiguration exists
            AwsvpcConfiguration is_struct
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
```

```
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.9contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ECSCluster:
    Type: AWS::ECS::Cluster
    Properties:
```

```
      CapacityProviders:
        - FARGATE
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
      Memory: '512'
      RequiresCompatibilities:
        - FARGATE
      NetworkMode: awsvpc
      Cpu: 256
  ECSService:
    Type: AWS::ECS::Service
    Properties:
      Cluster:
        Ref: ECSCluster
      DesiredCount: 0
      TaskDefinition:
        Ref: ECSTaskDefinition
      NetworkConfiguration:
        AwsvpcConfiguration:
          Subnets:
           - Ref: SubnetOne
           - Ref: SubnetTwo
      LaunchType: FARGATE
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
```

```
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ECSCluster:
    Type: AWS::ECS::Cluster
    Properties:
      CapacityProviders:
        - FARGATE
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
      Memory: '512'
      RequiresCompatibilities:
        - FARGATE
      NetworkMode: awsvpc
      Cpu: 256
  ECSService:
    Type: AWS::ECS::Service
    Properties:
      Cluster:
        Ref: ECSCluster
      DesiredCount: 0
      TaskDefinition:
        Ref: ECSTaskDefinition
```

```
      NetworkConfiguration:
        AwsvpcConfiguration:
          AssignPublicIp: ENABLED
          Subnets:
           - Ref: SubnetOne
           - Ref: SubnetTwo
      LaunchType: FARGATE
```

[CT.ECS.PR.10] Mengharuskan definisi tugas Amazon ECS tidak membagikan namespace proses host

Kontrol ini memeriksa apakah definisi tugas Amazon Elastic Container Service (ECS) dikonfigurasi untuk berbagi namespace proses host dengan kontainernya.

- Tujuan kontrol: Lindungi konfigurasi, Terapkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.10spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.10spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.10contoh template

Penjelasan

Namespace ID proses (PID) menyediakan pemisahan antar proses. Ini mencegah proses sistem agar tidak terlihat oleh proses lain, dan memungkinkan PID untuk digunakan kembali, termasuk PID 1. Jika host `s PID namespace is shared with containers, those containers can see all of the processes on the host system. Process visibility reduces the benefit of process-level isolation between the host and the containers. Reduced isolation can allow unauthorized access to processes on the host itself, including the ability to manipulate and terminate the host` s memproses.

Sebagai praktik terbaik, jangan bagikan namespace proses host dengan kontainer yang berjalan di host.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS yang dikonfigurasi dengan definisi kontainer.
> - Kontrol ini tidak kompatibel dengan definisi tugas Amazon ECS yang dikonfigurasi untuk dijalankan AWS Fargate, atau definisi yang menggunakan wadah Windows.

Remediasi untuk kegagalan aturan

Hilangkan `PidMode` properti, atau atur `PidMode` `ketask`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh Satu

Definisi tugas Amazon ECS dikonfigurasi dengan namespace proses tingkat tugas, dengan cara default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "TaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "Memory": "512",
            "ContainerDefinitions": [
                {
                    "Essential": true,
                    "Image": "nginx:latest",
                    "Name": "SampleContainer"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
TaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    Memory: '512'
    ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh Dua

Definisi tugas Amazon ECS dikonfigurasi dengan namespace proses tingkat tugas, melalui properti. `PidMode` Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "TaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "Memory": "512",
            "ContainerDefinitions": [
                {
                    "Essential": true,
                    "Image": "nginx:latest",
                    "Name": "SampleContainer"
                }
            ],
            "PidMode": "task"
        }
    }
}
```

Contoh YAMAL

```
TaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    Memory: '512'
    ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
    PidMode: task
```

CT.ECS.PR.10spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_task_definition_pid_mode_check
#
# Description:
#   This control checks whether Amazon Elastic Container Service (ECS) task definitions
 are configured to share a host's process namespace with its containers.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain an ECS task definition resource
#      Then: SKIP
#   Scenario: 2
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'PidMode' is provided as an empty string
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'PidMode' is set to 'host'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'PidMode' is not present
#      Then: PASS
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'PidMode' is provided as a non-empty string that is not 'host'
#      Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_task_definition_pid_mode_check when is_cfn_template(%INPUT_DOCUMENT)
                                             %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
        <<
        [CT.ECS.PR.10]: Require that Amazon ECS task definitions do not share the
 host's process namespace
```

```
            [FIX]: Omit the 'PidMode' property, or set 'PidMode' to 'task'.
        >>
}

rule ecs_task_definition_pid_mode_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.10]: Require that Amazon ECS task definitions do not share the
 host's process namespace
            [FIX]: Omit the 'PidMode' property, or set 'PidMode' to 'task'.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        PidMode not exists or

        # Scenario 3 and 4
        check_pidmode_value(PidMode)
    }
}

rule check_pidmode_value(pid_mode) {
    %pid_mode {
        check_is_string_and_not_empty(this)
        this != "host"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.ECS.PR.10contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  TaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainer
      PidMode: task
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  TaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
```

```
      Memory: '512'
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainer
      PidMode: host
```

[CT.ECS.PR.11] Memerlukan wadah Amazon ECS untuk dijalankan sebagai non-hak istimewa

Kontrol ini memeriksa apakah definisi container dalam definisi tugas Amazon Elastic Container Service (ECS) dikonfigurasi dengan hak istimewa yang ditinggikan.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.11spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.11spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.11contoh template

Penjelasan

Kami menyarankan Anda menghapus hak istimewa yang ditinggikan dari definisi tugas Amazon ECS Anda. Ketika parameter privilege adalah`true`, container dapat beroperasi dengan hak istimewa yang ditinggikan pada instance container host. Hak istimewa ini mirip dengan hak akses pengguna root.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS yang dikonfigurasi dengan definisi kontainer.

- Kontrol ini tidak kompatibel dengan definisi tugas Amazon ECS yang menggunakan wadah Windows.

Remediasi untuk kegagalan aturan

Pastikan bahwa semua kontainer yang didefinisikan dalam `ContainerDefinitions` menghilangkan `Privileged` properti, atau disetel `Privileged` kefalse.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh

Definisi tugas Amazon ECS dikonfigurasi dengan mode istimewa yang dinonaktifkan untuk definisi kontainer. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "ContainerDefinitions": [
                {
                    "Essential": true,
                    "Image": "alpine:latest",
                    "Name": "SampleContainerA"
                },
                {
                    "Image": "nginx:latest",
                    "Name": "SampleContainerB",
                    "Privileged": false
                }
            ],
            "Memory": "512"
        }
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    ContainerDefinitions:
      - Essential: true
        Image: alpine:latest
        Name: SampleContainerA
      - Image: nginx:latest
        Name: SampleContainerB
        Privileged: false
    Memory: '512'
```

CT.ECS.PR.11spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_containers_nonprivileged_check
#
# Description:
#   This control checks whether container definitions in Amazon Elastic Container
 Service (ECS) task definitions are configured with elevated privileges.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain an ECS task definition resource
```

```
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is not present or is an empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present
#       And: One or more containers defined  in 'ContainerDefinitions' have
 'Privileged' set to bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ECS task definition resource
#       And: 'ContainerDefinitions' property is present
#       And: All containers defined in 'ContainerDefinitions' either do not have the
 'Privileged' property present or
#            'Privileged' is present and set to bool(false)
#      Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_containers_nonprivileged_check when is_cfn_template(%INPUT_DOCUMENT)
                                             %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
        <<
        [CT.ECS.PR.11]: Require an Amazon ECS container to run as non-privileged
```

```
            [FIX]: Be sure that all containers defined in 'ContainerDefinitions' either
 omit the 'Privileged' property, or that they set 'Privileged' to 'false'.
        >>
}

rule ecs_containers_nonprivileged_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.11]: Require an Amazon ECS container to run as non-privileged
            [FIX]: Be sure that all containers defined in 'ContainerDefinitions' either
 omit the 'Privileged' property, or that they set 'Privileged' to 'false'.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition [
        filter_container_definitions_is_present(this)
    ]{
        ContainerDefinitions[*] {
            # Scenario 3
            Privileged not exists or

            # Scenario 4
            Privileged == false
        }
    }
}

rule filter_container_definitions_is_present(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        ContainerDefinitions exists
        ContainerDefinitions is_list
        ContainerDefinitions not empty
    }
}

#
# Utility Rules
#
```

```
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.11contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: alpine:latest
        Name: ExampleContainerA
      - Image: nginx:latest
        Name: ExampleContainerB
        Privileged: false
      Memory: '512'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSTaskDefinition:
```

```
    Type: AWS::ECS::TaskDefinition
    Properties:
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainerA
        Privileged: false
      - Essential: true
        Image: alpine:latest
        Name: ExampleContainerB
      - Image: nginx:latest
        Name: ExampleContainerC
        Privileged: true
      Memory: '512'
```

[CT.ECS.PR.12] Mengharuskan definisi tugas Amazon ECS tidak meneruskan rahasia sebagai variabel lingkungan wadah

Kontrol ini memeriksa apakah definisi penampung definisi tugas Amazon Elastic Container Service (ECS) menyertakan variabel lingkungan bernama`AWS_ACCESS_KEY_ID`,`AWS_SECRET_ACCESS_KEY`, atau`ECS_ENGINE_AUTH_DATA`.

- Tujuan kontrol: Gunakan otentikasi yang kuat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ECS::TaskDefinition`
- AWS CloudFormation aturan penjaga: CT.ECS.PR.12spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ECS.PR.12spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ECS.PR.12contoh template

Penjelasan

AWS Systems Manager Parameter Store dapat membantu Anda meningkatkan postur keamanan organisasi Anda. Kami merekomendasikan Parameter Store sebagai cara untuk menyimpan rahasia dan kredensyal, alih-alih meneruskannya ke instance container Anda atau memasukkannya ke dalam kode sumber Anda.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk definisi tugas Amazon ECS yang dikonfigurasi dengan definisi kontainer.
> - Kontrol ini mengevaluasi variabel lingkungan plaintext yang dikonfigurasi langsung pada definisi kontainer.

Remediasi untuk kegagalan aturan

Menghilangkan variabel lingkungan dengan `Name` set ke`AWS_ACCESS_KEY_ID`, `AWS_SECRET_ACCESS_KEY` atau `ECS_ENGINE_AUTH_DATA` dari definisi container.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Definisi Tugas Amazon ECS - Contoh

Definisi tugas Amazon ECS dikonfigurasi untuk menyuntikkan data sensitif ke dalam wadah sebagai variabel lingkungan. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ECSTaskDefinition": {
        "Type": "AWS::ECS::TaskDefinition",
        "Properties": {
            "Memory": "512",
            "ExecutionRoleArn": {
                "Fn::GetAtt": [
                    "ECSTaskExecutionRole",
                    "Arn"
                ]
            },
            "ContainerDefinitions": [
                {
```

```
                    "Essential": true,
                    "Image": "nginx:latest",
                    "Name": "SampleContainer",
                    "Environment": [
                        {
                            "Name": "SAMPLE_ENV_VAR",
                            "Value": "sampleValue"
                        }
                    ],
                    "Secrets": [
                        {
                            "Name": "SAMPLE_SENSITIVE_ENV_VAR",
                            "ValueFrom": "arn:aws:ssm:us-east-1:123456789012:parameter/
sample_parameter"
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ECSTaskDefinition:
  Type: AWS::ECS::TaskDefinition
  Properties:
    Memory: '512'
    ExecutionRoleArn: !GetAtt 'ECSTaskExecutionRole.Arn'
    ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: SampleContainer
        Environment:
          - Name: SAMPLE_ENV_VAR
            Value: sampleValue
        Secrets:
          - Name: SAMPLE_SENSITIVE_ENV_VAR
            ValueFrom: arn:aws:ssm:us-east-1:123456789012:parameter/sample_parameter
```

CT.ECS.PR.12spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   ecs_no_environment_secrets_check
#
# Description:
#   This control checks whether Amazon Elastic Container Service (ECS) task definition
 container definitions include environment variables named 'AWS_ACCESS_KEY_ID',
 'AWS_SECRET_ACCESS_KEY', or 'ECS_ENGINE_AUTH_DATA'.
#
# Reports on:
#   AWS::ECS::TaskDefinition
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
# Scenario: 1
#   Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#     And: The input document does not contain an ECS task definition resource
#    Then: SKIP
# Scenario: 2
#   Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#     And: The input document contains an ECS task definition resource
#     And: 'ContainerDefinitions' property is not present or is empty
#    Then: SKIP
# Scenario: 3
#   Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#     And: The input document contains an ECS task definition resource
#     And: 'ContainerDefinitions' property is present
#     And: Containers defined in 'ContainerDefinitions' do not have 'Environment'
 property present
#    Then: SKIP
```

```
# Scenario: 4
#   Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#     And: The input document contains an ECS task definition resource
#     And: 'ContainerDefinitions' property is present
#     And: One or more containers defined  in 'ContainerDefinitions' have 'Environment'
 present
#     And: 'Environment' property has an entry with 'Name' set to 'AWS_ACCESS_KEY_ID',
 'AWS_SECRET_ACCESS_KEY', or
#           'ECS_ENGINE_AUTH_DATA'
#     Then: FAIL
# Scenario: 5
#   Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#     And: The input document contains an ECS task definition resource
#     And: 'ContainerDefinitions' property is present
#     And: One or more containers defined  in 'ContainerDefinitions' have 'Environment'
 present
#     And: 'Environment' property does not have an entry with 'Name' set to
 'AWS_ACCESS_KEY_ID', 'AWS_SECRET_ACCESS_KEY',
#           or 'ECS_ENGINE_AUTH_DATA'
#    Then: PASS

#
# Constants
#
let ECS_TASK_DEFINITION_TYPE = "AWS::ECS::TaskDefinition"
let INPUT_DOCUMENT = this
let RESTRICTED_ENVIRONMENT_VARIABLES = ["AWS_ACCESS_KEY_ID", "AWS_SECRET_ACCESS_KEY",
 "ECS_ENGINE_AUTH_DATA"]

#
# Assignments
#
let ecs_task_definitions = Resources.*[ Type == %ECS_TASK_DEFINITION_TYPE ]

#
# Primary Rules
#
rule ecs_no_environment_secrets_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %ecs_task_definitions not empty {
    check(%ecs_task_definitions.Properties)
        <<
```

```
        [CT.ECS.PR.12]: Require that Amazon ECS task definitions do not pass secrets as
 container environment variables
            [FIX]: Omit environment variables with 'Name' set to 'AWS_ACCESS_KEY_ID',
 'AWS_SECRET_ACCESS_KEY' or 'ECS_ENGINE_AUTH_DATA' from container definitions.
        >>
}

rule ecs_no_environment_secrets_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ECS_TASK_DEFINITION_TYPE) {
    check(%INPUT_DOCUMENT.%ECS_TASK_DEFINITION_TYPE.resourceProperties)
        <<
        [CT.ECS.PR.12]: Require that Amazon ECS task definitions do not pass secrets as
 container environment variables
            [FIX]: Omit environment variables with 'Name' set to 'AWS_ACCESS_KEY_ID',
 'AWS_SECRET_ACCESS_KEY' or 'ECS_ENGINE_AUTH_DATA' from container definitions.
        >>
}

#
# Parameterized Rules
#
rule check(ecs_task_definition) {
    %ecs_task_definition [
        filter_container_definitions_is_present(this)
    ]{
        ContainerDefinitions[
            filter_environment_is_present(this)
        ] {
            # Scenario 4 and 5
            Environment[*] {
                Name not in %RESTRICTED_ENVIRONMENT_VARIABLES
            }
        }
    }
}

rule filter_container_definitions_is_present(ecs_task_definition) {
    %ecs_task_definition {
        # Scenario 2
        ContainerDefinitions exists
        ContainerDefinitions is_list
        ContainerDefinitions not empty
    }
}
```

```
rule filter_environment_is_present(container_definition) {
    %container_definition {
        # Scenario 3
        Environment exists
        Environment is_list
        Environment not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ECS.PR.12contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ECSTaskExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
```

```
            Service:
            - ecs-tasks.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      ManagedPolicyArns:
      - arn:aws:iam::aws:policy/service-role/AmazonECSTaskExecutionRolePolicy
      Policies:
      - PolicyName: ECSTaskPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - ssm:GetParameters
            Resource: arn:aws:ssm:us-east-1:123456789012:parameter/example_parameter
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
    Properties:
      Memory: '512'
      ExecutionRoleArn:
        Fn::GetAtt: [ ECSTaskExecutionRole, Arn ]
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainer
        Environment:
        - Name: EXAMPLE_ENV_VAR
          Value: exampleValue
        Secrets:
        - Name: EXAMPLE_SENSITIVE_ENV_VAR
          ValueFrom: arn:aws:ssm:us-east-1:123456789012:parameter/example_parameter
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ECSTaskDefinition:
    Type: AWS::ECS::TaskDefinition
```

```
    Properties:
      Memory: '512'
      ContainerDefinitions:
      - Essential: true
        Image: nginx:latest
        Name: ExampleContainerA
        Environment:
        - Name: AWS_ACCESS_KEY_ID
          Value: exampleKey
        - Name: AWS_SECRET_ACCESS_KEY
          Value: exampleSecretKey
      - Image: alpine:latest
        Name: ExampleContainerB
```

Kontrol Amazon Elastic File System

Topik

- [CT.ELASTICFILESYSTEM.PR.1] Memerlukan sistem file Amazon EFS untuk mengenkripsi data file saat istirahat menggunakan AWS KMS
- [CT.ELASTICFILESYSTEM.PR.2] Memerlukan volume Amazon EFS untuk memiliki paket pencadangan otomatis
- [CT.ELASTICFILESYSTEM.PR.3] Memerlukan jalur akses Amazon EFS untuk memiliki direktori root
- [CT.ELASTICFILESYSTEM.PR.4] Memerlukan jalur akses Amazon EFS untuk menegakkan identitas pengguna

[CT.ELASTICFILESYSTEM.PR.1] Memerlukan sistem file Amazon EFS untuk mengenkripsi data file saat istirahat menggunakan AWS KMS

Kontrol ini memeriksa apakah sistem file Amazon Elastic File System (Amazon EFS) dikonfigurasi untuk mengenkripsi data file menggunakan AWS KMS.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EFS::FileSystem`

- AWS CloudFormation aturan penjaga: CT.ELASTICFILESYSTEM.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.1contoh template

Penjelasan

Untuk lapisan keamanan tambahan untuk data sensitif Anda di Amazon EFS, Anda harus membuat sistem file terenkripsi. Amazon EFS mendukung enkripsi untuk sistem file saat istirahat. Anda dapat mengaktifkan enkripsi data saat istirahat saat Anda membuat sistem file Amazon EFS.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya membutuhkan `Encrypted` properti yang akan diseteltrue, dan tidak memerlukan `KmsKeyId` properti yang akan disediakan.
> - Jika `KmsKeyId` properti tidak disediakan, default AWS KMS key untuk Amazon EFS,/ `aws/elasticfilesystem`, digunakan untuk melindungi sistem file terenkripsi.

Remediasi untuk kegagalan aturan

Setel `Encrypted` ke `true` dan secara opsional disetel `KmsKeyId` ke AWS KMS key pengenal yang valid.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Sistem File Amazon EFS - Contoh Satu

Sistem file Amazon EFS dikonfigurasi dengan enkripsi diaktifkan, dengan cara default AWS KMS key untuk Amazon EFS. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
```

```
    "EFSFileSystem": {
        "Type": "AWS::EFS::FileSystem",
        "Properties": {
            "Encrypted": true
        }
    }
}
```

Contoh YAMAL

```
EFSFileSystem:
  Type: AWS::EFS::FileSystem
  Properties:
    Encrypted: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Sistem File Amazon EFS - Contoh Dua

Sistem file Amazon EFS yang dikonfigurasi dengan enkripsi diaktifkan, melalui pengelolaan pelanggan AWS KMS key. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "EFSFileSystem": {
        "Type": "AWS::EFS::FileSystem",
        "Properties": {
            "Encrypted": true,
            "KmsKeyId": {
                "Ref": "KMSKey"
            }
        }
    }
}
```

Contoh YAMAL

```
EFSFileSystem:
  Type: AWS::EFS::FileSystem
  Properties:
    Encrypted: true
    KmsKeyId: !Ref 'KMSKey'
```

CT.ELASTICFILESYSTEM.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
# Rule Identifier:
#   efs_encrypted_check
#
# Description:
#   This control checks whether an Amazon Elastic File System (Amazon EFS) file system
 is configured to encrypt file data using AWS KMS.
#
# Reports on:
#   AWS::EFS::FileSystem
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EFS file system resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS file system resource
#       And: 'Encrypted' is not present
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS file system resource
#       And: 'Encrypted' is present and set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS file system resource
#       And: 'Encrypted' is present and set to bool(true)
#      Then: PASS

#
# Constants
#
let RESOURCE_TYPE = "AWS::EFS::FileSystem"
let INPUT_DOCUMENT = this

#
# Assignments
#
let efs_file_systems = Resources.*[ Type == %RESOURCE_TYPE ]

#
# Primary Rules
#
rule efs_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                             %efs_file_systems not empty {
    check(%efs_file_systems.Properties)
        <<
        [CT.ELASTICFILESYSYSTEM.PR.1]: Require an Amazon EFS file system to encrypt
 file data at rest using AWS KMS
[FIX]: Set 'Encrypted' to 'true' and optionally set 'KmsKeyId' to a valid AWS KMS key
 identifier.
        >>
}

rule efs_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT, %RESOURCE_TYPE) {
    check(%INPUT_DOCUMENT.%RESOURCE_TYPE.resourceProperties)
        <<
        [CT.ELASTICFILESYSYSTEM.PR.1]: Require an Amazon EFS file system to encrypt
 file data at rest using AWS KMS
```

```
        [FIX]: Set 'Encrypted' to 'true' and optionally set 'KmsKeyId' to a valid AWS
 KMS key identifier.
        >>
}

#
# Parameterized Rules
#
rule check(efs_file_systems) {
    %efs_file_systems {
        # Scenario 2
        Encrypted exists
        # Scenario 3 and 4
        Encrypted == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICFILESYSTEM.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  EFSFileSystem:
```

```
    Type: AWS::EFS::FileSystem
    Properties:
      Encrypted: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  EFSFileSystem:
    Type: AWS::EFS::FileSystem
    Properties:
      Encrypted: false
```

[CT.ELASTICFILESYSTEM.PR.2] Memerlukan volume Amazon EFS untuk memiliki paket pencadangan otomatis

Kontrol ini memeriksa apakah sistem file Amazon Elastic File System (Amazon EFS) Anda telah dikonfigurasi dengan pencadangan otomatis melalui AWS Backup.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EFS::FileSystem`
- AWS CloudFormation aturan penjaga: CT.ELASTICFILESYSTEM.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.2contoh template

Penjelasan

Menyertakan sistem file Amazon EFS dalam paket cadangan membantu Anda melindungi data dari penghapusan dan kehilangan data.

Remediasi untuk kegagalan aturan

Aktifkan pencadangan otomatis dengan menyetel `BackupPolicy.Status` ke. `ENABLED`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Sistem File Amazon EFS - Contoh

Sistem file Amazon EFS dikonfigurasi dengan backup otomatis diaktifkan. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "EFSFileSystem": {
        "Type": "AWS::EFS::FileSystem",
        "Properties": {
            "BackupPolicy": {
                "Status": "ENABLED"
            }
        }
    }
}
```

Contoh YAMAL

```
EFSFileSystem:
  Type: AWS::EFS::FileSystem
  Properties:
    BackupPolicy:
      Status: ENABLED
```

CT.ELASTICFILESYSTEM.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   efs_automatic_backups_enabled_check
#
# Description:
#   This control checks whether your Amazon Elastic File System (Amazon EFS) file
 system has been configured with automatic backups through AWS Backup.
#
# Reports on:
#   AWS::EFS::FileSystem
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EFS file system resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS file system resource
#       And: 'BackupPolicy' is not present
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS file system resource
#       And: 'BackupPolicy' is present and 'Status' is set to 'DISABLED'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS file system resource
#       And: 'BackupPolicy' is present and 'Status' is set to 'ENABLED'
#      Then: PASS
```

```
#
# Constants
#
let RESOURCE_TYPE = "AWS::EFS::FileSystem"
let INPUT_DOCUMENT = this

#
# Assignments
#
let efs_file_systems = Resources.*[ Type == %RESOURCE_TYPE ]

#
# Primary Rules
#
rule efs_automatic_backups_enabled_check when is_cfn_template(this)
                                              %efs_file_systems not empty {
    check(%efs_file_systems.Properties)
        <<
        [CT.ELASTICFILESYSYSTEM.PR.2]: Require an Amazon EFS volume to have an
 automated backup plan
        [FIX]: Enable automatic backups by setting 'BackupPolicy.Status' to 'ENABLED'.
        >>

}

rule efs_automatic_backups_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RESOURCE_TYPE) {
    check(%INPUT_DOCUMENT.%RESOURCE_TYPE.resourceProperties)
        <<
        [CT.ELASTICFILESYSYSTEM.PR.2]: Require an Amazon EFS volume to have an
 automated backup plan
        [FIX]: Enable automatic backups by setting 'BackupPolicy.Status' to 'ENABLED'.
        >>
}

#
# Parameterized Rules
#
rule check(efs_file_systems) {
    %efs_file_systems {
        # Scenario 2
        BackupPolicy exists
        BackupPolicy is_struct
```

```
        BackupPolicy {
            # Scenario 3 and 4
            Status exists
            Status == "ENABLED"
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICFILESYSTEM.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  EFSFileSystem:
    Type: AWS::EFS::FileSystem
    Properties:
      BackupPolicy:
        Status: ENABLED
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  EFSFileSystem:
    Type: AWS::EFS::FileSystem
    Properties:
      BackupPolicy:
        Status: DISABLED
```

[CT.ELASTICFILESYSTEM.PR.3] Memerlukan jalur akses Amazon EFS untuk memiliki direktori root

Kontrol ini memeriksa apakah titik akses Amazon Elastic File System (Amazon EFS) Anda dikonfigurasi untuk menerapkan direktori root.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EFS::AccessPoint`
- AWS CloudFormation aturan penjaga: CT.ELASTICFILESYSTEM.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.3contoh template

Penjelasan

Saat Anda menerapkan direktori root, klien NFS di titik akses menggunakan direktori root yang dikonfigurasi pada titik akses, bukan direktori root sistem file. Menegakkan direktori root untuk titik akses membantu membatasi akses data dengan memastikan bahwa pengguna titik akses hanya dapat mencapai file dari subdirektori yang ditentukan.

Remediasi untuk kegagalan aturan

Berikan `RootDirectory.Path` konfigurasi dengan nilai `Path` yang tidak sama`/`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Titik Akses Amazon EFS - Contoh

Titik akses Amazon EFS dikonfigurasi dengan direktori root yang disetel ke subdirektori tertentu. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "EFSAccessPoint": {
        "Type": "AWS::EFS::AccessPoint",
        "Properties": {
            "FileSystemId": {
                "Ref": "EFSFileSystem"
            },
            "RootDirectory": {
                "Path": "/dir1/child1"
            }
        }
    }
}
```

Contoh YAMAL

```
EFSAccessPoint:
  Type: AWS::EFS::AccessPoint
  Properties:
    FileSystemId: !Ref 'EFSFileSystem'
    RootDirectory:
      Path: /dir1/child1
```

CT.ELASTICFILESYSTEM.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
```

```
#
# Rule Identifier:
#   efs_access_point_enforce_root_directory_check
#
# Description:
#   This control checks whether your Amazon Elastic File System (Amazon EFS) access
 points are configured to enforce a root directory.
#
# Reports on:
#   AWS::EFS::AccessPoint
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EFS access point resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS access point resource
#       And: 'RootDirectory' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS access point resource
#       And: 'RootDirectory' has been provided
#       And: 'Path' within 'RootDirectory' has not been provided or has been provided
 with an empty string value
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS access point resource
#       And: 'RootDirectory' has been provided
#       And: 'Path' within 'RootDirectory' been provided with a value of '/'
#      Then: FAIL
```

```
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS access point resource
#       And: 'RootDirectory' has been provided
#       And: 'Path' within 'RootDirectory' been provided with a non-empty string value
 not equal to '/'
#      Then: PASS

#
# Constants
#
let EFS_ACCESS_POINT_TYPE = "AWS::EFS::AccessPoint"
let INPUT_DOCUMENT = this

#
# Assignments
#
let efs_access_points = Resources.*[ Type == %EFS_ACCESS_POINT_TYPE ]

#
# Primary Rules
#
rule efs_access_point_enforce_root_directory_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %efs_access_points not empty {
    check(%efs_access_points.Properties)
        <<
        [CT.ELASTICFILESYSTEM.PR.3]: Require Amazon EFS access points to have a root
 directory
        [FIX]: Provide a 'RootDirectory.Path' configuration with a value for 'Path'
 that does not equal '/'.
        >>
}

rule efs_access_point_enforce_root_directory_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EFS_ACCESS_POINT_TYPE) {
    check(%INPUT_DOCUMENT.%EFS_ACCESS_POINT_TYPE.resourceProperties)
        <<
        [CT.ELASTICFILESYSTEM.PR.3]: Require Amazon EFS access points to have a root
 directory
        [FIX]: Provide a 'RootDirectory.Path' configuration with a value for 'Path'
 that does not equal '/'.
        >>
```

```
}

#
# Parameterized Rules
#
rule check(efs_access_points) {
    %efs_access_points {
        # Scenario 2
        RootDirectory exists
        RootDirectory {
            # Scenario 3,4 and 5
            Path exists
            check_is_string_and_not_empty(Path)
            Path != "/"
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.ELASTICFILESYSTEM.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  EFSAccessPoint:
    Type: AWS::EFS::AccessPoint
    Properties:
      FileSystemId:
        Ref: EFSFileSystem
      RootDirectory:
        Path: /dir1/child1
  EFSFileSystem:
    Type: AWS::EFS::FileSystem
    Properties: {}
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  EFSAccessPoint:
    Type: AWS::EFS::AccessPoint
    Properties:
      FileSystemId:
        Ref: EFSFileSystem
      RootDirectory:
        Path: /
  EFSFileSystem:
    Type: AWS::EFS::FileSystem
    Properties: {}
```

[CT.ELASTICFILESYSTEM.PR.4] Memerlukan jalur akses Amazon EFS untuk menegakkan identitas pengguna

Kontrol ini memeriksa apakah titik akses Amazon Elastic File System (Amazon EFS) Anda dikonfigurasi untuk menegakkan identitas pengguna.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EFS::AccessPoint`
- AWS CloudFormation aturan penjaga: CT.ELASTICFILESYSTEM.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICFILESYSTEM.PR.4contoh template

Penjelasan

Jalur akses Amazon EFS adalah titik masuk khusus aplikasi ke dalam sistem file Amazon EFS yang memudahkan pengelolaan akses aplikasi ke kumpulan data bersama. Titik akses dapat menerapkan identitas pengguna, termasuk grup POSIX pengguna, pada semua permintaan sistem file yang dibuat melalui titik akses. Titik akses juga dapat menerapkan direktori root yang berbeda untuk sistem file, sehingga klien hanya mendapatkan akses ke data di direktori tertentu atau subdirektorinya.

Remediasi untuk kegagalan aturan

Berikan `PosixUser` konfigurasi dengan ID pengguna POSIX (`Uid`) dan ID grup POSIX (`Gid`).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Titik Akses Amazon EFS - Contoh

Titik akses Amazon EFS dikonfigurasi untuk menegakkan identitas pengguna untuk semua permintaan sistem file yang dibuat melalui titik akses. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "EFSAccessPoint": {
        "Type": "AWS::EFS::AccessPoint",
        "Properties": {
            "FileSystemId": {
                "Ref": "EFSFileSystem"
            },
            "PosixUser": {
                "Uid": "111",
                "Gid": "222"
            }
        }
    }
}
```

Contoh YAMAL

```
EFSAccessPoint:
  Type: AWS::EFS::AccessPoint
  Properties:
    FileSystemId: !Ref 'EFSFileSystem'
    PosixUser:
      Uid: '111'
      Gid: '222'
```

CT.ELASTICFILESYSTEM.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
# Rule Identifier:
#   efs_access_point_enforce_user_identity_check
#
# Description:
#   This control checks whether your Amazon Elastic File System (Amazon EFS) access
 points are configured to enforce a user identity.
```

```
#
# Reports on:
#   AWS::EFS::AccessPoint
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EFS access point resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS access point resource
#       And: 'PosixUser' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS access point resource
#       And: 'PosixUser' has been provided
#       And: 'Uid' within 'PosixUser' has not been provided or has been provided with
 an empty string value
#       And: 'Gid' within 'PosixUser' has not been provided or has been provided with
 an empty string value
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EFS access point resource
#       And: 'PosixUser' has been provided
#       And: 'Uid' within 'PosixUser' has been provided with a non-empty string value
#       And: 'Gid' within 'PosixUser' has been provided with a non-empty string value
#      Then: PASS

#
# Constants
#
```

```
let EFS_ACCESS_POINT_TYPE = "AWS::EFS::AccessPoint"
let INPUT_DOCUMENT = this

#
# Assignments
#
let efs_access_points = Resources.*[ Type == %EFS_ACCESS_POINT_TYPE ]

#
# Primary Rules
#
rule efs_access_point_enforce_user_identity_check when is_cfn_template(this)
                                                        %efs_access_points not empty {
    check(%efs_access_points.Properties)
        <<
        [CT.ELASTICFILESYSTEM.PR.4]: Require Amazon EFS access points to enforce a
 user identity
        [FIX]: Provide a 'PosixUser' configuration with a POSIX user ID ('Uid') and
 POSIX group ID ('Gid').
        >>
}

rule efs_access_point_enforce_user_identity_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EFS_ACCESS_POINT_TYPE) {
    check(%INPUT_DOCUMENT.%EFS_ACCESS_POINT_TYPE.resourceProperties)
        <<
        [CT.ELASTICFILESYSTEM.PR.4]: Require Amazon EFS access points to enforce a
 user identity
        [FIX]: Provide a 'PosixUser' configuration with a POSIX user ID ('Uid') and
 POSIX group ID ('Gid').
        >>
}

#
# Parameterized Rules
#
rule check(efs_access_points) {
    %efs_access_points {
        # Scenario 2
        PosixUser exists
        PosixUser {
            # Scenario 3 and 4
            Uid exists
            check_is_string_and_not_empty(Uid)
```

```
            Gid exists
            check_is_string_and_not_empty(Gid)
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.ELASTICFILESYSTEM.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  EFSAccessPoint:
    Type: AWS::EFS::AccessPoint
    Properties:
      FileSystemId:
        Ref: EFSFileSystem
      PosixUser:
```

```
        Uid: '111'
        Gid: '222'
  EFSFileSystem:
    Type: AWS::EFS::FileSystem
    Properties: {}
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  EFSAccessPoint:
    Type: AWS::EFS::AccessPoint
    Properties:
      FileSystemId:
        Ref: EFSFileSystem
  EFSFileSystem:
    Type: AWS::EFS::FileSystem
    Properties: {}
```

Kontrol Amazon Elastic Kubernetes Service (EKS)

Topik

- [CT.EKS.PR.1] Memerlukan klaster Amazon EKS untuk dikonfigurasi dengan akses publik yang dinonaktifkan ke titik akhir server API Kubernetes cluster
- [CT.EKS.PR.2] Memerlukan kluster Amazon EKS untuk dikonfigurasi dengan enkripsi rahasia menggunakan kunci (KMS) AWS Key Management Service

[CT.EKS.PR.1] Memerlukan klaster Amazon EKS untuk dikonfigurasi dengan akses publik yang dinonaktifkan ke titik akhir server API Kubernetes cluster

Kontrol ini memeriksa apakah titik akhir klaster Amazon Elastic Kubernetes Service (EKS) melarang akses publik ke titik akhir server API Kubernetes klaster.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EKS::Cluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EKS.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EKS.PR.1
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EKS.PR.1 contoh template

Penjelasan

Saat Anda membuat klaster baru, Amazon Elastic Kubernetes Service (EKS) membuat endpoint untuk server API Kubernetes yang dikelola, yang dapat Anda gunakan untuk berkomunikasi dengan cluster Anda menggunakan alat manajemen Kubernetes, seperti. `kubectl` Secara default, endpoint server API ini bersifat publik ke internet, dan akses ke server API diamankan menggunakan kombinasi AWS Identity and Access Management (IAM) bersama dengan Kubernetes Role-Based Access Control (RBAC) asli. Mengaktifkan akses pribadi ke server API Kubernetes memastikan bahwa semua komunikasi antara node Anda dan server API tetap berada dalam VPC Anda. Anda dapat membatasi alamat IP yang memiliki akses ke server API Anda dari internet, atau Anda dapat sepenuhnya melarang akses internet ke server API.

Remediasi untuk kegagalan aturan

Tetapkan nilai `EndpointPublicAccess` parameter ke false dan nilai `EndpointPrivateAccess` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon EKS Cluster - Contoh

Cluster Amazon EKS yang dikonfigurasi dengan akses publik dinonaktifkan ke titik akhir server Kubernetes API klaster. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
```

```
    "EKSCluster": {
        "Type": "AWS::EKS::Cluster",
        "Properties": {
            "RoleArn": {
                "Fn::GetAtt": "EKSClusterRole.Arn"
            },
            "ResourcesVpcConfig": {
                "SubnetIds": [
                    {
                        "Ref": "SubnetOne"
                    },
                    {
                        "Ref": "SubnetTwo"
                    }
                ],
                "EndpointPublicAccess": false,
                "EndpointPrivateAccess": true
            }
        }
    }
}
```

Contoh YAMAL

```
EKSCluster:
  Type: AWS::EKS::Cluster
  Properties:
    RoleArn: !GetAtt 'EKSClusterRole.Arn'
    ResourcesVpcConfig:
      SubnetIds:
        - !Ref 'SubnetOne'
        - !Ref 'SubnetTwo'
      EndpointPublicAccess: false
      EndpointPrivateAccess: true
```

Spesifikasi aturan CT.EKS.PR.1

```
# ##################################
```

```
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   eks_endpoint_no_public_access_check
#
# Description:
#   This control checks whether an Amazon Elastic Kubernetes Service (EKS) cluster
 endpoint disallows public access to the cluster Kubernetes API server endpoint.
#
# Reports on:
#   AWS::EKS::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EKS cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EKS cluster resource
#       And: 'EndpointPublicAccess' in 'ResourcesVpcConfig' has not been provided
#       And: 'EndpointPrivateAccess' in 'ResourcesVpcConfig' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EKS cluster resource
#       And: 'EndpointPrivateAccess' in 'ResourcesVpcConfig' has not been provided
#       And: 'EndpointPublicAccess' in 'ResourcesVpcConfig' has not been provided or
 has been provided and set to a
#            value other than bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an Amazon EKS cluster resource
#       And: 'EndpointPublicAccess' in 'ResourcesVpcConfig' has not been provided or
 has been provided and set to a
#            value other than bool(false)
#       And: 'EndpointPrivateAccess' in 'ResourcesVpcConfig' has been provided and set
 a value other than bool(true)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EKS cluster resource
#       And: 'EndpointPublicAccess' in 'ResourcesVpcConfig' has been provided and set
 to bool(false)
#       And: 'EndpointPrivateAccess' in 'ResourcesVpcConfig' has been provided and set
 to bool(true)
#      Then: PASS

#
# Constants
#
let EKS_CLUSTER_TYPE = "AWS::EKS::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let eks_clusters = Resources.*[ Type == %EKS_CLUSTER_TYPE ]

#
# Primary Rules
#
rule eks_endpoint_no_public_access_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %eks_clusters not empty {
    check(%eks_clusters.Properties)
        <<
        [CT.EKS.PR.1]: Require an Amazon EKS cluster to be configured with public
 access disabled to the cluster Kubernetes API server endpoint.
        [FIX]: Set the value of the 'EndpointPublicAccess' parameter to false and the
 value of the 'EndpointPrivateAccess' parameter to true.
        >>
}

rule eks_endpoint_no_public_access_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EKS_CLUSTER_TYPE) {
```

```
    check(%INPUT_DOCUMENT.%EKS_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.EKS.PR.1]: Require an Amazon EKS cluster to be configured with public
 access disabled to the cluster Kubernetes API server endpoint.
        [FIX]: Set the value of the 'EndpointPublicAccess' parameter to false and the
 value of the 'EndpointPrivateAccess' parameter to true.
        >>
}

#
# Parameterized Rules
#
rule check(eks_cluster) {
    %eks_cluster {
        ResourcesVpcConfig exists
        ResourcesVpcConfig is_struct
        ResourcesVpcConfig {
            # Scenarios 2, 3, 4 and 5
            EndpointPublicAccess exists
            EndpointPublicAccess == false

            EndpointPrivateAccess exists
            EndpointPrivateAccess == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EKS.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  EKSClusterRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: eks.amazonaws.com
```

```
          Action: sts:AssumeRole
      Path: /
      ManagedPolicyArns:
      - arn:aws:iam::aws:policy/AmazonEKSClusterPolicy
  EKSCluster:
    Type: AWS::EKS::Cluster
    Properties:
      RoleArn:
        Fn::GetAtt: EKSClusterRole.Arn
      ResourcesVpcConfig:
        SubnetIds:
        - Ref: SubnetOne
        - Ref: SubnetTwo
        EndpointPublicAccess: false
        EndpointPrivateAccess: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
```

```
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  EKSClusterRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: eks.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      ManagedPolicyArns:
      - arn:aws:iam::aws:policy/AmazonEKSClusterPolicy
  EKSCluster:
    Type: AWS::EKS::Cluster
    Properties:
      RoleArn:
        Fn::GetAtt: EKSClusterRole.Arn
      ResourcesVpcConfig:
        SubnetIds:
        - Ref: SubnetOne
        - Ref: SubnetTwo
        EndpointPublicAccess: true
        EndpointPrivateAccess: false
```

[CT.EKS.PR.2] Memerlukan kluster Amazon EKS untuk dikonfigurasi dengan enkripsi rahasia menggunakan kunci (KMS) AWS Key Management Service

Kontrol ini memeriksa apakah klaster Amazon Elastic Kubernetes Service (Amazon EKS) dikonfigurasi untuk menggunakan rahasia Kubernetes yang dienkripsi dengan kunci (KMS). AWS Key Management Service

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EKS::Cluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EKS.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EKS.PR.2
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EKS.PR.2 contoh template

Penjelasan

Rahasia Kubernetes menyimpan informasi sensitif, seperti sertifikat pengguna, kata sandi, atau kunci API. Mengenkripsi rahasia Kubernetes saat istirahat meningkatkan keamanan klaster EKS Anda.

> Pertimbangan penggunaan
>
> - Untuk cluster yang menggunakan Enkripsi Amplop KMS, `kms:CreateGrant` izin diperlukan. Kondisi `kms:GrantIsForAWSResource` ini tidak didukung untuk CreateCluster tindakan, dan kondisi ini tidak boleh diberikan dalam kebijakan KMS untuk mengontrol `kms:CreateGrant` izin bagi pengguna yang melakukan CreateCluster operasi.

Remediasi untuk kegagalan aturan

Berikan `EncryptionConfig` konfigurasi dengan daftar `Resources` yang berisi `secrets` dan `Provider` konfigurasi yang berisi file`KeyArn`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon EKS - Contoh

Cluster Amazon EKS dikonfigurasi agar rahasia Kubernetes dienkripsi menggunakan kunci Amazon Elastic Kubernetes Service (KMS). Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "EKSCluster": {
        "Type": "AWS::EKS::Cluster",
        "Properties": {
            "RoleArn": {
                "Fn::GetAtt": [
                    "EKSClusterRole",
                    "Arn"
                ]
            },
            "ResourcesVpcConfig": {
                "SubnetIds": [
                    {
                        "Ref": "SubnetOne"
                    },
                    {
                        "Ref": "SubnetTwo"
                    }
                ],
                "EndpointPublicAccess": false,
                "EndpointPrivateAccess": true
            },
            "Logging": {
                "ClusterLogging": {
                    "EnabledTypes": [
                        {
                            "Type": "api"
                        },
                        {
                            "Type": "audit"
                        },
                        {
                            "Type": "authenticator"
                        },
                        {
                            "Type": "controllerManager"
                        },
                        {
                            "Type": "scheduler"
                        }
                    ]
                }
```

```
            },
            "EncryptionConfig": [
                {
                    "Resources": [
                        "secrets"
                    ],
                    "Provider": {
                        "KeyArn": {
                            "Fn::GetAtt": [
                                "KMSKey",
                                "Arn"
                            ]
                        }
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
EKSCluster:
  Type: AWS::EKS::Cluster
  Properties:
    RoleArn: !GetAtt 'EKSClusterRole.Arn'
    ResourcesVpcConfig:
      SubnetIds:
        - !Ref 'SubnetOne'
        - !Ref 'SubnetTwo'
      EndpointPublicAccess: false
      EndpointPrivateAccess: true
    Logging:
      ClusterLogging:
        EnabledTypes:
          - Type: api
          - Type: audit
          - Type: authenticator
          - Type: controllerManager
          - Type: scheduler
    EncryptionConfig:
```

```
      - Resources:
          - secrets
        Provider:
          KeyArn: !GetAtt 'KMSKey.Arn'
```

Spesifikasi aturan CT.EKS.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   eks_secrets_encrypted_check
#
# Description:
#   This control checks whether Amazon Elastic Kubernetes Service (Amazon EKS) clusters
 are configured to use Kubernetes secrets encrypted with AWS Key Management Service
 (KMS) keys.
#
# Reports on:
#   AWS::EKS::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon EKS cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EKS cluster resource
#       And: 'EncryptionConfig' has not been provided or provided as an empty list
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EKS cluster resource
#       And: 'EncryptionConfig' has been provided as a non-empty list
#       And: There are no entries in 'EncryptionConfig' where 'Resources' has been
 provided
#            as a non-empty list with at least one value equal to 'secrets'
#       And: For the same entry in 'EncryptionConfig', where 'KeyArn' in 'Provider' has
 been
#            provided as a non-empty string or valid local reference to a KMS key or
 key alias
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon EKS cluster resource
#       And: 'EncryptionConfig' has been provided as a non-empty list
#       And: For at least one entry in 'EncryptionConfig', 'Resources' has been
 provided as a
#            non-empty list with at least one value equal to 'secrets'
#       And: For the same entry in 'EncryptionConfig', 'KeyArn' in 'Provider' has been
 provided
#            as a non-empty string or valid local reference to a KMS key or key alias
#      Then: PASS

#
# Constants
#
let EKS_CLUSTER_TYPE = "AWS::EKS::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let eks_clusters = Resources.*[ Type == %EKS_CLUSTER_TYPE ]

#
# Primary Rules
#
rule eks_secrets_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                     %eks_clusters not empty {
    check(%eks_clusters.Properties)
        <<
```

```
        [CT.EKS.PR.2]: Require an Amazon EKS cluster to be configured with secret
 encryption using AWS Key Management Service (KMS) keys
        [FIX]: Provide an 'EncryptionConfig' configuration with a list of 'Resources'
 that contains 'secrets' and a 'Provider' configuration containing a 'KeyArn'.
        >>
}

rule eks_secrets_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT, %EKS_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%EKS_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.EKS.PR.2]: Require an Amazon EKS cluster to be configured with secret
 encryption using AWS Key Management Service (KMS) keys
        [FIX]: Provide an 'EncryptionConfig' configuration with a list of 'Resources'
 that contains 'secrets' and a 'Provider' configuration containing a 'KeyArn'.
        >>
}

#
# Parameterized Rules
#
rule check(eks_cluster) {
    %eks_cluster {
        # Scenario 2
        EncryptionConfig exists
        EncryptionConfig is_list
        EncryptionConfig not empty

        # Scenario 3 and 4
        some EncryptionConfig[*] {
            Resources exists
            Resources is_list
            Resources not empty
            some Resources[*] == "secrets"

            Provider exists
            Provider is_struct
            Provider {
                KeyArn exists
                check_is_string_and_not_empty(KeyArn) or
                check_local_references(%INPUT_DOCUMENT, KeyArn, "AWS::KMS::Key") or
                check_local_references(%INPUT_DOCUMENT, KeyArn, "AWS::KMS::Alias")
            }
        }
    }
```

```
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.EKS.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  EKSClusterRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
```

```
          Principal:
            Service: eks.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      ManagedPolicyArns:
      - arn:aws:iam::aws:policy/AmazonEKSClusterPolicy
  KMSKey:
    Type: AWS::KMS::Key
    Properties:
      PendingWindowInDays: 7
      KeyPolicy:
        Version: 2012-10-17
        Id: example-key-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      KeySpec: SYMMETRIC_DEFAULT
  EKSCluster:
    Type: AWS::EKS::Cluster
    Properties:
      RoleArn:
        Fn::GetAtt:
        - EKSClusterRole
        - Arn
      ResourcesVpcConfig:
        SubnetIds:
        - Ref: SubnetOne
        - Ref: SubnetTwo
        EndpointPublicAccess: false
        EndpointPrivateAccess: true
      Logging:
        ClusterLogging:
          EnabledTypes:
          - Type: api
          - Type: audit
          - Type: authenticator
          - Type: controllerManager
          - Type: scheduler
      EncryptionConfig:
```

```
      - Resources:
        - secrets
        Provider:
          KeyArn:
            Fn::GetAtt: [KMSKey, Arn]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  EKSClusterRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
```

```
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: eks.amazonaws.com
          Action: sts:AssumeRole
      Path: /
      ManagedPolicyArns:
      - arn:aws:iam::aws:policy/AmazonEKSClusterPolicy
  EKSCluster:
    Type: AWS::EKS::Cluster
    Properties:
      RoleArn:
        Fn::GetAtt:
        - EKSClusterRole
        - Arn
      ResourcesVpcConfig:
        SubnetIds:
        - Ref: SubnetOne
        - Ref: SubnetTwo
        EndpointPublicAccess: false
        EndpointPrivateAccess: true
      Logging:
        ClusterLogging:
          EnabledTypes:
          - Type: api
          - Type: audit
          - Type: authenticator
          - Type: controllerManager
          - Type: scheduler
```

Kontrol Elastic Load Balancing

Topik

- [CT.ELASTICLOADBALANCING.PR.1] Memerlukan tindakan default pendengar penyeimbang beban aplikasi apa pun untuk mengarahkan semua permintaan HTTP ke HTTPS
- [CT.ELASTICLOADBALANCING.PR.2] Memerlukan aplikasi Amazon ELB atau penyeimbang beban jaringan untuk memiliki sertifikat AWS Certificate Manager

- [CT.ELASTICLOADBALANCING.PR.3] Memerlukan penyeimbang beban aplikasi apa pun agar mode mitigasi desync defensif atau paling ketat diaktifkan
- [CT.ELASTICLOADBALANCING.PR.4] Mengharuskan penyeimbang beban aplikasi apa pun harus dikonfigurasi untuk menjatuhkan header HTTP
- [CT.ELASTICLOADBALANCING.PR.5] Mengharuskan perlindungan penghapusan penyeimbang beban aplikasi diaktifkan
- [CT.ELASTICLOADBALANCING.PR.6] Mengharuskan pencatatan akses penyeimbang beban aplikasi dan jaringan diaktifkan
- [CT.ELASTICLOADBALANCING.PR.7] Memerlukan penyeimbang beban klasik untuk memiliki beberapa Availability Zone yang dikonfigurasi
- [CT.ELASTICLOADBALANCING.PR.8] Mengharuskan pendengar SSL/HTTPS penyeimbang beban klasik untuk memiliki sertifikat yang disediakan oleh AWS Certificate Manager
- [CT.ELASTICLOADBALANCING.PR.9] Mengharuskan aplikasi AWS ELB atau pendengar Classic Load Balancer dikonfigurasi dengan penghentian HTTPS atau TLS
- [CT.ELASTICLOADBALANCING.PR.10] Memerlukan aplikasi ELB atau penyeimbang beban klasik agar logging diaktifkan
- [CT.ELASTICLOADBALANCING.PR.11] Memerlukan penyeimbang beban klasik ELB untuk mengaktifkan pengeringan koneksi
- [CT.ELASTICLOADBALANCING.PR.12] Memerlukan pendengar SSL/HTTPS penyeimbang beban klasik ELB untuk memiliki kebijakan keamanan yang telah ditentukan sebelumnya dengan konfigurasi yang kuat
- [CT.ELASTICLOADBALANCING.PR.13] Memerlukan penyeimbang beban klasik ELB untuk mengaktifkan penyeimbangan beban lintas zona
- [CT.ELASTICLOADBALANCING.PR.14] Memerlukan Network Load Balancer agar penyeimbangan beban lintas zona diaktifkan
- [CT.ELASTICLOADBALANCING.PR.15] Mengharuskan grup target Elastic Load Balancing v2 tidak secara eksplisit menonaktifkan penyeimbangan beban lintas zona

[CT.ELASTICLOADBALANCING.PR.1] Memerlukan tindakan default pendengar penyeimbang beban aplikasi apa pun untuk mengarahkan semua permintaan HTTP ke HTTPS

Kontrol ini memeriksa apakah pengalihan HTTP ke HTTPS dikonfigurasi sebagai tindakan default pada pendengar HTTP Application Load Balancers.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancingV2::Listener`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.1contoh template

Penjelasan

Sebelum Anda mulai menggunakan Application Load Balancer, Anda harus menambahkan satu atau lebih pendengar. Listener adalah proses yang menggunakan protokol dan port yang dikonfigurasi untuk memeriksa permintaan koneksi. Pendengar mendukung protokol HTTP dan HTTPS. Anda dapat menggunakan pendengar HTTPS untuk menurunkan pekerjaan enkripsi dan dekripsi ke Application Load Balancer Anda. Anda harus menggunakan tindakan pengalihan dengan Application Load Balancer untuk mengalihkan permintaan HTTP klien apa pun ke permintaan HTTPS pada port 443, untuk menerapkan enkripsi saat transit.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya mengevaluasi tindakan default pada pendengar Application Load Balancer.

Remediasi untuk kegagalan aturan

Konfigurasikan tindakan pengalihan HTTPS default pada pendengar HTTP Application Load Balancer.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Application Load Balancer Listener - Contoh

Aplikasi load balancer listener dikonfigurasi dengan tindakan default yang mengarahkan permintaan HTTP pada port 80 ke permintaan HTTPS pada port 443, mempertahankan nama host asli, path, dan string kueri. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "Listener": {
        "Type": "AWS::ElasticLoadBalancingV2::Listener",
        "Properties": {
            "LoadBalancerArn": {
                "Ref": "ApplicationLoadBalancer"
            },
            "Port": 80,
            "Protocol": "HTTP",
            "DefaultActions": [
                {
                    "Type": "redirect",
                    "RedirectConfig": {
                        "Protocol": "HTTPS",
                        "Port": 443,
                        "Host": "#{host}",
                        "Path": "/#{path}",
                        "Query": "#{query}",
                        "StatusCode": "HTTP_301"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
Listener:
  Type: AWS::ElasticLoadBalancingV2::Listener
  Properties:
    LoadBalancerArn: !Ref 'ApplicationLoadBalancer'
```

```
    Port: 80
    Protocol: HTTP
    DefaultActions:
      - Type: redirect
        RedirectConfig:
          Protocol: HTTPS
          Port: 443
          Host: '#{host}'
          Path: /#{path}
          Query: '#{query}'
          StatusCode: HTTP_301
```

CT.ELASTICLOADBALANCING.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   alb_http_to_https_redirection_check
#
# Description:
#   This control checks whether HTTP to HTTPS redirection is configured as a default
 action on HTTP listeners of Application Load Balancers.
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::Listener
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElasticLoadBalancingV2 listener
 resources
```

```
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener
#       And: 'Protocol' is set to a value other than 'HTTP'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener
#       And: 'Protocol' is set to 'HTTP'
#       And: 'DefaultActions' is missing or is provided and an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener
#       And: 'Protocol' is set to 'HTTP'
#       And: 'DefaultActions' contains an action with 'Type' set to a value other than
 'redirect'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener
#       And: 'Protocol' is set to 'HTTP'
#       And: 'DefaultActions' contains an action with 'Type' set to a value of
 'redirect'
#       And: 'RedirectConfig.Protocol' is missing or set to a value other than 'HTTPS'
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener
#       And: 'Protocol' is set to 'HTTP'
#       And: All 'DefaultActions' have an action with 'Type' set to a value of
 'redirect' and
#            'Protocol.RedirectConfig' set to the value 'HTTPS'
#      Then: PASS

#
# Constants
#
```

```
let ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE = "AWS::ElasticLoadBalancingV2::Listener"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elb_v2_listeners = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE ]

#
# Primary Rules
#
rule alb_http_to_https_redirection_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %elb_v2_listeners not empty {
    check(%elb_v2_listeners.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.1]: Require any application load balancer listener
 default actions to redirect all HTTP requests to HTTPS
        [FIX]: Configure a default HTTPS redirect action on application load balancer
 HTTP listeners.
        >>
}

rule alb_http_to_https_redirection_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.1]: Require any application load balancer listener
 default actions to redirect all HTTP requests to HTTPS
        [FIX]: Configure a default HTTPS redirect action on application load balancer
 HTTP listeners.
        >>
}

#
# Parameterized Rules
#
rule check(elbv2_listener) {
    %elbv2_listener [
        # Scenario 2
        Protocol in [ "HTTP" ]
    ] {
        # Scenarios 3
        DefaultActions exists
        DefaultActions is_list
```

```
        DefaultActions not empty

        # Scenario 4 and 5
        DefaultActions[*] {
            Type == "redirect"

            RedirectConfig exists
            RedirectConfig is_struct
            RedirectConfig {
                Protocol exists
                Protocol == "HTTPS"
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICLOADBALANCING.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
```

```
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
  Listener:
    Type: AWS::ElasticLoadBalancingV2::Listener
    Properties:
      LoadBalancerArn:
        Ref: ApplicationLoadBalancer
      Port: 80
      Protocol: HTTP
      DefaultActions:
      - Type: redirect
        RedirectConfig:
          Protocol: HTTPS
          Port: 443
          Host: "#{host}"
```

```
          Path: "/#{path}"
          Query: "#{query}"
          StatusCode: "HTTP_301"
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
```

```
      - Ref: SubnetTwo
      IpAddressType: ipv4
  Listener:
    Type: AWS::ElasticLoadBalancingV2::Listener
    Properties:
      LoadBalancerArn:
        Ref: ApplicationLoadBalancer
      Port: 80
      Protocol: HTTP
      DefaultActions:
      - Type: redirect
        RedirectConfig:
          Protocol: HTTP
          Port: 8080
          Host: "#{host}"
          Path: "/#{path}"
          Query: "#{query}"
          StatusCode: "HTTP_301"
```

[CT.ELASTICLOADBALANCING.PR.2] Memerlukan aplikasi Amazon ELB atau penyeimbang beban jaringan untuk memiliki sertifikat AWS Certificate Manager

Kontrol ini memeriksa apakah aplikasi Elastic Load Balancing (ELB) dan penyeimbang beban jaringan Anda menggunakan sertifikat yang disediakan oleh (ACM). AWS Certificate Manager

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::ElasticLoadBalancingV2::Listener`, `AWS::ElasticLoadBalancingV2::ListenerCertificate`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.2contoh template

Penjelasan

Untuk membuat sertifikat, gunakan AWS Certificate Manager (ACM) atau alat lain yang mendukung protokol SSL dan TLS, seperti OpenSSL. AWS Control Tower merekomendasikan agar Anda menggunakannya AWS Certificate Manager untuk membuat atau mengimpor sertifikat untuk penyeimbang beban Anda.

AWS Certificate Manager terintegrasi dengan penyeimbang beban aplikasi Amazon ELB dan penyeimbang beban jaringan, sehingga Anda dapat menerapkan sertifikat pada penyeimbang beban Anda. Kami juga menyarankan agar Anda memperbarui sertifikat ini secara otomatis.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk pendengar `TLS` Amazon ELB `HTTPS` dan sumber daya sertifikat pendengar ELB yang memiliki satu atau beberapa sertifikat yang dikonfigurasi.

Remediasi untuk kegagalan aturan

Konfigurasikan `Certificates` properti untuk menggunakan sertifikat yang disediakan oleh AWS Certificate Manager.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon ELB Listener - Contoh

Amazon ELB HTTPS listener dikonfigurasi dengan sertifikat AWS Certificate Manager SSL. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ELBListener": {
        "Type": "AWS::ElasticLoadBalancingV2::Listener",
        "Properties": {
            "DefaultActions": [
                {
                    "Type": "forward",
                    "TargetGroupArn": {
                        "Ref": "TargetGroup"
```

```
                    }
                }
            ],
            "LoadBalancerArn": {
                "Ref": "ApplicationLoadBalancer"
            },
            "Protocol": "HTTPS",
            "Certificates": [
                {
                    "CertificateArn": {
                        "Ref": "ACMCertificate"
                    }
                }
            ],
            "Port": 443
        }
    }
}
```

Contoh YAMAL

```
ELBListener:
  Type: AWS::ElasticLoadBalancingV2::Listener
  Properties:
    DefaultActions:
      - Type: forward
        TargetGroupArn: !Ref 'TargetGroup'
    LoadBalancerArn: !Ref 'ApplicationLoadBalancer'
    Protocol: HTTPS
    Certificates:
      - CertificateArn: !Ref 'ACMCertificate'
    Port: 443
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Sertifikat Pendengar Amazon ELB - Contoh

Sertifikat pendengar Amazon ELB dikonfigurasi dengan sertifikat AWS Certificate Manager SSL. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ELBListenerCertificate": {
        "Type": "AWS::ElasticLoadBalancingV2::ListenerCertificate",
        "Properties": {
            "ListenerArn": {
                "Ref": "Listener"
            },
            "Certificates": [
                {
                    "CertificateArn": {
                        "Ref": "ACMCertificate"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ELBListenerCertificate:
  Type: AWS::ElasticLoadBalancingV2::ListenerCertificate
  Properties:
    ListenerArn: !Ref 'Listener'
    Certificates:
      - CertificateArn: !Ref 'ACMCertificate'
```

CT.ELASTICLOADBALANCING.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elbv2_acm_certificate_required_check
```

```
#
# Description:
#   This control checks whether your Elastic Load Balancing (ELB) application and
 network load balancers use certificates provided by AWS Certificate Manager (ACM).
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::Listener,
 AWS::ElasticLoadBalancingV2::ListenerCertificate
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElasticLoadBalancingV2 listener or
 listener certificate resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener resource
#       And: 'Protocol' is set to a value other than 'HTTPS' or 'TLS'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener certificate
 resource
#       And: 'Certificates' has not been provided or has been provided as an empty list
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener resource
#       And: 'Protocol' is set to 'HTTPS' or 'TLS'
#       And: 'Certificates' has not been provided or has been provided as an empty list
#      Then: FAIL
#   Scenario: 5
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener resource
#       And: 'Protocol' is set to 'HTTPS' or 'TLS'
#       And: One or more items in 'Certificates' do not match an ACM certificate ARN
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener certificate
 resource
#       And: One or more items in 'Certificates' do not match an ACM certificate ARN
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener resource
#       And: 'Protocol' is set to 'HTTPS' or 'TLS'
#       And: All items in 'Certificates' match an ACM certificate ARN
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 listener certificate
 resource
#       And: All items in 'Certificates' match an ACM certificate ARN
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE = "AWS::ElasticLoadBalancingV2::Listener"
let ELASTIC_LOAD_BALANCER_V2_CERTIFICATE_TYPE =
 "AWS::ElasticLoadBalancingV2::ListenerCertificate"
let ACM_CERTIFICATE_ARN_PATTERN = /arn:aws[a-z0-9\-]*:acm:[a-z0-9\-]+:
\d{12}:certificate\/[\w\-]{1,64}/
let INPUT_DOCUMENT = this

#
# Assignments
#
let elb_v2_listeners = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE ]
let elb_v2_certificates = Resources.*[ Type ==
 %ELASTIC_LOAD_BALANCER_V2_CERTIFICATE_TYPE ]
```

```
#
# Primary Rules
#
rule elbv2_acm_certificate_required_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %elb_v2_listeners not empty {
    check_listener(%elb_v2_listeners.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.2]: Require any Amazon ELB application or network
 load balancer to have an AWS Certificate Manager certificate
            [FIX]: Configure the 'Certificates' property to use certificates provided
 by AWS Certificate Manager.
        >>
}

rule elbv2_acm_certificate_required_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE) {
    check_listener(%INPUT_DOCUMENT.
%ELASTIC_LOAD_BALANCER_V2_LISTENER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.2]: Require any Amazon ELB application or network
 load balancer to have an AWS Certificate Manager certificate
            [FIX]: Configure the 'Certificates' property to use certificates provided
 by AWS Certificate Manager.
        >>
}

rule elbv2_acm_certificate_required_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %elb_v2_certificates not empty {
    check_elbv2_listener_certificate(%elb_v2_certificates.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.2]: Require any Amazon ELB application or network
 load balancer to have an AWS Certificate Manager certificate
            [FIX]: Configure the 'Certificates' property to use certificates provided
 by AWS Certificate Manager.
        >>
}

rule elbv2_acm_certificate_required_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_CERTIFICATE_TYPE) {
    check_elbv2_listener_certificate(%INPUT_DOCUMENT.
%ELASTIC_LOAD_BALANCER_V2_CERTIFICATE_TYPE.resourceProperties)
        <<
```

```
        [CT.ELASTICLOADBALANCING.PR.2]: Require any Amazon ELB application or network
 load balancer to have an AWS Certificate Manager certificate
            [FIX]: Configure the 'Certificates' property to use certificates provided
 by AWS Certificate Manager.
        >>
}

#
# Parameterized Rules
#
rule check_listener(elbv2_listener) {
    %elbv2_listener[
        # Scenario 2
        Protocol in ["HTTPS", "TLS"]
    ] {
        # Scenarios 3 and 5
        Certificates exists
        Certificates is_list
        Certificates not empty
        Certificates[*] {
            CertificateArn exists
            check_is_acm_certificate(CertificateArn)
        }
    }
}

rule check_elbv2_listener_certificate(listener_certificate) {
    %listener_certificate[
        Certificates exists
        Certificates is_list
        Certificates not empty
    ] {
        # Scenarios 4 and 6
        Certificates[*] {
            CertificateArn exists
            check_is_acm_certificate(CertificateArn)
        }
    }
}

rule check_is_acm_certificate(certificate) {
    %certificate {
        this == %ACM_CERTIFICATE_ARN_PATTERN or
```

```
        check_local_references(%INPUT_DOCUMENT, this,
 "AWS::CertificateManager::Certificate")
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.ELASTICLOADBALANCING.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  TargetGroup:
```

```
    Type: AWS::ElasticLoadBalancingV2::TargetGroup
    Properties:
      Protocol: HTTP
      Port: 80
      VpcId:
        Ref: VPC
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
  Listener:
    Type: AWS::ElasticLoadBalancingV2::Listener
    Properties:
      DefaultActions:
      - Type: forward
        TargetGroupArn:
          Ref: TargetGroup
      LoadBalancerArn:
        Ref: ApplicationLoadBalancer
      Protocol: HTTPS
      Certificates:
      - CertificateArn:
          Ref: ACMCertificate
      Port: 443
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
```

```
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  TargetGroup:
    Type: AWS::ElasticLoadBalancingV2::TargetGroup
    Properties:
      Protocol: HTTP
      Port: 80
      VpcId:
        Ref: VPC
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
  Listener:
    Type: AWS::ElasticLoadBalancingV2::Listener
    Properties:
      DefaultActions:
      - Type: forward
        TargetGroupArn:
          Ref: TargetGroup
      LoadBalancerArn:
        Ref: ApplicationLoadBalancer
      Protocol: HTTPS
```

```
      Certificates:
      - CertificateArn: arn:aws:iam::123456789012:server-certificate/example-
certificate
      Port: 443
```

[CT.ELASTICLOADBALANCING.PR.3] Memerlukan penyeimbang beban aplikasi apa pun agar mode mitigasi desync defensif atau paling ketat diaktifkan

Kontrol ini memeriksa untuk memastikan bahwa Application Load Balancer dikonfigurasi dengan `defensive` atau mode mitigasi `strictest` desync.

- Tujuan kontrol: Lindungi integritas data
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancingV2::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.3contoh template

Penjelasan

Masalah desinkronisasi HTTP (desync) dapat menyebabkan penyelundupan permintaan dan membuat aplikasi rentan terhadap antrian permintaan atau keracunan cache. Pada gilirannya, kerentanan ini dapat menyebabkan isian kredensyal atau eksekusi perintah yang tidak sah. Ketika dikonfigurasi dengan modus mitigasi desync defensif atau paling ketat, Application Load Balancers dapat melindungi aplikasi Anda dari masalah keamanan yang mungkin disebabkan oleh HTTP desync.

Remediasi untuk kegagalan aturan

Hilangkan atribut load balancer `routing.http.desync_mitigation_mode` atau atur atribut ke salah `defensive` satu atau. `strictest`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Application Load Balancer - Contoh

Application Load Balancer dikonfigurasi dengan mode mitigasi `defensive` desync, melalui default AWS. CloudFormation Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ApplicationLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancingV2::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "IpAddressType": "ipv4",
            "Type": "application"
        }
    }
}
```

Contoh YAMAL

```
ApplicationLoadBalancer:
  Type: AWS::ElasticLoadBalancingV2::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
```

```
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    IpAddressType: ipv4
    Type: application
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Application Load Balancer - Contoh

Application Load Balancer dikonfigurasi dengan modus mitigasi `strictest` desync, oleh saya dan dari atribut load balancer. `routing.http.desync_mitigation_mode` Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ApplicationLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancingV2::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "IpAddressType": "ipv4",
            "Type": "application",
            "LoadBalancerAttributes": [
                {
                    "Key": "routing.http.desync_mitigation_mode",
                    "Value": "strictest"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ApplicationLoadBalancer:
  Type: AWS::ElasticLoadBalancingV2::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    IpAddressType: ipv4
    Type: application
    LoadBalancerAttributes:
      - Key: routing.http.desync_mitigation_mode
        Value: strictest
```

CT.ELASTICLOADBALANCING.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   alb_desync_mode_check
#
# Description:
#   This control checks to ensure that an Application Load Balancer is configured with
 'defensive' or 'strictest' desync mitigation mode.
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ELBv2 load balancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to a value other than 'application'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 load balancer
 resource
#       And: The 'LoadBalancerAttribute' 'routing.http.desync_mitigation_mode' has been
 provided
#            and is not one of 'defensive' or 'strictest'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have not been specified on the ELBv2 load
 balancer resource or specified
#            as an empty list
#      Then: PASS
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 load balancer
 resource
#       And: 'routing.http.desync_mitigation_mode' has not been provided as a
 'LoadBalancerAttribute'
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
```

```
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 load balancer
 resource
#       And: The 'LoadBalancerAttribute' 'routing.http.desync_mitigation_mode' has been
 provided
#            and is one of 'defensive' or 'strictest'
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_V2_TYPE = "AWS::ElasticLoadBalancingV2::LoadBalancer"
let ALLOWED_DESYNC_MODES = [ "defensive", "strictest" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_V2_TYPE ]

#
# Primary Rules
#
rule alb_desync_mode_check when is_cfn_template(%INPUT_DOCUMENT)
                                %elastic_load_balancers not empty {

    check(%elastic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.3]: Require any application load balancer to have
 defensive or strictest desync mitigation mode activated
        [FIX]: Omit the load balancer attribute 'routing.http.desync_mitigation_mode'
 or set the attribute to one of 'defensive' or 'strictest'.
        >>

}

rule alb_desync_mode_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_V2_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.3]: Require any application load balancer to have
 defensive or strictest desync mitigation mode activated
```

```
        [FIX]: Omit the load balancer attribute 'routing.http.desync_mitigation_mode'
 or set the attribute to one of 'defensive' or 'strictest'.
        >>
}

#
# Parameterized Rules
#
rule check(elastic_load_balancer) {
    %elastic_load_balancer[
        # Scenario 2
        Type == "application"
    ] {
        # Scenario 4
        LoadBalancerAttributes not exists or
        check_application_load_balancer_attributes(this)
    }
}

rule check_application_load_balancer_attributes(application_load_balancer) {
    %application_load_balancer {
        LoadBalancerAttributes is_list
        LoadBalancerAttributes[
            # Scenario 5
            Key exists
            Key == "routing.http.desync_mitigation_mode"
        ] {
            # Scenarios 3 and 6
            Value exists
            Value in %ALLOWED_DESYNC_MODES
        }

    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICLOADBALANCING.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
```

```
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      Type: application
      LoadBalancerAttributes:
      - Key: routing.http.desync_mitigation_mode
        Value: strictest
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
```

```
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      Type: application
      LoadBalancerAttributes:
      - Key: routing.http.desync_mitigation_mode
        Value: monitor
```

[CT.ELASTICLOADBALANCING.PR.4] Mengharuskan penyeimbang beban aplikasi apa pun harus dikonfigurasi untuk menjatuhkan header HTTP

Kontrol ini memeriksa apakah Application Load Balancers dikonfigurasi untuk menjatuhkan header HTTP yang tidak valid.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancingV2::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.4contoh template

Penjelasan

Secara default, Application Load Balancers tidak dikonfigurasi untuk menjatuhkan nilai header HTTP yang tidak valid. Menghapus nilai header ini mencegah serangan desync HTTP.

Remediasi untuk kegagalan aturan

Atur atribut load balancer `routing.http.drop_invalid_header_fields.enabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Application Load Balancer - Contoh

Application Load Balancer dikonfigurasi untuk menjatuhkan header HTTP yang tidak valid. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ApplicationLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancingV2::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Type": "application",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "IpAddressType": "ipv4",
            "LoadBalancerAttributes": [
                {
                    "Key": "routing.http.drop_invalid_header_fields.enabled",
                    "Value": "true"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ApplicationLoadBalancer:
  Type: AWS::ElasticLoadBalancingV2::LoadBalancer
  Properties:
    Scheme: internal
    Type: application
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    IpAddressType: ipv4
    LoadBalancerAttributes:
      - Key: routing.http.drop_invalid_header_fields.enabled
        Value: 'true'
```

CT.ELASTICLOADBALANCING.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   alb_http_drop_invalid_header_enabled_check
#
# Description:
#   This control checks whether Application Load Balancers are configured to drop non-
valid HTTP headers.
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document does not contain any ELBv2 load balancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to a value other than 'application'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have not been specified on the ELBv2 load
 balancer resource
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 load balancer
 resource
#       And: 'routing.http.drop_invalid_header_fields.enabled' has not been provided as
 a 'LoadBalancerAttribute'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 load balancer
 resource
#       And: The 'LoadBalancerAttribute'
 'routing.http.drop_invalid_header_fields.enabled' has been provided
#            and is set to bool(false) or string(false)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 load balancer resource
#       And: 'Type' is set to 'application' for the ELBv2 load balancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 load balancer
 resource
```

```
#       And: The 'LoadBalancerAttribute'
 'routing.http.drop_invalid_header_fields.enabled' has been provided and
#            is set to bool(true) or string(true)
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_V2_TYPE = "AWS::ElasticLoadBalancingV2::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_V2_TYPE ]

#
# Primary Rules
#
rule alb_http_drop_invalid_header_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %elastic_load_balancers not empty
 {

    check(%elastic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.4]: Require that any application load balancer must
 be configured to drop HTTP headers
        [FIX]: Set the load balancer attribute
 'routing.http.drop_invalid_header_fields.enabled' to 'true'.
        >>
}

rule alb_http_drop_invalid_header_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_V2_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.4]: Require that any application load balancer must
 be configured to drop HTTP headers
        [FIX]: Set the load balancer attribute
 'routing.http.drop_invalid_header_fields.enabled' to 'true'.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(elastic_load_balancer) {
    %elastic_load_balancer[ Type == "application" ] {
        # Scenario 2
        LoadBalancerAttributes exists
        LoadBalancerAttributes is_list
        LoadBalancerAttributes not empty

        # Scenario 3, 4 and 5
        some LoadBalancerAttributes[*] {
            Key exists
            Value exists

            Key == "routing.http.drop_invalid_header_fields.enabled"
            Value in [ true, "true" ]
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICLOADBALANCING.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Type: application
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      LoadBalancerAttributes:
      - Key: routing.http.drop_invalid_header_fields.enabled
        Value: "true"
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Type: application
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      LoadBalancerAttributes:
      - Key: routing.http.drop_invalid_header_fields.enabled
        Value: "false"
```

[CT.ELASTICLOADBALANCING.PR.5] Mengharuskan perlindungan penghapusan penyeimbang beban aplikasi diaktifkan

Memeriksa apakah Elastic Load Balancing (ELB) telah mengaktifkan proteksi penghapusan.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancingV2::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.5contoh template

Penjelasan

Aktifkan perlindungan penghapusan untuk melindungi Application Load Balancer Anda dari penghapusan.

Remediasi untuk kegagalan aturan

Atur atribut load balancer `deletion_protection.enabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Application Load Balancer - Contoh

Application Load Balancer dikonfigurasi dengan proteksi penghapusan aktif. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "Elb": {
        "Type": "AWS::ElasticLoadBalancingV2::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Type": "application",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "IpAddressType": "ipv4",
            "LoadBalancerAttributes": [
                {
                    "Key": "deletion_protection.enabled",
                    "Value": "true"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
Elb:
  Type: AWS::ElasticLoadBalancingV2::LoadBalancer
  Properties:
    Scheme: internal
    Type: application
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    IpAddressType: ipv4
    LoadBalancerAttributes:
      - Key: deletion_protection.enabled
        Value: 'true'
```

CT.ELASTICLOADBALANCING.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elbv2_deletion_protection_enabled_check
#
# Description:
#   Checks whether Elastic Load Balancing (ELB) has deletion protection activated.
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ELBv2 LoadBalancer resource
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 LoadBalancer resource
#       And: 'LoadBalancerAttributes' have not been specified or is an empty list on
 the ELBv2 resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 LoadBalancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 LoadBalancer
 resource
#       And: 'deletion_protection.enabled' has not been provided as a
 'LoadBalancerAttribute'
#      Then: FAIL
```

```
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 LoadBalancer resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 LoadBalancer
 resource
#       And: The 'LoadBalancerAttribute' 'deletion_protection.enabled' has been
 provided and is set to bool(false) or
#            string(false)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 LoadBalancer Resource
#       And: 'LoadBalancerAttributes' have been specified on the ELBv2 LoadBalancer
 resource
#       And: The 'LoadBalancerAttribute' 'deletion_protection.enabled' has been
 provided and is set to bool(true) or
#            string(true)
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_V2_TYPE = "AWS::ElasticLoadBalancingV2::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_V2_TYPE ]

#
# Primary Rules
#
rule elbv2_deletion_protection_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                 %elastic_load_balancers not empty {
    check(%elastic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.5]: Require that application load balancer deletion
 protection is activated
        [FIX]: Set the load balancer attribute 'deletion_protection.enabled' to 'true'.
        >>
}
```

```
rule elbv2_deletion_protection_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_V2_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.5]: Require that application load balancer deletion
 protection is activated
        [FIX]: Set the load balancer attribute 'deletion_protection.enabled' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(elastic_load_balancer) {
    %elastic_load_balancer {
        # Scenario 2
        LoadBalancerAttributes exists
        LoadBalancerAttributes is_list
        LoadBalancerAttributes not empty

        # Scenario 3, 4 and 5
        some LoadBalancerAttributes[*] {
            Key exists
            Value exists

            Key == "deletion_protection.enabled"
            Value in [ true, "true" ]
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.ELASTICLOADBALANCING.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
```

```
      Type: application
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      LoadBalancerAttributes:
      - Key: deletion_protection.enabled
        Value: "true"
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
```

```
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Type: application
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      LoadBalancerAttributes:
      - Key: deletion_protection.enabled
        Value: "false"
```

[CT.ELASTICLOADBALANCING.PR.6] Mengharuskan pencatatan akses penyeimbang beban aplikasi dan jaringan diaktifkan

Kontrol ini memeriksa apakah aplikasi Elastic Load Balancing (ELB) dan penyeimbang beban jaringan Anda telah diaktifkan.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancingV2::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.6spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.6contoh template

Penjelasan

Elastic Load Balancing memberikan log akses yang mengambil informasi mendetail tentang permintaan yang dikirim ke penyeimbang beban Anda. Setiap log berisi informasi, seperti waktu permintaan diterima, alamat IP klien, latensi, jalur permintaan, dan respons server. Anda dapat menggunakan log akses ini untuk menganalisis pola lalu lintas dan untuk memecahkan masalah.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis penyeimbang beban ELB dan`application`. `network`

Remediasi untuk kegagalan aturan

Setel atribut load balancer `access_logs.s3.enabled` ke`true`, dan atur `access_logs.s3.bucket` untuk mencapai bucket S3 yang dikonfigurasi untuk menerima log akses penyeimbang beban aplikasi atau penyeimbang beban jaringan.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Application Load Balancer - Contoh

Application Load Balancer dikonfigurasi dengan akses logging diaktifkan. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ApplicationLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancingV2::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "IpAddressType": "ipv4",
            "Type": "application",
            "LoadBalancerAttributes": [
                {
                    "Key": "access_logs.s3.enabled",
                    "Value": true
                },
```

```
                {
                    "Key": "access_logs.s3.bucket",
                    "Value": {
                        "Ref": "LoggingBucket"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ApplicationLoadBalancer:
  Type: AWS::ElasticLoadBalancingV2::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    IpAddressType: ipv4
    Type: application
    LoadBalancerAttributes:
      - Key: access_logs.s3.enabled
        Value: true
      - Key: access_logs.s3.bucket
        Value: !Ref 'LoggingBucket'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Network Load Balancer - Contoh

Network Load Balancer dikonfigurasi dengan log akses diaktifkan. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
```

```
    "NetworkLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancingV2::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "IpAddressType": "ipv4",
            "Type": "network",
            "LoadBalancerAttributes": [
                {
                    "Key": "access_logs.s3.enabled",
                    "Value": true
                },
                {
                    "Key": "access_logs.s3.bucket",
                    "Value": {
                        "Ref": "LoggingBucket"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
NetworkLoadBalancer:
  Type: AWS::ElasticLoadBalancingV2::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    IpAddressType: ipv4
    Type: network
```

```
    LoadBalancerAttributes:
      - Key: access_logs.s3.enabled
        Value: true
      - Key: access_logs.s3.bucket
        Value: !Ref 'LoggingBucket'
```

CT.ELASTICLOADBALANCING.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elbv2_logging_enabled_check
#
# Description:
#   This control checks whether your Elastic Load Balancing (ELB) application and
 network load balancers have logging activated.
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ElasticLoadBalancingV2
 LoadBalancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 LoadBalancer
 resource
```

```
#       And: 'Type' is set to a value other than 'application' or 'network'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 LoadBalancer
 resource
#       And: The LoadBalancer is of type 'application' or 'network'
#       And: 'LoadBalancerAttributes' has not been provided or is an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 LoadBalancer
 resource
#       And: The LoadBalancer is of type 'application' or 'network'
#       And: A 'LoadBalancerAttributes' with Key 'access_logs.s3.enabled' and
 'access_logs.s3.bucket'
#            has not been provided
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 LoadBalancer
 resource
#       And: The LoadBalancer is of type 'application' or 'network'
#       And: A 'LoadBalancerAttributes' with Key 'access_logs.s3.enabled' and
 'access_logs.s3.bucket' has been provided
#       And: 'access_logs.s3.enabled' is set to bool(false) or string(false)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancingV2 LoadBalancer
 resource
#       And: The LoadBalancer is of type 'application' or 'network'
#       And: A 'LoadBalancerAttributes' with Key 'access_logs.s3.enabled' and
 'access_logs.s3.bucket' has been provided
#       And: 'access_logs.s3.enabled' is set to bool(true) or string(true)
#       And: 'access_logs.s3.bucket' is missing or an empty string value
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an ElasticLoadBalancingV2 LoadBalancer
 resource
#       And: The LoadBalancer is of type 'application'
#       And: A 'LoadBalancerAttributes' with Key 'access_logs.s3.enabled' has been
 provided
#       And: 'access_logs.s3.enabled' is set to bool(true) or string(true)
#       And: 'access_logs.s3.bucket' is provided and a non-empty string value or valid
 local reference
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_V2_TYPE = "AWS::ElasticLoadBalancingV2::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_V2_TYPE ]

#
# Primary Rules
#
rule elbv2_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                     %elastic_load_balancers not empty {

    check(%elastic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.6]: Require that application and network load
 balancer access logging is activated
        [FIX]: Set the load balancer attribute 'access_logs.s3.enabled' to 'true', and
 set 'access_logs.s3.bucket' to reach an Amazon S3 bucket that's configured to receive
 application load balancer or network load balancer access logs.
        >>
}

rule elbv2_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_V2_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.6]: Require that application and network load
 balancer access logging is activated
```

```
        [FIX]: Set the load balancer attribute 'access_logs.s3.enabled' to 'true', and
 set 'access_logs.s3.bucket' to reach an Amazon S3 bucket that's configured to receive
 application load balancer or network load balancer access logs.
        >>
}

#
# Parameterized Rules
#
rule check(elastic_load_balancer) {
    %elastic_load_balancer[ Type in ["application", "network"] ] {
        # Scenario 3
        LoadBalancerAttributes exists
        LoadBalancerAttributes is_list
        LoadBalancerAttributes not empty

        # Scenario 4, 5, 6 and 7
        some LoadBalancerAttributes[*] {
            Key exists
            Value exists

            Key == "access_logs.s3.enabled"
            Value in [ true, "true" ]
        }

        some LoadBalancerAttributes[*] {
            Key exists
            Value exists

            Key == "access_logs.s3.bucket"
            check_is_string_and_not_empty(Value) or
            check_local_references(%INPUT_DOCUMENT, Value, "AWS::S3::Bucket")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
```

```
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.ELASTICLOADBALANCING.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Mappings:
```

```
  RegionToELBAccountId:
    us-east-1:
      AccountId: '127311923021'
    us-west-1:
      AccountId: '027434742980'
    us-west-2:
      AccountId: '797873946194'
    ca-central-1:
      AccountId: '985666609251'
    eu-west-1:
      AccountId: '156460612806'
    ap-northeast-1:
      AccountId: '582318560864'
    ap-northeast-2:
      AccountId: '600734575887'
    ap-southeast-1:
      AccountId: '114774131450'
    ap-southeast-2:
      AccountId: '783225319266'
    ap-south-1:
      AccountId: '718504428378'
    us-east-2:
      AccountId: '033677994240'
    sa-east-1:
      AccountId: '507241528517'
    eu-central-1:
      AccountId: '054676820928'
    af-south-1:
      AccountId: '098369216593'
    ap-east-1:
      AccountId: '754344448648'
    ap-southeast-3:
      AccountId: '589379963580'
    ap-northeast-3:
      AccountId: '383597477331'
    eu-west-2:
      AccountId: '652711504416'
    eu-south-1:
      AccountId: '635631232127'
    eu-west-3:
      AccountId: '009996457667'
    eu-north-1:
      AccountId: '897822967062'
    me-south-1:
```

```
      AccountId: '076674570225'
    us-gov-west-1:
      AccountId: '048591011584'
    us-gov-east-1:
      AccountId: '190560391635'
  RegionToARNPrefix:
    us-east-1:
      ARNPrefix: 'arn:aws:'
    us-west-1:
      ARNPrefix: 'arn:aws:'
    us-west-2:
      ARNPrefix: 'arn:aws:'
    ca-central-1:
      ARNPrefix: 'arn:aws:'
    eu-west-1:
      ARNPrefix: 'arn:aws:'
    ap-northeast-1:
      ARNPrefix: 'arn:aws:'
    ap-northeast-2:
      ARNPrefix: 'arn:aws:'
    ap-southeast-1:
      ARNPrefix: 'arn:aws:'
    ap-southeast-2:
      ARNPrefix: 'arn:aws:'
    ap-south-1:
      ARNPrefix: 'arn:aws:'
    us-east-2:
      ARNPrefix: 'arn:aws:'
    sa-east-1:
      ARNPrefix: 'arn:aws:'
    eu-central-1:
      ARNPrefix: 'arn:aws:'
    af-south-1:
      ARNPrefix: 'arn:aws:'
    ap-east-1:
      ARNPrefix: 'arn:aws:'
    ap-southeast-3:
      ARNPrefix: 'arn:aws:'
    ap-northeast-3:
      ARNPrefix: 'arn:aws:'
    eu-west-2:
      ARNPrefix: 'arn:aws:'
    eu-south-1:
      ARNPrefix: 'arn:aws:'
```

```
    eu-west-3:
      ARNPrefix: 'arn:aws:'
    eu-north-1:
      ARNPrefix: 'arn:aws:'
    me-south-1:
      ARNPrefix: 'arn:aws:'
    us-gov-west-1:
      ARNPrefix: 'arn:aws-us-gov:'
    us-gov-east-1:
      ARNPrefix: 'arn:aws-us-gov:'
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
```

```
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - Fn::FindInMap: [RegionToARNPrefix, !Ref 'AWS::Region', ARNPrefix]
                  - 's3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              AWS:
                Fn::FindInMap: [RegionToELBAccountId, !Ref 'AWS::Region', AccountId]
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      Type: application
      LoadBalancerAttributes:
      - Key: access_logs.s3.enabled
        Value: true
      - Key: access_logs.s3.bucket
        Value:
          Ref: LoggingBucket
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
```

```
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ApplicationLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      Type: application
```

[CT.ELASTICLOADBALANCING.PR.7] Memerlukan penyeimbang beban klasik untuk memiliki beberapa Availability Zone yang dikonfigurasi

Kontrol ini memeriksa apakah penyeimbang beban klasik Elastic Load Balancing (ELB) telah dikonfigurasi dengan beberapa Availability Zone.

- Tujuan kontrol: Meningkatkan ketersediaan

- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancing::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.7spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.7spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.7contoh template

Penjelasan

Classic Load Balancer dapat disiapkan untuk mendistribusikan permintaan masuk di seluruh instans Amazon EC2 dalam satu Availability Zone atau beberapa Availability Zone. Classic Load Balancer yang tidak menjangkau beberapa Availability Zone tidak dapat mengarahkan lalu lintas ke target di Availability Zone lain, jika Availability Zone yang dikonfigurasi menjadi tidak tersedia.

Remediasi untuk kegagalan aturan

Konfigurasikan Classic Load Balancer dengan dua atau lebih subnet atau Availability Zone.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh Satu

Classic Load Balancer dikonfigurasi dengan dua Availability Zone. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ClassicLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internet-facing",
            "Listeners": [
                {
```

```
                    "InstancePort": "80",
                    "InstanceProtocol": "HTTP",
                    "LoadBalancerPort": "443",
                    "Protocol": "HTTPS",
                    "PolicyNames": [
                        "Sample-SSLNegotiation-Policy"
                    ],
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    }
                }
            ],
            "Policies": [
                {
                    "PolicyName": "Sample-SSLNegotiation-Policy",
                    "PolicyType": "SSLNegotiationPolicyType",
                    "Attributes": [
                        {
                            "Name": "Reference-Security-Policy",
                            "Value": "ELBSecurityPolicy-TLS-1-2-2017-01"
                        }
                    ]
                }
            ],
            "AvailabilityZones": [
                {
                    "Fn::Select": [
                        0,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                },
                {
                    "Fn::Select": [
                        1,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                }
            ]
        }
    }
```

```
}
```

Contoh YAMAL

```
ClassicLoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internet-facing
    Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
        PolicyNames:
          - Sample-SSLNegotiation-Policy
        SSLCertificateId: !Ref 'ACMCertificate'
    Policies:
      - PolicyName: Sample-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
          - Name: Reference-Security-Policy
            Value: ELBSecurityPolicy-TLS-1-2-2017-01
    AvailabilityZones:
      - !Select
        - 0
        - !GetAZs ''
      - !Select
        - 1
        - !GetAZs ''
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh Dua

Classic Load Balancer dikonfigurasi dengan dua subnet. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ClassicLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internet-facing",
            "Listeners": [
                {
                    "InstancePort": "80",
                    "InstanceProtocol": "HTTP",
                    "LoadBalancerPort": "443",
                    "Protocol": "HTTPS",
                    "PolicyNames": [
                        "Sample-SSLNegotiation-Policy"
                    ],
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    }
                }
            ],
            "Policies": [
                {
                    "PolicyName": "Sample-SSLNegotiation-Policy",
                    "PolicyType": "SSLNegotiationPolicyType",
                    "Attributes": [
                        {
                            "Name": "Reference-Security-Policy",
                            "Value": "ELBSecurityPolicy-TLS-1-2-2017-01"
                        }
                    ]
                }
            ],
            "AvailabilityZones": [
                {
                    "Fn::Select": [
                        0,
                        {
                            "Fn::GetAZs": ""
                        }
                    ]
                },
                {
                    "Fn::Select": [
                        1,
                        {
```

```
                            "Fn::GetAZs": ""
                        }
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ClassicLoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internet-facing
    Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
        PolicyNames:
          - Sample-SSLNegotiation-Policy
        SSLCertificateId: !Ref 'ACMCertificate'
    Policies:
      - PolicyName: Sample-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
          - Name: Reference-Security-Policy
            Value: ELBSecurityPolicy-TLS-1-2-2017-01
    AvailabilityZones:
      - !Select
        - 0
        - !GetAZs ''
      - !Select
        - 1
        - !GetAZs ''
```

CT.ELASTICLOADBALANCING.PR.7spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elb_multiple_az_check
#
# Description:
#   This control checks whether an Elastic Load Balancing (ELB) Classic Load Balancer
 has been configured with multiple Availability Zones.
#
# Reports on:
#   AWS::ElasticLoadBalancing::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing load
 balancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: Neither 'AvailabilityZones' or 'Subnets' have been specified
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'AvailabilityZones' been specified on the Elastic Load Balancing load
 balancer resource
```

```
#       And: The number of entries in 'AvailabilityZones' is < 2 or the number of
#            unique 'AvailabilityZones' provided is less than 2 (< 2)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'Subnets' been specified on the Elastic Load Balancing load balancer
 resource
#       And: The number of entries in 'Subnets' is < 2
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'AvailabilityZones' been specified on the Elastic Load Balancing load
 balancer resource
#       And: The number of entries in 'AvailabilityZones' is >= 2
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'Subnets' been specified on the Elastic Load Balancing load balancer
 resource
#       And: The number of entries in 'Subnets' is >= 2
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_TYPE = "AWS::ElasticLoadBalancing::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let classic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_TYPE ]

#
# Primary Rules
```

```
#
rule elb_multiple_az_check when is_cfn_template(%INPUT_DOCUMENT)
                               %classic_load_balancers not empty {

    check(%classic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.7]: Require any classic load balancer to have
 multiple Availability Zones configured
        [FIX]: Configure Classic Load Balancers with two or more subnets or
 Availability Zones.
        >>
}

rule elb_multiple_az_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.7]: Require any classic load balancer to have
 multiple Availability Zones configured
        [FIX]: Configure Classic Load Balancers with two or more subnets or
 Availability Zones.
        >>
}

#
# Parameterized Rules
#
rule check(classic_load_balancer) {
    %classic_load_balancer {
        # Scenario 2
        AvailabilityZones exists or
        Subnets exists

        when AvailabilityZones exists {
            # Scenarios 3 and 5
            two_or_more_entries(AvailabilityZones)
            AvailabilityZones[0] not in AvailabilityZones[1]
        }

        when Subnets exists {
            # Scenarios 4 and 6
            two_or_more_entries(Subnets)
        }
```

```
    }
}

rule two_or_more_entries(list_property) {
    %list_property {
        this is_list
        this not empty
        this[0] exists
        this[1] exists
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICLOADBALANCING.PR.7contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
```

```
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internet-facing
      Listeners:
      - Protocol: HTTPS
        InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        PolicyNames:
        - Example-SSLNegotiation-Policy
        SSLCertificateId:
          Ref: ACMCertificate
      Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
        - Name: Reference-Security-Policy
          Value: ELBSecurityPolicy-TLS-1-2-2017-01
      AvailabilityZones:
      - Fn::Select:
        - 0
        - Fn::GetAZs: ''
      - Fn::Select:
        - 1
        - Fn::GetAZs: ''
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
```

```
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Listeners:
      - Protocol: HTTP
        InstancePort: 80
        LoadBalancerPort: 80
      Subnets:
      - Ref: Subnet
```

[CT.ELASTICLOADBALANCING.PR.8] Mengharuskan pendengar SSL/HTTPS penyeimbang beban klasik untuk memiliki sertifikat yang disediakan oleh AWS Certificate Manager

Kontrol ini memeriksa apakah penyeimbang beban klasik menggunakan sertifikat HTTPS/SSL yang disediakan oleh. AWS Certificate Manager

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancing::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.8spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.8spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.8contoh template

Penjelasan

Untuk membuat sertifikat, Anda dapat menggunakan ACM atau alat yang mendukung protokol SSL dan TLS, seperti OpenSSL. Security Hub merekomendasikan agar Anda menggunakan ACM untuk membuat atau mengimpor sertifikat penyeimbang beban Anda.

ACM terintegrasi dengan Classic Load Balancers, sehingga Anda dapat menyebarkan sertifikat pada penyeimbang beban Anda. Anda juga harus memperbarui sertifikat ini secara otomatis.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk Classic Load Balancer yang dikonfigurasi dengan pendengar HTTPS atau SSL.

Remediasi untuk kegagalan aturan

Konfigurasikan Classic Load Balancer untuk menggunakan sertifikat yang disediakan oleh AWS Certificate Manager (ACM).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh

Classic Load Balancer dikonfigurasi dengan pendengar HTTPS dan AWS Certificate Manager sertifikat SSL. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ClassicLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
```

```
                }
            ],
            "Policies": [
                {
                    "PolicyName": "Example-SSLNegotiation-Policy",
                    "PolicyType": "SSLNegotiationPolicyType",
                    "Attributes": [
                        {
                            "Name": "Reference-Security-Policy",
                            "Value": "ELBSecurityPolicy-TLS-1-2-2017-01"
                        }
                    ]
                }
            ],
            "Listeners": [
                {
                    "InstancePort": "80",
                    "InstanceProtocol": "HTTP",
                    "LoadBalancerPort": "443",
                    "Protocol": "HTTPS",
                    "PolicyNames": [
                        "Example-SSLNegotiation-Policy"
                    ],
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ClassicLoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
```

```
    Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
          - Name: Reference-Security-Policy
            Value: ELBSecurityPolicy-TLS-1-2-2017-01
    Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
        PolicyNames:
          - Example-SSLNegotiation-Policy
        SSLCertificateId: !Ref 'ACMCertificate'
```

CT.ELASTICLOADBALANCING.PR.8spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elb_acm_certificate_required_check
#
# Description:
#   This control checks whether Classic Load Balancers use HTTPS/SSL certificates
 provided by AWS Certificate Manager.
#
# Reports on:
#   AWS::ElasticLoadBalancing::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing load
 balancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: There are no HTTPS or SSL 'Listeners' configured on the load balancer
 resource
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: There are one or more HTTPS or SSL 'Listeners' configured on the load
 balancer resource
#       And: 'SSLCertificateId' on load balancer HTTPS or SSL 'Listeners' is missing or
 not a valid ACM certificate ARN
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: There are one or more HTTPS or SSL 'Listeners' configured on the load
 balancer resource
#       And: 'SSLCertificateId' matches an ACM certificate ARN for all 'HTTPS' and
 'SSL' 'Listeners'
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_TYPE = "AWS::ElasticLoadBalancing::LoadBalancer"
let ACM_CERTIFICATE_ARN_PATTERN = /arn:aws[a-z0-9\-]*:acm:[a-z0-9\-]+:
\d{12}:certificate\/[\w\-]{1,64}/
let SECURE_LISTENER_PROTOCOLS = ["HTTPS", "SSL"]
let INPUT_DOCUMENT = this

#
```

```
# Assignments
#
let classic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_TYPE ]

#
# Primary Rules
#
rule elb_acm_certificate_required_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %classic_load_balancers not empty {

    check(%classic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.8]: Require any classic load balancer SSL/HTTPS
 listener to have a certificate provided by AWS Certificate Manager
[FIX]: Configure Classic Load Balancers to use certificates provided by AWS Certificate
 Manager (ACM).
        >>
}

rule elb_acm_certificate_required_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.8]: Require any classic load balancer SSL/HTTPS
 listener to have a certificate provided by AWS Certificate Manager
[FIX]: Configure Classic Load Balancers to use certificates provided by AWS Certificate
 Manager (ACM).
        >>
}

#
# Parameterized Rules
#
rule check(classic_load_balancer) {
    %classic_load_balancer [
        filter_load_balancer_with_listeners(this)
    ] {
        Listeners [
            filter_secure_listeners(this)
        ] {
            # Scenarios 3 and 4
            SSLCertificateId exists
            SSLCertificateId == %ACM_CERTIFICATE_ARN_PATTERN or
```

```
            check_local_references(%INPUT_DOCUMENT, SSLCertificateId,
 "AWS::CertificateManager::Certificate")
        }
    }
}

rule filter_load_balancer_with_listeners(classic_load_balancer) {
    %classic_load_balancer {
        Listeners exists
        Listeners is_list
        Listeners not empty
    }
}

rule filter_secure_listeners(listener) {
    %listener {
        Protocol exists
        Protocol in %SECURE_LISTENER_PROTOCOLS
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
```

```
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.ELASTICLOADBALANCING.PR.8contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
```

```
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
        - Name: Reference-Security-Policy
          Value: ELBSecurityPolicy-TLS-1-2-2017-01
      Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
        PolicyNames:
        - Example-SSLNegotiation-Policy
        SSLCertificateId:
          Ref: ACMCertificate
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
```

```
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
        - Name: Reference-Security-Policy
          Value: ELBSecurityPolicy-TLS-1-2-2017-01
      Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
```

```
        PolicyNames:
        - Example-SSLNegotiation-Policy
        SSLCertificateId: arn:aws:iam::123456789012:server-certificate/example-
certificate
```

[CT.ELASTICLOADBALANCING.PR.9] Mengharuskan aplikasi AWS ELB atau pendengar Classic Load Balancer dikonfigurasi dengan penghentian HTTPS atau TLS

Kontrol ini memeriksa apakah pendengar front-end Elastic Load Balancing (ELB) Classic Load Balancer (ELB) Anda dikonfigurasi dengan protokol HTTPS atau SSL.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancing::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.9spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.9spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.9contoh template

Penjelasan

Sebelum Anda mulai menggunakan penyeimbang beban, Anda harus menambahkan satu atau lebih pendengar. Listener adalah proses yang menggunakan protokol dan port yang dikonfigurasi untuk memeriksa permintaan koneksi. Pendengar dapat mendukung protokol HTTP dan HTTPS/TLS. Anda harus selalu menggunakan pendengar HTTPS atau TLS, sehingga penyeimbang beban melakukan pekerjaan enkripsi dan dekripsi dalam perjalanan.

Remediasi untuk kegagalan aturan

Konfigurasikan pendengar front-end Classic Load Balancer dengan protokol HTTPS atau SSL.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh Satu

Classic Load Balancer dikonfigurasi dengan HTTPS Listener. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "LoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "Subnet"
                }
            ],
            "Listeners": [
                {
                    "Protocol": "HTTPS",
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    },
                    "InstancePort": 80,
                    "LoadBalancerPort": 443
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
LoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
```

```
      - !Ref 'Subnet'
    Listeners:
      - Protocol: HTTPS
        SSLCertificateId: !Ref 'ACMCertificate'
        InstancePort: 80
        LoadBalancerPort: 443
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh Dua

Classic Load Balancer dikonfigurasi dengan SSL Listener. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "LoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "Subnet"
                }
            ],
            "Listeners": [
                {
                    "Protocol": "SSL",
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    },
                    "InstancePort": 80,
                    "LoadBalancerPort": 443
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
LoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
      - !Ref 'Subnet'
    Listeners:
      - Protocol: SSL
        SSLCertificateId: !Ref 'ACMCertificate'
        InstancePort: 80
        LoadBalancerPort: 443
```

CT.ELASTICLOADBALANCING.PR.9spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elb_tls_https_listeners_only_check
#
# Description:
#   Checks whether Classic Load Balancer front-end listeners are configured with HTTPS
 or SSL protocols.
#
# Reports on:
#   AWS::ElasticLoadBalancing::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing
 LoadBalancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancing LoadBalancer resource
#       And: 'Listeners' has not been provided or is provided with a value of an empty
 list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancing LoadBalancer resource
#       And: 'Protocol' on LoadBalancer 'Listeners' is not set to 'HTTPS' or 'SSL'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ElasticLoadBalancing LoadBalancer resource
#       And: 'Protocol' is set to 'HTTPS' or 'SSL' for all 'Listeners'
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_TYPE = "AWS::ElasticLoadBalancing::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let classic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_TYPE ]

#
# Primary Rules
#
rule elb_tls_https_listeners_only_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %classic_load_balancers not empty {

    check(%classic_load_balancers.Properties)
        <<
```

```
        [CT.ELASTICLOADBALANCING.PR.9]: Require that an AWS ELB Application or Classic
 Load Balancer listener is configured with HTTPS or TLS termination
        [FIX]: Configure Classic Load Balancer front-end listeners with HTTPS or SSL
 protocols.
        >>
}

rule elb_tls_https_listeners_only_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.9]: Require that an AWS ELB Application or Classic
 Load Balancer listener is configured with HTTPS or TLS termination
        [FIX]: Configure Classic Load Balancer front-end listeners with HTTPS or SSL
 protocols.
        >>
}

#
# Parameterized Rules
#
rule check(classic_load_balancer) {
    %classic_load_balancer {
        # Scenario 2
        Listeners exists
        Listeners is_list
        Listeners not empty

        # Scenarios 3 and 4
        Listeners[*] {
           Protocol exists
           Protocol in ["HTTPS", "SSL"]
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICLOADBALANCING.PR.9contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
```

```
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      Listeners:
      - Protocol: HTTPS
        SSLCertificateId: arn:aws:acm:us-
east-1:123456789012:certificate/12345678-12ab-34cd-56ef-12345678
        InstancePort: 80
        LoadBalancerPort: 443
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
```

```
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      Listeners:
      - Protocol: HTTP
        InstancePort: 80
        LoadBalancerPort: 80
```

[CT.ELASTICLOADBALANCING.PR.10] Memerlukan aplikasi ELB atau penyeimbang beban klasik agar logging diaktifkan

Kontrol ini memeriksa apakah Classic Load Balancers telah mengaktifkan logging.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancing::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.10spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.10spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.10contoh template

Penjelasan

Elastic Load Balancing memberikan log akses yang mengambil informasi mendetail tentang permintaan yang dikirim ke penyeimbang beban Anda. Setiap log berisi informasi, seperti waktu permintaan diterima, alamat IP klien, latensi, jalur permintaan, dan respons server. Anda dapat menggunakan log akses ini untuk menganalisis pola lalu lintas dan untuk memecahkan masalah.

Remediasi untuk kegagalan aturan

Atur `AccessLoggingPolicy` dan `S3BucketName` sediakan bucket Amazon S3 yang dikonfigurasi untuk menerima log akses penyeimbang beban klasik.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh

Classic Load Balancer dikonfigurasi dengan pendengar HTTPS dan logging akses. Contoh ini ditunjukkan di JSON dan YAMB.

Contoh JSON

```
{
    "ClassicLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Listeners": [
                {
                    "Protocol": "HTTPS",
                    "InstancePort": 80,
                    "LoadBalancerPort": 443
                }
            ],
            "Subnets": [
                {
                    "Ref": "Subnet"
                }
            ],
            "AccessLoggingPolicy": {
                "Enabled": true,
                "S3BucketName": {
                    "Ref": "LoggingBucket"
                }
            }
        }
```

```
    }
}
```

Contoh YAMAL

```
ClassicLoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internal
    Listeners:
      - Protocol: HTTPS
        InstancePort: 80
        LoadBalancerPort: 443
    Subnets:
      - !Ref 'Subnet'
    AccessLoggingPolicy:
      Enabled: true
      S3BucketName: !Ref 'LoggingBucket'
```

CT.ELASTICLOADBALANCING.PR.10spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elb_logging_enabled_check
#
# Description:
#   This control checks whether Classic Load Balancers have logging enabled.
#
# Reports on:
#   AWS::ElasticLoadBalancing::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
```

```
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing load
 balancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'AccessLoggingPolicy' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'AccessLoggingPolicy' has been provided
#       And: 'Enabled' in 'AccessLoggingPolicy' is missing or has been set to
 bool(false) or 'S3BucketName' is missing
#             or empty string value
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'AccessLoggingPolicy' has been provided
#       And: 'Enabled' has been provided in 'AccessLoggingPolicy' and has been set to
 bool(true)
#       And: 'S3BucketName' has been provided in 'AccessLoggingPolicy' as a non-empty
 string value or
#            valid local reference
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_TYPE = "AWS::ElasticLoadBalancing::LoadBalancer"
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let classic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_TYPE ]

#
# Primary Rules
#
rule elb_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                    %classic_load_balancers not empty {
    check(%classic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.10]: Require an ELB application or classic load
 balancer to have logging activated
        [FIX]: Set an 'AccessLoggingPolicy' and provide an 'S3BucketName' with an
 Amazon S3 bucket configured to receive classic load balancer access logs.
        >>

}

rule elb_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.10]: Require an ELB application or classic load
 balancer to have logging activated
        [FIX]: Set an 'AccessLoggingPolicy' and provide an 'S3BucketName' with an
 Amazon S3 bucket configured to receive classic load balancer access logs.
        >>
}

#
# Parameterized Rules
#
rule check(classic_load_balancer) {
    %classic_load_balancer {
        # Scenario 2
        AccessLoggingPolicy exists
        AccessLoggingPolicy is_struct

        AccessLoggingPolicy {
            # Scenario 3 and 4
            Enabled exists
```

```
            Enabled == true

            S3BucketName exists
            check_is_string_and_not_empty(S3BucketName) or
            check_local_references(%INPUT_DOCUMENT, S3BucketName, "AWS::S3::Bucket")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
```

```
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.ELASTICLOADBALANCING.PR.10contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Mappings:
  RegionToELBAccountId:
    us-east-1:
      AccountId: '127311923021'
    us-west-1:
      AccountId: '027434742980'
    us-west-2:
      AccountId: '797873946194'
    ca-central-1:
      AccountId: '985666609251'
    eu-west-1:
      AccountId: '156460612806'
    ap-northeast-1:
      AccountId: '582318560864'
    ap-northeast-2:
      AccountId: '600734575887'
    ap-southeast-1:
      AccountId: '114774131450'
    ap-southeast-2:
      AccountId: '783225319266'
    ap-south-1:
      AccountId: '718504428378'
    us-east-2:
      AccountId: '033677994240'
    sa-east-1:
      AccountId: '507241528517'
    eu-central-1:
      AccountId: '054676820928'
```

```
    af-south-1:
      AccountId: '098369216593'
    ap-east-1:
      AccountId: '754344448648'
    ap-southeast-3:
      AccountId: '589379963580'
    ap-northeast-3:
      AccountId: '383597477331'
    eu-west-2:
      AccountId: '652711504416'
    eu-south-1:
      AccountId: '635631232127'
    eu-west-3:
      AccountId: '009996457667'
    eu-north-1:
      AccountId: '897822967062'
    me-south-1:
      AccountId: '076674570225'
    us-gov-west-1:
      AccountId: '048591011584'
    us-gov-east-1:
      AccountId: '190560391635'
  RegionToARNPrefix:
    us-east-1:
      ARNPrefix: 'arn:aws:'
    us-west-1:
      ARNPrefix: 'arn:aws:'
    us-west-2:
      ARNPrefix: 'arn:aws:'
    ca-central-1:
      ARNPrefix: 'arn:aws:'
    eu-west-1:
      ARNPrefix: 'arn:aws:'
    ap-northeast-1:
      ARNPrefix: 'arn:aws:'
    ap-northeast-2:
      ARNPrefix: 'arn:aws:'
    ap-southeast-1:
      ARNPrefix: 'arn:aws:'
    ap-southeast-2:
      ARNPrefix: 'arn:aws:'
    ap-south-1:
      ARNPrefix: 'arn:aws:'
    us-east-2:
```

```
      ARNPrefix: 'arn:aws:'
    sa-east-1:
      ARNPrefix: 'arn:aws:'
    eu-central-1:
      ARNPrefix: 'arn:aws:'
    af-south-1:
      ARNPrefix: 'arn:aws:'
    ap-east-1:
      ARNPrefix: 'arn:aws:'
    ap-southeast-3:
      ARNPrefix: 'arn:aws:'
    ap-northeast-3:
      ARNPrefix: 'arn:aws:'
    eu-west-2:
      ARNPrefix: 'arn:aws:'
    eu-south-1:
      ARNPrefix: 'arn:aws:'
    eu-west-3:
      ARNPrefix: 'arn:aws:'
    eu-north-1:
      ARNPrefix: 'arn:aws:'
    me-south-1:
      ARNPrefix: 'arn:aws:'
    us-gov-west-1:
      ARNPrefix: 'arn:aws-us-gov:'
    us-gov-east-1:
      ARNPrefix: 'arn:aws-us-gov:'
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
```

```
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  LoggingBucket:
    Type: AWS::S3::Bucket
  LoggingBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: LoggingBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Action:
              - 's3:PutObject'
            Effect: Allow
            Resource:
              Fn::Join:
                - ''
                - - Fn::FindInMap: [RegionToARNPrefix, !Ref 'AWS::Region', ARNPrefix]
                  - 's3:::'
                  - Ref: LoggingBucket
                  - /AWSLogs/
                  - Ref: AWS::AccountId
                  - /*
            Principal:
              AWS:
                Fn::FindInMap: [RegionToELBAccountId, !Ref 'AWS::Region', AccountId]
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Listeners:
      - Protocol: HTTP
        InstancePort: 80
        LoadBalancerPort: 80
      Subnets:
```

```
      - Ref: SubnetOne
      - Ref: SubnetTwo
      AccessLoggingPolicy:
        Enabled: true
        S3BucketName:
          Ref: LoggingBucket
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
```

```
      Scheme: internal
      Listeners:
      - Protocol: HTTP
        InstancePort: 80
        LoadBalancerPort: 80
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
```

[CT.ELASTICLOADBALANCING.PR.11] Memerlukan penyeimbang beban klasik ELB untuk mengaktifkan pengeringan koneksi

Kontrol ini memeriksa apakah Elastic Load Balancing (ELB) Classic Load Balancing (ELB) memiliki koneksi pengurasan yang dikonfigurasi.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancing::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.11spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.11spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.11contoh template

Penjelasan

Mengaktifkan pengurasan koneksi pada Classic Load Balancer memastikan bahwa penyeimbang beban berhenti mengirim permintaan ke instans yang tidak terdaftar atau tidak sehat. Itu membuat koneksi yang ada tetap terbuka. Konfigurasi ini sangat berguna untuk instance dalam grup Auto Scaling, untuk memastikan bahwa koneksi tidak terputus secara tiba-tiba.

Remediasi untuk kegagalan aturan

Konfigurasikan `ConnectionDrainingPolicy` pada Elastic Load Balancing Classic Load Balancing.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh

Classic Load Balancer dikonfigurasi dengan koneksi pengeringan aktif. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ClassicLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Listeners": [
                {
                    "InstancePort": "80",
                    "InstanceProtocol": "HTTP",
                    "LoadBalancerPort": "443",
                    "Protocol": "HTTPS",
                    "PolicyNames": [
                        "Example-SSLNegotiation-Policy"
                    ],
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    }
                }
            ],
            "Policies": [
                {
                    "PolicyName": "Example-SSLNegotiation-Policy",
                    "PolicyType": "SSLNegotiationPolicyType",
                    "Attributes": [
                        {
                            "Name": "Reference-Security-Policy",
                            "Value": "ELBSecurityPolicy-TLS-1-2-2017-01"
                        }
                    ]
```

```
                }
            ],
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "ConnectionDrainingPolicy": {
                "Enabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
ClassicLoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internal
    Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
        PolicyNames:
          - Example-SSLNegotiation-Policy
        SSLCertificateId: !Ref 'ACMCertificate'
    Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
          - Name: Reference-Security-Policy
            Value: ELBSecurityPolicy-TLS-1-2-2017-01
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    ConnectionDrainingPolicy:
```

```
      Enabled: true
```

CT.ELASTICLOADBALANCING.PR.11spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elb_connection_draining_enabled_check
#
# Description:
#   This control checks whether Elastic Load Balancing (ELB) Classic Load Balancers
 have connection draining configured.
#
# Reports on:
#   AWS::ElasticLoadBalancing::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing load
 balancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'ConnectionDrainingPolicy' has not been specified
#      Then: FAIL
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'ConnectionDrainingPolicy' has been specified
#       And: 'Enabled' in 'ConnectionDrainingPolicy' is missing or has been set to
 bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing load balancer
 resource
#       And: 'ConnectionDrainingPolicy' has been specified
#       And: 'Enabled' in 'ConnectionDrainingPolicy' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_TYPE = "AWS::ElasticLoadBalancing::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let classic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_TYPE ]

#
# Primary Rules
#
rule elb_connection_draining_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %classic_load_balancers not empty {

    check(%classic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.11]: Require any ELB classic load balancer to have
 connection draining activated
        [FIX]: Configure a 'ConnectionDrainingPolicy' on Elastic Load Balancing Classic
 Load Balancers.
        >>
}
```

```
rule elb_connection_draining_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.11]: Require any ELB classic load balancer to have
 connection draining activated
        [FIX]: Configure a 'ConnectionDrainingPolicy' on Elastic Load Balancing Classic
 Load Balancers.
        >>
}

#
# Parameterized Rules
#
rule check(classic_load_balancer) {
    %classic_load_balancer {
        # Scenario 2
        ConnectionDrainingPolicy exists
        ConnectionDrainingPolicy is_struct

        ConnectionDrainingPolicy {
            # Scenario 3 and 4
            Enabled exists
            Enabled == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICLOADBALANCING.PR.11contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  ClassicLoadBalancer:
```

```
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
        PolicyNames:
        - Example-SSLNegotiation-Policy
        SSLCertificateId:
          Ref: ACMCertificate
      Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
        - Name: Reference-Security-Policy
          Value: ELBSecurityPolicy-TLS-1-2-2017-01
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      ConnectionDrainingPolicy:
        Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
```

```
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Listeners:
      - Protocol: HTTP
        InstancePort: 80
        LoadBalancerPort: 80
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
```

[CT.ELASTICLOADBALANCING.PR.12] Memerlukan pendengar SSL/HTTPS penyeimbang beban klasik ELB untuk memiliki kebijakan keamanan yang telah ditentukan sebelumnya dengan konfigurasi yang kuat

Kontrol ini memeriksa apakah pendengar Elastic Load Balancing (ELB) Classic Load Balancer HTTPS/SSL menggunakan kebijakan keamanan yang telah ditentukan sebelumnya. `ELBSecurityPolicy-TLS-1-2-2017-01`

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancing::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.12spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.12spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.ELASTICLOADBALANCING.PR.12

Penjelasan

Kebijakan keamanan adalah kombinasi dari protokol SSL, cipher, dan opsi preferensi pesanan server. Kebijakan yang telah ditetapkan mengontrol sandi, protokol, dan pesanan preferensi yang memberikan dukungan selama negosiasi SSL antara klien dan penyeimbang beban.

Menggunakan `ELBSecurityPolicy-TLS-1-2-2017-01` dapat membantu Anda memenuhi standar kepatuhan dan keamanan yang mengharuskan Anda mematikan versi SSL dan TLS tertentu.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk Elastic Load Balancing Classic Load Balancing yang dikonfigurasi dengan pendengar HTTPS atau SSL.

Remediasi untuk kegagalan aturan

Konfigurasikan Classic Load Balancer HTTPS/SSL listener untuk menggunakan kebijakan keamanan yang telah ditetapkan yang disebut. `ELBSecurityPolicy-TLS-1-2-2017-01`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh

Classic Load Balancer dikonfigurasi dengan pendengar HTTPS dan kebijakan negosiasi SSL yang mereferensikan kebijakan keamanan yang `ELBSecurityPolicy-TLS-1-2-2017-01` telah ditetapkan untuk penyeimbang beban klasik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ClassicLoadBalancer": {
```

```
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "Policies": [
                {
                    "PolicyName": "Example-SSLNegotiation-Policy",
                    "PolicyType": "SSLNegotiationPolicyType",
                    "Attributes": [
                        {
                            "Name": "Reference-Security-Policy",
                            "Value": "ELBSecurityPolicy-TLS-1-2-2017-01"
                        }
                    ]
                }
            ],
            "Listeners": [
                {
                    "InstancePort": 80,
                    "InstanceProtocol": "HTTP",
                    "LoadBalancerPort": 443,
                    "Protocol": "HTTPS",
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    },
                    "PolicyNames": [
                        "Example-SSLNegotiation-Policy"
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ClassicLoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internal
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
          - Name: Reference-Security-Policy
            Value: ELBSecurityPolicy-TLS-1-2-2017-01
    Listeners:
      - InstancePort: 80
        InstanceProtocol: HTTP
        LoadBalancerPort: 443
        Protocol: HTTPS
        SSLCertificateId: !Ref 'ACMCertificate'
        PolicyNames:
          - Example-SSLNegotiation-Policy
```

CT.ELASTICLOADBALANCING.PR.12spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elb_predefined_security_policy_ssl_check
#
# Description:
#   This control checks whether Elastic Load Balancing (ELB) Classic Load Balancer
 HTTPS/SSL listeners use the predefined security policy 'ELBSecurityPolicy-
TLS-1-2-2017-01'.
#
# Reports on:
#   AWS::ElasticLoadBalancing::LoadBalancer
#
```

```
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing
 LoadBalancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
#       And: There are no HTTPS or SSL 'Listeners' configured on the Elastic Load
 Balancing LoadBalancer resource
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
#       And: 'Policies' does not contain a policy with 'PolicyType' equal to
 'SSLNegotiationPolicyType'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
#       And: 'Policies' contains a policy with 'PolicyType' equal to
 'SSLNegotiationPolicyType'
#       And: 'Policies' is missing a 'Reference-Security-Policy' with a value of
#            'ELBSecurityPolicy-TLS-1-2-2017-01'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
```

```
#       And: 'Policies' contains a policy with 'PolicyType' equal to
 'SSLNegotiationPolicyType'
#       And: 'Policies' contains a 'Reference-Security-Policy' with a value of
#            'ELBSecurityPolicy-TLS-1-2-2017-01'
#       And: A 'HTTPS' or 'SSL' Listener on the LoadBalancer resource does not
 reference the secure policy
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
#       And: 'Policies' contains a policy with 'PolicyType' equal to
 'SSLNegotiationPolicyType'
#       And: 'Policies' contains a 'Reference-Security-Policy' with a value of
#            'ELBSecurityPolicy-TLS-1-2-2017-01'
#       And: All 'HTTPS' and 'SSL' Listeners on the LoadBalancer resource reference the
 secure policy
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_TYPE = "AWS::ElasticLoadBalancing::LoadBalancer"
let VALID_REFERENCE_SECURITY_POLICIES = [ "ELBSecurityPolicy-TLS-1-2-2017-01" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let classic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_TYPE ]

#
# Primary Rules
#
rule elb_predefined_security_policy_ssl_check when is_cfn_template(%INPUT_DOCUMENT)
                                                   %classic_load_balancers not empty {

    check(%classic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.12]: Require any ELB classic load balancer SSL/
HTTPS listener to have a predefined security policy with a strong configuration
        [FIX]: Configure classic load balancer HTTPS/SSL listeners to use the
 predefined security policy called ELBSecurityPolicy-TLS-1-2-2017-01.
```

```
        >>
}

rule elb_predefined_security_policy_ssl_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.12]: Require any ELB classic load balancer SSL/
HTTPS listener to have a predefined security policy with a strong configuration
        [FIX]: Configure classic load balancer HTTPS/SSL listeners to use the
 predefined security policy called ELBSecurityPolicy-TLS-1-2-2017-01.
        >>
}

#
# Parameterized Rules
#
rule check(classic_load_balancer) {
    %classic_load_balancer {
        let elb = this

        # Scenario 2
        Listeners[ Protocol in ["HTTPS", "SSL"] ] {
            %elb.Policies exists
            %elb.Policies is_list
            %elb.Policies not empty

            let secure_policies = %elb.Policies[
                PolicyType == "SSLNegotiationPolicyType"
                some Attributes[*] {
                    Name == "Reference-Security-Policy"
                    Value in %VALID_REFERENCE_SECURITY_POLICIES
                }
            ].PolicyName

            # Scenarios 3 and 4
            %secure_policies not empty

            # Scenarios 5 and 6
            PolicyNames exists
            PolicyNames is_list
            PolicyNames not empty
            some PolicyNames.* in %secure_policies
```

```
        }

    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Templat contoh CT.ELASTICLOADBALANCING.PR.12

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
```

```
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
        - Name: Reference-Security-Policy
          Value: ELBSecurityPolicy-TLS-1-2-2017-01
      Listeners:
      - InstancePort: 80
        InstanceProtocol: HTTP
        LoadBalancerPort: 443
        Protocol: HTTPS
        SSLCertificateId:
          Ref: ACMCertificate
        PolicyNames:
        - Example-SSLNegotiation-Policy
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
```

```
        Attributes:
        - Name: Reference-Security-Policy
          Value: ELBSecurityPolicy-2016-08
      Listeners:
      - InstancePort: 80
        InstanceProtocol: HTTP
        LoadBalancerPort: 443
        Protocol: HTTPS
        SSLCertificateId: arn:aws:iam::123456789012:server-certificate/example-
certificate
        PolicyNames:
        - Example-SSLNegotiation-Policy
```

[CT.ELASTICLOADBALANCING.PR.13] Memerlukan penyeimbang beban klasik ELB untuk mengaktifkan penyeimbangan beban lintas zona

Kontrol ini memeriksa apakah penyeimbangan beban lintas zona dikonfigurasi untuk Classic Load Balancer Anda.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancing::LoadBalancer`
- AWS CloudFormation aturan penjaga: CT.ELASTICLOADBALANCING.PR.13spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.13spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.ELASTICLOADBALANCING.PR.13contoh template

Penjelasan

Node penyeimbang beban mendistribusikan lalu lintas di seluruh target terdaftar di Availability Zone. Ketika penyeimbangan beban lintas zona dimatikan, setiap node penyeimbang beban mendistribusikan lalu lintas hanya di seluruh target yang terdaftar di Availability Zone miliknya

sendiri. Jika jumlah target yang terdaftar tidak sama di seluruh Availability Zone, lalu lintas tidak didistribusikan secara merata, sehingga instance di satu zona dapat menjadi terlalu dimanfaatkan, jika dibandingkan dengan instance di zona lain. Dengan penyeimbangan beban lintas zona diaktifkan, setiap node penyeimbang beban untuk penyeimbang beban klasik Anda mendistribusikan permintaan secara merata di seluruh instance terdaftar di semua Availability Zone yang diaktifkan.

Remediasi untuk kegagalan aturan

Setel `CrossZone` ke `true` pada Classic Load Balancers.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Classic Load Balancer - Contoh

Classic Load Balancer dikonfigurasi dengan load balancing lintas zona aktif. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ClassicLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancing::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Listeners": [
                {
                    "InstancePort": "80",
                    "InstanceProtocol": "HTTP",
                    "LoadBalancerPort": "443",
                    "Protocol": "HTTPS",
                    "PolicyNames": [
                        "Sample-SSLNegotiation-Policy"
                    ],
                    "SSLCertificateId": {
                        "Ref": "ACMCertificate"
                    }
                }
            ],
            "Policies": [
                {
                    "PolicyName": "Sample-SSLNegotiation-Policy",
                    "PolicyType": "SSLNegotiationPolicyType",
```

```
                    "Attributes": [
                        {
                            "Name": "Reference-Security-Policy",
                            "Value": "ELBSecurityPolicy-TLS-1-2-2017-01"
                        }
                    ]
                }
            ],
            "Subnets": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "CrossZone": true
        }
    }
}
```

Contoh YAMAL

```
ClassicLoadBalancer:
  Type: AWS::ElasticLoadBalancing::LoadBalancer
  Properties:
    Scheme: internal
    Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
        PolicyNames:
          - Sample-SSLNegotiation-Policy
        SSLCertificateId: !Ref 'ACMCertificate'
    Policies:
      - PolicyName: Sample-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
          - Name: Reference-Security-Policy
            Value: ELBSecurityPolicy-TLS-1-2-2017-01
```

```
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    CrossZone: true
```

CT.ELASTICLOADBALANCING.PR.13spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elb_cross_zone_load_balancing_enabled_check
#
# Description:
#   This control checks whether cross-zone load balancing is configured for your
 Classic Load Balancer.
#
# Reports on:
#   AWS::ElasticLoadBalancing::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing
 LoadBalancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
#       And: 'CrossZone' has not been specified
```

```
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
#       And: 'CrossZone' has been specified and set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing LoadBalancer
 resource
#       And: 'CrossZone' has been specified and set to bool(true)
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_TYPE = "AWS::ElasticLoadBalancing::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let classic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_TYPE ]

#
# Primary Rules
#
rule elb_cross_zone_load_balancing_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %classic_load_balancers not empty
 {
    check(%classic_load_balancers.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.13]: Require any ELB classic load balancer to have
 cross-zone load balancing activated
        [FIX]: Set 'CrossZone' to 'true' on Classic Load Balancers.
        >>
}

rule elb_cross_zone_load_balancing_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_TYPE.resourceProperties)
```

```
        <<
        [CT.ELASTICLOADBALANCING.PR.13]: Require any ELB classic load balancer to have
 cross-zone load balancing activated
        [FIX]: Set 'CrossZone' to 'true' on Classic Load Balancers.
        >>
}

#
# Parameterized Rules
#
rule check(classic_load_balancer) {
    %classic_load_balancer {
        # Scenario 2
        CrossZone exists

        # Scenario 3 and 4
        CrossZone == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.ELASTICLOADBALANCING.PR.13contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ACMCertificate:
    Type: "AWS::CertificateManager::Certificate"
    Properties:
      DomainName: example.com
      ValidationMethod: DNS
      DomainValidationOptions:
        - DomainName: www.example.com
          HostedZoneId: ZZZHHHHWWWWAAA
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Listeners:
      - InstancePort: '80'
        InstanceProtocol: HTTP
        LoadBalancerPort: '443'
        Protocol: HTTPS
```

```
        PolicyNames:
        - Example-SSLNegotiation-Policy
        SSLCertificateId:
          Ref: ACMCertificate
      Policies:
      - PolicyName: Example-SSLNegotiation-Policy
        PolicyType: SSLNegotiationPolicyType
        Attributes:
        - Name: Reference-Security-Policy
          Value: ELBSecurityPolicy-TLS-1-2-2017-01
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      CrossZone: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
```

```
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  ClassicLoadBalancer:
    Type: AWS::ElasticLoadBalancing::LoadBalancer
    Properties:
      Scheme: internal
      Listeners:
      - Protocol: HTTP
        InstancePort: 80
        LoadBalancerPort: 80
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      CrossZone: false
```

[CT.ELASTICLOADBALANCING.PR.14] Memerlukan Network Load Balancer agar penyeimbangan beban lintas zona diaktifkan

Kontrol ini memeriksa apakah Network Load Balancer (NLB) dikonfigurasi dengan penyeimbangan beban lintas zona.

- Tujuan kontrol: Meningkatkan ketahanan, Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancingV2::LoadBalancer`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICLOADBALANCING.PR.14

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICLOADBALANCING.PR.14
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.ELASTICLOADBALANCING.PR.14

Penjelasan

Node untuk Load Balancer Anda mendistribusikan permintaan dari klien ke target yang telah terdaftar. Ketika load balancing lintas zona diaktifkan, setiap node Load Balancer mendistribusikan lalu lintas di seluruh target yang terdaftar di semua Availability Zone yang telah diaktifkan. Ketika penyeimbangan beban lintas zona tidak diaktifkan, setiap node penyeimbang beban mendistribusikan lalu lintas hanya di seluruh target yang terdaftar di Availability Zone miliknya sendiri.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk Network Load Balancer (`Typeof`). `network`
- Dengan Network Load Balancer, penyeimbangan beban lintas zona dinonaktifkan secara default di tingkat penyeimbang beban. Anda dapat menyalakannya kapan saja. Untuk grup target, defaultnya adalah menggunakan pengaturan penyeimbang beban, tetapi Anda dapat mengganti default dengan mengaktifkan atau menonaktifkan penyeimbangan beban lintas zona secara eksplisit, di tingkat grup target. Untuk memastikan bahwa penyeimbangan beban lintas zona dikonfigurasi pada kelompok target, gunakan kontrol ini bersama dengan. `CT.ELASTICLOADBALANCING.PR.15`

Remediasi untuk kegagalan aturan

Atur atribut load balancer `load_balancing.cross_zone.enabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Network Load Balancer - Contoh

Network Load Balancer dikonfigurasi dengan penyeimbangan beban lintas zona diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "NetworkLoadBalancer": {
        "Type": "AWS::ElasticLoadBalancingV2::LoadBalancer",
        "Properties": {
            "Scheme": "internal",
            "Type": "network",
            "Subnets": [
```

```
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "IpAddressType": "ipv4",
            "LoadBalancerAttributes": [
                {
                    "Key": "load_balancing.cross_zone.enabled",
                    "Value": true
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
NetworkLoadBalancer:
  Type: AWS::ElasticLoadBalancingV2::LoadBalancer
  Properties:
    Scheme: internal
    Type: network
    Subnets:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    IpAddressType: ipv4
    LoadBalancerAttributes:
      - Key: load_balancing.cross_zone.enabled
        Value: true
```

Spesifikasi aturan CT.ELASTICLOADBALANCING.PR.14

```
# ####################################
##       Rule Specification        ##
####################################
```

```
#
# Rule Identifier:
#   nlb_cross_zone_load_balancing_enabled_check
#
# Description:
#   This control checks whether a Network Load Balancer (NLB) is configured with cross-
zone load balancing.
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::LoadBalancer
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any ELBv2 Load Balancer resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 Load Balancer resource
#       And: 'Type' has been provided and is set to a value other than 'network'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 Load Balancer resource
#       And: 'Type' has been provided and set to 'network'
#       And: 'LoadBalancerAttributes' has not been provided or has been provided as an
 empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 Load Balancer resource
#       And: 'Type' has been provided and set to 'network'
#       And: 'LoadBalancerAttributes' has been provided as a non-empty list
```

```
#       And: 'LoadBalancerAttributes' does not contain an entry with a 'Key' equal to
 'load_balancing.cross_zone.enabled'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 Load Balancer resource
#       And: 'Type' has been provided and set to 'network'
#       And: 'LoadBalancerAttributes' has been provided as a non-empty list
#       And: 'LoadBalancerAttributes' contains an entry with a 'Key' equal to
 'load_balancing.cross_zone.enabled' and
#            'Value' equal to a value other than bool(true) or string(true)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an ELBv2 Load Balancer resource
#       And: 'Type' has been provided and set to 'network'
#       And: 'LoadBalancerAttributes' has been provided as a non-empty list
#       And: 'LoadBalancerAttributes' contains an entry with a 'Key' equal to
 'load_balancing.cross_zone.enabled' and
#            'Value' equal to bool(true) or string(true)
#      Then: PASS

#
# Constants
#
let ELASTIC_LOAD_BALANCER_V2_TYPE = "AWS::ElasticLoadBalancingV2::LoadBalancer"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elastic_load_balancers = Resources.*[ Type == %ELASTIC_LOAD_BALANCER_V2_TYPE ]

#
# Primary Rules
#
rule nlb_cross_zone_load_balancing_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %elastic_load_balancers not empty
 {

    check(%elastic_load_balancers.Properties)
        <<
```

```
        [CT.ELASTICLOADBALANCING.PR.14]: Require a Network Load Balancer to have cross-
zone load balancing activated
        [FIX]: Set the load balancer attribute 'load_balancing.cross_zone.enabled' to
 'true'.
        >>
}

rule nlb_cross_zone_load_balancing_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTIC_LOAD_BALANCER_V2_TYPE) {

    check(%INPUT_DOCUMENT.%ELASTIC_LOAD_BALANCER_V2_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.14]: Require a Network Load Balancer to have cross-
zone load balancing activated
        [FIX]: Set the load balancer attribute 'load_balancing.cross_zone.enabled' to
 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(elastic_load_balancer) {
    %elastic_load_balancer[ Type == "network" ] {
        # Scenario 2
        LoadBalancerAttributes exists
        LoadBalancerAttributes is_list
        LoadBalancerAttributes not empty

        # Scenarios 3, 4 and 5
        some LoadBalancerAttributes[*] {
            Key exists
            Value exists

            Key == "load_balancing.cross_zone.enabled"
            Value in [ true, "true" ]
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
```

```
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Templat contoh CT.ELASTICLOADBALANCING.PR.14

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Vpc:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: Vpc
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: Vpc
      CidrBlock: 10.0.1.0/24
```

```
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  NetworkLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Type: network
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
      LoadBalancerAttributes:
      - Key: load_balancing.cross_zone.enabled
        Value: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Vpc:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: Vpc
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
```

```
      VpcId:
        Ref: Vpc
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  NetworkLoadBalancer:
    Type: AWS::ElasticLoadBalancingV2::LoadBalancer
    Properties:
      Scheme: internal
      Type: network
      Subnets:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      IpAddressType: ipv4
```

[CT.ELASTICLOADBALANCING.PR.15] Mengharuskan grup target Elastic Load Balancing v2 tidak secara eksplisit menonaktifkan penyeimbangan beban lintas zona

Kontrol ini memeriksa apakah grup target Elastic Load Balancing v2 dikonfigurasi sehingga tidak secara eksplisit mematikan penyeimbangan beban lintas zona.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::ElasticLoadBalancingV2::TargetGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.ELASTICLOADBALANCING.PR.15

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.ELASTICLOADBALANCING.PR.15
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.ELASTICLOADBALANCING.PR.15

Penjelasan

Node untuk Load Balancer Anda mendistribusikan permintaan dari klien ke target yang telah terdaftar. Ketika load balancing lintas zona diaktifkan, setiap node Load Balancer mendistribusikan lalu lintas di seluruh target yang terdaftar di semua Availability Zone yang telah diaktifkan. Ketika penyeimbangan beban lintas zona tidak diaktifkan, setiap node penyeimbang beban mendistribusikan lalu lintas hanya di seluruh target terdaftar di Availability Zone.

Pengaturan penyeimbangan beban lintas zona grup target menentukan perilaku penyeimbangan beban untuk seluruh grup target. Misalnya, jika penyeimbangan beban lintas zona diaktifkan pada tingkat penyeimbang beban, tetapi tidak diaktifkan pada tingkat grup target, lalu lintas yang dikirim ke grup target tidak dirutekan melintasi Availability Zone.

Pertimbangan penggunaan

- Kontrol ini hanya memeriksa untuk memastikan bahwa penyeimbangan beban lintas zona belum dimatikan secara eksplisit pada kelompok target ELB. Untuk memastikan bahwa penyeimbangan beban lintas zona diaktifkan, pastikan untuk mengaktifkan kontrol ini bersama dengan kontrol proaktif terkait yang memeriksa penyeimbang beban secara langsung.
- Jika Anda mengaktifkan penyeimbangan beban lintas zona, Anda tidak dapat memulai pergeseran zona. Untuk informasi selengkapnya, lihat [Sumber daya yang didukung untuk pergeseran zona] (https://docs.aws.amazon.com/r53recovery/latest/dg/ arc-zonal-shift .resource-types.html) di Panduan Pengembang Pengontrol Pemulihan Aplikasi Amazon Route 53.

Remediasi untuk kegagalan aturan

Jangan mengatur atribut load balancer `load_balancing.cross_zone.enabled` untuk mengadopsi nilai default. `use_load_balancer_configuration` Jangan secara eksplisit mengatur atribut ke true, atau ke nilai. `use_load_balancer_configuration`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kelompok sasaran Elastic Load Balancer - Contoh

Kelompok target Elastic Load Balancer dikonfigurasi untuk mengaktifkan penyeimbangan beban lintas zona. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "TargetGroup": {
        "Type": "AWS::ElasticLoadBalancingV2::TargetGroup",
        "Properties": {
            "Protocol": "HTTP",
            "Port": 80,
            "VpcId": {
                "Ref": "VPC"
            },
            "TargetGroupAttributes": [
                {
                    "Key": "load_balancing.cross_zone.enabled",
                    "Value": true
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
TargetGroup:
  Type: AWS::ElasticLoadBalancingV2::TargetGroup
  Properties:
    Protocol: HTTP
    Port: 80
    VpcId: !Ref 'VPC'
    TargetGroupAttributes:
      - Key: load_balancing.cross_zone.enabled
        Value: true
```

Spesifikasi aturan CT.ELASTICLOADBALANCING.PR.15

```
# ####################################
##       Rule Specification        ##
####################################
```

```
#
# Rule Identifier:
#   elbv2_target_group_cross_zone_check
#
# Description:
#   This control checks whether an Elastic Load Balancing v2 target group is configured
 so that it does not explicitly turn off cross-zone load balancing.
#
# Reports on:
#   AWS::ElasticLoadBalancingV2::TargetGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elastic Load Balancing v2 target
 group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing v2 target group
 resource
#       And: 'TargetGroupAttributes' has been provided as a non-empty list
#       And: 'TargetGroupAttributes' contain an entry with a 'Key' equal to
 'load_balancing.cross_zone.enabled'
#            and 'Value' equal to a value other than bool(true), 'true' or
 'use_load_balancer_configuration'
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing v2 target group
 resource
#       And: 'TargetGroupAttributes' has not been provided or has been provided as a
 list that
#            does not contain an entry with a 'Key' equal to
 'load_balancing.cross_zone.enabled'
```

```
#      Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elastic Load Balancing v2 target group
 resource
#       And: 'TargetGroupAttributes' has been provided as a non-empty list
#       And: 'TargetGroupAttributes' contains an entry with a 'Key' equal to
 'load_balancing.cross_zone.enabled' and
#            'Value' equal to bool(true), string(true) or
 'use_load_balancer_configuration'
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let ELBV2_TARGET_GROUP_TYPE = "AWS::ElasticLoadBalancingV2::TargetGroup"
let ALLOWED_CROSS_ZONE_VALUES = ["true", true, "use_load_balancer_configuration"]

#
# Assignments
#
let elbv2_target_groups = Resources.*[ Type == %ELBV2_TARGET_GROUP_TYPE ]

#
# Primary Rules
#
rule elbv2_target_group_cross_zone_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %elbv2_target_groups not empty {

    check(%elbv2_target_groups.Properties)
        <<
        [CT.ELASTICLOADBALANCING.PR.15]: Require that an Elastic Load Balancing v2
 target group does not explicitly disable cross-zone load balancing
        [FIX]: Do not set the load balancer attribute
 'load_balancing.cross_zone.enabled' to adopt the default value of
 'use_load_balancer_configuration'. Do not explicitly set the attribute to true, nor to
 the value 'use_load_balancer_configuration'.
        >>
}

rule elbv2_target_group_cross_zone_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELBV2_TARGET_GROUP_TYPE) {
```

```
    check(%INPUT_DOCUMENT.%ELBV2_TARGET_GROUP_TYPE.resourceProperties)
        <<
        [CT.ELASTICLOADBALANCING.PR.15]: Require that an Elastic Load Balancing v2
 target group does not explicitly disable cross-zone load balancing
        [FIX]: Do not set the load balancer attribute
 'load_balancing.cross_zone.enabled' to adopt the default value of
 'use_load_balancer_configuration'. Do not explicitly set the attribute to true, nor to
 the value 'use_load_balancer_configuration'.
        >>
}

#
# Parameterized Rules
#
rule check(elbv2_target_group) {
    %elbv2_target_group {
        # Scenarios 2 and 3
        TargetGroupAttributes not exists or
        check_target_group_with_attributes(this)
    }
}

rule check_target_group_with_attributes(target_group) {
    %target_group {
        TargetGroupAttributes exists
        TargetGroupAttributes is_list
        TargetGroupAttributes[
            Key exists
            Key == "load_balancing.cross_zone.enabled"
        ] {
            # Scenario 4
            Value exists
            Value in %ALLOWED_CROSS_ZONE_VALUES
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Templat contoh CT.ELASTICLOADBALANCING.PR.15

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: true
      EnableDnsHostnames: true
  TargetGroup:
    Type: AWS::ElasticLoadBalancingV2::TargetGroup
    Properties:
      Protocol: HTTP
      Port: 80
      VpcId:
        Ref: VPC
      TargetGroupAttributes:
      - Key: load_balancing.cross_zone.enabled
        Value: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
```

```
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: true
      EnableDnsHostnames: true
  TargetGroup:
    Type: AWS::ElasticLoadBalancingV2::TargetGroup
    Properties:
      Protocol: HTTP
      Port: 80
      VpcId:
        Ref: VPC
      TargetGroupAttributes:
      - Key: load_balancing.cross_zone.enabled
        Value: false
```

Kontrol Amazon Elastic Map Reduce (Amazon EMR)

Topik

- [CT.EMR.PR.1] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi untuk mengenkripsi data saat istirahat di Amazon S3
- [CT.EMR.PR.2] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi untuk mengenkripsi data saat istirahat di Amazon S3 dengan kunci AWS KMS
- [CT.EMR.PR.3] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi dengan enkripsi disk lokal volume EBS menggunakan kunci AWS KMS
- [CT.EMR.PR.4] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi untuk mengenkripsi data dalam perjalanan

[CT.EMR.PR.1] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi untuk mengenkripsi data saat istirahat di Amazon S3

Kontrol ini memeriksa apakah konfigurasi keamanan EMR Amazon dikonfigurasi untuk mengenkripsi objek EMR File System (EMRFS) saat istirahat di Amazon S3.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EMR::SecurityConfiguration`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EMR.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EMR.PR.1
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EMR.PR.1 contoh template

Penjelasan

Enkripsi Amazon S3 berfungsi dengan objek EMR File System (EMRFS) yang dibaca dan ditulis ke Amazon S3. Saat mengaktifkan enkripsi saat istirahat, Anda menentukan enkripsi sisi server (SSE) Amazon S3 atau enkripsi sisi klien (CSE) sebagai mode enkripsi default. Secara opsional, Anda dapat menentukan metode enkripsi yang berbeda untuk masing-masing bucket dengan menggunakan penggantian enkripsi per bucket.

Remediasi untuk kegagalan aturan

Dalam `EncryptionConfiguration` parameter, atur nilai `EnableAtRestEncryption` ke true, dan berikan `AtRestEncryptionConfiguration` konfigurasi.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Konfigurasi keamanan Amazon EMR - Contoh

Konfigurasi keamanan EMR Amazon yang dikonfigurasi untuk mengenkripsi objek EMR File System (EMRFS) saat istirahat di Amazon S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityConfiguration": {
        "Type": "AWS::EMR::SecurityConfiguration",
        "Properties": {
            "SecurityConfiguration": {
                "EncryptionConfiguration": {
```

```
                    "EnableInTransitEncryption": false,
                    "EnableAtRestEncryption": true,
                    "AtRestEncryptionConfiguration": {
                        "S3EncryptionConfiguration": {
                            "EncryptionMode": "SSE-S3"
                        }
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
SecurityConfiguration:
  Type: AWS::EMR::SecurityConfiguration
  Properties:
    SecurityConfiguration:
      EncryptionConfiguration:
        EnableInTransitEncryption: false
        EnableAtRestEncryption: true
        AtRestEncryptionConfiguration:
          S3EncryptionConfiguration:
            EncryptionMode: SSE-S3
```

Spesifikasi aturan CT.EMR.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   emr_sec_config_encryption_at_rest_s3_check
#
# Description:
#   This control checks whether an Amazon EMR security configuration is configured to
 encrypt EMR File System (EMRFS) objects at rest in Amazon S3.
```

```
#
# Reports on:
#   AWS::EMR::SecurityConfiguration
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1`
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EMR security configuration
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has not been
 provided
#            or has been provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has not been provided
#      Then: FAIL
```

```
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has been provided as a struct
#       And: 'EncryptionMode' in
 'AtRestEncryptionConfiguration.S3EncryptionConfiguration'
#            has not been provided or has been provided as an empty string
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has been provided as a struct
#       And: 'EncryptionMode' in
 'AtRestEncryptionConfiguration.S3EncryptionConfiguration'
#            has been provided as a non-empty string
#      Then: PASS

#
# Constants
#
let EMR_SECURITY_CONFIGURATION_TYPE = "AWS::EMR::SecurityConfiguration"
let INPUT_DOCUMENT = this

#
# Assignments
#
let emr_security_configurations = Resources.*[ Type ==
 %EMR_SECURITY_CONFIGURATION_TYPE ]

#
# Primary Rules
#
```

```
rule emr_sec_config_encryption_at_rest_s3_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %emr_security_configurations not
 empty {
    check(%emr_security_configurations.Properties)
        <<
        [CT.EMR.PR.1]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured to encrypt data at rest in Amazon S3
        [FIX]: In the 'EncryptionConfiguration' parameter, set the value of
 'EnableAtRestEncryption' to true, and provide an 'AtRestEncryptionConfiguration'
 configuration.
        >>
}

rule emr_sec_config_encryption_at_rest_s3_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EMR_SECURITY_CONFIGURATION_TYPE) {
    check(%INPUT_DOCUMENT.%EMR_SECURITY_CONFIGURATION_TYPE.resourceProperties)
        <<
        [CT.EMR.PR.1]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured to encrypt data at rest in Amazon S3
        [FIX]: In the 'EncryptionConfiguration' parameter, set the value of
 'EnableAtRestEncryption' to true, and provide an 'AtRestEncryptionConfiguration'
 configuration.
        >>
}

#
# Parameterized Rules
#
rule check(emr_security_configuration) {
    %emr_security_configuration {
        SecurityConfiguration exists
        SecurityConfiguration is_struct

        SecurityConfiguration {
            # Scenario 2
            EncryptionConfiguration exists
            EncryptionConfiguration is_struct

            EncryptionConfiguration {
                # Scenario 3
                EnableAtRestEncryption exists
                EnableAtRestEncryption == true

                # Scenario 4
```

```
                AtRestEncryptionConfiguration exists
                AtRestEncryptionConfiguration is_struct

                # Scenarios 5 and 6
                AtRestEncryptionConfiguration {
                    S3EncryptionConfiguration exists
                    S3EncryptionConfiguration is_struct

                    S3EncryptionConfiguration {
                        EncryptionMode exists
                        check_is_string_and_not_empty(EncryptionMode)
                    }
                }
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.EMR.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableInTransitEncryption: false
          EnableAtRestEncryption: true
          AtRestEncryptionConfiguration:
            S3EncryptionConfiguration:
              EncryptionMode: SSE-S3
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableAtRestEncryption: false
          EnableInTransitEncryption: false
```

[CT.EMR.PR.2] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi untuk mengenkripsi data saat istirahat di Amazon S3 dengan kunci AWS KMS

Kontrol ini memeriksa apakah konfigurasi keamanan EMR Amazon dikonfigurasi untuk mengenkripsi objek EMR File System (EMRFS) saat istirahat di Amazon S3 dengan kunci AWS KMS.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EMR::SecurityConfiguration`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EMR.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EMR.PR.2
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EMR.PR.2 contoh template

Penjelasan

Enkripsi Amazon S3 berfungsi dengan objek EMR File System (EMRFS) yang dibaca dan ditulis ke Amazon S3. Saat Anda mengaktifkan enkripsi saat istirahat, Anda menentukan enkripsi sisi server Amazon S3 (SSE) atau enkripsi sisi klien (CSE) sebagai mode enkripsi default. Secara opsional, Anda dapat menentukan metode enkripsi yang berbeda untuk masing-masing bucket menggunakan penggantian enkripsi per bucket.

Remediasi untuk kegagalan aturan

Dalam `EncryptionConfiguration` parameter, atur `EnableAtRestEncryption` ke true, dan berikan `AtRestEncryptionConfiguration` konfigurasi, dengan `EncryptionMode` set ke `SSE-KMS` atau`CSE-KMS`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Konfigurasi keamanan Amazon EMR - Contoh

Konfigurasi keamanan EMR Amazon yang dikonfigurasi untuk mengenkripsi objek EMR File System (EMRFS) saat istirahat di Amazon S3 dengan AWS KMS. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityConfiguration": {
        "Type": "AWS::EMR::SecurityConfiguration",
        "Properties": {
            "SecurityConfiguration": {
                "EncryptionConfiguration": {
                    "EnableInTransitEncryption": false,
                    "EnableAtRestEncryption": true,
                    "AtRestEncryptionConfiguration": {
                        "S3EncryptionConfiguration": {
                            "EncryptionMode": "SSE-KMS",
                            "AwsKmsKey": {
                                "Fn::GetAtt": [
                                    "KmsKey",
                                    "Arn"
                                ]
                            }
                        }
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
SecurityConfiguration:
  Type: AWS::EMR::SecurityConfiguration
  Properties:
    SecurityConfiguration:
      EncryptionConfiguration:
        EnableInTransitEncryption: false
        EnableAtRestEncryption: true
        AtRestEncryptionConfiguration:
          S3EncryptionConfiguration:
            EncryptionMode: SSE-KMS
            AwsKmsKey: !GetAtt 'KmsKey.Arn'
```

Spesifikasi aturan CT.EMR.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   emr_sec_config_encryption_at_rest_s3_kms_check
#
# Description:
#   This control checks whether an Amazon EMR security configuration is configured to
 encrypt EMR File System (EMRFS) objects at rest in Amazon S3 with an AWS KMS key.
#
# Reports on:
#   AWS::EMR::SecurityConfiguration
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EMR security configuration
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has not been
 provided
```

```
#            or has been provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has been provided as a struct
#       And: 'EncryptionMode' in
 'AtRestEncryptionConfiguration.S3EncryptionConfiguration'
#            has not been provided or has been provided and set to a value other than
#            a KMS-based encryption mode ('SSE-KMS', 'CSE-KMS')
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has been provided as a struct
#       And: 'EncryptionMode' in
 'AtRestEncryptionConfiguration.S3EncryptionConfiguration'
#            has been provided and set to a KMS-based encryption mode ('SSE-KMS', 'CSE-
KMS')
#       And: 'Overrides' in 'AtRestEncryptionConfiguration.S3EncryptionConfiguration'
 has been
```

```
#            provided as a non-empty list where one or more entries does not contain
 'EncryptionMode',
#            or contains 'EncryptionMode' set to a value other than a KMS-based
 encryption mode
#            ('SSE-KMS', 'CSE-KMS')
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has been provided as a struct
#       And: 'EncryptionMode' in
 'AtRestEncryptionConfiguration.S3EncryptionConfiguration'
#            has been provided and set to a KMS-based encryption mode ('SSE-KMS', 'CSE-
KMS')
#       And: 'Overrides' in 'AtRestEncryptionConfiguration.S3EncryptionConfiguration'
 has not
#            been provided, or has been provided as an empty list, or list where every
 entry
#            contains 'EncryptionMode' set to a KMS-based encryption mode ('SSE-KMS',
 'CSE-KMS')
#      Then: PASS

#
# Constants
#
let EMR_SECURITY_CONFIGURATION_TYPE = "AWS::EMR::SecurityConfiguration"
let S3_KMS_ENCRYPTION_MODES = [ "SSE-KMS", "CSE-KMS" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let emr_security_configurations = Resources.*[ Type ==
 %EMR_SECURITY_CONFIGURATION_TYPE ]

#
# Primary Rules
#
```

```
rule emr_sec_config_encryption_at_rest_s3_kms_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %emr_security_configurations
 not empty {
    check(%emr_security_configurations.Properties)
        <<
        [CT.EMR.PR.2]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured to encrypt data at rest in Amazon S3 with an AWS KMS key
        [FIX]: In the 'EncryptionConfiguration' parameter, set 'EnableAtRestEncryption'
 to true, and provide an 'AtRestEncryptionConfiguration' configuration, with
 'EncryptionMode' set to 'SSE-KMS' or 'CSE-KMS'.
        >>
}

rule emr_sec_config_encryption_at_rest_s3_kms_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EMR_SECURITY_CONFIGURATION_TYPE) {
    check(%INPUT_DOCUMENT.%EMR_SECURITY_CONFIGURATION_TYPE.resourceProperties)
        <<
        [CT.EMR.PR.2]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured to encrypt data at rest in Amazon S3 with an AWS KMS key
        [FIX]: In the 'EncryptionConfiguration' parameter, set 'EnableAtRestEncryption'
 to true, and provide an 'AtRestEncryptionConfiguration' configuration, with
 'EncryptionMode' set to 'SSE-KMS' or 'CSE-KMS'.
        >>
}

#
# Parameterized Rules
#
rule check(emr_security_configuration) {
    %emr_security_configuration {
        SecurityConfiguration exists
        SecurityConfiguration is_struct

        SecurityConfiguration {
            # Scenario 2
            EncryptionConfiguration exists
            EncryptionConfiguration is_struct

            EncryptionConfiguration {
                # Scenario 3
                EnableAtRestEncryption exists
                EnableAtRestEncryption == true
```

```
                # Scenario 4
                AtRestEncryptionConfiguration exists
                AtRestEncryptionConfiguration is_struct

                # Scenarios 5, 6 and 7
                AtRestEncryptionConfiguration {
                    S3EncryptionConfiguration exists
                    S3EncryptionConfiguration is_struct

                    let s3_encryption_configuration = S3EncryptionConfiguration

                    %s3_encryption_configuration {
                        check_kms_key_configuration(this)
                    }

                    %s3_encryption_configuration [
                        Overrides exists
                        Overrides is_list
                        Overrides not empty
                    ] {
                        Overrides[*] {
                            check_kms_key_configuration(this)
                        }
                    }
                }
            }
        }
    }
}

rule check_kms_key_configuration(s3_encryption_config) {
    %s3_encryption_config {
        EncryptionMode exists
        EncryptionMode in %S3_KMS_ENCRYPTION_MODES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EMR.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KmsKey:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-key-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: "*"
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableInTransitEncryption: false
          EnableAtRestEncryption: true
          AtRestEncryptionConfiguration:
            S3EncryptionConfiguration:
              EncryptionMode: SSE-KMS
              AwsKmsKey:
```

```
                Fn::GetAtt:
                - KmsKey
                - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableInTransitEncryption: false
          EnableAtRestEncryption: false
```

[CT.EMR.PR.3] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi dengan enkripsi disk lokal volume EBS menggunakan kunci AWS KMS

Kontrol ini memeriksa apakah konfigurasi keamanan Amazon EMR dikonfigurasi dengan enkripsi disk lokal diaktifkan, menggunakan enkripsi volume EBS dan. AWS KMS

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EMR::SecurityConfiguration`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EMR.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EMR.PR.3
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EMR.PR.3 contoh template

Penjelasan

Untuk data saat istirahat, EMR menyediakan opsi untuk mengenkripsi penyimpanan disk lokal. Penyimpanan lokal terdiri dari volume penyimpanan instans EC2 dan penyimpanan Amazon Elastic Block Store (EBS) terlampir, yang disediakan bersama klaster Anda. Opsi enkripsi EBS mengenkripsi volume perangkat root EBS dan volume penyimpanan terlampirnya. Opsi enkripsi EBS hanya tersedia ketika Anda menentukan AWS Key Management Service sebagai penyedia kunci Anda. AWS Control Tower merekomendasikan penggunaan enkripsi EBS.

Pertimbangan penggunaan

- Jika Anda membuat klaster di Wilayah tempat enkripsi Amazon EC2 volume EBS diaktifkan secara default untuk akun Anda, volume EBS dienkripsi meskipun enkripsi disk lokal tidak diaktifkan.
- Dengan enkripsi disk lokal diaktifkan dalam konfigurasi keamanan, pengaturan EMR Amazon lebih diutamakan daripada pengaturan Amazon EC2 untuk instans EC2 cluster encryption-by-default .

Remediasi untuk kegagalan aturan

Dalam `EncryptionConfiguration` parameter, atur nilai `EnableAtRestEncryption` ke true, dan berikan `AtRestEncryptionConfiguration` konfigurasi, yang berisi `LocalDiskEncryptionConfiguration` konfigurasi yang disetel `EnableEbsEncryption` ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Konfigurasi keamanan Amazon EMR - Contoh

Konfigurasi keamanan Amazon EMR yang dikonfigurasi dengan enkripsi EBS menggunakan. AWS KMS Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityConfiguration": {
        "Type": "AWS::EMR::SecurityConfiguration",
        "Properties": {
```

```
            "SecurityConfiguration": {
                "EncryptionConfiguration": {
                    "EnableInTransitEncryption": false,
                    "EnableAtRestEncryption": true,
                    "AtRestEncryptionConfiguration": {
                        "LocalDiskEncryptionConfiguration": {
                            "EnableEbsEncryption": true,
                            "EncryptionKeyProviderType": "AwsKms",
                            "AwsKmsKey": "arn:aws:kms:us-
west-2:123456789012:key/1234abcd-12ab-34cd-56ef-1234567890ab"
                        }
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
SecurityConfiguration:
  Type: AWS::EMR::SecurityConfiguration
  Properties:
    SecurityConfiguration:
      EncryptionConfiguration:
        EnableInTransitEncryption: false
        EnableAtRestEncryption: true
        AtRestEncryptionConfiguration:
          LocalDiskEncryptionConfiguration:
            EnableEbsEncryption: true
            EncryptionKeyProviderType: AwsKms
            AwsKmsKey: arn:aws:kms:us-
west-2:123456789012:key/1234abcd-12ab-34cd-56ef-1234567890ab
```

Spesifikasi aturan CT.EMR.PR.3

```
# ##################################
##       Rule Specification        ##
```

```
####################################
#
# Rule Identifier:
#   emr_sec_config_ebs_encryption_check
#
# Description:
#   This control checks whether Amazon EMR security configurations are configured with
 local disk encryption enabled, using EBS volume encryption and AWS KMS.
#
# Reports on:
#   AWS::EMR::SecurityConfiguration
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EMR security configuration
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has not been
 provided
#            or has been provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has been provided as a struct
#       And: 'EnableEbsEncryption' in
 'AtRestEncryptionConfiguration.LocalDiskEncryptionConfiguration'
#            has not been provided or has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableAtRestEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'AtRestEncryptionConfiguration' has been provided as a struct
#       And: 'EnableEbsEncryption' in
 'AtRestEncryptionConfiguration.LocalDiskEncryptionConfiguration'
#            has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let EMR_SECURITY_CONFIGURATION_TYPE = "AWS::EMR::SecurityConfiguration"
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let emr_security_configurations = Resources.*[ Type ==
 %EMR_SECURITY_CONFIGURATION_TYPE ]

#
# Primary Rules
#
rule emr_sec_config_ebs_encryption_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %emr_security_configurations not empty {
    check(%emr_security_configurations.Properties)
        <<
        [CT.EMR.PR.3]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured with EBS volume local disk encryption using an AWS KMS key
        [FIX]: In the 'EncryptionConfiguration' parameter, set the value of
 'EnableAtRestEncryption' to true, and provide an 'AtRestEncryptionConfiguration'
 configuration, containing an 'LocalDiskEncryptionConfiguration' configuration that
 sets 'EnableEbsEncryption' to true.
        >>
}

rule emr_sec_config_ebs_encryption_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EMR_SECURITY_CONFIGURATION_TYPE) {
    check(%INPUT_DOCUMENT.%EMR_SECURITY_CONFIGURATION_TYPE.resourceProperties)
        <<
        [CT.EMR.PR.3]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured with EBS volume local disk encryption using an AWS KMS key
        [FIX]: In the 'EncryptionConfiguration' parameter, set the value of
 'EnableAtRestEncryption' to true, and provide an 'AtRestEncryptionConfiguration'
 configuration, containing an 'LocalDiskEncryptionConfiguration' configuration that
 sets 'EnableEbsEncryption' to true.
        >>
}

#
# Parameterized Rules
#
rule check(emr_security_configuration) {
    %emr_security_configuration {
        SecurityConfiguration exists
        SecurityConfiguration is_struct

        SecurityConfiguration {
```

```
            # Scenario 2
            EncryptionConfiguration exists
            EncryptionConfiguration is_struct

            EncryptionConfiguration {
                # Scenario 3
                EnableAtRestEncryption exists
                EnableAtRestEncryption == true

                # Scenario 4
                AtRestEncryptionConfiguration exists
                AtRestEncryptionConfiguration is_struct

                # Scenarios 5 and 6
                AtRestEncryptionConfiguration {
                    LocalDiskEncryptionConfiguration exists
                    LocalDiskEncryptionConfiguration is_struct

                    LocalDiskEncryptionConfiguration {
                        EnableEbsEncryption exists
                        EnableEbsEncryption == true
                    }
                }
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.EMR.PR.3 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KmsKey:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-key-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: "*"
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableInTransitEncryption: false
          EnableAtRestEncryption: true
          AtRestEncryptionConfiguration:
            LocalDiskEncryptionConfiguration:
              EnableEbsEncryption: true
              EncryptionKeyProviderType: AwsKms
              AwsKmsKey:
                Fn::GetAtt:
                - KmsKey
                - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableInTransitEncryption: false
          EnableAtRestEncryption: false
```

[CT.EMR.PR.4] Mengharuskan konfigurasi keamanan Amazon Elastic MapReduce (EMR) dikonfigurasi untuk mengenkripsi data dalam perjalanan

Kontrol ini memeriksa apakah konfigurasi keamanan EMR Amazon dikonfigurasi untuk memerlukan enkripsi dalam perjalanan.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::EMR::SecurityConfiguration`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.EMR.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.EMR.PR.4
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.EMR.PR.4 contoh template

Penjelasan

Untuk data dalam perjalanan, konfigurasi keamanan EMR memberi Anda dua opsi. Anda dapat membuat sertifikat PEM, memasukkannya ke dalam file, dan mereferensikannya dari Amazon S3, atau Anda dapat menerapkan penyedia kustom sertifikat di Java dan menentukan jalur S3 ke JAR. Dalam kedua kasus tersebut, EMR mengunduh artefak ke setiap node di cluster secara otomatis, dan kemudian menggunakannya untuk mengimplementasikan fitur enkripsi open-source dan in-transit.

Untuk informasi selengkapnya tentang bagaimana sertifikat ini digunakan dengan teknologi big data yang berbeda, lihat dokumentasi Amazon EMR.

> **Pertimbangan penggunaan**
>
> - Beberapa mekanisme enkripsi dikaitkan dengan enkripsi dalam transit. Mekanisme ini adalah fitur sumber terbuka, khusus aplikasi, dan mungkin berbeda menurut rilis EMR Amazon. Untuk informasi selengkapnya, lihat Enkripsi dalam perjalanan di Panduan Manajemen EMR Amazon.

Remediasi untuk kegagalan aturan

Dalam `EncryptionConfiguration` parameter, atur `EnableInTransitEncryption` parameter ke true, dan berikan `InTransitEncryptionConfiguration` konfigurasi.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Konfigurasi keamanan Amazon EMR - Contoh

Konfigurasi keamanan EMR Amazon yang dikonfigurasi untuk memerlukan enkripsi data dalam perjalanan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SecurityConfiguration": {
        "Type": "AWS::EMR::SecurityConfiguration",
        "Properties": {
            "SecurityConfiguration": {
                "EncryptionConfiguration": {
                    "EnableAtRestEncryption": false,
                    "EnableInTransitEncryption": true,
                    "InTransitEncryptionConfiguration": {
                        "TLSCertificateConfiguration": {
                            "CertificateProviderType": "PEM",
                            "S3Object": "s3://MyConfigStore/artifacts/MyCerts.zip"
                        }
                    }
                }
            }
```

```
        }
    }
}
```

Contoh YAMAL

```
SecurityConfiguration:
  Type: AWS::EMR::SecurityConfiguration
  Properties:
    SecurityConfiguration:
      EncryptionConfiguration:
        EnableAtRestEncryption: false
        EnableInTransitEncryption: true
        InTransitEncryptionConfiguration:
          TLSCertificateConfiguration:
            CertificateProviderType: PEM
            S3Object: s3://MyConfigStore/artifacts/MyCerts.zip
```

Spesifikasi aturan CT.EMR.PR.4

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   emr_sec_config_encryption_in_transit_check
#
# Description:
#   This control checks whether an Amazon EMR security configuration is configured to
 require encryption in transit.
#
# Reports on:
#   AWS::EMR::SecurityConfiguration
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
```

```
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any EMR security configuration
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableInTransitEncryption' in 'EncryptionConfiguration' has not been
 provided
#            or has been provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableInTransitEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'InTransitEncryptionConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableInTransitEncryption' in 'EncryptionConfiguration' has been provided
 and
```

```
#            set to bool(true)
#       And: 'InTransitEncryptionConfiguration' has been provided as a struct
#       And: 'CertificateProviderType' in
 'InTransitEncryptionConfiguration.TLSCertificateConfiguration'
#            has not been provided or has been provided and set to an empty string
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an EMR security configuration resource
#       And: 'EncryptionConfiguration' in 'SecurityConfiguration' has been provided as
 a struct
#       And: 'EnableInTransitEncryption' in 'EncryptionConfiguration' has been provided
 and
#            set to bool(true)
#       And: 'InTransitEncryptionConfiguration' has been provided as a struct
#       And: 'CertificateProviderType' in
 'InTransitEncryptionConfiguration.TLSCertificateConfiguration'
#            has been provided and set to a non-empty string
#      Then: PASS

#
# Constants
#
let EMR_SECURITY_CONFIGURATION_TYPE = "AWS::EMR::SecurityConfiguration"
let INPUT_DOCUMENT = this

#
# Assignments
#
let emr_security_configurations = Resources.*[ Type ==
 %EMR_SECURITY_CONFIGURATION_TYPE ]

#
# Primary Rules
#
rule emr_sec_config_encryption_in_transit_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %emr_security_configurations not
 empty {
    check(%emr_security_configurations.Properties)
        <<
        [CT.EMR.PR.4]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured to encrypt data in transit
```

```
        [FIX]: In the 'EncryptionConfiguration' parameter, set
 the 'EnableInTransitEncryption' parameter to true, and provide an
 'InTransitEncryptionConfiguration' configuration.
        >>
}

rule emr_sec_config_encryption_in_transit_check when is_cfn_hook(%INPUT_DOCUMENT,
 %EMR_SECURITY_CONFIGURATION_TYPE) {
    check(%INPUT_DOCUMENT.%EMR_SECURITY_CONFIGURATION_TYPE.resourceProperties)
        <<
        [CT.EMR.PR.4]: Require that an Amazon Elastic MapReduce (EMR) security
 configuration is configured to encrypt data in transit
        [FIX]: In the 'EncryptionConfiguration' parameter, set
 the 'EnableInTransitEncryption' parameter to true, and provide an
 'InTransitEncryptionConfiguration' configuration.
        >>
}

#
# Parameterized Rules
#
rule check(emr_security_configuration) {
    %emr_security_configuration {
        SecurityConfiguration exists
        SecurityConfiguration is_struct

        SecurityConfiguration {
            # Scenario 2
            EncryptionConfiguration exists
            EncryptionConfiguration is_struct

            EncryptionConfiguration {
                # Scenario 3
                EnableInTransitEncryption exists
                EnableInTransitEncryption == true

                # Scenario 4
                InTransitEncryptionConfiguration exists
                InTransitEncryptionConfiguration is_struct

                # Scenarios 5 and 6
                InTransitEncryptionConfiguration {
                    TLSCertificateConfiguration exists
                    TLSCertificateConfiguration is_struct
```

```
                    TLSCertificateConfiguration {
                        CertificateProviderType exists
                        check_is_string_and_not_empty(CertificateProviderType)
                    }
                }
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.EMR.PR.4 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableAtRestEncryption: false
          EnableInTransitEncryption: true
          InTransitEncryptionConfiguration:
            TLSCertificateConfiguration:
              CertificateProviderType: PEM
              S3Object: s3://MyConfigStore/artifacts/MyCerts.zip
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SecurityConfiguration:
    Type: AWS::EMR::SecurityConfiguration
    Properties:
      SecurityConfiguration:
        EncryptionConfiguration:
          EnableInTransitEncryption: false
          EnableAtRestEncryption: false
```

AWS Glue kontrol

Topik

- [CT.GLUE.PR.1] Memerlukan AWS Glue pekerjaan untuk memiliki konfigurasi keamanan terkait

[CT.GLUE.PR.1] Memerlukan AWS Glue pekerjaan untuk memiliki konfigurasi keamanan terkait

Kontrol ini memeriksa apakah suatu AWS Glue pekerjaan memiliki konfigurasi keamanan terkait.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya: `AWS::Glue::Job`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.GLUE.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.GLUE.PR.1
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.GLUE.PR.1

Penjelasan

Di AWS Glue, konfigurasi keamanan berisi properti yang diperlukan saat Anda menulis data terenkripsi. Konfigurasi keamanan untuk AWS Glue pekerjaan harus dikonfigurasi untuk menentukan cara data dienkripsi pada target Amazon S3. Enkripsi membantu melindungi data dari akses dan paparan yang tidak sah.

Remediasi untuk kegagalan aturan

Atur `SecurityConfiguration` parameter ke nama konfigurasi AWS Glue keamanan.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Glue pekerjaan - Contoh

AWS Glue Pekerjaan yang dikonfigurasi dengan konfigurasi keamanan terkait. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "GlueJob": {
        "Type": "AWS::Glue::Job",
        "Properties": {
            "Command": {
                "Name": "glueetl",
                "ScriptLocation": "s3://example-glue-script-bucket/scripts"
            },
            "Name": "sample-glue-job",
            "Role": {
```

```
                "Ref": "IAMRole"
            },
            "GlueVersion": "2.0",
            "SecurityConfiguration": {
                "Ref": "GlueSecurityConfig"
            }
        }
    }
}
```

Contoh YAMAL

```
GlueJob:
  Type: AWS::Glue::Job
  Properties:
    Command:
      Name: glueetl
      ScriptLocation: s3://example-glue-script-bucket/scripts
    Name: sample-glue-job
    Role: !Ref 'IAMRole'
    GlueVersion: '2.0'
    SecurityConfiguration: !Ref 'GlueSecurityConfig'
```

Spesifikasi aturan CT.GLUE.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   glue_job_security_config_check
#
# Description:
#   This control checks whether an AWS Glue job has an associated security
 configuration.
#
# Reports on:
#   AWS::Glue::Job
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS Glue job resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS Glue job resource
#       And: 'SecurityConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS Glue job resource
#       And: 'SecurityConfiguration 'has been provided as an empty string or invalid
 local
#            reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation Hook
 Document
#       And: The input document contains an AWS Glue job resource
#       And: 'SecurityConfiguration' has been provided as a non-empty string or valid
#            local reference to an AWS Glue security configuration resource
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let GLUE_JOB_TYPE = "AWS::Glue::Job"

#
# Assignments
#
```

```
let glue_jobs = Resources.*[ Type == %GLUE_JOB_TYPE ]

#
# Primary Rules
#
rule glue_job_security_config_check when is_cfn_template(%INPUT_DOCUMENT)
                                         %glue_jobs not empty {
    check(%glue_jobs.Properties)
        <<
        [CT.GLUE.PR.1]: Require an AWS Glue job to have an associated security
 configuration
        [FIX]: Set the 'SecurityConfiguration' parameter to the name of an AWS Glue
 security configuration.
        >>
}

rule glue_job_security_config_check when is_cfn_hook(%INPUT_DOCUMENT, %GLUE_JOB_TYPE) {
    check(%INPUT_DOCUMENT.%GLUE_JOB_TYPE.resourceProperties)
        <<
        [CT.GLUE.PR.1]: Require an AWS Glue job to have an associated security
 configuration
        [FIX]: Set the 'SecurityConfiguration' parameter to the name of an AWS Glue
 security configuration.
        >>
}

#
# Parameterized Rules
#
rule check(glue_job) {
    %glue_job{
        # Scenario 2
        SecurityConfiguration exists
         # Scenario 3 and 4
        check_is_string_and_not_empty(SecurityConfiguration) or
        check_local_references(%INPUT_DOCUMENT, SecurityConfiguration,
 "AWS::Glue::SecurityConfiguration")
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
```

```
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_RESOURCE_TYPE) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_RESOURCE_TYPE) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_RESOURCE_TYPE
    }
}
```

Templat contoh CT.GLUE.PR.1

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
        - Effect: "Allow"
          Principal:
            Service:
            - "glue.amazonaws.com"
          Action:
          - "sts:AssumeRole"
      Path: "/"
  Key:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      KeySpec: SYMMETRIC_DEFAULT
      EnableKeyRotation: true
  GlueSecurityConfig:
    Type: AWS::Glue::SecurityConfiguration
    Properties:
      Name:
        Fn::Sub: ${AWS::StackName}-example
      EncryptionConfiguration:
        S3Encryptions:
        - KmsKeyArn:
            Fn::GetAtt: [Key, Arn]
          S3EncryptionMode: SSE-KMS
  GlueJob:
```

```
    Type: AWS::Glue::Job
    Properties:
      Command:
        Name: glueetl
        ScriptLocation: "s3://example-glue-script-bucket/scripts"
      Name:
        Fn::Sub: ${AWS::StackName}-example
      Role:
        Ref: IAMRole
      GlueVersion: "2.0"
      SecurityConfiguration:
        Ref: GlueSecurityConfig
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
        - Effect: "Allow"
          Principal:
            Service:
            - "glue.amazonaws.com"
          Action:
          - "sts:AssumeRole"
      Path: "/"
  GlueJob:
    Type: AWS::Glue::Job
    Properties:
      Command:
        Name: glueetl
        ScriptLocation: "s3://example-glue-script-bucket/scripts"
      Name:
        Fn::Sub: ${AWS::StackName}-example
      Role:
        Ref: IAMRole
```

```
      GlueVersion: "2.0"
```

GuardDuty Kontrol Amazon

Topik

- [CT.GUARDDUTY.PR.1] Memerlukan GuardDuty detektor Amazon agar perlindungan Amazon S3 diaktifkan

[CT.GUARDDUTY.PR.1] Memerlukan GuardDuty detektor Amazon agar perlindungan Amazon S3 diaktifkan

Kontrol ini memeriksa apakah perlindungan Amazon S3 diaktifkan pada detektor Amazon GuardDuty .

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::GuardDuty::Detector`
- AWS CloudFormation aturan penjaga: CT.GUARDDUTY.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.GUARDDUTY.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.GUARDDUTY.PR.1contoh template

Penjelasan

Amazon GuardDuty memantau ancaman terhadap sumber daya Amazon S3 Anda dengan menganalisis peristiwa AWS CloudTrail manajemen dan peristiwa data CloudTrail S3. Sumber data ini memantau berbagai jenis aktivitas. Misalnya, peristiwa CloudTrail manajemen untuk S3 mencakup operasi yang mencantumkan atau mengonfigurasi bucket S3, sepertiListBuckets,, dan. `DeleteBuckets` `PutBucketReplication` Contoh peristiwa data untuk S3 termasuk operasi API tingkat objek, seperti `GetObject`, `ListObjects`, `DeleteObject`, dan `PutObject`.

GuardDuty Pemantauan Amazon atas peristiwa AWS CloudTrail manajemen aktif secara default untuk semua akun yang telah diaktifkan GuardDuty, dan tidak dapat dikonfigurasi. Log peristiwa data Amazon S3 adalah sumber data yang dapat dikonfigurasi di. GuardDuty

AWS Control Tower merekomendasikan agar Anda mengaktifkan perlindungan Amazon S3. GuardDuty Jika fitur tidak diaktifkan, tidak GuardDuty dapat sepenuhnya memantau atau menghasilkan temuan untuk akses mencurigakan ke data yang disimpan di bucket Amazon S3 Anda.

Remediasi untuk kegagalan aturan

Atur `DataSources.S3Logs` menjadi BETUL.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

GuardDuty Detektor - Contoh

GuardDuty Detektor Amazon dengan perlindungan Amazon S3 diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "GuardDutyDetector": {
        "Type": "AWS::GuardDuty::Detector",
        "Properties": {
            "Enable": true,
            "DataSources": {
                "S3Logs": {
                    "Enable": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
GuardDutyDetector:
  Type: AWS::GuardDuty::Detector
```

```
  Properties:
    Enable: true
    DataSources:
      S3Logs:
        Enable: true
```

CT.GUARDDUTY.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   guardduty_s3_protection_enabled_check
#
# Description:
#   Checks if Amazon S3 protection is enabled on an Amazon GuardDuty detector.
#
# Reports on:
#   AWS::GuardDuty::Detector
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document does not contain any Amazon GuardDuty detector
 resources
#       Then: SKIP
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document contains a GuardDuty detector resource
#        And: 'Enable' has not been specified or specified with value is bool(false)
#       Then: FAIL
```

```
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document contains a GuardDuty detector resource
#        And: 'Enable' is specified with a value of bool(true)
#        And: 'DataSources.S3Logs' has not been specified
#       Then: FAIL
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document contains a GuardDuty detector resource
#        And: 'Enable' is specified and value is bool(true)
#        And: 'DataSources.S3Logs' has been specified
#        And: 'Enable' has not been specified within 'S3Logs' or has been specified
 with a value of bool(false)
#       Then: FAIL
#   Scenario: 5
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document contains a GuardDuty detector resource
#        And: 'Enable' is specified and value is bool(true)
#        And: 'DataSources.S3Logs' has been specified
#        And: 'Enable' has been specified within 'S3Logs' with a value of bool(true)
#       Then: PASS

#
# Constants
#
let GUARDDUTY_DETECTOR_TYPE = "AWS::GuardDuty::Detector"
let INPUT_DOCUMENT = this

#
# Assignments
#
let guardduty_detectors = Resources.*[ Type == %GUARDDUTY_DETECTOR_TYPE ]

#
# Primary Rules
#
rule guardduty_s3_protection_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %guardduty_detectors not empty {
    check(%guardduty_detectors.Properties)
        <<
```

```
        [CT.GUARDDUTY.PR.1]: Require an Amazon GuardDuty detector to have Amazon S3
 protection activated
        [FIX]: Set 'DataSources.S3Logs' to true.
        >>
}

rule guardduty_s3_protection_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %GUARDDUTY_DETECTOR_TYPE) {
    check(%INPUT_DOCUMENT.%GUARDDUTY_DETECTOR_TYPE.resourceProperties)
        <<
        [CT.GUARDDUTY.PR.1]: Require an Amazon GuardDuty detector to have Amazon S3
 protection activated
        [FIX]: Set 'DataSources.S3Logs' to true.
        >>
}

#
# Parameterized Rules
#
rule check(guardduty_detector) {
    %guardduty_detector {
        # Scenario: 2
        Enable exists
        Enable == true
        # Scenario: 3
        DataSources exists
        DataSources is_struct
        DataSources {
            # Scenario: 4 and 5
            S3Logs exists
            S3Logs is_struct
            S3Logs {
                Enable exists
                Enable == true
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.GUARDDUTY.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  GuardDutyDetector:
    Type: AWS::GuardDuty::Detector
    Properties:
      Enable: true
      DataSources:
        S3Logs:
          Enable: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  GuardDutyDetector:
    Type: AWS::GuardDuty::Detector
    Properties:
      Enable: true
      DataSources:
        S3Logs:
          Enable: false
```

AWS Identity and Access Management Kontrol (IAM)

Topik

- [CT.IAM.PR.1] Mengharuskan kebijakan inline AWS Identity and Access Management (IAM) tidak memiliki pernyataan yang menyertakan “*” dalam elemen Aksi dan Sumber Daya
- [CT.IAM.PR.2] Mengharuskan kebijakan yang dikelola pelanggan AWS Identity and Access Management (IAM) tidak berisi pernyataan yang menyertakan “*” dalam elemen Tindakan dan Sumber Daya
- [CT.IAM.PR.3] Mengharuskan kebijakan yang dikelola pelanggan AWS Identity and Access Management (IAM) tidak memiliki tindakan layanan wildcard
- [CT.IAM.PR.4] Mengharuskan pengguna AWS Identity and Access Management(IAM) tidak memiliki kebijakan sebaris atau terkelola yang dilampirkan
- [CT.IAM.PR.5] Mengharuskan kebijakan sebaris AWS Identity and Access Management (IAM) tidak memiliki tindakan layanan wildcard

[CT.IAM.PR.1] Mengharuskan kebijakan inline AWS Identity and Access Management (IAM) tidak memiliki pernyataan yang menyertakan “*” dalam elemen Aksi dan Sumber Daya

Kontrol ini memeriksa bahwa kebijakan inline AWS Identity and Access Management (IAM) tidak menyertakan`Effect`: `Allow` with: `*` over `ActionResource`:. `*`

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::IAM::Policy`,`AWS::IAM::Role`,`AWS::IAM::User`, `AWS::IAM::Group`
- AWS CloudFormation aturan penjaga: CT.IAM.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.IAM.PR.1spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.IAM.PR.1 contoh templat

Penjelasan

Kebijakan IAM mendefinisikan serangkaian hak istimewa yang diberikan kepada pengguna, grup, atau peran. Sejalan dengan saran keamanan standar industri, AWS sarankan agar kebijakan Anda memberikan hak istimewa paling sedikit, yang berarti hanya memberikan izin yang diperlukan untuk melakukan tugas. Bila Anda memberikan hak administratif penuh alih-alih set izin minimum yang diperlukan pengguna, Anda dapat mengekspos sumber daya ke tindakan yang tidak diinginkan.

Alih-alih mengizinkan hak administratif penuh, tentukan tindakan spesifik yang harus dilakukan pengguna Anda, lalu buat kebijakan yang memungkinkan pengguna hanya melakukan tugas-tugas tersebut. Lebih aman untuk memulai dengan set izin minimum dan memberikan izin tambahan bila diperlukan. Jangan mulai dengan izin lunak dan coba kencangkan nanti.

Hapus kebijakan IAM yang memiliki pernyataan dengan`Effect`: `Allow` yang mengizinkan`Action`: `*` over`Resource`:`*`.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk kebijakan inline IAM dengan pernyataan yang berisi `Effect` dari `Allow` dan yang berisi elemen `Action` dan. `Resource`

Remediasi untuk kegagalan aturan

Hapus pernyataan kebijakan sebaris IAM dengan`Effect`: `Allow` yang mengizinkan`Action`: `*` over`Resource`:. `*`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan IAM - Contoh Satu

Kebijakan inline IAM dikonfigurasi untuk memungkinkan pengambilan objek dari bucket Amazon S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMPolicy": {
        "Type": "AWS::IAM::Policy",
        "Properties": {
            "PolicyName": "sample-inline-policy",
            "Roles": [
                {
                    "Ref": "IAMRole"
                }
            ],
            "PolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Allow",
                        "Action": [
                            "s3:GetObject"
                        ],
                        "Resource": [
                            "arn:aws:s3:::samplebucket/*"
                        ]
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
IAMPolicy:
  Type: AWS::IAM::Policy
  Properties:
    PolicyName: sample-inline-policy
    Roles:
      - !Ref 'IAMRole'
    PolicyDocument:
      Version: '2012-10-17'
      Statement:
        - Effect: Allow
```

```
          Action:
            - s3:GetObject
          Resource:
            - arn:aws:s3:::samplebucket/*
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Peran IAM - Contoh Dua

Peran IAM dikonfigurasi dengan kebijakan sebaris yang memungkinkan pengambilan objek dari bucket Amazon S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMRole": {
        "Type": "AWS::IAM::Role",
        "Properties": {
            "AssumeRolePolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Allow",
                        "Principal": {
                            "AWS": {
                                "Ref": "AWS::AccountId"
                            }
                        },
                        "Action": [
                            "sts:AssumeRole"
                        ]
                    }
                ]
            },
            "Policies": [
                {
                    "PolicyName": "sample-inline-policy",
                    "PolicyDocument": {
                        "Version": "2012-10-17",
                        "Statement": [
                            {
```

```
                                "Effect": "Allow",
                                "Action": [
                                    "s3:GetObject"
                                ],
                                "Resource": [
                                    "arn:aws:s3:::samplebucket/*"
                                ]
                            }
                        ]
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
IAMRole:
  Type: AWS::IAM::Role
  Properties:
    AssumeRolePolicyDocument:
      Version: '2012-10-17'
      Statement:
        - Effect: Allow
          Principal:
            AWS: !Ref 'AWS::AccountId'
          Action:
            - sts:AssumeRole
    Policies:
      - PolicyName: sample-inline-policy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
            - Effect: Allow
              Action:
                - s3:GetObject
              Resource:
                - arn:aws:s3:::samplebucket/*
```

CT.IAM.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Name:
#   iam_inline_policy_no_statements_with_admin_access_check
#
# Description:
#   This control checks that AWS Identity and Access Management (IAM) inline policies
 do not include "Effect": "Allow" with "Action": "*" over "Resource": "*".
#
# Reports on:
#   AWS::IAM::Policy, AWS::IAM::Role, AWS::IAM::User, AWS::IAM::Group
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any IAM policy, IAM role, IAM user or
 IAM group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has no statements with 'Effect' set to 'Allow'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy does not have both Action and resource statements
#      Then: SKIP
#   Scenario: 4
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM group resources
#       And: 'Policies' is not provided or is an empty list
#      Then: SKIP
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM group resources
#       And: 'Policies' is provided as a non-empty list
#       And: All IAM policy documents in 'Policies' have no statements with 'Effect'
 set to 'Allow'
#      Then: SKIP
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy statement has one or more Action statements and one or more
 Resource statements
#       And: At least one Action statement allows all actions (Action value of '*')
#       And: At least one Resource statement is a wildcard representing all resources
 (Resource value of '*')
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM group resources
#       And: 'Policies' is provided as a non-empty list
#       And: IAM policy document in 'Policies' has a statement with 'Effect' set to
 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: At least one Action statement allows all actions (Action value of '*')
#       And: At least one Resource statement is a wildcard representing all resources
 (Resource value of '*')
#      Then: FAIL
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more Action statements and one or more Resource
 statements
#       And: No Action statements allow administrator access (Action value of '*')
```

```
#       And: No Resources are wildcards representing all resources (Resource value of
 '*')
#      Then: PASS
#   Scenario: 9
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM group resources
#       And: 'Policies' is provided as a non-empty list
#       And: IAM policy document in 'Policies' has a statement with 'Effect' set to
 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: No Action statements allow administrator access (Action value of '*')
#       And: No Resources are wildcards representing all resources (Resource value of
 '*')
#      Then: PASS

#
# Constants
#
let AWS_IAM_POLICY_TYPE = "AWS::IAM::Policy"
let AWS_IAM_ROLE_TYPE = "AWS::IAM::Role"
let AWS_IAM_USER_TYPE = "AWS::IAM::User"
let AWS_IAM_GROUP_TYPE = "AWS::IAM::Group"
let INPUT_DOCUMENT = this

#
# Assignments
#
let iam_policies = Resources.*[ Type == %AWS_IAM_POLICY_TYPE ]
let iam_principals = Resources.*[
    Type == %AWS_IAM_ROLE_TYPE or
    Type == %AWS_IAM_USER_TYPE or
    Type == %AWS_IAM_GROUP_TYPE
]

#
# Primary Rules
#
rule iam_inline_policy_no_statements_with_admin_access_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %iam_policies not
 empty {
    check_policy(%iam_policies.Properties)
        <<
```

```
        [CT.IAM.PR.1]: Require that an AWS Identity and Access Management (IAM) inline
 policy does not have a statement that includes "*" in the Action and Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
}

rule iam_inline_policy_no_statements_with_admin_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_POLICY_TYPE) {
    check_policy(%INPUT_DOCUMENT.%AWS_IAM_POLICY_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.1]: Require that an AWS Identity and Access Management (IAM) inline
 policy does not have a statement that includes "*" in the Action and Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
}

rule iam_inline_policy_no_statements_with_admin_access_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %iam_principals not
 empty {
    check_principal(%iam_principals.Properties)
        <<
        [CT.IAM.PR.1]: Require that an AWS Identity and Access Management (IAM) inline
 policy does not have a statement that includes "*" in the Action and Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
}

rule iam_inline_policy_no_statements_with_admin_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_ROLE_TYPE) {
    check_principal(%INPUT_DOCUMENT.%AWS_IAM_ROLE_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.1]: Require that an AWS Identity and Access Management (IAM) inline
 policy does not have a statement that includes "*" in the Action and Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
}

rule iam_inline_policy_no_statements_with_admin_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_USER_TYPE) {
```

```
    check_principal(%INPUT_DOCUMENT.%AWS_IAM_USER_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.1]: Require that an AWS Identity and Access Management (IAM) inline
 policy does not have a statement that includes "*" in the Action and Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
}

rule iam_inline_policy_no_statements_with_admin_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_GROUP_TYPE) {
    check_principal(%INPUT_DOCUMENT.%AWS_IAM_GROUP_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.1]: Require that an AWS Identity and Access Management (IAM) inline
 policy does not have a statement that includes "*" in the Action and Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
}

#
# Parameterized Rules
#
rule check_policy(policy) {
    %policy [
        filter_policy_document_with_statement_provided(this)
    ] {
        PolicyDocument {
           check_statement(Statement)
       }
    }
}

rule check_principal(iam_principal) {
    %iam_principal [
        filter_iam_principal_with_inline_policy_provided(this)
    ] {
        Policies[*] {
            check_policy(this)
       }
    }
}

rule check_statement(statement) {
```

```
    %statement [
        filter_allow_on_action_and_resource(this)
    ] {
        Action exists
        Resource exists
        check_admin_access(Action, Resource)
    }
}

rule filter_allow_on_action_and_resource(statement) {
    %statement {
        Effect == "Allow"
        Action exists
        Resource exists
    }
}

rule filter_policy_document_with_statement_provided(policy) {
    %policy {
        PolicyDocument exists
        PolicyDocument is_struct
        PolicyDocument {
            Statement exists
            filter_statement_non_empty_list(Statement) or
            Statement is_struct
        }
    }
}

rule filter_iam_principal_with_inline_policy_provided(iam_principal) {
    %iam_principal {
        Policies exists
        Policies is_list
        Policies not empty
    }
}

rule filter_statement_non_empty_list(statement) {
    %statement {
        this is_list
        this not empty
    }
}
```

```
rule check_admin_access(actions, resources) {
    when some %actions[*] == "*" {
        %resources[*] != "*"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.IAM.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
```

```
  IAMPolicy:
    Type: AWS::IAM::Policy
    Properties:
      PolicyName:
        Fn::Sub: ${AWS::StackName}-inline-policy
      Roles:
      - Ref: IAMRole
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action:
          - s3:GetObject
          Resource:
          - arn:aws:s3:::examplebucket/*
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  IAMPolicy:
    Type: AWS::IAM::Policy
    Properties:
      PolicyName:
        Fn::Sub: ${AWS::StackName}-inline-policy
      Roles:
      - Ref: IAMRole
      PolicyDocument:
```

```
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action: '*'
          Resource: '*'
```

[CT.IAM.PR.2] Mengharuskan kebijakan yang dikelola pelanggan AWS Identity and Access Management (IAM) tidak berisi pernyataan yang menyertakan “*” dalam elemen Tindakan dan Sumber Daya

Kontrol ini memeriksa apakah kebijakan yang dikelola pelanggan AWS Identity and Access Management (IAM) tidak termasuk`Effect`: `Allow` with`Action`: `*` over`Resource`:`*`.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::IAM::ManagedPolicy`
- AWS CloudFormation aturan penjaga: CT.IAM.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.IAM.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.IAM.PR.2contoh template

Penjelasan

Kebijakan IAM mendefinisikan serangkaian hak istimewa yang diberikan kepada pengguna, grup, atau peran. Sejalan dengan saran keamanan standar industri, AWS sarankan agar kebijakan Anda memberikan hak istimewa paling sedikit, yang berarti hanya memberikan izin yang diperlukan untuk melakukan tugas. Saat Anda memberikan hak istimewa penuh alih-alih set izin minimum yang diperlukan pengguna, Anda dapat mengekspos sumber daya ke tindakan yang tidak diinginkan.

Alih-alih mengizinkan hak istimewa penuh, tentukan tindakan spesifik yang harus dilakukan pengguna Anda, lalu buat kebijakan yang memungkinkan pengguna hanya melakukan tugas-tugas

tersebut. Lebih aman untuk memulai dengan set izin minimum dan memberikan izin tambahan bila diperlukan. Jangan mulai dengan izin lunak dan coba kencangkan nanti.

Hapus kebijakan IAM yang memiliki pernyataan dengan`Effect`: `Allow` yang mengizinkan`Action`: * over`Resource`:*.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya memeriksa kebijakan yang dikelola pelanggan IAM. Itu tidak memeriksa kebijakan inline dan AWS-managed.
> - Kontrol ini hanya berlaku untuk kebijakan inline IAM dengan pernyataan yang berisi `Effect` dari `Allow` dan yang berisi elemen `Action` dan. `Resource`

Remediasi untuk kegagalan aturan

Hapus pernyataan kebijakan sebaris IAM dengan`Effect`: `Allow` yang mengizinkan`Action`: * over`Resource`:. *

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Terkelola IAM - Contoh

Kebijakan terkelola IAM dikonfigurasi untuk memungkinkan pengambilan objek dari bucket Amazon S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMManagedPolicy": {
        "Type": "AWS::IAM::ManagedPolicy",
        "Properties": {
            "Roles": [
                {
                    "Ref": "IAMRole"
                }
            ],
            "PolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
```

```
                        "Effect": "Allow",
                        "Action": [
                            "s3:GetObject"
                        ],
                        "Resource": [
                            "arn:aws:s3:::samplebucket/*"
                        ]
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
IAMManagedPolicy:
  Type: AWS::IAM::ManagedPolicy
  Properties:
    Roles:
      - !Ref 'IAMRole'
    PolicyDocument:
      Version: '2012-10-17'
      Statement:
        - Effect: Allow
          Action:
            - s3:GetObject
          Resource:
            - arn:aws:s3:::samplebucket/*
```

CT.IAM.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Name:
#   iam_managed_policy_no_statements_with_admin_access_check
```

```
#
# Description:
#   This control checks whether AWS Identity and Access Management (IAM) customer
 managed policies do not include "Effect": "Allow" with "Action": "*" over "Resource":
 "*".
#
# Reports on:
#   AWS::IAM::ManagedPolicy
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any IAM managed policy resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM managed policy resource
#       And: The policy has no statements with 'Effect' set to 'Allow'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM managed policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy does not have both Action and Resource statements
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM managed policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy statement has one or more Action statements and one or more
 Resource statements
#       And: Within a single policy statement at least one Action statement allows all
 actions (Action value of '*')
```

```
#       And: Within the same policy statement at least one Resource statement is a
 wildcard representing all
#            resources (Resource value of '*')
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM managed policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more Action statements and one or more Resource
 statements
#       And: Within a single policy statement no Action statements allow all actions
 (Action value of '*')
#       And: Within the same policy statement no Resources are wildcards representing
 all
#            resources (Resource value of '*')
#      Then: PASS

#
# Constants
#
let AWS_IAM_MANAGED_POLICY_TYPE = "AWS::IAM::ManagedPolicy"
let INPUT_DOCUMENT = this

#
# Assignments
#
let iam_managed_policies = Resources.*[ Type == %AWS_IAM_MANAGED_POLICY_TYPE ]

#
# Primary Rules
#
rule iam_managed_policy_no_statements_with_admin_access_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %iam_managed_policies not empty {
    check(%iam_managed_policies.Properties)
        <<
        [CT.IAM.PR.2]: Require that AWS Identity and Access Management (IAM) customer-
managed policies do not contain a statement that includes "*" in the Action and
 Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
```

```
}

rule iam_managed_policy_no_statements_with_admin_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_MANAGED_POLICY_TYPE) {
    check(%INPUT_DOCUMENT.%AWS_IAM_MANAGED_POLICY_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.2]: Require that AWS Identity and Access Management (IAM) customer-
managed policies do not contain a statement that includes "*" in the Action and
 Resource elements
            [FIX]: Remove IAM inline policy statements with "Effect": "Allow" that
 permit "Action": "*" over "Resource": "*".
        >>
}

#
# Parameterized Rules
#
rule check(policy) {
    %policy [
        filter_policy_document_with_statement_provided(this)
    ] {
        PolicyDocument {
           check_statement(Statement)
       }
    }
}

rule check_statement(statement) {
    %statement [
        filter_allow_on_action_and_resource(this)
    ] {
        Action exists
        Resource exists
        check_admin_access(Action, Resource)
    }
}

rule filter_allow_on_action_and_resource(statement) {
    %statement {
        Effect == "Allow"
        Action exists
        Resource exists
    }
}
```

```
rule filter_policy_document_with_statement_provided(policy) {
    %policy {
        PolicyDocument exists
        PolicyDocument is_struct
        PolicyDocument {
            Statement exists
            filter_statement_non_empty_list(Statement) or
            Statement is_struct
        }
    }
}

rule filter_statement_non_empty_list(statement) {
    %statement {
        this is_list
        this not empty
    }
}

rule check_admin_access(actions, resources) {
    when some %actions[*] == "*" {
        %resources[*] != "*"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.IAM.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  IAMManagedPolicy:
    Type: AWS::IAM::ManagedPolicy
    Properties:
      Roles:
      - Ref: IAMRole
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action:
          - s3:GetObject
          Resource:
          - arn:aws:s3:::examplebucket/*
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
```

```
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  IAMManagedPolicy:
    Type: AWS::IAM::ManagedPolicy
    Properties:
      Roles:
      - Ref: IAMRole
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action: '*'
          Resource: '*'
```

[CT.IAM.PR.3] Mengharuskan kebijakan yang dikelola pelanggan AWS Identity and Access Management (IAM) tidak memiliki tindakan layanan wildcard

Kontrol ini memeriksa bahwa AWS Identity and Access Management (IAM) kebijakan yang dikelola pelanggan tidak berisi pernyataan`Effect`: `Allow` with`Action`: `Service:*` (misalnya, s3: *) untuk AWS layanan individual, dan bahwa kebijakan tersebut tidak menggunakan kombinasi dengan a. `NotAction` `Effect` `Allow`

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::IAM::ManagedPolicy`
- AWS CloudFormation aturan penjaga: CT.IAM.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.IAM.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.IAM.PR.3contoh template

Penjelasan

Saat Anda menetapkan izin Layanan AWS, penting untuk mencakup tindakan IAM yang diizinkan dalam kebijakan IAM Anda. Kami menyarankan Anda memberikan izin hak istimewa paling sedikit dengan membatasi kebijakan IAM hanya untuk tindakan yang diperlukan. Kebijakan yang terlalu permisif dapat menyebabkan eskalasi hak istimewa, jika kebijakan tersebut dilampirkan pada prinsipal IAM yang mungkin tidak memerlukan izin.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya memeriksa kebijakan yang dikelola pelanggan IAM. Itu tidak memeriksa kebijakan inline dan AWS-managed.
> - Kontrol ini hanya berlaku untuk kebijakan yang dikelola pelanggan IAM dengan pernyataan yang berisi `Effect` dari `Allow` dengan elemen `Action` atau `NotAction` yang ada.

Remediasi untuk kegagalan aturan

Hapus pernyataan dari kebijakan yang dikelola pelanggan IAM dengan`Effect`: `Allow` and: `service:*` atau `ActionEffect`: and. `Allow` `NotAction`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Terkelola IAM - Contoh

Kebijakan terkelola IAM dikonfigurasi untuk mengizinkan tindakan Amazon `ListBucket` S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMManagedPolicy": {
        "Type": "AWS::IAM::ManagedPolicy",
```

```
        "Properties": {
            "Roles": [
                {
                    "Ref": "IAMRole"
                }
            ],
            "PolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Allow",
                        "Action": [
                            "s3:ListBucket"
                        ],
                        "Resource": [
                            "*"
                        ]
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
IAMManagedPolicy:
  Type: AWS::IAM::ManagedPolicy
  Properties:
    Roles:
      - !Ref 'IAMRole'
    PolicyDocument:
      Version: '2012-10-17'
      Statement:
        - Effect: Allow
          Action:
            - s3:ListBucket
          Resource:
            - '*'
```

CT.IAM.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Name:
#   iam_managed_policy_no_statements_with_full_access_check
#
# Description:
#   This control checks that AWS Identity and Access Management (IAM) customer-
managed policies do not contain statements of "Effect": "Allow" with "Action":
 "Service:*" (for example, s3:*) for individual Layanan AWS, and that the policies do
 not use the combination of "NotAction" with an "Effect" of "Allow".
#
# Reports on:
#   AWS::IAM::ManagedPolicy
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any IAM Managed Policy resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM Managed Policy resource
#       And: The policy has no statements with 'Effect' set to 'Allow'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM Managed Policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: At least one 'Action' statement allows full access to a service ('Action'
 has a value 'service:*')
#      Then: FAIL
#   Scenario: 4
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM Managed Policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more 'NotAction' statements
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM Managed Policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: No 'Action' statements allow full access to a service ('Action' does not
 have a value 'service:*')
#      Then: PASS

#
# Constants
#
let AWS_IAM_MANAGED_POLICY_TYPE = "AWS::IAM::ManagedPolicy"
let WILDCARD_ACTION_PATTERN = /^[\w]*[:]*\*$/
let INPUT_DOCUMENT = this

#
# Assignments
#
let iam_managed_policies = Resources.*[ Type == %AWS_IAM_MANAGED_POLICY_TYPE ]

#
# Primary Rules
#
rule iam_managed_policy_no_statements_with_full_access_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %iam_managed_policies
 not empty {
    check(%iam_managed_policies.Properties)
        <<
        [CT.IAM.PR.3]: Require that AWS Identity and Access Management (IAM) customer-
managed policies do not have wildcard service actions
            [FIX]: Remove statements from IAM customer-managed policies with "Effect":
 "Allow" and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}
```

```
rule iam_managed_policy_no_statements_with_full_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_MANAGED_POLICY_TYPE) {
    check(%INPUT_DOCUMENT.%AWS_IAM_MANAGED_POLICY_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.3]: Require that AWS Identity and Access Management (IAM) customer-
managed policies do not have wildcard service actions
            [FIX]: Remove statements from IAM customer-managed policies with "Effect":
 "Allow" and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}

#
# Parameterized Rules
#
rule check(policy) {
    %policy [
        filter_policy_document_with_statement_provided(this)
    ] {
        PolicyDocument {
            check_statement_no_wildcard_actions(Statement)
            check_statement_no_not_action(Statement)
       }
    }
}

rule check_statement_no_wildcard_actions(statement) {
    %statement [
        filter_allow_on_action(this)
    ] {
        Action exists
        check_no_wildcard_action(Action)
    }
}

rule check_statement_no_not_action(statement) {
    %statement [
        filter_allow(this)
    ] {
        NotAction not exists
    }
}

rule filter_allow_on_action(statement) {
    %statement {
```

```
        Effect == "Allow"
        Action exists
    }
}

rule filter_allow(statement) {
    %statement {
        Effect == "Allow"
    }
}

rule filter_policy_document_with_statement_provided(policy) {
    %policy {
        PolicyDocument exists
        PolicyDocument is_struct
        PolicyDocument {
            Statement exists
            filter_statement_non_empty_list(Statement) or
            Statement is_struct
        }
    }
}

rule filter_statement_non_empty_list(statement) {
    %statement {
        this is_list
        this not empty
    }
}

rule check_no_wildcard_action(actions) {
    %actions[*] {
        this != %WILDCARD_ACTION_PATTERN
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
```

```
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.IAM.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  IAMManagedPolicy:
    Type: AWS::IAM::ManagedPolicy
    Properties:
      Roles:
      - Ref: IAMRole
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action:
          - s3:ListBucket
          Resource:
          - '*'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  IAMManagedPolicy:
    Type: AWS::IAM::ManagedPolicy
    Properties:
      Roles:
      - Ref: IAMRole
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action: s3:*
          Resource: '*'
```

[CT.IAM.PR.4] Mengharuskan pengguna AWS Identity and Access Management(IAM) tidak memiliki kebijakan sebaris atau terkelola yang dilampirkan

Kontrol ini memeriksa apakah pengguna AWS Identity and Access Management (IAM) Anda memiliki kebijakan inline atau terkelola (AWS dan pelanggan) yang dilampirkan secara langsung. Sebagai gantinya, pengguna IAM harus mewarisi izin dari grup atau peran IAM.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::IAM::User`,`AWS::IAM::Policy`, `AWS::IAM::ManagedPolicy`
- AWS CloudFormation aturan penjaga: CT.IAM.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.IAM.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.IAM.PR.4contoh template

Penjelasan

Secara default, pengguna IAM, grup, dan peran tidak memiliki akses ke AWS sumber daya. Kebijakan IAM memberikan hak istimewa kepada pengguna, grup, atau peran. Kami menyarankan Anda menerapkan kebijakan IAM secara langsung ke grup dan peran, tetapi tidak untuk pengguna. Seiring bertambahnya jumlah pengguna, menetapkan hak istimewa di grup atau tingkat peran mengurangi kompleksitas manajemen akses. Mengurangi kompleksitas manajemen akses pada gilirannya dapat mengurangi kesempatan bagi kepala sekolah untuk menerima atau mempertahankan hak istimewa yang berlebihan secara tidak sengaja.

Remediasi untuk kegagalan aturan

Konfigurasikan pengguna IAM untuk mewarisi izin dari grup IAM.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Pengguna IAM - Contoh

Pengguna IAM dikonfigurasi tanpa kebijakan IAM atau lampiran kebijakan terkelola. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMUser": {
        "Type": "AWS::IAM::User"
    }
}
```

Contoh YAMAL

```
IAMUser:
  Type: AWS::IAM::User
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan IAM - Contoh

Kebijakan IAM dikonfigurasi tanpa asosiasi pengguna IAM. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMPolicy": {
        "Type": "AWS::IAM::Policy",
        "Properties": {
            "PolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Allow",
                        "Action": [
                            "cloudformation:DescribeStacks"
                        ],
                        "Resource": "*"
                    }
                ]
            },
            "PolicyName": "sample-policy",
            "Roles": [
                {
                    "Ref": "IAMRole"
                }
            ]
        }
```

```
    }
}
```

Contoh YAMAL

```
IAMPolicy:
  Type: AWS::IAM::Policy
  Properties:
    PolicyDocument:
      Version: '2012-10-17'
      Statement:
        - Effect: Allow
          Action:
            - cloudformation:DescribeStacks
          Resource: '*'
    PolicyName: sample-policy
    Roles:
      - !Ref 'IAMRole'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Terkelola IAM - Contoh

Kebijakan terkelola IAM dikonfigurasi tanpa asosiasi pengguna IAM. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMManagedPolicy": {
        "Type": "AWS::IAM::ManagedPolicy",
        "Properties": {
            "PolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Allow",
                        "Action": [
```

```
                            "cloudformation:DescribeStacks"
                        ],
                        "Resource": "*"
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
IAMManagedPolicy:
  Type: AWS::IAM::ManagedPolicy
  Properties:
    PolicyDocument:
      Version: '2012-10-17'
      Statement:
        - Effect: Allow
          Action:
            - cloudformation:DescribeStacks
          Resource: '*'
```

CT.IAM.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   iam_user_no_policies_check
#
# Description:
#   This control checks whether your AWS Identity and Access Management (IAM) user has
 inline or managed (AWS and customer) policies directly attached. Instead, IAM users
 should inherit permissions from IAM groups or roles.
#
# Reports on:
```

```
#   AWS::IAM::User, AWS::IAM::Policy, AWS::IAM::ManagedPolicy
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any IAM user, policy or managed policy
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM user resource
#       And: 'Policies' or 'ManagedPolicyArns' have been specified as a non-empty list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy or managed policy resource
#       And: 'Users' has been specified and is a non-empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM user resource
#       And: 'Policies' has not been been specified or is an empty list
#       And: 'ManagedPolicyArns' has not been been specified or is an empty list
#      Then: PASS
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy or managed policy resource
#       And: 'Users' has not been specified or is an empty list
#      Then: PASS

#
# Constants
#
```

```
let IAM_USER_TYPE = "AWS::IAM::User"
let IAM_POLICY_TYPE = "AWS::IAM::Policy"
let IAM_MANAGED_POLICY_TYPE = "AWS::IAM::ManagedPolicy"
let INPUT_DOCUMENT = this

#
# Assignments
#
let iam_users = Resources.*[ Type == %IAM_USER_TYPE ]
let iam_policies = Resources.*[ Type == %IAM_POLICY_TYPE ]
let iam_managed_policies = Resources.*[ Type == %IAM_MANAGED_POLICY_TYPE ]

#
# Primary Rules
#
rule iam_user_no_policies_check when is_cfn_template(%INPUT_DOCUMENT)
                                    %iam_users not empty {
    check_user(%iam_users.Properties)
        <<
        [CT.IAM.PR.4]: Require that an AWS Identity and Access Management (IAM) user
 does not have an inline or managed policy attached attached
            [FIX]: Configure IAM users to inherit permissions from IAM groups.
        >>
}

rule iam_user_no_policies_check when is_cfn_template(%INPUT_DOCUMENT)
                                    %iam_policies not empty {
    check_policy(%iam_policies.Properties)
        <<
        [CT.IAM.PR.4]: Require that an AWS Identity and Access Management (IAM) user
 does not have an inline or managed policy attached attached
            [FIX]: Configure IAM users to inherit permissions from IAM groups.
        >>
}

rule iam_user_no_policies_check when is_cfn_template(%INPUT_DOCUMENT)
                                    %iam_managed_policies not empty {
    check_policy(%iam_managed_policies.Properties)
        <<
        [CT.IAM.PR.4]: Require that an AWS Identity and Access Management (IAM) user
 does not have an inline or managed policy attached attached
            [FIX]: Configure IAM users to inherit permissions from IAM groups.
        >>
}
```

```
rule iam_user_no_policies_check when is_cfn_hook(%INPUT_DOCUMENT, %IAM_USER_TYPE) {
    check_user(%INPUT_DOCUMENT.%IAM_USER_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.4]: Require that an AWS Identity and Access Management (IAM) user
 does not have an inline or managed policy attached attached
            [FIX]: Configure IAM users to inherit permissions from IAM groups.
        >>
}

rule iam_user_no_policies_check when is_cfn_hook(%INPUT_DOCUMENT, %IAM_POLICY_TYPE) {
    check_policy(%INPUT_DOCUMENT.%IAM_POLICY_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.4]: Require that an AWS Identity and Access Management (IAM) user
 does not have an inline or managed policy attached attached
            [FIX]: Configure IAM users to inherit permissions from IAM groups.
        >>
}

rule iam_user_no_policies_check when is_cfn_hook(%INPUT_DOCUMENT,
 %IAM_MANAGED_POLICY_TYPE) {
    check_policy(%INPUT_DOCUMENT.%IAM_MANAGED_POLICY_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.4]: Require that an AWS Identity and Access Management (IAM) user
 does not have an inline or managed policy attached attached
            [FIX]: Configure IAM users to inherit permissions from IAM groups.
        >>
}

#
# Parameterized Rules
#
rule check_user(iam_user) {
    %iam_user {
        # Scenario 2 and 4
        Policies not exists or
        exists_and_is_empty_list(Policies)

        ManagedPolicyArns not exists or
        exists_and_is_empty_list(ManagedPolicyArns)
    }
}

rule check_policy(policy) {
```

```
    %policy {
        # Scenario 3 and 4
        Users not exists or
        exists_and_is_empty_list(Users)
    }
}

rule exists_and_is_empty_list(list_property) {
    %list_property {
        this is_list
        this empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.IAM.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMUser:
    Type: AWS::IAM::User
    Properties: {}
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMUser:
    Type: AWS::IAM::User
    Properties:
      ManagedPolicyArns:
      - arn:aws:iam::aws:policy/AdministratorAccess
```

[CT.IAM.PR.5] Mengharuskan kebijakan sebaris AWS Identity and Access Management (IAM) tidak memiliki tindakan layanan wildcard

Kontrol ini memeriksa apakah kebijakan inline AWS Identity and Access Management (IAM) tidak termasuk`Effect`: `Allow` with`Action`: `Service:*` (misalnya s3: *) untuk individu Layanan AWS atau menggunakan kombinasi `NotAction` dengan a. `Effect` `Allow`

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya:`AWS::IAM::Policy`,`AWS::IAM::Role`,`AWS::IAM::User`, `AWS::IAM::Group`
- AWS CloudFormation aturan penjaga: CT.IAM.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.IAM.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.IAM.PR.5contoh template

Penjelasan

Saat Anda menetapkan izin Layanan AWS, penting untuk mencakup tindakan IAM yang diizinkan dalam kebijakan IAM Anda. Anda harus membatasi tindakan IAM hanya pada tindakan yang diperlukan. Ini membantu Anda memberikan izin hak istimewa paling sedikit. Kebijakan yang terlalu permisif dapat menyebabkan eskalasi hak istimewa jika kebijakan tersebut dilampirkan pada prinsipal IAM yang mungkin tidak memerlukan izin.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk kebijakan inline IAM dengan pernyataan yang berisi `Effect` dari `Allow` dengan `Action` atau elemen hadir `NotAction`
- Kontrol ini hanya berlaku untuk peran IAM, sumber daya pengguna atau grup dengan satu atau beberapa kebijakan inline dan sumber daya kebijakan IAM dengan satu atau beberapa pernyataan yang dikonfigurasi

Remediasi untuk kegagalan aturan

Hapus pernyataan dari kebijakan sebaris IAM dengan`Effect`: `Allow` dan: `service:*` atau `ActionEffect`: `Allow` dan. `NotAction`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Inline IAM - Contoh Satu

Peran IAM dikonfigurasi dengan kebijakan inline yang memungkinkan tindakan `ListBucket` S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMRole": {
        "Type": "AWS::IAM::Role",
        "Properties": {
            "AssumeRolePolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Allow",
                        "Principal": {
```

```
                            "AWS": {
                                "Ref": "AWS::AccountId"
                            }
                        },
                        "Action": [
                            "sts:AssumeRole"
                        ]
                    }
                ]
            },
            "Policies": [
                {
                    "PolicyDocument": {
                        "Version": "2012-10-17",
                        "Statement": [
                            {
                                "Effect": "Allow",
                                "Action": [
                                    "s3:ListBucket"
                                ],
                                "Resource": [
                                    "*"
                                ]
                            }
                        ]
                    },
                    "PolicyName": "sample-policy"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
IAMRole:
  Type: AWS::IAM::Role
  Properties:
    AssumeRolePolicyDocument:
      Version: '2012-10-17'
      Statement:
```

```
        - Effect: Allow
          Principal:
            AWS: !Ref 'AWS::AccountId'
          Action:
            - sts:AssumeRole
    Policies:
      - PolicyDocument:
          Version: '2012-10-17'
          Statement:
            - Effect: Allow
              Action:
                - s3:ListBucket
              Resource:
                - '*'
        PolicyName: sample-policy
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Inline IAM - Contoh Dua

Pengguna IAM dikonfigurasi dengan kebijakan sebaris yang memungkinkan tindakan `ListBucket` S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMUser": {
        "Type": "AWS::IAM::User",
        "Properties": {
            "Policies": [
                {
                    "PolicyDocument": {
                        "Version": "2012-10-17",
                        "Statement": [
                            {
                                "Effect": "Allow",
                                "Action": [
                                    "s3:ListBucket"
                                ],
                                "Resource": [
```

```
                                        "*"
                                    ]
                                }
                            ]
                        },
                        "PolicyName": "sample-policy"
                    }
                ]
            }
        }
}
```

Contoh YAMAL

```
IAMUser:
  Type: AWS::IAM::User
  Properties:
    Policies:
      - PolicyDocument:
          Version: '2012-10-17'
          Statement:
            - Effect: Allow
              Action:
                - s3:ListBucket
              Resource:
                - '*'
        PolicyName: sample-policy
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Inline IAM - Contoh Tiga

Grup IAM dikonfigurasi dengan kebijakan sebaris yang memungkinkan tindakan `ListBucket` S3. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
```

```
    "IAMGroup": {
        "Type": "AWS::IAM::Group",
        "Properties": {
            "Policies": [
                {
                    "PolicyDocument": {
                        "Version": "2012-10-17",
                        "Statement": [
                            {
                                "Effect": "Allow",
                                "Action": [
                                    "s3:ListBucket"
                                ],
                                "Resource": [
                                    "*"
                                ]
                            }
                        ]
                    },
                    "PolicyName": "sample-policy"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
IAMGroup:
  Type: AWS::IAM::Group
  Properties:
    Policies:
      - PolicyDocument:
          Version: '2012-10-17'
          Statement:
            - Effect: Allow
              Action:
                - s3:ListBucket
              Resource:
                - '*'
        PolicyName: sample-policy
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Inline IAM - Contoh Empat

Kebijakan IAM terkait dengan peran IAM sebagai kebijakan inline dan dikonfigurasi untuk memungkinkan tindakan S3. `ListBucket` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "IAMPolicy": {
        "Type": "AWS::IAM::Policy",
        "Properties": {
            "PolicyName": "sample-policy",
            "Roles": [
                {
                    "Ref": "IAMRole"
                }
            ],
            "PolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Allow",
                        "Action": [
                            "s3:ListBucket"
                        ],
                        "Resource": [
                            "*"
                        ]
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
IAMPolicy:
  Type: AWS::IAM::Policy
  Properties:
    PolicyName: sample-policy
    Roles:
      - !Ref 'IAMRole'
    PolicyDocument:
      Version: '2012-10-17'
      Statement:
        - Effect: Allow
          Action:
            - s3:ListBucket
          Resource:
            - '*'
```

CT.IAM.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Name:
#   iam_inline_policy_no_statements_with_full_access_check
#
# Description:
#   This control checks whether AWS Identity and Access Management (IAM) inline
 policies do not include "Effect": "Allow" with "Action": "Service:*" (e.g. s3:*)
 for individual Layanan AWS or use the combination of "NotAction" with an "Effect" of
 "Allow".
#
# Reports on:
#   AWS::IAM::Policy, AWS::IAM::Role, AWS::IAM::User, AWS::IAM::Group
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any IAM policy, IAM role, IAM user or
 IAM group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has no statements with 'Effect' set to 'Allow'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM group resource
#       And: 'Policies' is not provided or is an empty list
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM group resource
#       And: 'Policies' is provided as a non-empty list
#       And: All IAM policy documents in 'Policies' have no statements with 'Effect'
 set to 'Allow'
#      Then: SKIP
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: 'Action' statement allows full access to a service ('Action' has a value
 'service:*')
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more 'NotAction' statements
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an IAM role, IAM user or IAM group resource
#       And: 'Policies' is provided as a non-empty list
#       And: IAM policy document in 'Policies' has a statement with 'Effect' set to
 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: 'Action' statement allows full access to a service ('Action' has a value
 'service:*')
#      Then: FAIL
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM user resource
#       And: 'Policies' is provided as a non-empty list
#       And: At least one IAM policy document in 'Policies' has a statement with
 'Effect' set to 'Allow'
#       And: The policy has one or more 'NotAction' statements
#      Then: FAIL
#   Scenario: 9
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM policy resource
#       And: The policy has a statement with 'Effect' set to 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: No 'Action' statements allow full access to a service ('Action' does not
 have a value 'service:*')
#      Then: PASS
#   Scenario: 10
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an IAM role, IAM user or IAM user resource
#       And: 'Policies' is provided as a non-empty list
#       And: At least one IAM policy document in 'Policies' has a statement with
 'Effect' set to 'Allow'
#       And: The policy has one or more 'Action' statements
#       And: No 'Action' statements allow full access to a service ('Action' does not
 have a value 'service:*')
#      Then: PASS

#
# Constants
#
let AWS_IAM_POLICY_TYPE = "AWS::IAM::Policy"
let AWS_IAM_ROLE_TYPE = "AWS::IAM::Role"
let AWS_IAM_USER_TYPE = "AWS::IAM::User"
```

```
let AWS_IAM_GROUP_TYPE = "AWS::IAM::Group"
let WILDCARD_ACTION_PATTERN = /^[\w]*[:]*\*$/
let INPUT_DOCUMENT = this

#
# Assignments
#
let iam_policies = Resources.*[ Type == %AWS_IAM_POLICY_TYPE ]
let iam_principals = Resources.*[
    Type == %AWS_IAM_ROLE_TYPE or
    Type == %AWS_IAM_USER_TYPE or
    Type == %AWS_IAM_GROUP_TYPE
]

#
# Primary Rules
#
rule iam_inline_policy_no_statements_with_full_access_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %iam_policies not
 empty {
    check_policy(%iam_policies.Properties)
        <<
        [CT.IAM.PR.5]: Require that AWS Identity and Access Management (IAM) inline
 policies do not have wildcard service actions
            [FIX]: Remove statements from IAM inline policies with "Effect": "Allow"
 and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}

rule iam_inline_policy_no_statements_with_full_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_POLICY_TYPE) {
    check_policy(%INPUT_DOCUMENT.%AWS_IAM_POLICY_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.5]: Require that AWS Identity and Access Management (IAM) inline
 policies do not have wildcard service actions
            [FIX]: Remove statements from IAM inline policies with "Effect": "Allow"
 and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}

rule iam_inline_policy_no_statements_with_full_access_check when
 is_cfn_template(%INPUT_DOCUMENT)
```

```
                                                                %iam_principals not
 empty {
    check_principal(%iam_principals.Properties)
        <<
        [CT.IAM.PR.5]: Require that AWS Identity and Access Management (IAM) inline
 policies do not have wildcard service actions
            [FIX]: Remove statements from IAM inline policies with "Effect": "Allow"
 and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}

rule iam_inline_policy_no_statements_with_full_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_ROLE_TYPE) {
    check_principal(%INPUT_DOCUMENT.%AWS_IAM_ROLE_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.5]: Require that AWS Identity and Access Management (IAM) inline
 policies do not have wildcard service actions
            [FIX]: Remove statements from IAM inline policies with "Effect": "Allow"
 and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}

rule iam_inline_policy_no_statements_with_full_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_USER_TYPE) {
    check_principal(%INPUT_DOCUMENT.%AWS_IAM_USER_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.5]: Require that AWS Identity and Access Management (IAM) inline
 policies do not have wildcard service actions
            [FIX]: Remove statements from IAM inline policies with "Effect": "Allow"
 and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}

rule iam_inline_policy_no_statements_with_full_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %AWS_IAM_GROUP_TYPE) {
    check_principal(%INPUT_DOCUMENT.%AWS_IAM_GROUP_TYPE.resourceProperties)
        <<
        [CT.IAM.PR.5]: Require that AWS Identity and Access Management (IAM) inline
 policies do not have wildcard service actions
            [FIX]: Remove statements from IAM inline policies with "Effect": "Allow"
 and "Action": "service:*" or "Effect": "Allow" and "NotAction".
        >>
}
```

```
#
# Parameterized Rules
#
rule check_policy(policy) {
    %policy [
        filter_policy_document_with_statement_provided(this)
    ] {
        PolicyDocument {
            check_statement_no_wildcard_actions(Statement)
            check_statement_no_not_action(Statement)
       }
    }
}

rule check_principal(iam_principal) {
    %iam_principal [
        filter_iam_principal_with_inline_policy_provided(this)
    ] {
        Policies[*] {
            check_policy(this)
       }
    }
}

rule check_statement_no_wildcard_actions(statement) {
    %statement [
        filter_allow_on_action(this)
    ] {
        Action exists
        check_no_wildcard_action(Action)
    }
}

rule check_statement_no_not_action(statement) {
    %statement [
        filter_allow(this)
    ] {
        NotAction not exists
    }
}

rule filter_allow_on_action(statement) {
    %statement {
```

```
        Effect == "Allow"
        Action exists
    }
}

rule filter_allow(statement) {
    %statement {
        Effect == "Allow"
    }
}

rule filter_policy_document_with_statement_provided(policy) {
    %policy {
        PolicyDocument exists
        PolicyDocument is_struct
        PolicyDocument {
            Statement exists
            filter_statement_non_empty_list(Statement) or
            Statement is_struct
        }
    }
}

rule filter_iam_principal_with_inline_policy_provided(iam_principal) {
    %iam_principal {
        Policies exists
        Policies is_list
        Policies not empty
    }
}

rule filter_statement_non_empty_list(statement) {
    %statement {
        this is_list
        this not empty
    }
}

rule check_no_wildcard_action(actions) {
    %actions[*] {
        this != %WILDCARD_ACTION_PATTERN
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.IAM.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  IAMPolicy:
    Type: AWS::IAM::Policy
    Properties:
      PolicyName:
        Fn::Sub: ${AWS::StackName}-example
      Roles:
      - Ref: IAMRole
```

```
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action:
          - s3:ListBucket
          Resource:
          - '*'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  IAMPolicy:
    Type: AWS::IAM::Policy
    Properties:
      PolicyName:
        Fn::Sub: ${AWS::StackName}-example
      Roles:
      - Ref: IAMRole
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Action: s3:*
          Resource: '*'
```

AWS Key Management Service (AWS KMS) kontrol

Topik

- [CT.KMS.PR.1] Memerlukan siapa pun AWS KMS key untuk memiliki rotasi yang dikonfigurasi
- [CT.KMS.PR.2] Mengharuskan kunci AWS Key Management Service asimetris dengan bahan kunci RSA yang digunakan untuk enkripsi memiliki panjang kunci lebih besar dari 2048 bit
- [CT.KMS.PR.3] Memerlukan kebijakan AWS Key Management Service kunci untuk memiliki pernyataan yang membatasi pembuatan AWS KMS hibah untuk layanan AWS

[CT.KMS.PR.1] Memerlukan siapa pun AWS KMS key untuk memiliki rotasi yang dikonfigurasi

Kontrol ini memeriksa apakah rotasi kunci diaktifkan untuk kunci yang dikelola AWS KMS pelanggan.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::KMS::Key`
- AWS CloudFormation aturan penjaga: CT.KMS.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.KMS.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.KMS.PR.1contoh template

Penjelasan

Rotasi kunci meminimalkan kemungkinan eksposur kunci ke pengguna jahat. Praktik terbaik kriptografi mencegah penggunaan ulang kunci enkripsi secara ekstensif. Rotasi kunci secara teratur membantu Anda memenuhi persyaratan keamanan dan kepatuhan organisasi.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk AWS KMS enkripsi simetris, kunci yang dikelola pelanggan.

Remediasi untuk kegagalan aturan

Setel `EnableKeyRotation` ke kunci `true` AWS KMS enkripsi simetris.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS KMS key - Contoh

AWS KMS kunci terkelola pelanggan yang dikonfigurasi dengan rotasi kunci diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "KMSKey": {
        "Type": "AWS::KMS::Key",
        "Properties": {
            "PendingWindowInDays": 7,
            "KeyPolicy": {
                "Version": "2012-10-17",
                "Id": "sample-policy",
                "Statement": [
                    {
                        "Sid": "Enable IAM User Permissions",
                        "Effect": "Allow",
                        "Principal": {
                            "AWS": {
                                "Fn::Sub": "arn:${AWS::Partition}:iam::
${AWS::AccountId}:root"
                            }
                        },
                        "Action": "kms:*",
                        "Resource": "*"
                    }
                ]
            },
            "EnableKeyRotation": true
        }
    }
}
```

Contoh YAMAL

```
KMSKey:
  Type: AWS::KMS::Key
  Properties:
    PendingWindowInDays: 7
    KeyPolicy:
      Version: 2012-10-17
      Id: sample-policy
      Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS: !Sub 'arn:${AWS::Partition}:iam::${AWS::AccountId}:root'
          Action: kms:*
          Resource: '*'
    EnableKeyRotation: true
```

CT.KMS.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   kms_key_rotation_enabled_check
#
# Description:
#   This control checks whether key rotation is enabled for AWS KMS customer managed
 keys.
#
# Reports on:
#   AWS::KMS::Key
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
```

```
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any KMS key resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'KeySpec' is provided and is a value other than 'SYMMETRIC_DEFAULT'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'KeySpec' is not provided or is provided and is set to 'SYMMETRIC_DEFAULT'
#       And: 'EnableKeyRotation' is not provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'KeySpec' is not provided or is provided and is set to 'SYMMETRIC_DEFAULT'
#       And: 'EnableKeyRotation' is provided and is set to bool(false)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'KeySpec' is not provided or is provided and is set to 'SYMMETRIC_DEFAULT'
#       And: 'EnableKeyRotation' is provided and is set to bool(true)
#      Then: PASS

#
# Constants
#
let KMS_KEY_TYPE = "AWS::KMS::Key"
let INPUT_DOCUMENT = this

#
# Assignments
#
let kms_keys = Resources.*[ Type == %KMS_KEY_TYPE ]
```

```
#
# Primary Rules
#
rule kms_key_rotation_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                         %kms_keys not empty {
    check(%kms_keys.Properties)
        <<
        [CT.KMS.PR.1]: Require any AWS KMS key to have rotation configured
        [FIX]: Set 'EnableKeyRotation' to 'true' for AWS KMS symmetric-encryption keys.
        >>
}

rule kms_key_rotation_enabled_check when is_cfn_hook(%INPUT_DOCUMENT, %KMS_KEY_TYPE) {
    check(%INPUT_DOCUMENT.%KMS_KEY_TYPE.resourceProperties)
        <<
        [CT.KMS.PR.1]: Require any AWS KMS key to have rotation configured
        [FIX]: Set 'EnableKeyRotation' to 'true' for AWS KMS symmetric-encryption keys.
        >>
}

#
# Parameterized Rules
#
rule check(kms_keys) {
    %kms_keys[
        # Scenario 2
        filter_is_kms_cmk_symmetric_key(this)
    ] {
        # Scenario 3, 4 and 5
        EnableKeyRotation exists
        EnableKeyRotation == true
    }
}

rule filter_is_kms_cmk_symmetric_key(kms_key) {
    %kms_key {
        KeySpec not exists or
        KeySpec == "SYMMETRIC_DEFAULT"
    }
}

#
# Utility Rules
#
```

```
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.KMS.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Key:
    Type: AWS::KMS::Key
    Properties:
      PendingWindowInDays: 7
      KeyPolicy:
        Version: 2012-10-17
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      EnableKeyRotation: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Key:
    Type: AWS::KMS::Key
    Properties:
      PendingWindowInDays: 7
      KeyPolicy:
        Version: 2012-10-17
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      EnableKeyRotation: false
```

[CT.KMS.PR.2] Mengharuskan kunci AWS Key Management Service asimetris dengan bahan kunci RSA yang digunakan untuk enkripsi memiliki panjang kunci lebih besar dari 2048 bit

Kontrol ini memeriksa apakah kunci AWS KMS asimetris dengan bahan kunci RSA, yang digunakan untuk enkripsi dan dekripsi, untuk menggunakan spesifikasi kunci dengan panjang kunci lebih besar dari 2048 bit (yaitu, spesifikasi kunci selain). `RSA_2048`

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::KMS::Key`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.KMS.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.KMS.PR.2

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.KMS.PR.2 contoh template

Penjelasan

AWS Control Tower merekomendasikan penggunaan spesifikasi kunci RSA dengan panjang kunci lebih besar dari 2048 bit, saat Anda menggunakan kunci tersebut untuk enkripsi dan dekripsi. Spesifikasi kunci menentukan apakah kunci KMS simetris atau asimetris. Ini juga menentukan jenis bahan kunci, dan algoritma yang didukungnya. AWS KMS mendukung kunci KMS asimetris yang mewakili RSA terkait secara matematis atau kurva eliptik (ECC) public dan private key pair. Kunci KMS dengan key pair RSA dapat digunakan untuk enkripsi dan dekripsi, atau untuk penandatanganan dan verifikasi (tetapi tidak keduanya). AWS KMS mendukung beberapa panjang kunci untuk persyaratan keamanan yang berbeda.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk kunci KMS dengan spesifikasi kunci RSA, yang dikonfigurasi untuk enkripsi dan dekripsi.

Remediasi untuk kegagalan aturan

Untuk kunci KMS dengan keyspec RSA, yang dikonfigurasi untuk enkripsi dan dekripsi (`KeyUsageofENCRYPT_DECRYPT`), atur `KeySpec` parameter ke spesifikasi kunci selain. `RSA_2048`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS KMS key - Contoh

Kunci AWS KMS asimetris yang dikonfigurasi untuk enkripsi dan dekripsi, dengan spesifikasi kunci. `RSA_4096` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Key": {
        "Type": "AWS::KMS::Key",
        "Properties": {
```

```
            "KeyPolicy": {
                "Version": "2012-10-17",
                "Id": "example-policy",
                "Statement": [
                    {
                        "Sid": "Enable IAM User Permissions",
                        "Effect": "Allow",
                        "Principal": {
                            "AWS": {
                                "Fn::Sub": "arn:${AWS::Partition}:iam::
${AWS::AccountId}:root"
                            }
                        },
                        "Action": "kms:*",
                        "Resource": "*"
                    }
                ]
            },
            "KeyUsage": "ENCRYPT_DECRYPT",
            "KeySpec": "RSA_4096"
        }
    }
}
```

Contoh YAMAL

```
Key:
  Type: AWS::KMS::Key
  Properties:
    KeyPolicy:
      Version: '2012-10-17'
      Id: example-policy
      Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS: !Sub 'arn:${AWS::Partition}:iam::${AWS::AccountId}:root'
          Action: kms:*
          Resource: '*'
    KeyUsage: ENCRYPT_DECRYPT
    KeySpec: RSA_4096
```

Spesifikasi aturan CT.KMS.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Name:
#   kms_asymmetric_rsa_keyspec_check
#
# Description:
#   This control checks whether an AWS KMS asymmetric key with RSA key material, which
 is used for encryption and decryption, to use a key spec with a key length greater
 than 2048 bits (that is, a key spec other than 'RSA_2048').
#
# Reports on:
#   AWS::KMS::Key
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any KMS key resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'KeyUsage' has been provided and is a value other than 'ENCRYPT_DECRYPT'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
```

```
#       And: 'KeyUsage' has not been provided or has been provided and is set to
 'ENCRYPT_DECRYPT'
#       And: 'KeySpec' has not been provided or has been provided and is set to a
#            key spec other than an RSA key spec (does not begin with 'RSA_')
#      Then: SKIP
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'KeyUsage' has not been provided or has been provided and is set to
 'ENCRYPT_DECRYPT'
#       And: 'KeySpec' has been provided and is set to an RSA key spec (begins with
 'RSA_')
#       And: 'KeySpec' has been set to a disallowed RSA key spec ('RSA_2048')
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'KeyUsage' has not been provided or has been provided and is set to
 'ENCRYPT_DECRYPT'
#       And: 'KeySpec' has been provided and is set to an RSA key spec (begins with
 'RSA_')
#       And: 'KeySpec' has not been set to a disallowed RSA key spec ('RSA_2048')
#      Then: PASS

#
# Constants
#
let KMS_KEY_TYPE = "AWS::KMS::Key"
let RSA_KEYSPEC_PATTERN = /^RSA_/
let ENCRYPTION_KEY_USAGE = "ENCRYPT_DECRYPT"
let DISALLOWED_RSA_KEYSPECS = [ "RSA_2048" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let kms_keys = Resources.*[ Type == %KMS_KEY_TYPE ]

#
# Primary Rules
#
rule kms_asymmetric_rsa_keyspec_check when is_cfn_template(%INPUT_DOCUMENT)
```

```
                                            %kms_keys not empty {
    check(%kms_keys.Properties)
        <<
        [CT.KMS.PR.2]: Require that an AWS KMS asymmetric key with RSA key material
 used for encryption has a key length greater than 2048 bits
        [FIX]: For KMS keys with an RSA keyspec, which are configured for encryption
 and decryption ('KeyUsage' of 'ENCRYPT_DECRYPT'), set the 'KeySpec' parameter to a key
 spec other than 'RSA_2048'.
        >>
}

rule kms_asymmetric_rsa_keyspec_check when is_cfn_hook(%INPUT_DOCUMENT, %KMS_KEY_TYPE)
 {
    check(%INPUT_DOCUMENT.%KMS_KEY_TYPE.resourceProperties)
        <<
        [CT.KMS.PR.2]: Require that an AWS KMS asymmetric key with RSA key material
 used for encryption has a key length greater than 2048 bits
        [FIX]: For KMS keys with an RSA keyspec, which are configured for encryption
 and decryption ('KeyUsage' of 'ENCRYPT_DECRYPT'), set the 'KeySpec' parameter to a key
 spec other than 'RSA_2048'.
        >>
}

#
# Parameterized Rules
#
rule check(kms_keys) {
    %kms_keys[
        # Scenarios 2 and 3
        filter_is_kms_rsa_asymmetric_encryption_key(this)
    ] {
        # Scenario 4 and 5
        KeySpec exists
        KeySpec not in %DISALLOWED_RSA_KEYSPECS
    }
}

rule filter_is_kms_rsa_asymmetric_encryption_key(kms_key) {
    %kms_key {
        KeyUsage not exists or
        KeyUsage == %ENCRYPTION_KEY_USAGE

        KeySpec exists
        KeySpec == %RSA_KEYSPEC_PATTERN
```

```
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.KMS.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Key:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: '2012-10-17'
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      KeyUsage: ENCRYPT_DECRYPT
      KeySpec: RSA_4096
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Key:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: '2012-10-17'
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      KeyUsage: ENCRYPT_DECRYPT
      KeySpec: RSA_2048
```

[CT.KMS.PR.3] Memerlukan kebijakan AWS Key Management Service kunci untuk memiliki pernyataan yang membatasi pembuatan AWS KMS hibah untuk layanan AWS

Kontrol ini memeriksa apakah AWS KMS kunci memiliki pernyataan kebijakan kunci terkait yang membatasi pembuatan AWS KMS hibah untuk AWS layanan saja.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::KMS::Key`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.KMS.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.KMS.PR.3
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.KMS.PR.3 contoh template

Penjelasan

Pengguna dengan izin untuk membuat hibah untuk kunci KMS (`kms:CreateGrant`) dapat menggunakan hibah untuk memungkinkan pengguna dan peran lain, termasuk AWS layanan, untuk menggunakan kunci KMS (prinsipal penerima hibah). Prinsipal penerima hibah dapat berupa identitas Anda sendiri Akun AWS, atau identitas dari akun atau organisasi yang berbeda.

Dengan menolak pembuatan AWS KMS hibah kecuali permintaan tersebut berasal dari suatu AWS layanan, Anda mencegah hibah diberikan langsung ke kepala sekolah selain prinsipal AWS layanan, dan Anda mengurangi peluang penyalahgunaan hibah. `kms:GrantIsForAWSResource`Kondisi ini membantu memeriksa apakah `CreateGrant` operasi dipanggil oleh AWS layanan yang terintegrasi dengan AWS KMS, atas nama kepala sekolah lain. `aws:PrincipalIsAWSService`Kondisi ini membantu memeriksa apakah `CreateGrant` operasi dipanggil langsung oleh kepala AWS layanan.

> Pertimbangan penggunaan
>
> - Jika Anda harus menggunakan ketentuan tambahan pada hibah Anda, atau jika Anda harus mengeluarkan AWS KMS hibah langsung ke kepala IAM Anda untuk kunci yang dikelola pelanggan, jangan aktifkan kontrol ini. Kontrol ini memerlukan pernyataan kebijakan yang menolak pembuatan AWS KMS hibah untuk kunci KMS yang dikelola pelanggan Anda, jika permintaan tersebut tidak berasal dari layanan yang terintegrasi dengan AWS KMS, atau dari prinsipal AWS layanan. AWS

Remediasi untuk kegagalan aturan

Konfigurasikan pernyataan AWS KMS kebijakan yang menolak akses ke `kms:CreateGrant` operasi untuk semua prinsipal ketika `kms:GrantIsForAWSResource` dan `aws:PrincipalIsAWSService` kondisi keduanya salah, menggunakan operator kondisi. `BoolIfExists`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS KMS key - Contoh

An AWS KMS key, dikonfigurasi untuk menolak pembuatan AWS KMS hibah di mana `CreateGrant` permintaan tidak berasal dari prinsipal AWS layanan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Key": {
        "Type": "AWS::KMS::Key",
        "Properties": {
            "KeyUsage": "ENCRYPT_DECRYPT",
            "KeySpec": "SYMMETRIC_DEFAULT",
            "KeyPolicy": {
                "Version": "2012-10-17",
                "Id": "sample-policy",
                "Statement": [
                    {
                        "Sid": "Enable IAM User Permissions",
                        "Effect": "Allow",
                        "Principal": {
                            "AWS": {
                                "Fn::Sub": "arn:${AWS::Partition}:iam::
${AWS::AccountId}:root"
                            }
                        },
                        "Action": "kms:*",
                        "Resource": "*"
                    },
                    {
                        "Effect": "Deny",
                        "Action": "kms:CreateGrant",
                        "Resource": "*",
                        "Principal": "*",
                        "Condition": {
                            "BoolIfExists": {
                                "kms:GrantIsForAWSResource": "false",
                                "aws:PrincipalIsAWSService": "false"
                            }
                        }
                    }
                ]
            }
```

```
        }
    }
}
```

Contoh YAMAL

```
Key:
  Type: AWS::KMS::Key
  Properties:
    KeyUsage: ENCRYPT_DECRYPT
    KeySpec: SYMMETRIC_DEFAULT
    KeyPolicy:
      Version: '2012-10-17'
      Id: sample-policy
      Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS: !Sub 'arn:${AWS::Partition}:iam::${AWS::AccountId}:root'
          Action: kms:*
          Resource: '*'
        - Effect: Deny
          Action: kms:CreateGrant
          Resource: '*'
          Principal: '*'
          Condition:
            BoolIfExists:
              kms:GrantIsForAWSResource: 'false'
              aws:PrincipalIsAWSService: 'false'
```

Spesifikasi aturan CT.KMS.PR.3

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Name:
#   kms_create_grant_aws_service_check
```

```
#
# Description:
#   This control checks whether an AWS KMS key has an associated key policy statement
 that limits creation of AWS KMS grants to AWS services only.
#
# Reports on:
#   AWS::KMS::Key
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any KMS key resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'Statement' in 'KeyPolicy' has not been provided or has been provided as
 an empty list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
#       And: 'Statement' in 'KeyPolicy' has been provided as a non-empty list
#       And: 'Statement' in 'KeyPolicy' does not include a statement that denies all
 Principals ('*', AWS: '*')
#            create grant permissions ('kms:CreateGrant') on the KMS key (resource of
 '*')
#            when the conditions 'kms:GrantIsForAWSResource' and
 'aws:PrincipalIsAWSService'
#            are both 'false' ('BoolIfExists' condition operator)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a KMS key resource
```

```
#       And: 'Statement' in 'KeyPolicy' has been provided as a non-empty list
#       And: 'Statement' in 'KeyPolicy' includes a statement that denies all Principals
 ('*', AWS: '*')
#            create grant permissions ('kms:CreateGrant') on the KMS key (resource of
 '*')
#            when the conditions 'kms:GrantIsForAWSResource' and
 'aws:PrincipalIsAWSService'
#            are both 'false' ('BoolIfExists' condition operator)
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let KMS_KEY_TYPE = "AWS::KMS::Key"
let KMS_GRANT_IS_FOR_AWS_RESOURCE_KEY_PATTERN = /^(?i)kms:GrantIsForAWSResource$/
let AWS_PRINCIPAL_IS_AWS_SERVICE_KEY_PATTERN = /^(?i)aws:PrincipalIsAWSService$/
let ALLOWED_KEY_PATTERNS = [/^(?i)kms:GrantIsForAWSResource$/, /^(?
i)aws:PrincipalIsAWSService$/]
#
# Assignments
#
let kms_keys = Resources.*[ Type == %KMS_KEY_TYPE ]

#
# Primary Rules
#
rule kms_create_grant_aws_service_check when is_cfn_template(%INPUT_DOCUMENT)
                                             %kms_keys not empty {
    check(%kms_keys.Properties)
        <<
        [CT.KMS.PR.3]: Require an AWS KMS key policy to have a statement that limits
 creation of AWS KMS grants to AWS services
        [FIX]: Configure a KMS keys policy statement that denies access to the
 'kms:CreateGrant' operation for all principals when the 'kms:GrantIsForAWSResource'
 and 'aws:PrincipalIsAWSService' conditions are both false, using the 'BoolIfExists'
 condition operator.
        >>
}

rule kms_create_grant_aws_service_check when is_cfn_hook(%INPUT_DOCUMENT,
 %KMS_KEY_TYPE) {
    check(%INPUT_DOCUMENT.%KMS_KEY_TYPE.resourceProperties)
        <<
```

```
        [CT.KMS.PR.3]: Require an AWS KMS key policy to have a statement that limits
 creation of AWS KMS grants to AWS services
        [FIX]: Configure a KMS key policy statement that denies access to the
 'kms:CreateGrant' operation for all principals when the 'kms:GrantIsForAWSResource'
 and 'aws:PrincipalIsAWSService' conditions are both false, using the 'BoolIfExists'
 condition operator.
        >>
}

#
# Parameterized Rules
#
rule check(kms_keys) {
    %kms_keys {
        # Scenario 2
        KeyPolicy exists
        KeyPolicy is_struct

        KeyPolicy {
            Statement exists
            Statement is_list
            Statement not empty

            #Scenario 3 and 4
            some Statement[*] {
                check_statement_create_grant_aws_services_only(this)
            }
        }
    }
}

rule check_statement_create_grant_aws_services_only(statement) {
    %statement{
        check_all_required_statement_properties(this)

        Effect == "Deny"
        Action[*] in ["kms:CreateGrant"]

        Principal == "*" or
        Principal { AWS exists AWS == "*"
        }

        Resource[*] == "*"
```

```
        Condition is_struct
        struct_contains_only_allowed_keys(Condition, ["BoolIfExists"])

        Condition {
            BoolIfExists exists
            BoolIfExists is_struct

            struct_contains_only_allowed_keys(BoolIfExists, %ALLOWED_KEY_PATTERNS)
            struct_contains_key_with_value(BoolIfExists,
 %KMS_GRANT_IS_FOR_AWS_RESOURCE_KEY_PATTERN, "false")
            struct_contains_key_with_value(BoolIfExists,
 %AWS_PRINCIPAL_IS_AWS_SERVICE_KEY_PATTERN, "false")
        }
    }
}

rule check_all_required_statement_properties(statement) {
    %statement {
        Effect exists
        Action exists
        Principal exists
        Condition exists
        Resource exists
    }
}

rule struct_contains_only_allowed_keys(struct, allowed_keys) {
    let disallowed_keys = %struct[
        keys not in %allowed_keys
    ]
    %disallowed_keys empty
}

rule struct_contains_key_with_value(struct, key, value) {
    let key_present = %struct[
        keys == %key
    ]
    %key_present not empty
    %key_present == %value
}

#
# Utility Rules
#
```

```
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.KMS.PR.3 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Key:
    Type: AWS::KMS::Key
    Properties:
      KeyUsage: ENCRYPT_DECRYPT
      KeySpec: SYMMETRIC_DEFAULT
      KeyPolicy:
        Version: '2012-10-17'
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
        - Effect: Deny
          Action: kms:CreateGrant
          Resource: '*'
          Principal: '*'
          Condition:
```

```
            BoolIfExists:
              kms:GrantIsForAWSResource: 'false'
              aws:PrincipalIsAWSService: 'false'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Key:
    Type: AWS::KMS::Key
    Properties:
      KeyUsage: ENCRYPT_DECRYPT
      KeySpec: SYMMETRIC_DEFAULT
      KeyPolicy:
        Version: '2012-10-17'
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
```

Kontrol Amazon Kinesis

Topik

- [CT.KINESIS.PR.1] Memerlukan aliran data Amazon Kinesis apa pun agar enkripsi saat istirahat dikonfigurasi

[CT.KINESIS.PR.1] Memerlukan aliran data Amazon Kinesis apa pun agar enkripsi saat istirahat dikonfigurasi

Kontrol ini memeriksa apakah aliran data Amazon Kinesis dienkripsi saat istirahat dengan enkripsi sisi server.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Kinesis::Stream`
- AWS CloudFormation aturan penjaga: CT.KINESIS.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.KINESIS.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.KINESIS.PR.1contoh template

Penjelasan

Enkripsi sisi server adalah fitur dalam aliran data Amazon Kinesis yang mengenkripsi data secara otomatis, sebelum data diam, dengan menggunakan file. AWS KMS key Data dienkripsi sebelum ditulis ke lapisan penyimpanan aliran Kinesis, dan didekripsi setelah diambil dari penyimpanan. Akibatnya, data Anda dienkripsi saat istirahat dalam layanan aliran data Amazon Kinesis.

Remediasi untuk kegagalan aturan

Tentukan `StreamEncryption` konfigurasi, dengan `EncryptionType` diatur ke `KMS` dan `KeyId` atur ke AWS KMS key pengenal.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Aliran Data Kinesis Amazon - Contoh

Amazon Kinesis data stream dikonfigurasi untuk mengenkripsi data saat istirahat dengan enkripsi sisi server, menggunakan file. AWS KMS key Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "KinesisStream": {
        "Type": "AWS::Kinesis::Stream",
        "Properties": {
```

```
            "RetentionPeriodHours": 168,
            "ShardCount": 3,
            "StreamEncryption": {
                "EncryptionType": "KMS",
                "KeyId": {
                    "Ref": "KMSKey"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
KinesisStream:
  Type: AWS::Kinesis::Stream
  Properties:
    RetentionPeriodHours: 168
    ShardCount: 3
    StreamEncryption:
      EncryptionType: KMS
      KeyId: !Ref 'KMSKey'
```

CT.KINESIS.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   kinesis_stream_encrypted_check
#
# Description:
#   This control checks whether Amazon Kinesis data streams are encrypted at rest with
 server-side encryption.
#
# Reports on:
#   AWS::Kinesis::Stream
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Kinesis stream resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Kinesis stream resource
#       And: 'StreamEncryption' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Kinesis stream resource
#       And: 'StreamEncryption' has been provided
#       And: 'StreamEncryption.EncryptionType' has not been provided or provided as an
 empty string
#       And: 'StreamEncryption.KeyId' has not been provided or provided as an empty
 string or invalid local reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Kinesis stream resource
#       And: 'StreamEncryption' has been provided
#       And: 'StreamEncryption.EncryptionType' has been provided as a non-empty string
#       And: 'StreamEncryption.KeyId' has not been provided or provided as an empty
 string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Kinesis stream resource
#       And: 'StreamEncryption' has been provided
```

```
#       And: 'StreamEncryption.EncryptionType' has not been provided or provided as an
 empty string
#       And: 'StreamEncryption.KeyId' has been provided as a non-empty string or valid
 local reference
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Kinesis stream resource
#       And: 'StreamEncryption' has been provided
#       And: 'StreamEncryption.EncryptionType' has been provided as a non-empty string
#       And: 'StreamEncryption.KeyId' has been provided as a non-empty string or valid
 local reference
#      Then: PASS

#
# Constants
#
let KINESIS_STREAM_TYPE = "AWS::Kinesis::Stream"
let INPUT_DOCUMENT = this

#
# Assignments
#
let kinesis_streams = Resources.*[ Type == %KINESIS_STREAM_TYPE ]

#
# Primary Rules
#
rule kinesis_stream_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                         %kinesis_streams not empty {
    check(%kinesis_streams.Properties)
        <<
        [CT.KINESIS.PR.1]: Require any Amazon Kinesis data stream to have encryption at
 rest configured
            [FIX]: Specify a 'StreamEncryption' configuration, with 'EncryptionType'
 set to 'KMS' and 'KeyId' set to an AWS KMS key identifier.
        >>
}

rule kinesis_stream_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %KINESIS_STREAM_TYPE) {
    check(%INPUT_DOCUMENT.%KINESIS_STREAM_TYPE.resourceProperties)
        <<
```

```
        [CT.KINESIS.PR.1]: Require any Amazon Kinesis data stream to have encryption at
 rest configured
            [FIX]: Specify a 'StreamEncryption' configuration, with 'EncryptionType'
 set to 'KMS' and 'KeyId' set to an AWS KMS key identifier.
        >>
}

#
# Parameterized Rules
#
rule check(kinesis_stream) {
    %kinesis_stream {
        # Scenario 2
        StreamEncryption exists
        StreamEncryption is_struct

        StreamEncryption {
            # Scenario 3
            EncryptionType exists
            KeyId exists

            # Scenario 4, 5 and 6
            check_is_string_and_not_empty(EncryptionType)
            check_is_string_and_not_empty(KeyId) or
            check_local_references(%INPUT_DOCUMENT, KeyId, "AWS::KMS::Key") or
            check_local_references(%INPUT_DOCUMENT, KeyId, "AWS::KMS::Alias")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

```
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.KINESIS.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KMSKey:
    Type: AWS::KMS::Key
    Properties:
      PendingWindowInDays: 7
      KeyPolicy:
```

```
        Version: 2012-10-17
        Id: example-key-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      KeySpec: SYMMETRIC_DEFAULT
  KinesisStream:
    Type: AWS::Kinesis::Stream
    Properties:
      RetentionPeriodHours: 168
      ShardCount: 3
      StreamEncryption:
        EncryptionType: KMS
        KeyId:
          Ref: KMSKey
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  KinesisStream:
    Type: AWS::Kinesis::Stream
    Properties:
      RetentionPeriodHours: 168
      ShardCount: 3
```

AWS Lambda kontrol

Topik

- [CT.LAMBDA.PR.2] Memerlukan kebijakan AWS Lambda fungsi untuk melarang akses publik
- [CT.LAMBDA.PR.3] Memerlukan AWS Lambda fungsi untuk berada di Amazon Virtual Private Cloud (VPC) yang dikelola pelanggan

- [CT.LAMBDA.PR.4] Memerlukan izin AWS Lambda lapisan untuk memberikan akses ke AWS organisasi atau spesifik Akun AWS
- [CT.LAMBDA.PR.5] Memerlukan URL AWS Lambda fungsi untuk menggunakan otentikasi AWS berbasis IAM
- [CT.LAMBDA.PR.6] Memerlukan kebijakan CORS URL AWS Lambda fungsi untuk membatasi akses ke asal tertentu

[CT.LAMBDA.PR.2] Memerlukan kebijakan AWS Lambda fungsi untuk melarang akses publik

Kontrol ini memeriksa apakah kebijakan berbasis sumber daya AWS Lambda fungsi melarang akses publik.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Lambda::Permission`
- AWS CloudFormation aturan penjaga: CT.LAMBDA.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.LAMBDA.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.LAMBDA.PR.2contoh template

Penjelasan

Fungsi Lambda tidak boleh diakses publik, karena mungkin mengizinkan akses yang tidak diinginkan ke kode Anda yang disimpan dalam fungsi.

Remediasi untuk kegagalan aturan

Saat mengatur `Principal` ke`*`, berikan salah satu`SourceAccount`,`SourceArn`, atau`PrincipalOrgID`. Saat menyetel `Principal` ke kepala layanan (misalnya, s3.amazonaws.com), berikan salah satu atau. `SourceAccount` `SourceArn`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Lambda Kebijakan Fungsi - Contoh Satu

AWS Lambda kebijakan fungsi dikonfigurasi dengan prinsipal Akun AWS ID. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LambdaPermission": {
        "Type": "AWS::Lambda::Permission",
        "Properties": {
            "Action": "lambda:InvokeFunction",
            "FunctionName": {
                "Ref": "LambdaFunction"
            },
            "Principal": {
                "Ref": "AWS::AccountId"
            }
        }
    }
}
```

Contoh YAMAL

```
LambdaPermission:
  Type: AWS::Lambda::Permission
  Properties:
    Action: lambda:InvokeFunction
    FunctionName: !Ref 'LambdaFunction'
    Principal: !Ref 'AWS::AccountId'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Lambda Kebijakan Fungsi - Contoh Dua

AWS Lambda kebijakan fungsi dikonfigurasi dengan pokok wildcard dan kondisi akun sumber. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LambdaPermission": {
        "Type": "AWS::Lambda::Permission",
        "Properties": {
            "Action": "lambda:InvokeFunction",
            "FunctionName": {
                "Ref": "LambdaFunction"
            },
            "Principal": "*",
            "SourceAccount": {
                "Ref": "AWS::AccountId"
            }
        }
    }
}
```

Contoh YAMAL

```
LambdaPermission:
  Type: AWS::Lambda::Permission
  Properties:
    Action: lambda:InvokeFunction
    FunctionName: !Ref 'LambdaFunction'
    Principal: '*'
    SourceAccount: !Ref 'AWS::AccountId'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Lambda Kebijakan Fungsi - Contoh Tiga

AWS Lambda kebijakan fungsi dikonfigurasi dengan prinsip layanan dan kondisi ARN sumber. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LambdaPermission": {
        "Type": "AWS::Lambda::Permission",
        "Properties": {
            "Action": "lambda:InvokeFunction",
            "FunctionName": {
                "Ref": "LambdaFunction"
            },
            "Principal": "s3.amazonaws.com",
            "SourceArn": {
                "Fn::GetAtt": [
                    "S3Bucket",
                    "Arn"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
LambdaPermission:
  Type: AWS::Lambda::Permission
  Properties:
    Action: lambda:InvokeFunction
    FunctionName: !Ref 'LambdaFunction'
    Principal: s3.amazonaws.com
    SourceArn: !GetAtt 'S3Bucket.Arn'
```

CT.LAMBDA.PR.2spesifikasi aturan

```
# ##################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   lambda_function_public_access_prohibited_check
#
```

```
# Description:
#   This control checks whether an AWS Lambda function resource-based policy prohibits
 public access.
#
# Reports on:
#   AWS::Lambda::Permission
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Lambda permission resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda permission resource
#       And: 'FunctionUrlAuthType' has been provided with a value of 'NONE'
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda permission resource
#       And: 'Principal' has been provided with a wildcard value ('*')
#       And: 'SourceAccount' has not been provided or provided with an empty string
 value
#       And: 'SourceArn' has not been provided or provided with an empty string value
 or non-valid local reference
#       And: 'PrincipalOrgID' has not been provided or provided with an empty string
 value
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda permission resource
#       And: 'Principal' has been provided with value that does not match an AWS
 Account ID, AWS IAM ARN or
#            wildcard value ('*')
```

```
#       And: 'SourceAccount' has not been provided or provided with an empty string
 value
#       And: 'SourceArn' has not been provided or provided with an empty string value
 or non-valid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda permission resource
#       And: 'Principal' has been provided with an AWS Account ID or AWS IAM ARN value
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda permission resource
#       And: 'Principal' has been provided with a wildcard value ('*')
#       And: At least one of 'SourceAccount', 'SourceArn' or 'PrincipalOrgID' have been
 provided with non-empty string
#            values (or a valid local reference for 'SourceArn')
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda permission resource
#       And: 'Principal' has been provided with value that does not match an AWS
 Account ID or AWS IAM ARN
#       And: At least one of 'SourceAccount', 'SourceArn' have been provided with non-
empty string values (or a valid
#            local reference for 'SourceArn')
#      Then: PASS

#
# Constants
#
let LAMBDA_PERMISSION_TYPE = "AWS::Lambda::Permission"
let AWS_ACCOUNT_ID_PATTERN = /\d{12}/
let AWS_IAM_PRINCIPAL_PATTERN = /^arn:aws[a-z0-9\-]*:iam::\d{12}:.+/

let INPUT_DOCUMENT = this

#
# Assignments
#
let lambda_permissions = Resources.*[ Type == %LAMBDA_PERMISSION_TYPE ]
```

```
#
# Primary Rules
#
rule lambda_function_public_access_prohibited_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %lambda_permissions not empty
 {
    check(%lambda_permissions.Properties)
        <<
        [CT.LAMBDA.PR.2]: Require AWS Lambda function policies to prohibit public
 access
        [FIX]: When setting 'Principal' to '*', provide one of 'SourceAccount',
 'SourceArn', or 'PrincipalOrgID'. When setting 'Principal' to a service principal (for
 example, s3.amazonaws.com), provide one of 'SourceAccount' or 'SourceArn'.
        >>
}

rule lambda_function_public_access_prohibited_check when is_cfn_hook(%INPUT_DOCUMENT,
 %LAMBDA_PERMISSION_TYPE) {
    check(%INPUT_DOCUMENT.%LAMBDA_PERMISSION_TYPE.resourceProperties)
        <<
        [CT.LAMBDA.PR.2]: Require AWS Lambda function policies to prohibit public
 access
        [FIX]: When setting 'Principal' to '*', provide one of 'SourceAccount',
 'SourceArn', or 'PrincipalOrgID'. When setting 'Principal' to a service principal (for
 example, s3.amazonaws.com), provide one of 'SourceAccount' or 'SourceArn'.
        >>
}

#
# Parameterized Rules
#
rule check(lambda_permission) {
    %lambda_permission {
        # Scenario 2 and 5
        FunctionUrlAuthType not exists or
        FunctionUrlAuthType != "NONE"
    }

    %lambda_permission [
        Principal exists
        Principal == "*"
    ] {
```

```
        # Scenario 3 and 6
        SourceAccount exists or
        SourceArn exists or
        PrincipalOrgID exists

        check_is_string_and_not_empty(SourceAccount) or
        check_is_string_or_local_reference(SourceArn) or
        check_is_string_and_not_empty(PrincipalOrgID)
    }

    %lambda_permission [
        Principal exists
        Principal != "*"
        Principal != %AWS_ACCOUNT_ID_PATTERN
        Principal != %AWS_IAM_PRINCIPAL_PATTERN
    ] {
        # Scenario 4 and 7
        SourceAccount exists or
        SourceArn exists

        check_is_string_and_not_empty(SourceAccount) or
        check_is_string_or_local_reference(SourceArn)
    }
}

rule check_is_string_or_local_reference(value) {
    %value {
        check_is_string_and_not_empty(this) or
        check_local_references(%INPUT_DOCUMENT, this)
    }
}

rule check_local_references(doc, reference_properties) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0])
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this)
                <<Local Stack reference was invalid>>
        }
    }
}
```

```
rule query_for_resource(doc, resource_key) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.LAMBDA.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
```

```
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Runtime: python3.9
      Code:
        ZipFile: "def handler(event, context):\n  print(\"hello\")\n"
      Description: TestS3EventFunction
  LambdaPermission:
    Type: AWS::Lambda::Permission
    Properties:
      Action: lambda:InvokeFunction
      FunctionName:
        Ref: LambdaFunction
      Principal:
        Ref: AWS::AccountId
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Runtime: python3.9
      Code:
        ZipFile: "def handler(event, context):\n  print(\"hello\")\n"
      Description: TestS3EventFunction
  LambdaPermission:
    Type: AWS::Lambda::Permission
    Properties:
      Action: lambda:InvokeFunction
      FunctionName:
        Ref: LambdaFunction
      Principal: '*'
```

[CT.LAMBDA.PR.3] Memerlukan AWS Lambda fungsi untuk berada di Amazon Virtual Private Cloud (VPC) yang dikelola pelanggan

Kontrol ini memeriksa apakah fungsi AWS Lambda telah dikonfigurasi dengan akses ke sumber daya di Amazon Virtual Private Cloud (VPC) yang dikelola pelanggan.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Lambda::Function`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.LAMBDA.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.LAMBDA.PR.3
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.LAMBDA.PR.3 contoh templat

Penjelasan

AWS Lambda fungsi dapat ditautkan ke subnet pribadi dalam virtual private cloud (VPC) di Akun AWS Anda untuk terhubung ke sumber daya seperti database, instance cache, atau layanan internal. Pastikan bahwa subnet dan kelompok keamanan yang digunakan memungkinkan akses ke sumber daya yang diperlukan.

Pertimbangan penggunaan

- Kontrol ini tidak mengevaluasi konfigurasi perutean subnet VPC untuk menentukan jangkauan publik.
- Kontrol ini tidak mendukung Fungsi AWS Lambda @Edge. Lambda @Edge tidak mendukung fungsi yang dikonfigurasi dengan akses ke sumber daya di dalam VPC Anda.

- Fungsi Lambda tidak dapat terhubung langsung ke VPC dengan tenancy instans khusus. Untuk terhubung ke sumber daya dalam VPC khusus, sambungkan ke VPC kedua dengan penyewaan default.

Remediasi untuk kegagalan aturan

Di`VpcConfig`, berikan `SubnetIds` properti dengan satu atau beberapa ID Subnet, dan berikan `SecurityGroupIds` properti dengan satu atau beberapa ID Grup Keamanan.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Fungsi AWS Lambda - Contoh

Fungsi AWS Lambda dikonfigurasi untuk mengakses sumber daya dalam VPC. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LambdaFunction": {
        "Type": "AWS::Lambda::Function",
        "Properties": {
            "Role": {
                "Fn::GetAtt": "LambdaFunctionRole.Arn"
            },
            "Handler": "index.handler",
            "Code": {
                "ZipFile": "def handler(event, context):\n    print(\"sample function
\")\n"
            },
            "Runtime": "python3.9",
            "VpcConfig": {
                "SubnetIds": [
                    {
                        "Fn::GetAtt": [
                            "SubnetOne",
                            "SubnetId"
                        ]
                    },
                    {
                        "Fn::GetAtt": [
```

```
                            "SubnetTwo",
                            "SubnetId"
                        ]
                    }
                ],
                "SecurityGroupIds": [
                    {
                        "Fn::GetAtt": [
                            "SecurityGroup",
                            "GroupId"
                        ]
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
LambdaFunction:
  Type: AWS::Lambda::Function
  Properties:
    Role: !GetAtt 'LambdaFunctionRole.Arn'
    Handler: index.handler
    Code:
      ZipFile: "def handler(event, context):\n    print(\"sample function\")\n"
    Runtime: python3.9
    VpcConfig:
      SubnetIds:
        - !GetAtt 'SubnetOne.SubnetId'
        - !GetAtt 'SubnetTwo.SubnetId'
      SecurityGroupIds:
        - !GetAtt 'SecurityGroup.GroupId'
```

Spesifikasi aturan CT.LAMBDA.PR.3

```
# ##################################
```

```
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   lambda_inside_vpc_check
#
# Description:
#   This control checks whether an AWS Lambda function has been configured with access
 to resources in a customer-managed Amazon Virtual Private Cloud (VPC).
#
# Reports on:
#   AWS::Lambda::Function
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Lambda function resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function resource
#       And: 'VpcConfig' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function resource
#       And: 'VpcConfig' has been provided
#       And: 'SubnetIds' in 'VpcConfig' has been provided as a non-empty list that
 contains non-empty strings or valid
#            local references
#       And: 'SecurityGroupIds' in 'VpcConfig' has not been been provided or has been
 provided as an empty list
#      Then: FAIL
#   Scenario: 4
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function resource
#       And: 'VpcConfig' has been provided
#       And: 'SecurityGroupIds' in 'VpcConfig' has been provided as a non-empty list
 that contains non-empty strings
#            or valid local references
#       And: 'SubnetIds' in 'VpcConfig' has not been been provided or has been provided
 as an empty list
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function resource
#       And: 'VpcConfig' has been provided
#       And: 'SecurityGroupIds' in 'VpcConfig' has been provided as a non-empty list
 that contains non-empty strings or
#            valid local references
#       And: 'SubnetIds' in 'VpcConfig' has been provided as a non-empty list that
 contains non-empty strings or valid
#            local references
#      Then: PASS

#
# Constants
#
let LAMBDA_FUNCTION_TYPE = "AWS::Lambda::Function"
let INPUT_DOCUMENT = this

#
# Assignments
#
let lambda_functions = Resources.*[ Type == %LAMBDA_FUNCTION_TYPE ]

#
# Primary Rules
#
rule lambda_inside_vpc_check when is_cfn_template(%INPUT_DOCUMENT)
                                 %lambda_functions not empty {
    check(%lambda_functions.Properties)
        <<
        [CT.LAMBDA.PR.3]: Require an AWS Lambda function to be in a customer-managed
 Amazon Virtual Private Cloud (VPC)
```

```
        [FIX]: In 'VpcConfig', provide the 'SubnetIds' property with one or more Subnet
 IDs, and provide the 'SecurityGroupIds' property with one or more Security Group IDs.
        >>
}

rule lambda_inside_vpc_check when is_cfn_hook(%INPUT_DOCUMENT, %LAMBDA_FUNCTION_TYPE) {
    check(%INPUT_DOCUMENT.%LAMBDA_FUNCTION_TYPE.resourceProperties)
        <<
        [CT.LAMBDA.PR.3]: Require an AWS Lambda function to be in a customer-managed
 Amazon Virtual Private Cloud (VPC)
        [FIX]: In 'VpcConfig', provide the 'SubnetIds' property with one or more Subnet
 IDs, and provide the 'SecurityGroupIds' property with one or more Security Group IDs.
        >>
}

#
# Parameterized Rules
#
rule check(lambda_function) {
    %lambda_function {
        # Scenario 2
        VpcConfig exists
        VpcConfig is_struct

        VpcConfig {
            # Scenario 3 and 5
            SubnetIds exists
            SubnetIds is_list
            SubnetIds not empty
            SubnetIds[*] {
                check_is_string_and_not_empty(this) or
                check_local_references(%INPUT_DOCUMENT, this, "AWS::EC2::Subnet")
            }
            # Scenario 4 and 5
            SecurityGroupIds exists
            SecurityGroupIds is_list
            SecurityGroupIds not empty
            SecurityGroupIds[*] {
                check_is_string_and_not_empty(this) or
                check_local_references(%INPUT_DOCUMENT, this,
 "AWS::EC2::SecurityGroup")
            }
        }
     }
```

```
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.LAMBDA.PR.3 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  SecurityGroup1:
    Type: AWS::EC2::SecurityGroup
    Properties:
      VpcId:
        Ref: VPC
      GroupDescription:
        Fn::Sub: ${AWS::StackName}-example
```

```
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            - ec2:CreateNetworkInterface
            - ec2:DescribeNetworkInterfaces
            - ec2:DeleteNetworkInterface
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Code:
        ZipFile: |
          def handler(event, context):
              print("example")
      Runtime: python3.9
      VpcConfig:
        SubnetIds:
        - Fn::GetAtt:
          - SubnetOne
          - SubnetId
        - Fn::GetAtt:
```

```
          - SubnetTwo
          - SubnetId
        SecurityGroupIds:
        - Fn::GetAtt:
          - SecurityGroup1
          - GroupId
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            - ec2:CreateNetworkInterface
            - ec2:DescribeNetworkInterfaces
            - ec2:DeleteNetworkInterface
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
```

```
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Code:
        ZipFile: |
          def handler(event, context):
              print("example")
      Runtime: python3.9
```

[CT.LAMBDA.PR.4] Memerlukan izin AWS Lambda lapisan untuk memberikan akses ke AWS organisasi atau spesifik Akun AWS

Kontrol ini memeriksa apakah izin AWS Lambda lapisan telah dikonfigurasi untuk memberikan akses ke AWS organisasi atau khusus Akun AWS saja, dengan memastikan bahwa akses publik dari semua Akun AWS belum diberikan ke lapisan.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Lambda::LayerVersionPermission`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.LAMBDA.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.LAMBDA.PR.4
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.LAMBDA.PR.4 contoh templat

Penjelasan

Secara default, lapisan yang Anda buat bersifat pribadi untuk Anda Akun AWS. Namun, Anda dapat berbagi lapisan dengan akun lain atau menjadikannya publik, secara opsional.

Lapisan publik memungkinkan akses yang tidak diinginkan ke kode sumber dan aplikasi Anda. Lapisan Lambda publik dapat mengekspos informasi berharga tentang akun, sumber daya, dan proses internal Anda.

Remediasi untuk kegagalan aturan

Atur `OrganizationId` parameter ke ID AWS organisasi, atau atur `Principal` parameter ke Akun AWS ID.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Lambda izin lapisan - Contoh satu

URL izin AWS Lambda versi yang dikonfigurasi untuk memberikan izin penggunaan lapisan ke semua akun dalam organisasi. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LayerVersionPermission": {
        "Type": "AWS::Lambda::LayerVersionPermission",
        "Properties": {
            "Action": "lambda:GetLayerVersion",
            "LayerVersionArn": {
                "Ref": "LayerVersion"
            },
            "OrganizationId": "o-abc123defg"
        }
    }
}
```

Contoh YAMAL

```
LayerVersionPermission:
  Type: AWS::Lambda::LayerVersionPermission
  Properties:
    Action: lambda:GetLayerVersion
    LayerVersionArn: !Ref 'LayerVersion'
    OrganizationId: o-abc123defg
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Lambda izin lapisan - Contoh dua

URL izin AWS Lambda versi yang dikonfigurasi untuk memberikan izin penggunaan lapisan untuk file Akun AWS. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "LayerVersionPermission": {
        "Type": "AWS::Lambda::LayerVersionPermission",
        "Properties": {
            "Action": "lambda:GetLayerVersion",
            "LayerVersionArn": {
                "Ref": "LayerVersion"
            },
            "Principal": "123456789012"
        }
    }
}
```

Contoh YAMAL

```
LayerVersionPermission:
  Type: AWS::Lambda::LayerVersionPermission
  Properties:
    Action: lambda:GetLayerVersion
    LayerVersionArn: !Ref 'LayerVersion'
    Principal: '123456789012'
```

Spesifikasi aturan CT.LAMBDA.PR.4

```
# ##################################
##       Rule Specification        ##
```

```
####################################
#
# Rule Identifier:
#   lambda_layer_public_access_prohibited_check
#
# Description:
#   This control checks whether an AWS Lambda layer permission has been configured to
 grant access to an AWS organization or to a specific Akun AWS only, by ensuring that
 public access from all Akun AWS has not been granted to a layer.
#
# Reports on:
#   AWS::Lambda::LayerVersionPermission
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Lambda layer version permission
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda layer version permission resource
#       And: 'OrganizationId' has not been provided
#       And: 'Principal' has been provided and set to '*'
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda layer version permission resource
#       And: 'OrganizationId' has not been provided
#       And: 'Principal' has been provided and set to a non-empty string value other
 than '*'
#      Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains a Lambda layer version permission resource
#       And: 'OrganizationId' has been provided as a non-empty string
#      Then: PASS

#
# Constants
#
let LAMBDA_LAYER_PERMISSION_TYPE = "AWS::Lambda::LayerVersionPermission"
let INPUT_DOCUMENT = this

#
# Assignments
#
let lambda_layer_permissions = Resources.*[ Type == %LAMBDA_LAYER_PERMISSION_TYPE ]

#
# Primary Rules
#
rule lambda_layer_public_access_prohibited_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %lambda_layer_permissions not
 empty {
    check(%lambda_layer_permissions.Properties)
        <<
        [CT.LAMBDA.PR.4]: Require an AWS Lambda layer permission to grant access to an
 AWS organization or specific Akun AWS
[FIX]: Set the 'OrganizationId' parameter to the ID of an AWS organization, or set the
 'Principal' parameter to an Akun AWS ID.
        >>
}

rule lambda_layer_public_access_prohibited_check when is_cfn_hook(%INPUT_DOCUMENT,
 %LAMBDA_LAYER_PERMISSION_TYPE) {
    check(%INPUT_DOCUMENT.%LAMBDA_LAYER_PERMISSION_TYPE.resourceProperties)
        <<
        [CT.LAMBDA.PR.4]: Require an AWS Lambda layer permission to grant access to an
 AWS organization or specific Akun AWS
[FIX]: Set the 'OrganizationId' parameter to the ID of an AWS organization, or set the
 'Principal' parameter to an Akun AWS ID.
        >>
}

#
# Parameterized Rules
#
```

```
rule check(lambda_layer_permission) {
    %lambda_layer_permission [
        OrganizationId not exists
    ] {
        # Scenarios 2 and 3
        Principal exists
        check_is_string_and_not_empty(Principal)
        Principal != "*"
    }
    %lambda_layer_permission [
        OrganizationId exists
    ] {
        # Scenario 4
        check_is_string_and_not_empty(OrganizationId)
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}
```

CT.LAMBDA.PR.4 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LayerVersion:
    Type: AWS::Lambda::LayerVersion
    Properties:
      CompatibleRuntimes:
      - python3.9
      Content:
        S3Bucket: example-layer-bucket
        S3Key: layer.zip
      Description: Example layer
      LayerName: example-layer
      LicenseInfo: MIT
  LayerVersionPermission:
    Type: AWS::Lambda::LayerVersionPermission
    Properties:
      Action: lambda:GetLayerVersion
      LayerVersionArn:
        Ref: LayerVersion
      OrganizationId: o-abc123defg
      Principal: "*"
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LayerVersion:
    Type: AWS::Lambda::LayerVersion
    Properties:
      CompatibleRuntimes:
      - python3.9
      Content:
        S3Bucket: example-layer-bucket
```

```
        S3Key: layer.zip
      Description: Example layer
      LayerName: example-layer
      LicenseInfo: MIT
  LayerVersionPermission:
    Type: AWS::Lambda::LayerVersionPermission
    Properties:
      Action: lambda:GetLayerVersion
      LayerVersionArn:
        Ref: LayerVersion
      Principal: "*"
```

[CT.LAMBDA.PR.5] Memerlukan URL AWS Lambda fungsi untuk menggunakan otentikasi AWS berbasis IAM

Kontrol ini memeriksa apakah URL AWS Lambda fungsi dikonfigurasi untuk menggunakan otentikasi yang didasarkan pada IAM.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Lambda::Url`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.LAMBDA.PR.5

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.LAMBDA.PR.5
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.LAMBDA.PR.5 contoh templat

Penjelasan

Anda dapat mengontrol akses ke URL fungsi Lambda menggunakan `AuthType` parameter, dikombinasikan dengan kebijakan berbasis sumber daya yang dilampirkan ke fungsi spesifik Anda. Konfigurasi kedua komponen ini menentukan siapa yang dapat memanggil atau melakukan tindakan administratif lainnya pada URL fungsi Anda.

`AuthType`Parameter menentukan cara Lambda mengautentikasi atau mengotorisasi permintaan ke URL fungsi Lambda Anda (titik akhir). Pengaturan `AuthType` ke `NONE` berarti bahwa Lambda tidak melakukan otentikasi apa pun sebelum memanggil fungsi Anda. Namun, kebijakan berbasis sumber daya fungsi Anda selalu berlaku, dan kebijakan tersebut harus memberikan akses publik sebelum URL fungsi Lambda (titik akhir) Anda dapat menerima permintaan.

Remediasi untuk kegagalan aturan

Atur `AuthType` parameter ke `AWS_IAM`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Lambda fungsi URL - Contoh

URL AWS Lambda fungsi (endpoint) yang dikonfigurasi dengan otentikasi berbasis AWS IAM. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "FunctionUrl": {
        "Type": "AWS::Lambda::Url",
        "Properties": {
            "TargetFunctionArn": {
                "Fn::GetAtt": [
                    "LambdaFunction",
                    "Arn"
                ]
            },
            "AuthType": "AWS_IAM"
        }
    }
}
```

Contoh YAMAL

```
FunctionUrl:
  Type: AWS::Lambda::Url
  Properties:
    TargetFunctionArn: !GetAtt 'LambdaFunction.Arn'
```

```
    AuthType: AWS_IAM
```

Spesifikasi aturan CT.LAMBDA.PR.5

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   lambda_function_url_auth_check
#
# Description:
#   This control checks whether an AWS Lambda function URL is configured to use
 authentication that's
based on AWS IAM.
#
# Reports on:
#   AWS::Lambda::Url
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Lambda function URL resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function URL resource
#       And: 'AuthType' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains a Lambda function URL resource
#       And: 'AuthType' been provided and set to a value other than 'AWS_IAM'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function URL resource
#       And: 'AuthType' been provided and set to 'AWS_IAM'
#      Then: PASS

#
# Constants
#
let LAMBDA_FUNCTION_URL_TYPE = "AWS::Lambda::Url"
let AUTHORIZED_AUTHENTICATION_TYPES = ["AWS_IAM"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let lambda_function_urls = Resources.*[ Type == %LAMBDA_FUNCTION_URL_TYPE ]

#
# Primary Rules
#
rule lambda_function_url_auth_check when is_cfn_template(%INPUT_DOCUMENT)
                                         %lambda_function_urls not empty {
    check(%lambda_function_urls.Properties)
        <<
        [CT.LAMBDA.PR.5]: Require an AWS Lambda function URL to use AWS IAM-based
 authentication
        [FIX]: Set the 'AuthType' parameter to 'AWS_IAM'
        >>
}

rule lambda_function_url_auth_check when is_cfn_hook(%INPUT_DOCUMENT,
 %LAMBDA_FUNCTION_URL_TYPE) {
    check(%INPUT_DOCUMENT.%LAMBDA_FUNCTION_URL_TYPE.resourceProperties)
        <<
        [CT.LAMBDA.PR.5]: Require an AWS Lambda function URL to use AWS IAM-based
 authentication
        [FIX]: Set the 'AuthType' parameter to 'AWS_IAM'
        >>
}
```

```
#
# Parameterized Rules
#
rule check(lambda_function_url) {
    %lambda_function_url {
        # Scenario 2
        AuthType exists
        # Scenarios 3 and 4
        AuthType in %AUTHORIZED_AUTHENTICATION_TYPES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.LAMBDA.PR.5 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
```

```
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Code:
        ZipFile: "def handler(event, context):\n    print(\"example\")\n"
      Runtime: python3.9
  FunctionUrl:
    Type: AWS::Lambda::Url
    Properties:
      TargetFunctionArn:
        Fn::GetAtt:
        - LambdaFunction
        - Arn
      AuthType: AWS_IAM
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Code:
        ZipFile: "def handler(event, context):\n    print(\"example\")\n"
      Runtime: python3.9
  FunctionUrl:
    Type: AWS::Lambda::Url
    Properties:
      TargetFunctionArn:
        Fn::GetAtt:
        - LambdaFunction
        - Arn
      AuthType: NONE
```

[CT.LAMBDA.PR.6] Memerlukan kebijakan CORS URL AWS Lambda fungsi untuk membatasi akses ke asal tertentu

Kontrol ini memeriksa apakah URL AWS Lambda fungsi dikonfigurasi dengan kebijakan berbagi sumber daya lintas asal (CORS) yang tidak memberikan akses ke semua asal.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Lambda::Url`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.LAMBDA.PR.6

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.LAMBDA.PR.6
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.LAMBDA.PR.6 contoh templat

Penjelasan

Cross-Origin Resource Sharing (CORS) adalah mekanisme berdasarkan HTTP-header, yang memungkinkan server untuk menunjukkan asal (domain, skema, atau port) selain miliknya sendiri, dari mana browser harus mengizinkan pemuatan sumber daya.

Jika Anda menetapkan wildcard origin (`*`) dalam kebijakan CORS, Anda mengizinkan kode yang berjalan di browser dari asal mana pun untuk mendapatkan akses ke URL fungsi Anda.

Remediasi untuk kegagalan aturan

Dalam `Cors` parameter, pastikan bahwa nilai `AllowOrigins` tidak mengandung wildcard asal (`*`, `http://*` dan`https://*`)

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Lambda Fungsi URL - Contoh

AWS Lambda URL fungsi dikonfigurasi dengan kebijakan berbagi sumber daya lintas asal (CORS) yang membatasi akses ke asal tertentu. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "FunctionUrl": {
        "Type": "AWS::Lambda::Url",
        "Properties": {
            "TargetFunctionArn": {
                "Fn::GetAtt": [
                    "LambdaFunction",
                    "Arn"
                ]
            },
            "AuthType": "AWS_IAM",
            "Cors": {
                "AllowOrigins": [
                    "https://example.com"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
FunctionUrl:
  Type: AWS::Lambda::Url
  Properties:
    TargetFunctionArn: !GetAtt 'LambdaFunction.Arn'
    AuthType: AWS_IAM
    Cors:
      AllowOrigins:
        - https://example.com
```

Spesifikasi aturan CT.LAMBDA.PR.6

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   lambda_function_url_cors_check
#
# Description:
#   This control checks whether an AWS Lambda function URL is configured with a cross-
origin resource sharing (CORS) policy that does not grant access to all origins.
#
# Reports on:
#   AWS::Lambda::Url
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation Hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Lambda function URL resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function URL resource
#       And: 'AllowOrigins' in 'Cors' has not been provided or has been provided as an
 empty list
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function URL resource
#       And: 'Cors' has been provided
#       And: 'AllowOrigins' in 'Cors' has been provided as a non-empty list
#       And: 'AllowOrigins' has an entry that contains a wildcard value '*'
#      Then: FAIL
```

```
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Lambda function URL resource
#       And: 'Cors' has been provided
#       And: 'AllowOrigins' in 'Cors' has been provided as a non-empty list
#       And: No entries in 'AllowOrigins' contain a wildcard value '*'
#      Then: PASS

#
# Constants
#
let LAMBDA_FUNCTION_URL_TYPE = "AWS::Lambda::Url"
let INPUT_DOCUMENT = this

#
# Assignments
#
let lambda_function_urls = Resources.*[ Type == %LAMBDA_FUNCTION_URL_TYPE ]

#
# Primary Rules
#
rule lambda_function_url_cors_check when is_cfn_template(%INPUT_DOCUMENT)
                                         %lambda_function_urls not empty {
    check(%lambda_function_urls.Properties)
        <<
        [CT.LAMBDA.PR.6]: Require an AWS Lambda function URL CORS policy to restrict
 access to specific origins
        [FIX]: In the 'Cors' parameter, ensure that the value of 'AllowOrigins' does
 not contain wildcard origins ('*', 'http://*' and 'https://*')
        >>
}

rule lambda_function_url_cors_check when is_cfn_hook(%INPUT_DOCUMENT,
 %LAMBDA_FUNCTION_URL_TYPE) {
    check(%INPUT_DOCUMENT.%LAMBDA_FUNCTION_URL_TYPE.resourceProperties)
        <<
        [CT.LAMBDA.PR.6]: Require an AWS Lambda function URL CORS policy to restrict
 access to specific origins
        [FIX]: In the 'Cors' parameter, ensure that the value of 'AllowOrigins' does
 not contain wildcard origins ('*', 'http://*' and 'https://*')
        >>
}
```

```
#
# Parameterized Rules
#
rule check(lambda_function_url) {
    %lambda_function_url[
        # Scenario 2
        filter_cors_origins(this)
    ] {
        Cors {
            # Scenarios 3 and 4
            AllowOrigins[*] != /\*/
        }
    }
}

rule filter_cors_origins(lambda_function_url) {
    %lambda_function_url {
        Cors exists
        Cors is_struct
        Cors {
            AllowOrigins exists
            AllowOrigins is_list
            AllowOrigins not empty
        }
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.LAMBDA.PR.6 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Code:
        ZipFile: "def handler(event, context):\n    print(\"example\")\n"
```

```
      Runtime: python3.9
  FunctionUrl:
    Type: AWS::Lambda::Url
    Properties:
      TargetFunctionArn:
        Fn::GetAtt:
        - LambdaFunction
        - Arn
      AuthType: AWS_IAM
      Cors:
        AllowOrigins:
        - https://example.com
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  LambdaFunctionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - lambda.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: LambdaFunctionPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogGroup
            - logs:CreateLogStream
            - logs:PutLogEvents
```

```
            Resource: '*'
  LambdaFunction:
    Type: AWS::Lambda::Function
    Properties:
      Role:
        Fn::GetAtt: LambdaFunctionRole.Arn
      Handler: index.handler
      Code:
        ZipFile: "def handler(event, context):\n    print(\"example\")\n"
      Runtime: python3.9
  FunctionUrl:
    Type: AWS::Lambda::Url
    Properties:
      TargetFunctionArn:
        Fn::GetAtt:
        - LambdaFunction
        - Arn
      AuthType: AWS_IAM
      Cors:
        AllowOrigins:
        - '*'
```

Kontrol Amazon MQ

Topik

- [CT.MQ.PR.1] Memerlukan broker Amazon MQ ActiveMQ untuk menggunakan mode penerapan aktif/siaga untuk ketersediaan tinggi
- [CT.MQ.PR.2] Mewajibkan broker MQ Amazon MQ Rabbit untuk menggunakan mode cluster multi-AZ untuk ketersediaan tinggi

[CT.MQ.PR.1] Memerlukan broker Amazon MQ ActiveMQ untuk menggunakan mode penerapan aktif/siaga untuk ketersediaan tinggi

Kontrol ini memeriksa apakah broker Amazon MQ ActiveMQ dikonfigurasi dalam mode penerapan aktif/siaga.

- Tujuan kontrol: Meningkatkan ketahanan, Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AmazonMQ::Broker`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.MQ.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.MQ.PR.1
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.MQ.PR.1 contoh template

Penjelasan

Mode penerapan aktif/siaga Amazon MQ ActiveMQ membantu Anda mencapai ketersediaan tinggi untuk broker Amazon MQ Anda di satu wilayah. Mode penerapan aktif/siaga Amazon MQ mencakup dua instance broker, yang dikonfigurasi dalam pasangan redundan di berbagai zona ketersediaan.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk broker Amazon MQ dengan tipe mesin ACTIVEMQ.

Remediasi untuk kegagalan aturan

Untuk broker Amazon MQ dengan tipe mesin ACTIVEMQ, atur properti ke ACTIVE_STANDBY_MULTI_AZ. DeploymentMode

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Broker Amazon MQ ActiveMQ - Contoh

Broker Amazon MQ ActiveMQ yang dikonfigurasi dalam mode penerapan aktif/siaga. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
```

```
    "MQBroker": {
        "Type": "AWS::AmazonMQ::Broker",
        "Properties": {
            "AutoMinorVersionUpgrade": true,
            "BrokerName": "sample-broker",
            "EngineVersion": "5.17.2",
            "HostInstanceType": "mq.m5.large",
            "PubliclyAccessible": false,
            "Users": [
                {
                    "ConsoleAccess": true,
                    "Username": {
                        "Fn::Sub": "{{resolve:secretsmanager:
${MQBrokerSecret}::username}}"
                    },
                    "Password": {
                        "Fn::Sub": "{{resolve:secretsmanager:
${MQBrokerSecret}::password}}"
                    }
                }
            ],
            "EngineType": "ACTIVEMQ",
            "DeploymentMode": "ACTIVE_STANDBY_MULTI_AZ"
        }
    }
}
```

Contoh YAMAL

```
MQBroker:
  Type: AWS::AmazonMQ::Broker
  Properties:
    AutoMinorVersionUpgrade: true
    BrokerName: sample-broker
    EngineVersion: 5.17.2
    HostInstanceType: mq.m5.large
    PubliclyAccessible: false
    Users:
      - ConsoleAccess: true
        Username: !Sub '{{resolve:secretsmanager:${MQBrokerSecret}::username}}'
        Password: !Sub '{{resolve:secretsmanager:${MQBrokerSecret}::password}}'
```

```
    EngineType: ACTIVEMQ
    DeploymentMode: ACTIVE_STANDBY_MULTI_AZ
```

Spesifikasi aturan CT.MQ.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   mq_active_deployment_mode_check
#
# Description:
#   This control checks whether an Amazon MQ ActiveMQ broker is configured in an
 active/standby deployment mode.
#
# Reports on:
#   AWS::AmazonMQ::Broker
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon MQ broker resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MQ broker resource
#       And: 'EngineType' has been provided and is equal to a value other than
 'ACTIVEMQ'
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MQ broker resource
#       And: 'EngineType' has been provided and set to 'ACTIVEMQ'
#       And: 'DeploymentMode' has not been provided or has been provided and set to a
 value other
#            than 'ACTIVE_STANDBY_MULTI_AZ'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MQ broker resource
#       And: 'EngineType' has been provided and set to 'ACTIVEMQ'
#       And: 'DeploymentMode' has been provided and set to 'ACTIVE_STANDBY_MULTI_AZ'
#      Then: PASS

#
# Constants
#
let MQ_BROKER_TYPE = "AWS::AmazonMQ::Broker"
let ENGINES_WITH_CLUSTER_DEPLOYMENT_SUPPORT = ["ACTIVEMQ"]
let ALLOWED_DEPLOYMENT_MODES = ["ACTIVE_STANDBY_MULTI_AZ"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let mq_brokers = Resources.*[ Type == %MQ_BROKER_TYPE ]

#
# Primary Rules
#
rule mq_active_deployment_mode_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %mq_brokers not empty {
    check(%mq_brokers.Properties)
        <<
        [CT.MQ.PR.1]: Require an Amazon MQ ActiveMQ broker to use use active/standby
 deployment mode for high availability
        [FIX]: For Amazon MQ brokers with an engine type of ACTIVEMQ, set the
 DeploymentMode property to ACTIVE_STANDBY_MULTI_AZ.
        >>
}
```

```
rule mq_active_deployment_mode_check when is_cfn_hook(%INPUT_DOCUMENT, %MQ_BROKER_TYPE)
 {
    check(%INPUT_DOCUMENT.%MQ_BROKER_TYPE.resourceProperties)
        <<
        [CT.MQ.PR.1]: Require an Amazon MQ ActiveMQ broker to use use active/standby
 deployment mode for high availability
        [FIX]: For Amazon MQ brokers with an engine type of ACTIVEMQ, set the
 DeploymentMode property to ACTIVE_STANDBY_MULTI_AZ.
        >>
}

#
# Parameterized Rules
#
rule check(mq_broker) {
    %mq_broker [
        # Scenario 2
        filter_engine(this)
    ] {
        # Scenarios 3 and 4
        DeploymentMode exists
        DeploymentMode in %ALLOWED_DEPLOYMENT_MODES
    }
}

rule filter_engine(mq_broker) {
    %mq_broker {
        EngineType exists
        EngineType in %ENGINES_WITH_CLUSTER_DEPLOYMENT_SUPPORT
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.MQ.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  MQBrokerSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: MQ broker secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemqusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: ',:='
  MQBroker:
    Type: AWS::AmazonMQ::Broker
    Properties:
      AutoMinorVersionUpgrade: true
      BrokerName:
        Ref: AWS::StackName
      EngineVersion: 5.17.2
      HostInstanceType: mq.m5.large
      PubliclyAccessible: false
      Users:
      - ConsoleAccess: true
        Username:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::username}}'
        Password:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::password}}'
      EngineType: ACTIVEMQ
      DeploymentMode: ACTIVE_STANDBY_MULTI_AZ
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  MQBrokerSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: MQ broker secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemqusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: ',:='
  MQBroker:
    Type: AWS::AmazonMQ::Broker
    Properties:
      AutoMinorVersionUpgrade: true
      BrokerName:
        Ref: AWS::StackName
      EngineVersion: 5.17.2
      HostInstanceType: mq.m5.large
      PubliclyAccessible: false
      Users:
      - ConsoleAccess: true
        Username:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::username}}'
        Password:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::password}}'
      EngineType: ACTIVEMQ
      DeploymentMode: SINGLE_INSTANCE
```

[CT.MQ.PR.2] Mewajibkan broker MQ Amazon MQ Rabbit untuk menggunakan mode cluster multi-AZ untuk ketersediaan tinggi

Kontrol ini memeriksa apakah broker Amazon MQ RabbitMQ dikonfigurasi dalam mode penyebaran cluster, untuk memungkinkan ketersediaan tinggi.

- Tujuan kontrol: Meningkatkan ketahanan, Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::AmazonMQ::Broker`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.MQ.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.MQ.PR.2
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.MQ.PR.2 contoh template

Penjelasan

Penerapan klaster Amazon MQ untuk RabbitMQ membantu Anda mencapai ketersediaan tinggi untuk broker MQ Amazon Anda di satu wilayah. Cluster RabbitMQ mencakup tiga instance broker, yang dikonfigurasi dalam cluster di berbagai zona ketersediaan.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk broker Amazon MQ dengan tipe mesin RABBITMQ.

Remediasi untuk kegagalan aturan

Untuk broker Amazon MQ dengan tipe mesin RABBITMQ, atur properti ke CLUSTER_MULTI_AZ. DeploymentMode

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Broker Amazon MQ RabbitMQ - Contoh

Broker Amazon MQ RabbitMQ dikonfigurasi dalam mode penyebaran cluster. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
```

```
    "MQBroker": {
        "Type": "AWS::AmazonMQ::Broker",
        "Properties": {
            "AutoMinorVersionUpgrade": true,
            "BrokerName": "sample-mq-broker",
            "EngineVersion": "3.10.10",
            "HostInstanceType": "mq.m5.large",
            "PubliclyAccessible": false,
            "Users": [
                {
                    "ConsoleAccess": true,
                    "Username": {
                        "Fn::Sub": "{{resolve:secretsmanager:
${MQBrokerSecret}::username}}"
                    },
                    "Password": {
                        "Fn::Sub": "{{resolve:secretsmanager:
${MQBrokerSecret}::password}}"
                    }
                }
            ],
            "EngineType": "RABBITMQ",
            "DeploymentMode": "CLUSTER_MULTI_AZ"
        }
    }
}
```

Contoh YAMAL

```
MQBroker:
  Type: AWS::AmazonMQ::Broker
  Properties:
    AutoMinorVersionUpgrade: true
    BrokerName: sample-mq-broker
    EngineVersion: 3.10.10
    HostInstanceType: mq.m5.large
    PubliclyAccessible: false
    Users:
      - ConsoleAccess: true
        Username: !Sub '{{resolve:secretsmanager:${MQBrokerSecret}::username}}'
        Password: !Sub '{{resolve:secretsmanager:${MQBrokerSecret}::password}}'
```

```
    EngineType: RABBITMQ
    DeployMentMode: CLUSTER_MULTI_AZ
```

Spesifikasi aturan CT.MQ.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   mq_rabbit_deployment_mode_check
#
# Description:
#   This control checks whether an Amazon MQ RabbitMQ broker is configured in a cluster
 deployment mode, to allow for high availability.
#
# Reports on:
#   AWS::AmazonMQ::Broker
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon MQ broker resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MQ broker resource
#       And: 'EngineType' been provided and is equal to a value other than 'RABBITMQ'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an Amazon MQ broker resource
#       And: 'EngineType' been provided and is equal to 'RABBITMQ'
#       And: 'DeploymentMode' has not been provided or has been provided and set to a
 value other
#            than 'CLUSTER_MULTI_AZ'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MQ broker resource
#       And: 'EngineType' been provided and is equal to 'RABBITMQ'
#       And: 'DeploymentMode' has been provided and set to 'CLUSTER_MULTI_AZ'
#      Then: PASS

#
# Constants
#
let MQ_BROKER_TYPE = "AWS::AmazonMQ::Broker"
let ENGINES_WITH_CLUSTER_DEPLOYMENT_SUPPORT = ["RABBITMQ"]
let ALLOWED_DEPLOYMENT_MODES = ["CLUSTER_MULTI_AZ"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let mq_brokers = Resources.*[ Type == %MQ_BROKER_TYPE ]

#
# Primary Rules
#
rule mq_rabbit_deployment_mode_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %mq_brokers not empty {
    check(%mq_brokers.Properties)
        <<
        [CT.MQ.PR.2]: Require an Amazon MQ Rabbit MQ broker to use Multi-AZ cluster
 mode for high availability
        [FIX]: For Amazon MQ brokers with an engine type of RABBITMQ, set the
 DeploymentMode property to CLUSTER_MULTI_AZ.
        >>
}

rule mq_rabbit_deployment_mode_check when is_cfn_hook(%INPUT_DOCUMENT, %MQ_BROKER_TYPE)
 {
    check(%INPUT_DOCUMENT.%MQ_BROKER_TYPE.resourceProperties)
```

```
        <<
        [CT.MQ.PR.2]: Require an Amazon MQ Rabbit MQ broker to use Multi-AZ cluster
 mode for high availability
        [FIX]: For Amazon MQ brokers with an engine type of RABBITMQ, set the
 DeploymentMode property to CLUSTER_MULTI_AZ.
        >>
}

#
# Parameterized Rules
#
rule check(mq_broker) {
    %mq_broker [
        # Scenario 2
        filter_engine(this)
    ] {
        # Scenarios 3 and 4
        DeploymentMode exists
        DeploymentMode in %ALLOWED_DEPLOYMENT_MODES
    }
}

rule filter_engine(mq_broker) {
    %mq_broker {
        EngineType exists
        EngineType in %ENGINES_WITH_CLUSTER_DEPLOYMENT_SUPPORT
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.MQ.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  MQBrokerSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: MQ broker secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemqusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: ',:='
  MQBroker:
    Type: AWS::AmazonMQ::Broker
    Properties:
      AutoMinorVersionUpgrade: true
      BrokerName:
        Ref: AWS::StackName
      EngineVersion: 3.10.10
      HostInstanceType: mq.m5.large
      PubliclyAccessible: false
      Users:
      - ConsoleAccess: true
        Username:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::username}}'
        Password:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::password}}'
      EngineType: RABBITMQ
      DeploymentMode: CLUSTER_MULTI_AZ
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  MQBrokerSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: MQ broker secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemqusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: ',:='
  MQBroker:
    Type: AWS::AmazonMQ::Broker
    Properties:
      AutoMinorVersionUpgrade: true
      BrokerName:
        Ref: AWS::StackName
      EngineVersion: 3.10.10
      HostInstanceType: mq.m5.large
      PubliclyAccessible: false
      Users:
      - ConsoleAccess: true
        Username:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::username}}'
        Password:
          Fn::Sub: '{{resolve:secretsmanager:${MQBrokerSecret}::password}}'
      EngineType: RABBITMQ
      DeploymentMode: SINGLE_INSTANCE
```

Amazon Managed Streaming untuk Apache Kafka (Amazon MSK) kontrol

Topik

- [CT.MSK.PR.1] Memerlukan Amazon Managed Streaming untuk Apache Kafka Kafka (Amazon MSK) cluster untuk menegakkan enkripsi dalam perjalanan antar node broker cluster
- [CT.MSK.PR.2] Memerlukan Amazon Managed Streaming untuk Apache Kafka Kafka (Amazon MSK) cluster untuk dikonfigurasi dengan dinonaktifkan PublicAccess

[CT.MSK.PR.1] Memerlukan Amazon Managed Streaming untuk Apache Kafka Kafka (Amazon MSK) cluster untuk menegakkan enkripsi dalam perjalanan antar node broker cluster

Kontrol ini memeriksa apakah cluster MSK Amazon dikonfigurasi untuk mengenkripsi data dalam perjalanan antara node broker cluster.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::MSK::Cluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.MSK.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.MSK.PR.1
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.MSK.PR.1 contoh template

Penjelasan

Amazon MSK menggunakan TLSv1.2. Secara default, ini mengenkripsi data dalam perjalanan antara broker kluster MSK Amazon Anda. Namun, Anda dapat mengganti default ini pada saat Anda membuat cluster.

> **Pertimbangan penggunaan**
>
> - Meskipun kami sangat menyarankan untuk mengaktifkan enkripsi dalam transit, ini dapat menambahkan overhead CPU tambahan dan latensi beberapa milidetik. Sebagian besar kasus penggunaan tidak sensitif terhadap perbedaan ini, dan besarnya dampaknya bergantung pada konfigurasi klaster, klien, dan profil penggunaan Anda.

Remediasi untuk kegagalan aturan

Di EncryptionInfo properti, berikan `EncryptionInTransit` konfigurasi dan atur nilai `InCluster` ke true. Jika tidak, hilangkan `InCluster` properti untuk mengadopsi nilai default true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon MSK Cluster - Contoh

Cluster MSK Amazon dikonfigurasi untuk mengenkripsi data dalam perjalanan antara node broker cluster. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "MSKCluster": {
        "Type": "AWS::MSK::Cluster",
        "Properties": {
            "BrokerNodeGroupInfo": {
                "ClientSubnets": [
                    {
                        "Ref": "SubnetOne"
                    },
                    {
                        "Ref": "SubnetTwo"
                    }
                ],
                "InstanceType": "kafka.t3.small",
                "SecurityGroups": [
                    {
                        "Fn::GetAtt": [
                            "SecurityGroup",
                            "GroupId"
                        ]
                    }
                ],
                "StorageInfo": {
                    "EBSStorageInfo": {
                        "VolumeSize": 1000
                    }
                }
            },
            "ClusterName": {
                "Fn::Sub": "MSKCluster-${AWS::StackName}"
            },
            "KafkaVersion": "3.4.0",
            "NumberOfBrokerNodes": 2,
            "EnhancedMonitoring": "DEFAULT",
```

```
            "EncryptionInfo": {
                "EncryptionInTransit": {
                    "InCluster": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
MSKCluster:
  Type: AWS::MSK::Cluster
  Properties:
    BrokerNodeGroupInfo:
      ClientSubnets:
        - !Ref 'SubnetOne'
        - !Ref 'SubnetTwo'
      InstanceType: kafka.t3.small
      SecurityGroups:
        - !GetAtt 'SecurityGroup.GroupId'
      StorageInfo:
        EBSStorageInfo:
          VolumeSize: 1000
    ClusterName: !Sub 'MSKCluster-${AWS::StackName}'
    KafkaVersion: 3.4.0
    NumberOfBrokerNodes: 2
    EnhancedMonitoring: DEFAULT
    EncryptionInfo:
      EncryptionInTransit:
        InCluster: true
```

Spesifikasi aturan CT.MSK.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
```

```
# Rule Identifier:
#   msk_broker_node_tls_check
#
# Description:
#   This control checks whether an Amazon MSK cluster is configured to encrypt data in
 transit between broker nodes of the cluster.
#
# Reports on:
#   AWS::MSK::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon MSK cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MSK cluster resource
#       And: 'InCluster' in 'EncryptionInfo.EncryptionInTransit' has been provided and
#            set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MSK cluster resource
#       And: 'InCluster' in 'EncryptionInfo.EncryptionInTransit' has not been provided
#      Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MSK cluster resource
#       And: 'InCluster' in 'EncryptionInfo.EncryptionInTransit' has been provided and
#            set to bool(true)
#      Then: PASS

#
```

```
# Constants
#
let MSK_CLUSTER_TYPE = "AWS::MSK::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let msk_clusters = Resources.*[ Type == %MSK_CLUSTER_TYPE ]

#
# Primary Rules
#
rule msk_broker_node_tls_check when is_cfn_template(%INPUT_DOCUMENT)
                                   %msk_clusters not empty {
    check(%msk_clusters.Properties)
        <<
        [CT.MSK.PR.1]: Require an Amazon Managed Streaming for Apache Kafka (Amazon
 MSK) cluster to enforce encryption in transit between cluster broker nodes
        [FIX]: In the EncryptionInfo property, provide an 'EncryptionInTransit'
 configuration and set the value of 'InCluster' to true. Otherwise, omit the
 'InCluster' property to adopt the default value of true.
        >>
}

rule msk_broker_node_tls_check when is_cfn_hook(%INPUT_DOCUMENT, %MSK_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%MSK_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.MSK.PR.1]: Require an Amazon Managed Streaming for Apache Kafka (Amazon
 MSK) cluster to enforce encryption in transit between cluster broker nodes
        [FIX]: In the EncryptionInfo property, provide an 'EncryptionInTransit'
 configuration and set the value of 'InCluster' to true. Otherwise, omit the
 'InCluster' property to adopt the default value of true.
        >>
}

#
# Parameterized Rules
#
rule check(msk_cluster) {
    %msk_cluster {
        # Scenario 3
        EncryptionInfo not exists or
        # Scenarios 2 and 4
```

```
        check_encryption_info_config(this)
    }
}

 rule check_encryption_info_config(msk_cluster) {
     %msk_cluster {
        EncryptionInfo exists
        EncryptionInfo is_struct

        EncryptionInfo {
            EncryptionInTransit not exists or
            check_encryption_in_transit_config(this)
        }
     }
 }

 rule check_encryption_in_transit_config(encryption_info_config) {
     %encryption_info_config {
        EncryptionInTransit exists
        EncryptionInTransit is_struct

        EncryptionInTransit {
            InCluster not exists or
            InCluster == true
        }
     }
 }


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.MSK.PR.1 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: MSK Security Group
      SecurityGroupIngress:
      - Description: ZooKeeper plaintext
        FromPort: 2181
```

```
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 2181
      - Description: Bootstrap servers plaintext
        FromPort: 9092
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9092
      - Description: Bootstrap servers TLS
        FromPort: 9094
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9094
      VpcId:
        Ref: VPC
  MSKCluster:
    Type: AWS::MSK::Cluster
    Properties:
      BrokerNodeGroupInfo:
        ClientSubnets:
        - Ref: SubnetOne
        - Ref: SubnetTwo
        InstanceType: kafka.t3.small
        SecurityGroups:
        - Fn::GetAtt:
          - SecurityGroup
          - GroupId
        StorageInfo:
          EBSStorageInfo:
            VolumeSize: 1000
      ClusterName:
        Fn::Sub: MSKCluster-${AWS::StackName}
      KafkaVersion: 3.4.0
      NumberOfBrokerNodes: 2
      EnhancedMonitoring: DEFAULT
```

```
      EncryptionInfo:
        EncryptionInTransit:
          InCluster: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: MSK Security Group
      SecurityGroupIngress:
      - Description: ZooKeeper plaintext
```

```
        FromPort: 2181
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 2181
      - Description: Bootstrap servers plaintext
        FromPort: 9092
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9092
      - Description: Bootstrap servers TLS
        FromPort: 9094
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9094
      VpcId:
        Ref: VPC
  MSKCluster:
    Type: AWS::MSK::Cluster
    Properties:
      BrokerNodeGroupInfo:
        ClientSubnets:
        - Ref: SubnetOne
        - Ref: SubnetTwo
        InstanceType: kafka.t3.small
        SecurityGroups:
        - Fn::GetAtt:
          - SecurityGroup
          - GroupId
        StorageInfo:
          EBSStorageInfo:
            VolumeSize: 1000
      ClusterName:
        Fn::Sub: MSKCluster-${AWS::StackName}
      KafkaVersion: 3.4.0
      NumberOfBrokerNodes: 2
```

```
      EnhancedMonitoring: DEFAULT
      EncryptionInfo:
        EncryptionInTransit:
          InCluster: false
```

[CT.MSK.PR.2] Memerlukan Amazon Managed Streaming untuk Apache Kafka Kafka (Amazon MSK) cluster untuk dikonfigurasi dengan dinonaktifkan PublicAccess

Kontrol ini memeriksa apakah klaster MSK Amazon dikonfigurasi untuk melarang akses publik ke broker klaster melalui properti. PublicAccess

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::MSK::Cluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.MSK.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.MSK.PR.2
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.MSK.PR.2 contoh template

Penjelasan

Amazon MSK memberi Anda opsi untuk mengaktifkan akses publik ke broker cluster MSK Amazon yang menjalankan Apache Kafka versi 2.6.0 atau yang lebih baru. Untuk alasan keamanan, Anda tidak dapat mengaktifkan akses publik saat membuat klaster MSK Amazon. Namun, Anda dapat memperbarui cluster yang ada agar dapat diakses publik.

> **Pertimbangan penggunaan**
>
> - Selain mengonfigurasi PublicAccess properti, kondisi prasyarat lainnya diperlukan saat Anda mengaktifkan akses publik ke kluster MSK Amazon. Untuk informasi selengkapnya

tentang mengonfigurasi kluster MSK Amazon untuk akses publik, lihat Akses Publik di Panduan Pengembang MSK Amazon.

Remediasi untuk kegagalan aturan

Dalam parameter BrokerNodeGroupInfo. ConnectivityInfo. PublicAccess, atur nilai Type ke DISABLED, atau untuk mengadopsi nilai default DISABLED, jangan berikan PublicAccess konfigurasi.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon MSK Cluster - Contoh

Cluster MSK Amazon dikonfigurasi untuk melarang akses publik ke broker klaster melalui properti. PublicAccess Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "MSKCluster": {
        "Type": "AWS::MSK::Cluster",
        "Properties": {
            "ClusterName": {
                "Fn::Sub": "MSKCluster-${AWS::StackName}"
            },
            "KafkaVersion": "3.4.0",
            "NumberOfBrokerNodes": 2,
            "EnhancedMonitoring": "DEFAULT",
            "EncryptionInfo": {
                "EncryptionInTransit": {
                    "InCluster": true
                }
            },
            "ClientAuthentication": {
                "Sasl": {
                    "Iam": {
                        "Enabled": true
                    }
                }
            },
```

```
            "BrokerNodeGroupInfo": {
                "ClientSubnets": [
                    {
                        "Ref": "SubnetOne"
                    },
                    {
                        "Ref": "SubnetTwo"
                    }
                ],
                "InstanceType": "kafka.t3.small",
                "SecurityGroups": [
                    {
                        "Fn::GetAtt": [
                            "SecurityGroup",
                            "GroupId"
                        ]
                    }
                ],
                "StorageInfo": {
                    "EBSStorageInfo": {
                        "VolumeSize": 1000
                    }
                },
                "ConnectivityInfo": {
                    "PublicAccess": {
                        "Type": "DISABLED"
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
MSKCluster:
  Type: AWS::MSK::Cluster
  Properties:
    ClusterName: !Sub 'MSKCluster-${AWS::StackName}'
    KafkaVersion: 3.4.0
    NumberOfBrokerNodes: 2
```

```
    EnhancedMonitoring: DEFAULT
    EncryptionInfo:
      EncryptionInTransit:
        InCluster: true
    ClientAuthentication:
      Sasl:
        Iam:
          Enabled: true
    BrokerNodeGroupInfo:
      ClientSubnets:
        - !Ref 'SubnetOne'
        - !Ref 'SubnetTwo'
      InstanceType: kafka.t3.small
      SecurityGroups:
        - !GetAtt 'SecurityGroup.GroupId'
      StorageInfo:
        EBSStorageInfo:
          VolumeSize: 1000
      ConnectivityInfo:
        PublicAccess:
          Type: DISABLED
```

Spesifikasi aturan CT.MSK.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   msk_public_access_check
#
# Description:
#   This control checks whether an Amazon MSK cluster is configured to disallow public
 access to cluster brokers by means of the PublicAccess property.
#
# Reports on:
#   AWS::MSK::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
```

```
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon MSK cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MSK cluster resource
#       And: 'BrokerNodeGroupInfo' has not been provided
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an MSK cluster resource
#       And: 'BrokerNodeGroupInfo' has been provided
#       And: 'Type' in 'ConnectivityInfo.PublicAccess' has been provided and
#            set to a value other than 'DISABLED'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MSK cluster resource
#       And: 'BrokerNodeGroupInfo' has been provided
#       And: 'Type' in 'ConnectivityInfo.PublicAccess' has not been provided
#      Then: PASS
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon MSK cluster resource
#       And: 'BrokerNodeGroupInfo' has been provided
#       And: 'Type' in 'ConnectivityInfo.PublicAccess' has been provided and
#            set to 'DISABLED'
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
```

```
let MSK_CLUSTER_TYPE = "AWS::MSK::Cluster"
let DISABLED_PUBLIC_ACCESS_TYPE = "DISABLED"

#
# Assignments
#
let msk_clusters = Resources.*[ Type == %MSK_CLUSTER_TYPE ]

#
# Primary Rules
#
rule msk_public_access_check when is_cfn_template(%INPUT_DOCUMENT)
                                 %msk_clusters not empty {
    check(%msk_clusters.Properties)
        <<
        [CT.MSK.PR.2]: Require an Amazon Managed Streaming for Apache Kafka (Amazon
 MSK) cluster to be configured with PublicAccess disabled
        [FIX]: In the parameter BrokerNodeGroupInfo.ConnectivityInfo.PublicAccess,
 set the value of Type to DISABLED, or to adopt the default value of DISABLED, do not
 provide a PublicAccess configuration.
        >>
}

rule msk_public_access_check when is_cfn_hook(%INPUT_DOCUMENT, %MSK_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%MSK_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.MSK.PR.2]: Require an Amazon Managed Streaming for Apache Kafka (Amazon
 MSK) cluster to be configured with PublicAccess disabled
        [FIX]: In the parameter BrokerNodeGroupInfo.ConnectivityInfo.PublicAccess,
 set the value of Type to DISABLED, or to adopt the default value of DISABLED, do not
 provide a PublicAccess configuration.
        >>
}

#
# Parameterized Rules
#
rule check(msk_cluster) {
    %msk_cluster [
        # Scenario 2
        BrokerNodeGroupInfo exists
        BrokerNodeGroupInfo is_struct
    ] {
        BrokerNodeGroupInfo {
```

```
            # Scenarios 3, 4 and 5
            ConnectivityInfo not exists or
            check_connectivity_info_config(this)
        }
    }
}

 rule check_connectivity_info_config(broker_node_group_info) {
     %broker_node_group_info {
        ConnectivityInfo exists
        ConnectivityInfo is_struct

        ConnectivityInfo {
            PublicAccess not exists or
            check_public_access_config(this)
        }
     }
 }

 rule check_public_access_config(connectivity_info_config) {
     %connectivity_info_config {
        PublicAccess exists
        PublicAccess is_struct

        PublicAccess {
            Type not exists or
            Type == %DISABLED_PUBLIC_ACCESS_TYPE
        }
     }
 }

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.MSK.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: MSK Security Group
      SecurityGroupIngress:
      - Description: ZooKeeper plaintext
```

```
        FromPort: 2181
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 2181
      - Description: Bootstrap servers plaintext
        FromPort: 9092
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9092
      - Description: Bootstrap servers TLS
        FromPort: 9094
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9094
      VpcId:
        Ref: VPC
  MSKCluster:
    Type: AWS::MSK::Cluster
    Properties:
      ClusterName:
        Fn::Sub: MSKCluster-${AWS::StackName}
      KafkaVersion: 3.4.0
      NumberOfBrokerNodes: 2
      EnhancedMonitoring: DEFAULT
      EncryptionInfo:
        EncryptionInTransit:
          InCluster: true
      ClientAuthentication:
        Sasl:
          Iam:
            Enabled: true
      BrokerNodeGroupInfo:
        ClientSubnets:
        - Ref: SubnetOne
        - Ref: SubnetTwo
```

```
        InstanceType: kafka.t3.small
        SecurityGroups:
        - Fn::GetAtt:
          - SecurityGroup
          - GroupId
        StorageInfo:
          EBSStorageInfo:
            VolumeSize: 1000
        ConnectivityInfo:
          PublicAccess:
            Type: DISABLED
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
```

```
        - 1
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: MSK Security Group
      SecurityGroupIngress:
      - Description: ZooKeeper plaintext
        FromPort: 2181
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 2181
      - Description: Bootstrap servers plaintext
        FromPort: 9092
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9092
      - Description: Bootstrap servers TLS
        FromPort: 9094
        IpProtocol: tcp
        CidrIp:
          Fn::GetAtt:
          - VPC
          - CidrBlock
        ToPort: 9094
      VpcId:
        Ref: VPC
  MSKCluster:
    Type: AWS::MSK::Cluster
    Properties:
      ClusterName:
        Fn::Sub: MSKCluster-${AWS::StackName}
      KafkaVersion: 3.4.0
      NumberOfBrokerNodes: 2
      EnhancedMonitoring: DEFAULT
      EncryptionInfo:
        EncryptionInTransit:
          InCluster: true
```

```
      ClientAuthentication:
        Sasl:
          Iam:
            Enabled: true
      BrokerNodeGroupInfo:
        ClientSubnets:
        - Ref: SubnetOne
        - Ref: SubnetTwo
        InstanceType: kafka.t3.small
        SecurityGroups:
        - Fn::GetAtt:
          - SecurityGroup
          - GroupId
        StorageInfo:
          EBSStorageInfo:
            VolumeSize: 1000
        ConnectivityInfo:
          PublicAccess:
            Type: SERVICE_PROVIDED_EIPS
```

Kontrol Amazon Neptunus

Topik

- [CT.NEPTUNE.PR.1] Memerlukan cluster DB Amazon Neptunus untuk mengaktifkan otentikasi basis data (IAM) AWS Identity and Access Management
- [CT.NEPTUNE.PR.2] Memerlukan cluster DB Amazon Neptunus agar perlindungan penghapusan diaktifkan
- [CT.NEPTUNE.PR.3] Memerlukan cluster DB Amazon Neptunus agar enkripsi penyimpanan diaktifkan
- [CT.NEPTUNE.PR.4] Memerlukan klaster DB Amazon Neptunus untuk mengaktifkan ekspor CloudWatch Amazon Log untuk log audit
- [CT.NEPTUNE.PR.5] Memerlukan cluster DB Amazon Neptunus untuk mengatur periode retensi cadangan lebih besar dari atau sama dengan tujuh hari

[CT.NEPTUNE.PR.1] Memerlukan cluster DB Amazon Neptunus untuk mengaktifkan otentikasi basis data (IAM) AWS Identity and Access Management

Kontrol ini memeriksa apakah klaster AWS Identity and Access Management Amazon Neptunus mengaktifkan autentikasi database (IAM).

- Tujuan kontrol: Menerapkan hak istimewa paling sedikit, Gunakan otentikasi yang kuat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Neptune::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.NEPTUNE.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.NEPTUNE.PR.1
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NEPTUNE.PR.1 contoh templat

Penjelasan

Anda dapat menggunakan AWS Identity and Access Management (IAM) untuk mengautentikasi ke instans DB Neptunus atau cluster DB Anda. IAM memungkinkan Anda untuk mengelola akses ke sumber daya database Anda secara terpusat, alih-alih mengelola akses secara individual pada setiap instans atau cluster DB.

Remediasi untuk kegagalan aturan

Tetapkan nilai `IamAuthEnabled` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon Neptunus - Contoh

Neptunus Cluster dikonfigurasi AWS dengan otentikasi database IAM diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "NeptuneDBCluster": {
        "Type": "AWS::Neptune::DBCluster",
        "Properties": {
            "IamAuthEnabled": true
        }
    }
}
```

Contoh YAMAL

```
NeptuneDBCluster:
  Type: AWS::Neptune::DBCluster
  Properties:
    IamAuthEnabled: true
```

Spesifikasi aturan CT.NEPTUNE.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   neptune_cluster_iam_database_authentication_check
#
# Description:
#   This control checks whether an Amazon Neptune cluster has AWS Identity and Access
 Management (IAM) database authentication enabled.
#
# Reports on:
#   AWS::Neptune::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
```

```
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Neptune DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'IamAuthEnabled' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'IamAuthEnabled' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'IamAuthEnabled' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let NEPTUNE_CLUSTER_TYPE = "AWS::Neptune::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let neptune_db_clusters = Resources.*[ Type == %NEPTUNE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule neptune_cluster_iam_database_authentication_check when
 is_cfn_template(%INPUT_DOCUMENT)
```

```
                                                                %neptune_db_clusters not
 empty {
    check(%neptune_db_clusters.Properties)
        <<
        [CT.NEPTUNE.PR.1]: Require an Amazon Neptune DB cluster to have AWS Identity
 and Access Management (IAM) database authentication enabled
        [FIX]: Set the value of the 'IamAuthEnabled' parameter to true.
        >>
}

rule neptune_cluster_iam_database_authentication_check when
 is_cfn_hook(%INPUT_DOCUMENT, %NEPTUNE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%NEPTUNE_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.NEPTUNE.PR.1]: Require an Amazon Neptune DB cluster to have AWS Identity
 and Access Management (IAM) database authentication enabled
        [FIX]: Set the value of the 'IamAuthEnabled' parameter to true.
        >>
}

#
# Parameterized Rules
#
rule check(neptune_cluster) {
    %neptune_cluster {
        # Scenario 2
        IamAuthEnabled exists
        # Scenarios 3 and 4
        IamAuthEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.NEPTUNE.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      IamAuthEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      IamAuthEnabled: false
```

[CT.NEPTUNE.PR.2] Memerlukan cluster DB Amazon Neptunus agar perlindungan penghapusan diaktifkan

Kontrol ini memeriksa apakah klaster Amazon Neptunus mengaktifkan perlindungan penghapusan.

- Tujuan kontrol: Tingkatkan ketersediaan, Lindungi konfigurasi
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Neptune::DBCluster`

- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.NEPTUNE.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.NEPTUNE.PR.2
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NEPTUNE.PR.2 contoh template

Penjelasan

Perlindungan penghapusan klaster menambahkan lapisan perlindungan tambahan terhadap penghapusan database yang tidak disengaja, atau penghapusan oleh entitas yang tidak sah. Cluster Neptunus tidak dapat dihapus saat perlindungan penghapusan diaktifkan. Perlindungan penghapusan harus dinonaktifkan terlebih dahulu, sebelum permintaan penghapusan berhasil.

Remediasi untuk kegagalan aturan

Tetapkan nilai `DeletionProtection` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon Neptunus - Contoh

Cluster Amazon Neptunus yang dikonfigurasi dengan perlindungan penghapusan diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "NeptuneDBCluster": {
        "Type": "AWS::Neptune::DBCluster",
        "Properties": {
            "DeletionProtection": true
        }
    }
}
```

Contoh YAMAL

```
NeptuneDBCluster:
  Type: AWS::Neptune::DBCluster
  Properties:
    DeletionProtection: true
```

Spesifikasi aturan CT.NEPTUNE.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   neptune_cluster_deletion_protection_enabled_check
#
# Description:
#   This control checks whether an Amazon Neptune cluster has deletion protection
 enabled.
#
# Reports on:
#   AWS::Neptune::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Neptune DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'DeletionProtection' has not been provided
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'DeletionProtection' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'DeletionProtection' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let NEPTUNE_CLUSTER_TYPE = "AWS::Neptune::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let neptune_db_clusters = Resources.*[ Type == %NEPTUNE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule neptune_cluster_deletion_protection_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %neptune_db_clusters not
 empty {
    check(%neptune_db_clusters.Properties)
        <<
        [CT.NEPTUNE.PR.2]: Require an Amazon Neptune DB cluster to have deletion
 protection enabled
        [FIX]: Set the value of the 'DeletionProtection' parameter to true.
        >>
}

rule neptune_cluster_deletion_protection_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %NEPTUNE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%NEPTUNE_CLUSTER_TYPE.resourceProperties)
        <<
```

```
        [CT.NEPTUNE.PR.2]: Require an Amazon Neptune DB cluster to have deletion
 protection enabled
        [FIX]: Set the value of the 'DeletionProtection' parameter to true.
        >>
}

#
# Parameterized Rules
#
rule check(neptune_cluster) {
    %neptune_cluster {
        # Scenario 2
        DeletionProtection exists
        # Scenarios 3 and 4
        DeletionProtection == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NEPTUNE.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      DeletionProtection: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      DeletionProtection: false
```

[CT.NEPTUNE.PR.3] Memerlukan cluster DB Amazon Neptunus agar enkripsi penyimpanan diaktifkan

Kontrol ini memeriksa apakah kluster Amazon Neptunus mengaktifkan enkripsi penyimpanan.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Neptune::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.NEPTUNE.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.NEPTUNE.PR.3
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NEPTUNE.PR.3 contoh templat

Penjelasan

Instans terenkripsi Neptunus menyediakan lapisan perlindungan data tambahan, karena mereka membantu mengamankan data Anda dari akses tidak sah ke penyimpanan yang mendasarinya. Enkripsi Neptunus membantu meningkatkan perlindungan data aplikasi Anda yang digunakan di cloud. Anda juga dapat menggunakannya untuk memenuhi persyaratan kepatuhan untuk data-at-rest enkripsi.

Pertimbangan penggunaan

- Kontrol ini hanya memeriksa apakah `StorageEncrypted` properti disediakan dan disetel ke `true.` Saat Anda membuat instans DB Neptunus terenkripsi, Anda juga dapat menyediakan pengenal kunci AWS KMS untuk kunci enkripsi Anda melalui properti. `KmsKeyId` Jika Anda tidak menentukan pengenal kunci AWS KMS, Neptunus menggunakan kunci enkripsi Amazon RDS default (aws/rds) untuk instans DB Neptunus baru Anda.

Remediasi untuk kegagalan aturan

Atur `StorageEncrypted` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon Neptunus - Contoh

Cluster Amazon Neptunus yang dikonfigurasi dengan enkripsi penyimpanan diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "NeptuneDBCluster": {
        "Type": "AWS::Neptune::DBCluster",
        "Properties": {
            "StorageEncrypted": true
        }
    }
}
```

Contoh YAMAL

```
NeptuneDBCluster:
  Type: AWS::Neptune::DBCluster
  Properties:
    StorageEncrypted: true
```

Spesifikasi aturan CT.NEPTUNE.PR.3

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   neptune_cluster_encrypted_check
#
# Description:
#   This control checks whether an Amazon Neptune cluster has storage encryption
 enabled.
#
# Reports on:
#   AWS::Neptune::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Neptune DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'StorageEncrypted' has not been provided
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'StorageEncrypted' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'StorageEncrypted' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let NEPTUNE_CLUSTER_TYPE = "AWS::Neptune::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let neptune_db_clusters = Resources.*[ Type == %NEPTUNE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule neptune_cluster_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %neptune_db_clusters not empty {
    check(%neptune_db_clusters.Properties)
        <<
        [CT.NEPTUNE.PR.3]: Require an Amazon Neptune DB cluster to have storage
 encryption enabled
        [FIX]: Set 'StorageEncrypted' to 'true'.
        >>
}

rule neptune_cluster_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %NEPTUNE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%NEPTUNE_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.NEPTUNE.PR.3]: Require an Amazon Neptune DB cluster to have storage
 encryption enabled
```

```
        [FIX]: Set 'StorageEncrypted' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(neptune_cluster) {
    %neptune_cluster {
        # Scenario 2
        StorageEncrypted exists
        # Scenarios 3 and 4
        StorageEncrypted == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NEPTUNE.PR.3 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
```

```
    Properties:
      StorageEncrypted: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      StorageEncrypted: false
```

[CT.NEPTUNE.PR.4] Memerlukan klaster DB Amazon Neptunus untuk mengaktifkan ekspor CloudWatch Amazon Log untuk log audit

Kontrol ini memeriksa apakah klaster Amazon Neptunus dikonfigurasi untuk mengirim log audit ke Amazon Logs. CloudWatch

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Neptune::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.NEPTUNE.PR.4

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.NEPTUNE.PR.4
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NEPTUNE.PR.4 contoh templat

Penjelasan

Anda dapat mengonfigurasi kluster Amazon Neptunus DB untuk mempublikasikan data log audit ke grup log di Amazon Logs. CloudWatch Menyimpan data log audit klaster Neptunus DB di CloudWatch Amazon Logs memungkinkan Anda melakukan analisis data log secara real-time, dan juga menggunakan CloudWatch Amazon untuk membuat alarm dan melihat metrik.

Remediasi untuk kegagalan aturan

Dalam `EnableCloudwatchLogsExports` parameter, atur entri ke audit nilai.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon Neptunus - Contoh

Cluster Amazon Neptunus yang dikonfigurasi untuk mengekspor log audit ke Amazon Logs. CloudWatch Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "NeptuneDBCluster": {
        "Type": "AWS::Neptune::DBCluster",
        "Properties": {
            "EnableCloudwatchLogsExports": [
                "audit"
            ]
        }
    }
}
```

Contoh YAMAL

```
NeptuneDBCluster:
  Type: AWS::Neptune::DBCluster
  Properties:
    EnableCloudwatchLogsExports:
      - audit
```

Spesifikasi aturan CT.NEPTUNE.PR.4

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   neptune_cluster_cloudwatch_audit_log_export_enabled
#
# Description:
#   This control checks whether an Amazon Neptune cluster is configured to send audit
 logs to Amazon CloudWatch Logs.
#
# Reports on:
#   AWS::Neptune::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Neptune DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'EnableCloudwatchLogsExports' has not been provided or has been provided
 as an
#            empty list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'EnableCloudwatchLogsExports' has been provided as a non-empty list
#       And: 'EnableCloudwatchLogsExports' does not contain an entry with the value
 'audit'
```

```
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'EnableCloudwatchLogsExports' has been provided as a non-empty list
#       And: 'EnableCloudwatchLogsExports' contains an entry with the value 'audit'
#      Then: PASS

#
# Constants
#
let NEPTUNE_CLUSTER_TYPE = "AWS::Neptune::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let neptune_db_clusters = Resources.*[ Type == %NEPTUNE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule neptune_cluster_cloudwatch_audit_log_export_enabled when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %neptune_db_clusters not
 empty {
    check(%neptune_db_clusters.Properties)
        <<
        [CT.NEPTUNE.PR.4]: Require an Amazon Neptune DB cluster to enable Amazon
 CloudWatch log export for audit logs
        [FIX]: In the 'EnableCloudwatchLogsExports' parameter, set an entry to the
 value audit.
        >>
}

rule neptune_cluster_cloudwatch_audit_log_export_enabled when
 is_cfn_hook(%INPUT_DOCUMENT, %NEPTUNE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%NEPTUNE_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.NEPTUNE.PR.4]: Require an Amazon Neptune DB cluster to enable Amazon
 CloudWatch log export for audit logs
        [FIX]: In the 'EnableCloudwatchLogsExports' parameter, set an entry to the
 value audit.
```

```
        >>
}

#
# Parameterized Rules
#
rule check(neptune_cluster) {
    %neptune_cluster {
        # Scenario 2
        EnableCloudwatchLogsExports exists
        EnableCloudwatchLogsExports is_list
        EnableCloudwatchLogsExports not empty

        # Scenarios 3 and 4
        some EnableCloudwatchLogsExports[*] == "audit"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NEPTUNE.PR.4 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      EnableCloudwatchLogsExports:
      - audit
      - slowquery
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      EnableCloudwatchLogsExports:
      - slowquery
```

[CT.NEPTUNE.PR.5] Memerlukan cluster DB Amazon Neptunus untuk mengatur periode retensi cadangan lebih besar dari atau sama dengan tujuh hari

Kontrol ini memeriksa apakah kluster Amazon Neptunus DB telah mengonfigurasi pencadangan otomatis dengan periode retensi yang disetel ke 7 hari atau lebih (>=7). Periode retensi default adalah satu hari.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Neptune::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.NEPTUNE.PR.5

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.NEPTUNE.PR.5

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NEPTUNE.PR.5 contoh templat

Penjelasan

Amazon Neptunus mencadangkan volume cluster Anda secara otomatis, dan menyimpan data pemulihan selama periode retensi cadangan. Backup bersifat kontinu dan inkremental. Anda dapat mengembalikan ke titik mana pun dalam periode retensi cadangan, dengan cepat. Tidak ada dampak performa atau gangguan layanan basis data yang terjadi saat data cadangan ditulis.

Remediasi untuk kegagalan aturan

Atur `BackupRetentionPeriod` parameter ke nilai integer antara 7 dan 35 hari (inklusif).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon Neptunus - Contoh

Cluster Amazon Neptunus yang dikonfigurasi dengan periode retensi cadangan tujuh (7) hari. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "NeptuneDBCluster": {
        "Type": "AWS::Neptune::DBCluster",
        "Properties": {
            "BackupRetentionPeriod": 7
        }
    }
}
```

Contoh YAMAL

```
NeptuneDBCluster:
  Type: AWS::Neptune::DBCluster
  Properties:
    BackupRetentionPeriod: 7
```

Spesifikasi aturan CT.NEPTUNE.PR.5

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   neptune_cluster_backup_retention_check
#
# Description:
#   This control checks whether Amazon Neptune DB clusters have configured automatic
 backups with a retention period set to 7 or more days (>=7). The default retention
 period is one day.
#
# Reports on:
#   AWS::Neptune::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Neptune DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'BackupRetentionPeriod' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
```

```
#       And: 'BackupRetentionPeriod' has been provided and set to an integer value
#            less than seven (< 7)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Neptune DB cluster resource
#       And: 'BackupRetentionPeriod' has been provided and set to an integer value
#            greater than or equal to seven (>=7)
#      Then: PASS

#
# Constants
#
let NEPTUNE_CLUSTER_TYPE = "AWS::Neptune::DBCluster"
let MINIMUM_BACKUP_RETENTION_PERIOD = 7
let INPUT_DOCUMENT = this

#
# Assignments
#
let neptune_db_clusters = Resources.*[ Type == %NEPTUNE_CLUSTER_TYPE ]

#
# Primary Rules
#
rule neptune_cluster_backup_retention_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %neptune_db_clusters not empty {
    check(%neptune_db_clusters.Properties)
        <<
        [CT.NEPTUNE.PR.5]: Require an Amazon Neptune DB cluster to set a backup
 retention period greater than or equal to seven days
        [FIX]: Set the 'BackupRetentionPeriod' parameter to an integer value between 7
 and 35 days (inclusive).
        >>
}

rule neptune_cluster_backup_retention_check when is_cfn_hook(%INPUT_DOCUMENT,
 %NEPTUNE_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%NEPTUNE_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.NEPTUNE.PR.5]: Require an Amazon Neptune DB cluster to set a backup
 retention period greater than or equal to seven days
```

```
        [FIX]: Set the 'BackupRetentionPeriod' parameter to an integer value between 7
 and 35 days (inclusive).
        >>
}

#
# Parameterized Rules
#
rule check(neptune_cluster) {
    %neptune_cluster {
        # Scenario 2
        BackupRetentionPeriod exists
        # Scenarios 3 and 4
        BackupRetentionPeriod >= %MINIMUM_BACKUP_RETENTION_PERIOD
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NEPTUNE.PR.5 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
```

```
    Properties:
      BackupRetentionPeriod: 7
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NeptuneDBCluster:
    Type: AWS::Neptune::DBCluster
    Properties:
      BackupRetentionPeriod: 1
```

AWS Network Firewall kontrol

Topik

- [CT.NETWORK-FIREWALL.PR.1] Memerlukan kebijakan AWS Network Firewall firewall apa pun untuk memiliki grup aturan terkait
- [CT.NETWORK-FIREWALL.PR.2] Memerlukan kebijakan AWS Network Firewall firewall apa pun untuk menjatuhkan atau meneruskan paket penuh stateless secara default ketika tidak cocok dengan aturan
- [CT.NETWORK-FIREWALL.PR.3] Memerlukan kebijakan AWS Network Firewall firewall apa pun untuk menjatuhkan atau meneruskan paket yang terfragmentasi secara default ketika tidak cocok dengan aturan stateless
- [CT.NETWORK-FIREWALL.PR.4] Mewajibkan grup AWS Network Firewall aturan apa pun untuk memuat setidaknya satu aturan
- [CT.NETWORK-FIREWALL.PR.5] Memerlukan AWS Network Firewall firewall untuk digunakan di beberapa Availability Zone

[CT.NETWORK-FIREWALL.PR.1] Memerlukan kebijakan AWS Network Firewall firewall apa pun untuk memiliki grup aturan terkait

Kontrol ini memeriksa apakah ada setidaknya satu grup aturan stateful atau stateless yang terkait dengan kebijakan firewall. AWS Network Firewall

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::NetworkFirewall::FirewallPolicy`
- AWS CloudFormation aturan penjaga: CT.NETWORK-FIREWALL.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.1contoh template

Penjelasan

Kebijakan firewall menentukan cara firewall Anda memantau dan menangani lalu lintas di Amazon Virtual Private Cloud (Amazon VPC). Konfigurasi kelompok aturan stateless dan stateful membantu memfilter paket dan arus lalu lintas, dan untuk menentukan pengaturan penanganan lalu lintas default.

Remediasi untuk kegagalan aturan

Dalam `FirewallPolicy` definisi, lihat satu atau lebih kelompok aturan di `StatefulRuleGroupReferences` atau`StatelessRuleGroupReferences`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Network Firewall Kebijakan Firewall - Contoh

AWS Network Firewall kebijakan firewall dikonfigurasi dengan asosiasi grup aturan stateful dan stateless. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "FirewallPolicy": {
        "Type": "AWS::NetworkFirewall::FirewallPolicy",
        "Properties": {
```

```
            "FirewallPolicyName": "sample-firewall-policy",
            "FirewallPolicy": {
                "StatelessDefaultActions": [
                    "aws:forward_to_sfe"
                ],
                "StatelessFragmentDefaultActions": [
                    "aws:drop"
                ],
                "StatefulRuleGroupReferences": [
                    {
                        "ResourceArn": {
                            "Ref": "StatefulRuleGroup"
                        }
                    }
                ],
                "StatelessRuleGroupReferences": [
                    {
                        "ResourceArn": {
                            "Ref": "StatelessRuleGroup"
                        },
                        "Priority": 100
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
FirewallPolicy:
  Type: AWS::NetworkFirewall::FirewallPolicy
  Properties:
    FirewallPolicyName: sample-firewall-policy
    FirewallPolicy:
      StatelessDefaultActions:
        - aws:forward_to_sfe
      StatelessFragmentDefaultActions:
        - aws:drop
      StatefulRuleGroupReferences:
        - ResourceArn: !Ref 'StatefulRuleGroup'
```

```
      StatelessRuleGroupReferences:
        - ResourceArn: !Ref 'StatelessRuleGroup'
          Priority: 100
```

CT.NETWORK-FIREWALL.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   netfw_policy_rule_group_associated_check
#
# Description:
#   This control checks whether there is at least one stateful or stateless rule group
 associated with an AWS Network Firewall firewall policy.
#
# Reports on:
#   AWS::NetworkFirewall::FirewallPolicy
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any NetworkFirewall firewall policy
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a NetworkFirewall firewall policy resource
#       And: 'StatefulRuleGroupReferences' has not been provided in 'FirewallPolicy'
#       And: 'StatelessRuleGroupReferences' has not been provided in 'FirewallPolicy'
#      Then: FAIL
```

```
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a NetworkFirewall firewall policy resource
#       And: 'StatefulRuleGroupReferences' has not been provided in 'FirewallPolicy'
#       And: 'StatelessRuleGroupReferences' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a NetworkFirewall firewall policy resource
#       And: 'StatelessRuleGroupReferences' has not been provided in 'FirewallPolicy'
#       And: 'StatefulRuleGroupReferences' has been provided as an empty list
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a NetworkFirewall firewall policy resource
#       And: 'StatelessRuleGroupReferences' has been provided as an empty list
#       And: 'StatefulRuleGroupReferences' has been provided as an empty list
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a NetworkFirewall firewall policy resource
#       And: One or both of 'StatelessRuleGroupReferences' and
 'StatefulRuleGroupReferences' have been provided as a
#            non-empty list
#      Then: PASS

#
# Constants
#
let NETFW_FIREWALL_POLICY_TYPE = "AWS::NetworkFirewall::FirewallPolicy"
let INPUT_DOCUMENT = this

#
# Assignments
#
let netfw_firewall_policies = Resources.*[ Type == %NETFW_FIREWALL_POLICY_TYPE ]

#
# Primary Rules
#
```

```
rule netfw_policy_rule_group_associated_check when is_cfn_template(%INPUT_DOCUMENT)
                                                   %netfw_firewall_policies not empty {
    check(%netfw_firewall_policies.Properties)
        <<
        [CT.NETWORK-FIREWALL.PR.1]: Require any AWS Network Firewall firewall policy to
 have an associated rule group
            [FIX]: Within the 'FirewallPolicy' definition, refer to one or more rule
 groups in 'StatefulRuleGroupReferences' or 'StatelessRuleGroupReferences'.
        >>
}

rule netfw_policy_rule_group_associated_check when is_cfn_hook(%INPUT_DOCUMENT,
 %NETFW_FIREWALL_POLICY_TYPE) {
    check(%INPUT_DOCUMENT.%NETFW_FIREWALL_POLICY_TYPE.resourceProperties)
        <<
        [CT.NETWORK-FIREWALL.PR.1]: Require any AWS Network Firewall firewall policy to
 have an associated rule group
            [FIX]: Within the 'FirewallPolicy' definition, refer to one or more rule
 groups in 'StatefulRuleGroupReferences' or 'StatelessRuleGroupReferences'.
        >>
}

#
# Parameterized Rules
#
rule check(netfw_firewall_policy) {
    %netfw_firewall_policy {
        # Scenario 2
        FirewallPolicy exists
        FirewallPolicy is_struct

        FirewallPolicy {
            # Scenario 3, 4, 5 and 6
            StatefulRuleGroupReferences exists or
            StatelessRuleGroupReferences exists

            check_property_is_list_and_not_empty(StatefulRuleGroupReferences) or
            check_property_is_list_and_not_empty(StatelessRuleGroupReferences)
        }
    }
}

rule check_property_is_list_and_not_empty(property) {
    %property {
```

```
        this is_list
        this not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NETWORK-FIREWALL.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  StatefulRuleGroup:
    Type: AWS::NetworkFirewall::RuleGroup
    Properties:
      RuleGroupName:
        Fn::Sub: ${AWS::StackName}-stateful-example
      Type: STATEFUL
      RuleGroup:
        RulesSource:
          RulesString: pass tcp 10.20.20.0/24 45400:45500 < 10.10.10.0/24 5203
 (msg:"test";sid:1;rev:1;)
      Capacity: 100
  StatelessRuleGroup:
    Type: AWS::NetworkFirewall::RuleGroup
```

```
    Properties:
      RuleGroupName:
        Fn::Sub: ${AWS::StackName}-stateless-example
      Type: STATELESS
      RuleGroup:
        RulesSource:
          StatelessRulesAndCustomActions:
            StatelessRules: []
      Capacity: 100
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
        Fn::Sub: ${AWS::StackName}-example
      FirewallPolicy:
        StatelessDefaultActions:
        - aws:forward_to_sfe
        StatelessFragmentDefaultActions:
        - aws:drop
        StatefulRuleGroupReferences:
        - ResourceArn:
            Ref: StatefulRuleGroup
        StatelessRuleGroupReferences:
        - ResourceArn:
            Ref: StatelessRuleGroup
          Priority: 100
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
        Fn::Sub: ${AWS::StackName}-example
      FirewallPolicy:
        StatelessDefaultActions:
        - aws:forward_to_sfe
        StatelessFragmentDefaultActions:
```

```
        - aws:drop
```

[CT.NETWORK-FIREWALL.PR.2] Memerlukan kebijakan AWS Network Firewall firewall apa pun untuk menjatuhkan atau meneruskan paket penuh stateless secara default ketika tidak cocok dengan aturan

Kontrol ini memeriksa apakah kebijakan AWS Network Firewall firewall dikonfigurasi dengan tindakan default stateless yang ditentukan pengguna untuk paket lengkap.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::NetworkFirewall::FirewallPolicy`
- AWS CloudFormation aturan penjaga: CT.NETWORK-FIREWALL.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.2contoh template

Penjelasan

Kebijakan firewall menentukan bagaimana firewall Anda memantau dan menangani lalu lintas di Amazon VPC. Anda mengonfigurasi grup aturan stateless dan stateful untuk memfilter paket dan arus lalu lintas. Default untuk `Pass` dapat memungkinkan lalu lintas yang tidak diinginkan.

Remediasi untuk kegagalan aturan

Di dalam`FirewallPolicy`, termasuk salah satu `aws:drop` atau `aws:forward_to_sfe` di`StatelessDefaultActions`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Network Firewall Kebijakan Firewall - Contoh Satu

AWS Network Firewall kebijakan firewall dikonfigurasi dengan tindakan default stateless untuk menjatuhkan paket penuh. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "FirewallPolicy": {
        "Type": "AWS::NetworkFirewall::FirewallPolicy",
        "Properties": {
            "FirewallPolicyName": {
                "Fn::Sub": "${AWS::StackName}-sample"
            },
            "FirewallPolicy": {
                "StatelessFragmentDefaultActions": [
                    "aws:forward_to_sfe"
                ],
                "StatelessDefaultActions": [
                    "aws:drop"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
FirewallPolicy:
  Type: AWS::NetworkFirewall::FirewallPolicy
  Properties:
    FirewallPolicyName: !Sub '${AWS::StackName}-sample'
    FirewallPolicy:
      StatelessFragmentDefaultActions:
        - aws:forward_to_sfe
      StatelessDefaultActions:
        - aws:drop
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Network Firewall Kebijakan Firewall - Contoh Dua

AWS Network Firewall kebijakan firewall dikonfigurasi dengan tindakan default stateless untuk meneruskan paket penuh ke mesin aturan stateful untuk pemeriksaan lebih lanjut. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "FirewallPolicy": {
        "Type": "AWS::NetworkFirewall::FirewallPolicy",
        "Properties": {
            "FirewallPolicyName": {
                "Fn::Sub": "${AWS::StackName}-sample"
            },
            "FirewallPolicy": {
                "StatelessFragmentDefaultActions": [
                    "aws:forward_to_sfe"
                ],
                "StatelessDefaultActions": [
                    "aws:forward_to_sfe"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
FirewallPolicy:
  Type: AWS::NetworkFirewall::FirewallPolicy
  Properties:
    FirewallPolicyName: !Sub '${AWS::StackName}-sample'
    FirewallPolicy:
      StatelessFragmentDefaultActions:
        - aws:forward_to_sfe
      StatelessDefaultActions:
        - aws:forward_to_sfe
```

CT.NETWORK-FIREWALL.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   netfw_policy_default_action_full_packets_check
#
# Description:
#   This control checks whether an AWS Network Firewall firewall policy is configured
 with a user-defined stateless default action for full packets.
#
# Reports on:
#   AWS::NetworkFirewall::FirewallPolicy
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Network Firewall firewall policy
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
#       And: 'StatelessDefaultActions' has not been provided in 'FirewallPolicy'
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
```

```
#       And: 'StatelessDefaultActions' has been provided in 'FirewallPolicy' as an
 empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
#       And: 'StatelessDefaultActions' has been provided in 'FirewallPolicy' as a list
 that does not contain
#             one of 'aws:drop' or 'aws:forward_to_sfe'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
#       And: 'StatelessDefaultActions' has been provided in 'FirewallPolicy' as a list
 that contains either
#            'aws:drop' or 'aws:forward_to_sfe'
#      Then: PASS



#
# Constants
#
let NETFW_FIREWALL_POLICY_TYPE = "AWS::NetworkFirewall::FirewallPolicy"
let INPUT_DOCUMENT = this
let ALLOWED_STATELESS_ACTIONS_LIST = [ "aws:drop", "aws:forward_to_sfe" ]

#
# Assignments
#
let netfw_firewall_policies = Resources.*[ Type == %NETFW_FIREWALL_POLICY_TYPE ]

#
# Primary Rules
#
rule netfw_policy_default_action_full_packets_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %netfw_firewall_policies
 not empty {
    check(%netfw_firewall_policies.Properties)
        <<
        [CT.NETWORK-FIREWALL.PR.2]: Require any AWS Network Firewall firewall policy to
 drop or forward stateless full packets by default when they do not match a rule
```

```
        [FIX]: Within 'FirewallPolicy', include one of 'aws:drop' or
 'aws:forward_to_sfe' in 'StatelessDefaultActions'.
        >>
}

rule netfw_policy_default_action_full_packets_check when is_cfn_hook(%INPUT_DOCUMENT,
 %NETFW_FIREWALL_POLICY_TYPE) {
    check(%INPUT_DOCUMENT.%NETFW_FIREWALL_POLICY_TYPE.resourceProperties)
        <<
        [CT.NETWORK-FIREWALL.PR.2]: Require any AWS Network Firewall firewall policy to
 drop or forward stateless full packets by default when they do not match a rule
        [FIX]: Within 'FirewallPolicy', include one of 'aws:drop' or
 'aws:forward_to_sfe' in 'StatelessDefaultActions'.
        >>
}

#
# Parameterized Rules
#
rule check(netfw_firewall_policy) {
    %netfw_firewall_policy {
        # Scenario 2
        FirewallPolicy exists
        FirewallPolicy is_struct

        FirewallPolicy {
            StatelessDefaultActions exists
            # Scenario 3
            StatelessDefaultActions is_list
            StatelessDefaultActions not empty

            # Scenario 4 and 5
            some StatelessDefaultActions[*] {
                this in %ALLOWED_STATELESS_ACTIONS_LIST
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NETWORK-FIREWALL.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
        Fn::Sub: ${AWS::StackName}-example
      FirewallPolicy:
        StatelessFragmentDefaultActions:
        - aws:forward_to_sfe
        StatelessDefaultActions:
        - aws:drop
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
```

```
        Fn::Sub: ${AWS::StackName}-example
      FirewallPolicy:
        StatelessFragmentDefaultActions:
        - aws:pass
        StatelessDefaultActions:
        - aws:pass
```

[CT.NETWORK-FIREWALL.PR.3] Memerlukan kebijakan AWS Network Firewall firewall apa pun untuk menjatuhkan atau meneruskan paket yang terfragmentasi secara default ketika tidak cocok dengan aturan stateless

Kontrol ini memeriksa apakah kebijakan AWS Network Firewall firewall dikonfigurasi dengan tindakan default untuk menjatuhkan atau meneruskan paket terfragmentasi, ketika paket tidak cocok dengan aturan stateless.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::NetworkFirewall::FirewallPolicy`
- AWS CloudFormation aturan penjaga: CT.NETWORK-FIREWALL.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.3contoh template

Penjelasan

Kebijakan firewall menentukan bagaimana firewall Anda memantau dan menangani lalu lintas di Amazon VPC. Anda mengonfigurasi grup aturan stateless dan stateful untuk memfilter paket dan arus lalu lintas. Default untuk `Pass` dapat memungkinkan lalu lintas yang tidak diinginkan.

Remediasi untuk kegagalan aturan

Di dalam`FirewallPolicy`, termasuk salah satu `aws:drop` atau `aws:forward_to_sfe` di`StatelessFragmentDefaultActions`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Network Firewall Kebijakan Firewall - Contoh Satu

AWS Network Firewall kebijakan firewall dikonfigurasi dengan tindakan default stateless untuk menjatuhkan paket yang terfragmentasi. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "FirewallPolicy": {
        "Type": "AWS::NetworkFirewall::FirewallPolicy",
        "Properties": {
            "FirewallPolicyName": {
                "Fn::Sub": "${AWS::StackName}-sample"
            },
            "FirewallPolicy": {
                "StatelessDefaultActions": [
                    "aws:forward_to_sfe"
                ],
                "StatelessFragmentDefaultActions": [
                    "aws:drop"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
FirewallPolicy:
  Type: AWS::NetworkFirewall::FirewallPolicy
  Properties:
    FirewallPolicyName: !Sub '${AWS::StackName}-sample'
    FirewallPolicy:
```

```
      StatelessDefaultActions:
        - aws:forward_to_sfe
      StatelessFragmentDefaultActions:
        - aws:drop
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Network Firewall Kebijakan Firewall - Contoh Dua

AWS Network Firewall kebijakan firewall dikonfigurasi dengan tindakan default stateless untuk meneruskan paket terfragmentasi ke mesin aturan stateful untuk pemeriksaan lebih lanjut. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "FirewallPolicy": {
        "Type": "AWS::NetworkFirewall::FirewallPolicy",
        "Properties": {
            "FirewallPolicyName": {
                "Fn::Sub": "${AWS::StackName}-sample"
            },
            "FirewallPolicy": {
                "StatelessDefaultActions": [
                    "aws:forward_to_sfe"
                ],
                "StatelessFragmentDefaultActions": [
                    "aws:forward_to_sfe"
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
FirewallPolicy:
```

```
  Type: AWS::NetworkFirewall::FirewallPolicy
  Properties:
    FirewallPolicyName: !Sub '${AWS::StackName}-sample'
    FirewallPolicy:
      StatelessDefaultActions:
        - aws:forward_to_sfe
      StatelessFragmentDefaultActions:
        - aws:forward_to_sfe
```

CT.NETWORK-FIREWALL.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   netfw_policy_default_action_fragment_packets_check
#
# Description:
#   This control checks whether an AWS Network Firewall firewall policy is configured
 with a default action to drop or forward fragmented packets, when the packets do not
 match a stateless rule.
#
# Reports on:
#   AWS::NetworkFirewall::FirewallPolicy
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Network Firewall firewall policy
 resources
#      Then: SKIP
#   Scenario: 2
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
#       And: 'StatelessFragmentDefaultActions' has not been provided in
 'FirewallPolicy'
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
#       And: 'StatelessFragmentDefaultActions' has been provided in 'FirewallPolicy' as
 an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
#       And: 'StatelessFragmentDefaultActions' has been provided in 'FirewallPolicy' as
 a list that does not contain
#             one of 'aws:drop' or 'aws:forward_to_sfe'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall policy resource
#       And: 'StatelessFragmentDefaultActions' has been provided in 'FirewallPolicy' as
 a list that contains either
#            'aws:drop' or 'aws:forward_to_sfe'
#      Then: PASS



#
# Constants
#
let NETFW_FIREWALL_POLICY_TYPE = "AWS::NetworkFirewall::FirewallPolicy"
let ALLOWED_STATELESS_FRAGMENT_ACTIONS_LIST = [ "aws:drop", "aws:forward_to_sfe" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let netfw_firewall_policies = Resources.*[ Type == %NETFW_FIREWALL_POLICY_TYPE ]

#
```

```
# Primary Rules
#
rule netfw_policy_default_action_fragment_packets_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %netfw_firewall_policies
 not empty {
    check(%netfw_firewall_policies.Properties)
        <<
        [CT.NETWORK-FIREWALL.PR.3]: Require any AWS Network Firewall firewall policy to
 drop or forward fragmented packets by default when they do not match a stateless rule
        [FIX]: Within 'FirewallPolicy', include one of 'aws:drop' or
 'aws:forward_to_sfe' in 'StatelessFragmentDefaultActions'.
        >>
}

rule netfw_policy_default_action_fragment_packets_check when
 is_cfn_hook(%INPUT_DOCUMENT, %NETFW_FIREWALL_POLICY_TYPE) {
    check(%INPUT_DOCUMENT.%NETFW_FIREWALL_POLICY_TYPE.resourceProperties)
        <<
        [CT.NETWORK-FIREWALL.PR.3]: Require any AWS Network Firewall firewall policy to
 drop or forward fragmented packets by default when they do not match a stateless rule
        [FIX]: Within 'FirewallPolicy', include one of 'aws:drop' or
 'aws:forward_to_sfe' in 'StatelessFragmentDefaultActions'.
        >>
}

#
# Parameterized Rules
#
rule check(netfw_firewall_policy) {
    %netfw_firewall_policy {
        # Scenario 2
        FirewallPolicy exists
        FirewallPolicy is_struct

        FirewallPolicy {
            # Scenario 2 and 3
            StatelessFragmentDefaultActions exists
            StatelessFragmentDefaultActions is_list
            StatelessFragmentDefaultActions not empty

            # Scenario 4 and 5
            some StatelessFragmentDefaultActions[*] {
                this in %ALLOWED_STATELESS_FRAGMENT_ACTIONS_LIST
```

```
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NETWORK-FIREWALL.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
        Fn::Sub: ${AWS::StackName}-example
      FirewallPolicy:
        StatelessDefaultActions:
        - aws:forward_to_sfe
        StatelessFragmentDefaultActions:
        - aws:drop
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
        Fn::Sub: ${AWS::StackName}-example
      FirewallPolicy:
        StatelessDefaultActions:
        - aws:pass
        StatelessFragmentDefaultActions:
        - aws:pass
```

[CT.NETWORK-FIREWALL.PR.4] Mewajibkan grup AWS Network Firewall aturan apa pun untuk memuat setidaknya satu aturan

Kontrol ini memeriksa apakah grup aturan AWS Network Firewall stateless berisi aturan.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::NetworkFirewall::RuleGroup`
- AWS CloudFormation aturan penjaga: CT.NETWORK-FIREWALL.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.4contoh template

Penjelasan

Grup aturan berisi aturan yang menentukan bagaimana firewall Anda memproses lalu lintas di VPC Anda. Grup aturan tanpa kewarganegaraan yang kosong, ketika ada dalam kebijakan firewall, mungkin memberi kesan bahwa grup aturan akan memproses lalu lintas. Namun, ketika grup aturan stateless kosong, itu tidak memproses lalu lintas.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk kelompok aturan AWS Network Firewall tanpa kewarganegaraan.

Remediasi untuk kegagalan aturan

Berikan satu atau lebih aturan AWS Network Firewall tanpa kewarganegaraan di dalam `RuleGroup.RulesSource.StatelessRulesAndCustomActions.StatelessRules` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Network Firewall Grup Aturan - Contoh

AWS Network Firewall grup aturan dikonfigurasi dengan aturan stateless. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "NetworkFirewallRuleGroup": {
        "Type": "AWS::NetworkFirewall::RuleGroup",
        "Properties": {
            "RuleGroupName": {
                "Fn::Sub": "${AWS::StackName}-sample"
            },
            "Capacity": 100,
            "Description": "Sample rule group",
            "Type": "STATELESS",
            "RuleGroup": {
                "RulesSource": {
                    "StatelessRulesAndCustomActions": {
                        "StatelessRules": [
                            {
                                "RuleDefinition": {
```

```
                                        "MatchAttributes": {
                                            "Sources": [
                                                {
                                                    "AddressDefinition": "0.0.0.0/0"
                                                }
                                            ],
                                            "Destinations": [
                                                {
                                                    "AddressDefinition": "10.0.0.0/8"
                                                }
                                            ],
                                            "SourcePorts": [
                                                {
                                                    "FromPort": 15000,
                                                    "ToPort": 30000
                                                }
                                            ],
                                            "DestinationPorts": [
                                                {
                                                    "FromPort": 443,
                                                    "ToPort": 443
                                                }
                                            ],
                                            "Protocols": [
                                                6
                                            ]
                                        },
                                        "Actions": [
                                            "aws:forward_to_sfe"
                                        ]
                                    },
                                    "Priority": 1
                                }
                            ]
                        }
                    }
                }
            }
        }
}
```

Contoh YAMAL

```
NetworkFirewallRuleGroup:
  Type: AWS::NetworkFirewall::RuleGroup
  Properties:
    RuleGroupName: !Sub '${AWS::StackName}-sample'
    Capacity: 100
    Description: Sample rule group
    Type: STATELESS
    RuleGroup:
      RulesSource:
        StatelessRulesAndCustomActions:
          StatelessRules:
            - RuleDefinition:
                MatchAttributes:
                  Sources:
                    - AddressDefinition: '0.0.0.0/0'
                  Destinations:
                    - AddressDefinition: 10.0.0.0/8
                  SourcePorts:
                    - FromPort: 15000
                      ToPort: 30000
                  DestinationPorts:
                    - FromPort: 443
                      ToPort: 443
                  Protocols:
                    - 6
                Actions:
                  - aws:forward_to_sfe
              Priority: 1
```

CT.NETWORK-FIREWALL.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   netfw_stateless_rule_group_not_empty_check
#
# Description:
```

```
#   This control checks whether an AWS Network Firewall stateless rule group contains
 rules.
#
# Reports on:
#   AWS::NetworkFirewall::RuleGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Network Firewall rule group
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall rule group resource
#       And: 'Type' is not equal to 'STATELESS'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall rule group resource
#       And: 'Type' is 'STATELESS'
#       And: 'RuleGroup.RulesSource.StatelessRulesAndCustomActions' has not been
 provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall rule group resource
#       And: 'Type' is 'STATELESS'
#       And: 'RuleGroup.RulesSource.StatelessRulesAndCustomActions' has been provided
#       And: 'StatelessRules' has not been provided within
 'StatelessRulesAndCustomActions' or has been provided with
#            an empty list value
#      Then: FAIL
#   Scenario: 5
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall rule group resource
#       And: 'Type' is 'STATELESS'
#       And: 'RuleGroup.RulesSource.StatelessRulesAndCustomActions' has been provided
#       And: 'StatelessRules' has been provided within 'StatelessRulesAndCustomActions'
 as a non-empty list value
#      Then: PASS

#
# Constants
#
let NETFW_RULE_GROUP_TYPE = "AWS::NetworkFirewall::RuleGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let netfw_rule_group = Resources.*[ Type == %NETFW_RULE_GROUP_TYPE ]

#
# Primary Rules
#
rule netfw_stateless_rule_group_not_empty_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %netfw_rule_group not empty {
    check(%netfw_rule_group.Properties)
        <<
        [CT.NETWORK-FIREWALL.PR.4]: Require any AWS Network Firewall rule group to
 contain at least one rule
        [FIX]: Provide one or more AWS Network Firewall stateless rules within the
 'RuleGroup.RulesSource.StatelessRulesAndCustomActions.StatelessRules' property.
        >>
}

rule netfw_stateless_rule_group_not_empty_check when is_cfn_hook(%INPUT_DOCUMENT,
 %NETFW_RULE_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%NETFW_RULE_GROUP_TYPE.resourceProperties)
        <<
        [CT.NETWORK-FIREWALL.PR.4]: Require any AWS Network Firewall rule group to
 contain at least one rule
        [FIX]: Provide one or more AWS Network Firewall stateless rules within the
 'RuleGroup.RulesSource.StatelessRulesAndCustomActions.StatelessRules' property.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(netfw_rule_group) {
    %netfw_rule_group[
        # Scenario 2
        Type exists
        Type == "STATELESS"
    ] {
        # Scenario 3
        RuleGroup exists
        RuleGroup is_struct
        RuleGroup {
            RulesSource exists
            RulesSource is_struct
            RulesSource {
                StatelessRulesAndCustomActions exists
                StatelessRulesAndCustomActions is_struct
                StatelessRulesAndCustomActions {
                    # Scenarios 4 and 5
                    StatelessRules exists
                    StatelessRules is_list
                    StatelessRules not empty
                }
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NETWORK-FIREWALL.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  NetworkFirewallRuleGroup:
    Type: AWS::NetworkFirewall::RuleGroup
    Properties:
      RuleGroupName:
        Fn::Sub: ${AWS::StackName}-example
      Capacity: 100
      Description: Example rule group
      Type: STATELESS
      RuleGroup:
        RulesSource:
          StatelessRulesAndCustomActions:
            StatelessRules:
            - RuleDefinition:
                MatchAttributes:
                  Sources:
                  - AddressDefinition: 0.0.0.0/0
                  Destinations:
                  - AddressDefinition: 10.0.0.0/8
                  SourcePorts:
                  - FromPort: 15000
                    ToPort: 30000
                  DestinationPorts:
                  - FromPort: 443
                    ToPort: 443
                  Protocols:
                  - 6
                Actions:
                - aws:forward_to_sfe
              Priority: 1
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NetworkFirewallRuleGroup:
    Type: AWS::NetworkFirewall::RuleGroup
    Properties:
      RuleGroupName:
        Fn::Sub: ${AWS::StackName}-example
      Capacity: 100
      Description: Example rule group
      Type: STATELESS
      RuleGroup:
        RulesSource:
          StatelessRulesAndCustomActions:
            StatelessRules: []
```

[CT.NETWORK-FIREWALL.PR.5] Memerlukan AWS Network Firewall firewall untuk digunakan di beberapa Availability Zone

Kontrol ini memeriksa apakah AWS Network Firewall firewall digunakan di beberapa Availability Zones (AZ), untuk mengizinkan failover otomatis antara AZ.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::NetworkFirewall::Firewall`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.NETWORK-FIREWALL.PR.5

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.NETWORK-FIREWALL.PR.5
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.NETWORK-FIREWALL.PR.5 contoh template

Penjelasan

Infrastruktur AWS global dibangun di sekitar Wilayah AWS dan Availability Zones. Wilayah AWS menyediakan beberapa Availability Zones (AZ), terpisah secara fisik dan terisolasi. AZ ini dihubungkan oleh latensi rendah, throughput tinggi, dan jaringan yang sangat redundan. Anda dapat merancang dan mengoperasikan aplikasi dan database yang gagal di antara Availability Zones tanpa gangguan, secara otomatis. Availability Zone lebih tersedia, toleran terhadap kesalahan, dan skalabel daripada infrastruktur pusat data tunggal atau ganda tradisional.

Remediasi untuk kegagalan aturan

Dalam SubnetMappings parameter, berikan setidaknya dua entri yang merujuk ke subnet di Availability Zone yang berbeda.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Network Firewall Firewall - Contoh

AWS Network Firewall Firewall dikonfigurasi untuk menyebarkan di dua subnet di Availability Zone yang berbeda. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "Firewall": {
        "Type": "AWS::NetworkFirewall::Firewall",
        "Properties": {
            "FirewallName": "SampleFirewall",
            "FirewallPolicyArn": {
                "Ref": "FirewallPolicy"
            },
            "VpcId": {
                "Ref": "VPC"
            },
            "Description": "Sample firewall",
            "SubnetMappings": [
                {
                    "SubnetId": {
                        "Ref": "SubnetOne"
                    }
                },
                {
```

```
                    "SubnetId": {
                        "Ref": "SubnetTwo"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
Firewall:
  Type: AWS::NetworkFirewall::Firewall
  Properties:
    FirewallName: SampleFirewall
    FirewallPolicyArn: !Ref 'FirewallPolicy'
    VpcId: !Ref 'VPC'
    Description: Sample firewall
    SubnetMappings:
      - SubnetId: !Ref 'SubnetOne'
      - SubnetId: !Ref 'SubnetTwo'
```

Spesifikasi aturan CT.NETWORK-FIREWALL.PR.5

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   netfw_multi_az_enabled_check
#
# Description:
#   This control checks whether an AWS Network Firewall firewall is deployed across
 multiple Availability Zones (AZs), to permit automatic failover between AZs.
#
# Reports on:
#   AWS::NetworkFirewall::Firewall
#
```

```
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Network Firewall firewall
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall resource
#       And: 'SubnetMappings' has not been specified or specified as an empty list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall resource
#       And: 'SubnetMappings' has been specified
#       And: The number of entries in 'SubnetMappings' is less than two (< 2)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Network Firewall firewall resource
#       And: 'SubnetMappings' has been specified
#       And: The number of entries in 'SubnetMappings' is greater than or equal to two
 (>= 2)
#      Then: PASS

#
# Constants
#
let NETFW_FIREWALL_FIREWALL_TYPE = "AWS::NetworkFirewall::Firewall"
let INPUT_DOCUMENT = this

#
# Assignments
#
```

```
let netfw_firewalls = Resources.*[ Type == %NETFW_FIREWALL_FIREWALL_TYPE ]

#
# Primary Rules
#
rule netfw_multi_az_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                       %netfw_firewalls not empty {
    check(%netfw_firewalls.Properties)
        <<
        [CT.NETWORK-FIREWALL.PR.5]: Require an AWS Network Firewall firewall to be
 deployed across multiple Availability Zones
        [FIX]: In the SubnetMappings parameter, provide at least two entries that refer
 to subnets in different Availability Zones.
        >>
}

rule netfw_multi_az_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %NETFW_FIREWALL_FIREWALL_TYPE) {
    check(%INPUT_DOCUMENT.%NETFW_FIREWALL_FIREWALL_TYPE.resourceProperties)
        <<
        [CT.NETWORK-FIREWALL.PR.5]: Require an AWS Network Firewall firewall to be
 deployed across multiple Availability Zones
        [FIX]: In the SubnetMappings parameter, provide at least two entries that refer
 to subnets in different Availability Zones.
        >>
}

#
# Parameterized Rules
#
rule check(netfw_firewall) {
    %netfw_firewall {
        # Scenario 2
        SubnetMappings exists
        SubnetMappings is_list
        SubnetMappings not empty

        # Scenarios 3 and 4
        SubnetMappings[0] exists
        SubnetMappings[1] exists
    }
}

#
```

```
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.NETWORK-FIREWALL.PR.5 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ""
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
```

```
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ""
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
        Fn::Sub: ${AWS::StackName}-example-firewall-policy
      FirewallPolicy:
        StatelessDefaultActions:
        - aws:forward_to_sfe
        StatelessFragmentDefaultActions:
        - aws:forward_to_sfe
      Description: Example firewall policy
  Firewall:
    Type: AWS::NetworkFirewall::Firewall
    Properties:
      FirewallName:
        Fn::Sub: ${AWS::StackName}-example-firewall
      FirewallPolicyArn:
        Ref: FirewallPolicy
      VpcId:
        Ref: VPC
      Description: Example firewall
      SubnetMappings:
      - SubnetId:
          Ref: SubnetOne
      - SubnetId:
          Ref: SubnetTwo
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
```

```
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ""
  FirewallPolicy:
    Type: AWS::NetworkFirewall::FirewallPolicy
    Properties:
      FirewallPolicyName:
        Fn::Sub: ${AWS::StackName}-example-firewall-policy
      FirewallPolicy:
        StatelessDefaultActions:
        - aws:forward_to_sfe
        StatelessFragmentDefaultActions:
        - aws:forward_to_sfe
      Description: Example firewall policy
  Firewall:
    Type: AWS::NetworkFirewall::Firewall
    Properties:
      FirewallName:
        Fn::Sub: ${AWS::StackName}-example-firewall
      FirewallPolicyArn:
        Ref: FirewallPolicy
      VpcId:
        Ref: VPC
      Description: Example firewall
      SubnetMappings:
      - SubnetId:
          Ref: SubnetOne
```

OpenSearch Kontrol Amazon

Topik

- [CT.OPENSEARCH.PR.1] Memerlukan Elasticsearch domain untuk mengenkripsi data saat istirahat

- [CT.OPENSEARCH.PR.2] Memerlukan Elasticsearch domain untuk dibuat di VPC Amazon yang ditentukan pengguna
- [CT.OPENSEARCH.PR.3] Memerlukan Elasticsearch domain untuk mengenkripsi data yang dikirim antar node
- [CT.OPENSEARCH.PR.4] Memerlukan Elasticsearch domain untuk mengirim log kesalahan ke Amazon CloudWatch Logs
- [CT.OPENSEARCH.PR.5] Memerlukan Elasticsearch domain untuk mengirim log audit ke Amazon CloudWatch Logs
- [CT.OPENSEARCH.PR.6] Memerlukan Elasticsearch domain untuk memiliki kesadaran zona dan setidaknya tiga node data
- [CT.OPENSEARCH.PR.7] Memerlukan Elasticsearch domain untuk memiliki setidaknya tiga node master khusus
- [CT.OPENSEARCH.PR.8] Memerlukan domain Layanan Elasticsearch untuk menggunakan versi TLS minimum dari TLSv1.2
- [CT.OPENSEARCH.PR.9] Memerlukan domain OpenSearch Layanan Amazon untuk mengenkripsi data saat istirahat
- [CT.OPENSEARCH.PR.10] Memerlukan domain OpenSearch Layanan Amazon untuk dibuat di Amazon VPC yang ditentukan pengguna
- [CT.OPENSEARCH.PR.11] Memerlukan domain OpenSearch Layanan Amazon untuk mengenkripsi data yang dikirim antar node
- [CT.OPENSEARCH.PR.12] Memerlukan domain OpenSearch Layanan Amazon untuk mengirim log kesalahan ke Amazon CloudWatch Logs
- [CT.OPENSEARCH.PR.13] Memerlukan domain OpenSearch Layanan Amazon untuk mengirim log audit ke Amazon CloudWatch Logs
- [CT.OPENSEARCH.PR.14] Memerlukan domain OpenSearch Layanan Amazon untuk memiliki kesadaran zona dan setidaknya tiga node data
- [CT.OPENSEARCH.PR.15] Memerlukan domain OpenSearch Layanan Amazon untuk menggunakan kontrol akses berbutir halus
- [CT.OPENSEARCH.PR.16] Memerlukan domain OpenSearch Layanan Amazon untuk menggunakan versi TLS minimum TLSv1.2

[CT.OPENSEARCH.PR.1] Memerlukan Elasticsearch domain untuk mengenkripsi data saat istirahat

Kontrol ini memeriksa apakah Elasticsearch domain telah encryption-at-rest diaktifkan.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.1spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.1 contoh templat

Penjelasan

Untuk lapisan keamanan tambahan untuk data sensitif Anda OpenSearch, Anda harus mengonfigurasi Anda OpenSearch untuk dienkripsi saat istirahat. Domain Elasticsearch menawarkan enkripsi data saat istirahat. Fitur ini digunakan AWS KMS untuk menyimpan dan mengelola kunci enkripsi Anda. Untuk melakukan enkripsi, ia menggunakan algoritma Advanced Encryption Standard dengan kunci 256-bit (AES-256).

Remediasi untuk kegagalan aturan

Di dalam`EncryptionAtRestOptions`, atur `Enabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh

Domain Elasticsearch dikonfigurasi dengan encryption-at-rest diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
```

```
            "ElasticsearchVersion": 7.1,
            "ElasticsearchClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.elasticsearch"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "EncryptionAtRestOptions": {
                "Enabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
    ElasticsearchClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.elasticsearch
    EBSOptions:
```

```
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    EncryptionAtRestOptions:
      Enabled: true
```

CT.OPENSEARCH.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticsearch_encrypted_at_rest_check
#
# Description:
#   This control checks whether Elasticsearch domains have encryption-at-rest enabled.
#
# Reports on:
#   AWS::Elasticsearch::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'EncryptionAtRestOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'EncryptionAtRestOptions' has been provided
#       And: 'Enabled' in 'EncryptionAtRestOptions' has not been provided or provided
#            and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'EncryptionAtRestOptions' has been provided
#       And: 'Enabled' in 'EncryptionAtRestOptions' has been provided and set to
 bool(true)
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
#
rule elasticsearch_encrypted_at_rest_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %elasticsearch_domains not empty {
    check(%elasticsearch_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.1]: Require an Elasticsearch domain to encrypt data at rest
```

```
            [FIX]: Within 'EncryptionAtRestOptions', set 'Enabled' to 'true'.
        >>
}

rule elasticsearch_encrypted_at_rest_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.1]: Require an Elasticsearch domain to encrypt data at rest
            [FIX]: Within 'EncryptionAtRestOptions', set 'Enabled' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        EncryptionAtRestOptions exists
        EncryptionAtRestOptions is_struct

        EncryptionAtRestOptions {
            # Scenarios 3 and 4
            Enabled exists
            Enabled == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      EncryptionAtRestOptions:
        Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
```

```
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      EncryptionAtRestOptions:
        Enabled: false
```

[CT.OPENSEARCH.PR.2] Memerlukan Elasticsearch domain untuk dibuat di VPC Amazon yang ditentukan pengguna

Kontrol ini memeriksa apakah Elasticsearch domain dikonfigurasi dengan pengaturan opsi VPC yang menentukan target Amazon VPC.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`
- AWS CloudFormation aturan penjaga: Spesifikasi T.OPENSEARCH.PR.2 aturan C

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi T.OPENSEARCH.PR.2 aturan C

- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.2 contoh template

Penjelasan

Domain Elasticsearch yang digunakan dalam VPC dapat berkomunikasi dengan sumber daya VPC melalui jaringan AWS pribadi, tanpa perlu melintasi internet publik. Konfigurasi ini meningkatkan postur keamanan dengan membatasi akses ke data dalam perjalanan. VPC menyediakan sejumlah kontrol jaringan yang membantu menciptakan akses aman ke domain Elasticsearch, termasuk ACL jaringan dan grup keamanan. Security Hub merekomendasikan agar Anda memigrasikan domain Elasticsearch publik ke VPC untuk memanfaatkan kontrol ini.

Remediasi untuk kegagalan aturan

Di dalam`VPCOptions`, atur `SubnetIds` ke daftar dengan satu atau beberapa ID subnet Amazon EC2.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh

Domain Elasticsearch yang dikonfigurasi untuk digunakan dalam VPC Amazon melalui pengaturan opsi VPC. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "ElasticsearchClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.elasticsearch"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
```

```
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "VPCOptions": {
                "SubnetIds": [
                    {
                        "Ref": "Subnet"
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
    ElasticsearchClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.elasticsearch
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
```

```
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    VPCOptions:
      SubnetIds:
        - !Ref 'Subnet'
```

Spesifikasi T.OPENSEARCH.PR.2 aturan C

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticsearch_in_vpc_only_check
#
# Description:
#   This control checks whether Elasticsearch domains are configured with VPC option
 settings that specify a target Amazon VPC.
#
# Reports on:
#   AWS::Elasticsearch::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an Elasticsearch domain resource
#       And: 'VPCOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'VPCOptions' has been provided
#       And: 'SubnetIds' in 'VPCOptions' has not been provided or has been provided
#            as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'VPCOptions' has been provided
#       And: 'SubnetIds' in 'VPCOptions' has been provided as a list with one or more
 values
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
#
rule elasticsearch_in_vpc_only_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %elasticsearch_domains not empty {
    check(%elasticsearch_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.2]: Require an Elasticsearch domain to be created in a user-
specified Amazon VPC
            [FIX]: Within 'VPCOptions', set 'SubnetIds' to a list with one or more
 Amazon EC2 subnet IDs.
        >>
}
```

```
rule elasticsearch_in_vpc_only_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.2]: Require an Elasticsearch domain to be created in a user-
specified Amazon VPC
            [FIX]: Within 'VPCOptions', set 'SubnetIds' to a list with one or more
 Amazon EC2 subnet IDs.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        VPCOptions exists
        VPCOptions is_struct

        VPCOptions {
            # Scenarios 3 and 4
            SubnetIds exists
            SubnetIds is_list
            SubnetIds not empty
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
```

```
          Resource: '*'
      VPCOptions:
        SubnetIds:
        - Ref: Subnet
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
```

[CT.OPENSEARCH.PR.3] Memerlukan Elasticsearch domain untuk mengenkripsi data yang dikirim antar node

Kontrol ini memeriksa apakah Elasticsearch domain telah mengaktifkan node-to-node enkripsi.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.3spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.3 contoh templat

Penjelasan

HTTPS (TLS) dapat membantu mencegah penyerang potensial menguping atau memanipulasi lalu lintas jaringan menggunakan, atau serangan serupa. person-in-the-middle Hanya koneksi terenkripsi melalui HTTPS (TLS) yang diizinkan. Mengaktifkan node-to-node enkripsi untuk domain Elasticsearch memastikan bahwa komunikasi intra-cluster dienkripsi dalam perjalanan.

> Pertimbangan penggunaan
>
> - Penalti kinerja dapat dikaitkan dengan konfigurasi ini. Anda harus mengetahui dan menguji trade-off kinerja sebelum mengaktifkan opsi ini.

Remediasi untuk kegagalan aturan

Di dalam`NodeToNodeEncryptionOptions`, atur `Enabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh

Domain Elasticsearch yang dikonfigurasi dengan node-to-node enkripsi diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "ElasticsearchClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.elasticsearch"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "NodeToNodeEncryptionOptions": {
                "Enabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
```

```
    ElasticsearchClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.elasticsearch
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    NodeToNodeEncryptionOptions:
      Enabled: true
```

CT.OPENSEARCH.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticsearch_node_to_node_encryption_check
#
# Description:
#   This control checks whether Elasticsearch domains have node-to-node encryption
 enabled.
#
# Reports on:
#   AWS::Elasticsearch::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
```

```
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'NodeToNodeEncryptionOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'NodeToNodeEncryptionOptions' has been provided
#       And: 'Enabled' in 'NodeToNodeEncryptionOptions' has not been provided or has
 been provided
#            and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'NodeToNodeEncryptionOptions' has been provided
#       And: 'Enabled' in 'NodeToNodeEncryptionOptions' has been provided and set to a
#            value of bool(true)
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
```

```
#
rule elasticsearch_node_to_node_encryption_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %elasticsearch_domains not empty
 {
    check(%elasticsearch_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.3]: Require an Elasticsearch domain to encrypt data sent
 between nodes
            [FIX]: Within 'NodeToNodeEncryptionOptions', set 'Enabled' to 'true'.
        >>
}

rule elasticsearch_node_to_node_encryption_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.3]: Require an Elasticsearch domain to encrypt data sent
 between nodes
            [FIX]: Within 'NodeToNodeEncryptionOptions', set 'Enabled' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        NodeToNodeEncryptionOptions exists
        NodeToNodeEncryptionOptions is_struct

        NodeToNodeEncryptionOptions {
            # Scenarios 3 and 4
            Enabled exists
            Enabled == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.3 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions: {}
```

[CT.OPENSEARCH.PR.4] Memerlukan Elasticsearch domain untuk mengirim log kesalahan ke Amazon CloudWatch Logs

Kontrol ini memeriksa apakah Elasticsearch domain dikonfigurasi untuk mengirim log kesalahan ke grup CloudWatch log Amazon Logs.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`

- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.4spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.4 contoh templat

Penjelasan

Aktifkan log kesalahan (ES_APPLICATION_LOGS) untuk domain Elasticsearch dan kirim log tersebut ke Log untuk penyimpanan dan respons. CloudWatch Log kesalahan domain dapat membantu audit keamanan dan akses, dan dapat membantu mendiagnosis masalah ketersediaan.

Remediasi untuk kegagalan aturan

Di dalamnya`LogPublishingOptions`, berikan `ES_APPLICATION_LOGS` konfigurasi, atur `Enabled` ke`true`, dan atur `CloudWatchLogsLogGroupArn` ke ARN grup CloudWatch log Amazon Logs yang valid.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh

Domain Elasticsearch dikonfigurasi untuk mengirim log kesalahan ke Amazon CloudWatch Logs. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "ElasticsearchClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.elasticsearch"
            },
```

```
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "LogPublishingOptions": {
                "ES_APPLICATION_LOGS": {
                    "CloudWatchLogsLogGroupArn": {
                        "Fn::GetAtt": [
                            "LogGroup",
                            "Arn"
                        ]
                    },
                    "Enabled": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
    ElasticsearchClusterConfig:
```

```
      InstanceCount: '1'
      InstanceType: t3.small.elasticsearch
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    LogPublishingOptions:
      ES_APPLICATION_LOGS:
        CloudWatchLogsLogGroupArn: !GetAtt 'LogGroup.Arn'
        Enabled: true
```

CT.OPENSEARCH.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticsearch_application_logging_enabled_check
#
# Description:
#   This control checks whether Elasticsearch domains are configured to send error logs
 to an Amazon CloudWatch Logs log group.
#
# Reports on:
#   AWS::Elasticsearch::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
```

```
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been provided
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has not been provided or provided and
 set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has not been provided
 or provided
#            as an empty string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has not been provided
 or provided
#            as an empty string or invalid local reference
```

```
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has not been provided or provided and
 set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has been provided as
 a non-empty string
#            or valid local reference
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has been provided as
 a non-empty string
#            or valid local reference
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
#
rule elasticsearch_application_logging_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %elasticsearch_domains not
 empty {
```

```
    check(%elasticsearch_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.4]: Require an Elasticsearch domain to send error logs to
 Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'ES_APPLICATION_LOGS'
 configuration, set 'Enabled' to 'true', and set 'CloudWatchLogsLogGroupArn' to the ARN
 of a valid Amazon CloudWatch Logs log group.
        >>
}

rule elasticsearch_application_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.4]: Require an Elasticsearch domain to send error logs to
 Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'ES_APPLICATION_LOGS'
 configuration, set 'Enabled' to 'true', and set 'CloudWatchLogsLogGroupArn' to the ARN
 of a valid Amazon CloudWatch Logs log group.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        LogPublishingOptions exists
        LogPublishingOptions is_struct

        LogPublishingOptions {
            # Scenario 3
            ES_APPLICATION_LOGS exists
            ES_APPLICATION_LOGS is_struct

            ES_APPLICATION_LOGS {
                # Scenarios 4, 5, 6 and 7
                Enabled exists
                Enabled == true

                CloudWatchLogsLogGroupArn exists
                check_is_string_and_not_empty(CloudWatchLogsLogGroupArn) or
```

```
                check_local_references(%INPUT_DOCUMENT, CloudWatchLogsLogGroupArn,
 "AWS::Logs::LogGroup")
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
```

```
        Type == %referenced_resource_type
    }
}
```

CT.OPENSEARCH.PR.4 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    DependsOn: LogGroupPolicy
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      LogPublishingOptions:
        ES_APPLICATION_LOGS:
          CloudWatchLogsLogGroupArn:
            Fn::GetAtt:
            - LogGroup
            - Arn
          Enabled: true
```

```
  LogGroup:
    Type: AWS::Logs::LogGroup
  LogGroupPolicy:
    Type: AWS::Logs::ResourcePolicy
    Properties:
      PolicyName:
        Fn::Sub: ${AWS::StackName}-AllowES
      PolicyDocument:
        Fn::Sub:
        - '{"Version": "2012-10-17","Statement":[{"Effect":"Allow","Principal":
 {"Service": ["es.amazonaws.com"]},"Action":
["logs:PutLogEvents","logs:CreateLogStream"],"Resource":"${LogGroupArn}","Condition":
{"StringEquals":{ "aws:SourceAccount": "${AWS::AccountId}"}}}]}'
        - LogGroupArn:
            Fn::GetAtt: [ LogGroup, Arn ]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
```

```
          Resource: '*'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      LogPublishingOptions:
        ES_APPLICATION_LOGS:
          Enabled: false
```

[CT.OPENSEARCH.PR.5] Memerlukan Elasticsearch domain untuk mengirim log audit ke Amazon CloudWatch Logs

Kontrol ini memeriksa apakah Elasticsearch domain dikonfigurasi untuk mengirim log audit ke grup CloudWatch log Amazon Logs.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan

- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.5spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.5 contoh templat

Penjelasan

Log audit sangat dapat disesuaikan. Mereka memungkinkan Anda melacak aktivitas pengguna di cluster Elasticsearch Anda, termasuk keberhasilan dan kegagalan otentikasi, permintaan, perubahan indeks OpenSearch, dan kueri penelusuran yang masuk.

> Pertimbangan penggunaan
>
> - Kontrol ini mengharuskan domain Elasticsearch harus memiliki opsi keamanan lanjutan yang dikonfigurasi.
> - Untuk mengaktifkan opsi keamanan lanjutan pada domain Elasticsearch melalui `AdvancedSecurityOptions` properti, Anda harus mengaktifkan enkripsi data saat istirahat (dengan cara`EncryptionAtRestOptions`), node-to-node enkripsi (dengan cara`NodeToNodeEncryptionOptions`), dan menerapkan koneksi HTTPS (dengan cara). `DomainEndpointOptions`

Remediasi untuk kegagalan aturan

Di dalamnya`LogPublishingOptions`, berikan `AUDIT_LOGS` konfigurasi, atur `Enabled` ke`true`, dan atur `CloudWatchLogsLogGroupArn` ke ARN grup CloudWatch log Amazon Logs yang valid.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh

Domain Elasticsearch yang dikonfigurasi untuk mengirim log audit ke Amazon CloudWatch Logs. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "ElasticsearchClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.elasticsearch"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "NodeToNodeEncryptionOptions": {
                "Enabled": true
            },
            "EncryptionAtRestOptions": {
                "Enabled": true
            },
            "DomainEndpointOptions": {
                "EnforceHTTPS": true
```

```
            },
            "AdvancedSecurityOptions": {
                "Enabled": true,
                "InternalUserDatabaseEnabled": false,
                "MasterUserOptions": {
                    "MasterUserARN": {
                        "Fn::GetAtt": [
                            "IAMRole",
                            "Arn"
                        ]
                    }
                }
            },
            "LogPublishingOptions": {
                "AUDIT_LOGS": {
                    "CloudWatchLogsLogGroupArn": {
                        "Fn::GetAtt": [
                            "LogGroup",
                            "Arn"
                        ]
                    },
                    "Enabled": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
    ElasticsearchClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.elasticsearch
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
```

```
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    NodeToNodeEncryptionOptions:
      Enabled: true
    EncryptionAtRestOptions:
      Enabled: true
    DomainEndpointOptions:
      EnforceHTTPS: true
    AdvancedSecurityOptions:
      Enabled: true
      InternalUserDatabaseEnabled: false
      MasterUserOptions:
        MasterUserARN: !GetAtt 'IAMRole.Arn'
    LogPublishingOptions:
      AUDIT_LOGS:
        CloudWatchLogsLogGroupArn: !GetAtt 'LogGroup.Arn'
        Enabled: true
```

CT.OPENSEARCH.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   elasticsearch_audit_logging_enabled_check
#
# Description:
#   This control checks whether Elasticsearch domains are configured to send audit logs
 to an Amazon CloudWatch Logs log group.
#
# Reports on:
#   AWS::Elasticsearch::Domain
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been provided
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'AUDIT_LOGS' has not been provided or provided and set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has not been provided or
 provided
#            as an empty string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
```

```
#       And: 'Enabled' in 'AUDIT_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has not been provided or
 provided
#            as an empty string or invalid local reference
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'AUDIT_LOGS' has not been provided or provided and set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has been provided as a non-
empty string
#            or valid local reference
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'AUDIT_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has been provided as a non-
empty string
#            or valid local reference
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
#
rule elasticsearch_audit_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
```

```
                                                        %elasticsearch_domains not empty {
    check(%elasticsearch_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.5]: Require an Elasticsearch domain to send audit logs to
 Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'AUDIT_LOGS'
 configuration, set 'Enabled' to 'true', and set 'CloudWatchLogsLogGroupArn' to the ARN
 of a valid Amazon CloudWatch Logs log group.
        >>
}

rule elasticsearch_audit_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.5]: Require an Elasticsearch domain to send audit logs to
 Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'AUDIT_LOGS'
 configuration, set 'Enabled' to 'true', and set 'CloudWatchLogsLogGroupArn' to the ARN
 of a valid Amazon CloudWatch Logs log group.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        LogPublishingOptions exists
        LogPublishingOptions is_struct

        LogPublishingOptions {
            # Scenario 3
            AUDIT_LOGS exists
            AUDIT_LOGS is_struct

            AUDIT_LOGS {
                # Scenarios 4, 5, 6 and 7
                Enabled exists
                Enabled == true

                CloudWatchLogsLogGroupArn exists
                check_is_string_and_not_empty(CloudWatchLogsLogGroupArn) or
```

```
                check_local_references(%INPUT_DOCUMENT, CloudWatchLogsLogGroupArn,
 "AWS::Logs::LogGroup")
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
```

```
        Type == %referenced_resource_type
    }
}
```

CT.OPENSEARCH.PR.5 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    DependsOn: LogGroupPolicy
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
```

```
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: true
        InternalUserDatabaseEnabled: false
        MasterUserOptions:
          MasterUserARN:
            Fn::GetAtt:
            - IAMRole
            - Arn
      LogPublishingOptions:
        AUDIT_LOGS:
          CloudWatchLogsLogGroupArn:
            Fn::GetAtt:
            - LogGroup
            - Arn
          Enabled: true
  LogGroup:
    Type: AWS::Logs::LogGroup
  LogGroupPolicy:
    Type: AWS::Logs::ResourcePolicy
    Properties:
      PolicyName: AllowES
      PolicyDocument:
        Fn::Sub:
        - '{"Version": "2012-10-17","Statement":[{"Effect":"Allow","Principal":
 {"Service": ["es.amazonaws.com"]},"Action":
["logs:PutLogEvents","logs:CreateLogStream"],"Resource":"${LogGroupArn}","Condition":
{"StringEquals":{ "aws:SourceAccount": "${AWS::AccountId}"}}}]}'
        - LogGroupArn:
            Fn::GetAtt: [ LogGroup, Arn ]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: true
        InternalUserDatabaseEnabled: false
        MasterUserOptions:
```

```
          MasterUserARN:
            Fn::GetAtt:
            - IAMRole
            - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
```

```
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: true
        InternalUserDatabaseEnabled: false
        MasterUserOptions:
          MasterUserARN:
            Fn::GetAtt:
            - IAMRole
            - Arn
      LogPublishingOptions:
        AUDIT_LOGS:
          Enabled: false
```

[CT.OPENSEARCH.PR.6] Memerlukan Elasticsearch domain untuk memiliki kesadaran zona dan setidaknya tiga node data

Kontrol ini memeriksa apakah ElasticSearch domain dikonfigurasi dengan setidaknya tiga node data dan kesadaran zona diaktifkan.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.6spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.6 contoh templat

Penjelasan

Domain Elasticsearch membutuhkan setidaknya tiga node data untuk ketersediaan tinggi dan toleransi kesalahan. Menerapkan domain Elasticsearch dengan setidaknya tiga node data memastikan bahwa operasi cluster dapat dilanjutkan jika node gagal.

Remediasi untuk kegagalan aturan

Di dalam`ElasticsearchClusterConfig`, atur `ZoneAwarenessEnabled` ke`true`, dan atur `InstanceCount` ke nilai integer lebih besar dari atau sama dengan tiga.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh

Domain Elasticsearch yang dikonfigurasi dengan tiga node data dan kesadaran zona diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
```

```
                ]
            },
            "ElasticsearchClusterConfig": {
                "InstanceType": "t3.small.elasticsearch",
                "InstanceCount": 3,
                "ZoneAwarenessEnabled": true,
                "ZoneAwarenessConfig": {
                    "AvailabilityZoneCount": 3
                }
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    ElasticsearchClusterConfig:
      InstanceType: t3.small.elasticsearch
      InstanceCount: 3
      ZoneAwarenessEnabled: true
      ZoneAwarenessConfig:
        AvailabilityZoneCount: 3
```

CT.OPENSEARCH.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticsearch_data_node_fault_tolerance_check
#
# Description:
#   This control checks whether Elasticsearch domains are configured with at least
 three data nodes and zone awareness enabled.
#
# Reports on:
#   AWS::Elasticsearch::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ElasticsearchClusterConfig' has not been
 provided
#             or provided and set to a value other than bool(true)
#       And: 'InstanceCount' in 'ElasticsearchClusterConfig' has not been provided or
```

```
#             provided and set to an integer value less than three (< 3)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ElasticsearchClusterConfig' has been provided
#             and set to bool(true)
#       And: 'InstanceCount' in 'ElasticsearchClusterConfig' has not been provided or
#             provided and set to an integer value less than three (< 3)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ElasticsearchClusterConfig' has not been
 provided
#             or provided and set to a value other than bool(true)
#       And: 'InstanceCount' in 'ElasticsearchClusterConfig' has been provided and set
 to
#             an integer value greater than or equal to three (>= 3)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ElasticsearchClusterConfig' has been provided
#             and set to bool(true)
#       And: 'InstanceCount' in 'ElasticsearchClusterConfig' has been provided and set
 to
#             an integer value greater than or equal to three (>= 3)
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
```

```
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
#
rule elasticsearch_data_node_fault_tolerance_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %elasticsearch_domains not
 empty {
    check(%elasticsearch_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.6]: Require an Elasticsearch domain to have zone awareness
 and at least three data nodes
            [FIX]: Within 'ElasticsearchClusterConfig', set 'ZoneAwarenessEnabled' to
 'true', and set 'InstanceCount' to an integer value greater than or equal to three.
        >>
}

rule elasticsearch_data_node_fault_tolerance_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.6]: Require an Elasticsearch domain to have zone awareness
 and at least three data nodes
            [FIX]: Within 'ElasticsearchClusterConfig', set 'ZoneAwarenessEnabled' to
 'true', and set 'InstanceCount' to an integer value greater than or equal to three.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        ElasticsearchClusterConfig exists
        ElasticsearchClusterConfig is_struct

        ElasticsearchClusterConfig {
            # Scenario 3, 4, 5 and 6
            ZoneAwarenessEnabled exists
            ZoneAwarenessEnabled == true
```

```
            InstanceCount exists
            InstanceCount >= 3
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.6 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
```

```
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      ElasticsearchClusterConfig:
        InstanceType: t3.small.elasticsearch
        InstanceCount: 3
        ZoneAwarenessEnabled: true
        ZoneAwarenessConfig:
          AvailabilityZoneCount: 3
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      ElasticsearchClusterConfig:
        InstanceType: t3.small.elasticsearch
        ZoneAwarenessEnabled: false
        InstanceCount: 2
```

[CT.OPENSEARCH.PR.7] Memerlukan Elasticsearch domain untuk memiliki setidaknya tiga node master khusus

Kontrol ini memeriksa apakah Elasticsearch domain dikonfigurasi dengan setidaknya tiga node master khusus.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.7 spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.7 spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.7 contoh templat

Penjelasan

Domain Elasticsearch membutuhkan setidaknya tiga node master khusus untuk ketersediaan tinggi dan toleransi kesalahan. Sumber daya node master khusus dapat tegang selama penerapan biru/hijau simpul data, karena node tambahan harus dikelola. Menerapkan domain Elasticsearch dengan setidaknya tiga node master khusus memastikan bahwa kapasitas sumber daya node master yang cukup ada, dan operasi cluster dapat dilanjutkan jika node gagal.

Remediasi untuk kegagalan aturan

Di dalam`ElasticsearchClusterConfig`, atur `DedicatedMasterEnabled` ke`true`, dan atur `DedicatedMasterCount` ke nilai integer lebih besar dari atau sama dengan tiga, atau hilangkan `DedicatedMasterCount` properti untuk mengadopsi nilai default tiga.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh Satu

Domain Elasticsearch dikonfigurasi dengan tiga node master khusus melalui properti. `DedicatedMasterCount` Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "ElasticsearchClusterConfig": {
                "InstanceType": "t3.small.elasticsearch",
                "DedicatedMasterEnabled": true,
                "DedicatedMasterCount": 3
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
```

```
    ElasticsearchVersion: 7.1
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    ElasticsearchClusterConfig:
      InstanceType: t3.small.elasticsearch
      DedicatedMasterEnabled: true
      DedicatedMasterCount: 3
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh Dua

Domain Elasticsearch dikonfigurasi dengan tiga node master khusus melalui default CloudFormation AWS. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
```

```
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "ElasticsearchClusterConfig": {
                "InstanceType": "t3.small.elasticsearch",
                "DedicatedMasterEnabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    ElasticsearchClusterConfig:
      InstanceType: t3.small.elasticsearch
```

```
      DedicatedMasterEnabled: true
```

CT.OPENSEARCH.PR.7 spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticsearch_primary_node_fault_tolerance_check
#
# Description:
#   This control checks whether Elasticsearch domains are configured with at least
 three dedicated master nodes.
#
# Reports on:
#   AWS::Elasticsearch::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
```

```
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'DedicatedMasterEnabled' in 'ElasticsearchClusterConfig' has not been
 provided
#             or provided and set to a value other than bool(true)
#       And: 'DedicatedMasterCount' in 'ElasticsearchClusterConfig' has not been
 provided or
#             provided and set to an integer value less than three (< 3)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'DedicatedMasterEnabled' in 'ElasticsearchClusterConfig' has not been
 provided
#             or provided and set to a value other than bool(true)
#       And: 'DedicatedMasterCount' in 'ElasticsearchClusterConfig' has been provided
 and set to
#             an integer value greater than or equal to three (>= 3)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'DedicatedMasterEnabled' in 'ElasticsearchClusterConfig' has been provided
#             and set to bool(true)
#       And: 'DedicatedMasterCount' in 'ElasticsearchClusterConfig' has been provided
 and set
#            to an integer value less than three (< 3)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'DedicatedMasterEnabled' in 'ElasticsearchClusterConfig' has been provided
#             and set to bool(true)
#       And: 'DedicatedMasterCount' in 'ElasticsearchClusterConfig' has not been
 provided
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an Elasticsearch domain resource
#       And: 'ElasticsearchClusterConfig' has been provided
#       And: 'DedicatedMasterEnabled' in 'ElasticsearchClusterConfig' has been provided
#             and set to bool(true)
#       And: 'DedicatedMasterCount' in 'ElasticsearchClusterConfig' has been provided
 and set to
#             an integer value greater than or equal to three (>= 3)
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
#
rule elasticsearch_primary_node_fault_tolerance_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                              %elasticsearch_domains not
 empty {
    check(%elasticsearch_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.7]: Require an Elasticsearch domain to have at least three
 dedicated master nodes
            [FIX]: Within 'ElasticsearchClusterConfig', set 'DedicatedMasterEnabled'
 to 'true', and set 'DedicatedMasterCount' to an integer value greater than or equal
 to three, or omit the 'DedicatedMasterCount' property to adopt the default value of
 three.
        >>
}

rule elasticsearch_primary_node_fault_tolerance_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.7]: Require an Elasticsearch domain to have at least three
 dedicated master nodes
```

```
            [FIX]: Within 'ElasticsearchClusterConfig', set 'DedicatedMasterEnabled'
 to 'true', and set 'DedicatedMasterCount' to an integer value greater than or equal
 to three, or omit the 'DedicatedMasterCount' property to adopt the default value of
 three.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        ElasticsearchClusterConfig exists
        ElasticsearchClusterConfig is_struct

        ElasticsearchClusterConfig {
            # Scenario 3, 4, 5 and 6
            DedicatedMasterEnabled exists
            DedicatedMasterEnabled == true

            DedicatedMasterCount not exists or
            DedicatedMasterCount >= 3
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.7 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceType: t3.small.elasticsearch
        DedicatedMasterEnabled: true
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceType: t3.small.elasticsearch
        DedicatedMasterEnabled: true
```

```
        DedicatedMasterCount: 3
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceType: t3.small.elasticsearch
        DedicatedMasterEnabled: false
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
```

[CT.OPENSEARCH.PR.8] Memerlukan domain Layanan Elasticsearch untuk menggunakan versi TLS minimum dari TLSv1.2

Kontrol ini memeriksa apakah domain Layanan Elasticsearch dikonfigurasi untuk memerlukan HTTPS dengan versi TLS minimum TLSv1.2.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Elasticsearch::Domain`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.OPENSEARCH.PR.8

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.OPENSEARCH.PR.8
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.8 contoh template

Penjelasan

HTTPS (TLS) dapat membantu mencegah penyerang potensial menggunakan person-in-the-middle, atau serangan serupa, untuk menguping atau memanipulasi lalu lintas jaringan. Hanya koneksi terenkripsi melalui HTTPS (TLS) yang diizinkan. Mengenkripsi data dalam perjalanan dapat memengaruhi kinerja. Anda harus menguji aplikasi Anda dengan fitur ini untuk memahami profil kinerja dan efek TLS. TLS 1.2 menyediakan beberapa peningkatan keamanan dibandingkan versi TLS sebelumnya.

Remediasi untuk kegagalan aturan

Di dalam`DomainEndpointOptions`, atur `EnforceHTTPS` ke `true` dan atur `TLSSecurityPolicy` ke nilai dengan versi TLS minimum TLSv1.2.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain Elasticsearch - Contoh

Domain Elasticsearch yang dikonfigurasi untuk mengharuskan semua lalu lintas ke domain tiba melalui HTTPS dengan versi TLS minimum TLSv1.2. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "ElasticsearchDomain": {
        "Type": "AWS::Elasticsearch::Domain",
        "Properties": {
            "ElasticsearchVersion": 7.1,
            "ElasticsearchClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.elasticsearch"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "DomainEndpointOptions": {
                "EnforceHTTPS": true,
                "TLSSecurityPolicy": "Policy-Min-TLS-1-2-2019-07"
            }
        }
    }
}
```

Contoh YAMAL

```
ElasticsearchDomain:
  Type: AWS::Elasticsearch::Domain
  Properties:
    ElasticsearchVersion: 7.1
    ElasticsearchClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.elasticsearch
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    DomainEndpointOptions:
      EnforceHTTPS: true
      TLSSecurityPolicy: Policy-Min-TLS-1-2-2019-07
```

Spesifikasi aturan CT.OPENSEARCH.PR.8

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   elasticsearch_https_required_check
#
# Description:
```

```
#   This control checks whether Elasticsearch Service domains are configured to require
 HTTPS with a minimum TLS version of TLSv1.2.
#
# Reports on:
#   AWS::Elasticsearch::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Elasticsearch domain resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'DomainEndpointOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has not been provided or
#            has been provided and set to a value other than bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has not been provided or
#            has been provided and set to a value not in the list of allowed TLS
 policies
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has been provided and set to
 bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has not been provided or
```

```
#            has been provided and set to a value not in the list of allowed TLS
 policies
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has not been provided or
#            has been provided and set to a value other than bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has been provided and set
#            to a value in the list of allowed TLS policies
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Elasticsearch domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has been provided and set to
 bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has been provided and set
#            to a value in the list of allowed TLS policies
#      Then: PASS

#
# Constants
#
let ELASTICSEARCH_DOMAIN_TYPE = "AWS::Elasticsearch::Domain"
let ALLOWED_TLS_POLICIES = [ "Policy-Min-TLS-1-2-2019-07", "Policy-Min-TLS-1-2-
PFS-2023-10" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let elasticsearch_domains = Resources.*[ Type == %ELASTICSEARCH_DOMAIN_TYPE ]

#
# Primary Rules
#
rule elasticsearch_https_required_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %elasticsearch_domains not empty {
    check(%elasticsearch_domains.Properties)
        <<
```

```
        [CT.OPENSEARCH.PR.8]: Require an Elasticsearch Service domain to use a minimum
 TLS version of TLSv1.2
        [FIX]: Within 'DomainEndpointOptions', set 'EnforceHTTPS' to 'true' and set
 'TLSSecurityPolicy' to a value with a minimum TLS version of TLSv1.2.
        >>
}

rule elasticsearch_https_required_check when is_cfn_hook(%INPUT_DOCUMENT,
 %ELASTICSEARCH_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%ELASTICSEARCH_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.8]: Require an Elasticsearch Service domain to use a minimum
 TLS version of TLSv1.2
        [FIX]: Within 'DomainEndpointOptions', set 'EnforceHTTPS' to 'true' and set
 'TLSSecurityPolicy' to a value with a minimum TLS version of TLSv1.2.
        >>
}

#
# Parameterized Rules
#
rule check(elasticsearch_domain) {
    %elasticsearch_domain {
        # Scenario 2
        DomainEndpointOptions exists
        DomainEndpointOptions is_struct

        DomainEndpointOptions {
            # Scenarios 3, 4, 5 and 6
            EnforceHTTPS exists
            EnforceHTTPS == true

            TLSSecurityPolicy exists
            TLSSecurityPolicy in %ALLOWED_TLS_POLICIES
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.8 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      DomainEndpointOptions:
        EnforceHTTPS: true
        TLSSecurityPolicy: Policy-Min-TLS-1-2-2019-07
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ElasticsearchDomain:
    Type: AWS::Elasticsearch::Domain
    Properties:
      ElasticsearchVersion: 7.1
      ElasticsearchClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.elasticsearch
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      DomainEndpointOptions:
        EnforceHTTPS: true
        TLSSecurityPolicy: Policy-Min-TLS-1-0-2019-07
```

[CT.OPENSEARCH.PR.9] Memerlukan domain OpenSearch Layanan Amazon untuk mengenkripsi data saat istirahat

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon telah encryption-at-rest diaktifkan.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.9spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.9spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.9 contoh templat

Penjelasan

Untuk lapisan keamanan tambahan untuk data sensitif, Anda harus mengonfigurasi domain OpenSearch Layanan Anda untuk dienkripsi saat istirahat. Saat Anda mengonfigurasi enkripsi data saat istirahat, AWS KMS menyimpan dan mengelola kunci enkripsi Anda. Untuk melakukan enkripsi, AWS KMS gunakan algoritma Advanced Encryption Standard dengan kunci 256-bit (AES-256).

Remediasi untuk kegagalan aturan

Di dalam`EncryptionAtRestOptions`, atur `Enabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi dengan encryption-at-rest diaktifkan Contoh ditampilkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "Properties": {
            "EngineVersion": "OpenSearch_1.3",
            "ClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.search"
            },
```

```
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "EncryptionAtRestOptions": {
                "Enabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  Properties:
    EngineVersion: OpenSearch_1.3
    ClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.search
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
```

```
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    EncryptionAtRestOptions:
      Enabled: true
```

CT.OPENSEARCH.PR.9spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   opensearch_encrypted_at_rest_check
#
# Description:
#   This control checks whether Amazon OpenSearch Service domains have encryption-at-
rest enabled.
#
# Reports on:
#   AWS::OpenSearchService::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'EncryptionAtRestOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'EncryptionAtRestOptions' has been provided
#       And: In 'EncryptionAtRestOptions', 'Enabled' has not been provided or provided
#            and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'EncryptionAtRestOptions' has been provided
#       And: In 'EncryptionAtRestOptions','Enabled' has been provided and set to
 bool(true)
#      Then: PASS

#
# Constants
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
# Primary Rules
#
rule opensearch_encrypted_at_rest_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %opensearch_service_domains not empty {
    check(%opensearch_service_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.9]: Require an Amazon OpenSearch Service domain to encrypt
 data at rest
            [FIX]: Within 'EncryptionAtRestOptions', set 'Enabled' to 'true'.
        >>
```

```
}

rule opensearch_encrypted_at_rest_check when is_cfn_hook(%INPUT_DOCUMENT,
 %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.9]: Require an Amazon OpenSearch Service domain to encrypt
 data at rest
            [FIX]: Within 'EncryptionAtRestOptions', set 'Enabled' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        EncryptionAtRestOptions exists
        EncryptionAtRestOptions is_struct

        EncryptionAtRestOptions {
            # Scenarios 3 and 4
            Enabled exists
            Enabled == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.9 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      EncryptionAtRestOptions:
        Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
```

```
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      EncryptionAtRestOptions:
        Enabled: false
```

[CT.OPENSEARCH.PR.10] Memerlukan domain OpenSearch Layanan Amazon untuk dibuat di Amazon VPC yang ditentukan pengguna

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon dikonfigurasi dengan pengaturan opsi VPC yang menentukan target Amazon VPC.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.10spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.10spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.10 contoh templat

Penjelasan

Pastikan OpenSearch domain tidak melekat pada subnet publik. Lihat `Resource-based policies` di Panduan Pengembang OpenSearch Layanan Amazon. Pastikan juga bahwa VPC Anda dikonfigurasi sesuai dengan praktik terbaik yang disarankan. Lihat `Security best practices for your VPC` di Panduan Pengguna Amazon VPC.

OpenSearch domain yang digunakan dalam VPC dapat berkomunikasi dengan sumber daya VPC melalui AWS jaringan pribadi, tanpa perlu melintasi internet publik. Konfigurasi ini meningkatkan postur keamanan dengan membatasi akses ke data dalam perjalanan. VPC menyediakan sejumlah kontrol jaringan untuk mengamankan akses ke OpenSearch domain, termasuk ACL jaringan dan grup keamanan. AWS Control Tower merekomendasikan agar Anda memigrasikan OpenSearch domain publik ke VPC untuk memanfaatkan kontrol ini.

Remediasi untuk kegagalan aturan

Di dalam`VPCOptions`, atur `SubnetIds` ke daftar dengan satu atau lebih ID subnet aAmazon EC2.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi untuk digunakan dalam VPC Amazon melalui pengaturan opsi VPC. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "Properties": {
            "EngineVersion": "OpenSearch_1.3",
            "ClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.search"
            },
            "EBSOptions": {
```

```
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "VPCOptions": {
                "SubnetIds": [
                    {
                        "Ref": "Subnet"
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  Properties:
    EngineVersion: OpenSearch_1.3
    ClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.search
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
```

```
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    VPCOptions:
      SubnetIds:
        - !Ref 'Subnet'
```

CT.OPENSEARCH.PR.10spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   opensearch_in_vpc_only_check
#
# Description:
#   This control checks whether Amazon OpenSearch Service domains are configured with
 VPC option settings that specify a target Amazon VPC.
#
# Reports on:
#   AWS::OpenSearchService::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'VPCOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'VPCOptions' has been provided
#       And: 'SubnetIds' in 'VPCOptions' has not been provided or has been provided
#            as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'VPCOptions' has been provided
#       And: 'SubnetIds' in 'VPCOptions' has been provided as a list with one or more
 values
#      Then: PASS

#
# Constants
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
# Primary Rules
#
rule opensearch_in_vpc_only_check when is_cfn_template(%INPUT_DOCUMENT)
                                        %opensearch_service_domains not empty {
    check(%opensearch_service_domains.Properties)
        <<
```

```
        [CT.OPENSEARCH.PR.10]: Require an Amazon OpenSearch Service domain to be
 created in a user-specified Amazon VPC
            [FIX]: Within 'VPCOptions', set 'SubnetIds' to a list with one or more
 Amazon EC2 subnet IDs.
        >>
}

rule opensearch_in_vpc_only_check when is_cfn_hook(%INPUT_DOCUMENT,
 %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.10]: Require an Amazon OpenSearch Service domain to be
 created in a user-specified Amazon VPC
            [FIX]: Within 'VPCOptions', set 'SubnetIds' to a list with one or more
 Amazon EC2 subnet IDs.
        >>
}

#
# Parameterized Rules
#
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        VPCOptions exists
        VPCOptions is_struct

        VPCOptions {
            # Scenarios 3 and 4
            SubnetIds exists
            SubnetIds is_list
            SubnetIds not empty
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
```

```
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.10 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: 'AWS::EC2::VPC'
    Properties:
      CidrBlock: 10.0.0.0/16
  Subnet:
    Type: 'AWS::EC2::Subnet'
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/16
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
```

```
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      VPCOptions:
        SubnetIds:
        - Ref: Subnet
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
```

[CT.OPENSEARCH.PR.11] Memerlukan domain OpenSearch Layanan Amazon untuk mengenkripsi data yang dikirim antar node

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon mengaktifkan node-to-node enkripsi.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.11spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.11spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.11 contoh templat

Penjelasan

HTTPS (TLS) dapat membantu mencegah penyerang potensial menguping atau memanipulasi lalu lintas jaringan menggunakan, atau serangan serupa. person-in-the-middle Hanya koneksi terenkripsi melalui HTTPS (TLS) yang diizinkan. Mengaktifkan node-to-node enkripsi untuk OpenSearch domain memastikan bahwa komunikasi intra-cluster dienkripsi dalam perjalanan.

> Pertimbangan penggunaan
>
> - Penalti kinerja dapat dikaitkan dengan konfigurasi ini. Anda harus mengetahui trade-off kinerja dan mengujinya sebelum mengaktifkan opsi ini.

Remediasi untuk kegagalan aturan

Di dalam`NodeToNodeEncryptionOptions`, atur `Enabled` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi dengan node-to-node enkripsi diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "Properties": {
            "EngineVersion": "OpenSearch_1.3",
            "ClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.search"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "NodeToNodeEncryptionOptions": {
                "Enabled": true
            }
        }
    }
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  Properties:
    EngineVersion: OpenSearch_1.3
    ClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.search
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    NodeToNodeEncryptionOptions:
      Enabled: true
```

CT.OPENSEARCH.PR.11spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   opensearch_node_to_node_encryption_check
#
# Description:
#   This control checks whether Amazon OpenSearch Service domains have node-to-node
 encryption enabled.
#
# Reports on:
```

```
#   AWS::OpenSearchService::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'NodeToNodeEncryptionOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'NodeToNodeEncryptionOptions' has been provided
#       And: In 'NodeToNodeEncryptionOptions', 'Enabled' has not been provided or has
 been provided and set to a
#            value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'NodeToNodeEncryptionOptions' has been provided
#       And: In 'NodeToNodeEncryptionOptions', 'Enabled' has been provided and set to a
#            value of bool(true)
#      Then: PASS

#
# Constants
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let INPUT_DOCUMENT = this
```

```
#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
# Primary Rules
#
rule opensearch_node_to_node_encryption_check when is_cfn_template(%INPUT_DOCUMENT)
                                                   %opensearch_service_domains not
 empty {
    check(%opensearch_service_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.11]: Require an Amazon OpenSearch Service domain to encrypt
 data sent between nodes
            [FIX]: Within 'NodeToNodeEncryptionOptions', set 'Enabled' to 'true'.
        >>
}

rule opensearch_node_to_node_encryption_check when is_cfn_hook(%INPUT_DOCUMENT,
 %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.11]: Require an Amazon OpenSearch Service domain to encrypt
 data sent between nodes
            [FIX]: Within 'NodeToNodeEncryptionOptions', set 'Enabled' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        NodeToNodeEncryptionOptions exists
        NodeToNodeEncryptionOptions is_struct

        NodeToNodeEncryptionOptions {
            # Scenarios 3 and 4
            Enabled exists
            Enabled == true
        }
```

```
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.11 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
```

```
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions: {}
```

[CT.OPENSEARCH.PR.12] Memerlukan domain OpenSearch Layanan Amazon untuk mengirim log kesalahan ke Amazon CloudWatch Logs

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon dikonfigurasi untuk mengirim log kesalahan ke grup CloudWatch log Amazon Logs.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.12spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.12spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.12 contoh templat

Penjelasan

Aktifkan log kesalahan (ES_APPLICATION_LOGS) untuk domain OpenSearch Layanan dan kirim log tersebut ke Log Amazon CloudWatch untuk penyimpanan dan respons. Log kesalahan domain dapat membantu audit keamanan dan akses, dan dapat membantu mendiagnosis masalah ketersediaan.

Remediasi untuk kegagalan aturan

Di dalamnya`LogPublishingOptions`, berikan `ES_APPLICATION_LOGS` konfigurasi, atur `Enabled` ke`true`, dan atur `CloudWatchLogsLogGroupArn` ke ARN grup CloudWatch log Amazon Logs yang valid.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi untuk mengirim log kesalahan ke Amazon CloudWatch Logs. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "Properties": {
```

```
            "EngineVersion": "OpenSearch_1.3",
            "ClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.search"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "LogPublishingOptions": {
                "ES_APPLICATION_LOGS": {
                    "CloudWatchLogsLogGroupArn": {
                        "Fn::GetAtt": [
                            "LogGroup",
                            "Arn"
                        ]
                    },
                    "Enabled": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  Properties:
    EngineVersion: OpenSearch_1.3
    ClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.search
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    LogPublishingOptions:
      ES_APPLICATION_LOGS:
        CloudWatchLogsLogGroupArn: !GetAtt 'LogGroup.Arn'
        Enabled: true
```

CT.OPENSEARCH.PR.12spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   opensearch_application_logging_enabled_check
#
# Description:
#   This control checks whether Amazon OpenSearch Service domains are configured to
 send error logs to an Amazon CloudWatch Logs log group.
#
# Reports on:
#   AWS::OpenSearchService::Domain
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has been provided
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has not been provided or provided and
 set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has not been provided
 or provided
#            as an empty string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service Domain resource
```

```
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has not been provided
 or provided
#            as an empty string or invalid local reference
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service Domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has not been provided or provided and
 set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has been provided as
 a non-empty string
#            or valid local reference
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service Domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'ES_APPLICATION_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'ES_APPLICATION_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'ES_APPLICATION_LOGS' has been provided as
 a non-empty string
#            or valid local reference
#      Then: PASS

#
# Constants
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
```

```
# Primary Rules
#
rule opensearch_application_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %opensearch_service_domains not
 empty {
    check(%opensearch_service_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.12]: Require an Amazon OpenSearch Service domain to send
 error logs to Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'ES_APPLICATION_LOGS'
 configuration, set 'Enabled' to 'true', and set 'CloudWatchLogsLogGroupArn' to the ARN
 of a valid Amazon CloudWatch Logs log group.
        >>
}

rule opensearch_application_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.12]: Require an Amazon OpenSearch Service domain to send
 error logs to Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'ES_APPLICATION_LOGS'
 configuration, set 'Enabled' to 'true', and set 'CloudWatchLogsLogGroupArn' to the ARN
 of a valid Amazon CloudWatch Logs log group.
        >>
}

#
# Parameterized Rules
#
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        LogPublishingOptions exists
        LogPublishingOptions is_struct

        LogPublishingOptions {
            # Scenario 3
            ES_APPLICATION_LOGS exists
            ES_APPLICATION_LOGS is_struct

            ES_APPLICATION_LOGS {
                # Scenarios 4, 5, 6 and 7
                Enabled exists
```

```
                Enabled == true

                CloudWatchLogsLogGroupArn exists
                check_is_string_and_not_empty(CloudWatchLogsLogGroupArn) or
                check_local_references(%INPUT_DOCUMENT, CloudWatchLogsLogGroupArn,
 "AWS::Logs::LogGroup")
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}
```

```
rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.OPENSEARCH.PR.12 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    DependsOn: LogGroupPolicy
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      LogPublishingOptions:
        ES_APPLICATION_LOGS:
          CloudWatchLogsLogGroupArn:
```

```
            Fn::GetAtt:
            - LogGroup
            - Arn
          Enabled: true
  LogGroup:
    Type: AWS::Logs::LogGroup
  LogGroupPolicy:
    Type: AWS::Logs::ResourcePolicy
    Properties:
      PolicyName:
        Fn::Sub: ${AWS::StackName}-AllowOS
      PolicyDocument:
        Fn::Sub:
        - '{"Version": "2012-10-17","Statement":[{"Effect":"Allow","Principal":
 {"Service": ["es.amazonaws.com"]},"Action":
["logs:PutLogEvents","logs:CreateLogStream"],"Resource":"${LogGroupArn}","Condition":
{"StringEquals":{"aws:SourceAccount": "${AWS::AccountId}"}}}]}'
        - LogGroupArn:
            Fn::GetAtt: [LogGroup, Arn]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
```

```
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      LogPublishingOptions:
        ES_APPLICATION_LOGS:
          Enabled: false
```

[CT.OPENSEARCH.PR.13] Memerlukan domain OpenSearch Layanan Amazon untuk mengirim log audit ke Amazon CloudWatch Logs

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon dikonfigurasi untuk mengirim log audit ke grup CloudWatch log Amazon Logs.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.13spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.13spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.13 contoh templat

Penjelasan

Log audit sangat dapat disesuaikan. Mereka memungkinkan Anda melacak aktivitas pengguna di OpenSearch klaster Anda, termasuk keberhasilan dan kegagalan otentikasi, permintaan, perubahan indeks OpenSearch, dan kueri penelusuran yang masuk.

> Pertimbangan penggunaan
>
> - Penerbitan log audit memerlukan opsi keamanan lanjutan untuk diaktifkan di domain OpenSearch Layanan Amazon.
> - Untuk mengaktifkan opsi keamanan lanjutan pada domain OpenSearch Layanan Amazon, Anda harus mengaktifkan enkripsi data saat istirahat melalui `EncryptionAtRestOptions` properti, node-to-node enkripsi melalui `NodeToNodeEncryptionOptions` properti, dan menerapkan koneksi HTTPS melalui `EnforceHTTPS` properti di dalamnya`DomainEndpointOptions`.

Remediasi untuk kegagalan aturan

Di dalamnya`LogPublishingOptions`, berikan `AUDIT_LOGS` konfigurasi, atur `Enabled` ke `true` dan `CloudWatchLogsLogGroupArn` ke ARN grup CloudWatch log Amazon Logs yang valid.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi untuk mengirim log audit ke Amazon CloudWatch Logs. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "DependsOn": "LogGroupPolicy",
        "Properties": {
            "EngineVersion": "OpenSearch_1.3",
            "ClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.search"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "NodeToNodeEncryptionOptions": {
                "Enabled": true
            },
            "EncryptionAtRestOptions": {
                "Enabled": true
            },
            "DomainEndpointOptions": {
```

```
                "EnforceHTTPS": true
            },
            "AdvancedSecurityOptions": {
                "Enabled": true,
                "InternalUserDatabaseEnabled": false,
                "MasterUserOptions": {
                    "MasterUserARN": {
                        "Fn::GetAtt": [
                            "IAMRole",
                            "Arn"
                        ]
                    }
                }
            },
            "LogPublishingOptions": {
                "AUDIT_LOGS": {
                    "CloudWatchLogsLogGroupArn": {
                        "Fn::GetAtt": [
                            "LogGroup",
                            "Arn"
                        ]
                    },
                    "Enabled": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  DependsOn: LogGroupPolicy
  Properties:
    EngineVersion: OpenSearch_1.3
    ClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.search
    EBSOptions:
      EBSEnabled: true
```

```
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    NodeToNodeEncryptionOptions:
      Enabled: true
    EncryptionAtRestOptions:
      Enabled: true
    DomainEndpointOptions:
      EnforceHTTPS: true
    AdvancedSecurityOptions:
      Enabled: true
      InternalUserDatabaseEnabled: false
      MasterUserOptions:
        MasterUserARN: !GetAtt 'IAMRole.Arn'
    LogPublishingOptions:
      AUDIT_LOGS:
        CloudWatchLogsLogGroupArn: !GetAtt 'LogGroup.Arn'
        Enabled: true
```

CT.OPENSEARCH.PR.13spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   opensearch_audit_logging_enabled_check
#
# Description:
#   This control checks whether Amazon OpenSearch Service domains are configured to
 send audit logs to an Amazon CloudWatch Logs log group.
#
```

```
# Reports on:
#   AWS::OpenSearchService::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has been provided
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'AUDIT_LOGS' has not been provided or provided and set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has not been provided or
 provided
#            as an empty string or invalid local reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'AUDIT_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has not been provided or
 provided
#            as an empty string or invalid local reference
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'AUDIT_LOGS' has not been provided or provided and set to
#            a value other than bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has been provided as a non-
empty string
#            or valid local reference
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'LogPublishingOptions' has been specified
#       And: 'AUDIT_LOGS' in 'LogPublishingOptions' has been provided
#       And: 'Enabled' in 'AUDIT_LOGS' has been provided and set to bool(true)
#       And: 'CloudWatchLogsLogGroupArn' in 'AUDIT_LOGS' has been provided as a non-
empty string
#            or valid local reference
#      Then: PASS

#
# Constants
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
```

```
# Primary Rules
#
rule opensearch_audit_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %opensearch_service_domains not empty
 {
    check(%opensearch_service_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.13]: Require an Amazon OpenSearch Service domain to send
 audit logs to Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'AUDIT_LOGS'
 configuration, set 'Enabled' to 'true' and 'CloudWatchLogsLogGroupArn' to the ARN of a
 valid Amazon CloudWatch Logs log group.
        >>
}

rule opensearch_audit_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.13]: Require an Amazon OpenSearch Service domain to send
 audit logs to Amazon CloudWatch Logs
            [FIX]: Within 'LogPublishingOptions', provide an 'AUDIT_LOGS'
 configuration, set 'Enabled' to 'true' and 'CloudWatchLogsLogGroupArn' to the ARN of a
 valid Amazon CloudWatch Logs log group.
        >>
}

#
# Parameterized Rules
#
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        LogPublishingOptions exists
        LogPublishingOptions is_struct

        LogPublishingOptions {
            # Scenario 3
            AUDIT_LOGS exists
            AUDIT_LOGS is_struct

            AUDIT_LOGS {
                # Scenarios 4, 5, 6 and 7
                Enabled exists
```

```
                Enabled == true

                CloudWatchLogsLogGroupArn exists
                check_is_string_and_not_empty(CloudWatchLogsLogGroupArn) or
                check_local_references(%INPUT_DOCUMENT, CloudWatchLogsLogGroupArn,
 "AWS::Logs::LogGroup")
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}
```

```
rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.OPENSEARCH.PR.13 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    DependsOn: LogGroupPolicy
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
```

```
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: true
        InternalUserDatabaseEnabled: false
        MasterUserOptions:
          MasterUserARN:
            Fn::GetAtt:
            - IAMRole
            - Arn
      LogPublishingOptions:
        AUDIT_LOGS:
          CloudWatchLogsLogGroupArn:
            Fn::GetAtt:
            - LogGroup
            - Arn
          Enabled: true
  LogGroup:
    Type: AWS::Logs::LogGroup
  LogGroupPolicy:
    Type: AWS::Logs::ResourcePolicy
    Properties:
      PolicyName: AllowES
      PolicyDocument:
        Fn::Sub:
        - '{"Version": "2012-10-17","Statement":[{"Effect":"Allow","Principal":
 {"Service": ["es.amazonaws.com"]},"Action":
["logs:PutLogEvents","logs:CreateLogStream"],"Resource":"${LogGroupArn}","Condition":
{"StringEquals":{ "aws:SourceAccount": "${AWS::AccountId}"}}}]}'
        - LogGroupArn:
            Fn::GetAtt: [ LogGroup, Arn ]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
```

```
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: true
        InternalUserDatabaseEnabled: false
        MasterUserOptions:
          MasterUserARN:
            Fn::GetAtt:
            - IAMRole
            - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
```

```
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: true
        InternalUserDatabaseEnabled: false
        MasterUserOptions:
          MasterUserARN:
            Fn::GetAtt:
            - IAMRole
            - Arn
      LogPublishingOptions:
        AUDIT_LOGS:
          Enabled: false
```

[CT.OPENSEARCH.PR.14] Memerlukan domain OpenSearch Layanan Amazon untuk memiliki kesadaran zona dan setidaknya tiga node data

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon dikonfigurasi dengan setidaknya tiga node data dan kesadaran zona diaktifkan.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.14spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.14spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.14 contoh templat

Penjelasan

OpenSearch Domain membutuhkan setidaknya tiga node data untuk ketersediaan tinggi dan toleransi kesalahan. Menyebarkan OpenSearch domain dengan setidaknya tiga node data memastikan bahwa cluster dapat tetap beroperasi jika node gagal.

Remediasi untuk kegagalan aturan

Di dalam`ClusterConfig`, atur `ZoneAwarenessEnabled` ke `true` dan `InstanceCount` ke nilai integer lebih besar dari atau sama dengan tiga.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi dengan tiga node data dan kesadaran zona diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "Properties": {
            "EngineVersion": "OpenSearch_1.3",
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
```

```
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "ClusterConfig": {
                "InstanceType": "t3.small.search",
                "InstanceCount": 3,
                "ZoneAwarenessEnabled": true,
                "ZoneAwarenessConfig": {
                    "AvailabilityZoneCount": 3
                }
            }
        }
    }
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  Properties:
    EngineVersion: OpenSearch_1.3
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    ClusterConfig:
```

```
      InstanceType: t3.small.search
      InstanceCount: 3
      ZoneAwarenessEnabled: true
      ZoneAwarenessConfig:
        AvailabilityZoneCount: 3
```

CT.OPENSEARCH.PR.14spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   opensearch_data_node_fault_tolerance_check
#
# Description:
#   This control checks whether Amazon OpenSearch Service domains are configured with
 at least three data nodes and zone awareness enabled.
#
# Reports on:
#   AWS::OpenSearchService::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'ClusterConfig' has not been provided
```

```
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'ClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ClusterConfig' has not been provided
#             or provided and set to a value other than bool(true)
#       And: 'InstanceCount' in 'ClusterConfig' has not been provided or
#             provided and set to an integer value less than three (< 3)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'ClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ClusterConfig' has been provided
#             and set to bool(true)
#       And: 'InstanceCount' in 'ClusterConfig' has not been provided or
#             provided and set to an integer value less than three (< 3)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'ClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ClusterConfig' has not been provided
#             or provided and set to a value other than bool(true)
#       And: 'InstanceCount' in 'ClusterConfig' has been provided and set to
#             an integer value greater than or equal to three (>= 3)
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'ClusterConfig' has been provided
#       And: 'ZoneAwarenessEnabled' in 'ClusterConfig' has been provided
#             and set to bool(true)
#       And: 'InstanceCount' in 'ClusterConfig' has been provided and set to
#             an integer value greater than or equal to three (>= 3)
#      Then: PASS

#
# Constants
```

```
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
# Primary Rules
#
rule opensearch_data_node_fault_tolerance_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %opensearch_service_domains not
 empty {
    check(%opensearch_service_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.14]: Require an Amazon OpenSearch Service domain to have zone
 awareness and at least three data nodes
            [FIX]: Within 'ClusterConfig', set 'ZoneAwarenessEnabled' to 'true' and
 'InstanceCount' to an integer value greater than or equal to three.
        >>
}

rule opensearch_data_node_fault_tolerance_check when is_cfn_hook(%INPUT_DOCUMENT,
 %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.14]: Require an Amazon OpenSearch Service domain to have zone
 awareness and at least three data nodes
            [FIX]: Within 'ClusterConfig', set 'ZoneAwarenessEnabled' to 'true' and
 'InstanceCount' to an integer value greater than or equal to three.
        >>
}

#
# Parameterized Rules
#
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        ClusterConfig exists
        ClusterConfig is_struct
```

```
        ClusterConfig {
            # Scenario 3, 4, 5 and 6
            ZoneAwarenessEnabled exists
            ZoneAwarenessEnabled == true

            InstanceCount exists
            InstanceCount >= 3
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.14 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
```

```
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      ClusterConfig:
        InstanceType: t3.small.search
        InstanceCount: 3
        ZoneAwarenessEnabled: true
        ZoneAwarenessConfig:
          AvailabilityZoneCount: 3
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceType: t3.small.search
        ZoneAwarenessEnabled: false
        InstanceCount: 2
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
```

```
        Action: es:*
        Resource: '*'
```

[CT.OPENSEARCH.PR.15] Memerlukan domain OpenSearch Layanan Amazon untuk menggunakan kontrol akses berbutir halus

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon telah mengaktifkan kontrol akses berbutir halus.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: CT.OPENSEARCH.PR.15spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.15spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.15 contoh templat

Penjelasan

Kontrol akses berbutir halus menawarkan cara tambahan untuk mengontrol akses ke data Anda di Layanan Amazon. OpenSearch

> Pertimbangan penggunaan
>
> - Kontrol akses berbutir halus mengharuskan opsi keamanan lanjutan harus diaktifkan di domain Layanan Amazon OpenSearch .
> - Untuk mengaktifkan opsi keamanan lanjutan pada domain OpenSearch Layanan Amazon, Anda harus mengaktifkan enkripsi data saat istirahat melalui `EncryptionAtRestOptions` properti, node-to-node enkripsi melalui

`NodeToNodeEncryptionOptions` properti, dan menerapkan koneksi HTTPS melalui `EnforceHTTPS` properti di dalamnya`DomainEndpointOptions`.

Remediasi untuk kegagalan aturan

Di dalam`AdvancedSecurityOptions`, atur `Enabled` ke`true`, atur `InternalUserDatabaseEnabled` ke `true` atau`false`, dan atur `MasterUserOptions` dengan konfigurasi opsi untuk pengguna utama Anda.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi dengan kontrol akses berbutir halus. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "Properties": {
            "EngineVersion": "OpenSearch_1.3",
            "ClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.search"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
```

```
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "NodeToNodeEncryptionOptions": {
                "Enabled": true
            },
            "EncryptionAtRestOptions": {
                "Enabled": true
            },
            "DomainEndpointOptions": {
                "EnforceHTTPS": true
            },
            "AdvancedSecurityOptions": {
                "Enabled": true,
                "InternalUserDatabaseEnabled": false,
                "MasterUserOptions": {
                    "MasterUserARN": {
                        "Fn::GetAtt": [
                            "IAMRole",
                            "Arn"
                        ]
                    }
                }
            }
        }
    }
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  Properties:
    EngineVersion: OpenSearch_1.3
    ClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.search
    EBSOptions:
```

```
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    NodeToNodeEncryptionOptions:
      Enabled: true
    EncryptionAtRestOptions:
      Enabled: true
    DomainEndpointOptions:
      EnforceHTTPS: true
    AdvancedSecurityOptions:
      Enabled: true
      InternalUserDatabaseEnabled: false
      MasterUserOptions:
        MasterUserARN: !GetAtt 'IAMRole.Arn'
```

CT.OPENSEARCH.PR.15spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   opensearch_fine_grained_access_control_enabled_check
#
# Description:
#   This control checks whether Amazon OpenSearch Service domains have fine-grained
 access control enabled.
#
# Reports on:
#   AWS::OpenSearchService::Domain
#
```

```
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'AdvancedSecurityOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'AdvancedSecurityOptions' has been provided
#       And: 'Enabled' in 'AdvancedSecurityOptions' has not been provided or
#            has been provided and set to a value other than bool(true)
#       And: 'InternalUserDatabaseEnabled' in 'AdvancedSecurityOptions' has not been
 provided or provided and set to a
#             non boolean value
#       And: 'MasterUserOptions' in 'AdvancedSecurityOptions' has not been provided or
 provided and set to a value
#            other than a struct
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'AdvancedSecurityOptions' has been provided
#       And: 'Enabled' in 'AdvancedSecurityOptions' has been provided and set to
 bool(true)
#       And: 'InternalUserDatabaseEnabled' in 'AdvancedSecurityOptions' has not been
 provided or provided and set to a
#             non boolean value
```

```
#       And: 'MasterUserOptions' in 'AdvancedSecurityOptions' has not been provided or
 provided and set to a value
#            other than a struct
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'AdvancedSecurityOptions' has been provided
#       And: 'Enabled' in 'AdvancedSecurityOptions' has been provided and set to
 bool(true)
#       And: 'InternalUserDatabaseEnabled' in 'AdvancedSecurityOptions' has been
 provided and set to a
#            boolean value
#       And: 'MasterUserOptions' in 'AdvancedSecurityOptions' has not been provided or
 provided and set to a value
#            other than a struct
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'AdvancedSecurityOptions' has been provided
#       And: 'Enabled' in 'AdvancedSecurityOptions' has been provided and set to
 bool(true)
#       And: 'InternalUserDatabaseEnabled' in 'AdvancedSecurityOptions' has not been
 provided or provided and set to a
#             non boolean value
#       And: 'MasterUserOptions' in 'AdvancedSecurityOptions' has been provided and set
 to a struct
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'AdvancedSecurityOptions' has been provided
#       And: 'Enabled' in 'AdvancedSecurityOptions' has been provided and set to
 bool(true)
#       And: 'InternalUserDatabaseEnabled' in 'AdvancedSecurityOptions' has been
 provided and set to a
#            boolean value
#       And: 'MasterUserOptions' in 'AdvancedSecurityOptions' has been provided and set
 to a struct
#      Then: PASS
```

```
#
# Constants
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let INPUT_DOCUMENT = this

#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
# Primary Rules
#
rule opensearch_fine_grained_access_control_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %opensearch_service_domains not empty {
    check(%opensearch_service_domains.Properties)
        <<
        [CT.OPENSEARCH.PR.15]: Require an Amazon OpenSearch Service domain to use fine-
grained access control
            [FIX]: Within 'AdvancedSecurityOptions', set 'Enabled' to 'true', set
 'InternalUserDatabaseEnabled' to 'true' or 'false', and set 'MasterUserOptions' with
 an options configuration for your master user.
        >>
}

rule opensearch_fine_grained_access_control_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.15]: Require an Amazon OpenSearch Service domain to use fine-
grained access control
            [FIX]: Within 'AdvancedSecurityOptions', set 'Enabled' to 'true', set
 'InternalUserDatabaseEnabled' to 'true' or 'false', and set 'MasterUserOptions' with
 an options configuration for your master user.
        >>
}

#
# Parameterized Rules
#
```

```
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        AdvancedSecurityOptions exists
        AdvancedSecurityOptions is_struct

        AdvancedSecurityOptions {
            # Scenarios 3, 4, 5, 6 and 7
            Enabled exists
            Enabled == true

            InternalUserDatabaseEnabled exists
            InternalUserDatabaseEnabled in [ true, false ]

            MasterUserOptions exists
            MasterUserOptions is_struct
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.15 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action:
          - sts:AssumeRole
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: true
        InternalUserDatabaseEnabled: false
        MasterUserOptions:
          MasterUserARN:
```

```
            Fn::GetAtt: [IAMRole, Arn]
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      NodeToNodeEncryptionOptions:
        Enabled: true
      EncryptionAtRestOptions:
        Enabled: true
      DomainEndpointOptions:
        EnforceHTTPS: true
      AdvancedSecurityOptions:
        Enabled: false
```

[CT.OPENSEARCH.PR.16] Memerlukan domain OpenSearch Layanan Amazon untuk menggunakan versi TLS minimum TLSv1.2

Kontrol ini memeriksa apakah domain OpenSearch Layanan Amazon dikonfigurasi untuk memerlukan HTTPS dengan versi TLS minimum TLSv1.2.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::OpenSearchService::Domain`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.OPENSEARCH.PR.16

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.OPENSEARCH.PR.16
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.OPENSEARCH.PR.16 contoh templat

Penjelasan

HTTPS (TLS) dapat membantu mencegah penyerang potensial menggunakan person-in-the-middle, atau serangan serupa, untuk menguping atau memanipulasi lalu lintas jaringan. Hanya koneksi terenkripsi melalui HTTPS (TLS) yang diizinkan. Mengenkripsi data dalam perjalanan dapat memengaruhi kinerja. Anda harus menguji aplikasi Anda dengan fitur ini untuk memahami profil kinerja dan efek TLS. TLS 1.2 menyediakan beberapa peningkatan keamanan dibandingkan versi TLS sebelumnya.

Remediasi untuk kegagalan aturan

Di dalam`DomainEndpointOptions`, atur `EnforceHTTPS` ke `true` dan atur `TLSSecurityPolicy` ke nilai dengan versi TLS minimum TLSv1.2..

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Domain OpenSearch Layanan Amazon - Contoh

Domain OpenSearch Layanan Amazon yang dikonfigurasi untuk mengharuskan semua lalu lintas ke domain tiba melalui HTTPS dengan versi TLS minimum TLSv1.2. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "OpenSearchServiceDomain": {
        "Type": "AWS::OpenSearchService::Domain",
        "Properties": {
            "EngineVersion": "OpenSearch_1.3",
            "ClusterConfig": {
                "InstanceCount": "1",
                "InstanceType": "t3.small.search"
            },
            "EBSOptions": {
                "EBSEnabled": true,
                "Iops": "3000",
                "VolumeSize": "10",
                "VolumeType": "gp3"
            },
            "AccessPolicies": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Principal": {
                            "AWS": "*"
                        },
                        "Action": "es:*",
                        "Resource": "*"
                    }
                ]
            },
            "DomainEndpointOptions": {
                "EnforceHTTPS": true,
                "TLSSecurityPolicy": "Policy-Min-TLS-1-2-2019-07"
            }
        }
    }
```

```
}
```

Contoh YAMAL

```
OpenSearchServiceDomain:
  Type: AWS::OpenSearchService::Domain
  Properties:
    EngineVersion: OpenSearch_1.3
    ClusterConfig:
      InstanceCount: '1'
      InstanceType: t3.small.search
    EBSOptions:
      EBSEnabled: true
      Iops: '3000'
      VolumeSize: '10'
      VolumeType: gp3
    AccessPolicies:
      Version: '2012-10-17'
      Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
    DomainEndpointOptions:
      EnforceHTTPS: true
      TLSSecurityPolicy: Policy-Min-TLS-1-2-2019-07
```

Spesifikasi aturan CT.OPENSEARCH.PR.16

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   opensearch_https_required_check
#
# Description:
```

```
#   This control checks whether Amazon OpenSearch Service domains are configured to
 require HTTPS with a minimum TLS version of TLSv1.2.
#
# Reports on:
#   AWS::OpenSearchService::Domain
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any OpenSearch Service domain
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'DomainEndpointOptions' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has not been provided or
#            has been provided and set to a value other than bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has not been provided or
#            has been provided and set to a value not in the list of allowed TLS
 policies
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has been provided and set to
 bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has not been provided or
```

```
#            has been provided and set to a value not in the list of allowed TLS
 policies
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has not been provided or
#            has been provided and set to a value other than bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has been provided and set
#            to a value in the list of allowed TLS policies
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an OpenSearch Service domain resource
#       And: 'DomainEndpointOptions' has been provided
#       And: 'EnforceHTTPS' in 'DomainEndpointOptions' has been provided and set to
 bool(true)
#       And: 'TLSSecurityPolicy' in 'DomainEndpointOptions' has been provided and set
#            to a value in the list of allowed TLS policies
#      Then: PASS

#
# Constants
#
let OPENSEARCH_SERVICE_DOMAIN_TYPE = "AWS::OpenSearchService::Domain"
let ALLOWED_TLS_POLICIES = [ "Policy-Min-TLS-1-2-2019-07", "Policy-Min-TLS-1-2-
PFS-2023-10" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let opensearch_service_domains = Resources.*[ Type == %OPENSEARCH_SERVICE_DOMAIN_TYPE ]

#
# Primary Rules
#
rule opensearch_https_required_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %opensearch_service_domains not empty {
    check(%opensearch_service_domains.Properties)
        <<
```

```
        [CT.OPENSEARCH.PR.16]: Require an Amazon OpenSearch Service domain to use a
 minimum TLS version of TLSv1.2
        [FIX]: Within 'DomainEndpointOptions', set 'EnforceHTTPS' to 'true' and set
 'TLSSecurityPolicy' to a value with a minimum TLS version of TLSv1.2.
        >>
}

rule opensearch_https_required_check when is_cfn_hook(%INPUT_DOCUMENT,
 %OPENSEARCH_SERVICE_DOMAIN_TYPE) {
    check(%INPUT_DOCUMENT.%OPENSEARCH_SERVICE_DOMAIN_TYPE.resourceProperties)
        <<
        [CT.OPENSEARCH.PR.16]: Require an Amazon OpenSearch Service domain to use a
 minimum TLS version of TLSv1.2
        [FIX]: Within 'DomainEndpointOptions', set 'EnforceHTTPS' to 'true' and set
 'TLSSecurityPolicy' to a value with a minimum TLS version of TLSv1.2.
        >>
}

#
# Parameterized Rules
#
rule check(opensearch_service_domain) {
    %opensearch_service_domain {
        # Scenario 2
        DomainEndpointOptions exists
        DomainEndpointOptions is_struct

        DomainEndpointOptions {
            # Scenarios 3, 4, 5 and 6
            EnforceHTTPS exists
            EnforceHTTPS == true

            TLSSecurityPolicy exists
            TLSSecurityPolicy in %ALLOWED_TLS_POLICIES
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.OPENSEARCH.PR.16 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      DomainEndpointOptions:
        EnforceHTTPS: true
        TLSSecurityPolicy: Policy-Min-TLS-1-2-2019-07
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  OpenSearchServiceDomain:
    Type: AWS::OpenSearchService::Domain
    Properties:
      EngineVersion: OpenSearch_1.3
      ClusterConfig:
        InstanceCount: '1'
        InstanceType: t3.small.search
      EBSOptions:
        EBSEnabled: true
        Iops: '3000'
        VolumeSize: '10'
        VolumeType: gp3
      AccessPolicies:
        Version: '2012-10-17'
        Statement:
        - Effect: Deny
          Principal:
            AWS: '*'
          Action: es:*
          Resource: '*'
      DomainEndpointOptions:
        EnforceHTTPS: true
        TLSSecurityPolicy: Policy-Min-TLS-1-0-2019-07
```

Kontrol Amazon Relational Database Service (Amazon RDS)

Topik

- [CT.RDS.PR.1] Mengharuskan instans database Amazon RDS dikonfigurasi dengan beberapa Availability Zone
- [CT.RDS.PR.2] Memerlukan instans atau cluster database Amazon RDS agar pemantauan yang ditingkatkan dikonfigurasi
- [CT.RDS.PR.3] Memerlukan klaster Amazon RDS agar perlindungan penghapusan dikonfigurasi

- [CT.RDS.PR.4] Memerlukan kluster basis data Amazon RDS agar otentikasi database AWS IAM dikonfigurasi
- [CT.RDS.PR.5] Memerlukan instans database Amazon RDS agar upgrade versi minor dikonfigurasi
- [CT.RDS.PR.6] Memerlukan kluster basis data Amazon RDS untuk mengonfigurasi backtracking
- [CT.RDS.PR.7] Mengharuskan instans basis data Amazon RDS agar otentikasi IAM dikonfigurasi
- [CT.RDS.PR.8] Memerlukan instance database Amazon RDS agar cadangan otomatis dikonfigurasi
- [CT.RDS.PR.9] Memerlukan kluster basis data Amazon RDS untuk menyalin tag ke snapshot
- [CT.RDS.PR.10] Memerlukan instance database Amazon RDS untuk menyalin tag ke snapshot
- [CT.RDS.PR.11] Memerlukan instance database Amazon RDS untuk memiliki konfigurasi VPC
- [CT.RDS.PR.12] Memerlukan langganan acara Amazon RDS agar peristiwa klaster penting dikonfigurasi
- [CT.RDS.PR.13] Memerlukan instans Amazon RDS apa pun agar perlindungan penghapusan dikonfigurasi
- [CT.RDS.PR.14] Memerlukan instance database Amazon RDS untuk mengekspor log ke Amazon CloudWatch Logs melalui properti EnableCloudwatchLogsExports
- [CT.RDS.PR.15] Mengharuskan instans Amazon RDS tidak membuat grup keamanan DB
- [CT.RDS.PR.16] Memerlukan kluster basis data Amazon RDS agar enkripsi saat istirahat dikonfigurasi
- [CT.RDS.PR.17] Memerlukan langganan pemberitahuan acara Amazon RDS agar peristiwa instance database penting dikonfigurasi
- [CT.RDS.PR.18] Memerlukan langganan pemberitahuan acara Amazon RDS agar peristiwa grup parameter basis data penting dikonfigurasi
- [CT.RDS.PR.19] Memerlukan langganan pemberitahuan acara Amazon RDS agar peristiwa grup keamanan basis data penting dikonfigurasi
- [CT.RDS.PR.20] Memerlukan instance database Amazon RDS untuk tidak menggunakan port default mesin database
- [CT.RDS.PR.21] Memerlukan cluster Amazon RDS DB untuk memiliki nama pengguna administrator yang unik
- [CT.RDS.PR.22] Memerlukan instance database Amazon RDS untuk memiliki nama pengguna administrator yang unik
- [CT.RDS.PR.23] Memerlukan instans database Amazon RDS agar tidak dapat diakses publik

- [CT.RDS.PR.24] Memerlukan instance database Amazon RDS agar enkripsi saat istirahat dikonfigurasi
- [CT.RDS.PR.25] Memerlukan cluster basis data Amazon RDS untuk mengekspor log ke Amazon Logs melalui properti CloudWatch EnableCloudwatchLogsExports
- [CT.RDS.PR.26] Memerlukan Proxy DB Layanan Amazon Relational Database Service untuk memerlukan koneksi Transport Layer Security (TLS)
- [CT.RDS.PR.27] Memerlukan grup parameter cluster DB Amazon Relational Database Service untuk meminta koneksi Transport Layer Security (TLS) untuk tipe engine yang didukung
- [CT.RDS.PR.28] Memerlukan grup parameter DB Amazon Relational Database Service untuk meminta koneksi Transport Layer Security (TLS) untuk tipe engine yang didukung
- [CT.RDS.PR.29] Memerlukan klaster Amazon RDS yang tidak dikonfigurasi agar dapat diakses publik melalui properti " PubliclyAccessible
- [CT.RDS.PR.30] Mengharuskan instans database Amazon RDS memiliki enkripsi saat istirahat yang dikonfigurasi untuk menggunakan kunci KMS yang Anda tentukan untuk jenis mesin yang didukung

[CT.RDS.PR.1] Mengharuskan instans database Amazon RDS dikonfigurasi dengan beberapa Availability Zone

Kontrol ini memeriksa apakah ketersediaan tinggi dikonfigurasi untuk instans database Amazon Relational Database Service (RDS) Amazon Relational Database Service (RDS).

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.1contoh template

Penjelasan

Instans database Amazon RDS (DB) harus dikonfigurasi untuk beberapa Availability Zone (AZ). Konfigurasi ini meningkatkan ketersediaan data yang disimpan. Penerapan ke beberapa Availability Zone memungkinkan failover otomatis, jika Availability Zone mengalami pemadaman, dan selama pemeliharaan RDS reguler.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-eesqlserver-se`, `sqlserver-ex` dan`sqlserver-web`.
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Atur `MultiAZ` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans database Amazon RDS dikonfigurasi dengan beberapa Availability Zone. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
```

```
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "MultiAZ": true
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    MultiAZ: true
  DeletionPolicy: Delete
```

CT.RDS.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_multi_az_support_check
#
# Description:
#   This control checks whether high availability is configured for your Amazon
 Relational Database Service (RDS) database instances.
```

```
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'MultiAZ' has not been specified
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'MultiAZ' has been specified
```

```
#       And: 'MultiAZ' has been set to bool(false)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'MultiAZ' has been specified
#       And: 'MultiAZ' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_multi_az_support_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.1]: Require that an Amazon RDS database instance is configured with
 multiple Availability Zones
        [FIX]: Set 'MultiAZ' to 'true'.
        >>
}
```

```
rule rds_instance_multi_az_support_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.1]: Require that an Amazon RDS database instance is configured with
 multiple Availability Zones
        [FIX]: Set 'MultiAZ' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_engine(this)] {
       # Scenario 3
       MultiAZ exists
       # Scenario 4 and 5
       MultiAZ == true
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        # Scenario 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      MultiAZ: true
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      MultiAZ: false
    DeletionPolicy: Delete
```

[CT.RDS.PR.2] Memerlukan instans atau cluster database Amazon RDS agar pemantauan yang ditingkatkan dikonfigurasi

Kontrol ini memeriksa apakah pemantauan yang disempurnakan diaktifkan untuk instans Amazon Relational Database Service (RDS).

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.2contoh template

Penjelasan

Di Amazon RDS, pemantauan yang ditingkatkan memfasilitasi respons yang lebih cepat terhadap perubahan kinerja di infrastruktur yang mendasarinya. Perubahan kinerja ini dapat mengakibatkan kurangnya ketersediaan data. Pemantauan yang disempurnakan memberikan metrik real-time dari sistem operasi tempat instans RDS DB Anda berjalan. Agen, yang diinstal pada instance, dapat memperoleh metrik lebih akurat daripada yang mungkin dari lapisan hypervisor.

Metrik pemantauan yang disempurnakan berguna ketika Anda ingin melihat bagaimana berbagai proses atau utas pada instans database (DB) menggunakan CPU.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB`aurora`,`aurora-mysql`,`aurora-postgresql`,`mariadb`,`mysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-ee``sqlserver-se`, `sqlserver-ex` dan `sqlserver-web`
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Setel `MonitoringInterval` ke nilai yang didukung (1, 5, 10, 15, 30, 60), dan atur `MonitoringRoleArn` ke ARN peran AWS IAM.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi dengan pemantauan yang disempurnakan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "MonitoringInterval": 30,
            "MonitoringRoleArn": {
                "Fn::GetAtt": [
                    "MonitoringIAMRole",
                    "Arn"
                ]
            }
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
```

```
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    MonitoringInterval: 30
    MonitoringRoleArn: !GetAtt 'MonitoringIAMRole.Arn'
  DeletionPolicy: Delete
```

CT.RDS.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_enhanced_monitoring_enabled_check
#
# Description:
#   This control checks whether enhanced monitoring is activated for Amazon Relational
 Database Service (RDS) instances.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
```

```
#            'oracle-ee', 'oracle-se2', 'oracle-se1', 'oracle-se', 'postgres',
 'sqlserver-ee',
#            'sqlserver-se', 'sqlserver-ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-se1', 'oracle-se', 'postgres',
 'sqlserver-ee',
#            'sqlserver-se', 'sqlserver-ex', 'sqlserver-web'
#       And: 'MonitoringInterval' has not been specified
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-se1', 'oracle-se', 'postgres',
 'sqlserver-ee',
#            'sqlserver-se', 'sqlserver-ex', 'sqlserver-web'
#       And: 'MonitoringInterval' has been specified
#       And: 'MonitoringInterval' has been set to '0'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-se1', 'oracle-se', 'postgres',
 'sqlserver-ee',
#            'sqlserver-se', 'sqlserver-ex', 'sqlserver-web'
#       And: 'MonitoringInterval' has been specified
#       And: 'MonitoringInterval' has not been set to a value from the list 1, 5, 10,
 15, 30, 60
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
```

```
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-se1', 'oracle-se', 'postgres',
 'sqlserver-ee',
#            'sqlserver-se', 'sqlserver-ex', 'sqlserver-web'
#       And: 'MonitoringInterval' has been specified
#       And: 'MonitoringInterval' has been set to a value from the list 1, 5, 10, 15,
 30, 60
#       And: 'MonitoringRoleArn' has not been specified or specified as an empty string
#      Then: FAIL
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-se1', 'oracle-se', 'postgres',
 'sqlserver-ee',
#            'sqlserver-se', 'sqlserver-ex', 'sqlserver-web'
#       And: 'MonitoringInterval' has been specified
#       And: 'MonitoringInterval' has been set to a value from the list 1, 5, 10, 15,
 30, 60
#       And: 'MonitoringRoleArn' has been specified with a non-empty string or valid
 local reference
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "aurora", "aurora-mysql", "aurora-postgresql", "mariadb", "mysql",
    "oracle-ee", "oracle-ee-cdb", "oracle-se2", "oracle-se2-cdb",
    "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]
let ALLOWED_EM_VALUES = [1, 5, 10, 15, 30, 60]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]
```

```
#
# Primary Rules
#
rule rds_instance_enhanced_monitoring_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.2]: Require an Amazon RDS database instance or cluster to have
 enhanced monitoring configured
        [FIX]: Set 'MonitoringInterval' to a supported value (1, 5, 10, 15, 30, 60),
 and set 'MonitoringRoleArn' to the ARN of an AWS IAM role.
        >>
}

rule rds_instance_enhanced_monitoring_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.2]: Require an Amazon RDS database instance or cluster to have
 enhanced monitoring configured
        [FIX]: Set 'MonitoringInterval' to a supported value (1, 5, 10, 15, 30, 60),
 and set 'MonitoringRoleArn' to the ARN of an AWS IAM role.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_engine(this)] {
        # Scenario: 3, 4, 5, 6 and 7
        MonitoringInterval exists
        MonitoringInterval in %ALLOWED_EM_VALUES
        # Scenario: 6 and 7
        MonitoringRoleArn exists
        check_for_valid_monitor_role_arn(MonitoringRoleArn)
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        # Scenario: 2
        Engine exists
```

```
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

rule check_for_valid_monitor_role_arn(iam_role_arn) {
   %iam_role_arn {
      check_is_string_and_not_empty(this) or
      check_local_references(%INPUT_DOCUMENT, this, "AWS::IAM::Role")
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}
```

```
rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.RDS.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  MonitoringIAMRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
        - Effect: "Allow"
          Principal:
            Service:
            - "monitoring.rds.amazonaws.com"
          Action:
          - "sts:AssumeRole"
      Path: "/"
      ManagedPolicyArns:
      - arn:aws:iam::aws:policy/service-role/AmazonRDSEnhancedMonitoringRole
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
```

```
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      MonitoringInterval: 30
      MonitoringRoleArn:
        Fn::GetAtt: ["MonitoringIAMRole", "Arn"]
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
```

```
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      MonitoringInterval: 0
    DeletionPolicy: Delete
```

[CT.RDS.PR.3] Memerlukan klaster Amazon RDS agar perlindungan penghapusan dikonfigurasi

Kontrol ini memeriksa apakah klaster Amazon Relational Database Service (Amazon RDS) Anda telah mengaktifkan perlindungan penghapusan.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBCluster`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.3contoh template

Penjelasan

Mengaktifkan perlindungan penghapusan klaster adalah lapisan perlindungan tambahan terhadap penghapusan atau penghapusan database yang tidak disengaja oleh entitas yang tidak sah.

Saat perlindungan penghapusan diaktifkan, klaster Amazon RDS tidak dapat dihapus. Sebelum permintaan penghapusan berhasil, perlindungan penghapusan harus dinonaktifkan.

Remediasi untuk kegagalan aturan

Tetapkan nilai `DeletionProtection` parameter ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh

Cluster Amazon RDS DB dengan perlindungan penghapusan diaktifkan. Contoh ditunjukkan di JSON dan YAMAL.

Contoh JSON

```
{
    "RDSDBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${RDSClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RDSClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "TestDBSubnetGroup"
            },
            "DeletionProtection": true
        }
    }
}
```

Contoh YAMAL

```
RDSDBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora
    MasterUsername: !Sub '{{resolve:secretsmanager:${RDSClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RDSClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'TestDBSubnetGroup'
    DeletionProtection: true
```

CT.RDS.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_cluster_deletion_protection_enabled_check
#
# Description:
#   Checks if an Amazon Relational Database Service (Amazon RDS) cluster has deletion
 protection enabled.
#
# Reports on:
#   AWS::RDS::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#  None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any RDS DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'DeletionProtection' has not been specified
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'DeletionProtection' has been specified
#       And: 'DeletionProtection' has been set to bool(false)
#      Then: FAIL
#   Scenario: 4
```

```
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'DeletionProtection' has been specified
#       And: 'DeletionProtection' has been set to bool(true)
#      Then: PASS



#
# Constants
#
let RDS_DB_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let db_clusters = Resources.*[ Type == %RDS_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule rds_cluster_deletion_protection_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %db_clusters not empty {
    check(%db_clusters.Properties)
        <<
        [CT.RDS.PR.3]: Require an Amazon RDS cluster to have deletion protection
 configured
        [FIX]: Set the value of the 'DeletionProtection' parameter to true.
        >>
}

rule rds_cluster_deletion_protection_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.3]: Require an Amazon RDS cluster to have deletion protection
 configured
        [FIX]: Set the value of the 'DeletionProtection' parameter to true.
        >>
}

rule check(properties) {
```

```
    %properties {
        # Scenario 2
        DeletionProtection exists
        # Scenario 3 and 4
        DeletionProtection == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
```

```
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: Example DB subnet group
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  RDSClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\""
  RDSCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: "{{resolve:secretsmanager:${RDSClusterSecret}::username}}"
      MasterUserPassword:
        Fn::Sub: "{{resolve:secretsmanager:${RDSClusterSecret}::password}}"
      DBSubnetGroupName:
        Ref: DBSubnetGroup
      DeletionProtection: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: Example DB subnet group
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  RDSClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
```

```
      Description: RDS cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\""
  RDSCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: "{{resolve:secretsmanager:${RDSClusterSecret}::username}}"
      MasterUserPassword:
        Fn::Sub: "{{resolve:secretsmanager:${RDSClusterSecret}::password}}"
      DBSubnetGroupName:
        Ref: DBSubnetGroup
      DeletionProtection: false
```

[CT.RDS.PR.4] Memerlukan kluster basis data Amazon RDS agar otentikasi database AWS IAM dikonfigurasi

Kontrol ini memeriksa apakah kluster AWS database Amazon Relational Database Service (RDS) (DB) Amazon Relational Database Service (RDS) telah mengaktifkan autentikasi database IAM.

- Tujuan kontrol: Gunakan otentikasi yang kuat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBCluster`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.4contoh template

Penjelasan

Autentikasi basis data IAM memungkinkan otentikasi bebas kata sandi ke instance database. Otentikasi menggunakan token otentikasi. Lalu lintas jaringan ke dan dari database dienkripsi menggunakan SSL.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk jenis mesin cluster Amazon RDS DB`aurora`, `aurora-mysql` dan`aurora-postgresql`.

Remediasi untuk kegagalan aturan

Atur `EnableIAMDatabaseAuthentication` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh

Amazon RDS DB cluster dikonfigurasi dengan autentikasi database AWS IAM. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora-mysql",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            },
            "EnableIAMDatabaseAuthentication": true
        }
```

```
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora-mysql
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
    EnableIAMDatabaseAuthentication: true
```

CT.RDS.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_cluster_iam_authentication_enabled_check
#
# Description:
#   This control checks whether an Amazon Relational Database Service (RDS) database
 (DB) cluster has AWS IAM database authentication activated.
#
# Reports on:
#   AWS::RDS::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain any RDS DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is not one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#       And: 'EnableIAMDatabaseAuthentication' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#       And: 'EnableIAMDatabaseAuthentication' has been provided
#       And: 'EnableIAMDatabaseAuthentication' has been set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#       And: 'EnableIAMDatabaseAuthentication' has been provided
#       And: 'EnableIAMDatabaseAuthentication' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let RDS_DB_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let SUPPORTED_DB_CLUSTER_ENGINES = ["aurora", "aurora-mysql","aurora-postgresql"]
```

```
let INPUT_DOCUMENT = this

#
# Assignments
#
let db_clusters = Resources.*[ Type == %RDS_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule rds_cluster_iam_authentication_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                       %db_clusters not empty {
    check(%db_clusters.Properties)
        <<
        [CT.RDS.PR.4]: Require an Amazon RDS database cluster to have AWS IAM database
 authentication configured
            [FIX]: Set 'EnableIAMDatabaseAuthentication' to 'true'.
        >>
}

rule rds_cluster_iam_authentication_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.4]: Require an Amazon RDS database cluster to have AWS IAM database
 authentication configured
            [FIX]: Set 'EnableIAMDatabaseAuthentication' to 'true'.
        >>
}

rule check(db_cluster) {
    %db_cluster [
        # Scenario 2
        filter_engine(this)
    ] {
       # Scenario 3
       EnableIAMDatabaseAuthentication exists
       # Scenario 4 and 5
       EnableIAMDatabaseAuthentication == true
    }
}

rule filter_engine(cluster_properties) {
    %cluster_properties {
```

```
        Engine exists
        Engine in %SUPPORTED_DB_CLUSTER_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
```

```
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: DB subnet group for DBCluster
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
      EnableIAMDatabaseAuthentication: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: DB subnet group for DBCluster
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
```

```
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
```

[CT.RDS.PR.5] Memerlukan instans database Amazon RDS agar upgrade versi minor dikonfigurasi

Kontrol ini memeriksa apakah upgrade versi minor otomatis diaktifkan untuk instance database Amazon Relational Database Service (RDS) Amazon Relational Database Service (RDS).

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.5contoh template

Penjelasan

Dengan mengaktifkan upgrade versi minor otomatis, Anda dapat memastikan bahwa pembaruan versi minor terbaru ke sistem manajemen basis data relasional (RDBMS) diinstal. Upgrade ini

mungkin termasuk patch keamanan dan perbaikan bug. Tetap up to date dengan instalasi patch adalah langkah penting dalam mengamankan sistem.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB`aurora`,`aurora-mysql`,`aurora-postgresql`,`mariadb`,`mysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-ee``sqlserver-se`, `sqlserver-ex`dan`sqlserver-web`.
> - Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Hilangkan `AutoMinorVersionUpgrade` properti atau atur ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh Satu

Instans Amazon RDS DB dikonfigurasi dengan upgrade versi minor otomatis, diaktifkan dengan cara default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
```

```
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            }
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
  DeletionPolicy: Delete
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh Dua

Instans Amazon RDS DB dikonfigurasi dengan upgrade versi minor otomatis, diaktifkan melalui properti. `AutoMinorVersionUpgrade` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
```

```
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "AutoMinorVersionUpgrade": true
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    AutoMinorVersionUpgrade: true
  DeletionPolicy: Delete
```

CT.RDS.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_automatic_minor_version_upgrade_enabled_check
#
# Description:
```

```
#   This control checks whether automatic minor version upgrades are enabled for an
 Amazon Relational Database Service (RDS) database instance.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-ee-cdb', 'oracle-se2', 'oracle-se2-cdb',
#            'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-web',
#            'postgres'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-ee-cdb', 'oracle-se2', 'oracle-se2-cdb',
#            'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-web',
#            'postgres'
#       And: 'AutoMinorVersionUpgrade' has been specified
#       And: 'AutoMinorVersionUpgrade' has been set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
```

```
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-ee-cdb', 'oracle-se2', 'oracle-se2-cdb',
#            'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-web',
#            'postgres'
#       And: 'AutoMinorVersionUpgrade' has not been specified
#      Then: PASS
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-ee-cdb', 'oracle-se2', 'oracle-se2-cdb',
#            'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-web',
#            'postgres'
#       And: 'AutoMinorVersionUpgrade' has been specified
#       And: 'AutoMinorVersionUpgrade' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "aurora", "aurora-mysql", "aurora-postgresql", "mariadb", "mysql",
    "oracle-ee", "oracle-ee-cdb", "oracle-se2", "oracle-se2-cdb",
    "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_automatic_minor_version_upgrade_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %rds_db_instances not
 empty {
```

```
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.5]: Require an Amazon RDS database instance to have minor version
 upgrades configured
        [FIX]: Omit the 'AutoMinorVersionUpgrade' property or set it to 'true'.
        >>
}

rule rds_instance_automatic_minor_version_upgrade_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.5]: Require an Amazon RDS database instance to have minor version
 upgrades configured
        [FIX]: Omit the 'AutoMinorVersionUpgrade' property or set it to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [ filter_engine(this) ] {
        # Scenario: 4
        AutoMinorVersionUpgrade not exists or
        # Scenario: 3 and 5
        AutoMinorVersionUpgrade == true
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        # Scenario: 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
```

```
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      AutoMinorVersionUpgrade: false
    DeletionPolicy: Delete
```

[CT.RDS.PR.6] Memerlukan kluster basis data Amazon RDS untuk mengonfigurasi backtracking

Kontrol ini memeriksa apakah klaster database Amazon Relational Database Service (RDS) (DB) Amazon Relational Database Service (RDS) telah mengaktifkan backtracking.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya: `AWS::RDS::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.6

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.6
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.6contoh template

Penjelasan

Cadangan membantu Anda pulih lebih cepat dari insiden keamanan. Backup juga memperkuat ketahanan sistem Anda. Aurora backtracking mengurangi waktu yang diperlukan untuk memulihkan database untuk titik waktu tertentu, dan pemulihan tidak memerlukan pemulihan database.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk jenis mesin cluster Amazon RDS DB `aurora` dan`aurora-mysql`, dan untuk mode `provisioned` mesin cluster DB dan `parallelquery`
> - Kontrol ini tidak berlaku untuk klaster Amazon RDS DB yang mendukung instance database Aurora Serverless V2 (Misalnya, klaster RDS DB yang dikonfigurasi dengan kompatibel dengan Aurora Serverless V2 dan Aurora.) `ServerlessV2ScalingConfiguration` `EngineVersion`

Remediasi untuk kegagalan aturan

Setel `BacktrackWindow` ke angka antara `1` dan`259200`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh

Amazon RDS DB cluster dikonfigurasi dengan jendela backtrack 720 detik (12 menit). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora-mysql",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            },
            "BacktrackWindow": 720
        }
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora-mysql
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
    BacktrackWindow: 720
```

Spesifikasi aturan CT.RDS.PR.6

```
# ####################################
##       Rule Specification        ##
####################################
#
```

```
# Rule Identifier:
#   aurora_cluster_backtracking_enabled_check
#
# Description:
#   This control checks whether an Amazon Relational Database Service (RDS) database
 (DB) cluster has backtracking enabled.
#
# Reports on:
#   AWS::RDS::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#    Scenario: 1
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any RDS DB cluster resources
#       Then: SKIP
#    Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'Engine' provided is not one of 'aurora' or 'aurora-mysql'
#       Then: SKIP
#    Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'Engine' provided is one of 'aurora' or 'aurora-mysql'
#        And: 'EngineMode' provided is not one of 'provisioned' or 'parallelquery'
#       Then: SKIP
#    Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'ServerlessV2ScalingConfiguration' is provided
#        And: 'Engine' provided is 'aurora-mysql'
#        And: 'EngineVersion' provided is '8.0.mysql_aurora.3.02.0' or higher
#       Then: SKIP
#    Scenario: 5
```

```
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'Engine' provided is one of 'aurora' or 'aurora-mysql'
#        And: 'EngineMode' is not provided or 'EngineMode' provided is one of
 'provisioned' or 'parallelquery'
#        And: 'BacktrackWindow' has not been provided
#       Then: FAIL
#    Scenario: 6
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'Engine' provided is one of 'aurora' or 'aurora-mysql'
#        And: 'EngineMode' is not provided or 'EngineMode' provided is one of
 'provisioned' or 'parallelquery'
#        And: 'BacktrackWindow' has been provided and is set to 0
#       Then: FAIL
#    Scenario: 7
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'Engine' provided is one of 'aurora' or 'aurora-mysql'
#        And: 'EngineMode' is not provided or 'EngineMode' provided is one of
 'provisioned' or 'parallelquery'
#        And: 'BacktrackWindow' has been provided and is set to a value > 0
#       Then: PASS

#
# Constants
#
let RDS_DB_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let SUPPORTED_DB_CLUSTER_ENGINES = ["aurora", "aurora-mysql"]
let SUPPORTED_DB_CLUSTER_ENGINE_MODES = ["provisioned", "parallelquery"]
let AURORA_SERVERLESS_V2_SUPPORTED_ENGINE = ["aurora-mysql"]
let AURORA_V3_SERVERLESS_V2_NOT_SUPPORTED_PATTERN = /^8\.0\.mysql_aurora\.3\.01\./
let AURORA_V3_SERVERLESS_V2_SUPPORTED_PATTERN = /^8\.0\.mysql_aurora\.3/
let INPUT_DOCUMENT = this

#
# Assignments
#
let db_clusters = Resources.*[ Type == %RDS_DB_CLUSTER_TYPE ]

#
```

```
# Primary Rules
#
rule aurora_cluster_backtracking_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                    %db_clusters not empty {
    check(%db_clusters.Properties)
        <<
        [CT.RDS.PR.6]: Require an Amazon RDS database cluster to have backtracking
 configured
            [FIX]: Set 'BacktrackWindow' to a number between '1' and '259200'.
        >>
}

rule aurora_cluster_backtracking_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.6]: Require an Amazon RDS database cluster to have backtracking
 configured
            [FIX]: Set 'BacktrackWindow' to a number between '1' and '259200'.
        >>
}

rule check(db_cluster) {
    %db_cluster [
        filter_engine_enginemode_and_serverless_v2(this)
    ] {
        # Scenario 5
        BacktrackWindow exists
        # Scenario 6 and 7
        BacktrackWindow > 0
    }
}

rule filter_engine_enginemode_and_serverless_v2(db_cluster) {
    # Scenario 2 and 3
    %db_cluster {
        Engine exists
        Engine in %SUPPORTED_DB_CLUSTER_ENGINES
        EngineMode not exists or
        EngineMode in %SUPPORTED_DB_CLUSTER_ENGINE_MODES
    }
    #Scenario 4
    %db_cluster [
        ServerlessV2ScalingConfiguration exists
```

```
        Engine in %AURORA_SERVERLESS_V2_SUPPORTED_ENGINE
    ] {
        EngineVersion in %AURORA_V3_SERVERLESS_V2_NOT_SUPPORTED_PATTERN or
        EngineVersion not in %AURORA_V3_SERVERLESS_V2_SUPPORTED_PATTERN
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
```

```
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: Example DB subnet group
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
      BacktrackWindow: 720
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: Example DB subnet group
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
```

```
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      EngineMode: provisioned
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
```

[**`CT.RDS.PR.7`**] Mengharuskan instans basis data Amazon RDS agar otentikasi IAM dikonfigurasi

Kontrol ini memeriksa apakah instans Amazon RDS database (DB) telah mengaktifkan autentikasi database AWS Identity and Access Management (IAM).

- Tujuan kontrol: Gunakan otentikasi yang kuat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.7spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.7spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.7contoh template

Penjelasan

Autentikasi basis data IAM memungkinkan otentikasi ke instance database dengan token otentikasi, bukan kata sandi. Lalu lintas jaringan ke dan dari database dienkripsi dengan SSL.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB`mariadb`, `mysql` dan`postgres`.
> - Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Atur `EnableIAMDatabaseAuthentication` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi dengan autentikasi database IAM. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "EnableIAMDatabaseAuthentication": true
```

```
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    EnableIAMDatabaseAuthentication: true
  DeletionPolicy: Delete
```

CT.RDS.PR.7spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_iam_authentication_enabled_check
#
# Description:
#   This control checks whether an Amazon RDS database (DB) instance has AWS Identity
 and Access Management (IAM) database authentication activated.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
```

```
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not in-scope database engines - 'mariadb', 'mysql', 'postgres'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is in-scope database engines - 'mariadb', 'mysql', 'postgres'
#       And: 'EnableIAMDatabaseAuthentication' has not been specified
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is in-scope database engines - 'mariadb', 'mysql', 'postgres'
#       And: 'EnableIAMDatabaseAuthentication' has been specified
#       And: 'EnableIAMDatabaseAuthentication' has been set to bool(false)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is in-scope database engines - 'mariadb', 'mysql', 'postgres'
#       And: 'EnableIAMDatabaseAuthentication' has been specified
#       And: 'EnableIAMDatabaseAuthentication' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
```

```
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = ["mariadb", "mysql", "postgres"]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_iam_authentication_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.7]: Require Amazon RDS database instances to have AWS IAM
 authentication configured
        [FIX]: Set 'EnableIAMDatabaseAuthentication' to 'true'.
        >>
}

rule rds_instance_iam_authentication_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.7]: Require Amazon RDS database instances to have AWS IAM
 authentication configured
        [FIX]: Set 'EnableIAMDatabaseAuthentication' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_engine(this)] {
        #Scenario: 3
        EnableIAMDatabaseAuthentication exists
        #Scenario: 4 and 5
        EnableIAMDatabaseAuthentication == true
    }
}
```

```
rule filter_engine(db_properties) {
    %db_properties {
        #Scenario: 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.7contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
```

```
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      EnableIAMDatabaseAuthentication: true
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
```

```
      EnableIAMDatabaseAuthentication: false
    DeletionPolicy: Delete
```

[CT.RDS.PR.8] Memerlukan instance database Amazon RDS agar cadangan otomatis dikonfigurasi

Kontrol ini memeriksa apakah instans Amazon RDS database (DB) telah mengaktifkan pencadangan otomatis, dan memverifikasi bahwa periode retensi cadangan lebih besar dari atau sama dengan tujuh (7) hari.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.8spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.8spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.8contoh template

Penjelasan

Cadangan membantu Anda pulih lebih cepat dari insiden keamanan, dan mereka memperkuat ketahanan sistem Anda. Amazon RDS menyediakan cara mudah untuk mengonfigurasi snapshot volume instans penuh harian.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-ee`sql`server-se`, `sqlserver-ex` dan`sqlserver-web`.

- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Setel `BackupRetentionPeriod` ke nilai integer antara 7 dan 35 hari (inklusif).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi dengan backup otomatis yang dikonfigurasi dan periode retensi cadangan selama 14 hari. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "BackupRetentionPeriod": 14
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    BackupRetentionPeriod: 14
  DeletionPolicy: Delete
```

CT.RDS.PR.8spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_backup_enabled_check
#
# Description:
#   This control checks whether Amazon RDS database (DB) instances have automated
 backups enabled, and verifies that the backup retention period is greater than or
 equal to seven (7) days.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'BackupRetentionPeriod' has been specified
#       And: 'BackupRetentionPeriod' has been set to 0 (backup disabled)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'BackupRetentionPeriod' has not been specified
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'BackupRetentionPeriod' has been specified
#       And: 'BackupRetentionPeriod' has been set to < 7
```

```
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'BackupRetentionPeriod' has been specified
#       And: 'BackupRetentionPeriod' has been set to an integer >= 7
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_backup_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.8]: Require an Amazon RDS database instance to have automatic
 backups configured
        [FIX]: Set 'BackupRetentionPeriod' to an integer value between 7 and 35 days
 (inclusive).
        >>
}
```

```
rule rds_instance_backup_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.8]: Require an Amazon RDS database instance to have automatic
 backups configured
        [FIX]: Set 'BackupRetentionPeriod' to an integer value between 7 and 35 days
 (inclusive).
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [ filter_db_identifier_and_engine(this) ] {
        # Scenario: 3, 4, 5 and 6
        BackupRetentionPeriod exists
        BackupRetentionPeriod >= 7
    }
}

rule filter_db_identifier_and_engine(db_properties) {
    %db_properties {
        # Scenario: 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.RDS.PR.8contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      BackupRetentionPeriod: 14
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      BackupRetentionPeriod: 4
    DeletionPolicy: Delete
```

[CT.RDS.PR.9] Memerlukan kluster basis data Amazon RDS untuk menyalin tag ke snapshot

Kontrol ini memeriksa apakah cluster Amazon RDS database (DB) dikonfigurasi untuk menyalin semua tag ke snapshot yang dibuat.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBCluster`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.9spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.9spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.9contoh template

Penjelasan

Identifikasi dan inventaris aset infrastruktur Anda adalah aspek penting dari tata kelola dan keamanan. Dengan visibilitas ke semua cluster Amazon RDS DB Anda, Anda dapat menilai postur keamanan mereka dan mengambil tindakan pada area kelemahan potensial. Kami menyarankan Anda menandai snapshot dengan cara yang sama seperti cluster database RDS induknya. Mengaktifkan pengaturan ini memastikan bahwa snapshot mewarisi tag cluster database induknya.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk jenis mesin cluster Amazon RDS DB`aurora`,`aurora-mysql`, dan`aurora-postgresql`.

Remediasi untuk kegagalan aturan

Atur `CopyTagsToSnapshot` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh

Amazon RDS DB cluster dikonfigurasi untuk menyalin tag ke snapshot. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora-mysql",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
```

```
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            },
            "CopyTagsToSnapshot": true
        }
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora-mysql
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
    CopyTagsToSnapshot: true
```

CT.RDS.PR.9spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_cluster_copy_tags_to_snapshots_enabled_check
#
# Description:
#   This control checks whether an Amazon RDS DB cluster is configured to copy all tags
 to snapshots created.
#
# Reports on:
#   AWS::RDS::DBCluster
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is not one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#       And: 'CopyTagsToSnapshot' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#       And: 'CopyTagsToSnapshot' has been provided
#       And: 'CopyTagsToSnapshot' has been set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' provided is one of 'aurora' or 'aurora-mysql' or 'aurora-
postgresql'
#       And: 'CopyTagsToSnapshot' has been provided
```

```
#       And: 'CopyTagsToSnapshot' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let RDS_DB_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let SUPPORTED_DB_CLUSTER_ENGINES = ["aurora", "aurora-mysql","aurora-postgresql"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let db_clusters = Resources.*[ Type == %RDS_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule rds_cluster_copy_tags_to_snapshots_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %db_clusters not empty {
    check(%db_clusters.Properties)
        <<
        [CT.RDS.PR.9]: Require an Amazon RDS database cluster to copy tags to snapshots
            [FIX]: Set 'CopyTagsToSnapshot' to 'true'.
        >>
}

rule rds_cluster_copy_tags_to_snapshots_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.9]: Require an Amazon RDS database cluster to copy tags to snapshots
            [FIX]: Set 'CopyTagsToSnapshot' to 'true'.
        >>
}

rule check(db_cluster) {
    %db_cluster [
        # Scenario 2
        filter_engine(this)
    ] {
       # Scenario 3
       CopyTagsToSnapshot exists
```

```
        # Scenario 4 and 5
        CopyTagsToSnapshot == true
    }
}

rule filter_engine(cluster_properties) {
    %cluster_properties {
        Engine exists
        Engine in %SUPPORTED_DB_CLUSTER_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.9contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
```

```
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: DB subnet group for DBCluster
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
```

```
        Ref: DBSubnetGroup
      CopyTagsToSnapshot: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: DB subnet group for DBCluster
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
```

```
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
```

[CT.RDS.PR.10] Memerlukan instance database Amazon RDS untuk menyalin tag ke snapshot

Kontrol ini memeriksa apakah instans Amazon RDS database (DB) dikonfigurasi untuk menyalin semua tag ke snapshot yang dibuat.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.10spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.10spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.10contoh template

Penjelasan

Identifikasi dan inventaris aset TI Anda adalah aspek penting dari tata kelola dan keamanan. Dengan visibilitas semua instans RDS DB Anda, Anda dapat menilai postur keamanan mereka dan mengambil tindakan pada area kelemahan potensial. Snapshot harus diberi tag agar sesuai dengan instance database RDS induknya. Mengaktifkan pengaturan ini memastikan bahwa snapshot mewarisi tag dari instance database induknya.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-eesqlserver-se`, `sqlserver-ex` dan`sqlserver-web`.
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Atur `CopyTagsToSnapshot` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi untuk menyalin semua tag ke snapshot yang dibuat. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
```

```
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "CopyTagsToSnapshot": true
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    CopyTagsToSnapshot: true
  DeletionPolicy: Delete
```

CT.RDS.PR.10spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_copy_tags_to_snapshots_enabled_check
#
# Description:
```

```
#   This control checks whether Amazon RDS database (DB) instances are configured to
 copy all tags to snapshots created.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'CopyTagsToSnapshot' has not been specified
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
```

```
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'CopyTagsToSnapshot' has been specified
#       And: 'CopyTagsToSnapshot' has been set to bool(false)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'CopyTagsToSnapshot' has been specified
#       And: 'CopyTagsToSnapshot' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_copy_tags_to_snapshots_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.10]: Require an Amazon RDS database instance to copy tags to
 snapshots
        [FIX]: Set 'CopyTagsToSnapshot' to 'true'.
```

```
        >>
}

rule rds_instance_copy_tags_to_snapshots_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.10]: Require an Amazon RDS database instance to copy tags to
 snapshots
        [FIX]: Set 'CopyTagsToSnapshot' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_engine(this)] {
       # Scenario: 3
       CopyTagsToSnapshot exists
       # Scenario: 4 and 5
       CopyTagsToSnapshot == true
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        # Scenario: 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.10contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      CopyTagsToSnapshot: true
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      CopyTagsToSnapshot: false
    DeletionPolicy: Delete
```

[CT.RDS.PR.11] Memerlukan instance database Amazon RDS untuk memiliki konfigurasi VPC

Kontrol ini memeriksa apakah instans Amazon RDS database (DB) digunakan dalam VPC (yaitu, dengan instans EC2-VPC).

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.11spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.11spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.11contoh template

Penjelasan

Amazon Virtual Private Cloud (Amazon VPC) menyediakan sejumlah kontrol jaringan untuk membuat akses aman ke sumber daya RDS. Kontrol ini termasuk titik akhir VPC, ACL jaringan, dan grup keamanan. Untuk memanfaatkan kontrol ini, buat instans Amazon RDS Anda sebagai instans VPC EC2.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-ee``sqlserver-se`, `sqlserver-ex` dan`sqlserver-web`.
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Tetapkan a`DBSubnetGroupName`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi untuk diterapkan di VPC Amazon dengan grup subnet RDS DB. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
```

```
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            }
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
  DeletionPolicy: Delete
```

CT.RDS.PR.11spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
```

```
####################################
#
# Rule Identifier:
#   rds_instance_deployed_in_vpc_check
#
# Description:
#   This control checks whether an Amazon RDS database (DB) instance is deployed in a
 VPC (that is, an EC2 VPC instance).
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'DBSubnetGroupName' has not been specified
#      Then: FAIL
#   Scenario: 4
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'DBSubnetGroupName' has been specified but is an empty string
#            or invalid local reference to a DB Subnet Group
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'DBSubnetGroupName' has been specified but is a non-empty string
#            or valid local reference to a DB Subnet Group
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]
let INPUT_DOCUMENT = this

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_deployed_in_vpc_check when is_cfn_template(%INPUT_DOCUMENT)
                                             %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
```

```
        <<
        [CT.RDS.PR.11]: Require an Amazon RDS database instance to have a VPC
 configuration
        [FIX]: Set a 'DBSubnetGroupName'.
        >>
}

rule rds_instance_deployed_in_vpc_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.11]: Require an Amazon RDS database instance to have a VPC
 configuration
        [FIX]: Set a 'DBSubnetGroupName'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_engine(this)] {
       # Scenario: 3
       DBSubnetGroupName exists

       # Scenario: 4 and 5
       check_db_subnet_group(DBSubnetGroupName)
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        # Scenario: 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

rule check_db_subnet_group(db_subnet_group) {
   %db_subnet_group {
      check_is_string_and_not_empty(this) or
      check_local_references(%INPUT_DOCUMENT, this, "AWS::RDS::DBSubnetGroup")
    }
```

```
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.RDS.PR.11contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.96.0/19
      AvailabilityZone:
        Fn::Select:
        - '0'
        - Fn::GetAZs: {Ref: 'AWS::Region'}
      VpcId:
        Ref: VPC
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.128.0/19
      AvailabilityZone:
        Fn::Select:
        - '1'
        - Fn::GetAZs: {Ref: 'AWS::Region'}
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: Test DB subnet group
      SubnetIds:
      - Ref: SubnetOne
```

```
      - Ref: SubnetTwo
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
```

```
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    DeletionPolicy: Delete
```

[CT.RDS.PR.12] Memerlukan langganan acara Amazon RDS agar peristiwa klaster penting dikonfigurasi

Kontrol ini memeriksa apakah langganan acara Amazon RDS Anda untuk kluster RDS dikonfigurasi untuk memberi tahu tentang kategori acara dan `maintenance` `failure`.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::EventSubscription`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.12spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.12spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.12contoh template

Penjelasan

Pemberitahuan acara Amazon RDS menggunakan Amazon SNS untuk membuat Anda mengetahui perubahan ketersediaan atau konfigurasi sumber daya RDS Anda. Pemberitahuan ini memungkinkan respons cepat.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk langganan acara Amazon RDS untuk klaster RDS (dari). `SourceType db-cluster`

Remediasi untuk kegagalan aturan

Kapan `SourceType` diatur ke`db-cluster`, atur `Enabled` ke true dan pastikan yang `EventCategories` berisi keduanya `maintenance` dan `failure` nilai.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Satu

Langganan acara Amazon RDS untuk kluster RDS yang dikonfigurasi untuk memberi tahu semua kategori acara. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
            "SourceType": "db-cluster",
            "Enabled": true
        }
    }
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
```

```
    SnsTopicArn: !Ref 'SnsTopic'
    SourceType: db-cluster
    Enabled: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Dua

Langganan acara Amazon RDS untuk kluster RDS yang dikonfigurasi untuk memberi tahu tentang dan kategori acara. `maintenance` `failure` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
            "EventCategories": [
                "maintenance",
                "failure"
            ],
            "SourceType": "db-cluster",
            "Enabled": true
        }
    }
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
    SnsTopicArn: !Ref 'SnsTopic'
    EventCategories:
      - maintenance
```

```
      - failure
    SourceType: db-cluster
    Enabled: true
```

CT.RDS.PR.12spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   rds_cluster_event_notifications_configured_check
#
# Description:
#   Checks whether an Amazon RDS event subscriptions for RDS clusters is configured to
 notify on event categories of "maintenance" and "failure".
#
# Reports on:
#   AWS::RDS::EventSubscription
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS event subscription
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is not 'db-cluster'
#      Then: SKIP
#   Scenario: 3
```

```
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is 'db-cluster'
#       And: 'Enabled' is not provided or set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-cluster'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not contain both 'maintenance' and 'failure'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-cluster'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not exist or is an empty list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-cluster'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' contains both 'maintenance' and 'failure'
#      Then: PASS

#
# Constants
#
let RDS_EVENTSUBSCRIPTION_TYPE = "AWS::RDS::EventSubscription"
let INPUT_DOCUMENT = this
let EVENT_CATEGORIES = ["maintenance","failure"]
let EVENT_SOURCE_TYPE = "db-cluster"

#
# Assignments
#
let rds_event_subscriptions = Resources.*[ Type == %RDS_EVENTSUBSCRIPTION_TYPE ]
```

```
#
# Primary Rules
#
rule rds_cluster_event_notifications_configured_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %rds_event_subscriptions not
 empty {
    check(%rds_event_subscriptions.Properties)
        <<
        [CT.RDS.PR.12]: Require an Amazon RDS event subscription to have critical
 cluster events configured
        [FIX]: When 'SourceType' is set to 'db-cluster', set 'Enabled' to true and
 ensure that 'EventCategories' contains both 'maintenance' and 'failure' values.
        >>
}

rule rds_cluster_event_notifications_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_EVENTSUBSCRIPTION_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_EVENTSUBSCRIPTION_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.12]: Require an Amazon RDS event subscription to have critical
 cluster events configured
        [FIX]: When 'SourceType' is set to 'db-cluster', set 'Enabled' to true and
 ensure that 'EventCategories' contains both 'maintenance' and 'failure' values.
        >>
}

#
# Parameterized Rules
#
rule check(resource) {
    %resource [ SourceType == %EVENT_SOURCE_TYPE ] {
        Enabled exists
        # Scenario 4
        Enabled == true
        # Scenario 5
        EventCategories not exists or
        # Scenario 6
        check_event_categories_for_required_events(EventCategories)
    }
}

rule check_event_categories_for_required_events(event_categories) {
    %event_categories {
```

```
        this exists
        this is_list
        this empty or
        %EVENT_CATEGORIES.* in this
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.12contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      SourceType: db-cluster
      Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      EventCategories:
      - maintenance
      - deletion
      SourceType: db-cluster
      Enabled: true
```

[CT.RDS.PR.13] Memerlukan instans Amazon RDS apa pun agar perlindungan penghapusan dikonfigurasi

Kontrol ini memeriksa apakah instans Amazon Relational Database Service (Amazon RDS) telah mengaktifkan perlindungan penghapusan.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.13spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.13spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.13contoh template

Penjelasan

Saat aktif, perlindungan penghapusan instance memberikan lapisan perlindungan tambahan terhadap penghapusan database yang tidak disengaja, atau penghapusan oleh entitas yang tidak sah.

Sementara perlindungan penghapusan aktif, instans RDS DB tidak dapat dihapus. Sebelum permintaan penghapusan berhasil, perlindungan penghapusan harus dimatikan.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-ee``sqlserver-se`, `sqlserver-ex` dan`sqlserver-web`.
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Atur `DeletionProtection` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB instans - Contoh

Instans Amazon RDS DB dikonfigurasi dengan perlindungan penghapusan aktif. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
```

```
            "Engine": "postgres",
            "EngineVersion": 5.7,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "StorageEncrypted": true,
            "DeletionProtection": true
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 5.7
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    StorageEncrypted: true
    DeletionProtection: true
  DeletionPolicy: Delete
```

CT.RDS.PR.13spesifikasi aturan

```
# ##################################
##       Rule Specification        ##
```

```
####################################
#
# Rule Identifier:
#   rds_instance_deletion_protection_enabled_check
#
# Description:
#   This control checks whether an Amazon Relational Database Service (Amazon RDS)
 instance has deletion protection activated.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'DeletionProtection' has not been specified
#      Then: FAIL
#   Scenario: 4
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'DeletionProtection' has been specified
#       And: 'DeletionProtection' has been set to bool(false)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'DeletionProtection' has been specified
#       And: 'DeletionProtection' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_deletion_protection_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %rds_db_instances not empty {
```

```
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.13]: Require any Amazon RDS instance to have deletion protection
 configured
        [FIX]: Set 'DeletionProtection' to 'true'.
        >>
}

rule rds_instance_deletion_protection_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.13]: Require any Amazon RDS instance to have deletion protection
 configured
        [FIX]: Set 'DeletionProtection' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_engine(this)] {
       #Scenario: 3
       DeletionProtection exists
       #Scenario: 4 and 5
       DeletionProtection == true
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        #Scenario: 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
```

```
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.13contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      DeletionProtection: true
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      DeletionProtection: false
    DeletionPolicy: Delete
```

[CT.RDS.PR.14] Memerlukan instance database Amazon RDS untuk mengekspor log ke Amazon CloudWatch Logs melalui properti EnableCloudwatchLogsExports

Aturan ini memeriksa apakah instans Amazon Relational Database Service (RDS) memiliki semua jenis log yang tersedia yang dikonfigurasi untuk diekspor ke Amazon Logs. CloudWatch

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.14spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.14spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.14contoh template

Penjelasan

AWS Control Tower merekomendasikan agar Anda mengaktifkan ekspor log yang relevan untuk semua database Amazon RDS ke Amazon CloudWatch Logs. Database logging menyediakan catatan rinci permintaan yang dibuat untuk RDS. Log basis data dapat membantu audit keamanan dan akses, dan mereka dapat membantu Anda mendiagnosis masalah ketersediaan.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`postgres`,`sqlserver-ee`,`sqlserver-se`,`sqlserver-ex`,`sqlserver-web`,`oracle-ee`, `oracle-se2oracle-se1`, dan`oracle-se`.
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.
- Prasyarat tambahan mungkin ada untuk mengaktifkan logging berdasarkan jenis mesin database yang Anda pilih. Lihat Memantau file log Amazon RDS di Panduan Pengguna Amazon RDS untuk informasi selengkapnya.

Remediasi untuk kegagalan aturan

Tentukan `EnableCloudwatchLogsExports` dengan daftar semua jenis log yang didukung untuk mesin instance database Amazon RDS.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh Satu

Instans Amazon RDS DB dikonfigurasi dengan tipe engine `mysql` dan semua jenis log yang didukung, untuk tipe `mysql` engine. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "mysql",
            "EngineVersion": 5.7,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "StorageEncrypted": true,
            "EnableCloudwatchLogsExports": [
                "error",
                "general",
                "slowquery",
                "audit"
            ]
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: mysql
```

```
    EngineVersion: 5.7
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    StorageEncrypted: true
    EnableCloudwatchLogsExports:
      - error
      - general
      - slowquery
      - audit
  DeletionPolicy: Delete
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh Dua

Instans Amazon RDS DB dikonfigurasi dengan tipe engine `postgres` dan semua jenis log yang didukung, untuk tipe `postgres` engine. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "EnableCloudwatchLogsExports": [
                "postgresql",
                "upgrade"
```

```
            ]
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    EnableCloudwatchLogsExports:
      - postgresql
      - upgrade
  DeletionPolicy: Delete
```

CT.RDS.PR.14spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_logging_enabled_check
#
# Description:
#   This rules checks whether Amazon Relational Database Service (RDS) instances have
 all available log types configured for export to Amazon CloudWatch Logs.
#
# Reports on:
#   AWS::RDS::DBInstance
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-se2-cdb',
#            'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-
web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-se2-cdb',
#            'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-
web'
#       And: 'EnableCloudwatchLogsExports' has not been specified or has been specified
#             and is an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-se2-cdb',
#            'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-
web'
#       And: 'EnableCloudwatchLogsExports' has been specified and is a non-empty list
#       And: One or more log types in 'EnableCloudwatchLogsExports' are not supported
 by the specified 'Engine'
```

```
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-se2-cdb',
#            'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-
web'
#       And: 'EnableCloudwatchLogsExports' has been specified and is a non-empty list
#       And: 'EnableCloudwatchLogsExports' does not contain all log types supported by
 the specified 'Engine'
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine'  is one of 'mariadb', 'mysql'
#       And: 'EnableCloudwatchLogsExports' has been specified
#       And: 'EnableCloudwatchLogsExports' value is a non-empty and all supported log
 types
#             are enabled - 'audit', 'error', 'general', 'slowquery'
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is 'postgres'
#       And: 'EnableCloudwatchLogsExports' has been specified
#       And: 'EnableCloudwatchLogsExports' value is a non-empty and all supported log
 types
#             are enabled - 'postgresql', 'upgrade'
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex',
#            'sqlserver-web'
#       And: 'EnableCloudwatchLogsExports' has been specified
#       And: 'EnableCloudwatchLogsExports' value is a non-empty and all supported log
 types
#             are enabled - 'agent', 'error'
#      Then: PASS
```

```
#   Scenario: 9
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-
se2-cdb',
#       And: 'EnableCloudwatchLogsExports' has been specified
#       And: 'EnableCloudwatchLogsExports' value is a non-empty and all supported log
 types
#             are enabled - 'alert', 'audit', 'listener', 'oemagent', 'trace'
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]

let MYSQL_OR_MARIA_ENGINES_SUBTYPES = [ "mariadb", "mysql" ]
let POSTGRES_ENGINES_SUBTYPES = [ "postgres" ]
let SQLSERVER_ENGINES_SUBTYPES = [ "sqlserver-ee", "sqlserver-se", "sqlserver-ex",
 "sqlserver-web" ]
let ORACLE_ENGINES_SUBTYPES = [ "oracle-ee", "oracle-se2", "oracle-se1", "oracle-se" ]

let MYSQL_OR_MARIA_SUPPORTED_LOG_TYPES = [ "audit", "error", "general", "slowquery" ]
let POSTGRES_SUPPORTED_LOG_TYPES = [ "postgresql", "upgrade" ]
let SQLSERVER_SUPPORTED_LOG_TYPES = [ "agent", "error" ]
let ORACLE_SUPPORTED_LOG_TYPES = [ "alert", "audit", "listener", "oemagent", "trace" ]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %rds_db_instances not empty {
```

```
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.14]: Require an Amazon RDS database instance to have logging
 configured
            [FIX]: Specify 'EnableCloudwatchLogsExports' with a list of all supported
 log types for the Amazon RDS database instance engine.
        >>
}

rule rds_instance_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.14]: Require an Amazon RDS database instance to have logging
 configured
            [FIX]: Specify 'EnableCloudwatchLogsExports' with a list of all supported
 log types for the Amazon RDS database instance engine.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_engine(this)] {
        # Scenario: 3
        EnableCloudwatchLogsExports exists
        check_is_list_and_not_empty(EnableCloudwatchLogsExports)

        # Scenario: 4 and 5
        when Engine IN %MYSQL_OR_MARIA_ENGINES_SUBTYPES {
            %MYSQL_OR_MARIA_SUPPORTED_LOG_TYPES.* IN EnableCloudwatchLogsExports[*]
            EnableCloudwatchLogsExports.* IN %MYSQL_OR_MARIA_SUPPORTED_LOG_TYPES[*]
        }

        # Scenario: 4 and 6
        when Engine IN %POSTGRES_ENGINES_SUBTYPES {
            %POSTGRES_SUPPORTED_LOG_TYPES.* IN EnableCloudwatchLogsExports[*]
            EnableCloudwatchLogsExports.* IN %POSTGRES_SUPPORTED_LOG_TYPES[*]
        }

        # Scenario: 4 and 7
        when Engine IN %SQLSERVER_ENGINES_SUBTYPES {
            %SQLSERVER_SUPPORTED_LOG_TYPES.* in EnableCloudwatchLogsExports[*]
```

```
            EnableCloudwatchLogsExports.* IN %SQLSERVER_SUPPORTED_LOG_TYPES[*]
        }

        # Scenario: 4 and 8
        when Engine IN %ORACLE_ENGINES_SUBTYPES {
            %ORACLE_SUPPORTED_LOG_TYPES.* in EnableCloudwatchLogsExports[*]
            EnableCloudwatchLogsExports.* IN %ORACLE_SUPPORTED_LOG_TYPES[*]
        }
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        # Scenario: 2
        Engine exists
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule check_is_list_and_not_empty(value) {
    %value {
        this is_list
        this not empty
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.14contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: mysql
      EngineVersion: 5.7
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      StorageEncrypted: true
      EnableCloudwatchLogsExports:
      - error
      - general
      - slowquery
      - audit
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: mysql
      EngineVersion: 5.7
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      StorageEncrypted: true
      EnableCloudwatchLogsExports:
      - error
      - general
      - slowquery
    DeletionPolicy: Delete
```

[CT.RDS.PR.15] Mengharuskan instans Amazon RDS tidak membuat grup keamanan DB

Kontrol ini memeriksa apakah grup keamanan Amazon Relational Database Service (RDS) database (DB) Amazon Relational Database Service (RDS) dibuat oleh, atau terkait dengan, instans RDS DB, karena grup keamanan DB ditujukan untuk platform EC2-Classic saja.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya:`AWS::RDS::DBInstance`, `AWS::RDS::DBSecurityGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.15

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.15
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.15contoh template

Penjelasan

Kami menyarankan agar semua database Amazon Relational Database Service (RDS) menggunakan grup keamanan Amazon VPC untuk mengamankan akses mereka. Grup keamanan Amazon DB hanya untuk platform EC2-Classic, dan tidak disarankan untuk digunakan.

Remediasi untuk kegagalan aturan

Hilangkan `DBSecurityGroups` properti. Sebagai gantinya, konfigurasikan grup keamanan Amazon VPC melalui properti. `VPCSecurityGroups`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi dengan grup keamanan Amazon VPC. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "mysql",
            "EngineVersion": 5.7,
            "DBInstanceClass": "db.t3.small",
            "StorageType": "gp2",
```

```
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "StorageEncrypted": true,
            "Port": 6733,
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            },
            "VPCSecurityGroups": [
                {
                    "Ref": "SecurityGroup"
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: mysql
    EngineVersion: 5.7
    DBInstanceClass: db.t3.small
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    StorageEncrypted: true
    Port: 6733
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
    VPCSecurityGroups:
      - !Ref 'SecurityGroup'
```

Spesifikasi aturan CT.RDS.PR.15

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_db_security_group_not_allowed_check
#
# Description:
#   This control checks whether any Amazon Relational Database Service (RDS) database
 (DB) security groups are created by, or associated to, an RDS DB instance, because DB
 security groups are intended for the EC2-Classic platform only.
#
# Reports on:
#   AWS::RDS::DBSecurityGroup, AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any DB security group resources
#        And: The input document does not contain any RDS DB instance resources
#       Then: SKIP
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains a DB security group resource
#       Then: FAIL
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any DBsecurity group resources
#        And: The input document contains an RDS DB instance resource
#        And: 'DBSecurityGroups' has been specified on the RDS DB instance as a non
 empty list
#       Then: FAIL
```

```
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any DB security group resources
#        And: The input document contains an RDS DB instance resource
#        And: 'DBSecurityGroups' has not been specified on the RDS DB instance or
 specified as an empty list
#       Then: PASS

#
# Constants
#
let DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let DB_SECURITY_GROUP_TYPE = "AWS::RDS::DBSecurityGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let db_instances = Resources.*[ Type == %DB_INSTANCE_TYPE ]
let db_security_groups = Resources.*[ Type == %DB_SECURITY_GROUP_TYPE ]

#
# Primary Rules
#
rule rds_db_security_group_not_allowed_check when is_cfn_template(this)
                                                  %db_security_groups not empty {
    check_db_security_group(%db_security_groups)
        <<
        [CT.RDS.PR.15]: Require that an Amazon RDS instance does not create DB security
 groups
            [FIX]: Omit the 'DBSecurityGroups' property. Instead, configure Amazon VPC
 security groups by means of the 'VPCSecurityGroups' property.
        >>
}

rule rds_db_security_group_not_allowed_check when is_cfn_template(this)
                                                  %db_instances not empty {
    check_db_instance(%db_instances.Properties)
        <<
        [CT.RDS.PR.15]: Require that an Amazon RDS instance does not create DB security
 groups
            [FIX]: Omit the 'DBSecurityGroups' property. Instead, configure Amazon VPC
 security groups by means of the 'VPCSecurityGroups' property.
```

```
        >>
}

rule rds_db_security_group_not_allowed_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DB_SECURITY_GROUP_TYPE) {
    check_db_security_group(%INPUT_DOCUMENT.%DB_SECURITY_GROUP_TYPE)
        <<
        [CT.RDS.PR.15]: Require that an Amazon RDS instance does not create DB security
 groups
            [FIX]: Omit the 'DBSecurityGroups' property. Instead, configure Amazon VPC
 security groups by means of the 'VPCSecurityGroups' property.
        >>
}

rule rds_db_security_group_not_allowed_check when is_cfn_hook(%INPUT_DOCUMENT,
 %DB_INSTANCE_TYPE) {
    check_db_instance(%INPUT_DOCUMENT.%DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.15]: Require that an Amazon RDS instance does not create DB security
 groups
            [FIX]: Omit the 'DBSecurityGroups' property. Instead, configure Amazon VPC
 security groups by means of the 'VPCSecurityGroups' property.
        >>
}

#
# Parameterized Rules
#
rule check_db_security_group(db_security_group) {
    # Scenario 2
    %db_security_group empty
}

rule check_db_instance(db_instance) {
    %db_instance {
        # Scenario 3 and 4
        DBSecurityGroups not exists or
        check_is_empty_list(this)
    }
}

rule check_is_empty_list(db_instance_configuration) {
    %db_instance_configuration {
        DBSecurityGroups is_list
```

```
        DBSecurityGroups empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.15contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.96.0/19
      AvailabilityZone:
        Fn::Select:
        - '0'
        - Fn::GetAZs: {Ref: 'AWS::Region'}
      VpcId:
```

```
        Ref: VPC
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.128.0/19
      AvailabilityZone:
        Fn::Select:
        - '1'
        - Fn::GetAZs: {Ref: 'AWS::Region'}
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: DB subnet group
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Example Security Group
      VpcId:
        Ref: VPC
      SecurityGroupIngress:
      - IpProtocol: tcp
        FromPort: 6733
        ToPort: 6733
        CidrIp: 10.0.0.0/16
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: mysql
      EngineVersion: 5.7
      DBInstanceClass: db.t3.small
```

```
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      StorageEncrypted: true
      Port: 6733
      DBSubnetGroupName:
        Ref: DBSubnetGroup
      VPCSecurityGroups:
      - Ref: SecurityGroup
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBSecurityGroup:
    Type: AWS::RDS::DBSecurityGroup
    Properties:
      DBSecurityGroupIngress:
      - CIDRIP: "0.0.0.0/0"
      GroupDescription: "Ingress for Amazon EC2 security group"
```

[CT.RDS.PR.16] Memerlukan kluster basis data Amazon RDS agar enkripsi saat istirahat dikonfigurasi

Kontrol ini memeriksa apakah enkripsi penyimpanan dikonfigurasi pada kluster database Amazon Relational Database Service (RDS) Amazon Relational Database Service (DB) yang tidak dipulihkan dari cluster yang ada.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBCluster`

- AWS CloudFormation aturan penjaga: CT.RDS.PR.16spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.16spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.16contoh template

Penjelasan

Kami menyarankan Anda mengonfigurasi kluster Amazon RDS DB Anda untuk dienkripsi saat istirahat, untuk memberikan lapisan keamanan tambahan untuk data sensitif Anda. Untuk mengenkripsi cluster dan snapshot RDS DB Anda saat istirahat, aktifkan opsi enkripsi untuk cluster RDS DB Anda. Data yang dienkripsi saat istirahat mencakup penyimpanan yang mendasari untuk cluster DB, cadangan otomatisnya, replika baca, dan snapshot.

Cluster RDS DB terenkripsi menggunakan algoritma enkripsi AES-256 standar terbuka untuk mengenkripsi data Anda di server yang menghosting cluster. Setelah data Anda dienkripsi, Amazon RDS menangani otentikasi akses dan dekripsi data Anda dengan dampak minimal pada kinerja. Anda tidak perlu memodifikasi aplikasi klien database Anda untuk menggunakan enkripsi.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk klaster Amazon RDS DB yang tidak dipulihkan dari cluster yang ada atau dibuat sebagai replika baca. (Misalnya, kapan `SourceDBClusterIdentifier` atau `ReplicationSourceIdentifier` properti telah disediakan.)

Remediasi untuk kegagalan aturan

Atur `StorageEncrypted` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh

Amazon RDS DB cluster dikonfigurasi dengan enkripsi penyimpanan diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora-mysql",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
            },
            "StorageEncrypted": true
        }
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora-mysql
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
    StorageEncrypted: true
```

CT.RDS.PR.16spesifikasi aturan

```
# ##################################
##       Rule Specification        ##
```

```
####################################
#
# Rule Identifier:
#   rds_cluster_storage_encrypted_check
#
# Description:
#   This control checks whether the storage encryption is configured on Amazon
 Relational Database Service (RDS) database (DB) clusters that are not being restored
 from an existing cluster.
#
# Reports on:
#   AWS::RDS::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any RDS DB cluster resources
#       Then: SKIP
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'SourceDBClusterIdentifier' or 'ReplicationSourceIdentifier' has been
 provided
#       Then: SKIP
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'SourceDBClusterIdentifier' or 'ReplicationSourceIdentifier' has not been
 provided
#        And: 'StorageEncrypted' has not been provided
#       Then: FAIL
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
```

```
#        And: 'SourceDBClusterIdentifier' or 'ReplicationSourceIdentifier' has not been
 provided
#        And: 'StorageEncrypted' has been provided and set to bool(false)
#       Then: FAIL
#   Scenario: 5
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB cluster resource
#        And: 'SourceDBClusterIdentifier' or 'ReplicationSourceIdentifier' has not been
 provided
#        And: 'StorageEncrypted' has been provided and set to bool(true)
#       Then: PASS

#
# Constants
#
let RDS_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let rds_cluster = Resources.*[ Type == %RDS_CLUSTER_TYPE ]

#
# Primary Rules
#
rule rds_cluster_storage_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %rds_cluster not empty {
    check(%rds_cluster.Properties)
        <<
        [CT.RDS.PR.16]: Require an Amazon RDS database cluster to have encryption at
 rest configured
            [FIX]: Set 'StorageEncrypted' to 'true'.
        >>
}

rule rds_cluster_storage_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.16]: Require an Amazon RDS database cluster to have encryption at
 rest configured
            [FIX]: Set 'StorageEncrypted' to 'true'.
```

```
        >>
}

#
# Parameterized Rules
#
rule check(rds_cluster) {
    %rds_cluster [
        # Scenario 2
        filter_sources(this)
    ] {
        # Scenario 3
        StorageEncrypted exists

        # Scenario 4 and 5
        StorageEncrypted == true
    }
}

rule filter_sources(rds_cluster) {
    %rds_cluster {
        # Scenario 2
        SourceDBClusterIdentifier not exists or
        filter_property_is_empty_string(SourceDBClusterIdentifier) or
        filter_is_not_valid_local_reference(%INPUT_DOCUMENT, SourceDBClusterIdentifier,
 "AWS::RDS::DBCluster")

        ReplicationSourceIdentifier not exists or
        filter_property_is_empty_string(ReplicationSourceIdentifier) or
        filter_replication_source_identifier(ReplicationSourceIdentifier)
    }
}

rule filter_property_is_empty_string(value) {
    %value {
        this is_string
        this == /\A\s*\z/
    }
}

rule filter_is_not_valid_local_reference(doc, reference_properties,
 referenced_resource_type) {
    %reference_properties {
        this not is_string
```

```
        this is_struct

        when this.'Ref' exists {
            'Ref' {
                when query_for_resource(%doc, this, %referenced_resource_type) {
                    this not exists
                }
                this exists
            }
        }
        when this.'Ref' not exists {
            this exists
        }
    }
}

rule filter_replication_source_identifier(reference_properties) {
    filter_is_not_valid_local_reference_via_join(%INPUT_DOCUMENT,
 %reference_properties, "AWS::RDS::DBCluster")
    filter_is_not_valid_local_reference_via_join(%INPUT_DOCUMENT,
 %reference_properties, "AWS::RDS::DBInstance")
}

rule filter_is_not_valid_local_reference_via_join(doc, reference_properties,
 referenced_resource_type) {
    %reference_properties {
        this not is_string
        this is_struct

        when this.'Fn::Join' exists {
            'Fn::Join' {
                when filter_list_contains_valid_local_reference(this[1], %doc,
 %referenced_resource_type) {
                    this not exists
                }
                this exists
            }
        }
        when this.'Fn::Join' not exists {
            this exists
        }
    }
}
```

```
rule filter_list_contains_valid_local_reference(list, doc, referenced_resource_type) {
     some %list.* {
         check_local_references(%doc, this, %referenced_resource_type)
     }
 }

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.RDS.PR.16contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS Cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: '"@/\'
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      StorageEncrypted: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS Cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 16
```

```
        ExcludeCharacters: '"@/\'
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      StorageEncrypted: false
```

[CT.RDS.PR.17] Memerlukan langganan pemberitahuan acara Amazon RDS agar peristiwa instance database penting dikonfigurasi

Kontrol ini memeriksa apakah langganan acara Amazon RDS untuk instans RDS dikonfigurasi untuk memberi tahu tentang kategori acara,, dan. `maintenance` `failure` `configuration change`

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::EventSubscription`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.17spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.17spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.17contoh template

Penjelasan

Pemberitahuan acara Amazon RDS menggunakan Amazon SNS untuk membuat Anda mengetahui perubahan ketersediaan atau konfigurasi sumber daya RDS Anda. Pemberitahuan ini memungkinkan respons cepat.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk Langganan Acara Amazon RDS untuk instans RDS (dari). `SourceType db-instance`

Remediasi untuk kegagalan aturan

Kapan `SourceType` diatur ke`db-instance`, atur `Enabled` ke true dan pastikan bahwa parameter `EventCategories` berisi`maintenance`,`failure`, dan `configuration change` nilai.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Satu

Langganan Acara Amazon RDS untuk instans RDS yang dikonfigurasi untuk memberi tahu semua kategori acara. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
            "SourceType": "db-instance",
            "Enabled": true
        }
    }
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
```

```
    SnsTopicArn: !Ref 'SnsTopic'
    SourceType: db-instance
    Enabled: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Dua

Langganan Acara Amazon RDS untuk instans RDS yang dikonfigurasi untuk memberi tahu tentang`maintenance`,`failure`, dan kategori acara. `configuration change` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
            "EventCategories": [
                "maintenance",
                "failure",
                "configuration change"
            ],
            "SourceType": "db-instance",
            "Enabled": true
        }
    }
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
```

```
    SnsTopicArn: !Ref 'SnsTopic'
    EventCategories:
      - maintenance
      - failure
      - configuration change
    SourceType: db-instance
    Enabled: true
```

CT.RDS.PR.17spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_event_notifications_configured_check
#
# Description:
#   Checks whether Amazon RDS event subscriptions for RDS instances are configured to
 notify on event categories of 'maintenance', 'failure', and 'configuration change'.
#
# Reports on:
#   AWS::RDS::EventSubscription
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS event subscription
 Resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
```

```
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is not 'db-instance'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is 'db-instance'
#       And: 'Enabled' is not provided or set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-instance'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not contain 'maintenance', 'failure', and
 'configuration change'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-instance'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not exist or is an empty list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-instance'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' contains 'maintenance', 'failure', and 'configuration
 change'
#      Then: PASS

#
# Constants
#
let RDS_EVENTSUBSCRIPTION_TYPE = "AWS::RDS::EventSubscription"
let INPUT_DOCUMENT = this
let EVENT_CATEGORIES = ["maintenance","failure","configuration change"]
let EVENT_SOURCE_TYPE = "db-instance"
```

```
#
# Assignments
#
let rds_event_subscriptions = Resources.*[ Type == %RDS_EVENTSUBSCRIPTION_TYPE ]

#
# Primary Rules
#
rule rds_instance_event_notifications_configured_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                                %rds_event_subscriptions
 not empty  {
    check(%rds_event_subscriptions.Properties)
        <<
        [CT.RDS.PR.17]: Require an Amazon RDS event notification subscription to have
 critical database instance events configured
        [FIX]: When 'SourceType' is set to 'db-instance', set 'Enabled' to true and
 ensure that the parameter 'EventCategories' contains 'maintenance', 'failure', and
 'configuration change' values.
        >>
}

rule rds_instance_event_notifications_configured_check when
 is_cfn_hook(%INPUT_DOCUMENT, %RDS_EVENTSUBSCRIPTION_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_EVENTSUBSCRIPTION_TYPE.resourceProperties)
       <<
        [CT.RDS.PR.17]: Require an Amazon RDS event notification subscription to have
 critical database instance events configured
        [FIX]: When 'SourceType' is set to 'db-instance', set 'Enabled' to true and
 ensure that the parameter 'EventCategories' contains 'maintenance', 'failure', and
 'configuration change' values.
        >>
}

#
# Parameterized Rules
#
rule check(resource) {
    %resource [ SourceType == %EVENT_SOURCE_TYPE ] {
        Enabled exists
        # Scenario 4
        Enabled == true
        # Scenario 5
```

```
        EventCategories not exists or
        # Scenario 6
        check_event_categories_for_required_events(EventCategories)
    }
}

rule check_event_categories_for_required_events(event_categories) {
    %event_categories {
        this exists
        this is_list
        this empty or
        %EVENT_CATEGORIES.* in this
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.17contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
```

```
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      SourceType: db-instance
      Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      EventCategories:
      - maintenance
      - failure
      SourceType: db-instance
      Enabled: true
```

[CT.RDS.PR.18] Memerlukan langganan pemberitahuan acara Amazon RDS agar peristiwa grup parameter basis data penting dikonfigurasi

Kontrol ini memeriksa apakah langganan acara Amazon RDS Anda untuk grup parameter RDS dikonfigurasi untuk memberi tahu tentang kategori acara `configuration change`.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::EventSubscription`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.18spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.18spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.18contoh template

Penjelasan

Pemberitahuan acara Amazon RDS menggunakan Amazon SNS untuk membuat Anda mengetahui perubahan ketersediaan atau konfigurasi sumber daya RDS Anda. Pemberitahuan ini memungkinkan respons cepat.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk langganan acara Amazon RDS untuk grup parameter RDS (`SourceType`dari). `db-parameter-group`

Remediasi untuk kegagalan aturan

Kapan `SourceType` diatur ke`db-parameter-group`, atur `Enabled` ke true dan pastikan bahwa parameter `EventCategories` berisi `configuration change` sebagai nilai.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Satu

Langganan acara Amazon RDS untuk grup parameter RDS yang dikonfigurasi untuk memberi tahu semua kategori acara. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
```

```
            "SourceType": "db-parameter-group",
            "Enabled": true
        }
    }
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
    SnsTopicArn: !Ref 'SnsTopic'
    SourceType: db-parameter-group
    Enabled: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Dua

Langganan acara Amazon RDS untuk grup parameter RDS yang dikonfigurasi untuk memberi tahu tentang kategori acara. `configuration change` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
            "EventCategories": [
                "configuration change"
            ],
            "SourceType": "db-parameter-group",
            "Enabled": true
        }
    }
```

```
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
    SnsTopicArn: !Ref 'SnsTopic'
    EventCategories:
      - configuration change
    SourceType: db-parameter-group
    Enabled: true
```

CT.RDS.PR.18spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_pg_event_notifications_configured_check
#
# Description:
#   Checks whether Amazon RDS event subscriptions for RDS parameter groups are
 configured to notify on event categories of 'configuration change'.
#
# Reports on:
#   AWS::RDS::EventSubscription
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any RDS event subscription resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS event subscription resource
#       And: 'SourceType' is provided and is not 'db-parameter-group'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS event subscription resource
#       And: 'SourceType' is 'db-parameter-group'
#       And: 'Enabled' is not provided or set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-parameter-group'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not contain 'configuration change'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-parameter-group'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not exist or is an empty list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-parameter-group'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' contains 'configuration change'
#      Then: PASS

#
# Constants
```

```
#
let RDS_EVENTSUBSCRIPTION_TYPE = "AWS::RDS::EventSubscription"
let INPUT_DOCUMENT = this
let EVENT_CATEGORIES = ["configuration change"]
let EVENT_SOURCE_TYPE = "db-parameter-group"

#
# Assignments
#
let rds_event_subscriptions = Resources.*[ Type == %RDS_EVENTSUBSCRIPTION_TYPE ]

#
# Primary Rules
#
rule rds_pg_event_notifications_configured_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %rds_event_subscriptions not
 empty  {
    check(%rds_event_subscriptions.Properties)
        <<
        [CT.RDS.PR.18]: Require an Amazon RDS event notification subscription to have
 critical database parameter group events configured
        [FIX]: When 'SourceType' is set to 'db-parameter-group', set 'Enabled' to true
 and ensure that the parameter 'EventCategories' contains 'configuration change' as a
 value.
        >>
}

rule rds_pg_event_notifications_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_EVENTSUBSCRIPTION_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_EVENTSUBSCRIPTION_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.18]: Require an Amazon RDS event notification subscription to have
 critical database parameter group events configured
        [FIX]: When 'SourceType' is set to 'db-parameter-group', set 'Enabled' to true
 and ensure that the parameter 'EventCategories' contains 'configuration change' as a
 value.
        >>
}

#
# Parameterized Rules
#
rule check(resource) {
    %resource [ SourceType == %EVENT_SOURCE_TYPE ] {
```

```
        Enabled exists
        # Scenario 4
        Enabled == true
        # Scenario 5
        EventCategories not exists or
        # Scenario 6
        check_event_categories_for_required_events(EventCategories)
    }
}

rule check_event_categories_for_required_events(event_categories) {
    %event_categories {
        this exists
        this is_list
        this empty or
        %EVENT_CATEGORIES.* in this
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.18contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      SourceType: db-parameter-group
      Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      Enabled: false
      SourceType: db-parameter-group
```

[CT.RDS.PR.19] Memerlukan langganan pemberitahuan acara Amazon RDS agar peristiwa grup keamanan basis data penting dikonfigurasi

Kontrol ini memeriksa apakah langganan acara Amazon RDS Anda untuk grup keamanan RDS dikonfigurasi untuk memberi tahu tentang kategori acara dan `failure configuration change`

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::EventSubscription`

- AWS CloudFormation aturan penjaga: CT.RDS.PR.19spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.19spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.19contoh template

Penjelasan

Pemberitahuan acara Amazon RDS menggunakan Amazon SNS untuk membuat Anda mengetahui perubahan ketersediaan atau konfigurasi sumber daya RDS Anda. Pemberitahuan ini memungkinkan respons yang cepat.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk Langganan Acara Amazon RDS untuk grup keamanan RDS (dari) `SourceType db-security-group`

Remediasi untuk kegagalan aturan

Kapan `SourceType` diatur ke`db-security-group`, atur `Enabled` ke `true` dan pastikan bahwa parameter `EventCategories` berisi keduanya `failure` dan `configuration change` nilai.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Satu

Langganan Acara Amazon RDS untuk grup keamanan RDS yang dikonfigurasi untuk memberi tahu semua kategori acara. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
```

```
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
            "SourceType": "db-security-group",
            "Enabled": true
        }
    }
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
    SnsTopicArn: !Ref 'SnsTopic'
    SourceType: db-security-group
    Enabled: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Langganan Acara Amazon RDS - Contoh Dua

Langganan Acara Amazon RDS untuk grup keamanan RDS yang dikonfigurasi untuk memberi tahu tentang `failure` dan `configuration change` kategori acara. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSEventSubscription": {
        "Type": "AWS::RDS::EventSubscription",
        "Properties": {
            "SnsTopicArn": {
                "Ref": "SnsTopic"
            },
            "EventCategories": [
                "failure",
                "configuration change"
```

```
            ],
            "SourceType": "db-security-group",
            "Enabled": true
        }
    }
}
```

Contoh YAMAL

```
RDSEventSubscription:
  Type: AWS::RDS::EventSubscription
  Properties:
    SnsTopicArn: !Ref 'SnsTopic'
    EventCategories:
      - failure
      - configuration change
    SourceType: db-security-group
    Enabled: true
```

CT.RDS.PR.19spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_sg_event_notifications_configured_check
#
# Description:
#   Checks whether an Amazon RDS event subscription for RDS security groups are
 configured to notify on event categories of 'failure' and 'configuration change'.
#
# Reports on:
#   AWS::RDS::EventSubscription
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
```

```
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS event subscription
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription Resource
#       And: 'SourceType' is provided and is not 'db-security-group'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is 'db-security-group'
#       And: 'Enabled' is not provided or set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-security-group'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not contain both 'failure' and 'configuration
 change'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
#       And: 'SourceType' is provided and is 'db-security-group'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' does not exist or is an empty list
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon RDS event subscription resource
```

```
#       And: 'SourceType' is provided and is 'db-security-group'
#       And: 'Enabled' is provided and set to bool(true)
#       And: 'EventCategories' contains both 'failure' and 'configuration change'
#      Then: PASS

#
# Constants
#
let RDS_EVENTSUBSCRIPTION_TYPE = "AWS::RDS::EventSubscription"
let INPUT_DOCUMENT = this
let EVENT_CATEGORIES = ["failure","configuration change"]
let EVENT_SOURCE_TYPE = "db-security-group"

#
# Assignments
#
let rds_event_subscriptions = Resources.*[ Type == %RDS_EVENTSUBSCRIPTION_TYPE ]

#
# Primary Rules
#
rule rds_sg_event_notifications_configured_check when is_cfn_template(%INPUT_DOCUMENT)
                                                     %rds_event_subscriptions not
 empty  {
    check(%rds_event_subscriptions.Properties)
        <<
        [CT.RDS.PR.19]: Require an Amazon RDS event notifications subscription to have
 critical database security group events configured
        [FIX]: When 'SourceType' is set to 'db-security-group', set 'Enabled' to
 true and ensure that the parameter 'EventCategories' contains both 'failure' and
 'configuration change' values.
        >>
}

rule rds_sg_event_notifications_configured_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_EVENTSUBSCRIPTION_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_EVENTSUBSCRIPTION_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.19]: Require an Amazon RDS event notifications subscription to have
 critical database security group events configured
        [FIX]: When 'SourceType' is set to 'db-security-group', set 'Enabled' to
 true and ensure that the parameter 'EventCategories' contains both 'failure' and
 'configuration change' values.
        >>
```

```
}

#
# Parameterized Rules
#
rule check(resource) {
    %resource [ SourceType == %EVENT_SOURCE_TYPE ] {
        Enabled exists
        # Scenario 4
        Enabled == true
        # Scenario 5
        EventCategories not exists or
        # Scenario 6
        check_event_categories_for_required_events(EventCategories)
    }
}

rule check_event_categories_for_required_events(event_categories) {
    %event_categories {
        this exists
        this is_list
        this empty or
        %EVENT_CATEGORIES.* in this
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.19contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      SourceType: db-security-group
      Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SNSTopic:
    Type: AWS::SNS::Topic
    Properties: {}
  RDSEventSubscription:
    Type: AWS::RDS::EventSubscription
    Properties:
      SnsTopicArn:
        Ref: SNSTopic
      EventCategories:
      - failure
      SourceType: db-security-group
      Enabled: true
```

[CT.RDS.PR.20] Memerlukan instance database Amazon RDS untuk tidak menggunakan port default mesin database

Kontrol ini memeriksa apakah instance database Amazon Relational Database Service (RDS) dikonfigurasi untuk port database default untuk jenis engine spesifiknya.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.20spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.20spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.20contoh template

Penjelasan

Jika Anda menggunakan port yang dikenal untuk menyebarkan cluster atau instance Amazon RDS, penyerang dapat menebak informasi tentang cluster atau instance. Penyerang dapat menggunakan informasi ini bersama dengan informasi lain untuk terhubung ke cluster atau instans Amazon RDS, atau untuk mendapatkan informasi tambahan tentang aplikasi Anda.

Ketika Anda mengubah port, Anda juga harus memperbarui string koneksi yang ada yang digunakan untuk terhubung ke port lama. Anda juga harus memeriksa grup keamanan instans DB untuk memastikan bahwa itu termasuk aturan masuk yang memungkinkan konektivitas pada port baru.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-se2`,`oracle-ee-cdb`,`oracle-se2-cdb`,`postgres`, `sqlserver-ee``sqlserver-se`, `sqlserver-ex` dan`sqlserver-web`.

- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Tetapkan nilai untuk `Port` itu berbeda dari nilai default untuk jenis mesin instans Amazon RDS DB.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh Satu

Instans Amazon RDS DB dikonfigurasi dengan port yang berbeda dari port default `mysql` engine. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "mysql",
            "EngineVersion": 5.7,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "StorageEncrypted": true,
            "Port": 6733
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: mysql
    EngineVersion: 5.7
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    StorageEncrypted: true
    Port: 6733
  DeletionPolicy: Delete
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh Dua

Instans Amazon RDS DB dikonfigurasi dengan port yang berbeda dari port default `postgres` engine. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "Port": 5723
```

```
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    Port: 5723
  DeletionPolicy: Delete
```

CT.RDS.PR.20spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_no_default_ports_check
#
# Description:
#   This control checks whether Amazon Relational Database Service (RDS) database
 instances are configured for default database port for their specific engine types.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
```

```
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of  'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-se2-cdb',
#            'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-
web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of  'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-se2-cdb',
#            'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-
web'
#       And: 'Port' has not been specified
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of  'mariadb', 'mysql',
#            'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-se2-cdb',
#            'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex', 'sqlserver-
web'
#       And: 'Port' has been specified
#       And: 'Port' value is default port (includes mysql/mariadb port '3306',
 sqlserver
#            port '1433', postgres port '5432', and oracle port '1521')
#      Then: FAIL
#   Scenario: 5
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine'  is one of 'mariadb', 'mysql'
#       And: 'Port' has been specified
#       And: 'Port' value is not equal to '3306'
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is 'postgres'
#       And: 'Port' has been specified
#       And: 'Port' value is not equal to '5432'
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'sqlserver-ee', 'sqlserver-se', 'sqlserver-ex',
 'sqlserver-web'
#       And: 'Port' has been specified
#       And: 'Port' value is not equal to '1433'
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'oracle-ee', 'oracle-se2', 'oracle-ee-cdb', 'oracle-
se2-cdb',
#       And: 'Port' has been specified
#       And: 'Port' value is not equal to '1521'
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let ORACLE_ENGINES = [ "oracle-ee", "oracle-se2", "oracle-se1", "oracle-se" ]
let SQLSERVER_ENGINES = [ "sqlserver-ee", "sqlserver-se", "sqlserver-ex", "sqlserver-
web" ]
let MYSQL_OR_MARIA_ENGINES = [ "mariadb", "mysql" ]
let POSTGRES_ENGINES = [ "postgres" ]
```

```
let MYSQL_MARIA_DEFAULT_PORTS = [3306, "3306"]
let POSTGRES_DEFAULT_PORTS = [5432, "5432"]
let SQL_DEFAULT_PORTS = [1433, "1433"]
let ORACLE_DEFAULT_PORTS = [1521, "1521"]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_no_default_ports_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.20]: Require an Amazon RDS database instance not to use a database
 engine default port
        [FIX]: Set a value for 'Port' that is different than the default value for the
 Amazon RDS DB instance engine type.
        >>
}

rule rds_instance_no_default_ports_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.20]: Require an Amazon RDS database instance not to use a database
 engine default port
        [FIX]: Set a value for 'Port' that is different than the default value for the
 Amazon RDS DB instance engine type.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    # Scenario: 4 and 5
    %rds_db_instance[ filter_engine(this, %MYSQL_OR_MARIA_ENGINES) ] {
        check_port(Port, %MYSQL_MARIA_DEFAULT_PORTS)
    }
    # Scenario: 4 and 6
```

```
    %rds_db_instance[ filter_engine(this, %POSTGRES_ENGINES) ] {
        check_port(Port, %POSTGRES_DEFAULT_PORTS)
    }
    # Scenario: 4 and 7
    %rds_db_instance[ filter_engine(this, %SQLSERVER_ENGINES) ] {
        check_port(Port, %SQL_DEFAULT_PORTS)
    }
    # Scenario: 4 and 8
    %rds_db_instance[ filter_engine(this, %ORACLE_ENGINES) ] {
        check_port(Port, %ORACLE_DEFAULT_PORTS)
    }
}

rule filter_engine(db_properties, engine) {
    %db_properties {
        # Scenario: 2
        Engine exists
        Engine is_string
        Engine in %engine
    }
}

rule check_port(port, default_ports) {
    # Scenario: 3
    %port exists
    %port not in %default_ports
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.20contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: mysql
      EngineVersion: 5.7
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      Port: 6733
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
```

```
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: mysql
      EngineVersion: 5.7
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      Port: 3306
    DeletionPolicy: Delete
```

[CT.RDS.PR.21] Memerlukan cluster Amazon RDS DB untuk memiliki nama pengguna administrator yang unik

Kontrol ini memeriksa apakah kluster database Amazon Relational Database Service (RDS) (DB) telah mengubah nama pengguna administrator dari nilai defaultnya.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBCluster`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.21spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.21spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.21contoh template

Penjelasan

Saat membuat database Amazon RDS, sebaiknya ubah nama pengguna administrator default menjadi nilai unik. Nama pengguna default adalah pengetahuan publik, dan mereka harus diubah, karena mengubah nama pengguna ini mengurangi risiko akses yang tidak diinginkan.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk cluster Amazon RDS DB yang mengatur properti. `MasterUsername`

Remediasi untuk kegagalan aturan

Setel `MasterUsername` ke nilai selain `admin` ataupu`postgres`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh

Amazon RDS DB cluster dikonfigurasi dengan nama pengguna administrator yang unik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora-mysql",
            "MasterUsername": "samplemasteruser",
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RDSClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            }
        }
```

```
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora-mysql
    MasterUsername: samplemasteruser
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RDSClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
```

CT.RDS.PR.21spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_cluster_default_admin_check
#
# Description:
#   This control checks whether an Amazon Relational Database Service (RDS) database
 (DB) cluster has changed the administrator username from its default value.
#
# Reports on:
#   AWS::RDS::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'MasterUsername' has not been provided
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'MasterUsername' has been provided and it is set to 'admin' or 'postgres'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'MasterUsername' has been provided and is not set to 'admin' or 'postgres'
#      Then: PASS

#
# Constants
#
let RDS_DB_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let DISALLOWED_MASTER_USERNAMES = ["admin", "postgres"]
let INPUT_DOCUMENT = this

#
# Assignments
#
let db_clusters = Resources.*[ Type == %RDS_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule rds_cluster_default_admin_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %db_clusters not empty {
    check(%db_clusters.Properties)
        <<
        [CT.RDS.PR.21]: Require an Amazon RDS DB cluster to have a unique administrator
 username
```

```
            [FIX]: Set 'MasterUsername' to a value other than 'admin' or 'postgres'.
        >>
}

rule rds_cluster_default_admin_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.21]: Require an Amazon RDS DB cluster to have a unique administrator
 username
            [FIX]: Set 'MasterUsername' to a value other than 'admin' or 'postgres'.
        >>
}

rule check(db_cluster) {
    %db_cluster [
        # scenario 2
        filter_master_username_provided(this)
    ] {
        # scenario 3 and 4
        MasterUsername not in %DISALLOWED_MASTER_USERNAMES
    }
}

#
# Utility Rules
#
rule filter_master_username_provided(dbcluster_properties) {
    %dbcluster_properties{
        MasterUsername exists
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists

}
```

CT.RDS.PR.21contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: DB subnet group for DBCluster
      SubnetIds:
```

```
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername: examplemasteruser
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsHostnames: true
      EnableDnsSupport: true
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/25
      AvailabilityZone:
        Fn::Select:
        - 0
```

```
      - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      CidrBlock: 10.0.0.128/25
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
      VpcId:
        Ref: VPC
  DBSubnetGroup:
    Type: AWS::RDS::DBSubnetGroup
    Properties:
      DBSubnetGroupDescription: DB subnet group for DBCluster
      SubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 32
        ExcludeCharacters: "/@\"'\\"
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      Engine: aurora-mysql
      MasterUsername: admin
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
      DBSubnetGroupName:
        Ref: DBSubnetGroup
```

[CT.RDS.PR.22] Memerlukan instance database Amazon RDS untuk memiliki nama pengguna administrator yang unik

Kontrol ini memeriksa apakah database Amazon Relational Database Service (RDS) telah mengubah nama pengguna adminstrator dari nilai defaultnya.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.22spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.22spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.22contoh template

Penjelasan

Nama pengguna administratif default pada database Amazon RDS adalah pengetahuan publik. Saat membuat database Amazon RDS, Anda harus mengubah nama pengguna administratif default ke nilai unik, sehingga mengurangi risiko akses yang tidak diinginkan.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`,`sqlserver-ee`, `sqlserver-sesqlserver-ex`, dan`sqlserver-web`.

Remediasi untuk kegagalan aturan

Setel `MasterUsername` ke nilai selain `postgres` atau`admin`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi dengan nama pengguna administrator khusus. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": "testUser",
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            }
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: testUser
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
  DeletionPolicy: Delete
```

CT.RDS.PR.22spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_default_admin_check
#
# Description:
#   This control checks whether an Amazon Relational Database Service (RDS) database
 has changed the adminstrator username from its default value.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
```

```
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'MasterUsername' has been specified and is one of 'postgres' or 'admin'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#       And: 'MasterUsername' has been specified and is not one of 'postgres' or
 'admin'
#      Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]
let RDS_DEFAULT_USERNAMES = [ "postgres", "admin" ]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_default_admin_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.22]: Require an Amazon RDS database instance to have a unique
 administrator username
        [FIX]: Set 'MasterUsername' to a value other than 'postgres' or 'admin'.
        >>
```

```
}

rule rds_instance_default_admin_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.22]: Require an Amazon RDS database instance to have a unique
 administrator username
        [FIX]: Set 'MasterUsername' to a value other than 'postgres' or 'admin'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [ filter_engine_and_master_username_provided(this) ] {
        # Scenario: 3 and 4
        MasterUsername not in %RDS_DEFAULT_USERNAMES
    }
}

rule filter_engine_and_master_username_provided(db_properties) {
    %db_properties {
        # Scenario: 2
        MasterUsername exists
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.RDS.PR.22contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername: testUser
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
```

```
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Test RDS DB Instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "testUser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername: postgres
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    DeletionPolicy: Delete
```

[CT.RDS.PR.23] Memerlukan instans database Amazon RDS agar tidak dapat diakses publik

Aturan ini memeriksa apakah instans database Amazon Relational Database Service (RDS) database (DB) dapat diakses publik, sebagaimana ditentukan dengan memeriksa properti konfigurasi. `PubliclyAccessible`

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: CT.RDS.PR.23spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.23spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.23contoh template

Penjelasan

`PubliclyAccessible`Properti dalam CloudFormation sumber daya instans RDS menunjukkan apakah instans DB dapat diakses publik. Ketika instans DB dikonfigurasi dengan `PubliclyAccessible` set to`true`, itu adalah instance yang menghadap ke internet dengan nama DNS yang dapat diselesaikan secara publik, yang diselesaikan ke alamat IP publik. Ketika instans DB tidak dapat diakses publik, itu adalah instance internal dengan nama DNS yang menyelesaikan ke alamat IP pribadi.

Kecuali jika Anda bermaksud agar instans RDS Anda dapat diakses publik, jangan mengonfigurasi instance RDS dengan `PubliclyAccessible` nilai yang disetel ke`true`, karena konfigurasi ini memungkinkan lalu lintas yang tidak diinginkan ke instance database Anda.

Remediasi untuk kegagalan aturan

Tetapkan nilai `PubliclyAccessible` ke`false`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Instans - Contoh

Instans Amazon RDS DB dikonfigurasi sebagai instans internal, melalui konfigurasi yang dapat diakses publik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
```

```
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "PubliclyAccessible": false
        },
        "DeletionPolicy": "Delete"
    }
}
```

Contoh YAMAL

```
DBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    PubliclyAccessible: false
  DeletionPolicy: Delete
```

CT.RDS.PR.23spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_public_access_check
#
# Description:
#   This rule checks whether Amazon Relational Database Service (RDS) database (DB)
 instances are publicly accessible, as determined by checking the 'PubliclyAccessible'
 configuration property.
#
```

```
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document does not contain any RDS DB instance resources
#       Then: SKIP
#   Scenario: 2
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB instance resource
#        And: 'PubliclyAccessible' has not been specified
#       Then: FAIL
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB instance resource
#        And: 'PubliclyAccessible' is present and is a value other than bool(false)
#       Then: FAIL
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#        And: The input document contains an RDS DB instance resource
#        And: 'PubliclyAccessible' has been specified and set to bool(false)
#       Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]
```

```
#
# Primary Rules
#
rule rds_instance_public_access_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.23]: Require an Amazon RDS database instance to not be publicly
 accessible
            [FIX]: Set the value of 'PubliclyAccessible' to 'false'.
        >>
}

rule rds_instance_public_access_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.23]: Require an Amazon RDS database instance to not be publicly
 accessible
            [FIX]: Set the value of 'PubliclyAccessible' to 'false'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance{
       #Scenario: 2
       PubliclyAccessible exists
       #Scenario: 3 and 4
       PubliclyAccessible == false

    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.23contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      PubliclyAccessible: false
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      PubliclyAccessible: true
    DeletionPolicy: Delete
```

[CT.RDS.PR.24] Memerlukan instance database Amazon RDS agar enkripsi saat istirahat dikonfigurasi

Kontrol ini memeriksa apakah enkripsi penyimpanan diaktifkan untuk instans database Amazon RDS (DB) Anda.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`

- AWS CloudFormation aturan penjaga: CT.RDS.PR.24spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.RDS.PR.24spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.24contoh template

Penjelasan

Untuk lapisan keamanan tambahan untuk data sensitif Anda di instans Amazon RDS DB, Anda harus mengonfigurasi instans RDS DB agar dienkripsi saat istirahat. Untuk mengenkripsi instans dan snapshot RDS DB Anda saat istirahat, aktifkan opsi enkripsi untuk instans RDS DB Anda. Data yang dienkripsi saat istirahat mencakup penyimpanan yang mendasari untuk instans DB, pencadangan otomatisnya, replika baca, dan snapshot.

Instans Amazon RDS DB terenkripsi menggunakan algoritme enkripsi AES-256 standar terbuka untuk mengenkripsi data Anda di server yang menghosting instans RDS DB Anda. Setelah data Anda dienkripsi, Amazon RDS menangani otentikasi akses dan dekripsi data Anda secara transparan dengan dampak minimal pada kinerja. Anda tidak perlu memodifikasi aplikasi klien database Anda untuk menggunakan enkripsi.

Enkripsi Amazon RDS saat ini tersedia untuk semua mesin database dan jenis penyimpanan. Enkripsi Amazon RDS tersedia untuk sebagian besar kelas instans DB.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-ee``sqlserver-se`, `sqlserver-ex` dan `sqlserver-web`
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.

Remediasi untuk kegagalan aturan

Parameter `StorageEncrypted` harus disetel ke true untuk Instans RDS DB.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB instans - Contoh

Instans Amazon RDS DB dengan enkripsi penyimpanan diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSDBInstance": {
        "Type": "AWS::RDS::DBInstance",
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:
${RDSDBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:
${RDSDBInstanceSecret}::password}}"
            },
            "StorageEncrypted": true
        }
    }
}
```

Contoh YAMAL

```
RDSDBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
```

```
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${RDSDBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:
${RDSDBInstanceSecret}::password}}'
    StorageEncrypted: true
```

CT.RDS.PR.24spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_instance_storage_encrypted_check
#
# Description:
#   Checks whether storage encryption is enabled for your Amazon RDS DB instances.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
```

```
#       And: The input document contains an RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#            'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document contains an RDS DB instance resource
#        And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#        And: 'StorageEncrypted' has not been provided
#       Then: FAIL
#   Scenario: 4
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document contains an RDS DB instance resource
#        And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#        And: 'StorageEncrypted' has been provided and set to bool(false)
#       Then: FAIL
#   Scenario: 5
#      Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#        And: The input document contains an RDS DB instance resource
#        And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
 'oracle-se2',
#             'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-se', 'sqlserver-
ex', 'sqlserver-web'
#        And: 'StorageEncrypted' has been provided and set to bool(true)
#       Then: PASS

#
# Constants
#
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let INPUT_DOCUMENT = this
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
```

```
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-ex", "sqlserver-web"
]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
rule rds_instance_storage_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.24]: Require an Amazon RDS database instance to have encryption at
 rest configured
        [FIX]: The parameter 'StorageEncrypted' must be set to true for RDS DB
 Instances.
        >>
}

rule rds_instance_storage_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.24]: Require an Amazon RDS database instance to have encryption at
 rest configured
        [FIX]: The parameter 'StorageEncrypted' must be set to true for RDS DB
 Instances.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [filter_restore_and_engine(this)] {
        #Scenario: 3
        StorageEncrypted exists
        #Scenario: 4 and 5
        StorageEncrypted == true
    }
```

```
}

rule filter_restore_and_engine(db_properties) {
    %db_properties {
        #Scenario: 2
        Engine exists
        Engine is_string
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.24contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
```

```
        PasswordLength: 22
        ExcludeCharacters: "/@\""
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      StorageEncrypted: true
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: "/@\""
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 14.2
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
```

```
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      StorageEncrypted: false
    DeletionPolicy: Delete
```

[CT.RDS.PR.25] Memerlukan cluster basis data Amazon RDS untuk mengekspor log ke Amazon Logs melalui properti CloudWatch EnableCloudwatchLogsExports

Kontrol ini memeriksa apakah kluster database Amazon RDS memiliki semua jenis log yang tersedia yang diaktifkan untuk diekspor ke Amazon CloudWatch Logs.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.25

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.25
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.25 contoh template

Penjelasan

AWS Control Tower merekomendasikan agar Anda mengaktifkan ekspor log yang relevan untuk semua kluster database Amazon RDS ke Amazon CloudWatch Logs. Database logging menyediakan catatan rinci permintaan yang dibuat untuk RDS. Log basis data dapat membantu audit keamanan dan akses, dan mereka dapat membantu Anda mendiagnosis masalah ketersediaan.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk jenis mesin cluster Amazon RDS DB`aurora`,, `aurora-mysql``aurora-postgresql`, `mysql` dan`postgres`.

- Prasyarat tambahan mungkin ada untuk mengaktifkan logging berdasarkan jenis mesin database yang Anda pilih. Lihat Memantau file log Amazon Aurora di Panduan Pengguna Amazon Aurora untuk informasi selengkapnya.

Remediasi untuk kegagalan aturan

Tentukan `EnableCloudwatchLogsExports` dengan daftar semua jenis log yang didukung untuk mesin cluster database Amazon RDS.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS database (DB) Cluster - Contoh Satu

Amazon RDS Aurora DB cluster dikonfigurasi dengan semua jenis log yang tersedia diaktifkan untuk ekspor ke Amazon CloudWatch Logs. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            },
            "EnableCloudwatchLogsExports": [
                "audit",
                "error",
                "general",
                "slowquery"
            ]
        }
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
    EnableCloudwatchLogsExports:
      - audit
      - error
      - general
      - slowquery
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh Dua

Amazon RDS Multi-AZ Postgres DB cluster dikonfigurasi dengan semua jenis log yang tersedia diaktifkan untuk ekspor ke Amazon Logs. CloudWatch Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "aurora",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
```

```
            },
            "EnableCloudwatchLogsExports": [
                "audit",
                "error",
                "general",
                "slowquery"
            ]
        }
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: aurora
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
    EnableCloudwatchLogsExports:
      - audit
      - error
      - general
      - slowquery
```

Spesifikasi aturan CT.RDS.PR.25

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_cluster_logging_enabled_check
#
# Description:
#   This control checks whether Amazon RDS database clusters have all available log
 types enabled for export to Amazon CloudWatch Logs.
```

```
#
# Reports on:
#   AWS::RDS::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any RDS DB cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster Resource
#       And: 'Engine' is not one of 'aurora', 'aurora-mysql', 'aurora-postgresql',
 'mysql' or 'postgres'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql', 'mysql'
 or 'postgres'
#       And: 'EnableCloudwatchLogsExports' has not been specified or has been specified
 as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql', 'mysql'
 or 'postgres'
#       And: 'EnableCloudwatchLogsExports' has been specified and is a non-empty list
#       And: One or more log types in 'EnableCloudwatchLogsExports' are not supported
 by the specified 'Engine'
#      Then: FAIL
#   Scenario: 5
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql', 'aurora-postgresql', 'mysql'
 or 'postgres'
#       And: 'EnableCloudwatchLogsExports' has been specified and is a non-empty list
#       And: 'EnableCloudwatchLogsExports' does not contain all log types supported by
 the specified 'Engine'
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' is one of 'aurora', 'aurora-mysql' or 'mysql'
#       And: 'EnableCloudwatchLogsExports' has been specified as a list with all
 supported log types
#             for the 'Engine' ('audit', 'error', 'general' and 'slowquery')
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' is 'aurora-postgresql'
#       And: 'EnableCloudwatchLogsExports' has been specified as a list with all
 supported log types
#             for the 'Engine' ('postgresql')
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an RDS DB cluster resource
#       And: 'Engine' is 'postgres'
#       And: 'EnableCloudwatchLogsExports' has been specified as a list with all
 supported log types
#             for the 'Engine' ('postgresql', 'upgrade')
#      Then: PASS

#
# Constants
#
let RDS_DB_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let INPUT_DOCUMENT = this

let SUPPORTED_RDS_CLUSTER_ENGINES = [
```

```
    "aurora", "aurora-mysql", "aurora-postgresql", "mysql", "postgres"
]

let MYSQL_ENGINE_SUBTYPES = [ "aurora", "aurora-mysql", "mysql" ]
let AURORA_POSTGRES_ENGINE_SUBTYPES = [ "aurora-postgresql" ]
let POSTGRES_ENGINE_SUBTYPES = [ "postgres" ]

let MYSQL_SUPPORTED_LOG_TYPES = [ "audit", "error", "general", "slowquery" ]
let AURORA_POSTGRES_SUPPORTED_LOG_TYPES  = [ "postgresql" ]
let POSTGRES_SUPPORTED_LOG_TYPES = [ "postgresql", "upgrade" ]

#
# Assignments
#
let rds_db_clusters = Resources.*[ Type == %RDS_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule rds_cluster_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %rds_db_clusters not empty {
    check(%rds_db_clusters.Properties)
        <<
        [CT.RDS.PR.25]: Require an Amazon RDS database cluster to have logging
 configured
            [FIX]: Specify 'EnableCloudwatchLogsExports' with a list of all supported
 log types for the Amazon RDS database cluster engine.
        >>
}

rule rds_cluster_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.25]: Require an Amazon RDS database cluster to have logging
 configured
            [FIX]: Specify 'EnableCloudwatchLogsExports' with a list of all supported
 log types for the Amazon RDS database cluster engine.
        >>
}

#
# Parameterized Rules
#
```

```
rule check(rds_db_cluster) {
    %rds_db_cluster [
        filter_engine(this)
    ] {
        # Scenario 3
        EnableCloudwatchLogsExports exists
        check_is_list_and_not_empty(EnableCloudwatchLogsExports)

        # Scenario 4 and 6
        when Engine IN %MYSQL_ENGINE_SUBTYPES {
            %MYSQL_SUPPORTED_LOG_TYPES.* IN EnableCloudwatchLogsExports[*]
            EnableCloudwatchLogsExports.* IN %MYSQL_SUPPORTED_LOG_TYPES[*]
        }

        # Scenario 4 and 7
        when Engine IN %AURORA_POSTGRES_ENGINE_SUBTYPES {
            %AURORA_POSTGRES_SUPPORTED_LOG_TYPES.* IN EnableCloudwatchLogsExports[*]
            EnableCloudwatchLogsExports.* IN %AURORA_POSTGRES_SUPPORTED_LOG_TYPES[*]
        }

        # Scenario 4 and 8
        when Engine IN %POSTGRES_ENGINE_SUBTYPES {
            %POSTGRES_SUPPORTED_LOG_TYPES.* in EnableCloudwatchLogsExports[*]
            EnableCloudwatchLogsExports.* IN %POSTGRES_SUPPORTED_LOG_TYPES[*]
        }
    }
}

rule filter_engine(db_properties) {
    %db_properties {
        # Scenario 2
        Engine exists
        Engine in %SUPPORTED_RDS_CLUSTER_ENGINES
    }
}

#
# Utility Rules
#
rule check_is_list_and_not_empty(value) {
    %value {
        this is_list
        this not empty
    }
```

```
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.25 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      MasterUsername: exampleusername
      MasterUserPassword: example-password
      DBSubnetGroupName: example-db-subnet-group
      Engine: aurora
      EnableCloudwatchLogsExports:
        - audit
        - error
        - general
        - slowquery
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      DBClusterInstanceClass: db.m6gd.large
      MasterUsername: exampleusername
      MasterUserPassword: example-password
      DBSubnetGroupName: example-db-subnet-group
      Engine: postgres
      AllocatedStorage: 100
      StorageType: io1
      Iops: 3000
      EnableCloudwatchLogsExports:
        - postgresql
        - upgrade
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      MasterUsername: exampleusername
      MasterUserPassword: example-password
      DBSubnetGroupName: example-db-subnet-group
      Engine: aurora
```

[CT.RDS.PR.26] Memerlukan Proxy DB Layanan Amazon Relational Database Service untuk memerlukan koneksi Transport Layer Security (TLS)

Kontrol ini memeriksa apakah Proxy DB Amazon Relational Database Service dikonfigurasi untuk memerlukan Transport Layer Security (TLS) untuk koneksi ke proxy.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya: `AWS::RDS::DBProxy`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.26

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.26
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.26 contoh template

Penjelasan

Amazon RDS Proxy dapat bertindak sebagai lapisan keamanan tambahan antara aplikasi klien dan database yang mendasarinya. Misalnya, Anda dapat terhubung ke proksi menggunakan TLS 1.2, meskipun instans DB acuan mendukung TLS versi yang lebih lama. Anda dapat terhubung ke proxy menggunakan peran IAM, bahkan jika proxy terhubung ke database dengan pengguna asli dan metode otentikasi kata sandi. Dengan teknik ini, Anda dapat menerapkan persyaratan otentikasi yang kuat untuk aplikasi database tanpa upaya migrasi yang mahal untuk instans DB itu sendiri.

> Pertimbangan penggunaan
>
> - Untuk informasi umum tentang batasan proxy Amazon RDS, lihat Kuota dan batasan untuk Proxy RDS di Panduan Pengguna Layanan Amazon Relational Database Service.

Remediasi untuk kegagalan aturan

Tetapkan nilai properti requireTLS ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Proksi Amazon RDS DB - Contoh

Proxy Amazon RDS DB dikonfigurasi untuk memerlukan koneksi TLS ke proxy. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBProxy": {
        "Type": "AWS::RDS::DBProxy",
        "Properties": {
            "DBProxyName": "sample-db-proxy",
            "EngineFamily": "MYSQL",
            "IdleClientTimeout": 120,
            "RoleArn": {
                "Fn::GetAtt": "ProxySecretAccessRole.Arn"
            },
            "Auth": [
                {
                    "AuthScheme": "SECRETS",
                    "SecretArn": {
                        "Ref": "DBInstanceSecret"
                    },
                    "IAMAuth": "DISABLED"
                }
            ],
            "VpcSubnetIds": [
                {
                    "Ref": "SubnetOne"
                },
                {
                    "Ref": "SubnetTwo"
                }
            ],
            "RequireTLS": true
        }
    }
}
```

Contoh YAMAL

```
DBProxy:
  Type: AWS::RDS::DBProxy
  Properties:
    DBProxyName: sample-db-proxy
    EngineFamily: MYSQL
    IdleClientTimeout: 120
```

```
    RoleArn: !GetAtt 'ProxySecretAccessRole.Arn'
    Auth:
      - AuthScheme: SECRETS
        SecretArn: !Ref 'DBInstanceSecret'
        IAMAuth: DISABLED
    VpcSubnetIds:
      - !Ref 'SubnetOne'
      - !Ref 'SubnetTwo'
    RequireTLS: true
```

Spesifikasi aturan CT.RDS.PR.26

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_proxy_tls_check
#
# Description:
#   This control checks whether an Amazon RDS DB Proxy is configured to require
 Transport Layer Security (TLS) for connections to the proxy.
#
# Reports on:
#   AWS::RDS::DBProxy
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS DB proxy resources
#      Then: SKIP
#   Scenario: 2
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB proxy resource
#       And: 'RequireTLS' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB proxy resource
#       And: 'RequireTLS' has been provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB proxy resource
#       And: 'RequireTLS' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let RDS_DB_PROXY_TYPE = "AWS::RDS::DBProxy"

#
# Assignments
#
let rds_db_proxies = Resources.*[ Type == %RDS_DB_PROXY_TYPE ]

#
# Primary Rules
#
rule rds_proxy_tls_check when is_cfn_template(%INPUT_DOCUMENT)
                             %rds_db_proxies not empty {
    check(%rds_db_proxies.Properties)
        <<
        [CT.RDS.PR.26]: Require an Amazon RDS DB Proxy to require Transport Layer
 Security (TLS) connections
        [FIX]: Set the value of the RequireTLS property to true.
        >>
}

rule rds_proxy_tls_check when is_cfn_hook(%INPUT_DOCUMENT, %RDS_DB_PROXY_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_PROXY_TYPE.resourceProperties)
```

```
        <<
        [CT.RDS.PR.26]: Require an Amazon RDS DB Proxy to require Transport Layer
 Security (TLS) connections
        [FIX]: Set the value of the RequireTLS property to true.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_proxy) {
    %rds_db_proxy {
        # Scenarios 2
        RequireTLS exists
        # Scenarios 3 and 4
        RequireTLS == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.26 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
```

```
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  ProxySecretAccessRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: rds.amazonaws.com
```

```
          Action: sts:AssumeRole
      Policies:
      - PolicyName: SecretAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - secretsmanager:GetSecretValue
            Resource:
              Ref: DBInstanceSecret
          - Effect: Allow
            Action:
            - kms:Decrypt
            Resource:
              Fn::Sub: arn:${AWS::Partition}:kms:${AWS::Region}:${AWS::AccountId}:key/*
            Condition:
              StringEquals:
                kms:ViaService:
                  Fn::Sub: secretsmanager.${AWS::Region}.amazonaws.com
              ForAnyValue:StringEquals:
                kms:ResourceAliases: alias/aws/secretsmanager
  DBProxy:
    Type: AWS::RDS::DBProxy
    Properties:
      DBProxyName:
        Fn::Sub: ${AWS::StackName}-example
      EngineFamily: MYSQL
      IdleClientTimeout: 120
      RoleArn:
        Fn::GetAtt: ProxySecretAccessRole.Arn
      Auth:
      - AuthScheme: SECRETS
        SecretArn:
          Ref: DBInstanceSecret
        IAMAuth: DISABLED
      VpcSubnetIds:
      - Ref: SubnetOne
      - Ref: SubnetTwo
      RequireTLS: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  SubnetOne:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SubnetTwo:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.1.0/24
      AvailabilityZone:
        Fn::Select:
        - 1
        - Fn::GetAZs: ''
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  ProxySecretAccessRole:
    Type: AWS::IAM::Role
    Properties:
```

```
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service: rds.amazonaws.com
          Action: sts:AssumeRole
      Policies:
      - PolicyName: SecretAccessPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - secretsmanager:GetSecretValue
            Resource:
              Ref: DBInstanceSecret
          - Effect: Allow
            Action:
            - kms:Decrypt
            Resource:
              Fn::Sub: arn:${AWS::Partition}:kms:${AWS::Region}:${AWS::AccountId}:key/*
            Condition:
              StringEquals:
                kms:ViaService:
                  Fn::Sub: secretsmanager.${AWS::Region}.amazonaws.com
              ForAnyValue:StringEquals:
                kms:ResourceAliases: alias/aws/secretsmanager
  DBProxy:
    Type: AWS::RDS::DBProxy
    Properties:
      DBProxyName:
        Fn::Sub: ${AWS::StackName}-example
      EngineFamily: MYSQL
      IdleClientTimeout: 120
      RoleArn:
        Fn::GetAtt: ProxySecretAccessRole.Arn
      Auth:
      - AuthScheme: SECRETS
        SecretArn:
          Ref: DBInstanceSecret
        IAMAuth: DISABLED
      VpcSubnetIds:
      - Ref: SubnetOne
```

```
      - Ref: SubnetTwo
      RequireTLS: false
```

[CT.RDS.PR.27] Memerlukan grup parameter cluster DB Amazon Relational Database Service untuk meminta koneksi Transport Layer Security (TLS) untuk tipe engine yang didukung

Kontrol ini memeriksa apakah grup parameter cluster Amazon Relational Database Service DB memerlukan koneksi Transport Layer Security (TLS) untuk tipe engine yang didukung.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBClusterParameterGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.27

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.27
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.27 contoh templat

Penjelasan

Anda dapat menggunakan Secure Socket Layer (SSL) atau Transport Layer Security (TLS) dari aplikasi Anda untuk mengenkripsi koneksi ke cluster DB yang menjalankan Aurora MySQL, Aurora PostgreSQL, MySQL, atau PostgreSQL. Koneksi SSL/TLS menyediakan lapisan keamanan dengan mengenkripsi data yang bergerak antara klien Anda dan cluster DB.

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk grup parameter cluster Amazon RDS DB dengan keluarga`aurora-mysql`,, `aurora-postgresql`postgres, ataumysql.

Remediasi untuk kegagalan aturan

Untuk grup parameter cluster Amazon RDS DB dengan `aurora-mysql` dan `mysql` keluarga, di properti Parameters, tetapkan nilai `require_secure_transport` ke true. Untuk grup parameter cluster Amazon RDS DB dengan `postgres` keluarga `aurora-postgresql` amd, di properti Parameters, tetapkan nilai `rds.force_ssl` ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Parameter Cluster Amazon RDS DB - Contoh Satu

Grup parameter cluster Amazon RDS DB yang dikonfigurasi untuk memerlukan TLS/SSL untuk semua koneksi ke cluster DB MySQL Aurora. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSDBClusterParameterGroup": {
        "Type": "AWS::RDS::DBClusterParameterGroup",
        "Properties": {
            "Description": "sample-db-parameter-group",
            "Family": "aurora-mysql5.7",
            "Parameters": {
                "require_secure_transport": "ON"
            }
        }
    }
}
```

Contoh YAMAL

```
RDSDBClusterParameterGroup:
  Type: AWS::RDS::DBClusterParameterGroup
  Properties:
    Description: sample-db-parameter-group
    Family: aurora-mysql5.7
    Parameters:
      require_secure_transport: 'ON'
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Parameter Cluster Amazon RDS DB - Contoh Dua

Grup parameter cluster Amazon RDS DB yang dikonfigurasi untuk memerlukan TLS/SSL untuk semua koneksi ke cluster PostgreSQL DB. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSDBClusterParameterGroup": {
        "Type": "AWS::RDS::DBClusterParameterGroup",
        "Properties": {
            "Description": "sample-db-parameter-group",
            "Family": "postgres14",
            "Parameters": {
                "rds.force_ssl": true
            }
        }
    }
}
```

Contoh YAMAL

```
RDSDBClusterParameterGroup:
  Type: AWS::RDS::DBClusterParameterGroup
  Properties:
    Description: sample-db-parameter-group
    Family: postgres14
    Parameters:
      rds.force_ssl: true
```

Spesifikasi aturan CT.RDS.PR.27

```
# ####################################
##       Rule Specification        ##
####################################
```

```
#
# Rule Identifier:
#   rds_db_cluster_parameter_group_tls_check
#
# Description:
#   This control checks whether an Amazon RDS DB cluster parameter group requires
 Transport Layer Security (TLS) connections for supported engine types.
#
# Reports on:
#   AWS::RDS::DBClusterParameterGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS DB cluster parameter
 group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster parameter group
 resource
#       And: 'Family' has not been provided or has been provided and set to an RDS DB
 cluster
#            parameter group family other than 'aurora-mysql', 'aurora-postgresql',
 'postgres',
#            or 'mysql' families
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster parameter group
 resource
#       And: 'Family' has been provided and set to an 'aurora-mysql' Amazon RDS DB
 cluster parameter
#            group family
#       And: In 'Parameters', 'require_secure_transport' has not been provided, or
```

```
#            has been provided and set to a value other than 'ON'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster parameter group
 resource
#       And: 'Family' has been provided and set to a 'mysql' Amazon RDS DB cluster
 parameter
#            group family
#       And: In 'Parameters', 'require_secure_transport' has not been provided, or
#            has been provided and set to a value other than a boolean true value
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster parameter group
 resource
#       And: 'Family' has been provided and set to an 'aurora-postgresql' or 'postgres'
#            Amazon RDS DB cluster parameter group family
#       And: In 'Parameters', 'rds.force_ssl' has not been provided, or has been
 provided
#            and set to a value other than a boolean true value
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster parameter group
 resource
#       And: 'Family' has been provided and set to an 'aurora-mysql' RDS DB cluster
 parameter
#            group family
#       And: In 'Parameters', 'require_secure_transport' has been provided and set
#            to 'ON'
#      Then: PASS
#   Scenario: 7
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster parameter group
 resource
#       And: 'Family' has been provided and set to a 'mysql' Amazon RDS DB cluster
 parameter group family
#       And: In 'Parameters', 'require_secure_transport' has been provided and set
#            to a boolean true value
```

```
#      Then: PASS
#   Scenario: 8
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster parameter group
 resource
#       And: 'Family' has been provided and set to an 'aurora-postgresql' or 'postgres'
 RDS DB
#            cluster parameter group family
#       And: In 'Parameters', 'rds.force_ssl' has been provided and set
#            to a boolean true value
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let RDS_DB_CLUSTER_PARAMETER_GROUP_TYPE = "AWS::RDS::DBClusterParameterGroup"

let AURORA_MYSQL_PG_FAMILY = /^aurora-mysql/
let AURORA_POSTGRES_PG_FAMILY = /^aurora-postgresql/
let MYSQL_PG_FAMILY = /^mysql/
let POSTGRES_PG_FAMILY = /^postgres/

let BOOLEAN_TRUE_VALUES = [
    true,
    1, "1",
    "true", "True", "TRUE",
    "on", "On", "ON"
]
let AURORA_MSQL_ON_PATTERN = /(?i)^on$/

#
# Assignments
#
let rds_db_cluster_parameter_groups = Resources.*[ Type ==
 %RDS_DB_CLUSTER_PARAMETER_GROUP_TYPE ]

#
# Primary Rules
#
rule rds_db_cluster_parameter_group_tls_check when is_cfn_template(%INPUT_DOCUMENT)
                                                   %rds_db_cluster_parameter_groups not
 empty {
```

```
    check(%rds_db_cluster_parameter_groups.Properties)
        <<
        [CT.RDS.PR.27]: Require an Amazon RDS DB cluster parameter group to require
 Transport Layer Security (TLS) connections for supported engine types
        [FIX]: For RDS DB cluster parameter groups with 'aurora-mysql' and 'mysql'
 families, in the Parameters property, set the value of 'require_secure_transport'
 to true. For RDS DB cluster parameter groups with 'aurora-postgresql' amd 'postgres'
 families, in  the Parameters property, set the value of 'rds.force_ssl' to true.
        >>
}

rule rds_db_cluster_parameter_group_tls_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_PARAMETER_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_PARAMETER_GROUP_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.27]: Require an Amazon RDS DB cluster parameter group to require
 Transport Layer Security (TLS) connections for supported engine types
        [FIX]: For RDS DB cluster parameter groups with 'aurora-mysql' and 'mysql'
 families, in the Parameters property, set the value of 'require_secure_transport'
 to true. For Amazon RDS DB cluster parameter groups with 'aurora-postgresql' amd
 'postgres' families, in  the Parameters property, set the value of 'rds.force_ssl' to
 true.
        >>
}

#
# Parameterized Rules
#
rule check(rds_parameter_group) {
    %rds_parameter_group [
        # Scenario 2
        filter_pg_aurora_mysql_families(this)
    ] {
        # Scenarios 3 and 5
        Parameters exists
        Parameters is_struct
        Parameters {
            require_secure_transport exists
            require_secure_transport in %AURORA_MSQL_ON_PATTERN
        }
    }

    %rds_parameter_group [
        # Scenario 2
```

```
        filter_pg_mysql_families(this)
    ] {
        # Scenarios 3 and 5
        Parameters exists
        Parameters is_struct
        Parameters {
            require_secure_transport exists
            require_secure_transport in %BOOLEAN_TRUE_VALUES
        }
    }

    %rds_parameter_group [
        # Scenario 2
        filter_pg_postgres_families(this)
    ] {
        # Scenarios 4 and 6
        Parameters exists
        Parameters is_struct
        Parameters {
            "rds.force_ssl" exists
            "rds.force_ssl" in %BOOLEAN_TRUE_VALUES
        }
    }
}

rule filter_pg_aurora_mysql_families(parameter_group) {
    %parameter_group {
        Family exists
        Family in %AURORA_MYSQL_PG_FAMILY
    }
}

rule filter_pg_mysql_families(parameter_group) {
    %parameter_group {
        Family exists
        Family in %MYSQL_PG_FAMILY
    }
}

rule filter_pg_postgres_families(parameter_group) {
    %parameter_group {
        Family exists
        Family in %AURORA_POSTGRES_PG_FAMILY or
        Family in %POSTGRES_PG_FAMILY
```

```
    }
}

#
# Utility Rules
#
rule check_is_list_and_not_empty(value) {
    %value {
        this is_list
        this not empty
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.27 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RDSDBClusterParameterGroup:
    Type: AWS::RDS::DBClusterParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: aurora-mysql5.7
      Parameters:
        require_secure_transport: 'ON'
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RDSDBClusterParameterGroup:
    Type: AWS::RDS::DBClusterParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: postgres14
      Parameters:
        rds.force_ssl: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RDSDBClusterParameterGroup:
    Type: AWS::RDS::DBClusterParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: aurora-mysql5.7
      Parameters:
        require_secure_transport: 'OFF'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RDSDBClusterParameterGroup:
    Type: AWS::RDS::DBClusterParameterGroup
    Properties:
```

```
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: mysql8.0
      Parameters:
        require_secure_transport: 0
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RDSDBClusterParameterGroup:
    Type: AWS::RDS::DBClusterParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: postgres15
      Parameters:
        rds.force_ssl: false
```

[CT.RDS.PR.28] Memerlukan grup parameter DB Amazon Relational Database Service untuk meminta koneksi Transport Layer Security (TLS) untuk tipe engine yang didukung

Kontrol ini memeriksa apakah grup parameter Amazon Relational Database Service DB memerlukan koneksi Transport Layer Security (TLS), untuk jenis engine yang didukung.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBParameterGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.28

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.28

- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.28 contoh template

Penjelasan

Anda dapat menggunakan Lapisan Soket Aman (SSL) atau Keamanan Lapisan Pengangkutan (TLS) dari aplikasi Anda untuk mengenkripsi koneksi ke instans DB yang menjalankan MariaDB, Microsoft SQL Server, MySQL, Oracle, atau PostgreSQL. Koneksi SSL/TLS menyediakan lapisan keamanan dengan mengenkripsi data yang bergerak antara klien Anda dan instans DB.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk grup parameter Amazon RDS DB dengan keluarga`postgres`,`sqlserver`, `mariadb` (tidak termasuk `mariadb10.0`mariadb10.4), dan `mysql` (tidak termasuk`mysql5.5`) `mysql5.6`

Remediasi untuk kegagalan aturan

Untuk grup parameter instans Amazon RDS DB dengan `mysql` dan `mariadb` keluarga, di`Parameters`, setel `require_secure_transport` ke`true`. Untuk grup parameter instans Amazon RDS DB dengan `postgres` dan `sqlserver` keluarga, di`Parameters`, setel `rds.force_ssl` ke`true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Parameter Amazon RDS DB - Contoh Satu

Grup parameter Amazon RDS DB dikonfigurasi untuk memerlukan TLS/SSL untuk semua koneksi ke instance MariaDB DB. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSDBParameterGroup": {
        "Type": "AWS::RDS::DBParameterGroup",
        "Properties": {
            "Description": "sample-db-parameter-group",
            "Family": "mariadb10.6",
```

```
            "Parameters": {
                "require_secure_transport": true
            }
        }
    }
}
```

Contoh YAMAL

```
RDSDBParameterGroup:
  Type: AWS::RDS::DBParameterGroup
  Properties:
    Description: sample-db-parameter-group
    Family: mariadb10.6
    Parameters:
      require_secure_transport: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup Parameter Amazon RDS DB - Contoh Dua

Grup parameter Amazon RDS DB dikonfigurasi untuk memerlukan TLS/SSL untuk semua koneksi ke instans PostgreSQL DB. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSDBParameterGroup": {
        "Type": "AWS::RDS::DBParameterGroup",
        "Properties": {
            "Description": "sample-db-parameter-group",
            "Family": "postgres14",
            "Parameters": {
                "rds.force_ssl": true
            }
        }
    }
}
```

Contoh YAMAL

```
RDSDBParameterGroup:
  Type: AWS::RDS::DBParameterGroup
  Properties:
    Description: sample-db-parameter-group
    Family: postgres14
    Parameters:
      rds.force_ssl: true
```

Spesifikasi aturan CT.RDS.PR.28

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_db_parameter_group_tls_check
#
# Description:
#   This control checks whether an Amazon RDS DB parameter group requires Transport
 Layer Security (TLS) connections, for supported engine types.
#
# Reports on:
#   AWS::RDS::DBParameterGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document does not contain any Amazon RDS DB parameter group
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB parameter group resource
#       And: 'Family' has not been provided or has been provided and set to an Amazon
 RDS DB
#            parameter group family other than one with support for requiring TLS
 connections
#            ('mariadb' - excluding mariadb families 10.0 to 10.4, 'mysql' - excluding
 mysql
#            families 5.5 to 5.6, 'postgres' or 'sqlserver')
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB parameter group resource
#       And: 'Family' has been provided and set to Amazon RDS parameter group families
 'mariadb'
#            (excluding families 10.0 to 10.4) or 'mysql' (excluding families 5.5 to
 5.6)
#       And: In 'Parameters', 'require_secure_transport' has not been provided, or
#            has been provided and set to a value other than a boolean true value
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB parameter group resource
#       And: 'Family' has been provided and set to Amazon RDS parameter group families
 'sqlserver' or 'postgres'
#       And: In 'Parameters', 'rds.force_ssl' has not been provided, or has been
 provided
#            and set to a value other than a boolean true value
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB parameter group resource
#       And: 'Family' has been provided and set to Amazon RDS parameter group families
 'mariadb'
#            (excluding families 10.0 to 10.4) or 'mysql' (excluding families 5.5 to
 5.6)
```

```
#       And: In 'Parameters', 'require_secure_transport' has been provided and set to
#            a boolean true value
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB parameter group resource
#       And: 'Family' has been provided and set to Amazon RDS parameter group families
 'sqlserver' or 'postgres'
#       And: In 'Parameters', 'rds.force_ssl' has been provided and set to
#            a boolean true value
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let RDS_DB_PARAMETER_GROUP_TYPE = "AWS::RDS::DBParameterGroup"

let MYSQL_PG_FAMILY = /^mysql/
let MARIADB_PG_FAMILY = /^mariadb/
let POSTGRES_PG_FAMILY = /^postgres/
let SQLSERVER_PG_FAMILY = /^sqlserver/

let MYSQL_FAMILIES_WITH_NO_SECURE_TRANSPORT_SUPPORT = [
    "mysql5.5",
    "mysql5.6"
]
let MARIADB_FAMILIES_WITH_NO_SECURE_TRANSPORT_SUPPORT = [
    "mariadb10.0",
    "mariadb10.1",
    "mariadb10.2",
    "mariadb10.3",
    "mariadb10.4"
]
let BOOLEAN_TRUE_VALUES = [
    true,
    1, "1",
    "true", "True", "TRUE",
    "on", "On", "ON"
]

#
# Assignments
```

```
#
let rds_db_parameter_groups = Resources.*[ Type == %RDS_DB_PARAMETER_GROUP_TYPE ]

#
# Primary Rules
#
rule rds_db_parameter_group_tls_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %rds_db_parameter_groups not empty {
    check(%rds_db_parameter_groups.Properties)
        <<
        [CT.RDS.PR.28]: Require an Amazon RDS DB parameter group to require Transport
 Layer Security (TLS) connections for supported engine types
        [FIX]: For Amazon RDS DB instance parameter groups with 'mysql' and 'mariadb'
 families, in 'Parameters', set 'require_secure_transport' to 'true'. For Amazon RDS DB
 instance parameter groups with 'postgres' and 'sqlserver' families, in 'Parameters',
 set 'rds.force_ssl' to 'true'.
        >>
}

rule rds_db_parameter_group_tls_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_PARAMETER_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_PARAMETER_GROUP_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.28]: Require an Amazon RDS DB parameter group to require Transport
 Layer Security (TLS) connections for supported engine types
        [FIX]: For Amazon RDS DB instance parameter groups with 'mysql' and 'mariadb'
 families, in 'Parameters', set 'require_secure_transport' to 'true'. For Amazon RDS DB
 instance parameter groups with 'postgres' and 'sqlserver' families, in 'Parameters',
 set 'rds.force_ssl' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(rds_parameter_group) {
    %rds_parameter_group [
        # Scenario 2
        filter_pg_mysql_maria_families(this)
    ] {
        # Scenarios 3 and 5
        Parameters exists
        Parameters is_struct
        Parameters {
```

```
            require_secure_transport exists
            require_secure_transport in %BOOLEAN_TRUE_VALUES
        }
    }

    %rds_parameter_group [
        # Scenario 2
        filter_pg_postgres_sqlserver_families(this)
    ] {
        # Scenarios 4 and 6
        Parameters exists
        Parameters is_struct
        Parameters {
            "rds.force_ssl" exists
            "rds.force_ssl" in %BOOLEAN_TRUE_VALUES
        }
    }
}

rule filter_pg_mysql_maria_families(parameter_group) {
    %parameter_group {
        Family exists
        filter_mysql_family(this) or
        filter_mariadb_family(this)
    }
}

rule filter_mysql_family(parameter_group) {
    %parameter_group {
        Family in %MYSQL_PG_FAMILY
        Family not in %MYSQL_FAMILIES_WITH_NO_SECURE_TRANSPORT_SUPPORT
    }
}

rule filter_mariadb_family(parameter_group) {
    %parameter_group {
        Family in %MARIADB_PG_FAMILY
        Family not in %MARIADB_FAMILIES_WITH_NO_SECURE_TRANSPORT_SUPPORT
    }
}

rule filter_pg_postgres_sqlserver_families(parameter_group) {
    %parameter_group {
        Family exists
```

```
        Family in %POSTGRES_PG_FAMILY or
        Family in %SQLSERVER_PG_FAMILY
    }
}

#
# Utility Rules
#
rule check_is_list_and_not_empty(value) {
    %value {
        this is_list
        this not empty
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.28 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RDSDBParameterGroup:
    Type: AWS::RDS::DBParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: mariadb10.6
```

```
      Parameters:
        require_secure_transport: true
```

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RDSDBParameterGroup:
    Type: AWS::RDS::DBParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: postgres14
      Parameters:
        rds.force_ssl: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RDSDBParameterGroup:
    Type: AWS::RDS::DBParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: mariadb10.6
      Parameters:
        require_secure_transport: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
```

```
  RDSDBParameterGroup:
    Type: AWS::RDS::DBParameterGroup
    Properties:
      Description:
        Fn::Sub: ${AWS::StackName}-example
      Family: postgres15
      Parameters:
        rds.force_ssl: false
```

[CT.RDS.PR.29] Memerlukan klaster Amazon RDS yang tidak dikonfigurasi agar dapat diakses publik melalui properti " PubliclyAccessible

Kontrol ini memeriksa apakah kluster database Amazon Relational Database Service dikonfigurasi agar dapat diakses publik, atau tidak, sebagaimana ditentukan oleh pengaturan properti. PubliclyAccessible

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBCluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.29

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.29
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.29 contoh template

Penjelasan

PubliclyAccessible Properti di AWS CloudFormation sumber daya kluster Amazon RDS DB menunjukkan apakah cluster DB dapat diakses publik. Ketika instans DB dikonfigurasi dengan PubliclyAccessible properti disetel ke true, titik akhir Domain Name System (DNS) menyelesaikan ke alamat IP publik dari luar virtual private cloud (VPC) cluster DB, dan juga menyelesaikan ke alamat IP pribadi dari dalam VPC cluster DB.

Kecuali jika Anda bermaksud agar klaster Amazon RDS DB dapat diakses publik, jangan mengonfigurasi klaster Amazon RDS DB dengan PubliclyAccessible nilai yang disetel ke true, karena konfigurasi ini memungkinkan lalu lintas yang tidak diinginkan ke instance database Anda.

Remediasi untuk kegagalan aturan

Tetapkan nilai PubliclyAccessible properti ke false.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB Cluster - Contoh

Cluster DB Amazon RDS Multi-AZ Postgres yang dikonfigurasi agar tidak dapat diakses publik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "DBCluster": {
        "Type": "AWS::RDS::DBCluster",
        "Properties": {
            "Engine": "postgres",
            "DBClusterInstanceClass": "db.m6gd.large",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
            },
            "DBSubnetGroupName": {
                "Ref": "DBSubnetGroup"
            },
            "AllocatedStorage": 100,
            "StorageType": "io1",
            "Iops": 3000,
            "PubliclyAccessible": false
        }
    }
}
```

Contoh YAMAL

```
DBCluster:
  Type: AWS::RDS::DBCluster
  Properties:
    Engine: postgres
    DBClusterInstanceClass: db.m6gd.large
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBClusterSecret}::password}}'
    DBSubnetGroupName: !Ref 'DBSubnetGroup'
    AllocatedStorage: 100
    StorageType: io1
    Iops: 3000
    PubliclyAccessible: false
```

Spesifikasi aturan CT.RDS.PR.29

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   rds_cluster_public_access_check
#
# Description:
#   This control checks whether an Amazon RDS database cluster is configured to be
 publicly accessible, or not, as determined by the setting of the PubliclyAccessible
 property.
#
# Reports on:
#   AWS::RDS::DBCluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS DB cluster resources
#       Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster resource
#       And: 'Engine' has been provided and set to a database engine type other than a
#            Multi-AZ database engine (type other than 'mysql' or 'postgres')
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster resource
#       And: 'Engine' has been provided and set to a Multi-AZ database engine
#            ('mysql', 'postgres')
#       And: 'PubliclyAccessible' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster resource
#       And: 'Engine' has been provided and set to a Multi-AZ database engine
#            ('mysql', 'postgres')
#       And: 'PubliclyAccessible' has been provided and set to a value other than
 bool(false)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon RDS DB cluster resource
#       And: 'Engine' has been provided and set to a Multi-AZ database engine
#            ('mysql', 'postgres')
#       And: 'PubliclyAccessible' has been provided and set to bool(false)
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let RDS_DB_CLUSTER_TYPE = "AWS::RDS::DBCluster"
let MULTI_AZ_ENGINE_TYPES = [ "mysql", "postgres" ]
```

```
#
# Assignments
#
let rds_db_clusters = Resources.*[ Type == %RDS_DB_CLUSTER_TYPE ]

#
# Primary Rules
#
rule rds_cluster_public_access_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %rds_db_clusters not empty {
    check(%rds_db_clusters.Properties)
        <<
        [CT.RDS.PR.29]: Require an Amazon RDS cluster not be configured to be publicly
 accessible by means of the 'PubliclyAccessible' property
        [FIX]: Set the value of the PubliclyAccessible property to false.
        >>
}

rule rds_cluster_public_access_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.29]: Require an Amazon RDS cluster not be configured to be publicly
 accessible by means of the 'PubliclyAccessible' property
        [FIX]: Set the value of the PubliclyAccessible property to false.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_cluster) {
    %rds_db_cluster[
        filter_multi_az_engine(this)
    ] {
        # Scenario 2
        PubliclyAccessible exists

        # Scenarios 3 and 4
        PubliclyAccessible == false
    }
}

rule filter_multi_az_engine(rds_db_cluster) {
```

```
    %rds_db_cluster {
        Engine exists
        Engine in %MULTI_AZ_ENGINE_TYPES
    }
}


#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.RDS.PR.29 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: '"@/\'
  DBCluster:
    Type: AWS::RDS::DBCluster
```

```
    Properties:
      DBClusterIdentifier: example-db-cluster
      DBClusterInstanceClass: db.m5d.large
      MasterUsername:
        Fn::Sub: "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
      MasterUserPassword:
        Fn::Sub: "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
      Engine: mysql
      AllocatedStorage: 100
      StorageType: io1
      Iops: 1000
      PubliclyAccessible: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBClusterSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: '"@/\'
  DBCluster:
    Type: AWS::RDS::DBCluster
    Properties:
      DBClusterIdentifier: example-db-cluster-public
      DBClusterInstanceClass: db.m5d.large
      MasterUsername:
        Fn::Sub: "{{resolve:secretsmanager:${DBClusterSecret}::username}}"
      MasterUserPassword:
        Fn::Sub: "{{resolve:secretsmanager:${DBClusterSecret}::password}}"
      Engine: mysql
      AllocatedStorage: 100
      StorageType: io1
      Iops: 1000
      PubliclyAccessible: true
```

[CT.RDS.PR.30] Mengharuskan instans database Amazon RDS memiliki enkripsi saat istirahat yang dikonfigurasi untuk menggunakan kunci KMS yang Anda tentukan untuk jenis mesin yang didukung

Kontrol ini memeriksa apakah enkripsi penyimpanan diaktifkan untuk instans Amazon RDS database (DB) Anda, dan bahwa enkripsi menggunakan kunci KMS yang Anda tentukan untuk jenis engine yang didukung.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::RDS::DBInstance`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.RDS.PR.30

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.RDS.PR.30
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.RDS.PR.30 contoh template

Penjelasan

Sebagai lapisan keamanan tambahan untuk data sensitif Anda di instans Amazon RDS DB, Anda dapat mengonfigurasi instans Amazon RDS DB agar dienkripsi saat istirahat. Untuk mengenkripsi instans Amazon RDS DB dan snapshot saat istirahat, aktifkan opsi enkripsi untuk instans Amazon RDS DB Anda. Data yang dienkripsi saat istirahat mencakup penyimpanan yang mendasari untuk instans DB, pencadangan otomatisnya, replika baca, dan snapshot.

Instans DB terenkripsi Amazon RDS menggunakan algoritme enkripsi AES-256 standar terbuka untuk mengenkripsi data Anda yang berada di server yang menghosting instans Amazon RDS DB Anda. Setelah data Anda dienkripsi, Amazon RDS menangani otentikasi akses dan dekripsi data Anda secara transparan, dengan dampak minimal pada kinerja. Anda tidak perlu memodifikasi aplikasi klien database Anda untuk menggunakan enkripsi.

Enkripsi Amazon RDS tersedia untuk semua mesin database dan jenis penyimpanan. Enkripsi Amazon RDS tersedia untuk sebagian besar kelas instans DB.

Pertimbangan penggunaan

- Kontrol ini hanya berlaku untuk jenis mesin Amazon RDS DB `mariadbmysql`,`oracle-ee`,`oracle-ee-cdb`,`oracle-se2`,`oracle-se2-cdb`,`postgres`, `sqlserver-eesqlserver-se`, dan `sqlserver-web`
- Kontrol ini hanya berlaku ketika `Engine` properti disediakan. Itu tidak berlaku saat memulihkan dari snapshot DB atau snapshot cluster di mana `Engine` belum disetel secara eksplisit.
- Kontrol ini mengharuskan kunci KMS ditentukan untuk sumber daya instans Amazon RDS DB. Ini tidak memeriksa properti kunci KMS yang digunakan, seperti apakah kunci KMS dikelola pelanggan atau dikelola layanan.
- Pertimbangkan untuk menggunakan kunci yang dikelola pelanggan jika Anda ingin kontrol penuh atas kunci KMS, yang mencakup pembuatan dan pemeliharaan kebijakan kunci, kebijakan IAM, dan hibah, serta mengaktifkan dan menonaktifkan kunci, memutar materi kriptografinya, menambahkan tag, membuat alias yang merujuk ke kunci KMS, dan menjadwalkan kunci KMS untuk dihapus.

Remediasi untuk kegagalan aturan

Setel KmsKeyId properti ke ARN AWS KMS key yang dikonfigurasi untuk memberikan izin penggunaan kunci ke Amazon RDS.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon RDS DB instans - Contoh

Instans Amazon RDS DB dengan enkripsi penyimpanan diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RDSDBInstance": {
        "Type": "AWS::RDS::DBInstance",
```

```
        "Properties": {
            "Engine": "postgres",
            "EngineVersion": 14.2,
            "DBInstanceClass": "db.m5.large",
            "StorageType": "gp2",
            "AllocatedStorage": 5,
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${DBInstanceSecret}::password}}"
            },
            "StorageEncrypted": true,
            "KmsKeyId": {
                "Ref": "KMSKey"
            }
        }
    }
}
```

Contoh YAMAL

```
RDSDBInstance:
  Type: AWS::RDS::DBInstance
  Properties:
    Engine: postgres
    EngineVersion: 14.2
    DBInstanceClass: db.m5.large
    StorageType: gp2
    AllocatedStorage: 5
    MasterUsername: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    StorageEncrypted: true
    KmsKeyId: !Ref 'KMSKey'
```

Spesifikasi aturan CT.RDS.PR.30

```
# ##################################
```

```
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   rds_storage_encrypted_kms_key_check
#
# Description:
#   This control checks whether storage encryption is enabled for your Amazon RDS
 database (DB) instance, and that the encryption uses a KMS key that you specify for
 supported engine types.
#
# Reports on:
#   AWS::RDS::DBInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation Hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon RDS DB instance resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon RDS DB instance resource
#       And: 'Engine' is not one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
#            'oracle-se2', 'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-
se',
#            'sqlserver-web'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
#            'oracle-se2', 'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-
se',
#            'sqlserver-web'
#       And: 'KmsKeyId' has not been provided
```

```
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
#            'oracle-se2', 'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-
se',
#            'sqlserver-web'
#       And: 'KmsKeyId' has been provided as an empty string or invalid local reference
#            to a KMS key ID or alias or ARN
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Amazon RDS DB instance resource
#       And: 'Engine' is one of 'mariadb', 'mysql', 'oracle-ee', 'oracle-ee-cdb',
#            'oracle-se2', 'oracle-se2-cdb', 'postgres', 'sqlserver-ee', 'sqlserver-
se',
#            'sqlserver-web'
#       And: 'KmsKeyId' has been provided as a non-empty string or valid local
 reference
#            to a KMS key ID or alias or ARN
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let RDS_DB_INSTANCE_TYPE = "AWS::RDS::DBInstance"
let SUPPORTED_RDS_INSTANCE_ENGINES = [
    "mariadb", "mysql", "oracle-ee", "oracle-ee-cdb", "oracle-se2",
    "oracle-se2-cdb", "postgres", "sqlserver-ee", "sqlserver-se",
    "sqlserver-web"
]

#
# Assignments
#
let rds_db_instances = Resources.*[ Type == %RDS_DB_INSTANCE_TYPE ]

#
# Primary Rules
#
```

```
rule rds_storage_encrypted_kms_key_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %rds_db_instances not empty {
    check(%rds_db_instances.Properties)
        <<
        [CT.RDS.PR.30]: Require that an Amazon RDS database instance has encryption at
 rest configured to use a KMS key that you specify for supported engine types
        [FIX]: Set the KmsKeyId property to the ARN of an AWS KMS key that is
 configured to grant key usage permissions to Amazon RDS.
        >>
}

rule rds_storage_encrypted_kms_key_check when is_cfn_hook(%INPUT_DOCUMENT,
 %RDS_DB_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%RDS_DB_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.RDS.PR.30]: Require that an Amazon RDS database instance has encryption at
 rest configured to use a KMS key that you specify for supported engine types
        [FIX]: Set the KmsKeyId property to the ARN of an AWS KMS key that is
 configured to grant key usage permissions to Amazon RDS.
        >>
}

#
# Parameterized Rules
#
rule check(rds_db_instance) {
    %rds_db_instance [
        # Scenario 2
        filter_engine(this)
    ] {
        # Scenario 3
        KmsKeyId exists

        # Scenarios 4 and 5
        check_is_string_and_not_empty(KmsKeyId) or
        check_local_references(%INPUT_DOCUMENT, KmsKeyId, "AWS::KMS::Key") or
        check_local_references(%INPUT_DOCUMENT, KmsKeyId, "AWS::KMS::Alias")
    }
}

rule filter_engine(rds_db_instance) {
    %rds_db_instance {
        Engine exists
        Engine is_string
```

```
        Engine in %SUPPORTED_RDS_INSTANCE_ENGINES
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_RESOURCE_TYPE) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_RESOURCE_TYPE)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_RESOURCE_TYPE) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_RESOURCE_TYPE
    }
}
```

CT.RDS.PR.30 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KMSKey:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: example-policy
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS:
              Fn::Sub: arn:${AWS::Partition}:iam::${AWS::AccountId}:root
          Action: kms:*
          Resource: '*'
      KeySpec: SYMMETRIC_DEFAULT
      EnableKeyRotation: true
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS DB instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasteruser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: '"@/\'
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: mysql
      EngineVersion: 5.7
      DBInstanceClass: db.m5.large
```

```
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
      StorageEncrypted: true
      KmsKeyId:
        Ref: KMSKey
    DeletionPolicy: Delete
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  DBInstanceSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: RDS instance secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "exampleuser"}'
        GenerateStringKey: password
        PasswordLength: 22
        ExcludeCharacters: "/@\""
  DBInstance:
    Type: AWS::RDS::DBInstance
    Properties:
      Engine: postgres
      EngineVersion: 15.4
      DBInstanceClass: db.m5.large
      StorageType: gp2
      AllocatedStorage: 5
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${DBInstanceSecret}::password}}'
    DeletionPolicy: Delete
```

Kontrol Amazon Redshift

Topik

- [CT.REDSHIFT.PR.1] Memerlukan cluster Amazon Redshift untuk melarang akses publik
- [CT.REDSHIFT.PR.2] Memerlukan cluster Amazon Redshift agar snapshot otomatis dikonfigurasi
- [CT.REDSHIFT.PR.3] Memerlukan klaster Amazon Redshift agar pencatatan audit dikonfigurasi
- [CT.REDSHIFT.PR.4] Memerlukan klaster Amazon Redshift untuk memiliki peningkatan otomatis ke versi utama yang dikonfigurasi
- [CT.REDSHIFT.PR.5] Memerlukan cluster Amazon Redshift untuk meningkatkan perutean VPC
- [CT.REDSHIFT.PR.6] Memerlukan klaster Amazon Redshift untuk memiliki nama pengguna administrator yang unik
- [CT.REDSHIFT.PR.7] Memerlukan cluster Amazon Redshift untuk memiliki nama database yang unik
- [CT.REDSHIFT.PR.8] Memerlukan cluster Amazon Redshift untuk dienkripsi
- [CT.REDSHIFT.PR.9] Mengharuskan grup parameter cluster Amazon Redshift dikonfigurasi untuk menggunakan Secure Sockets Layer (SSL) untuk enkripsi data dalam perjalanan

[CT.REDSHIFT.PR.1] Memerlukan cluster Amazon Redshift untuk melarang akses publik

Kontrol ini memeriksa apakah klaster Amazon Redshift dikonfigurasi untuk melarang akses publik.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: CT.REDSHIFT.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.1contoh template

Penjelasan

PubliclyAccessible Atribut konfigurasi klaster Amazon Redshift menunjukkan apakah klaster dapat diakses publik. Ketika cluster dikonfigurasi dengan `PubliclyAccessible` parameter yang disetel ke`true`, itu adalah instance yang menghadap ke internet yang memiliki nama DNS yang dapat diselesaikan secara publik, yang diselesaikan ke alamat IP publik.

Ketika cluster tidak dapat diakses publik, itu adalah instance internal dengan nama DNS yang menyelesaikan ke alamat IP pribadi. Kecuali jika Anda bermaksud agar cluster Anda dapat diakses oleh publik, cluster tidak boleh dikonfigurasi dengan `PubliclyAccessible` set to`true`.

Remediasi untuk kegagalan aturan

Atur `PubliclyAccessible` ke `false`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Pergeseran Merah Amazon - Contoh

Cluster Amazon Redshift dikonfigurasi untuk melarang akses publik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "sampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:
${RedshiftClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:
${RedshiftClusterSecret}::password}}"
            },
            "NodeType": "ds2.xlarge",
            "PubliclyAccessible": false
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: sampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:
${RedshiftClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:
${RedshiftClusterSecret}::password}}'
    NodeType: ds2.xlarge
    PubliclyAccessible: false
```

CT.REDSHIFT.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   redshift_cluster_public_access_check
#
# Description:
#   This control checks whether Amazon Redshift clusters are configured to prohibit
 public access.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
```

```
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document does not contain any Redshift cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains a Redshift cluster resource
#       And: 'PubliclyAccessible' has not been specified
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains a Redshift cluster resource
#       And: 'PubliclyAccessible' has been specified
#       And: 'PubliclyAccessible' has been set to bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation document or AWS CloudFormation
 hook document
#       And: The input document contains a Redshift cluster resource
#       And: 'PubliclyAccessible' has been specified
#       And: 'PubliclyAccessible' has been set to bool(false)
#      Then: PASS

#
# Constants
#
let REDSHIFT_CLUSTER_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %REDSHIFT_CLUSTER_TYPE ]

#
# Primary Rules
#
rule redshift_cluster_public_access_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %redshift_clusters not empty  {
    check(%redshift_clusters.Properties)
         <<
```

```
        [CT.REDSHIFT.PR.1]: Require an Amazon Redshift cluster to prohibit public
 access
        [FIX]: Set 'PubliclyAccessible' to 'false'.
        >>
}

rule redshift_cluster_public_access_check when is_cfn_hook(%INPUT_DOCUMENT,
 %REDSHIFT_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%REDSHIFT_CLUSTER_TYPE.resourceProperties)
         <<
        [CT.REDSHIFT.PR.1]: Require an Amazon Redshift cluster to prohibit public
 access
        [FIX]: Set 'PubliclyAccessible' to 'false'.
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster) {
    %redshift_cluster {
        # Scenario 2
        PubliclyAccessible exists
        # Scenario 3 and 4
        PubliclyAccessible == false
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.REDSHIFT.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
```

```
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: true
```

[CT.REDSHIFT.PR.2] Memerlukan cluster Amazon Redshift agar snapshot otomatis dikonfigurasi

Kontrol ini memeriksa apakah klaster Amazon Redshift mengaktifkan snapshot otomatis, dan klaster disetel dengan periode retensi snapshot otomatis yang lebih besar dari atau sama dengan tujuh (7) hari.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: CT.REDSHIFT.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.2 contoh template

Penjelasan

Cadangan membantu Anda pulih lebih cepat dari insiden keamanan. Mereka memperkuat ketahanan sistem Anda. Amazon Redshift mengambil snapshot periodik secara default. Kontrol ini memeriksa apakah snapshot otomatis dibuat dan disimpan setidaknya selama tujuh hari.

Remediasi untuk kegagalan aturan

Setel `AutomatedSnapshotRetentionPeriod` ke nilai integer lebih besar dari atau sama dengan 7 hari.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Pergeseran Merah Amazon - Contoh

Cluster Amazon Redshift dikonfigurasi dengan snapshot otomatis aktif. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "sampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::password}}"
            },
            "NodeType": "ds2.xlarge",
            "AutomatedSnapshotRetentionPeriod": 7
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
```

```
  Properties:
    ClusterType: single-node
    DBName: sampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
    NodeType: ds2.xlarge
    AutomatedSnapshotRetentionPeriod: 7
```

CT.REDSHIFT.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_backup_enabled_check
#
# Description:
#   This control checks whether Amazon Redshift clusters have automated snapshots
 enabled, and that the clusters are set with an automated snapshot retention period
 greater than or equal to seven (7) days.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Redshift cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains a Redshift cluster resource
#       And: 'AutomatedSnapshotRetentionPeriod' has not been specified
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'AutomatedSnapshotRetentionPeriod' has been specified
#       And: 'AutomatedSnapshotRetentionPeriod' has been set to '0'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'AutomatedSnapshotRetentionPeriod' has been specified
#       And: 'AutomatedSnapshotRetentionPeriod' has been set to a value <7
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'AutomatedSnapshotRetentionPeriod' has been specified
#       And: 'AutomatedSnapshotRetentionPeriod' has been set to a value >= 7
#      Then: PASS

#
# Constants
#
let REDSHIFT_CLUSTER_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %REDSHIFT_CLUSTER_TYPE ]

#
# Primary Rules
#
rule redshift_backup_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                        %redshift_clusters not empty  {
    check(%redshift_clusters.Properties)
        <<
```

```
        [CT.REDSHIFT.PR.2]: Require an Amazon Redshift cluster to have automatic
 snapshots configured
        [FIX]: Set 'AutomatedSnapshotRetentionPeriod' to an integer value greater than
 or equal to 7 days.
        >>
}

rule redshift_backup_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %REDSHIFT_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%REDSHIFT_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.2]: Require an Amazon Redshift cluster to have automatic
 snapshots configured
        [FIX]: Set 'AutomatedSnapshotRetentionPeriod' to an integer value greater than
 or equal to 7 days.
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster) {
    %redshift_cluster {
        # Scenario 2
        AutomatedSnapshotRetentionPeriod exists
        # Scenario 3, 4 and 5
        AutomatedSnapshotRetentionPeriod >= 7
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.REDSHIFT.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      AutomatedSnapshotRetentionPeriod: 7
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
```

```
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      AutomatedSnapshotRetentionPeriod: 5
```

[CT.REDSHIFT.PR.3] Memerlukan klaster Amazon Redshift agar pencatatan audit dikonfigurasi

Kontrol ini memeriksa apakah klaster Amazon Redshift telah mengaktifkan pencatatan audit.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: CT.REDSHIFT.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.3contoh template

Penjelasan

Pencatatan audit Amazon Redshift memberikan informasi tambahan tentang koneksi dan aktivitas pengguna di klaster Anda. Data ini dapat disimpan dan diamankan di Amazon S3, dan dapat membantu untuk audit dan investigasi keamanan.

Remediasi untuk kegagalan aturan

Berikan `LoggingProperties` konfigurasi dan atur `BucketName` ke nama bucket Amazon S3 yang dikonfigurasi untuk menerima log audit Amazon Redshift.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Pergeseran Merah Amazon - Contoh

Cluster Amazon Redshift dikonfigurasi dengan pencatatan audit diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "sampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::password}}"
            },
            "NodeType": "dc2.large",
            "PubliclyAccessible": false,
            "LoggingProperties": {
                "BucketName": {
                    "Ref": "S3Bucket"
                },
                "S3KeyPrefix": "sample-cluster-logs"
            }
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: sampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
    NodeType: dc2.large
    PubliclyAccessible: false
    LoggingProperties:
      BucketName: !Ref 'S3Bucket'
      S3KeyPrefix: sample-cluster-logs
```

CT.REDSHIFT.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_cluster_audit_logging_enabled_check
#
# Description:
#   This control checks whether an Amazon Redshift cluster has audit logging activated.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Redshift cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'LoggingProperties' has not been specified
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'LoggingProperties' has been specified
#       And: 'BucketName' on 'LoggingProperties' has been specified and is an empty
 string or invalid local reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'LoggingProperties' has been specified
#       And: 'BucketName' on 'LoggingProperties' has been specified and is a non-empty
 string or valid local reference
#      Then: PASS

#
# Constants
#
let REDSHIFT_CLUSTER_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %REDSHIFT_CLUSTER_TYPE ]

#
# Primary Rules
#
rule redshift_cluster_audit_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                       %redshift_clusters not empty  {
    check(%redshift_clusters.Properties)
```

```
        <<
        [CT.REDSHIFT.PR.3]: Require an Amazon Redshift cluster to have audit logging
 configured
            [FIX]: Provide a 'LoggingProperties' configuration and set 'BucketName' to
 the name of an Amazon S3 bucket configured to receive Amazon Redshift audit logs.
        >>
}

rule redshift_cluster_audit_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %REDSHIFT_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%REDSHIFT_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.3]: Require an Amazon Redshift cluster to have audit logging
 configured
            [FIX]: Provide a 'LoggingProperties' configuration and set 'BucketName' to
 the name of an Amazon S3 bucket configured to receive Amazon Redshift audit logs.
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster) {
    %redshift_cluster {
        # Scenario 2
        LoggingProperties exists
        LoggingProperties is_struct

        LoggingProperties {
            # Scenario 3 and 4
            BucketName exists
            check_is_string_and_not_empty(BucketName) or
            check_local_references(%INPUT_DOCUMENT, BucketName, "AWS::S3::Bucket")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.REDSHIFT.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
  BucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: S3Bucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
        - Effect: Allow
          Principal:
            Service: redshift.amazonaws.com
          Action:
          - s3:GetBucketAcl
          Resource:
          - Fn::GetAtt:
            - S3Bucket
            - Arn
        - Effect: Allow
          Principal:
            Service: redshift.amazonaws.com
          Action:
          - s3:PutObject
          Resource:
          - Fn::Join:
            - ''
            - - Fn::GetAtt:
                - S3Bucket
                - Arn
              - /*
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
```

```
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      LoggingProperties:
        BucketName:
          Ref: S3Bucket
        S3KeyPrefix: example-cluster-logs
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
```

[CT.REDSHIFT.PR.4] Memerlukan klaster Amazon Redshift untuk memiliki peningkatan otomatis ke versi utama yang dikonfigurasi

Kontrol ini memeriksa apakah pemutakhiran versi utama otomatis diaktifkan untuk klaster Amazon Redshift Anda.

- Tujuan kontrol: Kelola kerentanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: CT.REDSHIFT.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.4contoh template

Penjelasan

Mengaktifkan pemutakhiran versi utama otomatis memastikan bahwa pembaruan versi utama terbaru ke kluster Amazon Redshift diinstal selama jendela pemeliharaan. Pembaruan ini mungkin termasuk patch keamanan dan perbaikan bug. Tetap up to date dengan instalasi patch adalah langkah penting dalam mengamankan sistem.

Remediasi untuk kegagalan aturan

Setel `AllowVersionUpgrade` properti ke true atau tidak menentukannya (default).

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon Redshift - Contoh Satu

Cluster Amazon Redshift dengan pemutakhiran versi utama otomatis diaktifkan melalui default. AWS CloudFormation Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "exampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::password}}"
            },
            "NodeType": "ds2.xlarge"
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: exampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
    NodeType: ds2.xlarge
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Amazon Redshift - Contoh Dua

Cluster Amazon Redshift dikonfigurasi dengan upgrade versi utama otomatis yang diaktifkan melalui properti. `AllowVersionUpgrade` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "exampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::password}}"
            },
            "NodeType": "ds2.xlarge",
            "AllowVersionUpgrade": true
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: exampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
    NodeType: ds2.xlarge
    AllowVersionUpgrade: true
```

CT.REDSHIFT.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_cluster_allow_version_upgrade_check
```

```
#
# Description:
#   Checks whether automatic major version upgrades are enabled for the Amazon Redshift
 cluster.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Redshift cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'AllowVersionUpgrade' has been provided
#       And: 'AllowVersionUpgrade' has been set to bool(false)
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'AllowVersionUpgrade' has not been provided
#      Then: PASS
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'AllowVersionUpgrade' has been provided
#       And: 'AllowVersionUpgrade' has been set to bool(true)
#      Then: PASS

#
# Constants
#
```

```
let REDSHIFT_CLUSTER_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %REDSHIFT_CLUSTER_TYPE ]

#
# Primary Rules
#
rule redshift_cluster_allow_version_upgrade_check when is_cfn_template(%INPUT_DOCUMENT)
                                                       %redshift_clusters not empty  {
    check(%redshift_clusters.Properties)
        <<
        [CT.REDSHIFT.PR.4]: Require an Amazon Redshift cluster to have automatic
 upgrades to major versions configured
        [FIX]: Set the 'AllowVersionUpgrade' property to true or do not specify it
 (default).
        >>
}

rule redshift_cluster_allow_version_upgrade_check when is_cfn_hook(%INPUT_DOCUMENT,
 %REDSHIFT_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%REDSHIFT_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.4]: Require an Amazon Redshift cluster to have automatic
 upgrades to major versions configured
        [FIX]: Set the 'AllowVersionUpgrade' property to true or do not specify it
 (default).
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster) {
    %redshift_cluster {
        # Scenario 3
        AllowVersionUpgrade not exists or
        # Scenario 2 and 4
        AllowVersionUpgrade == true
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.REDSHIFT.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
```

```
      NodeType: dc2.large
      PubliclyAccessible: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      AllowVersionUpgrade: false
```

[CT.REDSHIFT.PR.5] Memerlukan cluster Amazon Redshift untuk meningkatkan perutean VPC

Kontrol ini memeriksa apakah klaster Amazon Redshift telah meningkatkan perutean VPC yang dikonfigurasi.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif

- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: CT.REDSHIFT.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.5contoh template

Penjelasan

Perutean VPC yang disempurnakan memaksa semua `copy` dan `unload` lalu lintas antara cluster dan repositori data untuk melewati VPC Anda. Dengan peningkatan routing aktif, Anda dapat menggunakan fitur VPC, seperti grup keamanan dan daftar kontrol akses jaringan, untuk mengamankan lalu lintas jaringan. Anda juga dapat menggunakan VPC Flow Logs untuk memantau lalu lintas jaringan.

Remediasi untuk kegagalan aturan

Atur `EnhancedVpcRouting` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Pergeseran Merah Amazon - Contoh

Cluster Amazon Redshift dikonfigurasi dengan perutean VPC yang disempurnakan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "sampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::username}}"
            },
```

```
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::password}}"
            },
            "NodeType": "ds2.xlarge",
            "EnhancedVpcRouting": true
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: sampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
    NodeType: ds2.xlarge
    EnhancedVpcRouting: true
```

CT.REDSHIFT.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_enhanced_vpc_routing_enabled_check
#
# Description:
#   This control checks whether an Amazon Redshift cluster has enhanced VPC routing
 configured.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
```

```
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Redshift cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'EnhancedVpcRouting' has not been specified
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'EnhancedVpcRouting' has been specified
#       And: 'EnhancedVpcRouting' has been set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'EnhancedVpcRouting' has been specified
#       And: 'EnhancedVpcRouting' has been set to bool(true)
#      Then: PASS

#
# Constants
#
let REDSHIFT_CLUSTER_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %REDSHIFT_CLUSTER_TYPE ]

#
```

```
# Primary Rules
#
rule redshift_enhanced_vpc_routing_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                                      %redshift_clusters not empty {
    check(%redshift_clusters.Properties)
        <<
        [CT.REDSHIFT.PR.5]: Require an Amazon Redshift cluster to have enhanced VPC
 routing
        [FIX]: Set 'EnhancedVpcRouting' to 'true'.
        >>
}

rule redshift_enhanced_vpc_routing_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %REDSHIFT_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%REDSHIFT_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.5]: Require an Amazon Redshift cluster to have enhanced VPC
 routing
        [FIX]: Set 'EnhancedVpcRouting' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster) {
    %redshift_cluster {
        # Scenario 2
        EnhancedVpcRouting exists
        # Scenario 3 and 4
        EnhancedVpcRouting == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.REDSHIFT.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      EnhancedVpcRouting: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      EnhancedVpcRouting: false
```

[CT.REDSHIFT.PR.6] Memerlukan klaster Amazon Redshift untuk memiliki nama pengguna administrator yang unik

Kontrol ini memeriksa apakah klaster Amazon Redshift telah mengubah nama pengguna administrator dari nilai defaultnya.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: CT.REDSHIFT.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.6spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.6contoh template

Penjelasan

Saat membuat klaster Amazon Redshift, Anda harus mengubah nama pengguna administrator default menjadi nilai unik. Nama pengguna default adalah pengetahuan publik, jadi mereka harus diubah pada konfigurasi. Mengubah nama pengguna default mengurangi risiko akses yang tidak diinginkan.

Remediasi untuk kegagalan aturan

Setel `MasterUsername` ke nilai selain`awsuser`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Pergeseran Merah Amazon - Contoh

Cluster Amazon Redshift dikonfigurasi dengan nama pengguna administrator yang berbeda dari nilai default. `awsuser` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "sampledb",
            "MasterUsername": "samplemasterusername",
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:
${RedshiftClusterSecret}::password}}"
            },
            "NodeType": "ds2.xlarge"
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: sampledb
    MasterUsername: samplemasterusername
    MasterUserPassword: !Sub '{{resolve:secretsmanager:
${RedshiftClusterSecret}::password}}'
    NodeType: ds2.xlarge
```

CT.REDSHIFT.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_default_admin_check
#
# Description:
#   This control checks whether an Amazon Redshift cluster has changed the
 administrator username from its default value.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Redshift cluster resources
```

```
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'MasterUsername' has not been specified
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'MasterUsername' has been specified
#       And: 'MasterUsername' has been set to 'awsuser'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: 'MasterUsername' has been specified
#       And: 'MasterUsername' has been set to a value not equal to 'awsuser'
#      Then: PASS

#
# Constants
#
let REDSHIFT_CLUSTER_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %REDSHIFT_CLUSTER_TYPE ]

#
# Primary Rules
#
rule redshift_default_admin_check when is_cfn_template(%INPUT_DOCUMENT)
                                      %redshift_clusters not empty  {
    check(%redshift_clusters.Properties)
        <<
        [CT.REDSHIFT.PR.6]: Require an Amazon Redshift cluster to have a unique
 administrator username
        [FIX]: Set 'MasterUsername' to a value other than 'awsuser'.
        >>
```

```
}

rule redshift_default_admin_check when is_cfn_hook(%INPUT_DOCUMENT,
 %REDSHIFT_CLUSTER_TYPE) {
    check(%INPUT_DOCUMENT.%REDSHIFT_CLUSTER_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.6]: Require an Amazon Redshift cluster to have a unique
 administrator username
        [FIX]: Set 'MasterUsername' to a value other than 'awsuser'.
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster) {
    %redshift_cluster {
        # Scenario 2
        MasterUsername exists
        check_is_string_and_not_empty(MasterUsername)

        # Scenario 3 and 4
        MasterUsername != "awsuser"
    }
}

#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
```

```
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.REDSHIFT.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername: examplemasterusername
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
```

```
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "awsuser"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      DBName: exampledb
      MasterUsername: awsuser
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
```

[CT.REDSHIFT.PR.7] Memerlukan cluster Amazon Redshift untuk memiliki nama database yang unik

Kontrol ini memeriksa apakah klaster Amazon Redshift telah mengubah nama database-nya dari nilai default.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: CT.REDSHIFT.PR.7spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.7spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.7contoh template

Penjelasan

Saat membuat cluster Redshift, Anda harus mengubah nama database default menjadi nilai unik. Nama default adalah pengetahuan publik, jadi mereka harus diubah pada konfigurasi. Misalnya, nama terkenal dapat menyebabkan akses yang tidak disengaja, jika termasuk dalam kondisi kebijakan IAM.

Remediasi untuk kegagalan aturan

Setel `DBName` ke nama database yang berbeda dari nilai default`dev`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Pergeseran Merah Amazon - Contoh

Cluster Amazon Redshift dikonfigurasi dengan nama database yang berbeda dari nilai default. `dev` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "sampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:
${RedshiftClusterSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:
${RedshiftClusterSecret}::password}}"
            },
            "NodeType": "dc2.large",
            "PubliclyAccessible": false
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: sampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:
${RedshiftClusterSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:
${RedshiftClusterSecret}::password}}'
    NodeType: dc2.large
    PubliclyAccessible: false
```

CT.REDSHIFT.PR.7spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_default_db_name_check
#
# Description:
#   This control checks whether an Amazon Redshift cluster has changed its database
 name from the default value.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Redshift cluster resources
#      Then: SKIP
```

```
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a Redshift cluster resource
#       And: The 'DBName' property has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains Redshift cluster resource
#       And: The 'DBName' property has been provided with a value of 'dev' or an empty
 string
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains Redshift cluster resource
#       And: The 'DBName' property has been provided with a non-empty string that is
 not equal to 'dev'
#      Then: PASS

#
# Constants
#
let RESOURCE_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this
let INVALID_DB_NAME_STRING = "dev"

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %RESOURCE_TYPE ]

#
# Primary Rules
#
rule redshift_default_db_name_check when is_cfn_template(%INPUT_DOCUMENT)
                                         %redshift_clusters not empty {
    check_db_name(%redshift_clusters.Properties)
        <<
        [CT.REDSHIFT.PR.7]: Require an Amazon Redshift cluster to have a unique
 database name
        [FIX]: Set 'DBName' to a database name that is different from the default value
 of 'dev'.
```

```
        >>
}

rule redshift_default_db_name_check when is_cfn_hook(%INPUT_DOCUMENT, %RESOURCE_TYPE) {
    check_db_name(%INPUT_DOCUMENT.%RESOURCE_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.7]: Require an Amazon Redshift cluster to have a unique
 database name
        [FIX]: Set 'DBName' to a database name that is different from the default value
 of 'dev'.
        >>
}

#
# Parameterized Rules
#
rule check_db_name(redshift_cluster) {
    %redshift_cluster {
        # Scenario 2
        DBName exists

        # Scenario 3 and 4
        check_is_string_and_not_empty(DBName)
        DBName != %INVALID_DB_NAME_STRING
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
```

```
        this != /\A\s*\z/
    }
}
```

CT.REDSHIFT.PR.7contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: "single-node"
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      DBName: exampledb
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: "single-node"
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      DBName: dev
```

[CT.REDSHIFT.PR.8] Memerlukan cluster Amazon Redshift untuk dienkripsi

Kontrol ini memeriksa apakah cluster Amazon Redshift dienkripsi.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::Cluster`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.REDSHIFT.PR.8

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.REDSHIFT.PR.8
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.8 contoh templat

Penjelasan

Di Amazon Redshift, Anda dapat mengaktifkan enkripsi database untuk cluster Anda, yang membantu melindungi data saat istirahat. Saat Anda mengaktifkan enkripsi untuk cluster, blok data dan metadata sistem dienkripsi untuk cluster dan snapshot-nya.

Remediasi untuk kegagalan aturan

Tetapkan nilai `Encrypted` properti ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Cluster Pergeseran Merah Amazon - Contoh

Cluster Amazon Redshift yang dikonfigurasi dengan enkripsi diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "RedshiftCluster": {
        "Type": "AWS::Redshift::Cluster",
        "Properties": {
            "ClusterType": "single-node",
            "DBName": "sampledb",
            "MasterUsername": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::username}}"
            },
            "MasterUserPassword": {
                "Fn::Sub": "{{resolve:secretsmanager:${RedshiftSecret}::password}}"
            },
            "NodeType": "dc2.large",
            "PubliclyAccessible": false,
            "Encrypted": true
        }
    }
}
```

Contoh YAMAL

```
RedshiftCluster:
```

```
  Type: AWS::Redshift::Cluster
  Properties:
    ClusterType: single-node
    DBName: sampledb
    MasterUsername: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
    MasterUserPassword: !Sub '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
    NodeType: dc2.large
    PubliclyAccessible: false
    Encrypted: true
```

Spesifikasi aturan CT.REDSHIFT.PR.8

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_cluster_encrypted_check
#
# Description:
#   This control checks whether an Amazon Redshift cluster is encrypted.
#
# Reports on:
#   AWS::Redshift::Cluster
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon Redshift cluster resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an Amazon Redshift cluster resource
#       And: 'Encrypted' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon Redshift cluster resource
#       And: 'Encrypted' has been provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon Redshift cluster resource
#       And: 'Encrypted' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let RESOURCE_TYPE = "AWS::Redshift::Cluster"
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_clusters = Resources.*[ Type == %RESOURCE_TYPE ]

#
# Primary Rules
#
rule redshift_cluster_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %redshift_clusters not empty {
    check(%redshift_clusters.Properties)
        <<
        [CT.REDSHIFT.PR.8]: Require an Amazon Redshift cluster to be encrypted
        [FIX]: Set the value of the 'Encrypted' property to true.
        >>
}

rule redshift_cluster_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT, %RESOURCE_TYPE)
 {
    check(%INPUT_DOCUMENT.%RESOURCE_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.8]: Require an Amazon Redshift cluster to be encrypted
```

```
        [FIX]: Set the value of the 'Encrypted' property to true.
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster) {
    %redshift_cluster {
        # Scenario 2
        Encrypted exists

        # Scenario 3 and 4
        Encrypted == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.REDSHIFT.PR.8 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  RedshiftSecret:
```

```
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      DBName: exampledb
      Encrypted: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  RedshiftSecret:
    Type: AWS::SecretsManager::Secret
    Properties:
      Description: Redshift cluster secret
      GenerateSecretString:
        SecretStringTemplate: '{"username": "examplemasterusername"}'
        GenerateStringKey: password
        PasswordLength: 16
        ExcludeCharacters: "'\"@/\\"
  RedshiftCluster:
    Type: AWS::Redshift::Cluster
    Properties:
      ClusterType: single-node
      MasterUsername:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::username}}'
```

```
      MasterUserPassword:
        Fn::Sub: '{{resolve:secretsmanager:${RedshiftSecret}::password}}'
      NodeType: dc2.large
      PubliclyAccessible: false
      DBName: exampledb
      Encrypted: false
```

[CT.REDSHIFT.PR.9] Mengharuskan grup parameter cluster Amazon Redshift dikonfigurasi untuk menggunakan Secure Sockets Layer (SSL) untuk enkripsi data dalam perjalanan

Kontrol ini memeriksa apakah grup parameter cluster Amazon Redshift dikonfigurasi untuk memerlukan enkripsi melalui Secure Sockets Layer (SSL), untuk data dalam perjalanan.

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::Redshift::ClusterParameterGroup`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.REDSHIFT.PR.9

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.REDSHIFT.PR.9
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.REDSHIFT.PR.9 contoh templat

Penjelasan

Di Amazon Redshift, Anda dapat mengaktifkan enkripsi data dalam perjalanan antara kluster Amazon Redshift dan klien SQL melalui JDBC/ODBC. Untuk mendukung koneksi SSL, Amazon Redshift membuat dan menginstal sertifikat pada setiap cluster, yang dikeluarkan AWS Certificate Manager oleh (ACM).

Remediasi untuk kegagalan aturan

Tetapkan entri `Parameters` dengan a `ParameterName` dari `require_ssl` dan benar. `ParameterValue`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Grup parameter cluster Amazon Redshift - Contoh

Grup parameter klaster Amazon Redshift, dikonfigurasi untuk memerlukan enkripsi data dalam perjalanan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "ClusterParameterGroup": {
        "Type": "AWS::Redshift::ClusterParameterGroup",
        "Properties": {
            "Description": "Example parameter group",
            "ParameterGroupFamily": "redshift-1.0",
            "Parameters": [
                {
                    "ParameterName": "require_ssl",
                    "ParameterValue": true
                }
            ]
        }
    }
}
```

Contoh YAMAL

```
ClusterParameterGroup:
  Type: AWS::Redshift::ClusterParameterGroup
  Properties:
    Description: Example parameter group
    ParameterGroupFamily: redshift-1.0
    Parameters:
      - ParameterName: require_ssl
        ParameterValue: true
```

Spesifikasi aturan CT.REDSHIFT.PR.9

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   redshift_parameter_group_require_tls_ssl_check
#
# Description:
#   This control checks whether an Amazon Redshift cluster parameter group is
 configured to require
encryption by means of Secure Sockets Layer (SSL), for data in transit.
#
# Reports on:
#   AWS::Redshift::ClusterParameterGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon Redshift cluster parameter
 group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon Redshift cluster parameter group
 resource
#       And: 'Parameters' has not been provided or has been provided as an empty list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon Redshift cluster parameter group
 resource
```

```
#       And: 'Parameters' has been provided as a non-empty list that does not contain
 an entry with
#            'ParameterName' set to 'require_ssl' and 'ParameterValue' set to
 bool(true) or a supported
#            boolean string value ('true', 'True', 'TRUE', 'on', 'On' or 'ON')
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon Redshift cluster parameter group
 resource
#       And: Any entry in 'Parameters' with a 'ParameterName' is set to 'require_ssl'
 has a corresponding
#            'ParameterValue' set to a value other than bool(true) or a supported
#            boolean string value ('true', 'True', 'TRUE', 'on', 'On' or 'ON')
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon Redshift cluster parameter group
 resource
#       And: 'Parameters' has been provided as a non-empty list
#       And: 'Parameters' contains an entry with 'ParameterName' set to 'require_ssl'
 and 'ParameterValue'
#            set to bool(true) or a supported boolean string value ('true', 'True',
 'TRUE', 'on', 'On' or 'ON')
#       And: All entries in 'Parameters' with a 'ParameterName' set to 'require_ssl'
 have a corresponding
#            'ParameterValue' set to bool(true) or a supported boolean string
#            value ('true', 'True', 'TRUE', 'on', 'On' or 'ON')
#      Then: PASS

#
# Constants
#
let REDSHIFT_CLUSTER_PARAMETER_GROUP_TYPE = "AWS::Redshift::ClusterParameterGroup"
let REDSHIFT_SUPPORTED_TRUE_VALUES = [ true, /^(true|True|TRUE|on|On|ON)$/ ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let redshift_cluster_parameter_groups = Resources.*[ Type ==
 %REDSHIFT_CLUSTER_PARAMETER_GROUP_TYPE ]
```

```
#
# Primary Rules
#
rule redshift_parameter_group_require_tls_ssl_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %redshift_cluster_parameter_groups not empty {
    check(%redshift_cluster_parameter_groups.Properties)
        <<
        [CT.REDSHIFT.PR.9]: Require that an Amazon Redshift cluster parameter group is
 configured to use Secure Sockets Layer (SSL) for encryption of data in transit
        [FIX]: Set an entry in 'Parameters' with a 'ParameterName' of 'require_ssl' and
 a 'ParameterValue' of true.
        >>
}

rule redshift_parameter_group_require_tls_ssl_check when is_cfn_hook(%INPUT_DOCUMENT,
 %REDSHIFT_CLUSTER_PARAMETER_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%REDSHIFT_CLUSTER_PARAMETER_GROUP_TYPE.resourceProperties)
        <<
        [CT.REDSHIFT.PR.9]: Require that an Amazon Redshift cluster parameter group is
 configured to use Secure Sockets Layer (SSL) for encryption of data in transit
        [FIX]: Set an entry in 'Parameters' with a 'ParameterName' of 'require_ssl' and
 a 'ParameterValue' of true.
        >>
}

#
# Parameterized Rules
#
rule check(redshift_cluster_parameter_groups) {
    %redshift_cluster_parameter_groups {
        # Scenario 2
        Parameters exists
        Parameters is_list
        Parameters not empty

        # Scenarios 3, 4 and 5
        some Parameters[*] {
            ParameterName exists
            ParameterValue exists

            ParameterName == "require_ssl"
```

```
            ParameterValue in %REDSHIFT_SUPPORTED_TRUE_VALUES
        }
        Parameters [
            ParameterName exists
            ParameterName == "require_ssl"
        ] {
            ParameterValue exists
            ParameterValue in %REDSHIFT_SUPPORTED_TRUE_VALUES
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.REDSHIFT.PR.9 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  ClusterParameterGroup:
    Type: AWS::Redshift::ClusterParameterGroup
    Properties:
      Description: Example parameter group
      ParameterGroupFamily: redshift-1.0
      Parameters:
```

```
      - ParameterName: require_ssl
        ParameterValue: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ClusterParameterGroup:
    Type: AWS::Redshift::ClusterParameterGroup
    Properties:
      Description: Example parameter group
      ParameterGroupFamily: redshift-1.0
```

Kontrol Layanan Penyimpanan Sederhana Amazon (Amazon S3)

Topik

- [CT.S3.PR.1] Memerlukan bucket Amazon S3 agar memblokir pengaturan akses publik yang dikonfigurasi
- [CT.S3.PR.2] Memerlukan bucket Amazon S3 agar pencatatan akses server dikonfigurasi
- [CT.S3.PR.3] Memerlukan bucket Amazon S3 agar versi dikonfigurasi dan kebijakan siklus hidup
- [CT.S3.PR.4] Memerlukan bucket Amazon S3 agar pemberitahuan acara dikonfigurasi
- [CT.S3.PR.5] Mengharuskan bucket Amazon S3 tidak mengelola akses pengguna dengan daftar kontrol akses (ACL)
- [CT.S3.PR.6] Memerlukan bucket Amazon S3 agar kebijakan siklus hidup dikonfigurasi
- [CT.S3.PR.8] Mengharuskan permintaan bucket Amazon S3 menggunakan Secure Socket Layer
- [CT.S3.PR.9] Mengharuskan bucket Amazon S3 mengaktifkan Kunci Objek S3
- [CT.S3.PR.10] Memerlukan bucket Amazon S3 agar enkripsi sisi server dikonfigurasi menggunakan kunci AWS KMS
- [CT.S3.PR.11] Memerlukan bucket Amazon S3 agar versi diaktifkan
- [CT.S3.PR.12] Memerlukan jalur akses Amazon S3 untuk memiliki konfigurasi Block Public Access (BPA) dengan semua opsi disetel ke true

[CT.S3.PR.1] Memerlukan bucket Amazon S3 agar memblokir pengaturan akses publik yang dikonfigurasi

Kontrol ini memeriksa apakah bucket Amazon Simple Storage Service (Amazon S3) memiliki konfigurasi Block Public Access (BPA) tingkat ember.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: CT.S3.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.S3.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.1contoh template

Penjelasan

Blokir Akses Publik di tingkat bucket Amazon S3 menyediakan kontrol untuk memastikan bahwa objek tidak pernah memiliki akses publik. Akses publik diberikan kepada bucket dan objek melalui daftar kontrol akses (ACL), kebijakan bucket, atau keduanya.

Kecuali jika Anda bermaksud agar bucket S3 dapat diakses publik, Anda harus mengonfigurasi fitur Amazon S3 Block Public Access level bucket.

> **Pertimbangan penggunaan**
>
> - Kontrol ini tidak kompatibel dengan bucket Amazon S3 yang memerlukan konfigurasi akses publik.

Remediasi untuk kegagalan aturan

ParameterBlockPublicAcls,BlockPublicPolicy,IgnorePublicAcls, RestrictPublicBuckets harus diatur ke true di bawah tingkat emberPublicAccessBlockConfiguration.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Bucket Amazon S3 - Contoh

Bucket Amazon S3 dengan konfigurasi Blok Akses Publik tingkat bucket yang memastikan objek tidak pernah memiliki akses publik. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "PublicAccessBlockConfiguration": {
                "BlockPublicAcls": true,
                "BlockPublicPolicy": true,
                "IgnorePublicAcls": true,
                "RestrictPublicBuckets": true
            }
        }
    }
}
```

Contoh YAMAL

```
S3Bucket:
  Type: AWS::S3::Bucket
  Properties:
    PublicAccessBlockConfiguration:
      BlockPublicAcls: true
      BlockPublicPolicy: true
      IgnorePublicAcls: true
      RestrictPublicBuckets: true
```

CT.S3.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_bucket_level_public_access_prohibited_check
#
# Description:
#   Checks whether Amazon Simple Storage Service (Amazon S3) buckets have a bucket-
level Block Public Access (BPA)
#   configuration.
#
# Reports on:
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'PublicAccessBlockConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'PublicAccessBlockConfiguration' has been provided
```

```
#       And: 'BlockPublicAcls' or 'BlockPublicPolicy' or 'IgnorePublicAcls' or
 'RestrictPublicBuckets'
#            have not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket Resource
#       And: 'PublicAccessBlockConfiguration' has been provided
#       And: Any of 'BlockPublicAcls' or 'BlockPublicPolicy' or 'IgnorePublicAcls' or
 'RestrictPublicBuckets'
#            have been set to a value other than bool(true) (e.g. bool(false),
 str(false), other)
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket Resource
#       And: 'PublicAccessBlockConfiguration' has been provided
#       And: 'BlockPublicAcls' or 'BlockPublicPolicy' or 'IgnorePublicAcls' or
 'RestrictPublicBuckets'
#            have all been set to bool(true)
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_bucket_level_public_access_prohibited_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
```

```
        [CT.S3.PR.1]: Require an Amazon S3 bucket to have block public access settings
 configured
        [FIX]: The parameters 'BlockPublicAcls', 'BlockPublicPolicy',
 'IgnorePublicAcls', 'RestrictPublicBuckets' must be set to true under the bucket-level
 'PublicAccessBlockConfiguration'.
        >>
}

rule s3_bucket_level_public_access_prohibited_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_BUCKET_TYPE) {
    check(%INPUT_DOCUMENT.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.1]: Require an Amazon S3 bucket to have block public access settings
 configured
        [FIX]: The parameters 'BlockPublicAcls', 'BlockPublicPolicy',
 'IgnorePublicAcls', 'RestrictPublicBuckets' must be set to true under the bucket-level
 'PublicAccessBlockConfiguration'.
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket {
        # Scenario 2
        PublicAccessBlockConfiguration exists
        PublicAccessBlockConfiguration is_struct

        PublicAccessBlockConfiguration {
            # Scenario 3
            BlockPublicAcls exists
            BlockPublicPolicy exists
            IgnorePublicAcls exists
            RestrictPublicBuckets exists

            # Scenarios 4 and 5
            BlockPublicAcls == true
            BlockPublicPolicy == true
            IgnorePublicAcls == true
            RestrictPublicBuckets == true
        }
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties:
      PublicAccessBlockConfiguration:
        BlockPublicAcls: true
        BlockPublicPolicy: true
        IgnorePublicAcls: true
        RestrictPublicBuckets: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
```

```
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties:
      PublicAccessBlockConfiguration:
        BlockPublicAcls: false
        BlockPublicPolicy: false
        IgnorePublicAcls: false
        RestrictPublicBuckets: false
```

[CT.S3.PR.2] Memerlukan bucket Amazon S3 agar pencatatan akses server dikonfigurasi

Kontrol ini memeriksa apakah pencatatan akses server diaktifkan untuk bucket Amazon S3 Anda.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: CT.S3.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.S3.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.2contoh template

Penjelasan

Pencatatan akses server menyediakan catatan terperinci tentang permintaan yang dibuat ke ember. Log akses server dapat membantu dalam audit keamanan dan akses.

Remediasi untuk kegagalan aturan

Tetapkan `LoggingConfiguration` pada bucket S3 dan setel secara opsional `DestinationBucketName` ke bucket S3 yang dikonfigurasi untuk menerima Log Akses S3.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Bucket Amazon S3 - Contoh

Bucket Amazon S3 dengan konfigurasi pencatatan akses server. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "LoggingConfiguration": {
                "DestinationBucketName": {
                    "Ref": "LoggingBucket"
                }
            }
        }
    }
}
```

Contoh YAMAL

```
S3Bucket:
  Type: AWS::S3::Bucket
  Properties:
    LoggingConfiguration:
      DestinationBucketName: !Ref 'LoggingBucket'
```

CT.S3.PR.2spesifikasi aturan

```
# ##################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   s3_bucket_logging_enabled_check
#
```

```
# Description:
#   This control checks whether server access logging is enabled for Amazon S3 buckets.
#
# Reports on:
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'LoggingConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'LoggingConfiguration' has been provided
#       And: 'LoggingConfiguration.DestinationbucketName' has been provided with an
 empty string or non-valid local
#            reference
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'LoggingConfiguration' has been provided
#      Then: PASS
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'LoggingConfiguration' has been provided
```

```
#       And: 'LoggingConfiguration.DestinationBucketName' has been provided with a non-
empty string or valid local
#            reference
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_bucket_logging_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.2]: Require an Amazon S3 bucket to have server access logging
 configured
        [FIX]: Set a 'LoggingConfiguration' on the S3 Bucket and optionally set
 'DestinationBucketName' to an S3 bucket configured to receive S3 Access Logs.
        >>
}

rule s3_bucket_logging_enabled_check when is_cfn_hook(%INPUT_DOCUMENT, %S3_BUCKET_TYPE)
 {
    check(%INPUT_DOCUMENT.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.2]: Require an Amazon S3 bucket to have server access logging
 configured
        [FIX]: Set a 'LoggingConfiguration' on the S3 bucket and optionally set
 'DestinationBucketName' to an S3 bucket configured to receive S3 Access Logs.
        >>
}

#
# Parameterized Rules
#
```

```
rule check(s3_bucket) {
    %s3_bucket {
        # Scenario 2 and 4
        LoggingConfiguration exists
        LoggingConfiguration is_struct

        LoggingConfiguration {
            when DestinationBucketName exists {
                # Scenario 3, 4 and 5
                check_is_string_and_not_empty(DestinationBucketName) or
                check_local_references(%INPUT_DOCUMENT, DestinationBucketName,
 %S3_BUCKET_TYPE)
            }
        }
    }
}



#
# Utility Rules
#
rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
```

```
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.S3.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      LoggingConfiguration: {}
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties: {}
```

[CT.S3.PR.3] Memerlukan bucket Amazon S3 agar versi dikonfigurasi dan kebijakan siklus hidup

Kontrol ini memeriksa apakah bucket berkemampuan versi Amazon Simple Storage Service (Amazon S3) memiliki kebijakan siklus hidup yang dikonfigurasi.

- Tujuan kontrol: Optimalkan biaya
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: CT.S3.PR.3spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.S3.PR.3spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.3contoh template

Penjelasan

Sebaiknya Anda mengonfigurasi aturan siklus hidup di bucket Amazon S3, karena aturan ini membantu Anda menentukan tindakan yang ingin dilakukan Amazon S3 selama masa pakai objek.

> Pertimbangan penggunaan
>
> - Kontrol ini hanya berlaku untuk bucket Amazon S3 dengan versi diaktifkan.

Remediasi untuk kegagalan aturan

Konfigurasikan bucket berkemampuan versi dengan setidaknya satu aturan siklus hidup aktif.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon S3 Bucket - Contoh Satu

Bucket Amazon S3 dengan versi diaktifkan dan aturan siklus hidup aktif. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "VersioningConfiguration": {
                "Status": "Enabled"
            },
            "LifecycleConfiguration": {
                "Rules": [
                    {
                        "Status": "Enabled",
                        "ExpirationInDays": 1,
                        "Id": "FirstRule"
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
S3Bucket:
  Type: AWS::S3::Bucket
  Properties:
    VersioningConfiguration:
      Status: Enabled
    LifecycleConfiguration:
      Rules:
        - Status: Enabled
          ExpirationInDays: 1
          Id: FirstRule
```

CT.S3.PR.3spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_version_lifecycle_policy_check
#
# Description:
#   Checks whether Amazon Simple Storage Service (Amazon S3) version-enabled buckets
 have lifecycle policy configured.
#
# Reports on:
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket Resource
#       And: The S3 bucket does not have versioning enabled (VersioningConfiguration is
 missing or
#            VersioningConfiguration.Status is set to Suspended)
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket Resource
```

```
#       And: The S3 bucket has versioning enabled (VersioningConfiguration.Status is
 set to 'Enabled')
#       And: 'LifecycleConfiguration' has been been provided and there are no 'Rules'
 with 'Status' set to 'Enabled'
#            present in the 'LifecycleConfiguration'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket Resource
#       And: The S3 bucket has versioning enabled (VersioningConfiguration.Status is
 set to 'Enabled')
#       And: 'LifecycleConfiguration' has been been provided and there is at least one
 'Rule' with 'Status' set to
#            'Enabled' in the 'LifecycleConfiguration'
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_version_lifecycle_policy_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.3]: Require an Amazon S3 buckets to have versioning configured and a
 lifecycle policy
        [FIX]: Configure versioning-enabled buckets with at least one active lifecycle
 rule.
        >>
}

rule s3_version_lifecycle_policy_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_BUCKET_TYPE) {
```

```
    check(%INPUT_DOCUMENT.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.3]: Require an Amazon S3 buckets to have versioning configured and a
 lifecycle policy
        [FIX]: Configure versioning-enabled buckets with at least one active lifecycle
 rule.
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket [
        filter_s3_buckets_with_versioning_enabled(this)
    ] {
        # Scenario 2
        LifecycleConfiguration exists
        LifecycleConfiguration is_struct

        LifecycleConfiguration {
            # Scenario 3 and 4
            Rules exists
            Rules is_list
            Rules not empty

            some Rules[*] {
                Status exists
                Status == "Enabled"
            }
        }
    }
}

rule filter_s3_buckets_with_versioning_enabled(s3_bucket) {
    %s3_bucket {
        VersioningConfiguration exists
        VersioningConfiguration is_struct

        VersioningConfiguration {
            Status exists
            Status == "Enabled"
        }
    }
```

```
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.3contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      VersioningConfiguration:
        Status: Enabled
      LifecycleConfiguration:
        Rules:
        - Status: Enabled
          ExpirationInDays: 1
          Id: FirstRule
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      VersioningConfiguration:
        Status: Enabled
      LifecycleConfiguration:
        Rules:
        - Status: Disabled
          ExpirationInDays: 1
          Id: FirstRule
```

[CT.S3.PR.4] Memerlukan bucket Amazon S3 agar pemberitahuan acara dikonfigurasi

Kontrol ini memeriksa apakah pemberitahuan peristiwa Amazon S3 diaktifkan di bucket Amazon S3 Anda.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: CT.S3.PR.4spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.S3.PR.4spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.4contoh template

Penjelasan

Dengan mengaktifkan pemberitahuan acara, Anda menerima peringatan di bucket Amazon S3 saat peristiwa tertentu terjadi. Misalnya, Anda dapat diberi tahu tentang pembuatan objek, penghapusan

objek, dan restorasi objek. Pemberitahuan ini dapat mengingatkan tim terkait untuk modifikasi yang tidak disengaja atau disengaja yang dapat menyebabkan akses data yang tidak sah.

Remediasi untuk kegagalan aturan

Tetapkan `NotificationConfiguration` parameter pada bucket Anda dengan salah satu dari`EventBridgeConfiguration`,`LambdaConfigurations`, `QueueConfigurations` atau `TopicConfigurations.`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon S3 Bucket - Contoh Satu

Bucket Amazon S3 dengan EventBridge notifikasi Amazon dikonfigurasi. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "NotificationConfiguration": {
                "EventBridgeConfiguration": {
                    "EventBridgeEnabled": true
                }
            }
        }
    }
}
```

Contoh YAMAL

```
S3Bucket:
  Type: AWS::S3::Bucket
  Properties:
    NotificationConfiguration:
      EventBridgeConfiguration:
        EventBridgeEnabled: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Amazon S3 Bucket - Contoh Dua

Bucket Amazon S3 dengan notifikasi topik SNS dikonfigurasi. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "NotificationConfiguration": {
                "TopicConfigurations": [
                    {
                        "Topic": {
                            "Ref": "SnsTopic"
                        },
                        "Event": "s3:ReducedRedundancyLostObject"
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
S3Bucket:
  Type: AWS::S3::Bucket
  Properties:
    NotificationConfiguration:
      TopicConfigurations:
        - Topic: !Ref 'SnsTopic'
          Event: s3:ReducedRedundancyLostObject
```

CT.S3.PR.4spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_event_notifications_enabled_check
#
# Description:
#   This control checks whether Amazon S3 event notifications are enabled on an S3
 bucket.
#
# Reports on:
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'NotificationConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'NotificationConfiguration' has been provided
#       And:  At least one of 'EventBridgeConfiguration.EventBridgeEnabled',
 'LambdaConfigurations',
#             'QueueConfigurations', or 'TopicConfigurations' have not been provided or
 provided as empty lists.
```

```
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'NotificationConfiguration' has been provided
#       And: 'EventBridgeConfiguration.EventBridgeEnabled' is set to bool(true) or
 'LambdaConfigurations',
#            'QueueConfigurations', or 'TopicConfigurations' have been provided with at
 least one configuration
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_event_notifications_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                               %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.4]: Require an Amazon S3 bucket to have event notifications
 configured
        [FIX]: Set a 'NotificationConfiguration' parameter on your bucket with one
 of 'EventBridgeConfiguration', 'LambdaConfigurations', 'QueueConfigurations' or
 'TopicConfigurations.'
        >>
}

rule s3_event_notifications_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_BUCKET_TYPE) {
    check(%INPUT_DOCUMENT.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.4]: Require an Amazon S3 bucket to have event notifications
 configured
```

```
        [FIX]: Set a 'NotificationConfiguration' parameter on your bucket with one
 of 'EventBridgeConfiguration', 'LambdaConfigurations', 'QueueConfigurations' or
 'TopicConfigurations.'
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket {
       # Scenario 2
       NotificationConfiguration exists
       NotificationConfiguration is_struct
       NotificationConfiguration {
            # Scenario 3 and 4
            EventBridgeConfiguration exists or
            LambdaConfigurations exists or
            QueueConfigurations exists or
            TopicConfigurations exists

            check_event_bridge_notifications(EventBridgeConfiguration) or
            check_other_notifications(LambdaConfigurations) or
            check_other_notifications(QueueConfigurations) or
            check_other_notifications(TopicConfigurations)
       }
    }
}

rule check_event_bridge_notifications(configuration) {
    %configuration {
        this is_struct
        EventBridgeEnabled exists
        EventBridgeEnabled == true
    }
}

rule check_other_notifications(configuration) {
    %configuration {
        this is_list
        this not empty
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.4contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      NotificationConfiguration:
        EventBridgeConfiguration:
          EventBridgeEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      NotificationConfiguration: {}
```

[CT.S3.PR.5] Mengharuskan bucket Amazon S3 tidak mengelola akses pengguna dengan daftar kontrol akses (ACL)

Kontrol ini memeriksa apakah bucket Amazon Simple Storage Service (Amazon S3) memungkinkan izin pengguna melalui daftar kontrol akses.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: CT.S3.PR.5spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.S3.PR.5spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.5contoh template

Penjelasan

ACL adalah mekanisme kontrol akses lama yang mendahului IAM. Alih-alih ACL, sebaiknya gunakan kebijakan IAM atau kebijakan bucket Amazon S3 untuk mengelola akses ke bucket S3 Anda dengan lebih mudah.

Remediasi untuk kegagalan aturan

Kelola akses ke bucket Amazon S3 dengan kebijakan sumber daya bucket dan kebijakan identitas IAM sebagai gantinya.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Bucket Amazon S3 - Contoh

Bucket Amazon S3 yang tidak mengizinkan izin pengguna melalui daftar kontrol akses dengan menghilangkan properti. `AccessControl` Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {}
    }
}
```

Contoh YAMAL

```
S3Bucket:
  Type: AWS::S3::Bucket
  Properties: {}
```

CT.S3.PR.5spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_bucket_acl_prohibited_check
#
# Description:
#   Checks whether Amazon Simple Storage Service (Amazon S3) buckets allow user
 permissions through access control lists.
#
# Reports on:
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
```

```
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document does not contain any Amazon S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'AccessControl' has been provided on the S3 bucket resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or CloudFormation hook
 document
#       And: The input document contains an Amazon S3 bucket resource
#       And: 'AccessControl' has not been provided on the S3 bucket resource
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_bucket_acl_prohibited_check when is_cfn_template(%INPUT_DOCUMENT)
                                         %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.5]: Require that an Amazon S3 bucket does not manage user access with
 an access control list (ACL)
        [FIX]: Manage access to Amazon S3 buckets with bucket resource policies and IAM
 identity policies instead.
        >>
}
```

```
rule s3_bucket_acl_prohibited_check when is_cfn_hook(%INPUT_DOCUMENT, %S3_BUCKET_TYPE)
 {
    check(this.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.5]: Require that an Amazon S3 bucket does not manage user access with
 an access control list (ACL)
        [FIX]: Manage access to Amazon S3 buckets with bucket resource policies and IAM
 identity policies instead.
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket {
       # Scenario 2 and 3
       AccessControl not exists
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.5contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties: {}
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      AccessControl: Private
```

[CT.S3.PR.6] Memerlukan bucket Amazon S3 agar kebijakan siklus hidup dikonfigurasi

Kontrol ini memeriksa apakah aturan siklus hidup dikonfigurasi untuk bucket Amazon S3.

- Tujuan kontrol: Mengoptimalkan biaya, Meningkatkan ketersediaan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: CT.S3.PR.6spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.S3.PR.6spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.6contoh template

Penjelasan

Mengonfigurasi aturan siklus hidup di bucket Amazon S3 menentukan tindakan yang ingin dilakukan S3 selama masa pakai objek. Misalnya, Anda dapat mentransisikan objek ke kelas penyimpanan lain, mengarsipkannya, atau menghapusnya setelah jangka waktu tertentu.

Remediasi untuk kegagalan aturan

Konfigurasikan setidaknya satu aturan siklus hidup aktif `LifecycleConfiguration.Rules` dengan menyetel `Status` aturan ke. `Enabled`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Bucket Amazon S3 - Contoh

Bucket Amazon S3 dikonfigurasi dengan aturan siklus hidup aktif. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "LifecycleConfiguration": {
                "Rules": [
                    {
                        "Status": "Enabled",
                        "ExpirationInDays": 1,
                        "Id": "FirstRule"
                    }
                ]
            }
        }
    }
}
```

Contoh YAMAL

```
S3Bucket:
  Type: AWS::S3::Bucket
```

```
  Properties:
    LifecycleConfiguration:
      Rules:
        - Status: Enabled
          ExpirationInDays: 1
          Id: FirstRule
```

CT.S3.PR.6spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_lifecycle_policy_check
#
# Description:
#   This control checks whether a lifecycle rule is configured for Amazon S3 buckets.
#
# Reports on:
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'LifecycleConfiguration.Rules' has not been been provided or has been
 provided where 'Rules' is an
```

```
#             empty list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: The S3 bucket has versioning enabled (VersioningConfiguration.Status is
 set to 'Enabled')
#       And: 'LifecycleConfiguration.Rules' has been been provided as a non-empty list
#       And: There are no 'Rules' with 'Status' set to 'Enabled' present in the
 'LifecycleConfiguration'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: The S3 bucket has versioning enabled (VersioningConfiguration.Status is
 set to 'Enabled')
#       And: 'LifecycleConfiguration.Rules' has been been provided as a non-empty list
#       And: There is at least one entry in 'LifecycleConfiguration.Rules' with
 'Status' set to 'Enabled'
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_lifecycle_policy_check when is_cfn_template(%INPUT_DOCUMENT)
                                   %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.6]: Require an Amazon S3 bucket to have lifecycle policies configured
        [FIX]: Configure at least one active lifecycle rule in
 'LifecycleConfiguration.Rules' by setting 'Status' on a rule to 'Enabled'.
```

```
        >>
}

rule s3_lifecycle_policy_check when is_cfn_hook(%INPUT_DOCUMENT, %S3_BUCKET_TYPE) {
    check(%INPUT_DOCUMENT.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.6]: Require an Amazon S3 bucket to have lifecycle policies configured
        [FIX]: Configure at least one active lifecycle rule in
 'LifecycleConfiguration.Rules' by setting 'Status' on a rule to 'Enabled'.
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket {
        # Scenario 2
        LifecycleConfiguration exists
        LifecycleConfiguration is_struct

        LifecycleConfiguration {
            # Scenario 3 and 4
            Rules exists
            Rules is_list
            Rules not empty

            some Rules[*] {
                Status exists
                Status == "Enabled"
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.6contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties:
      LifecycleConfiguration:
        Rules:
        - Status: Enabled
          ExpirationInDays: 1
          Id: FirstRule
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties:
      LifecycleConfiguration:
        Rules:
        - Status: Disabled
          ExpirationInDays: 1
          Id: FirstRule
```

[CT.S3.PR.8] Mengharuskan permintaan bucket Amazon S3 menggunakan Secure Socket Layer

Kontrol ini memeriksa apakah kebijakan bucket Amazon S3 memerlukan permintaan untuk menggunakan Secure Socket Layer (SSL).

- Tujuan kontrol: Enkripsi data dalam perjalanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::BucketPolicy`
- AWS CloudFormation aturan penjaga: CT.S3.PR.8spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.S3.PR.8spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.8contoh template

Penjelasan

Bucket Amazon S3 harus memiliki kebijakan yang mengharuskan semua permintaan (`Action: S3:*`) untuk menerima transmisi data melalui HTTPS hanya dalam kebijakan sumber daya S3, seperti yang ditunjukkan oleh kunci kondisi. `aws:SecureTransport`

Remediasi untuk kegagalan aturan

Konfigurasikan pernyataan kebijakan bucket Amazon S3 yang menolak akses ke semua prinsip dan tindakan untuk objek bucket dan bucket S3 saat protokol transport aman tidak digunakan.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Kebijakan Bucket Amazon S3 - Contoh

Kebijakan bucket Amazon S3 dikonfigurasi untuk menolak semua akses ke objek bucket dan bucket saat transmisi data tidak melalui HTTPS. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
```

```
    "S3BucketPolicy": {
        "Type": "AWS::S3::BucketPolicy",
        "Properties": {
            "Bucket": {
                "Ref": "S3Bucket"
            },
            "PolicyDocument": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Effect": "Deny",
                        "Action": "s3:*",
                        "Resource": [
                            {
                                "Fn::GetAtt": [
                                    "S3Bucket",
                                    "Arn"
                                ]
                            },
                            {
                                "Fn::Join": [
                                    "",
                                    [
                                        {
                                            "Fn::GetAtt": [
                                                "S3Bucket",
                                                "Arn"
                                            ]
                                        },
                                        "/*"
                                    ]
                                ]
                            }
                        ],
                        "Principal": "*",
                        "Condition": {
                            "Bool": {
                                "aws:SecureTransport": "false"
                            }
                        }
                    }
                ]
            }
        }
```

```
    }
}
```

Contoh YAMB

```
S3BucketPolicy:
  Type: AWS::S3::BucketPolicy
  Properties:
    Bucket: !Ref 'S3Bucket'
    PolicyDocument:
      Version: 2012-10-17
      Statement:
        - Effect: Deny
          Action: s3:*
          Resource:
            - !GetAtt 'S3Bucket.Arn'
            - !Join
              - ''
              - - !GetAtt 'S3Bucket.Arn'
                - /*
          Principal: '*'
          Condition:
            Bool:
              aws:SecureTransport: 'false'
```

CT.S3.PR.8spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_bucket_policy_ssl_requests_only_check
#
# Description:
#   This control checks whether Amazon S3 bucket policies require requests to use
 Secure Socket Layer (SSL).
#
```

```
# Reports on:
#   AWS::S3::BucketPolicy
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any S3 bucket policies
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket policy
#       And: 'Policydocument' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket policy
#       And: 'Policydocument' does not include a statement that denies Principal  ('*',
 AWS: '*')
#            all Actions ('s3:*', '*') over resource ('*' or bucketArn,
 bucketObjectArn) when the condition
#            "aws:SecureTransport" is "false"
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket policy
#       And: 'Policydocument' includes a statement that denies Principal  ('*', AWS:
 '*')
#            all Actions ('s3:*', '*') over resource ('*' or bucketArn,
 bucketObjectArn) when the condition
#            "aws:SecureTransport" is "false"
#      Then: PASS

#
# Constants
```

```
#
let S3_BUCKET_POLICY_TYPE = "AWS::S3::BucketPolicy"
let INPUT_DOCUMENT = this

let S3_BUCKET_ARN_PATTERN = /^arn:aws[a-z0-9\-]*:s3:::[a-z0-9][a-z0-9\.-]*[a-z0-9]$/
let S3_BUCKET_OBJECT_ARN_PATTERN = /^arn:aws[a-z0-9\-]*:s3:::[a-z0-9][a-z0-9\.-]*[a-
z0-9]\/\*$/

#
# Assignments
#
let s3_bucket_policies = Resources.*[ Type == %S3_BUCKET_POLICY_TYPE ]

#
# Primary Rules
#
rule s3_bucket_policy_ssl_requests_only_check when is_cfn_template(%INPUT_DOCUMENT)
                                                   %s3_bucket_policies not empty {
    check(%s3_bucket_policies.Properties)
        <<
        [CT.S3.PR.8]: Require that Amazon S3 buckets request to use Secure Socket Layer
            [FIX]: Configure an Amazon S3 bucket policy statement that denies access
 to all principals and actions for the S3 bucket and bucket objects when a secure
 transport protocol is not in use.
        >>
}

rule s3_bucket_policy_ssl_requests_only_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_BUCKET_POLICY_TYPE) {
    check(%INPUT_DOCUMENT.%S3_BUCKET_POLICY_TYPE.resourceProperties)
        <<
        [CT.S3.PR.8]: Require that Amazon S3 buckets request to use Secure Socket Layer
            [FIX]: Configure an Amazon S3 bucket policy statement that denies access
 to all principals and actions for the S3 bucket and bucket objects when a secure
 transport protocol is not in use.
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket_policy) {
    %s3_bucket_policy {
        # Scenario 2
```

```
        PolicyDocument exists
        PolicyDocument is_struct

        PolicyDocument {
            Statement exists
            Statement is_list or
            Statement is_struct

            #Scenario 3 and 4
            some Statement[*] {
                check_statement_ssl_requests_only(this)
            }
        }
    }
}

rule check_statement_ssl_requests_only(statement) {
    %statement{
        check_all_required_statement_properties(this)

        Effect == "Deny"
        Action[*] in ["s3:*", "*"]

        Principal == "*" or
        Principal { AWS exists AWS == "*"
        }

        Resource[*] == "*" or
        check_resource_for_bucket_arns(Resource) or
        check_resource_for_bucket_arn_refs(Resource)

        Condition is_struct
        Condition == {
            "Bool": {
                "aws:SecureTransport": "false"
            }
        }

    }
}

rule check_all_required_statement_properties(statement) {
    %statement {
        Effect exists
```

```
        Action exists
        Principal exists
        Condition exists
        Resource exists
    }
}

rule check_resource_for_bucket_arns(resource) {
    %resource {
        this is_list
        this not empty
        some this[*] == %S3_BUCKET_ARN_PATTERN
        some this[*] == %S3_BUCKET_OBJECT_ARN_PATTERN
    }
}

rule check_resource_for_bucket_arn_refs(resource) {
    %resource {
        this is_list
        this not empty
        some this[*] {
            check_local_bucket_arn_reference(%INPUT_DOCUMENT, this, "AWS::S3::Bucket")
        }
        some this[*] {
            check_local_bucket_object_arn_reference(%INPUT_DOCUMENT, this,
 "AWS::S3::Bucket")
        }
    }
}

rule check_local_bucket_arn_reference(doc, reference_properties,
 referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            check_get_att_bucket_arn(this)
        }
    }
}

rule check_local_bucket_object_arn_reference(doc, reference_properties,
 referenced_resource_type) {
    %reference_properties {
        'Fn::Join' {
            this is_list
```

```
            this not empty
            this[1][0] {
                'Fn::GetAtt' {
                    check_get_att_bucket_arn(this)
                }
            }
            this[1][1] == "/*"
        }
    }
}

rule check_get_att_bucket_arn(get_att){
    %get_att {
        this is_list
        this not empty
        this[1] == "Arn"
        query_for_resource(%doc, this[0], %referenced_resource_type)
            <<Local Stack reference was invalid>>
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.S3.PR.8contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties:
      PublicAccessBlockConfiguration:
        BlockPublicAcls: true
        BlockPublicPolicy: true
        IgnorePublicAcls: true
        RestrictPublicBuckets: true
  S3BucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: S3Bucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
        - Effect: Deny
          Action: s3:*
          Resource:
          - Fn::GetAtt:
            - S3Bucket
            - Arn
          - Fn::Join:
            - ''
            - - Fn::GetAtt:
                - S3Bucket
                - Arn
              - /*
          Principal: '*'
          Condition:
            Bool:
              aws:SecureTransport: 'false'
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
    Properties:
      PublicAccessBlockConfiguration:
        BlockPublicAcls: true
        BlockPublicPolicy: true
        IgnorePublicAcls: true
        RestrictPublicBuckets: true
  S3BucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: S3Bucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
        - Effect: Allow
          Action: s3:*
          Resource:
          - Fn::GetAtt:
            - S3Bucket
            - Arn
          - Fn::Join:
            - ''
            - - Fn::GetAtt:
                - S3Bucket
                - Arn
              - /*
          Principal:
            AWS:
            - Ref: AWS::AccountId
          Condition:
            Bool:
              aws:SecureTransport: 'false'
```

[CT.S3.PR.9] Mengharuskan bucket Amazon S3 mengaktifkan Kunci Objek S3

Kontrol ini memeriksa apakah bucket Amazon Simple Storage Service (Amazon S3) telah dikonfigurasi untuk menggunakan Kunci Objek S3.

- Tujuan kontrol: Lindungi integritas data
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.S3.PR.9

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.S3.PR.9
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.9 contoh template

Penjelasan

S3 Object Lock memungkinkan Anda untuk menyimpan objek menggunakan model write-once-read-many (WORM). Object Lock dapat membantu mencegah objek dihapus atau ditimpa untuk jangka waktu yang tetap, atau tanpa batas waktu. Anda dapat menggunakan S3 Object Lock untuk memenuhi persyaratan peraturan yang memerlukan penyimpanan WORM, atau untuk menambahkan lapisan perlindungan ekstra terhadap perubahan dan penghapusan objek.

> **Pertimbangan penggunaan**
>
> - Saat Anda membuat bucket Amazon S3 dengan kunci objek diaktifkan, S3 secara otomatis mengaktifkan pembuatan versi untuk bucket.

Remediasi untuk kegagalan aturan

Atur `ObjectLockEnabled` ke `true`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

S3 bucket - Contoh

Bucket Amazon S3 yang dikonfigurasi dengan kunci objek S3 diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "ObjectLockEnabled": true
        }
    }
}
```

Contoh YAMB

```
Bucket:
  Type: AWS::S3::Bucket
  Properties:
    ObjectLockEnabled: true
```

Spesifikasi aturan CT.S3.PR.9

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_bucket_object_lock_enabled_check
#
# Description:
#   This control checks whether an Amazon Simple Storage Service (Amazon S3) bucket has
 been configured to use S3 Object Lock.
#
# Reports on:
```

```
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'ObjectLockEnabled' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'ObjectLockEnabled' has been provided and set to a value other than
 bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'ObjectLockEnabled' has been provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]
```

```
#
# Primary Rules
#
rule s3_bucket_object_lock_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.9]: Require that an Amazon S3 bucket has S3 Object Lock activated
        [FIX]: Set 'ObjectLockEnabled' to 'true'.
        >>
}

rule s3_bucket_object_lock_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_BUCKET_TYPE) {
    check(this.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.9]: Require that an Amazon S3 bucket has S3 Object Lock activated
        [FIX]: Set 'ObjectLockEnabled' to 'true'.
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket {
       # Scenario 2
       ObjectLockEnabled exists
       # Scenarios 3 and 4
       ObjectLockEnabled == true
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}
```

```
rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.9 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      ObjectLockEnabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      ObjectLockEnabled: false
```

[CT.S3.PR.10] Memerlukan bucket Amazon S3 agar enkripsi sisi server dikonfigurasi menggunakan kunci AWS KMS

Kontrol ini memeriksa apakah enkripsi sisi server default diaktifkan pada bucket Amazon S3 yang digunakan. AWS KMS

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: aturan AWS CloudFormation penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.S3.PR.10

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.S3.PR.10
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.10 contoh template

Penjelasan

Server-side encryption (SSE) adalah enkripsi data di tujuannya oleh aplikasi atau layanan yang menerima data. Kecuali Anda menentukan sebaliknya, bucket Amazon S3 menggunakan SSE-S3 secara default untuk mengenkripsi objek. Namun, untuk kontrol tambahan, Anda dapat memilih untuk mengonfigurasi bucket untuk menggunakan enkripsi sisi server dengan AWS KMS kunci (SSE-KMS) sebagai gantinya. Amazon S3 mengenkripsi data Anda pada tingkat objek saat menulis data ke disk di pusat data, dan kemudian mendekripsi AWS data untuk Anda, saat Anda memerlukan akses ke sana.

Remediasi untuk kegagalan aturan

Tetapkan aturan enkripsi `BucketEncryption.ServerSideEncryptionConfiguration` dengan `ServerSideEncryptionByDefault.SSEAlgorithm` konfigurasi `aws:kms` atau `aws:kms:dsse`

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

S3 Bucket - Contoh

Bucket Amazon S3 yang dikonfigurasi dengan enkripsi sisi server AWS Key Management Service default (AWS KMS) (SSE-KMS). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
```

```
            "BucketEncryption": {
                "ServerSideEncryptionConfiguration": [
                    {
                        "ServerSideEncryptionByDefault": {
                            "SSEAlgorithm": "aws:kms"
                        }
                    }
                ]
            }
        }
    }
}
```

Contoh YAMB

```
S3Bucket:
  Type: AWS::S3::Bucket
  Properties:
    BucketEncryption:
      ServerSideEncryptionConfiguration:
        - ServerSideEncryptionByDefault:
            SSEAlgorithm: aws:kms
```

Spesifikasi aturan CT.S3.PR.10

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_bucket_default_encryption_kms_check
#
# Description:
#   This control checks whether default server-side encryption is enabled on an Amazon
 S3 bucket using AWS KMS.
#
# Reports on:
#   AWS::S3::Bucket
```

```
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'ServerSideEncryptionConfiguration' in 'BucketEncryption' has not been
 provided
#            or provided as an empty list
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'ServerSideEncryptionConfiguration' in 'BucketEncryption' has been
 provided as
#            a non empty list
#       And: 'ServerSideEncryptionConfiguration' in 'BucketEncryption' does not contain
 an
#            encryption rule with a 'ServerSideEncryptionByDefault' configuration
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'ServerSideEncryptionConfiguration' in 'BucketEncryption' has been
 provided as
#            a non empty list
#       And: 'ServerSideEncryptionConfiguration' in 'BucketEncryption' contains an
 encryption
#            rule with a 'ServerSideEncryptionByDefault' configuration
#       And: For an encryption rule, 'SSEAlgorithm' in 'ServerSideEncryptionByDefault'
 is not
```

```
#            not provided or has been provided and set to an SSE Algorithm other than
 'aws:kms'
#            or 'aws:kms:dsse'
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'ServerSideEncryptionConfiguration' in 'BucketEncryption' has been
 provided as
#            a non empty list
#       And: 'ServerSideEncryptionConfiguration' in 'BucketEncryption' contains an
 encryption rule with
#            a 'ServerSideEncryptionByDefault' configuration
#       And: For all encryption rules, 'SSEAlgorithm' in
 'ServerSideEncryptionByDefault' is provided
#            and set to 'aws:kms' or 'aws:kms:dsse'
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let AUTHORIZED_SSE_ALGORITHMS = [ "aws:kms", "aws:kms:dsse" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_bucket_default_encryption_kms_check when is_cfn_template(%INPUT_DOCUMENT)
                                                %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.10]: Require an Amazon S3 bucket to have server-side encryption
 configured using an AWS KMS key
        [FIX]: Set an encryption rule in
 'BucketEncryption.ServerSideEncryptionConfiguration' with a
 'ServerSideEncryptionByDefault.SSEAlgorithm' configuration of 'aws:kms' or
 'aws:kms:dsse'
```

```
        >>
}

rule s3_bucket_default_encryption_kms_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_BUCKET_TYPE) {
    check(%INPUT_DOCUMENT.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.10]: Require an Amazon S3 bucket to have server-side encryption
 configured using an AWS KMS key
        [FIX]: Set an encryption rule in
 'BucketEncryption.ServerSideEncryptionConfiguration' with a
 'ServerSideEncryptionByDefault.SSEAlgorithm' configuration of 'aws:kms' or
 'aws:kms:dsse'
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket {
        # Scenario 2
        BucketEncryption exists
        BucketEncryption is_struct

        BucketEncryption {
            ServerSideEncryptionConfiguration exists
            ServerSideEncryptionConfiguration is_list
            ServerSideEncryptionConfiguration not empty

            # Scenario 3, 4 and 5
            ServerSideEncryptionConfiguration[*] {
                ServerSideEncryptionByDefault exists
                ServerSideEncryptionByDefault is_struct

                ServerSideEncryptionByDefault {
                    SSEAlgorithm exists
                    SSEAlgorithm in %AUTHORIZED_SSE_ALGORITHMS
                }
            }
        }
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.10 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      BucketEncryption:
        ServerSideEncryptionConfiguration:
        - ServerSideEncryptionByDefault:
            SSEAlgorithm: aws:kms
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
```

```
    Properties: {}
```

[CT.S3.PR.11] Memerlukan bucket Amazon S3 agar versi diaktifkan

Kontrol ini memeriksa apakah bucket Amazon Simple Storage Service (Amazon S3) telah mengaktifkan versi.

- Tujuan kontrol: Meningkatkan ketersediaan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::Bucket`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.S3.PR.11

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.S3.PR.11
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.11 contoh templat

Penjelasan

Pembuatan versi menyimpan beberapa varian objek dalam bucket Amazon S3 yang sama. Anda dapat menggunakan pembuatan versi untuk melestarikan, mengambil, dan memulihkan setiap versi dari setiap objek yang disimpan di bucket S3 Anda. Dengan pembuatan versi, Anda dapat memulihkan lebih mudah dari tindakan pengguna yang tidak diinginkan dan kegagalan aplikasi.

Pertimbangan penggunaan

- Jika Anda memiliki bucket tidak berversi dengan konfigurasi siklus hidup kedaluwarsa objek, dan jika Anda ingin mempertahankan perilaku penghapusan permanen yang sama saat mengaktifkan pembuatan versi, Anda harus menyetel konfigurasi kedaluwarsa untuk objek noncurrent. Siklus hidup konfigurasi kedaluwarsa noncurrent mengelola penghapusan versi objek noncurrent dalam bucket berkemampuan versi. (Bucket dengan

dukungan versioning akan mempertahankan satu objek versi terkini dan nol atau beberapa versi lama.)

Remediasi untuk kegagalan aturan

Atur `Status` in `VersioningConfiguration` ke Diaktifkan.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

S3 Bucket - Contoh Satu

Bucket Amazon S3 dengan versi diaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "Bucket": {
        "Type": "AWS::S3::Bucket",
        "Properties": {
            "VersioningConfiguration": {
                "Status": "Enabled"
            }
        }
    }
}
```

Contoh YAMB

```
Bucket:
  Type: AWS::S3::Bucket
  Properties:
    VersioningConfiguration:
      Status: Enabled
```

Spesifikasi aturan CT.S3.PR.11

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_bucket_versioning_enabled_check
#
# Description:
#   This control checks whether an Amazon Simple Storage Service (Amazon S3) bucket has
 versioning enabled.
#
# Reports on:
#   AWS::S3::Bucket
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any S3 bucket resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'VersioningConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an S3 bucket resource
#       And: 'VersioningConfiguration' has been provided
#       And: 'Status' in 'VersioningConfiguration' has not been provided or has been
 provided
#            and set to a value other than 'Enabled'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an S3 bucket resource
#       And: 'VersioningConfiguration' has been provided
#       And: 'Status' in 'VersioningConfiguration' has been provided and set to
 'Enabled'
#      Then: PASS

#
# Constants
#
let S3_BUCKET_TYPE = "AWS::S3::Bucket"
let INPUT_DOCUMENT = this

#
# Assignments
#
let s3_buckets = Resources.*[ Type == %S3_BUCKET_TYPE ]

#
# Primary Rules
#
rule s3_bucket_versioning_enabled_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %s3_buckets not empty {
    check(%s3_buckets.Properties)
        <<
        [CT.S3.PR.11]: Require an Amazon S3 bucket to have versioning enabled
        [FIX]: Set the 'Status' in 'VersioningConfiguration' to Enabled.
        >>
}

rule s3_bucket_versioning_enabled_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_BUCKET_TYPE) {
    check(%INPUT_DOCUMENT.%S3_BUCKET_TYPE.resourceProperties)
        <<
        [CT.S3.PR.11]: Require an Amazon S3 bucket to have versioning enabled
        [FIX]: Set the 'Status' in 'VersioningConfiguration' to Enabled.
        >>
}

#
# Parameterized Rules
#
rule check(s3_bucket) {
    %s3_bucket {
        # Scenario 2
```

```
        VersioningConfiguration exists

        # Scenarios 3 and 4
        VersioningConfiguration is_struct
        VersioningConfiguration {
            Status exists
            Status == "Enabled"
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.11 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties:
      VersioningConfiguration:
        Status: Enabled
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  Bucket:
    Type: AWS::S3::Bucket
    Properties: {}
```

[CT.S3.PR.12] Memerlukan jalur akses Amazon S3 untuk memiliki konfigurasi Block Public Access (BPA) dengan semua opsi disetel ke true

Kontrol ini memeriksa apakah jalur akses Amazon S3 telah dikonfigurasi dengan konfigurasi Block Public Access (BPA) yang memiliki semua opsi disetel ke true.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::S3::AccessPoint`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.S3.PR.12

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.S3.PR.12
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.S3.PR.12 contoh template

Penjelasan

Jalur akses Amazon S3 mendukung pengaturan akses independen yang memungkinkan setiap titik akses memblokir akses publik. Saat membuat titik akses, Anda dapat menentukan pengaturan blokir akses publik yang berlaku pada titik akses tersebut. Untuk setiap permintaan yang dibuat melalui titik akses, Amazon S3 mengevaluasi pengaturan blokir akses publik untuk titik akses tersebut, bucket yang mendasarinya, dan akun pemilik bucket. Jika salah satu pengaturan ini menunjukkan bahwa permintaan tersebut harus diblokir, Amazon S3 menolak permintaan tersebut.

Pertimbangan penggunaan

- Kontrol ini tidak kompatibel dengan jalur akses Amazon S3 yang memerlukan konfigurasi akses publik.
- Amazon S3 saat ini tidak `t support changing an access point` memblokir pengaturan akses publik setelah titik akses dibuat.
- Menambahkan jalur akses Amazon S3 ke bucket tidak mengubah perilaku bucket saat Anda mengakses bucket secara langsung melalui nama bucket atau Amazon Resource Name (ARN). Lihat Mengonfigurasi kebijakan IAM untuk menggunakan titik akses di Panduan Pengguna Amazon S3 untuk informasi tentang opsi untuk mengonfigurasi kebijakan bucket yang mendasari untuk digunakan dengan jalur akses Amazon S3.

Remediasi untuk kegagalan aturan

Di PublicAccessBlockConfiguration bidang, atur nilai BlockPublicAcls,, BlockPublicPolicy IgnorePublicAcls, dan RestrictPublicBuckets ke true, atau hilangkan PublicAccessBlockConfiguration bidang untuk mengadopsi nilai default true untuk properti ini.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Titik Akses Amazon S3 - Contoh

Jalur akses Amazon S3 dengan konfigurasi Blokir Akses Publik yang memastikan permintaan akses publik melalui jalur akses ditolak. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "S3AccessPoint": {
        "Type": "AWS::S3::AccessPoint",
        "Properties": {
            "Bucket": "sample-bucket",
            "Name": "sample-access-point",
            "Policy": {
                "Version": "2012-10-17",
                "Statement": [
                    {
                        "Action": [
```

```
                            "s3:GetObject",
                            "s3:PutObject"
                        ],
                        "Effect": "Allow",
                        "Resource": [
                            {
                                "Fn::Sub": "arn:${AWS::Partition}:s3:${AWS::Region}:
${AWS::AccountId}:accesspoint/sample-access-point/object/*"
                            }
                        ],
                        "Principal": {
                            "AWS": "arn:aws:iam::123456789012:role/SampleRole"
                        }
                    }
                ]
            },
            "PublicAccessBlockConfiguration": {
                "BlockPublicAcls": true,
                "BlockPublicPolicy": true,
                "IgnorePublicAcls": true,
                "RestrictPublicBuckets": true
            }
        }
    }
}
```

Contoh YAMB

```
S3AccessPoint:
  Type: AWS::S3::AccessPoint
  Properties:
    Bucket: sample-bucket
    Name: sample-access-point
    Policy:
      Version: '2012-10-17'
      Statement:
        - Action:
            - s3:GetObject
            - s3:PutObject
          Effect: Allow
          Resource:
```

```
            - !Sub 'arn:${AWS::Partition}:s3:${AWS::Region}:
${AWS::AccountId}:accesspoint/sample-access-point/object/*'
          Principal:
            AWS: arn:aws:iam::123456789012:role/SampleRole
    PublicAccessBlockConfiguration:
      BlockPublicAcls: true
      BlockPublicPolicy: true
      IgnorePublicAcls: true
      RestrictPublicBuckets: true
```

Spesifikasi aturan CT.S3.PR.12

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   s3_access_point_public_access_prohibited_check
#
# Description:
#   This control checks whether an S3Amazon S3access point has been configured with a
 Block Public Access (BPA) configuration that has all options set to true.
#
# Reports on:
#   AWS::S3::AccessPoint
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any Amazon S3 access point resources
#      Then: SKIP
#   Scenario: 2
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon S3 access point resource
#       And: 'PublicAccessBlockConfiguration' has been provided as an empty struct
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon S3 access point resource
#       And: 'PublicAccessBlockConfiguration' has been provided
#       And: In 'PublicAccessBlockConfiguration', one or more of 'BlockPublicAcls',
#            'BlockPublicPolicy', 'IgnorePublicAcls' or 'RestrictPublicBuckets' have
 been
#            provided and set to a value other than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon S3 access point resource
#       And: 'PublicAccessBlockConfiguration' has not been provided
#      Then: PASS
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an Amazon S3 access point resource
#       And: 'PublicAccessBlockConfiguration' has been provided
#       And: In 'PublicAccessBlockConfiguration', 'BlockPublicAcls',
 'BlockPublicPolicy',
#            'IgnorePublicAcls' or 'RestrictPublicBuckets' have all been provided and
#            set to bool(true)
#      Then: PASS

#
# Constants
#
let INPUT_DOCUMENT = this
let S3_ACCESS_POINT_TYPE = "AWS::S3::AccessPoint"

#
# Assignments
#
let s3_access_points = Resources.*[ Type == %S3_ACCESS_POINT_TYPE ]

#
```

```
# Primary Rules
#
rule s3_access_point_public_access_prohibited_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                          %s3_access_points not empty {
    check(%s3_access_points.Properties)
        <<
        [CT.S3.PR.12]: Require an Amazon S3 access point to have a Block Public Access
 (BPA) configuration with all options set to true
        [FIX]: In the PublicAccessBlockConfiguration field, set the values of
 BlockPublicAcls, BlockPublicPolicy, IgnorePublicAcls, and RestrictPublicBuckets to
 true, or
        omit the PublicAccessBlockConfiguration field to adopt the default value of
 true for these properties.
        >>
}

rule s3_access_point_public_access_prohibited_check when is_cfn_hook(%INPUT_DOCUMENT,
 %S3_ACCESS_POINT_TYPE) {
    check(%INPUT_DOCUMENT.%S3_ACCESS_POINT_TYPE.resourceProperties)
        <<
        [CT.S3.PR.12]: Require an Amazon S3 access point to have a Block Public Access
 (BPA) configuration with all options set to true
        [FIX]: In the PublicAccessBlockConfiguration field, set the values of
 BlockPublicAcls, BlockPublicPolicy, IgnorePublicAcls, and RestrictPublicBuckets to
 true, or omit the PublicAccessBlockConfiguration field to adopt the default value of
 true for these properties.
        >>
}

#
# Parameterized Rules
#
rule check(s3_access_point) {
    %s3_access_point {
        # Scenarios 2 and 4
        PublicAccessBlockConfiguration not exists or
        # Scenarios 3 and 5
        check_bpa_configuration(this)

    }
}

rule check_bpa_configuration(s3_access_point) {
```

```
    %s3_access_point {
        PublicAccessBlockConfiguration is_struct

        PublicAccessBlockConfiguration {
            BlockPublicAcls exists
            BlockPublicPolicy exists
            IgnorePublicAcls exists
            RestrictPublicBuckets exists

            BlockPublicAcls == true
            BlockPublicPolicy == true
            IgnorePublicAcls == true
            RestrictPublicBuckets == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.S3.PR.12 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
```

```
  S3BucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket:
        Ref: S3Bucket
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Action: '*'
          Effect: Allow
          Resource:
          - Fn::GetAtt:
            - S3Bucket
            - Arn
          - Fn::Join:
            - ''
            - - Fn::GetAtt:
                - S3Bucket
                - Arn
              - /*
          Principal:
            AWS: '*'
          Condition:
            StringEquals:
              s3:DataAccessPointAccount:
                Ref: AWS::AccountId
  AccessPointRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: GetObjectPermissions
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
```

```
            Action:
            - s3:GetObject
            Resource:
            - Fn::Sub: arn:${AWS::Partition}:s3:${AWS::Region}:
${AWS::AccountId}:accesspoint/example-access-point/object/*
  S3AccessPoint:
    Type: AWS::S3::AccessPoint
    Properties:
      Bucket:
        Ref: S3Bucket
      Name: example-access-point
      Policy:
        Version: '2012-10-17'
        Statement:
        - Action:
          - s3:GetObject
          - s3:PutObject
          Effect: Allow
          Resource:
          - Fn::Sub: arn:${AWS::Partition}:s3:${AWS::Region}:
${AWS::AccountId}:accesspoint/example-access-point/object/*
          Principal:
            AWS:
              Fn::GetAtt:
              - AccessPointRole
              - Arn
      PublicAccessBlockConfiguration:
        BlockPublicAcls: true
        BlockPublicPolicy: true
        IgnorePublicAcls: true
        RestrictPublicBuckets: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  S3Bucket:
    Type: AWS::S3::Bucket
  S3BucketPolicy:
    Type: AWS::S3::BucketPolicy
```

```
    Properties:
      Bucket:
        Ref: S3Bucket
      PolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Action: '*'
          Effect: Allow
          Resource:
          - Fn::GetAtt:
            - S3Bucket
            - Arn
          - Fn::Join:
            - ''
            - - Fn::GetAtt:
                - S3Bucket
                - Arn
              - /*
          Principal:
            AWS: '*'
          Condition:
            StringEquals:
              s3:DataAccessPointAccount:
                Ref: AWS::AccountId
  AccessPointRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            AWS:
              Ref: AWS::AccountId
          Action: sts:AssumeRole
      Path: /
      Policies:
      - PolicyName: GetObjectPermissions
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - s3:GetObject
```

```
            Resource:
            - Fn::Sub: arn:${AWS::Partition}:s3:${AWS::Region}:
${AWS::AccountId}:accesspoint/example-access-point/object/*
  S3AccessPoint:
    Type: AWS::S3::AccessPoint
    Properties:
      Bucket:
        Ref: S3Bucket
      Name: example-access-point
      Policy:
        Version: '2012-10-17'
        Statement:
        - Action:
          - s3:GetObject
          - s3:PutObject
          Effect: Allow
          Resource:
          - Fn::Sub: arn:${AWS::Partition}:s3:${AWS::Region}:
${AWS::AccountId}:accesspoint/example-access-point/object/*
          Principal:
            AWS:
              Fn::GetAtt:
              - AccessPointRole
              - Arn
      PublicAccessBlockConfiguration:
        BlockPublicAcls: false
        BlockPublicPolicy: false
        IgnorePublicAcls: false
        RestrictPublicBuckets: false
```

SageMaker Kontrol Amazon

Topik

- [CT.SAGEMAKER.PR.1] Memerlukan instance SageMaker notebook Amazon untuk mencegah akses internet langsung
- [CT.SAGEMAKER.PR.2] Mengharuskan instans SageMaker notebook Amazon untuk digunakan dalam VPC Amazon khusus
- [CT.SAGEMAKER.PR.3] Mengharuskan instance SageMaker notebook Amazon agar akses root tidak diizinkan

[CT.SAGEMAKER.PR.1] Memerlukan instance SageMaker notebook Amazon untuk mencegah akses internet langsung

Kontrol ini memeriksa apakah akses internet langsung tidak diizinkan untuk instance SageMaker notebook Amazon.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::SageMaker::NotebookInstance`
- AWS CloudFormation aturan penjaga: CT.SAGEMAKER.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.SAGEMAKER.PR.1spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.SAGEMAKER.PR.1contoh template

Penjelasan

Saat Anda mengonfigurasi instans SageMaker notebook tanpa VPC, akses internet langsung diizinkan untuk instans Anda, secara default. Sebagai gantinya, Anda harus mengonfigurasi instance Anda dengan VPC dan mengubah pengaturan default menjadi. `Disable - Access the internet through a VPC`

Untuk melatih atau meng-host model dari notebook, Anda memerlukan akses internet. Untuk mengatur akses internet, pastikan VPC Anda memiliki gateway NAT, dan grup keamanan Anda mengizinkan koneksi keluar.

Pastikan akses ke SageMaker konfigurasi Anda terbatas pada pengguna yang berwenang. Batasi izin IAM pengguna untuk memodifikasi SageMaker pengaturan dan sumber daya.

> Pertimbangan penggunaan
>
> - Untuk mengatur akses internet keluar untuk instance SageMaker notebook Amazon saat kontrol ini diaktifkan - Pertama, kaitkan instance notebook dengan subnet pribadi yang

memiliki akses ke internet, melalui rute default ke instance gateway NAT. Juga, pastikan bahwa kelompok keamanan yang ditugaskan ke instance notebook, dan daftar kontrol akses jaringan (NACL) dari subnet pribadi, memungkinkan lalu lintas keluar ke internet.

Remediasi untuk kegagalan aturan

Atur `DirectInternetAccess` ke `Disabled` dan berikan satu `SubnetId` dan satu atau lebih`SecurityGroupIds`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans SageMaker Notebook Amazon - Contoh

Instans SageMaker notebook Amazon dikonfigurasi dengan akses internet langsung dinonaktifkan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SageMakerNoteBookInstance": {
        "Type": "AWS::SageMaker::NotebookInstance",
        "Properties": {
            "InstanceType": "ml.t2.medium",
            "RoleArn": {
                "Fn::GetAtt": [
                    "ExecutionRole",
                    "Arn"
                ]
            },
            "DirectInternetAccess": "Disabled",
            "SubnetId": {
                "Ref": "Subnet"
            },
            "SecurityGroupIds": [
                {
                    "Fn::GetAtt": [
                        "SecurityGroup",
                        "GroupId"
                    ]
                }
            ]
```

```
        }
    }
}
```

Contoh YAMB

```
SageMakerNoteBookInstance:
  Type: AWS::SageMaker::NotebookInstance
  Properties:
    InstanceType: ml.t2.medium
    RoleArn: !GetAtt 'ExecutionRole.Arn'
    DirectInternetAccess: Disabled
    SubnetId: !Ref 'Subnet'
    SecurityGroupIds:
      - !GetAtt 'SecurityGroup.GroupId'
```

CT.SAGEMAKER.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   sagemaker_notebook_no_direct_internet_access_check
#
# Description:
#   This control checks that direct internet access is not allowed for an Amazon
 SageMaker notebook instance.
#
# Reports on:
#   AWS::SageMaker::NotebookInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
```

```
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any SageMaker notebook instance
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SageMaker notebook instance resource
#       And: 'DirectInternetAccess' has not been provided on the SageMaker notebook
 instance resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SageMaker notebook instance resource
#       And: 'DirectInternetAccess' has been provided on the SageMaker notebook
 instance resource
#       And: 'DirectInternetAccess' is set to 'Enabled'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SageMaker notebook instance resource
#       And: 'DirectInternetAccess' has been provided on the SageMaker notebook
 instance resource
#       And: 'DirectInternetAccess' is set to 'Disabled'
#       And: 'SecurityGroupIds' have been provided as a non-empty list with non-empty
 strings or valid local references
#       And: 'SubnetId' has been provided as an empty string or non-valid local
 reference
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SageMaker notebook instance resource
#       And: 'DirectInternetAccess' has been provided on the SageMaker notebook
 instance resource
#       And: 'DirectInternetAccess' is set to 'Disabled'
#       And: 'SubnetId' has been provided as a non-empty string or valid local
 reference
```

```
#       And: 'SecurityGroupIds' have been provided as an empty list or a list that
 contains empty string values or
#            non-valid local references
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SageMaker notebook instance resource
#       And: 'DirectInternetAccess' has been provided on the SageMaker notebook
 instance resource
#       And: 'DirectInternetAccess' is set to 'Disabled'
#       And: 'SecurityGroupIds' have been provided as a non-empty list with non-empty
 strings or valid local references
#       And: 'SubnetId' has been provided as a non-empty string or valid local
 reference
#      Then: PASS

#
# Constants
#
let SAGEMAKER_NOTEBOOK_INSTANCE_TYPE = "AWS::SageMaker::NotebookInstance"
let INPUT_DOCUMENT = this

#
# Assignments
#
let sagemaker_notebook_instances = Resources.*[ Type ==
 %SAGEMAKER_NOTEBOOK_INSTANCE_TYPE ]

#
# Primary Rules
#
rule sagemaker_notebook_no_direct_internet_access_check when is_cfn_template(this)

 %sagemaker_notebook_instances not empty {
    check(%sagemaker_notebook_instances.Properties)
        <<
        [CT.SAGEMAKER.PR.1]: Require an Amazon SageMaker notebook instance to prevent
 direct internet access
        [FIX]: Set 'DirectInternetAccess' to 'Disabled' and provide a 'SubnetId' and
 one or more 'SecurityGroupIds'.
        >>
}
```

```
rule sagemaker_notebook_no_direct_internet_access_check when
 is_cfn_hook(%INPUT_DOCUMENT, %SAGEMAKER_NOTEBOOK_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%SAGEMAKER_NOTEBOOK_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.SAGEMAKER.PR.1]: Require an Amazon SageMaker notebook instance to prevent
 direct internet access
        [FIX]: Set 'DirectInternetAccess' to 'Disabled' and provide a 'SubnetId' and
 one or more 'SecurityGroupIds'.
        >>
}

#
# Parameterized Rules
#
rule check(sagemaker_notebook_instances) {
    %sagemaker_notebook_instances {
        # Scenario 2
        DirectInternetAccess exists

        # Scenario 3
        DirectInternetAccess is_string
        DirectInternetAccess == "Disabled"

        # Scenario 4,5 and 6
        check_is_string_and_not_empty(SubnetId) or
        check_local_references(%INPUT_DOCUMENT, SubnetId, "AWS::EC2::Subnet")

        SecurityGroupIds exists
        SecurityGroupIds is_list
        SecurityGroupIds not empty

        SecurityGroupIds[*] {
            check_is_string_and_not_empty(this) or
            check_local_references(%INPUT_DOCUMENT, this, "AWS::EC2::SecurityGroup")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, SAGEMAKER_NOTEBOOK_INSTANCE_TYPE) {
    %doc.%SAGEMAKER_NOTEBOOK_INSTANCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.SAGEMAKER.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  VPC:
    Type: AWS::EC2::VPC
    Properties:
      CidrBlock: 10.0.0.0/16
      EnableDnsSupport: 'true'
      EnableDnsHostnames: 'true'
  Subnet:
    Type: AWS::EC2::Subnet
    Properties:
      VpcId:
        Ref: VPC
      CidrBlock: 10.0.0.0/24
      AvailabilityZone:
        Fn::Select:
        - 0
        - Fn::GetAZs: ''
  SecurityGroup:
    Type: AWS::EC2::SecurityGroup
    Properties:
      GroupDescription: Notebook SG1
      VpcId:
        Ref: VPC
  ExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - sagemaker.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      ManagedPolicyArns:
      - Fn::Sub: arn:${AWS::Partition}:iam::aws:policy/AmazonSageMakerFullAccess
  SageMakerNoteBookInstance:
    Type: AWS::SageMaker::NotebookInstance
    Properties:
      InstanceType: ml.t2.medium
```

```
      RoleArn:
        Fn::GetAtt:
        - ExecutionRole
        - Arn
      DirectInternetAccess: Disabled
      SubnetId:
        Fn::GetAtt:
        - Subnet
        - SubnetId
      SecurityGroupIds:
      - Fn::GetAtt:
        - SecurityGroup
        - GroupId
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  ExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - sagemaker.amazonaws.com
          Action:
          - sts:AssumeRole
      Path: /
      ManagedPolicyArns:
      - Fn::Sub: arn:${AWS::Partition}:iam::aws:policy/AmazonSageMakerFullAccess
  SageMakerNoteBookInstance:
    Type: AWS::SageMaker::NotebookInstance
    Properties:
      InstanceType: ml.t2.medium
      RoleArn:
        Fn::GetAtt:
        - ExecutionRole
```

```
        - Arn
      DirectInternetAccess: Enabled
```

[CT.SAGEMAKER.PR.2] Mengharuskan instans SageMaker notebook Amazon untuk digunakan dalam VPC Amazon khusus

Kontrol ini memeriksa apakah instans SageMaker notebook Amazon dikonfigurasi untuk diluncurkan dalam VPC Amazon khusus.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::SageMaker::NotebookInstance`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.SAGEMAKER.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.SAGEMAKER.PR.2
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.SAGEMAKER.PR.2 contoh template

Penjelasan

Sebagai praktik terbaik, kami menyarankan agar Anda menyimpan sumber daya Anda di dalam VPC bila memungkinkan, untuk memastikan perlindungan jaringan yang aman dari infrastruktur Anda.

Remediasi untuk kegagalan aturan

Setel `SubnetId` ke pengenal subnet Amazon EC2 dan `SecurityGroupIds` atur ke daftar yang berisi satu atau beberapa pengidentifikasi grup keamanan EC2.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans SageMaker Notebook Amazon - Contoh

Instans SageMaker notebook Amazon dikonfigurasi dengan konektivitas Amazon VPC. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "NotebookInstance": {
        "Type": "AWS::SageMaker::NotebookInstance",
        "Properties": {
            "InstanceType": "ml.t2.large",
            "RoleArn": {
                "Fn::GetAtt": [
                    "ExecutionRole",
                    "Arn"
                ]
            },
            "SubnetId": {
                "Fn::GetAtt": [
                    "Subnet",
                    "SubnetId"
                ]
            },
            "SecurityGroupIds": [
                {
                    "Fn::GetAtt": [
                        "SecurityGroup",
                        "GroupId"
                    ]
                }
            ]
        }
    }
}
```

Contoh YAMB

```
NotebookInstance:
  Type: AWS::SageMaker::NotebookInstance
```

```
  Properties:
    InstanceType: ml.t2.large
    RoleArn: !GetAtt 'ExecutionRole.Arn'
    SubnetId: !GetAtt 'Subnet.SubnetId'
    SecurityGroupIds:
      - !GetAtt 'SecurityGroup.GroupId'
```

Spesifikasi aturan CT.SAGEMAKER.PR.2

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   sagemaker_notebook_instance_inside_vpc_check
#
# Description:
#   This control checks whether an Amazon SageMaker notebook instance is configured to
 launch within a custom Amazon VPC.
#
# Reports on:
#   AWS::SageMaker::NotebookInstance
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any SageMaker notebook instance
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a SageMaker notebook instance resource
#       And: 'SubnetId' has not been provided or provided as an empty string or non-
valid local reference
```

```
#       And: 'SecurityGroupIds' has not been provided or provided as an empty list or a
 list that contains empty string
#            values or non-valid local references
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a SageMaker notebook instance resource
#       And: 'SubnetId' has been provided as a non-empty string or valid local
 reference
#       And: 'SecurityGroupIds' has not been provided or provided as an empty list or a
 list that contains empty string
#            values or non-valid local references
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a SageMaker notebook instance resource
#       And: 'SubnetId' has not been provided or provided as an empty string or non-
valid local reference
#       And: 'SecurityGroupIds' have been provided as a non-empty list containing non-
empty string values or
#            valid local references
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a SageMaker notebook instance resource
#       And: 'SubnetId' has been provided as a non-empty string or valid local
 reference
#       And: 'SecurityGroupIds' have been provided as a list containing one or more
 non-empty string values or
#            valid local references
#      Then: PASS

#
# Constants
#
let SAGEMAKER_NOTEBOOK_INSTANCE_TYPE = "AWS::SageMaker::NotebookInstance"
let INPUT_DOCUMENT = this

#
# Assignments
#
```

```
let sagemaker_notebook_instances = Resources.*[ Type ==
 %SAGEMAKER_NOTEBOOK_INSTANCE_TYPE ]

#
# Primary Rules
#
rule sagemaker_notebook_instance_inside_vpc_check when is_cfn_template(%INPUT_DOCUMENT)
                                                       %sagemaker_notebook_instances
 not empty {
    check(%sagemaker_notebook_instances.Properties)
        <<
        [CT.SAGEMAKER.PR.2]: Require Amazon SageMaker notebook instances to be deployed
 within a custom Amazon VPC
            [FIX]: Set 'SubnetId' to the identifier of an Amazon EC2 subnet and set
 'SecurityGroupIds' to a list containing one or more EC2 security group identifiers.
        >>
}

rule sagemaker_notebook_instance_inside_vpc_check when is_cfn_hook(%INPUT_DOCUMENT,
 %SAGEMAKER_NOTEBOOK_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%SAGEMAKER_NOTEBOOK_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.SAGEMAKER.PR.2]: Require Amazon SageMaker notebook instances to be deployed
 within a custom Amazon VPC
            [FIX]: Set 'SubnetId' to the identifier of an Amazon EC2 subnet and set
 'SecurityGroupIds' to a list containing one or more EC2 security group identifiers.
        >>
}

rule check(sagemaker_notebook_instance) {
    %sagemaker_notebook_instance {
        # Scenario 2
        SubnetId exists

        # Scenario 3, 4 and 5
        check_is_string_and_not_empty(SubnetId) or
        check_local_references(%INPUT_DOCUMENT, SubnetId, "AWS::EC2::Subnet")

        SecurityGroupIds exists
        SecurityGroupIds is_list
        SecurityGroupIds not empty

        SecurityGroupIds[*] {
            check_is_string_and_not_empty(this) or
```

```
            check_local_references(%INPUT_DOCUMENT, this, "AWS::EC2::SecurityGroup")
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
```

```
}
```

CT.SAGEMAKER.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  NotebookInstance:
    Type: AWS::SageMaker::NotebookInstance
    Properties:
      InstanceType: ml.t2.large
      RoleArn: example-role-arn
      SubnetId: example-subnet-id
      SecurityGroupIds:
        - example-sg-id
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NotebookInstance:
    Type: AWS::SageMaker::NotebookInstance
    Properties:
      InstanceType: ml.t2.large
      RoleArn: example-role-arn
```

[CT.SAGEMAKER.PR.3] Mengharuskan instance SageMaker notebook Amazon agar akses root tidak diizinkan

Kontrol ini memeriksa apakah instance SageMaker notebook Amazon mengizinkan akses root.

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::SageMaker::NotebookInstance`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.SAGEMAKER.PR.3

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.SAGEMAKER.PR.3
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.SAGEMAKER.PR.3 contoh template

Penjelasan

Secara default, saat Anda membuat instance notebook, pengguna yang masuk ke instance notebook tersebut memiliki akses root. Karena pengguna dengan akses root memiliki hak administrator, pengguna memiliki akses untuk mengedit semua file pada instance notebook dengan akses root diaktifkan. Sesuai dengan prinsip hak istimewa yang paling rendah, untuk alasan keamanan, sebaiknya Anda membatasi akses root ke sumber daya instans bila memungkinkan, untuk menghindari penyediaan izin yang berlebihan secara tidak disengaja.

> Pertimbangan penggunaan
>
> - Konfigurasi siklus hidup yang terkait dengan instance SageMaker notebook Amazon selalu berjalan dengan akses root, bahkan jika Anda mematikan akses root untuk pengguna.

Remediasi untuk kegagalan aturan

Atur `RootAccess` ke `Disabled`.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Instans SageMaker Notebook Amazon - Contoh

Instans SageMaker notebook Amazon yang dikonfigurasi dengan akses root dimatikan. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "NotebookInstance": {
        "Type": "AWS::SageMaker::NotebookInstance",
        "Properties": {
            "InstanceType": "ml.t2.large",
            "RoleArn": {
                "Fn::GetAtt": [
                    "ExecutionRole",
                    "Arn"
                ]
            },
            "RootAccess": "Disabled"
        }
    }
}
```

Contoh YAMB

```
NotebookInstance:
  Type: AWS::SageMaker::NotebookInstance
  Properties:
    InstanceType: ml.t2.large
    RoleArn: !GetAtt 'ExecutionRole.Arn'
    RootAccess: Disabled
```

Spesifikasi aturan CT.SAGEMAKER.PR.3

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   sagemaker_notebook_instance_root_access_check
#
# Description:
```

```
#   This control checks whether Amazon SageMaker notebook instances allow root access.
#
# Reports on:
#   AWS::SageMaker::NotebookInstance
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any SageMaker notebook instance
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a SageMaker notebook instance resource
#       And: 'RootAccess' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a SageMaker notebook instance resource
#       And: 'RootAccess' has been provided and is set to a value other than 'Disabled'
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a SageMaker notebook instance resource
#       And: 'RootAccess' has been provided and is set to 'Disabled'
#      Then: PASS

#
# Constants
#
let SAGEMAKER_NOTEBOOK_INSTANCE_TYPE = "AWS::SageMaker::NotebookInstance"
let INPUT_DOCUMENT = this

#
```

```
# Assignments
#
let sagemaker_notebook_instances = Resources.*[ Type ==
 %SAGEMAKER_NOTEBOOK_INSTANCE_TYPE ]

#
# Primary Rules
#
rule sagemaker_notebook_instance_root_access_check when
 is_cfn_template(%INPUT_DOCUMENT)
                                                        %sagemaker_notebook_instances
 not empty {
    check(%sagemaker_notebook_instances.Properties)
        <<
        [CT.SAGEMAKER.PR.3]: Require Amazon SageMaker notebook instances to have root
 access disallowed
            [FIX]: Set 'RootAccess' to 'Disabled'.
        >>
}

rule sagemaker_notebook_instance_root_access_check when is_cfn_hook(%INPUT_DOCUMENT,
 %SAGEMAKER_NOTEBOOK_INSTANCE_TYPE) {
    check(%INPUT_DOCUMENT.%SAGEMAKER_NOTEBOOK_INSTANCE_TYPE.resourceProperties)
        <<
        [CT.SAGEMAKER.PR.3]: Require Amazon SageMaker notebook instances to have root
 access disallowed
            [FIX]: Set 'RootAccess' to 'Disabled'.
        >>
}

rule check(sagemaker_notebook_instance) {
    %sagemaker_notebook_instance {
        # Scenarios 2, 3 and 4
        RootAccess exists
        RootAccess == "Disabled"
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
```

```
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.SAGEMAKER.PR.3 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  NotebookInstance:
    Type: AWS::SageMaker::NotebookInstance
    Properties:
      InstanceType: ml.t2.large
      RoleArn: example-role-arn
      RootAccess: Disabled
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  NotebookInstance:
    Type: AWS::SageMaker::NotebookInstance
    Properties:
      InstanceType: ml.t2.large
      RoleArn: example-role-arn
      RootAccess: Enabled
```

Kontrol Layanan Antrian Sederhana Amazon (Amazon SQS)

Topik

- [CT.SQS.PR.1] Memerlukan antrian Amazon SQS apa pun agar antrian huruf mati dikonfigurasi
- [CT.SQS.PR.2] Memerlukan antrian Amazon SQS apa pun agar enkripsi saat istirahat dikonfigurasi

[CT.SQS.PR.1] Memerlukan antrian Amazon SQS apa pun agar antrian huruf mati dikonfigurasi

Kontrol ini memeriksa apakah antrian Amazon SQS dikonfigurasi dengan antrian huruf mati.

- Tujuan kontrol: Meningkatkan ketahanan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::SQS::Queue`
- AWS CloudFormation aturan penjaga: CT.SQS.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.SQS.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.SQS.PR.1contoh template

Penjelasan

Tugas utama antrian huruf mati adalah menangani siklus hidup pesan yang tidak dikonsumsi. Antrian huruf mati memungkinkan Anda menyisihkan dan mengisolasi pesan yang tidak berhasil. `t be processed correctly, so you can determine why their processing didn`

> **Pertimbangan penggunaan**
>
> - Kontrol ini hanya berlaku untuk antrian Amazon SQS yang tidak dikonfigurasi sebagai antrian huruf mati dengan properti. `RedriveAllowPolicy`

Remediasi untuk kegagalan aturan

Buat `RedrivePolicy` dengan `deadLetterTargetArn` nilai yang `s set to the ARN of an Amazon SQS dead-letter queue. For Amazon SQS dead-letter queues, instead provide a redrive configuration in the` RedriveAllowPolicy 'properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Antrian Amazon SQS - Contoh

Antrian Amazon SQS dikonfigurasi untuk mengirim pesan ke antrean huruf mati, jika pesan tidak berhasil diproses (dikonsumsi). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SQSQueue": {
        "Type": "AWS::SQS::Queue",
        "Properties": {
            "RedrivePolicy": {
                "deadLetterTargetArn": {
                    "Fn::GetAtt": [
                        "DLQQueue",
                        "Arn"
                    ]
                },
                "maxReceiveCount": 3
            }
        }
    }
}
```

Contoh YAMB

```
SQSQueue:
  Type: AWS::SQS::Queue
  Properties:
    RedrivePolicy:
      deadLetterTargetArn: !GetAtt 'DLQQueue.Arn'
      maxReceiveCount: 3
```

CT.SQS.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#    sqs_dlq_check
#
# Description:
#   This control checks whether an Amazon SQS queue is configured with a dead-letter
 queue.
#
# Reports on:
#    AWS::SQS::Queue
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#     None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any SQS queue resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
#       And: 'RedriveAllowPolicy' has been provided on the SQS queue
#       And: 'RedriveAllowPolicy.redrivePermission' is set to 'allowAll' or 'byQueue'
#      Then: SKIP
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
```

```
#       And: 'RedriveAllowPolicy' has not been provided on the SQS queue or
 'RedriveAllowPolicy.redrivePermission'
#            has been provided and is set to a value other than 'allowAll' or 'byQueue'
#       And: 'RedrivePolicy' has not been provided
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
#       And: 'RedriveAllowPolicy' has not been provided on the SQS queue or
 'RedriveAllowPolicy.redrivePermission'
#            has been provided and is set to a value other than 'allowAll' or 'byQueue'
#       And: 'RedrivePolicy' has been provided
#       And: 'RedrivePolicy.deadLetterTargetArn' has not been provided or has been
 provided as an empty string or
#            invalid local reference to an SQS queue
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
#       And: 'RedriveAllowPolicy' has not been provided on the SQS queue or
 'RedriveAllowPolicy.redrivePermission' has
#            been provided and is set to a value other than 'allowAll' or 'byQueue'
#       And: 'RedrivePolicy' has been provided
#       And: 'RedrivePolicy.deadLetterTargetArn' has been provided as a non-empty
 string or valid local reference to
#             an SQS queue
#      Then: PASS

#
# Constants
#
let SQS_QUEUE_TYPE = "AWS::SQS::Queue"
let INPUT_DOCUMENT = this
let DLQ_REDRIVE_PERMISSION = ["allowAll", "byQueue"]

#
# Assignments
#
let sqs_queues = Resources.*[ Type == %SQS_QUEUE_TYPE ]

#
# Primary Rules
```

```
#
rule sqs_dlq_check when is_cfn_template(%INPUT_DOCUMENT)
                        %sqs_queues not empty {
    check(%sqs_queues.Properties)
        <<
        [CT.SQS.PR.1]: Require any Amazon SQS queue to have a dead-letter queue
 configured
            [FIX]: Create a 'RedrivePolicy' with a 'deadLetterTargetArn' value that's
 set to the ARN of an Amazon SQS dead-letter queue. For Amazon SQS dead-letter queues,
 instead provide a redrive configuration in the 'RedriveAllowPolicy' property.
        >>
}

rule sqs_dlq_check when is_cfn_hook(%INPUT_DOCUMENT, %SQS_QUEUE_TYPE) {
    check(%INPUT_DOCUMENT.%SQS_QUEUE_TYPE.resourceProperties)
        <<
        [CT.SQS.PR.1]: Require any Amazon SQS queue to have a dead-letter queue
 configured
            [FIX]: Create a 'RedrivePolicy' with a 'deadLetterTargetArn' value that's
 set to the ARN of an Amazon SQS dead-letter queue. For Amazon SQS dead-letter queues,
 instead provide a redrive configuration in the 'RedriveAllowPolicy' property.
        >>
}

#
# Parameterized Rules
#
rule check(sqs_queues) {
    %sqs_queues [
        # Scenario 2
        RedriveAllowPolicy not exists or
        filter_is_not_dlq(this)
    ] {
        # Scenario 3
        RedrivePolicy exists
        RedrivePolicy is_struct

        # Scenario 4
        RedrivePolicy {
            deadLetterTargetArn exists

            check_is_string_and_not_empty(deadLetterTargetArn) or
            check_local_references(%INPUT_DOCUMENT, deadLetterTargetArn,
 %SQS_QUEUE_TYPE)
```

```
        }
    }
}

rule filter_is_not_dlq(sqs_queue) {
    RedriveAllowPolicy exists
    RedriveAllowPolicy is_struct

    RedriveAllowPolicy {
        redrivePermission exists
        redrivePermission not in %DLQ_REDRIVE_PERMISSION
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        "Fn::GetAtt" {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
```

```
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.SQS.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  SQSQueue:
    Type: AWS::SQS::Queue
    Properties:
      RedrivePolicy:
        deadLetterTargetArn:
          Fn::GetAtt: [DLQQueue, Arn]
        maxReceiveCount: 3
  DLQQueue:
    Type: AWS::SQS::Queue
    Properties:
      RedriveAllowPolicy:
        redrivePermission: allowAll
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SQSQueue:
```

```
    Type: AWS::SQS::Queue
    Properties: {}
```

[CT.SQS.PR.2] Memerlukan antrian Amazon SQS apa pun agar enkripsi saat istirahat dikonfigurasi

Kontrol ini memeriksa apakah antrian Amazon SQS dienkripsi saat istirahat.

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::SQS::Queue`
- AWS CloudFormation aturan penjaga: CT.SQS.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.SQS.PR.2spesifikasi aturan
- Untuk contoh AWS CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.SQS.PR.2 contoh template

Penjelasan

Enkripsi sisi server (SSE) memungkinkan Anda mengirimkan data sensitif dalam antrian terenkripsi. Untuk melindungi konten pesan dalam antrian, SSE menggunakan kunci KMS.

Remediasi untuk kegagalan aturan

Setel `SqsManagedSseEnabled` ke `true` atau setel AWS KMS key pengenal di `KmsMasterKeyId` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Antrian Amazon SQS - Contoh Satu

Antrian Amazon SQS dikonfigurasi untuk mengenkripsi data saat istirahat dengan enkripsi sisi server diaktifkan, dengan menggunakan kunci enkripsi terkelola SQS (SSE-SQS). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SQSQueue": {
        "Type": "AWS::SQS::Queue",
        "Properties": {
            "SqsManagedSseEnabled": true
        }
    }
}
```

Contoh YAMB

```
SQSQueue:
  Type: AWS::SQS::Queue
  Properties:
    SqsManagedSseEnabled: true
```

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

Antrian Amazon SQS - Contoh Dua

Antrian Amazon SQS dikonfigurasi untuk mengenkripsi data saat istirahat dengan enkripsi sisi server diaktifkan, melalui (SSE-KMS). AWS KMS Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "SQSQueue": {
        "Type": "AWS::SQS::Queue",
        "Properties": {
            "KmsMasterKeyId": {
                "Ref": "KMSKey"
            }
        }
    }
}
```

Contoh YAMB

```
SQSQueue:
  Type: AWS::SQS::Queue
  Properties:
    KmsMasterKeyId: !Ref 'KMSKey'
```

CT.SQS.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#    sqs_queue_encrypted_check
#
# Description:
#   This control checks whether an Amazon SQS queue is encrypted at rest.
#
# Reports on:
#    AWS::SQS::Queue
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#     None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any SQS queue resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains an SQS queue resource
#       And: 'KmsMasterKeyId' or 'SqsManagedSseEnabled' have not been provided on the
 SQS queue resource
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
#       And: 'KmsMasterKeyId' has not been provided
#       And: 'SqsManagedSseEnabled' has been provided and set to bool(false)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
#       And: 'KmsMasterKeyId' has been provided as an empty string or invalid local
 reference to a KMS key or alias
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
#       And: 'SqsManagedSseEnabled' is not provided or set to bool(false)
#       And: 'KmsMasterKeyId' is provided as a non-empty string or local reference to a
 KMS key
#      Then: PASS
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an SQS queue resource
#       And: 'KmsMasterKeyId' is not provided
#       And: 'SqsManagedSseEnabled' is provided and set to bool(true)
#      Then: PASS

#
# Constants
#
let SQS_QUEUE_TYPE = "AWS::SQS::Queue"
let INPUT_DOCUMENT = this
#
# Assignments
#
let sqs_queues = Resources.*[ Type == %SQS_QUEUE_TYPE ]
```

```
#
# Primary Rules
#
rule sqs_queue_encrypted_check when is_cfn_template(%INPUT_DOCUMENT)
                                    %sqs_queues not empty {
    check(%sqs_queues.Properties)
        <<
        [CT.SQS.PR.2]: Require any Amazon SQS queue to have encryption at rest
 configured
        [FIX]: Set 'SqsManagedSseEnabled' to 'true' or set an AWS KMS key identifier in
 the 'KmsMasterKeyId' property.
        >>
}

rule sqs_queue_encrypted_check when is_cfn_hook(%INPUT_DOCUMENT, %SQS_QUEUE_TYPE) {
    check(%INPUT_DOCUMENT.%SQS_QUEUE_TYPE.resourceProperties)
        <<
        [CT.SQS.PR.2]: Require any Amazon SQS queue to have encryption at rest
 configured
        [FIX]: Set 'SqsManagedSseEnabled' to 'true' or set an AWS KMS key identifier in
 the 'KmsMasterKeyId' property.
        >>
}

#
# Parameterized Rules
#
rule check(sqs_queue) {
    %sqs_queue{
        check_sse_enabled(this) or
        check_kms_valid(this)
    }
}

rule check_sse_enabled(sqs_queue) {
    # Scenario 2
    SqsManagedSseEnabled exists

    # Scenario 3, 6
    KmsMasterKeyId not exists
    SqsManagedSseEnabled == true
}

rule check_kms_valid(sqs_queue) {
```

```
    # Scenario 2
    KmsMasterKeyId exists

    # Scenario 4, 5
    check_is_string_and_not_empty(KmsMasterKeyId) or
    check_local_references(%INPUT_DOCUMENT, KmsMasterKeyId, "AWS::KMS::Key") or
    check_local_references(%INPUT_DOCUMENT, KmsMasterKeyId, "AWS::KMS::Alias")

    # Scenario 5
    SqsManagedSseEnabled not exists or
    SqsManagedSseEnabled == false
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        "Fn::GetAtt" {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
```

```
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.SQS.PR.2 contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  KMSKey:
    Type: AWS::KMS::Key
    Properties:
      KeyPolicy:
        Version: 2012-10-17
        Id: key-default-1
        Statement:
        - Sid: Enable IAM User Permissions
          Effect: Allow
          Principal:
            AWS: '*'
          Action: 'kms:*'
          Resource: '*'
  SQSQueue:
    Type: AWS::SQS::Queue
    Properties:
      KmsMasterKeyId:
        Ref: KMSKey
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  SQSQueue:
    Type: AWS::SQS::Queue
    Properties: {}
```

AWS Step Functions kontrol

Topik

- [CT.STEPFUNCTIONS.PR.1] Memerlukan mesin status agar logging diaktifkan AWS Step Functions
- [CT.STEPFUNCTIONS.PR.2] Memerlukan mesin status agar penelusuran diaktifkan AWS Step FunctionsAWS X-Ray

[CT.STEPFUNCTIONS.PR.1] Memerlukan mesin status agar logging diaktifkan AWS Step Functions

Kontrol ini memeriksa apakah mesin AWS Step Functions status telah mengaktifkan logging.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::StepFunctions::StateMachine`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.STEPFUNCTIONS.PR.1

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.STEPFUNCTIONS.PR.1
- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.STEPFUNCTIONS.PR.1 contoh templat

Penjelasan

Mendefinisikan konfigurasi logging untuk mesin status Anda memungkinkan Anda melacak riwayat dan hasil eksekusi mereka. Konfigurasi ini memungkinkan Anda melacak peristiwa gagal yang terjadi pada mesin status, dan wawasan tentang kesalahan ini dapat membantu Anda saat Anda memecahkan masalah.

Remediasi untuk kegagalan aturan

Masuk`LoggingConfiguration`, setel `Level` ke `ERROR` atau`ALL`, dan atur `Destinations` ke daftar dengan satu atau beberapa ARN grup CloudWatch log Amazon Logs yang valid.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Step Functions Mesin Negara - Contoh

AWS Step Functions mesin status dikonfigurasi untuk mengirim log ke Amazon CloudWatch Logs. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "StateMachine": {
        "Type": "AWS::StepFunctions::StateMachine",
        "Properties": {
            "StateMachineType": "STANDARD",
            "DefinitionString": "{\"StartAt\": \"Sample\",\"States\":
 {\"Sample\": {\"Type\": \"Task\", \"Resource\":\"arn:aws:lambda:us-
east-1:111122223333:function:SampleFunction\", \"End\": true}}}",
            "RoleArn": {
                "Fn::GetAtt": [
                    "StepFunctionExecutionRole",
                    "Arn"
                ]
            },
            "LoggingConfiguration": {
                "Level": "ALL",
                "Destinations": [
                    {
                        "CloudWatchLogsLogGroup": {
                            "LogGroupArn": {
                                "Fn::GetAtt": [
                                    "LogGroup",
                                    "Arn"
                                ]
```

```
                                }
                            }
                        }
                    ]
                }
            }
        }
}
```

Contoh YAMB

```
StateMachine:
  Type: AWS::StepFunctions::StateMachine
  Properties:
    StateMachineType: STANDARD
    DefinitionString: '{"StartAt": "Sample","States": {"Sample": {"Type": "Task",
      "Resource":"arn:aws:lambda:us-east-1:111122223333:function:SampleFunction",
      "End": true}}}'
    RoleArn: !GetAtt 'StepFunctionExecutionRole.Arn'
    LoggingConfiguration:
      Level: ALL
      Destinations:
        - CloudWatchLogsLogGroup:
            LogGroupArn: !GetAtt 'LogGroup.Arn'
```

Spesifikasi aturan CT.STEPFUNCTIONS.PR.1

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   step_functions_state_machine_logging_enabled_check
#
# Description:
#   This control checks whether an AWS Step Functions state machine has logging
 enabled.
#
```

```
# Reports on:
#   AWS::StepFunctions::StateMachine
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any StepFunctions state machine
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
#       And: 'LoggingConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
#       And: 'LoggingConfiguration' has been provided
#       And: In 'LoggingConfiguration', 'Level' has not been provided or provided and
 set to a value other than
#            'ERROR' or 'ALL'
#       And: In 'LoggingConfiguration', 'Destinations' has not been provided or
 provided as an empty list or list
#            containing empty strings or non-valid local references
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
#       And: 'LoggingConfiguration' has been provided
#       And: In 'LoggingConfiguration', 'Level' has not been provided or provided and
 set to a value other than
#            'ERROR' or 'ALL'
#       And: In 'LoggingConfiguration', 'Destinations' has not been provided or
 provided as an empty list or list
```

```
#            containing empty strings or non-valid local references
#      Then: FAIL
#   Scenario: 5
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
#       And: 'LoggingConfiguration' has been provided
#       And: In 'LoggingConfiguration', 'Level' has not been provided or provided and
 set to a value other than
#            'ERROR' or 'ALL'
#       And: In 'LoggingConfiguration', 'Destinations' has been provided as a list
 containing non-empty strings or
#            valid local references
#      Then: FAIL
#   Scenario: 6
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
#       And: 'LoggingConfiguration' has been provided
#       And: In 'LoggingConfiguration', 'Level' has been provided and set to 'ERROR' or
 'ALL'
#       And: In 'LoggingConfiguration', 'Destinations' has been provided as a list
 containing non-empty strings or
#            valid local references
#      Then: PASS

#
# Constants
#
let STEP_FUNCTIONS_STATE_MACHINE_TYPE = "AWS::StepFunctions::StateMachine"
let ALLOWED_LOGGING_LEVELS = [ "ERROR", "ALL" ]
let INPUT_DOCUMENT = this

#
# Assignments
#
let step_functions_state_machines = Resources.*[ Type ==
 %STEP_FUNCTIONS_STATE_MACHINE_TYPE ]

#
# Primary Rules
#
rule step_functions_state_machine_logging_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)
```

```
 %step_functions_state_machines not empty {
    check(%step_functions_state_machines.Properties)
        <<
        [CT.STEPFUNCTIONS.PR.1]: Require an AWS Step Functions state machine to have
 logging activated
        [FIX]: In 'LoggingConfiguration', set 'Level' to 'ERROR' or 'ALL', and set
 'Destinations' to a list with one or more valid Amazon CloudWatch Logs log group ARNs.
        >>
}

rule step_functions_state_machine_logging_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %STEP_FUNCTIONS_STATE_MACHINE_TYPE) {
    check(%INPUT_DOCUMENT.%STEP_FUNCTIONS_STATE_MACHINE_TYPE.resourceProperties)
        <<
        [CT.STEPFUNCTIONS.PR.1]: Require an AWS Step Functions state machine to have
 logging activated
        [FIX]: In 'LoggingConfiguration', set 'Level' to 'ERROR' or 'ALL', and set
 'Destinations' to a list with one or more valid Amazon CloudWatch Logs log group ARNs.
        >>
}

rule check(step_functions_state_machine) {
    %step_functions_state_machine {
        # Scenario 2
        LoggingConfiguration exists
        LoggingConfiguration is_struct

        LoggingConfiguration {
            # Scenarios 3, 4, 5 and 6
            Level exists
            Level in %ALLOWED_LOGGING_LEVELS

            Destinations exists
            Destinations is_list
            Destinations not empty

            Destinations[*] {
                CloudWatchLogsLogGroup exists
                CloudWatchLogsLogGroup is_struct

                CloudWatchLogsLogGroup {
                    LogGroupArn exists
```

```
                    check_is_string_and_not_empty(LogGroupArn) or
                    check_local_references(%INPUT_DOCUMENT, LogGroupArn,
 "AWS::Logs::LogGroup")
                }
            }
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}

rule check_is_string_and_not_empty(value) {
    %value {
        this is_string
        this != /\A\s*\z/
    }
}

rule check_local_references(doc, reference_properties, referenced_resource_type) {
    %reference_properties {
        'Fn::GetAtt' {
            query_for_resource(%doc, this[0], %referenced_resource_type)
                <<Local Stack reference was invalid>>
        } or Ref {
            query_for_resource(%doc, this, %referenced_resource_type)
                <<Local Stack reference was invalid>>
        }
    }
}

rule query_for_resource(doc, resource_key, referenced_resource_type) {
    let referenced_resource = %doc.Resources[ keys == %resource_key ]
```

```
    %referenced_resource not empty
    %referenced_resource {
        Type == %referenced_resource_type
    }
}
```

CT.STEPFUNCTIONS.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  StepFunctionExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - states.amazonaws.com
          Action:
          - sts:AssumeRole
          Condition:
            ArnLike:
              aws:SourceArn:
                Fn::Sub: arn:${AWS::Partition}:states:${AWS::Region}:
${AWS::AccountId}:*
            StringEquals:
              aws:SourceAccount:
                Ref: AWS::AccountId
      Path: /
      Policies:
      - PolicyName: StepFunctionLoggingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
```

```
          - Effect: Allow
            Action:
            - logs:CreateLogDelivery
            - logs:GetLogDelivery
            - logs:UpdateLogDelivery
            - logs:DeleteLogDelivery
            - logs:ListLogDeliveries
            - logs:PutLogEvents
            - logs:PutResourcePolicy
            - logs:DescribeResourcePolicies
            - logs:DescribeLogGroups
            Resource: '*'
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties: {}
  StateMachine:
    Type: AWS::StepFunctions::StateMachine
    Properties:
      StateMachineType: STANDARD
      DefinitionString: '{"StartAt": "Example","States": {"Example": {"Type": "Task",
 "Resource":"arn:aws:lambda:us-east-1:111122223333:function:ExampleFunction",
        "End": true}}}'
      RoleArn:
        Fn::GetAtt:
        - StepFunctionExecutionRole
        - Arn
      LoggingConfiguration:
        Level: ALL
        Destinations:
        - CloudWatchLogsLogGroup:
            LogGroupArn:
              Fn::GetAtt:
              - LogGroup
              - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  StepFunctionExecutionRole:
```

```
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - states.amazonaws.com
          Action:
          - sts:AssumeRole
          Condition:
            ArnLike:
              aws:SourceArn:
                Fn::Sub: arn:${AWS::Partition}:states:${AWS::Region}:
${AWS::AccountId}:*
            StringEquals:
              aws:SourceAccount:
                Ref: AWS::AccountId
      Path: /
      Policies:
      - PolicyName: StepFunctionLoggingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogDelivery
            - logs:GetLogDelivery
            - logs:UpdateLogDelivery
            - logs:DeleteLogDelivery
            - logs:ListLogDeliveries
            - logs:PutLogEvents
            - logs:PutResourcePolicy
            - logs:DescribeResourcePolicies
            - logs:DescribeLogGroups
            Resource: '*'
  StateMachine:
    Type: AWS::StepFunctions::StateMachine
    Properties:
      StateMachineType: STANDARD
      DefinitionString: '{"StartAt": "Example","States": {"Example": {"Type": "Task",
 "Resource":"arn:aws:lambda:us-east-1:111122223333:function:ExampleFunction",
        "End": true}}}'
```

```
      RoleArn:
        Fn::GetAtt:
        - StepFunctionExecutionRole
        - Arn
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  StepFunctionExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - states.amazonaws.com
          Action:
          - sts:AssumeRole
          Condition:
            ArnLike:
              aws:SourceArn:
                Fn::Sub: arn:${AWS::Partition}:states:${AWS::Region}:
${AWS::AccountId}:*
            StringEquals:
              aws:SourceAccount:
                Ref: AWS::AccountId
      Path: /
      Policies:
      - PolicyName: StepFunctionLoggingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogDelivery
            - logs:GetLogDelivery
            - logs:UpdateLogDelivery
```

```
            - logs:DeleteLogDelivery
            - logs:ListLogDeliveries
            - logs:PutLogEvents
            - logs:PutResourcePolicy
            - logs:DescribeResourcePolicies
            - logs:DescribeLogGroups
            Resource: '*'
  StateMachine:
    Type: AWS::StepFunctions::StateMachine
    Properties:
      StateMachineType: STANDARD
      DefinitionString: '{"StartAt": "Example","States": {"Example": {"Type": "Task",
"Resource":"arn:aws:lambda:us-east-1:111122223333:function:ExampleFunction",
        "End": true}}}'
      RoleArn:
        Fn::GetAtt:
        - StepFunctionExecutionRole
        - Arn
      LoggingConfiguration:
        Level: 'OFF'
```

[CT.STEPFUNCTIONS.PR.2] Memerlukan mesin status agar penelusuran diaktifkan AWS Step FunctionsAWS X-Ray

Kontrol ini memeriksa apakah mesin AWS Step Functions status telah mengaktifkan AWS X-Ray penelusuran.

- Tujuan kontrol: Menetapkan pencatatan dan pemantauan
- Implementasi: aturan AWS CloudFormation penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::StepFunctions::StateMachine`
- AWS CloudFormation aturan penjaga: Spesifikasi aturan CT.STEPFUNCTIONS.PR.2

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: Spesifikasi aturan CT.STEPFUNCTIONS.PR.2

- Untuk contoh CloudFormation template PASS dan FAIL yang terkait dengan kontrol ini, lihat: Templat contoh CT.STEPFUNCTIONS.PR.2

Penjelasan

Konfigurasi penelusuran memungkinkan mesin status Anda mengirim data penelusuran AWS X-Ray, sehingga Anda dapat memvisualisasikan komponen mesin status Anda, mengidentifikasi kemacetan kinerja, dan memecahkan masalah permintaan yang mengakibatkan kesalahan.

Remediasi untuk kegagalan aturan

Di `TracingConfiguration` properti, tetapkan nilai `Enabled` ke true.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS Step Functions Mesin Negara - Contoh

Mesin AWS Step Functions status dikonfigurasi untuk mengirim data jejak ke AWS X-Ray. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "StateMachine": {
        "Type": "AWS::StepFunctions::StateMachine",
        "Properties": {
            "StateMachineType": "STANDARD",
            "DefinitionString": "{\"StartAt\": \"Sample\",\"States\":
 {\"Sample\": {\"Type\": \"Task\", \"Resource\":\"arn:aws:lambda:us-
east-1:111122223333:function:SampleFunction\", \"End\": true}}}",
            "RoleArn": {
                "Fn::GetAtt": [
                    "StepFunctionExecutionRole",
                    "Arn"
                ]
            },
            "LoggingConfiguration": {
                "Level": "ALL",
                "Destinations": [
                    {
                        "CloudWatchLogsLogGroup": {
                            "LogGroupArn": {
```

```
                                "Fn::GetAtt": [
                                    "LogGroup",
                                    "Arn"
                                ]
                            }
                        }
                    }
                ]
            },
            "TracingConfiguration": {
                "Enabled": true
            }
        }
    }
}
```

Contoh YAMB

```
StateMachine:
  Type: AWS::StepFunctions::StateMachine
  Properties:
    StateMachineType: STANDARD
    DefinitionString: '{"StartAt": "Sample","States": {"Sample": {"Type": "Task",
      "Resource":"arn:aws:lambda:us-east-1:111122223333:function:SampleFunction",
      "End": true}}}'
    RoleArn: !GetAtt 'StepFunctionExecutionRole.Arn'
    LoggingConfiguration:
      Level: ALL
      Destinations:
        - CloudWatchLogsLogGroup:
            LogGroupArn: !GetAtt 'LogGroup.Arn'
    TracingConfiguration:
      Enabled: true
```

Spesifikasi aturan CT.STEPFUNCTIONS.PR.2

```
# ####################################
##       Rule Specification        ##
```

```
####################################
#
# Rule Identifier:
#   step_functions_state_machine_tracing_enabled_check
#
# Description:
#   This control checks whether an AWS Step Functions state machine has AWS X-Ray
 tracing enabled.
#
# Reports on:
#   AWS::StepFunctions::StateMachine
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any StepFunctions state machine
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
#       And: 'TracingConfiguration' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
#       And: 'TracingConfiguration' has been provided
#       And: In 'TracingConfiguration', 'Enabled' has not been provided or provided and
 set to a value other
#            than bool(true)
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a StepFunctions state machine resource
```

```
#       And: 'TracingConfiguration' has been provided
#       And: In 'TracingConfiguration', 'Enabled' has been provided and set to
 bool(true)
#      Then: PASS

#
# Constants
#
let STEP_FUNCTIONS_STATE_MACHINE_TYPE = "AWS::StepFunctions::StateMachine"
let INPUT_DOCUMENT = this

#
# Assignments
#
let step_functions_state_machines = Resources.*[ Type ==
 %STEP_FUNCTIONS_STATE_MACHINE_TYPE ]

#
# Primary Rules
#
rule step_functions_state_machine_tracing_enabled_check when
 is_cfn_template(%INPUT_DOCUMENT)

 %step_functions_state_machines not empty {
    check(%step_functions_state_machines.Properties)
        <<
        [CT.STEPFUNCTIONS.PR.2]: Require an AWS Step Functions state machine to have
 AWS X-Ray tracing activated
        [FIX]: In the 'TracingConfiguration' property, set the value of 'Enabled' to
 true.
        >>
}

rule step_functions_state_machine_tracing_enabled_check when
 is_cfn_hook(%INPUT_DOCUMENT, %STEP_FUNCTIONS_STATE_MACHINE_TYPE) {
    check(%INPUT_DOCUMENT.%STEP_FUNCTIONS_STATE_MACHINE_TYPE.resourceProperties)
        <<
        [CT.STEPFUNCTIONS.PR.2]: Require an AWS Step Functions state machine to have
 AWS X-Ray tracing activated
        [FIX]: In the 'TracingConfiguration' property, set the value of 'Enabled' to
 true.
        >>
}
```

```
rule check(step_functions_state_machine) {
    %step_functions_state_machine {
        # Scenario 2
        TracingConfiguration exists
        TracingConfiguration is_struct

        TracingConfiguration {
            # Scenarios 3 and 4
            Enabled exists
            Enabled == true
        }
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists  or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

Templat contoh CT.STEPFUNCTIONS.PR.2

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  StepFunctionExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
```

```
        Statement:
        - Effect: Allow
          Principal:
            Service:
            - states.amazonaws.com
          Action:
          - sts:AssumeRole
          Condition:
            ArnLike:
              aws:SourceArn:
                Fn::Sub: arn:${AWS::Partition}:states:${AWS::Region}:
${AWS::AccountId}:*
            StringEquals:
              aws:SourceAccount:
                Ref: AWS::AccountId
      Path: /
      Policies:
      - PolicyName: StepFunctionLoggingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogDelivery
            - logs:GetLogDelivery
            - logs:UpdateLogDelivery
            - logs:DeleteLogDelivery
            - logs:ListLogDeliveries
            - logs:PutLogEvents
            - logs:PutResourcePolicy
            - logs:DescribeResourcePolicies
            - logs:DescribeLogGroups
            Resource: '*'
      - PolicyName: StepFunctionTracingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - xray:PutTraceSegments
            - xray:PutTelemetryRecords
            - xray:GetSamplingRules
            - xray:GetSamplingTargets
            Resource: '*'
```

```
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties: {}
  StateMachine:
    Type: AWS::StepFunctions::StateMachine
    Properties:
      StateMachineName:
        Fn::Sub: Example-StateMachine-${AWS::StackName}
      StateMachineType: STANDARD
      DefinitionString: '{"StartAt": "Example","States": {"Example": {"Type": "Task",
 "Resource":"arn:aws:lambda:us-east-1:111122223333:function:ExampleFunction",
        "End": true}}}'
      RoleArn:
        Fn::GetAtt:
        - StepFunctionExecutionRole
        - Arn
      LoggingConfiguration:
        Level: ALL
        Destinations:
        - CloudWatchLogsLogGroup:
            LogGroupArn:
              Fn::GetAtt:
              - LogGroup
              - Arn
      TracingConfiguration:
        Enabled: true
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  StepFunctionExecutionRole:
    Type: AWS::IAM::Role
    Properties:
      AssumeRolePolicyDocument:
        Version: '2012-10-17'
        Statement:
        - Effect: Allow
          Principal:
            Service:
```

```
            - states.amazonaws.com
          Action:
          - sts:AssumeRole
          Condition:
            ArnLike:
              aws:SourceArn:
                Fn::Sub: arn:${AWS::Partition}:states:${AWS::Region}:
${AWS::AccountId}:*
            StringEquals:
              aws:SourceAccount:
                Ref: AWS::AccountId
      Path: /
      Policies:
      - PolicyName: StepFunctionLoggingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - logs:CreateLogDelivery
            - logs:GetLogDelivery
            - logs:UpdateLogDelivery
            - logs:DeleteLogDelivery
            - logs:ListLogDeliveries
            - logs:PutLogEvents
            - logs:PutResourcePolicy
            - logs:DescribeResourcePolicies
            - logs:DescribeLogGroups
            Resource: '*'
      - PolicyName: StepFunctionTracingPolicy
        PolicyDocument:
          Version: '2012-10-17'
          Statement:
          - Effect: Allow
            Action:
            - xray:PutTraceSegments
            - xray:PutTelemetryRecords
            - xray:GetSamplingRules
            - xray:GetSamplingTargets
            Resource: '*'
  LogGroup:
    Type: AWS::Logs::LogGroup
    Properties: {}
  StateMachine:
```

```
    Type: AWS::StepFunctions::StateMachine
    Properties:
      StateMachineName:
        Fn::Sub: Example-StateMachine-${AWS::StackName}
      StateMachineType: STANDARD
      DefinitionString: '{"StartAt": "Example","States": {"Example": {"Type": "Task",
 "Resource":"arn:aws:lambda:us-east-1:111122223333:function:ExampleFunction",
        "End": true}}}'
      RoleArn:
        Fn::GetAtt:
        - StepFunctionExecutionRole
        - Arn
      LoggingConfiguration:
        Level: ALL
        Destinations:
        - CloudWatchLogsLogGroup:
            LogGroupArn:
              Fn::GetAtt:
              - LogGroup
              - Arn
      TracingConfiguration:
        Enabled: false
```

AWS WAF kontrol regional

Topik

- [CT.WAF-REGIONAL.PR.1] Mengharuskan aturan AWS WAF regional apa pun untuk memiliki kondisi
- [CT.WAF-REGIONAL.PR.2] Memerlukan daftar kontrol akses web AWS WAF regional (ACL) untuk memiliki aturan atau grup aturan

[CT.WAF-REGIONAL.PR.1] Mengharuskan aturan AWS WAF regional apa pun untuk memiliki kondisi

Kontrol ini memeriksa apakah AWS WAF Classic Regional aturan berisi kondisi apa pun.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga

- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::WAFRegional::Rule`
- AWS CloudFormation aturan penjaga: CT.WAF-REGIONAL.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.WAF-REGIONAL.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.WAF-REGIONAL.PR.1contoh template

Penjelasan

Aturan regional AWS WAF (firewall aplikasi web) dapat berisi beberapa kondisi. Kondisi hitungan aturan memungkinkan untuk inspeksi lalu lintas, berdasarkan tindakan yang ditentukan, seperti`allow`,`block`, atau`count`. Tanpa kondisi apa pun, lalu lintas berlalu tanpa inspeksi. Aturan AWS WAF Regional tanpa syarat, tetapi dengan nama atau tag yang menunjukkan`allow`,, atau `blockcount`, dapat menyebabkan asumsi yang tidak akurat bahwa salah satu tindakan tersebut terjadi.

Remediasi untuk kegagalan aturan

Berikan satu atau lebih ketentuan AWS WAF aturan di dalam `Predicates` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS WAF Classic Regional Aturan - Contoh

AWS WAF Classic Regional aturan dikonfigurasi dengan predikat kecocokan IP. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "WafRegionalRule": {
        "Type": "AWS::WAFRegional::Rule",
        "Properties": {
            "Name": "SampleRule",
            "MetricName": "SampleRuleMetric",
```

```
            "Predicates": [
                {
                    "DataId": {
                        "Ref": "IPSet"
                    },
                    "Negated": false,
                    "Type": "IPMatch"
                }
            ]
        }
    }
}
```

Contoh YAMB

```
WafRegionalRule:
  Type: AWS::WAFRegional::Rule
  Properties:
    Name: SampleRule
    MetricName: SampleRuleMetric
    Predicates:
      - DataId: !Ref 'IPSet'
        Negated: false
        Type: IPMatch
```

CT.WAF-REGIONAL.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   waf_regional_rule_not_empty_check
#
# Description:
#   This control checks whether a AWS WAF Classic Regional rule contains any
 conditions.
#
```

```
# Reports on:
#   AWS::WAFRegional::Rule
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS WAF Classic Regional rule
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic Regional resource
#       And: 'Predicates' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic Regional rule resource
#       And: 'Predicates' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic Regional rule resource
#       And: 'Predicates' has been provided as a non-empty list
#      Then: PASS

#
# Constants
#
let WAF_REGIONAL_RULE_TYPE = "AWS::WAFRegional::Rule"
let INPUT_DOCUMENT = this

#
# Assignments
#
```

```
let waf_regional_rules = Resources.*[ Type == %WAF_REGIONAL_RULE_TYPE ]

#
# Primary Rules
#
rule waf_regional_rule_not_empty_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %waf_regional_rules not empty {
    check(%waf_regional_rules.Properties)
        <<
        [CT.WAF-REGIONAL.PR.1]: Require any AWS WAF regional rule to have a condition
        [FIX]: Provide one or more AWS WAF rule conditions within the 'Predicates'
 property.
        >>
}

rule waf_regional_rule_not_empty_check when is_cfn_hook(%INPUT_DOCUMENT,
 %WAF_REGIONAL_RULE_TYPE) {
    check(%INPUT_DOCUMENT.%WAF_REGIONAL_RULE_TYPE.resourceProperties)
        <<
        [CT.WAF-REGIONAL.PR.1]: Require any AWS WAF regional rule to have a condition
        [FIX]: Provide one or more AWS WAF rule conditions within the 'Predicates'
 property.
        >>
}

#
# Parameterized Rules
#
rule check(waf_regional_rule) {
    %waf_regional_rule {
        # Scenario 2, 3 and 4
        Predicates exists
        Predicates is_list
        Predicates not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
```

```
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.WAF-REGIONAL.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IPSetDenylist:
    Type: AWS::WAFRegional::IPSet
    Properties:
      Name: IPSet for deny listed IP addresses
      IPSetDescriptors:
      - Type: IPV4
        Value: 192.0.2.44/32
  WafRegionalRule:
    Type: AWS::WAFRegional::Rule
    Properties:
      Name: ExampleRule
      MetricName: ExampleRuleMetric
      Predicates:
      - DataId:
          Ref: IPSetDenylist
        Negated: false
        Type: "IPMatch"
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  WafRegionalRule:
    Type: AWS::WAFRegional::Rule
    Properties:
      Name: ExampleRule
      MetricName: ExampleRuleMetric
```

[CT.WAF-REGIONAL.PR.2] Memerlukan daftar kontrol akses web AWS WAF regional (ACL) untuk memiliki aturan atau grup aturan

Kontrol ini memeriksa apakah ACL AWS WAF Classic Regional web berisi aturan WAF atau grup aturan.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::WAFRegional::WebACL`
- AWS CloudFormation aturan penjaga: CT.WAF-REGIONAL.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.WAF-REGIONAL.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.WAF-REGIONAL.PR.2contoh template

Penjelasan

Daftar kontrol akses web AWS WAF regional (ACL) dapat berisi kumpulan aturan dan kelompok aturan yang memeriksa dan mengontrol permintaan web. Jika ACL web kosong, lalu lintas web dapat lewat tanpa terdeteksi atau ditindaklanjuti oleh WAF, tergantung pada tindakan default.

Remediasi untuk kegagalan aturan

Berikan satu atau lebih AWS WAF aturan di dalam `Rules` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS WAF Classic Regional web ACL - Contoh

AWS WAF Classic Regional web ACL dikonfigurasi dengan aturan untuk memblokir permintaan berdasarkan kecocokan set IP. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "WafRegionalWebAcl": {
        "Type": "AWS::WAFRegional::WebACL",
        "Properties": {
            "Name": "SampleWebACL",
            "DefaultAction": {
                "Type": "ALLOW"
            },
            "MetricName": "SampleWebACLMetric",
            "Rules": [
                {
                    "Action": {
                        "Type": "BLOCK"
                    },
                    "Priority": 1,
                    "RuleId": {
                        "Ref": "IPSetRule"
                    }
                }
            ]
        }
    }
}
```

Contoh YAMB

```
WafRegionalWebAcl:
  Type: AWS::WAFRegional::WebACL
  Properties:
    Name: SampleWebACL
    DefaultAction:
      Type: ALLOW
    MetricName: SampleWebACLMetric
```

```
    Rules:
      - Action:
          Type: BLOCK
        Priority: 1
        RuleId: !Ref 'IPSetRule'
```

CT.WAF-REGIONAL.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   waf_regional_webacl_not_empty_check
#
# Description:
#   This control checks whether an AWS WAF Classic Regional web ACL contains any WAF
 rules or rule groups.
#
# Reports on:
#   AWS::WAFRegional::WebACL
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any WAF Classic Regional web ACL
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic Regional web ACL resource
#       And: 'Rules' has not been provided
```

```
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic Regional web ACL resource
#       And: 'Rules' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic Regional web ACL resource
#       And: 'Rules' has been provided as a non-empty list
#      Then: PASS

#
# Constants
#
let WAF_REGIONAL_WEB_ACL_TYPE = "AWS::WAFRegional::WebACL"
let INPUT_DOCUMENT = this

#
# Assignments
#
let waf_regional_web_acls = Resources.*[ Type == %WAF_REGIONAL_WEB_ACL_TYPE ]

#
# Primary Rules
#
rule waf_regional_webacl_not_empty_check when is_cfn_template(%INPUT_DOCUMENT)
                                              %waf_regional_web_acls not empty {
    check(%waf_regional_web_acls.Properties)
        <<
        [CT.WAF-REGIONAL.PR.2]: Require any AWS WAF regional web access control list
 (ACL) to have a rule or rule group
        [FIX]: Provide one or more AWS WAF rules within the 'Rules' property.
        >>
}

rule waf_regional_webacl_not_empty_check when is_cfn_hook(%INPUT_DOCUMENT,
 %WAF_REGIONAL_WEB_ACL_TYPE) {
    check(%INPUT_DOCUMENT.%WAF_REGIONAL_WEB_ACL_TYPE.resourceProperties)
        <<
        [CT.WAF-REGIONAL.PR.2]: Require any AWS WAF regional web access control list
 (ACL) to have a rule or rule group
```

```
        [FIX]: Provide one or more AWS WAF rules within the 'Rules' property.
        >>
}

#
# Parameterized Rules
#
rule check(waf_regional_web_acl) {
    %waf_regional_web_acl {
        # Scenario 2, 3 and 4
        Rules exists
        Rules is_list
        Rules not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.WAF-REGIONAL.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IPSetDenylist:
    Type: "AWS::WAFRegional::IPSet"
```

```
    Properties:
      Name: "IPSet for deny listed IP addresses"
      IPSetDescriptors:
      - Type: "IPV4"
        Value: "192.0.2.44/32"
  IPSetRule:
    Type: AWS::WAFRegional::Rule
    Properties:
      Name: ExampleIPSetRule
      MetricName: ExampleIPSetRuleMetric
      Predicates:
      - DataId:
          Ref: IPSetDenylist
        Negated: false
        Type: IPMatch
  WafRegionalWebAcl:
    Type: AWS::WAFRegional::WebACL
    Properties:
      Name: ExampleWebACL
      DefaultAction:
        Type: ALLOW
      MetricName: ExampleWebACLMetric
      Rules:
      - Action:
          Type: BLOCK
        Priority: 1
        RuleId:
          Ref: IPSetRule
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  WafRegionalWebAcl:
    Type: AWS::WAFRegional::WebACL
    Properties:
      Name: ExampleWebACL
      DefaultAction:
        Type: ALLOW
      MetricName: ExampleWebACLMetric
```

AWS WAF kontrol

Topik

- [CT.WAF.PR.1] Memerlukan aturan AWS WAF global apa pun untuk memiliki kondisi
- [CT.WAF.PR.2] Memerlukan ACL web AWS WAF global apa pun untuk memiliki aturan atau grup aturan

[CT.WAF.PR.1] Memerlukan aturan AWS WAF global apa pun untuk memiliki kondisi

Kontrol ini memeriksa apakah aturan AWS WAF Classic global berisi kondisi apa pun.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::WAF::Rule`
- AWS CloudFormation aturan penjaga: CT.WAF.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.WAF.PR.1spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.WAF.PR.1 contoh templat

Penjelasan

Aturan global WAF dapat berisi beberapa kondisi. Ketentuan aturan memungkinkan inspeksi lalu lintas dan mengambil tindakan yang ditentukan (izinkan, blokir, atau hitung). Tanpa kondisi apa pun, lalu lintas berlalu tanpa inspeksi. Aturan global WAF tanpa kondisi, tetapi dengan nama atau tag yang menyarankan izinkan, blokir, atau hitung, dapat menyebabkan asumsi yang salah bahwa salah satu tindakan tersebut terjadi.

Remediasi untuk kegagalan aturan

Berikan satu atau lebih ketentuan AWS WAF aturan di dalam `Predicates` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS WAF Classic Aturan Global - Contoh

AWS WAF Classic aturan global dikonfigurasi dengan predikat kecocokan IP. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "WAFRule": {
        "Type": "AWS::WAF::Rule",
        "Properties": {
            "Name": "SampleWAFRule",
            "MetricName": "SampleWAFRuleMetric",
            "Predicates": [
                {
                    "DataId": {
                        "Ref": "IPSet"
                    },
                    "Negated": false,
                    "Type": "IPMatch"
                }
            ]
        }
    }
}
```

Contoh YAMB

```
WAFRule:
  Type: AWS::WAF::Rule
  Properties:
    Name: SampleWAFRule
    MetricName: SampleWAFRuleMetric
    Predicates:
```

```
      - DataId: !Ref 'IPSet'
        Negated: false
        Type: IPMatch
```

CT.WAF.PR.1spesifikasi aturan

```
# ##################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   waf_global_rule_not_empty_check
#
# Description:
#   This control checks whether an AWS WAF Classic global rule contains any conditions.
#
# Reports on:
#   AWS::WAF::Rule
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation Hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any WAF Classic global rule resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a WAF Classic global rule resource
#       And: 'Predicates' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
```

```
#       And: The input document contains a WAF Classic global rule resource
#       And: 'Predicates' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains a WAF Classic global rule resource
#       And: 'Predicates' has been provided as a non-empty list
#      Then: PASS

#
# Constants
#
let WAF_GLOBAL_RULE_TYPE = "AWS::WAF::Rule"
let INPUT_DOCUMENT = this

#
# Assignments
#
let waf_global_rules = Resources.*[ Type == %WAF_GLOBAL_RULE_TYPE ]

#
# Primary Rules
#
rule waf_global_rule_not_empty_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %waf_global_rules not empty {
    check(%waf_global_rules.Properties)
        <<
        [CT.WAF.PR.1]: Require any AWS WAF global rule to have a condition
        [FIX]: Provide one or more AWS WAF rule conditions within the 'Predicates'
 property.
        >>
}

rule waf_global_rule_not_empty_check when is_cfn_hook(%INPUT_DOCUMENT,
 %WAF_GLOBAL_RULE_TYPE) {
    check(%INPUT_DOCUMENT.%WAF_GLOBAL_RULE_TYPE.resourceProperties)
        <<
        [CT.WAF.PR.1]: Require any AWS WAF global rule to have a condition
        [FIX]: Provide one or more AWS WAF rule conditions within the 'Predicates'
 property.
        >>
}
```

```
#
# Parameterized Rules
#
rule check(waf_global_rule) {
    %waf_global_rule {
        # Scenario 2, 3 and 4
        Predicates exists
        Predicates is_list
        Predicates not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.WAF.PR.1 contoh templat

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IPSetDenylist:
    Type: AWS::WAF::IPSet
    Properties:
      Name: IPSet for deny listed IP addresses
      IPSetDescriptors:
      - Type: IPV4
```

```
        Value: 192.0.2.44/32
  WafGlobalRule:
    Type: AWS::WAF::Rule
    Properties:
      Name: ExampleWAFRule
      MetricName: ExampleWAFRuleMetric
      Predicates:
      - DataId:
          Ref: IPSetDenylist
        Negated: false
        Type: "IPMatch"
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  WafGlobalRule:
    Type: AWS::WAF::Rule
    Properties:
      Name: ExampleWAFRule
      MetricName: ExampleWAFRuleMetric
```

[CT.WAF.PR.2] Memerlukan ACL web AWS WAF global apa pun untuk memiliki aturan atau grup aturan

Kontrol ini memeriksa apakah ACL web AWS WAF Classic global berisi aturan WAF atau grup aturan.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::WAF::WebACL`
- AWS CloudFormation aturan penjaga: CT.WAF.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.WAF.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.WAF.PR.2contoh template

Penjelasan

ACL web global WAF dapat berisi kumpulan aturan dan kelompok aturan yang memeriksa dan mengontrol permintaan web. Jika ACL web kosong, lalu lintas web dapat lewat tanpa terdeteksi atau ditindaklanjuti oleh WAF tergantung pada tindakan default.

Remediasi untuk kegagalan aturan

Berikan satu atau lebih AWS WAF aturan di dalam `Rules` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS WAF Classic Global Web ACL - Contoh

AWS WAF Classic ACL web global dikonfigurasi dengan aturan untuk memblokir permintaan berdasarkan kecocokan set IP. Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "WafGlobalWebAcl": {
        "Type": "AWS::WAF::WebACL",
        "Properties": {
            "Name": "SampleWebACL",
            "DefaultAction": {
                "Type": "ALLOW"
            },
            "MetricName": "SampleWebACLMetric",
            "Rules": [
                {
                    "Action": {
                        "Type": "BLOCK"
                    },
                    "Priority": 1,
                    "RuleId": {
                        "Ref": "IPSetRule"
```

```
                    }
                }
            ]
        }
    }
}
```

Contoh YAMB

```
WafGlobalWebAcl:
  Type: AWS::WAF::WebACL
  Properties:
    Name: SampleWebACL
    DefaultAction:
      Type: ALLOW
    MetricName: SampleWebACLMetric
    Rules:
      - Action:
          Type: BLOCK
        Priority: 1
        RuleId: !Ref 'IPSetRule'
```

CT.WAF.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
#####################################
#
# Rule Identifier:
#   waf_global_webacl_not_empty_check
#
# Description:
#   This control checks whether an AWS WAF Classic global web ACL contains any WAF
 rules or rule groups.
#
# Reports on:
#   AWS::WAF::WebACL
#
```

```
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS WAF Classic global web ACL
 resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic global web ACL resource
#       And: 'Rules' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic global web ACL resource
#       And: 'Rules' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAF Classic global web ACL resource
#       And: 'Rules' has been provided as a non-empty list
#      Then: PASS

#
# Constants
#
let WAF_GLOBAL_WEB_ACL_TYPE = "AWS::WAF::WebACL"
let INPUT_DOCUMENT = this

#
# Assignments
#
let waf_global_web_acls = Resources.*[ Type == %WAF_GLOBAL_WEB_ACL_TYPE ]

#
```

```
# Primary Rules
#
rule waf_global_webacl_not_empty_check when is_cfn_template(%INPUT_DOCUMENT)
                                            %waf_global_web_acls not empty {
    check(%waf_global_web_acls.Properties)
        <<
        [CT.WAF.PR.2]: Require any AWS WAF global web ACL to have a rule or rule group
        [FIX]: Provide one or more AWS WAF rules within the 'Rules' property.
        >>
}

rule waf_global_webacl_not_empty_check when is_cfn_hook(%INPUT_DOCUMENT,
 %WAF_GLOBAL_WEB_ACL_TYPE) {
    check(%INPUT_DOCUMENT.%WAF_GLOBAL_WEB_ACL_TYPE.resourceProperties)
        <<
        [CT.WAF.PR.2]: Require any AWS WAF global web ACL to have a rule or rule group
        [FIX]: Provide one or more AWS WAF rules within the 'Rules' property.
        >>
}

#
# Parameterized Rules
#
rule check(waf_global_web_acl) {
    %waf_global_web_acl {
        # Scenario 2, 3 and 4
        Rules exists
        Rules is_list
        Rules not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
```

```
}
```

CT.WAF.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  IPSetDenylist:
    Type: "AWS::WAF::IPSet"
    Properties:
      Name: "IPSet for deny listed IP addresses"
      IPSetDescriptors:
      - Type: "IPV4"
        Value: "192.0.2.44/32"
  IPSetRule:
    Type: AWS::WAF::Rule
    Properties:
      Name: ExampleIPSetRule
      MetricName: ExampleIPSetRuleMetric
      Predicates:
      - DataId:
          Ref: IPSetDenylist
        Negated: false
        Type: IPMatch
  WafGlobalWebAcl:
    Type: AWS::WAF::WebACL
    Properties:
      Name: ExampleWebACL
      DefaultAction:
        Type: ALLOW
      MetricName: ExampleWebACLMetric
      Rules:
      - Action:
          Type: BLOCK
        Priority: 1
        RuleId:
          Ref: IPSetRule
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  WafGlobalWebAcl:
    Type: AWS::WAF::WebACL
    Properties:
      Name: ExampleWebACL
      DefaultAction:
        Type: ALLOW
      MetricName: ExampleWebACLMetric
```

AWS WAFV2 kontrol

Topik

- [CT.WAFV2.PR.1] Memerlukan ACL AWS WAFV2 web agar tidak kosong
- [CT.WAFV2.PR.2] Memerlukan grup AWS WAFV2 aturan agar tidak kosong

[CT.WAFV2.PR.1] Memerlukan ACL AWS WAFV2 web agar tidak kosong

Kontrol ini memeriksa apakah ACL AWS WAFV2 web berisi aturan WAF atau grup aturan WAF.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::WAFv2::WebACL`
- AWS CloudFormation aturan penjaga: CT.WAFV2.PR.1spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.WAFV2.PR.1spesifikasi aturan

- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.WAFV2.PR.1contoh template

Penjelasan

Daftar kontrol akses web (ACL) yang dilampirkan ke WAFv2 dapat berisi kumpulan aturan dan grup aturan. Aturan dirancang untuk memeriksa dan mengontrol permintaan web. Jika ACL web kosong, lalu lintas web berlalu tanpa terdeteksi atau ditindaklanjuti oleh firewall aplikasi web (WAF).

Remediasi untuk kegagalan aturan

Berikan satu atau lebih AWS WAFV2 aturan di dalam `Rules` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS WAFV2 web ACL - Contoh

AWS WAFV2 web ACL dikonfigurasi dengan aturan untuk memblokir permintaan berdasarkan pernyataan kecocokan skrip lintas situs (XSS). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "WAFv2WebACL": {
        "Type": "AWS::WAFv2::WebACL",
        "Properties": {
            "Scope": "REGIONAL",
            "Description": "Sample WebACL",
            "DefaultAction": {
                "Allow": {}
            },
            "VisibilityConfig": {
                "SampledRequestsEnabled": true,
                "CloudWatchMetricsEnabled": true,
                "MetricName": "SampleWebACLMetric"
            },
            "Rules": [
                {
                    "Name": "SampleXssRule",
                    "Priority": 0,
                    "Action": {
```

```
                        "Block": {}
                    },
                    "VisibilityConfig": {
                        "SampledRequestsEnabled": true,
                        "CloudWatchMetricsEnabled": true,
                        "MetricName": "SampleXssMatchMetric"
                    },
                    "Statement": {
                        "XssMatchStatement": {
                            "FieldToMatch": {
                                "AllQueryArguments": {}
                            },
                            "TextTransformations": [
                                {
                                    "Priority": 1,
                                    "Type": "NONE"
                                }
                            ]
                        }
                    }
                }
            ]
        }
    }
}
```

Contoh YAMB

```
WAFv2WebACL:
  Type: AWS::WAFv2::WebACL
  Properties:
    Scope: REGIONAL
    Description: Sample WebACL
    DefaultAction:
      Allow: {}
    VisibilityConfig:
      SampledRequestsEnabled: true
      CloudWatchMetricsEnabled: true
      MetricName: SampleWebACLMetric
    Rules:
      - Name: SampleXssRule
```

```
        Priority: 0
        Action:
          Block: {}
        VisibilityConfig:
          SampledRequestsEnabled: true
          CloudWatchMetricsEnabled: true
          MetricName: SampleXssMatchMetric
        Statement:
          XssMatchStatement:
            FieldToMatch:
              AllQueryArguments: {}
            TextTransformations:
              - Priority: 1
                Type: NONE
```

CT.WAFV2.PR.1spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   wafv2_webacl_not_empty_check
#
# Description:
#   This control checks whether an AWS WAFV2 web ACL contains any WAF rules or WAF rule
 groups.
#
# Reports on:
#   AWS::WAFv2::WebACL
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
```

```
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any WAFv2 web ACL resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an WAFv2 web ACL resource
#       And: 'Rules' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an WAFv2 web ACL resource
#       And: 'Rules' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an WAFv2 web ACL resource
#       And: 'Rules' has been provided as a non-empty list
#      Then: PASS

#
# Constants
#
let WAFV2_WEB_ACL_TYPE = "AWS::WAFv2::WebACL"
let INPUT_DOCUMENT = this

#
# Assignments
#
let wafv2_web_acls = Resources.*[ Type == %WAFV2_WEB_ACL_TYPE ]

#
# Primary Rules
#
rule wafv2_webacl_not_empty_check when is_cfn_template(%INPUT_DOCUMENT)
                                       %wafv2_web_acls not empty {
    check(%wafv2_web_acls.Properties)
        <<
        [CT.WAFV2.PR.1]: Require an AWS WAFV2 web ACL to be non-empty
        [FIX]: Provide one or more AWS WAFv2 rules within the 'Rules' property.
        >>
```

```
}

rule wafv2_webacl_not_empty_check when is_cfn_hook(%INPUT_DOCUMENT,
 %WAFV2_WEB_ACL_TYPE) {
    check(%INPUT_DOCUMENT.%WAFV2_WEB_ACL_TYPE.resourceProperties)
        <<
        [CT.WAFV2.PR.1]: Require an AWS WAFV2 web ACL to be non-empty
        [FIX]: Provide one or more AWS WAFv2 rules within the 'Rules' property.
        >>
}

#
# Parameterized Rules
#
rule check(wafv2_web_acl) {
    %wafv2_web_acl {
        # Scenario 2, 3 and 4
        Rules exists
        Rules is_list
        Rules not empty
    }
}

#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.WAFV2.PR.1contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  WAFv2WebACL:
    Type: AWS::WAFv2::WebACL
    Properties:
      Scope: REGIONAL
      Description: Example WebACL
      DefaultAction:
        Allow: {}
      VisibilityConfig:
        SampledRequestsEnabled: true
        CloudWatchMetricsEnabled: true
        MetricName: ExampleWebACLMetric
      Rules:
      - Name: ExampleXssRule
        Priority: 0
        Action:
          Block: {}
        VisibilityConfig:
          SampledRequestsEnabled: true
          CloudWatchMetricsEnabled: true
          MetricName: ExampleXssMatchMetric
        Statement:
          XssMatchStatement:
            FieldToMatch:
              AllQueryArguments: {}
            TextTransformations:
            - Priority: 1
              Type: NONE
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  WAFv2WebACL:
    Type: AWS::WAFv2::WebACL
    Properties:
      Scope: REGIONAL
```

```
      Description: Example WebACL
      DefaultAction:
        Allow: {}
      VisibilityConfig:
        SampledRequestsEnabled: true
        CloudWatchMetricsEnabled: true
        MetricName: ExampleWebACLMetric
```

[CT.WAFV2.PR.2] Memerlukan grup AWS WAFV2 aturan agar tidak kosong

Kontrol ini memeriksa apakah grup AWS WAFV2 aturan berisi aturan.

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Aturan AWS CloudFormation Penjaga
- Kontrol perilaku: Proaktif
- Jenis sumber daya: `AWS::WAFv2::RuleGroup`
- AWS CloudFormation aturan penjaga: CT.WAFV2.PR.2spesifikasi aturan

Detail dan contoh

- Untuk detail tentang perilaku PASS, FAIL, dan SKIP yang terkait dengan kontrol ini, lihat: CT.WAFV2.PR.2spesifikasi aturan
- Untuk contoh CloudFormation Template PASS dan FAIL yang terkait dengan kontrol ini, lihat: CT.WAFV2.PR.2contoh template

Penjelasan

Grup AWS WAFV2 aturan dapat berisi beberapa aturan. Aturan dirancang untuk memeriksa dan mengontrol permintaan web. Ketika grup AWS WAFV2 aturan kosong dikaitkan dengan ACL web, dan ACL web tidak terkait dengan aturan atau grup aturan lain, lalu lintas web berlalu tanpa terdeteksi atau ditindaklanjuti oleh firewall aplikasi web (WAF).

Remediasi untuk kegagalan aturan

Berikan satu atau lebih AWS WAFV2 aturan di dalam `Rules` properti.

Contoh berikut menunjukkan bagaimana menerapkan remediasi ini.

AWS WAFV2 Grup Aturan - Contoh

AWS WAFV2 grup aturan dikonfigurasi dengan aturan untuk memblokir permintaan berdasarkan pernyataan kecocokan skrip lintas situs (XSS). Contoh ini ditunjukkan di JSON dan di YAMAL.

Contoh JSON

```
{
    "WAFv2RuleGroup": {
        "Type": "AWS::WAFv2::RuleGroup",
        "Properties": {
            "Scope": "REGIONAL",
            "Description": "Sample Rule Group",
            "VisibilityConfig": {
                "SampledRequestsEnabled": true,
                "CloudWatchMetricsEnabled": true,
                "MetricName": "SampleRuleGroupMetric"
            },
            "Capacity": 1000,
            "Rules": [
                {
                    "Name": "XssRule",
                    "Priority": 0,
                    "Action": {
                        "Block": {}
                    },
                    "VisibilityConfig": {
                        "SampledRequestsEnabled": true,
                        "CloudWatchMetricsEnabled": true,
                        "MetricName": "SampleXssMatchMetric"
                    },
                    "Statement": {
                        "XssMatchStatement": {
                            "FieldToMatch": {
                                "AllQueryArguments": {}
                            },
                            "TextTransformations": [
                                {
                                    "Priority": 1,
                                    "Type": "NONE"
                                }
                            ]
                        }
```

```
                    }
                }
            ]
        }
    }
}
```

Contoh YAMB

```
WAFv2RuleGroup:
  Type: AWS::WAFv2::RuleGroup
  Properties:
    Scope: REGIONAL
    Description: Sample Rule Group
    VisibilityConfig:
      SampledRequestsEnabled: true
      CloudWatchMetricsEnabled: true
      MetricName: SampleRuleGroupMetric
    Capacity: 1000
    Rules:
      - Name: XssRule
        Priority: 0
        Action:
          Block: {}
        VisibilityConfig:
          SampledRequestsEnabled: true
          CloudWatchMetricsEnabled: true
          MetricName: SampleXssMatchMetric
        Statement:
          XssMatchStatement:
            FieldToMatch:
              AllQueryArguments: {}
            TextTransformations:
              - Priority: 1
                Type: NONE
```

CT.WAFV2.PR.2spesifikasi aturan

```
# ####################################
##       Rule Specification        ##
####################################
#
# Rule Identifier:
#   wafv2_rulegroup_not_empty_check
#
# Description:
#   This control checks whether AWS WAFV2 rule groups contain rules.
#
# Reports on:
#   AWS::WAFv2::RuleGroup
#
# Evaluates:
# AWS CloudFormation, AWS CloudFormation hook
#
# Rule Parameters:
#   None
#
# Scenarios:
#   Scenario: 1
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document does not contain any AWS WAFV2 rule group resources
#      Then: SKIP
#   Scenario: 2
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAFV2 rule group resource
#       And: 'Rules' has not been provided
#      Then: FAIL
#   Scenario: 3
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAFV2 rule group resource
#       And: 'Rules' has been provided as an empty list
#      Then: FAIL
#   Scenario: 4
#     Given: The input document is an AWS CloudFormation or AWS CloudFormation hook
 document
#       And: The input document contains an AWS WAFV2 rule group resource
#       And: 'Rules' has been provided as a non-empty list
#      Then: PASS
```

```
#
# Constants
#
let WAFV2_RULE_GROUP_TYPE = "AWS::WAFv2::RuleGroup"
let INPUT_DOCUMENT = this

#
# Assignments
#
let wafv2_rule_groups = Resources.*[ Type == %WAFV2_RULE_GROUP_TYPE ]

#
# Primary Rules
#
rule wafv2_rulegroup_not_empty_check when is_cfn_template(%INPUT_DOCUMENT)
                                          %wafv2_rule_groups not empty {
    check(%wafv2_rule_groups.Properties)
        <<
        [CT.WAFV2.PR.2]: Require an AWS WAFV2 rule group to be non-empty
        [FIX]: Provide one or more AWS WAFV2 rules within the 'Rules' property.
        >>
}

rule wafv2_rulegroup_not_empty_check when is_cfn_hook(%INPUT_DOCUMENT,
 %WAFV2_RULE_GROUP_TYPE) {
    check(%INPUT_DOCUMENT.%WAFV2_RULE_GROUP_TYPE.resourceProperties)
        <<
        [CT.WAFV2.PR.2]: Require an AWS WAFV2 rule group to be non-empty
        [FIX]: Provide one or more AWS WAFV2 rules within the 'Rules' property.
        >>
}

#
# Parameterized Rules
#
rule check(wafv2_rule_group) {
    %wafv2_rule_group {
        # Scenario 2, 3 and 4
        Rules exists
        Rules is_list
        Rules not empty
    }
}
```

```
#
# Utility Rules
#
rule is_cfn_template(doc) {
    %doc {
        AWSTemplateFormatVersion exists or
        Resources exists
    }
}

rule is_cfn_hook(doc, RESOURCE_TYPE) {
    %doc.%RESOURCE_TYPE.resourceProperties exists
}
```

CT.WAFV2.PR.2contoh template

Anda dapat melihat contoh artefak pengujian PASS dan FAIL untuk kontrol proaktif AWS Control Tower.

Contoh PASS - Gunakan template ini untuk memverifikasi pembuatan sumber daya yang sesuai.

```
Resources:
  WAFv2RuleGroup:
    Type: AWS::WAFv2::RuleGroup
    Properties:
      Scope: REGIONAL
      Description: Example Rule Group
      VisibilityConfig:
        SampledRequestsEnabled: true
        CloudWatchMetricsEnabled: true
        MetricName: SampleRuleGroupMetrics
      Capacity: 1000
      Rules:
      - Name: TestXssRule
        Priority: 0
        Action:
          Block: {}
        VisibilityConfig:
          SampledRequestsEnabled: true
          CloudWatchMetricsEnabled: true
```

```
          MetricName: ExampleXssMatchMetric
        Statement:
          XssMatchStatement:
            FieldToMatch:
              AllQueryArguments: {}
            TextTransformations:
            - Priority: 1
              Type: NONE
```

Contoh GAGAL - Gunakan templat ini untuk memverifikasi bahwa kontrol mencegah pembuatan sumber daya yang tidak sesuai.

```
Resources:
  WAFv2RuleGroup:
    Type: AWS::WAFv2::RuleGroup
    Properties:
      Scope: REGIONAL
      Description: Example Rule Group
      VisibilityConfig:
        SampledRequestsEnabled: true
        CloudWatchMetricsEnabled: true
        MetricName: ExampleRuleGroupMetric
      Capacity: 1000
      Rules: []
```

Standar Security Hub

AWS Control Tower terintegrasi dengan AWS Security Hub untuk menyediakan kontrol detektif yang membantu Anda memantau AWS lingkungan. Integrasi ini dilakukan dengan standar Security Hub, yang disebut Service-Managed Standard: AWS Control Tower.

Standar yang Dikelola Layanan: AWS Control Tower mendukung subset kontrol dalam standar Praktik Terbaik Keamanan AWS Dasar (FSBP). Untuk mempelajari lebih lanjut tentang standar ini dan untuk melihat kontrol yang tersedia, lihat Standar yang Dikelola Layanan: AWS Control Tower. Untuk informasi lebih umum tentang standar Security Hub, lihat Standar dan kontrol keamanan di Security Hub, di Panduan Pengguna AWS Security Hub.

Standar ini hanya tersedia untuk pelanggan AWS Control Tower yang telah membuat standar di konsol AWS Control Tower. AWS Control Tower menciptakan standar untuk Anda saat Anda mengaktifkan kontrol Security Hub pertama di konsol AWS Control Tower. Saat Anda mengaktifkan kontrol pertama, jika Anda belum mengaktifkan Security Hub, AWS Control Tower juga mengaktifkan Security Hub untuk Anda.

Setelah membuat standar ini, Anda dapat melihat kontrol detektif Security Hub bersama kontrol AWS Control Tower lainnya, di konsol AWS Control Tower dan di Security Hub.

Kontrol perilaku

- Tidak ada kontrol yang diaktifkan secara otomatis saat Anda membuat standar ini di AWS Control Tower.
- Kontrol Security Hub hanya aktif pada level OU, tidak untuk semua AWS Control Tower OU (jika tidak diaktifkan untuk semua), dan tidak untuk akun individual.
- Saat Security Hub menambahkan kontrol baru, kontrol baru tidak ditambahkan ke Standar yang Dikelola Layanan Security Hub: AWS Control Tower secara otomatis.

Mengaktifkan atau menghapus kontrol untuk Standar yang Dikelola Layanan

Untuk menghindari penyimpangan, selalu aktifkan dan hapus kontrol untuk Standar yang Dikelola Layanan melalui layanan AWS Control Tower, baik di konsol atau dengan memanggil AWS Control Tower API, dan. `EnableControl` `DisableControl` Saat Anda mengubah status pengaktifan kontrol di AWS Control Tower, perubahan tersebut juga tercermin di Security Hub.

> **Note**
>
> Jika Anda menonaktifkan kontrol Standar yang Dikelola Layanan melalui konsol Security Hub, akun anggota AWS Control Tower akan memasuki state of control drift. Dalam situasi ini, AWS Control Tower tidak menerima temuan Security Hub untuk kontrol yang Anda nonaktifkan. Anda harus menyelesaikan penyimpangan ini sebelum AWS Control Tower berhasil menerapkan kontrol ke unit organisasi dan akun anggota terdaftar Anda.

Anda dapat menghapus standar ini di konsol AWS Control Tower dengan menonaktifkan semua kontrol dalam standar. Ini menghapus standar untuk semua akun terkelola dan Wilayah yang diatur di AWS Control Tower. Menghapus standar tidak menonaktifkan Security Hub untuk akun Anda.

> **Kontrol usang**
>
> Kontrol bernama [SH.S3.4] S3 bucket harus mengaktifkan enkripsi sisi server tidak digunakan lagi, efektif 18 Juli 2023. Itu dihapus dari perpustakaan kontrol pada 18 Agustus 2023. Untuk informasi selengkapnya, lihat AWS Control Tower menghentikan dua kontrol.

Skor dan temuan Security Hub

Berdasarkan status kontrol, Security Hub menghitung skor keamanan untuk Service-Managed Standard: AWS Control Tower. Skor keamanan dan temuan kontrol ini hanya tersedia di Security Hub. Item ini tidak tersedia di AWS Control Tower.

> **Note**
>
> Saat Anda membuat Service-Managed Standard: AWS Control Tower dan mengaktifkan kontrol untuknya, Security Hub mungkin memerlukan waktu hingga 18 jam untuk menghasilkan temuan untuk kontrol yang menggunakan aturan AWS Config terkait layanan dasar yang sama dengan kontrol dari standar Security Hub lainnya yang diaktifkan. Untuk informasi selengkapnya, lihat Menjadwalkan untuk menjalankan pemeriksaan keamanan di Panduan Pengguna AWS Security Hub.

Security Hub mengontrol pelaporan drift

Saat melaporkan penyimpangan untuk kontrol yang merupakan bagian dari Standar yang AWS Security Hub Dikelola Layanan, AWS Control Tower menerima pembaruan status harian dari Security Hub. Jika tidak ada pembaruan yang diterima, AWS Control Tower memverifikasi apakah drift telah terjadi. Jika demikian, AWS Control Tower melaporkan drift. Jika kontrol menunjukkan drift, AWS Control Tower mengirimkan notifikasi Amazon SNS ke saluran AWS Control `security-aggregate-notification` Tower. Anda harus berlangganan notifikasi SNS ini untuk menerima informasi tentang akun spesifik mana yang terpengaruh oleh drift kontrol Security Hub. Untuk informasi selengkapnya tentang drift kontrol Security Hub di AWS Control Tower, lihatDrift kontrol Security Hub.

Meskipun kontrol aktif di setiap Wilayah yang diatur, AWS Control Tower mengirimkan peristiwa AWS Security Hub Finding ke Wilayah home AWS Control Tower saja.

Remediasi penyimpangan

Saat drift dilaporkan, Anda dapat memperbaiki situasi dengan memilih Registrasi ulang OU di halaman Organizations di konsol AWS Control Tower, atau dengan menonaktifkan dan mengaktifkan kembali kontrol yang berada dalam keadaan hanyut, baik melalui konsol, atau melalui AWS Control Tower API.

> **Note**
>
> Anda dapat mengaktifkan dan mengelola beberapa kontrol Security Hub dari AWS Control Tower, dengan Security Hub Service-managed Standard: AWS Control Tower.

Wilayah yang Tidak Didukung

Penting untuk diketahui bahwa beberapa kontrol Security Hub tidak beroperasi di Wilayah AWS tempat tertentu di mana AWS Control Tower tersedia, karena Wilayah tersebut tidak mendukung fungsionalitas dasar yang diperlukan. Akibatnya, saat Anda menerapkan kontrol Security Hub melalui AWS Control Tower, kontrol tersebut mungkin tidak beroperasi di semua Wilayah yang Anda atur dengan AWS Control Tower. Untuk informasi selengkapnya tentang kontrol Security Hub yang tidak dapat digunakan di Wilayah tertentu, lihat dokumentasi referensi Security Hub mengontrol.

AWS Wilayah berikut tidak mendukung kontrol yang merupakan bagian dari Standar yang dikelola Layanan Security Hub: AWS Control Tower

- Wilayah Asia Pasifik (Hong Kong), ap-timur-1
- Wilayah Asia Pasifik (Jakarta), ap-tenggara - 3
- Wilayah Asia Pasifik (Osaka), ap-timur laut-3
- Wilayah Eropa (Milan), eu-selatan-1
- Wilayah Afrika (Cape Town), af-selatan-1
- Wilayah Timur Tengah (Bahrain), saya-selatan-1
- Israel (Tel Aviv), di pusat-1
- Wilayah Timur Tengah (UEA), saya-sentral-1
- Wilayah Eropa (Spanyol), eu-selatan-2
- Wilayah Asia Pasifik (Hyderabad), ap-selatan-2
- Wilayah Eropa (Zurich), eu-central-2
- Wilayah Asia Pasifik (Melbourne) ap-tenggara - 4

Anda dapat melihat Wilayah untuk setiap kontrol di konsol AWS Control Tower.

Standar AWS Security Hub yang Dikelola Layanan Tertentu: Kontrol AWS Control Tower memiliki Wilayah yang spesifik dan tidak didukung

- Sh.documentDB.3 —eu-utara-1 kita-barat-1
- Sh.DynamoDB.3 —ap-timur laut-2, ca-pusat-1, eu-utara-1
- SH.EC2.23 —ap-selatan-1
- SH.EKS.1 —us-barat-1
- SH. ElastiCache.3 —ap-timur laut-2, ap-selatan-1, ca-tengah-1, eu-utara-1, eu-barat-2, eu-barat-3, us-timur-1
- SH. ElastiCache.4 —ap-timur laut-2, ap-selatan-1, ca-tengah-1, eu-utara-1, eu-barat-2, eu-barat-3, us-timur-1
- SH. ElastiCache.5 —ap-timur laut-2, ap-selatan-1, ca-tengah-1, eu-utara-1, eu-barat-2, eu-barat-3, us-timur-1
- SH. ElastiCache.6 —ap-timur laut-2, ap-selatan-1, ca-tengah-1, eu-utara-1, eu-barat-2, eu-barat-3, us-timur-1
- SH.RDS.12 —sa-timur-1
- SH.RDS.15 —sa-timur-1

Kontrol yang meningkatkan perlindungan kedaulatan digital

Kedaulatan digital berarti kontrol atas aset digital. AWS Control Tower menawarkan sekelompok kontrol yang dirancang untuk meningkatkan postur tata kelola kedaulatan digital Anda. Pilar postur ini adalah sebagai berikut:

- Residensi data: Kontrol atas lokasi data Anda.

  Untuk informasi selengkapnya, lihat Kontrol yang meningkatkan perlindungan residensi data.
- Akses terperinci: Pembatasan akses yang membatasi semua akses ke data Anda, kecuali akses tersebut diminta oleh Anda, atau oleh mitra yang Anda percayai.

  Untuk informasi selengkapnya, lihat Wilayah menolak kontrol diterapkan pada OU.
- Enkripsi: Fitur dan kontrol yang membantu Anda mengenkripsi data, baik dalam perjalanan, saat istirahat, atau dalam memori.

Misalnya, lihat kontrol CT.APPSYNC.PR.5: Memerlukan cache AWS AppSync GraphQL API agar enkripsi diaktifkan saat istirahat.

- Ketahanan: Kemampuan untuk mempertahankan operasi melalui gangguan atau pemutusan, yang penting dalam kasus peristiwa seperti gangguan rantai pasokan, gangguan jaringan, dan bencana alam.

  Misalnya, lihat kontrol CT.NETWORK-FIREWALL.PR.5: Memerlukan firewall AWS Network Firewall untuk diterapkan di beberapa Availability Zone.

Anda dapat membaca lebih lanjut tentang kedaulatan digital dan AWS di blog: Ikrar Kedaulatan AWS Digital: Kontrol tanpa kompromi.

Kontrol preventif yang membantu kedaulatan digital

Kontrol pencegahan ini dirancang untuk membantu Anda dengan postur tata kelola kedaulatan digital Anda.

Kelompok kontrol ini membantu Anda mematuhi persyaratan peraturan kedaulatan digital karena mereka mencegah tindakan, menegakkan konfigurasi, dan mendeteksi perubahan sumber daya yang memengaruhi residensi data, pembatasan akses terperinci, enkripsi, dan kemampuan ketahanan.

Ini adalah kontrol opsional dengan panduan Pencegahan, diimplementasikan dengan kebijakan kontrol AWS layanan (SCP). Mereka tidak digunakan pada OU apa pun secara default. Anda dapat mengaktifkannya melalui konsol AWS Control Tower, atau melalui AWS Control Tower API

Di konsol AWS Control Tower, Anda dapat melihat kontrol ini bersama-sama di bawah tab Grup di halaman Kategori.

Topik

- CT.APPSYNC.PV.1: Mengharuskan AWS AppSync GraphQL API dikonfigurasi dengan visibilitas pribadi
- CT.EC2.PV.1: Memerlukan snapshot Amazon EBS dibuat dari volume EC2 terenkripsi
- CT.EC2.PV.2: Mengharuskan volume Amazon EBS terlampir dikonfigurasi untuk mengenkripsi data saat istirahat
- CT.EC2.PV.3: Mengharuskan snapshot Amazon EBS tidak dapat dipulihkan secara publik
- CT.EC2.PV.4: Mengharuskan API langsung Amazon EBS tidak dipanggil
- CT.EC2.PV.5: Larang penggunaan impor dan ekspor Amazon EC2 VM

- CT.EC2.PV.6: Larang penggunaan tindakan Amazon EC2 dan API yang tidak digunakan lagi RequestSpotFleet RequestSpotInstances
- CT.KMS.PV.1: Memerlukan kebijakan AWS KMS kunci untuk memiliki pernyataan yang membatasi pembuatan AWS KMS hibah untuk layanan AWS
- CT.KMS.PV.2: Mengharuskan kunci AWS KMS asimetris dengan bahan kunci RSA yang digunakan untuk enkripsi tidak memiliki panjang kunci 2048 bit
- CT.KMS.PV.3: Mengharuskan AWS KMS kunci dikonfigurasi dengan pemeriksaan keamanan penguncian kebijakan bypass diaktifkan
- CT.KMS.PV.4: Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi utama yang berasal dari AWS CloudHSM
- CT.KMS.PV.5: Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi kunci yang diimpor
- CT.KMS.PV.6: Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi kunci yang berasal dari penyimpanan kunci eksternal (XKS)
- CT.LAMBDA.PV.1: Memerlukan URL AWS Lambda fungsi untuk menggunakan otentikasi AWS berbasis IAM
- CT.LAMBDA.PV.2: Memerlukan URL AWS Lambda fungsi untuk dikonfigurasi untuk akses hanya oleh prinsipal di dalam Akun AWS

CT.APPSYNC.PV.1: Mengharuskan AWS AppSync GraphQL API dikonfigurasi dengan visibilitas pribadi

Kontrol ini melarang pembuatan AppSync API AWS publik dengan mengharuskan API dikonfigurasi dengan visibilitas pribadi. Konfigurasi ini memastikan bahwa API hanya dapat diakses dari VPC.

Layanan:AWS AppSync

- Tujuan kontrol: Batasi akses jaringan
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

ResourceTypes: `AWS::AppSync::GraphQLApi`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTAPPSYNCPV1",
            "Effect": "Deny",
            "Action": "appsync:CreateGraphqlApi",
            "Resource": "*",
            "Condition": {
                "StringNotEquals": {
                    "appsync:Visibility": "PRIVATE"
                }
            }
        }
    ]
}
```

CT.EC2.PV.1: Memerlukan snapshot Amazon EBS dibuat dari volume EC2 terenkripsi

Kontrol ini melarang pembuatan snapshot baru yang didasarkan pada volume EBS yang tidak terenkripsi.

Kontrol ini tidak mencegah pembuatan snapshot EBS yang tidak terenkripsi yang dibuat melalui operasi ". CopySnapshot AWS Control Tower merekomendasikan untuk mengaktifkan enkripsi EBS secara default untuk memastikan bahwa enkripsi diterapkan pada salinan snapshot yang tidak terenkripsi. Untuk informasi selengkapnya, lihat Skenario enkripsi di Panduan Pengguna Amazon EC2 untuk Instans Linux.

Layanan: Amazon EC2

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

ResourceTypes: `AWS::::Account`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTEC2PV1",
            "Effect": "Deny",
            "Action": [
                "ec2:CreateSnapshot",
                "ec2:CreateSnapshots"
            ],
            "Resource": "arn:*:ec2:*:*:volume/*",
            "Condition": {
                "Bool": {
                    "ec2:Encrypted": "false"
                }
            }
        }
    ]
}
```

CT.EC2.PV.2: Mengharuskan volume Amazon EBS terlampir dikonfigurasi untuk mengenkripsi data saat istirahat

Kontrol ini melarang melampirkan volume EBS yang tidak terenkripsi ke instans EC2 yang berjalan atau dihentikan.

Kontrol ini tidak mencegah penggantian volume root yang didukung EBS untuk instance yang sedang berjalan dengan volume yang tidak terenkripsi, melalui `CreateReplaceRootVolumeTask` CreateReplaceRootVolumeTask operasi., AWS Control Tower merekomendasikan untuk mengaktifkan enkripsi EBS secara default. Untuk informasi tentang enkripsi EBS secara default, lihat Enkripsi secara default di Panduan Pengguna Amazon EC2 untuk Instans Linux.

Layanan: Amazon EC2

- Tujuan kontrol: Enkripsi data saat istirahat
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower

- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::EC2::Volume`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTEC2PV2",
            "Effect": "Deny",
            "Action": "ec2:AttachVolume",
            "Resource": "arn:*:ec2:*:*:volume/*",
            "Condition": {
                "Bool": {
                    "ec2:Encrypted": "false"
                }
            }
        }
    ]
}
```

CT.EC2.PV.3: Mengharuskan snapshot Amazon EBS tidak dapat dipulihkan secara publik

Kontrol ini melarang berbagi snapshot EBS dengan semua akun. AWS

Kontrol ini mencegah snapshot EBS yang tidak terenkripsi dibuat publik, dengan melarang berbagi snapshot EBS dengan semua. Akun AWS Snapshot dan snapshot terenkripsi dengan kode produk AWS Marketplace tidak dapat dipublikasikan. Untuk mencegah berbagi snapshot secara publik, AWS Control Tower merekomendasikan untuk mengaktifkan blokir akses publik untuk snapshot. Untuk informasi selengkapnya, lihat Memblokir akses publik untuk snapshot di Panduan Pengguna Amazon EC2 untuk Instans Linux.

Layanan: Amazon EC2

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower

- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::::Account`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTEC2PV3",
            "Effect": "Deny",
            "Action": "ec2:ModifySnapshotAttribute",
            "Resource": "arn:*:ec2:*::snapshot/*",
            "Condition": {
                "StringEquals": {
                    "ec2:Add/group": "all"
                }
            }
        }
    ]
}
```

CT.EC2.PV.4: Mengharuskan API langsung Amazon EBS tidak dipanggil

Kontrol ini melarang penggunaan semua API langsung EBS, khususnya termasuk, StartSnapshot, PutSnapshotBlockGetSnapshot, dan. CompleteSnapshot

Jangan aktifkan kontrol ini jika Anda menggunakan API langsung EBS, baik secara langsung maupun melalui produk mitra AWS cadangan.

Layanan: Amazon EBS

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::::Account`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTEC2PV4",
            "Effect": "Deny",
            "Action": "ebs:*",
            "Resource": "*"
        }
    ]
}
```

CT.EC2.PV.5: Larang penggunaan impor dan ekspor Amazon EC2 VM

Kontrol ini melarang penggunaan API Impor/Ekspor Amazon EC2 VM yang dapat digunakan untuk mengimpor dan mengekspor data instans, snapshot, gambar, dan volume EC2.

Jika Anda perlu menggunakan fungsi Impor/Ekspor VM, jangan aktifkan kontrol ini. Kontrol ini tidak mencegah pembatalan tugas impor, ekspor, atau konversi VM Impor/Ekspor yang ada.

Layanan: Amazon EC2

- Tujuan kontrol: Menerapkan hak istimewa paling sedikit, Lindungi konfigurasi
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::::Account`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTEC2PV5",
            "Effect": "Deny",
```

```
            "Action": [
                "ec2:CreateInstanceExportTask",
                "ec2:ExportImage",
                "ec2:ImportImage",
                "ec2:ImportSnapshot",
                "ec2:ImportInstance",
                "ec2:ImportVolume"
            ],
            "Resource": "*"
        }
    ]
}
```

CT.EC2.PV.6: Larang penggunaan tindakan Amazon EC2 dan API yang tidak digunakan lagi RequestSpotFleet RequestSpotInstances

Kontrol ini melarang penggunaan Amazon `ec2:RequestSpotFleet` EC2 `ec2:RequestSpotInstances` dan API, karena mereka adalah API lama tanpa investasi yang direncanakan.

Kontrol ini menyangkal `ec2:RequestSpotFleet` dan `ec2:RequestSpotInstances` bertindak untuk semua kepala sekolah IAM. Jika Anda perlu menggunakan tindakan ini, jangan aktifkan kontrol ini. Kontrol ini tidak mencegah pembatalan atau modifikasi armada spot atau permintaan instans spot yang ada.

Layanan: Amazon EC2

- Tujuan kontrol: Menerapkan hak istimewa paling sedikit, Lindungi konfigurasi
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::EC2::SpotFleet`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
```

```
        {
            "Sid": "CTEC2PV6",
            "Effect": "Deny",
            "Action": [
                "ec2:RequestSpotFleet",
                "ec2:RequestSpotInstances"
            ],
            "Resource": "*"
        }
    ]
}
```

CT.KMS.PV.1: Memerlukan kebijakan AWS KMS kunci untuk memiliki pernyataan yang membatasi pembuatan AWS KMS hibah untuk layanan AWS

Kontrol ini mensyaratkan bahwa AWS KMS hibah dikeluarkan hanya untuk Layanan AWS s yang terintegrasi dengan AWS KMS, atau kepada Layanan AWS kepala sekolah.

Kontrol ini melarang pembuatan AWS KMS hibah untuk kunci KMS Anda, ketika permintaan tidak berasal dari Layanan AWS yang terintegrasi dengan AWS KMS, atau dari prinsipal layanan. AWS Jika Anda perlu mengeluarkan AWS KMS hibah langsung ke kepala IAM Anda untuk kunci yang dikelola pelanggan, jangan aktifkan kontrol ini.

Layanan:AWS Key Management Service, (AWS KMS)

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::KMS::Key`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTKMSPV1",
```

```
            "Effect": "Deny",
            "Action": "kms:CreateGrant",
            "Resource": "*",
            "Condition": {
                "BoolIfExists": {
                    "kms:GrantIsForAWSResource": "false",
                    "aws:PrincipalIsAWSService": "false"
                }
            }
        }
    ]
}
```

CT.KMS.PV.2: Mengharuskan kunci AWS KMS asimetris dengan bahan kunci RSA yang digunakan untuk enkripsi tidak memiliki panjang kunci 2048 bit

Kontrol ini melarang pembuatan kunci KMS yang digunakan untuk enkripsi dan dekripsi yang juga memiliki spesifikasi kunci. `RSA_2048` Ini mengharuskan Anda menggunakan `KeySpec` nilai selain `RSA_2048` saat membuat kunci KMS asimetris yang digunakan untuk enkripsi dan dekripsi.

Layanan:AWS Key Management Service (AWS KMS);

- Tujuan kontrol: Enkripsi data saat istirahat, Enkripsi data dalam perjalanan
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::KMS::Key`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTKMSPV2",
            "Effect": "Deny",
            "Action": "kms:CreateKey",
            "Resource": "*",
```

```
            "Condition": {
                "StringEquals": {
                    "kms:KeyUsage": "ENCRYPT_DECRYPT",
                    "kms:KeySpec": "RSA_2048"
                }
            }
        }
    ]
}
```

CT.KMS.PV.3: Mengharuskan AWS KMS kunci dikonfigurasi dengan pemeriksaan keamanan penguncian kebijakan bypass diaktifkan

Kontrol ini melarang melewati pemeriksaan keamanan penguncian kebijakan kunci KMS saat membuat kunci KMS atau memperbarui kebijakan utamanya, karena melewati pemeriksaan ini meningkatkan risiko bahwa kunci KMS menjadi tidak dapat dikelola.

Layanan:AWS Key Management Service (AWS KMS)

- Tujuan kontrol: Menerapkan hak istimewa paling sedikit, Lindungi konfigurasi
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::KMS::Key`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTKMSPV3",
            "Effect": "Deny",
            "Action": [
                "kms:CreateKey",
                "kms:PutKeyPolicy"
            ],
            "Resource": "*",
```

```
            "Condition": {
                "Bool": {
                    "kms:BypassPolicyLockoutSafetyCheck": "true"
                }
            }
        }
    ]
}
```

CT.KMS.PV.4: Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi utama yang berasal dari AWS CloudHSM

Kontrol ini melarang pembuatan kunci KMS yang tidak memiliki asal kunci. `AWS_CLOUDHSM`

Kontrol ini membatasi pembuatan kunci KMS untuk kunci yang menggunakan asal material kunci tertentu. Ini cocok saat menerapkan strategi manajemen kunci KMS yang mengharuskan semua kunci KMS ke toko kunci khusus berdasarkan AWS Cloud HSM. Sebelum menerapkan penggunaan kunci eksklusif yang materi utamanya berada di klaster AWS CloudHSM, evaluasi dengan cermat trade-off yang didokumentasikan di bagian penyimpanan kunci AWS CloudHSM dari Panduan Pengembang AWS KMS.

Layanan:AWS Key Management Service, (AWS KMS)

- Tujuan kontrol: Enkripsi data saat istirahat, Enkripsi data dalam perjalanan
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::KMS::Key`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTKMSPV4",
            "Effect": "Deny",
```

```
            "Action": "kms:CreateKey",
            "Resource": "*",
            "Condition": {
                "StringNotEquals": {
                    "kms:KeyOrigin": "AWS_CLOUDHSM"
                }
            }
        }
    ]
}
```

CT.KMS.PV.5: Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi kunci yang diimpor

Kontrol ini melarang pembuatan kunci KMS yang tidak memiliki asal kunci. `EXTERNAL`

Kontrol ini membatasi pembuatan kunci KMS untuk kunci yang menggunakan asal material kunci tertentu. Sangat cocok ketika menegakkan strategi manajemen kunci KMS yang mengharuskan semua kunci KMS untuk menggunakan bahan kunci impor. Sebelum menerapkan penggunaan kunci eksklusif dengan materi kunci impor, evaluasi dengan cermat trade-off yang didokumentasikan di bagian Importing key material untuk AWS KMS keys dari AWS KMS Developer Guide.”

Layanan:AWS Key Management Service, (AWS KMS)

- Tujuan kontrol: Enkripsi data saat istirahat, Enkripsi data dalam perjalanan
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::KMS::Key`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTKMSPV5",
            "Effect": "Deny",
```

```
            "Action": "kms:CreateKey",
            "Resource": "*",
            "Condition": {
                "StringNotEquals": {
                    "kms:KeyOrigin": "EXTERNAL"
                }
            }
        }
    ]
}}
```

CT.KMS.PV.6: Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi kunci yang berasal dari penyimpanan kunci eksternal (XKS)

Kontrol ini melarang pembuatan kunci KMS yang tidak memiliki asal kunci. `EXTERNAL_KEY_STORE`

Kontrol ini membatasi pembuatan kunci KMS untuk kunci yang menggunakan asal material kunci tertentu. Sangat cocok ketika menegakkan strategi manajemen kunci KMS yang mengharuskan semua kunci KMS ke toko kunci eksternal, toko kunci khusus. Sebelum menerapkan penggunaan eksklusif kunci yang materi utamanya berada di penyimpanan kunci eksternal, evaluasi dengan cermat trade-off yang didokumentasikan di bagian penyimpanan kunci Eksternal dari Panduan Pengembang AWS KMS.

Layanan:AWS Key Management Service, (AWS KMS)

- Tujuan kontrol: Enkripsi data saat istirahat, Enkripsi data dalam perjalanan
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

Jenis sumber daya: `AWS::KMS::Key`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTKMSPVIHNTL",
```

```
            "Effect": "Deny",
            "Action": "kms:CreateKey",
            "Resource": "*",
            "Condition": {
                "StringNotEquals": {
                    "kms:KeyOrigin": "EXTERNAL_KEY_STORE"
                }
            }
        }
    ]
}
```

CT.LAMBDA.PV.1: Memerlukan URL AWS Lambda fungsi untuk menggunakan otentikasi AWS berbasis IAM

Kontrol ini melarang pembuatan dan pembaruan konfigurasi URL fungsi Lambda, itu tidak mencegah penghapusan konfigurasi URL fungsi Lambda.

Layanan:AWS Lambda

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

ResourceTypes: `AWS::Lambda::Url`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTLAMBDAPV1",
            "Effect": "Deny",
            "Action": [
                "lambda:CreateFunctionUrlConfig",
                "lambda:UpdateFunctionUrlConfig"
            ],
```

```
            "Resource": "arn:*:lambda:*:*:function:*",
            "Condition": {
                "StringNotEquals": {
                    "lambda:FunctionUrlAuthType": "AWS_IAM"
                }
            }
        }
    ]
}
```

CT.LAMBDA.PV.2: Memerlukan URL AWS Lambda fungsi untuk dikonfigurasi untuk akses hanya oleh prinsipal di dalam Akun AWS

Kontrol ini memerlukan kebijakan berbasis sumber daya AWS Lambda fungsi untuk hanya memberikan akses ke prinsipal IAM yang berada di Anda. Akun AWS

Kontrol ini membatasi akses lintas akun ke fungsi Lambda dengan membatasi prinsip IAM yang diizinkan dalam kebijakan sumber daya fungsi Lambda ke yang ada di akun yang sama dengan fungsi Lambda.

Layanan:AWS Lambda

- Tujuan kontrol: Menegakkan hak istimewa paling sedikit
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

ResourceTypes: `AWS::Lambda::Url`

Berikut adalah artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTLAMBDAPV2",
            "Effect": "Deny",
            "Action": "lambda:AddPermission",
            "Resource": "arn:*:lambda:*:*:function:*",
```

```
            "Condition": {
                "StringNotLike": {
                    "lambda:Principal": [
                        "arn:aws:iam::${aws:PrincipalAccount}:*",
                        "${aws:PrincipalAccount}"
                    ]
                },
                "ArnNotLike": {
                    "aws:PrincipalArn": "arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Kontrol yang meningkatkan perlindungan residensi data

Kontrol pilihan ini melengkapi postur residensi data perusahaan Anda. Dengan menerapkan kontrol ini bersama-sama, Anda dapat mengatur lingkungan multi-akun untuk membantu mendeteksi dan menghambat pembuatan, pembagian, atau penyalinan data yang disengaja atau tidak disengaja, di luar Wilayah atau Wilayah yang Anda pilih. AWS

Kontrol ini berlaku pada tingkat OU, dan berlaku untuk semua akun anggota dalam OU.

> **Important**
>
> AWS Layanan global tertentu, seperti AWS Identity and Access Management (IAM) dan AWS Organizations, dibebaskan dari kontrol ini. Anda dapat mengidentifikasi layanan yang dikecualikan dengan meninjau Wilayah menolak SCP, yang ditunjukkan dalam kode contoh. Layanan dengan “*” setelah pengenal mereka dikecualikan, karena semua tindakan diizinkan ketika notasi “*” diberikan. SCP ini pada dasarnya berisi daftar tindakan yang diizinkan secara eksplisit, dan semua tindakan lainnya ditolak. Anda tidak dapat menolak akses ke Wilayah asal Anda.

Video: Aktifkan kontrol residensi data

Video ini (5:58) menjelaskan cara mengaktifkan kontrol residensi data dengan kontrol AWS Control Tower. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

> **Note**
>
> AWS Control Tower tidak lagi mendukung pencarian daftar kontrol berdasarkan Kategori, seperti yang ditunjukkan dalam video ini. Untuk mengidentifikasi kontrol Residensi Data dengan mudah, kami sarankan Anda mengurutkan daftar kontrol berdasarkan Tanggal Rilis. Kontrol dengan tanggal rilis 30 November 2021 adalah kontrol yang sama dalam kategori Residensi Data yang ditampilkan dalam video.
> Video ini mencakup istilah pagar pembatas, AWS Control Tower istilah lama yang digunakan untuk kontrol. Kami memperbarui istilah untuk lebih selaras dengan penggunaan industri dan AWS layanan lainnya. Istilah-istilah ini identik untuk tujuan kami.

Panduan Video untuk Mengaktifkan Kontrol Residensi Data di AWS Control Tower.

Topik

- Larang akses internet untuk instans VPC Amazon yang dikelola oleh pelanggan
- Larang koneksi Jaringan Pribadi Virtual Amazon (VPN)
- Larang jaringan lintas wilayah untuk Amazon EC2, CloudFront Amazon AWS , dan Akselerator Global
- Mendeteksi apakah alamat IP publik untuk penskalaan otomatis Amazon EC2 diaktifkan melalui konfigurasi peluncuran
- Mendeteksi apakah instance replikasi untuk AWS Database Migration Service bersifat publik
- Mendeteksi apakah snapshot Amazon EBS dapat dipulihkan oleh semua akun AWS
- Mendeteksi apakah instans Amazon EC2 memiliki alamat IPv4 publik terkait
- Mendeteksi apakah setelan Amazon S3 untuk memblokir akses publik ditetapkan sebagai true untuk akun
- Mendeteksi apakah titik akhir Amazon EKS diblokir dari akses publik
- Mendeteksi apakah domain OpenSearch Layanan Amazon ada di Amazon VPC
- Mendeteksi apakah ada node master cluster EMR Amazon yang memiliki alamat IP publik
- Mendeteksi apakah kebijakan fungsi AWS Lambda yang dilampirkan pada sumber daya Lambda memblokir akses publik
- Mendeteksi apakah ada rute publik di tabel rute untuk Internet Gateway (IGW)
- Mendeteksi apakah klaster Amazon Redshift diblokir dari akses publik
- Mendeteksi apakah instans SageMaker notebook Amazon memungkinkan akses internet langsung

- Mendeteksi apakah ada subnet VPC Amazon yang diberi alamat IP publik
- Mendeteksi apakah dokumen AWS Systems Manager yang dimiliki oleh akun bersifat publik

Larang akses internet untuk instans VPC Amazon yang dikelola oleh pelanggan

Kontrol ini melarang akses internet untuk instans Amazon Virtual Private Cloud (VPC) yang dikelola oleh pelanggan, bukan oleh layanan. AWS

> **Important**
>
> Jika Anda menyediakan akun Account Factory dengan pengaturan akses internet VPC diaktifkan, setelan Account Factory akan menggantikan kontrol ini. Untuk menghindari mengaktifkan akses internet untuk akun yang baru disediakan, Anda harus mengubah pengaturan di Account Factory. Untuk informasi selengkapnya, lihat Panduan: Konfigurasikan AWS Control Tower Tanpa VPC.

- Kontrol ini tidak berlaku untuk VPC yang dikelola oleh AWS layanan.
- VPC yang ada yang memiliki akses internet mempertahankan akses internet mereka. Ini hanya berlaku untuk instance baru. Setelah kontrol ini diterapkan, akses tidak dapat diubah.

Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Artefak untuk kontrol ini adalah kebijakan kontrol layanan (SCP) berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRDISALLOWVPCINTERNETACCESS",
      "Effect": "Deny",
      "Action": [
        "ec2:CreateInternetGateway",
        "ec2:AttachInternetGateway",
        "ec2:CreateEgressOnlyInternetGateway",
        "ec2:AttachEgressOnlyInternetGateway",
        "ec2:CreateDefaultVpc",
        "ec2:CreateDefaultSubnet",
```

```
        "ec2:CreateCarrierGateway"
      ],
      "Resource": [
        "*"
      ],
      "Condition": {
        "ArnNotLike": {
          "aws:PrincipalArn": [
            "arn:aws:iam::*:role/AWSControlTowerExecution"
          ]
        }
      }
    }
  ]
}
```

Larang koneksi Jaringan Pribadi Virtual Amazon (VPN)

Kontrol ini mencegah koneksi Virtual Private Network (VPN) (Site-to-Site VPN dan Client VPN) ke Amazon Virtual Private Cloud (VPC).

> **Note**
>
> VPC yang ada yang memiliki akses internet mempertahankan akses internet mereka.

Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Artefak untuk kontrol ini adalah kebijakan kontrol layanan (SCP) berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRDISALLOWVPNCONNECTIONS",
      "Effect": "Deny",
      "Action": [
        "ec2:CreateVPNGateway",
        "ec2:AttachVPNGateway",
        "ec2:CreateCustomerGateway",
        "ec2:CreateVpnConnection",
```

```
        "ec2:ModifyVpnConnection",
        "ec2:CreateClientVpnEndpoint",
        "ec2:ModifyClientVpnEndpoint",
        "ec2:AssociateClientVpnTargetNetwork",
        "ec2:AuthorizeClientVpnIngress"
      ],
      "Resource": [
        "*"
      ]
    }
  ]
}
```

Larang jaringan lintas wilayah untuk Amazon EC2, CloudFront Amazon AWS , dan Akselerator Global

Kontrol ini mencegah konfigurasi koneksi jaringan lintas wilayah dari Amazon EC2, CloudFront Amazon AWS , dan layanan Global Accelerator. Ini mencegah pengintip VPC dan mengintip gateway transit.

> **Note**
>
> Kontrol ini mencegah peering VPC Amazon EC2 dan gateway transit Amazon EC2 mengintip dalam satu Wilayah, serta lintas Wilayah. Untuk alasan ini, kontrol ini dapat memengaruhi beban kerja tertentu selain postur residensi data Anda.

Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Artefak untuk kontrol ini adalah kebijakan kontrol layanan (SCP) berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRDISALLOWCROSSREGIONNETWORKING",
      "Effect": "Deny",
      "Action": [
        "ec2:CreateVpcPeeringConnection",
        "ec2:AcceptVpcPeeringConnection",
        "ec2:CreateTransitGatewayPeeringAttachment",
```

```
        "ec2:AcceptTransitGatewayPeeringAttachment",
        "cloudfront:CreateDistribution",
        "cloudfront:UpdateDistribution",
        "globalaccelerator:Create*",
        "globalaccelerator:Update*"
      ],
      "Resource": [
        "*"
      ]
    }
  ]
}
```

Mendeteksi apakah alamat IP publik untuk penskalaan otomatis Amazon EC2 diaktifkan melalui konfigurasi peluncuran

Kontrol ini mendeteksi apakah grup Auto Scaling Amazon EC2 mengaktifkan alamat IP publik melalui konfigurasi peluncuran.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika konfigurasi peluncuran untuk grup penskalaan otomatis menetapkan nilai bidang yang ditetapkan sebagai True. **`AssociatePublicIpAddress`**

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether public IP addresses for Amazon
 EC2 Auto Scaling are enabled through launch configurations

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

Resources:
  AutoscalingLaunchConfigPublicIpDisabled:
    Type: AWS::Config::ConfigRule
    Properties:
```

```
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether Amazon EC2 Auto Scaling groups have public IP
 addresses enabled through launch configurations. This rule is NON_COMPLIANT if
 the launch configuration for an Auto Scaling group has the value of the field
 AssociatePublicIpAddress set as True.
      Scope:
        ComplianceResourceTypes:
          - AWS::AutoScaling::LaunchConfiguration
      Source:
        Owner: AWS
        SourceIdentifier: AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED
```

Mendeteksi apakah instance replikasi untuk AWS Database Migration Service bersifat publik

Kontrol ini mendeteksi apakah instance replikasi AWS Database Migration Service bersifat publik.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika nilai **`PubliclyAccessible`** bidang ditetapkan sebagai True.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether replication instances for AWS
 Database Migration Service are public

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
```

```
      - 6hours
      - 12hours
      - 24hours

Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
  DmsReplicationNotPublic:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether AWS Database Migration Service replication instances
 are public. The rule is NON_COMPLIANT if the value of the PubliclyAccessible field is
 set as True.
      Source:
        Owner: AWS
        SourceIdentifier: DMS_REPLICATION_NOT_PUBLIC
      MaximumExecutionFrequency:
        !FindInMap
        - Settings
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Mendeteksi apakah snapshot Amazon EBS dapat dipulihkan oleh semua akun AWS

Kontrol ini mendeteksi apakah semua AWS akun memiliki akses untuk memulihkan snapshot Amazon EBS.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika ada snapshot yang memiliki **`RestorableByUserIds`** bidang yang disetel ke nilai Semua. Dalam hal ini, snapshot Amazon EBS bersifat publik.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether Amazon EBS snapshots are
 restorable by all AWS accounts

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
      - 6hours
      - 12hours
      - 24hours

Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
  EbsSnapshotPublicRestorableCheck:
    Type: AWS::Config::ConfigRule

    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether all AWS accounts have access to restore Amazon EBS
 snapshots. The rule is NON_COMPLIANT if any snapshots have the RestorableByUserIds
 field set to the value All. In that case, the Amazon EBS snapshots are public.
      Source:
        Owner: AWS
        SourceIdentifier: EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK
      MaximumExecutionFrequency:
```

```
        !FindInMap
        - Settings
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Mendeteksi apakah instans Amazon EC2 memiliki alamat IPv4 publik terkait

Kontrol ini mendeteksi apakah instans Amazon Elastic Compute Cloud (Amazon EC2) memiliki alamat IPv4 publik terkait. Kontrol ini hanya berlaku untuk alamat IPv4.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika bidang IP publik ada di item konfigurasi instans Amazon EC2.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether any Amazon EC2 instance has an
 associated public IPv4 address

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

Resources:
  Ec2InstanceNoPublicIp:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether an Amazon Elastic Compute Cloud (Amazon EC2)
 instance has an associated public IPv4 address. The rule is NON_COMPLIANT if the
 public IP field is present in the Amazon EC2 instance configuration item.
      Scope:
        ComplianceResourceTypes:
        - AWS::EC2::Instance
      Source:
        Owner: AWS
```

```
        SourceIdentifier: EC2_INSTANCE_NO_PUBLIC_IP
```

Mendeteksi apakah setelan Amazon S3 untuk memblokir akses publik ditetapkan sebagai true untuk akun

Kontrol ini secara berkala mendeteksi apakah pengaturan Amazon S3 yang diperlukan untuk memblokir akses publik dikonfigurasi sebagai true untuk akun, bukan untuk bucket atau titik akses.

Di konsol:

- Aturan menunjukkan status Non-compliant jika setidaknya salah satu pengaturan salah.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to check whether Amazon S3 settings to block
 public access are set as true for the account.

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
  PublicAccessBlockSetting:
    Type: 'String'
    Default: 'True'
  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
      - 6hours
      - 12hours
      - 24hours

Mappings:
  Settings:
    FrequencyMap:
```

```
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
  CheckForS3PublicAccessBlock:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks the Amazon S3 settings to block public access are set as true
 for the account. The rule is non-compliant if at-least one of the settings is false.
      Source:
        Owner: AWS
        SourceIdentifier: S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC
      Scope:
        ComplianceResourceTypes:
          - AWS::S3::AccountPublicAccessBlock
      InputParameters:
        IgnorePublicAcls: !Ref PublicAccessBlockSetting
        BlockPublicPolicy: !Ref PublicAccessBlockSetting
        BlockPublicAcls: !Ref PublicAccessBlockSetting
        RestrictPublicBuckets: !Ref PublicAccessBlockSetting
      MaximumExecutionFrequency:
        !FindInMap
        - Settings
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Mendeteksi apakah titik akhir Amazon EKS diblokir dari akses publik

Kontrol ini mendeteksi apakah titik akhir Amazon Elastic Kubernetes Service (Amazon EKS) diblokir dari akses publik.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika titik akhir dapat diakses publik.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether an Amazon EKS endpoint is
 blocked from public access

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
      - 6hours
      - 12hours
      - 24hours

Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
 EKSEndpointNoPublicAccess:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether an Amazon Elastic Kubernetes Service (Amazon EKS)
 endpoint is publicly accessible. The rule is NON_COMPLIANT if the endpoint is publicly
 accessible.
      Source:
        Owner: AWS
        SourceIdentifier: EKS_ENDPOINT_NO_PUBLIC_ACCESS
      MaximumExecutionFrequency:
        !FindInMap
        - Settings
```

```
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Mendeteksi apakah domain OpenSearch Layanan Amazon ada di Amazon VPC

Kontrol ini mendeteksi apakah domain OpenSearch Layanan Amazon ada di Amazon VPC.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika titik akhir domain OpenSearch Layanan bersifat publik.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether an Amazon OpenSearch Service
 domain is in Amazon VPC

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
      - 6hours
      - 12hours
      - 24hours

Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
```

```
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
  ElasticsearchInVpcOnly:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether Amazon OpenSearch Service domains are in Amazon
 Virtual Private Cloud (Amazon VPC). The rule is NON_COMPLIANT if the OpenSearch
 Service domain endpoint is public.
      Source:
        Owner: AWS
        SourceIdentifier: ELASTICSEARCH_IN_VPC_ONLY
      MaximumExecutionFrequency:
        !FindInMap
        - Settings
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Mendeteksi apakah ada node master cluster EMR Amazon yang memiliki alamat IP publik

Kontrol ini mendeteksi apakah ada node master cluster EMR Amazon yang memiliki alamat IP publik.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun

Di konsol:

- Aturan menunjukkan status Non-compliant jika node master memiliki alamat IP publik.
- Kontrol ini memeriksa cluster yang berada dalam status RUNNING atau WAITING.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether any Amazon EMR cluster master
 nodes have public IP addresses

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
```

```
  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
      - 6hours
      - 12hours
      - 24hours

Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
  EmrMasterNoPublicIp:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether any Amazon Elastic MapReduce (EMR) cluster master
 nodes have public IP addresses. The rule is NON_COMPLIANT if a master node has a
 public IP. This control checks clusters that are in RUNNING or WAITING state.
      Source:
        Owner: AWS
        SourceIdentifier: EMR_MASTER_NO_PUBLIC_IP
      MaximumExecutionFrequency:
        !FindInMap
        - Settings
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Mendeteksi apakah kebijakan fungsi AWS Lambda yang dilampirkan pada sumber daya Lambda memblokir akses publik

Kontrol ini mendeteksi apakah kebijakan fungsi AWS Lambda yang dilampirkan pada sumber daya Lambda memblokir akses publik.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika kebijakan fungsi Lambda mengizinkan akses publik.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether the AWS Lambda function policy
 attached to the Lambda resource blocks public access

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

Resources:
  LambdaFunctionPublicAccessProhibited:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether the AWS Lambda function policy attached to the
 Lambda resource prohibits public access. The rule is NON_COMPLIANT if the Lambda
 function policy allows public access.
      Scope:
        ComplianceResourceTypes:
        - AWS::Lambda::Function
      Source:
        Owner: AWS
        SourceIdentifier: LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED
```

Mendeteksi apakah ada rute publik di tabel rute untuk Internet Gateway (IGW)

Kontrol ini mendeteksi apakah ada rute publik di tabel rute yang terkait dengan Internet Gateway (IGW).

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika rute memiliki blok CIDR tujuan `0.0.0.0/0` atau `::/0` atau jika blok CIDR tujuan tidak cocok dengan parameter aturan.

> **Note**
>
> Kontrol ini gagal jika salah satu rute ke IGW memiliki blok CIDR tujuan atau. `0.0.0.0/0` `::/0`

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether public routes exist in the
 route table for an Internet Gateway (IGW)

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

Resources:
  NoUnrestrictedRouteToIgw:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether public routes exist in the route table associated
 with an Internet Gateway (IGW). The rule is NON_COMPLIANT if a route has a destination
 CIDR block of '0.0.0.0/0' or '::/0' or if a destination CIDR block does not match the
 rule parameter.
      Scope:
        ComplianceResourceTypes:
        - AWS::EC2::RouteTable
      Source:
        Owner: AWS
        SourceIdentifier: NO_UNRESTRICTED_ROUTE_TO_IGW
```

Mendeteksi apakah klaster Amazon Redshift diblokir dari akses publik

Kontrol ini mendeteksi apakah cluster Amazon Redshift diblokir dari akses publik.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika `publiclyAccessible` bidang disetel ke True di item konfigurasi cluster.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether Amazon Redshift clusters are
 blocked from public access

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

Resources:
  RedshiftClusterPublicAccessCheck:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether Amazon Redshift clusters are blocked from public
 access. The rule is NON_COMPLIANT if the publiclyAccessible field is true in the
 cluster configuration item.
      Scope:
        ComplianceResourceTypes:
        - AWS::Redshift::Cluster
      Source:
        Owner: AWS
        SourceIdentifier: REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK
```

Mendeteksi apakah instans SageMaker notebook Amazon memungkinkan akses internet langsung

Kontrol ini mendeteksi apakah instance SageMaker notebook Amazon memungkinkan akses internet langsung.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika instans SageMaker notebook Amazon mengizinkan akses internet langsung.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether an Amazon SageMaker notebook
 instance allows direct internet access

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
      - 6hours
      - 12hours
      - 24hours

Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
  SagemakerNotebookNoDirectInternetAccess:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
```

```
      Description: Detects whether direct internet access is allowed for an Amazon
 SageMaker notebook instance. The rule is NON_COMPLIANT if Amazon SageMaker notebook
 instances allow direct internet access.
      Source:
        Owner: AWS
        SourceIdentifier: SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS
      MaximumExecutionFrequency:
        !FindInMap
        - Settings
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Mendeteksi apakah ada subnet VPC Amazon yang diberi alamat IP publik

Kontrol ini mendeteksi apakah subnet Amazon Virtual Private Cloud (Amazon VPC) diberi alamat IP publik.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:

- Aturan menunjukkan status Non-compliant jika Amazon VPC memiliki subnet yang diberi alamat IP publik.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Detect whether any Amazon VPC subnets are assigned a public IP address

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

Resources:
  SubnetAutoAssignPublicIpDisabled:
    Type: AWS::Config::ConfigRule

    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
```

```
      Description: Detects whether Amazon Virtual Private Cloud (Amazon VPC) subnets
 are assigned a public IP address. The rule is NON_COMPLIANT if Amazon VPC has subnets
 that are assigned a public IP address.
      Scope:
        ComplianceResourceTypes:
        - AWS::EC2::Subnet
      Source:
        Owner: AWS
        SourceIdentifier: SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED
```

Mendeteksi apakah dokumen AWS Systems Manager yang dimiliki oleh akun bersifat publik

Kontrol ini mendeteksi apakah dokumen AWS Systems Manager yang dimiliki oleh akun bersifat publik.

Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Di konsol:	Aturan menunjukkan status Non-compliant jika ada dokumen dengan pemilik 'Self' bersifat publik.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rule to detect whether AWS Systems Manager documents
 owned by the account are public

Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'

  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency at which AWS Config will run evaluations for the rule.
    AllowedValues:
      - 1hour
      - 3hours
      - 6hours
      - 12hours
      - 24hours
```

```
Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours

Resources:
  SsmDocumentNotPublic:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Detects whether AWS Systems Manager (SSM) documents owned by the
 account are public. This rule is NON_COMPLIANT if any documents with owner 'Self' are
 public.
      Source:
        Owner: AWS
        SourceIdentifier: SSM_DOCUMENT_NOT_PUBLIC
      MaximumExecutionFrequency:
        !FindInMap
        - Settings
        - FrequencyMap
        - !Ref MaximumExecutionFrequency
```

Tolak akses AWS berdasarkan AWS Wilayah yang diminta

Kontrol ini sering disebut sebagai Region deny control, atau landing zone Region deny control.

Kontrol ini melarang akses ke operasi yang tidak terdaftar di layanan global dan regional di luar Wilayah yang ditentukan. Itu mencakup semua Wilayah di mana AWS Control Tower tidak tersedia, serta semua Wilayah yang tidak dipilih untuk tata kelola di halaman pengaturan zona pendaratan. Tindakan diperbolehkan seperti biasa di Wilayah dengan status yang Diatur.

> **Note**
>
> AWS Layanan global tertentu, seperti AWS Identity and Access Management (IAM) dan AWS Organizations, dibebaskan dari kontrol residensi data. Layanan tersebut ditentukan dalam kode contoh SCP yang berikut.

Ini adalah kontrol elektif dengan panduan pencegahan. Ini adalah kontrol utama yang terkait dengan tindakan penolakan Wilayah. Untuk informasi selengkapnya, lihat Konfigurasikan wilayah tolak kontrol.

Format untuk kontrol ini didasarkan pada SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRREGIONDENY",
            "Effect": "Deny",
            "NotAction": [
                "a4b:*",
                "access-analyzer:*",
                "account:*",
                "acm:*",
                "activate:*",
                "artifact:*",
                "aws-marketplace-management:*",
                "aws-marketplace:*",
                "aws-portal:*",
                "billing:*",
                "billingconductor:*",
                "budgets:*",
                "ce:*",
                "chatbot:*",
                "chime:*",
                "cloudfront:*",
                "cloudtrail:LookupEvents",
                "compute-optimizer:*",
                "config:*",
                "consoleapp:*",
                "consolidatedbilling:*",
                "cur:*",
                "datapipeline:GetAccountLimits",
                "devicefarm:*",
                "directconnect:*",
                "ec2:DescribeRegions",
                "ec2:DescribeTransitGateways",
                "ec2:DescribeVpnGateways",
                "ecr-public:*",
                "fms:*",
```

```
                "freetier:*",
                "globalaccelerator:*",
                "health:*",
                "iam:*",
                "importexport:*",
                "invoicing:*",
                "iq:*",
                "kms:*",
                "license-manager:ListReceivedLicenses",
                "lightsail:Get*",
                "mobileanalytics:*",
                "networkmanager:*",
                "notifications-contacts:*",
                "notifications:*",
                "organizations:*",
                "payments:*",
                "pricing:*",
                "quicksight:DescribeAccountSubscription",
                "resource-explorer-2:*",
                "route53-recovery-cluster:*",
                "route53-recovery-control-config:*",
                "route53-recovery-readiness:*",
                "route53:*",
                "route53domains:*",
                "s3:CreateMultiRegionAccessPoint",
                "s3:DeleteMultiRegionAccessPoint",
                "s3:DescribeMultiRegionAccessPointOperation",
                "s3:GetAccountPublicAccessBlock",
                "s3:GetBucketLocation",
                "s3:GetBucketPolicyStatus",
                "s3:GetBucketPublicAccessBlock",
                "s3:GetMultiRegionAccessPoint",
                "s3:GetMultiRegionAccessPointPolicy",
                "s3:GetMultiRegionAccessPointPolicyStatus",
                "s3:GetStorageLensConfiguration",
                "s3:GetStorageLensDashboard",
                "s3:ListAllMyBuckets",
                "s3:ListMultiRegionAccessPoints",
                "s3:ListStorageLensConfigurations",
                "s3:PutAccountPublicAccessBlock",
                "s3:PutMultiRegionAccessPointPolicy",
                "savingsplans:*",
                "shield:*",
                "sso:*",
```

```
                "sts:*",
                "support:*",
                "supportapp:*",
                "supportplans:*",
                "sustainability:*",
                "tag:GetResources",
                "tax:*",
                "trustedadvisor:*",
                "vendor-insights:ListEntitledSecurityProfiles",
                "waf-regional:*",
                "waf:*",
                "wafv2:*"
            ],
            "Resource": "*",
            "Condition": {
                "StringNotEquals": {
                    "aws:RequestedRegion": []
                },
                "ArnNotLike": {
                    "aws:PrincipalARN": [
                        "arn:aws:iam::*:role/AWSControlTowerExecution"
                    ]
                }
            }
        }
    ]
}
```

Berdasarkan contoh format SCP ini, AWS Control Tower menambahkan Wilayah yang diatur ke dalam pernyataan. `aws:RequestedRegion` Anda tidak dapat mengecualikan Wilayah asal Anda. Tindakan yang tidak tercantum dalam SCP tidak diizinkan.

> **Batasan**
>
> Kontrol penolakan Wilayah OU tunduk pada batasan kunci kondisi `aws:RequestedRegion`global dan Kebijakan Kontrol Layanan (SCP) secara umum.

Wilayah menolak kontrol diterapkan pada OU

Kontrol ini biasanya disebut sebagai kontrol penolakan Wilayah OU, atau kontrol penolakan Wilayah yang dapat dikonfigurasi.

Kontrol ini melarang akses ke operasi yang tidak terdaftar di wilayah global dan regional Layanan AWS, di luar Wilayah yang ditentukan untuk unit organisasi (OU).

Jika Anda menerapkan kontrol ini, konfigurasi untuk OU dapat bertentangan dengan versi landing zone dari kontrol ini. Untuk informasi selengkapnya, lihat “Evaluasi kebijakan kontrol SCP” diWilayah menolak kontrol diterapkan pada OU.

CT.MULTISERVICE.PV.1: Tolak akses AWS berdasarkan permintaan Wilayah AWS untuk unit organisasi

Layanan: Beberapa AWS layanan

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi: Kebijakan kontrol layanan (SCP)
- Kontrol perilaku: Pencegahan
- Pemilik kontrol: AWS Control Tower
- Grup: Kedaulatan digital

> **Batasan**
>
> Kontrol penolakan Wilayah OU tunduk pada batasan kunci kondisi `aws:RequestedRegion`global dan Kebijakan Kontrol Layanan (SCP) secara umum.

Aktifkan kontrol ini dari konsol

Di konsol AWS Control Tower, Anda dapat melihat OU tempat kontrol ini diaktifkan, jika ada, dengan menavigasi ke halaman Detail kontrol untuk kontrol ini.

Untuk mengaktifkan kontrol ini dari halaman Detail kontrol

1. Pilih Aktifkan kontrol di kanan atas
2. Pilih target OU, lalu pilih Berikutnya untuk melanjutkan.
3. Pilih Wilayah yang ingin Anda aktifkan. Anda harus memilih setidaknya satu Wilayah.
4. Anda dapat menambahkan NotActionelemen, prinsip IAM, dan tag.
5. Anda akan dapat melihat ringkasan nilai yang Anda pilih sebelum mengaktifkan kontrol.
6. Pilih Aktifkan kontrol di kanan bawah.

CT.MULTISERVICE.PV.1: Tolak akses AWS berdasarkan permintaan Wilayah AWS untuk unit organisasi

Wilayah OU menolak kontrol, CT.MULTISERVICE.PV.1, dapat dikonfigurasi. Anda dapat memilih OU tertentu yang berlaku, daripada menerapkannya ke seluruh landing zone AWS Control Tower Anda. Kontrol ini menerima satu atau lebih parameter, seperti, ExemptedPrincipalARN AllowedRegions, dan ExemptedActions, yang menggambarkan operasi yang diizinkan untuk akun yang merupakan bagian dari OU ini.

- AllowedRegions: Menentukan Wilayah yang dipilih, di mana OU diizinkan untuk beroperasi. Parameter ini wajib.
- ExemptedPrincipalARN: Menentukan prinsip-prinsip IAM yang dibebaskan dari kontrol ini, sehingga mereka diizinkan untuk mengoperasikan layanan tertentu secara global. AWS
- ExemptedActions: Menentukan tindakan yang dikecualikan dari kontrol ini, sehingga tindakan diperbolehkan.

Interaksi antara Wilayah terpisah menolak kontrol untuk landing zone dan OU bisa rumit untuk diprediksi. Mereka dapat diprediksi dengan logika di mana SCP dievaluasi oleh. AWS

Evaluasi kebijakan kontrol SCP

Proses evaluasi kebijakan melibatkan pemeriksaan semua kebijakan yang berlaku, mulai dari yang paling permisif dan secara bertahap bergerak menuju yang paling ketat. SCP apa pun yang diterapkan pada tingkat Root akan memengaruhi semua akun dan OU, kecuali jika diganti dengan kebijakan yang lebih spesifik.

Logika Evaluasi: Saat permintaan dibuat untuk melakukan tindakan (misalnya, meluncurkan instans Amazon EC2), AWS evaluasi kebijakan untuk menentukan apakah tindakan tersebut diizinkan atau ditolak. Logika evaluasi mengikuti aturan-aturan ini:

- Penolakan Eksplisit Mengesampingkan Semua: Jika ada kebijakan yang secara eksplisit menolak tindakan yang diminta, penolakan itu lebih diutamakan daripada semua kebijakan lainnya.
- Explicit Allow Overrides Implicit Deny: Jika kebijakan secara eksplisit mengizinkan tindakan dan tidak ada kebijakan tingkat tinggi yang secara eksplisit menyangkalnya, tindakan tersebut diizinkan.
- Inherited Allow and No Explicit Deny: Jika tidak ada izin atau penolakan eksplisit pada tingkat yang diminta, AWS lihat kebijakan tingkat yang lebih tinggi. Jika ada izin yang diwariskan dan tidak ada penolakan eksplisit, tindakan tersebut diperbolehkan.

- Penolakan Eksplisit di Tingkat yang Lebih Tinggi: Jika ada penolakan eksplisit dalam kebijakan tingkat yang lebih tinggi, tetapi tidak ada izin atau penolakan eksplisit pada tingkat yang diminta, tindakan tersebut ditolak.

Untuk informasi lebih lanjut tentang logika evaluasi, lihat evaluasi SCP dalam AWS Organizations dokumentasi.

> **Note**
>
> Dengan kontrol ini, Anda dapat mengizinkan apa pun Wilayah AWS di tingkat OU, bahkan jika landing zone Anda tidak mengatur Wilayah itu, dengan desain. Kami menyarankan agar Anda berhati-hati saat mengizinkan Wilayah yang tidak diatur oleh zona landing zone AWS Control Tower Anda.

Contoh CLI

Contoh ini menunjukkan cara mengaktifkan kontrol ini, dengan parameter, dari CLI.

```
aws controltower enable-control \
    --target-identifier arn:aws:organizations::01234567890:ou/o-EXAMPLE/ou-zzxx-
zzx0zzz2 \
    --control-identifier arn:aws:controltower:us-east-1::control/EXAMPLE_NAME \
    --parameters '[{"key":"AllowedRegions","value":["us-east-1","us-
west-2"]},{"key":"ExemptedPrincipalArns","value":["arn:aws:iam::*:role/
ReadOnly","arn:aws:sts::*:assumed-role/ReadOnly/*"]},{"key":"ExemptedActions","value":
["logs:DescribeLogGroups","logs:StartQuery","logs:GetQueryResults"]}]'
```

Memvalidasi parameter

Saat Anda memasukkan parameter ke dalam kontrol penolakan Wilayah OU, AWS Control Tower memvalidasi sintaks parameter dan memeriksanya terhadap tipe data JSON. AWS Control Tower tidak membuat validasi semantik untuk kebenaran khusus domain. Ini adalah pendekatan yang sama yang diikuti oleh AWS Organizations.

Parameter untuk kontrol ini dimasukkan melalui skema JSON.

Berikut adalah template SCP dari contoh skema JSON untuk kontrol penolakan Wilayah OU-level. Di konsol AWS Control Tower, Anda dapat melihatnya di tab Artefacts pada halaman Detail kontrol.

Skema contoh singkat ini menunjukkan bahwa AllowedRegions, ExemptedActionsdan ExemptedPrincipalArnsparameter menerima daftar string. Selain itu, Anda dapat menambahkan deskripsi ke skema, atau membatasi nilai yang diizinkan menjadi subset dari nilai yang telah ditentukan sebelumnya, menggunakan tipe enumerasi (). `enums`

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTMULTISERVICEPV1",
            "Effect": "Deny",
            "NotAction": [
                {{ExemptedActions}}
                ...
                "s3:CreateMultiRegionAccessPoint",
                "s3:DeleteMultiRegionAccessPoint",
                "s3:DescribeMultiRegionAccessPointOperation",
                "s3:GetAccountPublicAccessBlock",
                "s3:GetBucketLocation"
                ...
            ],
            "Resource": "*",
            "Condition": {
                "StringNotEquals": {
                    "aws:RequestedRegion": {{AllowedRegions}}
                },
                "ArnNotLike": {
                    "aws:PrincipalARN": [
                        "arn:aws:iam::*:role/AWSControlTowerExecution",
                        {{ExemptedPrincipalARNs}}
                    ]
                }
            }
        }
    ]
}
```

Contoh berikut menunjukkan artefak SCP penuh untuk kontrol. Ini menunjukkan tindakan dan prinsip yang dikecualikan secara default ketika Anda menerapkan kontrol ini ke OU. Ingat itu AllowedRegionsadalah parameter wajib untuk kontrol ini. Anda dapat melihat versi terbaru SCP ini di konsol AWS Control Tower.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "CTMULTISERVICEPV1",
            "Effect": "Deny",
            "NotAction": [
                {{ExemptedActions}}
                "a4b:*",
                "access-analyzer:*",
                "account:*",
                "acm:*",
                "activate:*",
                "artifact:*",
                "aws-marketplace-management:*",
                "aws-marketplace:*",
                "aws-portal:*",
                "billing:*",
                "billingconductor:*",
                "budgets:*",
                "ce:*",
                "chatbot:*",
                "chime:*",
                "cloudfront:*",
                "cloudtrail:LookupEvents",
                "compute-optimizer:*",
                "config:*",
                "consoleapp:*",
                "consolidatedbilling:*",
                "cur:*",
                "datapipeline:GetAccountLimits",
                "devicefarm:*",
                "directconnect:*",
                "ec2:DescribeRegions",
                "ec2:DescribeTransitGateways",
                "ec2:DescribeVpnGateways",
                "ecr-public:*",
                "fms:*",
                "freetier:*",
                "globalaccelerator:*",
                "health:*",
                "iam:*",
                "importexport:*",
```

```
                "invoicing:*",
                "iq:*",
                "kms:*",
                "license-manager:ListReceivedLicenses",
                "lightsail:Get*",
                "mobileanalytics:*",
                "networkmanager:*",
                "notifications-contacts:*",
                "notifications:*",
                "organizations:*",
                "payments:*",
                "pricing:*",
                "quicksight:DescribeAccountSubscription",
                "resource-explorer-2:*",
                "route53-recovery-cluster:*",
                "route53-recovery-control-config:*",
                "route53-recovery-readiness:*",
                "route53:*",
                "route53domains:*",
                "s3:CreateMultiRegionAccessPoint",
                "s3:DeleteMultiRegionAccessPoint",
                "s3:DescribeMultiRegionAccessPointOperation",
                "s3:GetAccountPublicAccessBlock",
                "s3:GetBucketLocation",
                "s3:GetBucketPolicyStatus",
                "s3:GetBucketPublicAccessBlock",
                "s3:GetMultiRegionAccessPoint",
                "s3:GetMultiRegionAccessPointPolicy",
                "s3:GetMultiRegionAccessPointPolicyStatus",
                "s3:GetStorageLensConfiguration",
                "s3:GetStorageLensDashboard",
                "s3:ListAllMyBuckets",
                "s3:ListMultiRegionAccessPoints",
                "s3:ListStorageLensConfigurations",
                "s3:PutAccountPublicAccessBlock",
                "s3:PutMultiRegionAccessPointPolicy",
                "savingsplans:*",
                "shield:*",
                "sso:*",
                "sts:*",
                "support:*",
                "supportapp:*",
                "supportplans:*",
                "sustainability:*",
```

```
                "tag:GetResources",
                "tax:*",
                "trustedadvisor:*",
                "vendor-insights:ListEntitledSecurityProfiles",
                "waf-regional:*",
                "waf:*",
                "wafv2:*"
            ],
            "Resource": "*",
            "Condition": {
                "StringNotEquals": {
                    "aws:RequestedRegion": {{AllowedRegions}}
                },
                "ArnNotLike": {
                    "aws:PrincipalARN": [
                        {{ExemptedPrincipalArns}}
                        "arn:*:iam::*:role/AWSControlTowerExecution",
                        "arn:*:iam::*:role/aws-controltower-ConfigRecorderRole",
                        "arn:*:iam::*:role/aws-controltower-
ForwardSnsNotificationRole",
                        "arn:*:iam::*:role/AWSControlTower_VPCFlowLogsRole"
                    ]
                }
            }
        }
    ]
}
```

Kontrol opsional

Kontrol opsional di AWS Control Tower diterapkan pada level OU. Anda dapat mengaktifkan dan menonaktifkan kontrol opsional ini melalui konsol AWS Control Tower, atau melalui API kontrol.

AWS Control Tower menawarkan beberapa jenis kontrol opsional:

- Kontrol proaktif, yang didasarkan pada AWS CloudFormation kait.
- Kontrol Security Hub, yang didasarkan pada AWS Config aturan — kontrol ini dimiliki oleh Security Hub dan terintegrasi dengan AWS Control Tower, melalui Standar yang Dikelola Layanan: AWS Control Tower.

- Kontrol kedaulatan digital, yang merupakan kontrol elektif berdasarkan SCP dan AWS Config aturan, diterapkan dalam AWS Control Tower. Grup ini mencakup kontrol residensi data.
- Kontrol yang sangat disarankan, yang didasarkan pada SCP dan AWS Config aturan, diterapkan dalam AWS Control Tower.
- Kontrol elektif, yang didasarkan pada SCP dan AWS Config aturan, diterapkan dalam AWS Control Tower.

Kontrol yang sangat direkomendasikan dan elektif yang dimiliki oleh AWS Control Tower bersifat opsional, yang berarti Anda dapat menyesuaikan tingkat penegakan hukum untuk OU di landing zone Anda dengan memilih mana yang akan diaktifkan. Kontrol opsional tidak diaktifkan secara default. Untuk informasi selengkapnya tentang kontrol opsional, lihat halaman referensi kontrol berikut di bagian berikutnya.

> **Note**
>
> Penting untuk diketahui bahwa beberapa kontrol detektif di AWS Control Tower tidak beroperasi di Wilayah AWS tempat tertentu di mana AWS Control Tower tersedia, karena Wilayah tersebut tidak mendukung fungsionalitas dasar yang diperlukan. Akibatnya, saat Anda menerapkan kontrol detektif, kontrol mungkin tidak beroperasi di semua Wilayah yang Anda atur dengan AWS Control Tower. Untuk detailnya, lihat Keterbatasan kontrol.
> Anda dapat melihat Wilayah untuk setiap kontrol di konsol AWS Control Tower.
> Untuk informasi selengkapnya tentang kontrol detektif yang tidak dapat digunakan di Wilayah tertentu, lihat dokumentasi daftar layanan Regional untuk mempelajari lebih lanjut tentang Wilayah yang tersedia AWS Config . Jika kontrol detektif diimplementasikan sebagai AWS Config aturan terkelola, lihat dokumentasi referensi Security Hub mengontrol.

Kontrol yang sangat disarankan

Kontrol yang sangat disarankan dimiliki oleh AWS Control Tower. Mereka didasarkan pada praktik terbaik untuk lingkungan multi-akun yang dirancang dengan baik. Kontrol ini tidak diaktifkan secara default, dan kontrol tersebut dapat dinonaktifkan melalui konsol AWS Control Tower atau API kontrol. Setelah itu, Anda akan menemukan referensi untuk setiap kontrol yang sangat disarankan yang tersedia di AWS Control Tower.

Topik

- Larang Pembuatan Kunci Akses untuk Pengguna Root

- Larang Tindakan sebagai Pengguna Root
- Mendeteksi Apakah Enkripsi Diaktifkan untuk Volume Amazon EBS Terlampir ke Instans Amazon EC2
- Deteksi Apakah Lalu Lintas TCP Masuk yang Tidak Dibatasi Diizinkan
- Deteksi Apakah Koneksi Internet Tanpa Batas Melalui SSH Diizinkan
- Mendeteksi Apakah MFA untuk Pengguna Root Diaktifkan
- Deteksi Apakah Akses Baca Publik ke Bucket Amazon S3 Diizinkan
- Deteksi Apakah Akses Tulis Publik ke Bucket Amazon S3 Diizinkan
- Mendeteksi Apakah Volume Amazon EBS Terlampir ke Instans Amazon EC2
- Mendeteksi Apakah Optimasi Amazon EBS Diaktifkan untuk Instans Amazon EC2
- Mendeteksi Apakah Akses Publik ke Instans Basis Data Amazon RDS Diaktifkan
- Deteksi Apakah Akses Publik ke Snapshot Basis Data Amazon RDS Diaktifkan
- Mendeteksi Apakah Enkripsi Penyimpanan Diaktifkan untuk Instans Basis Data Amazon RDS
- Mendeteksi apakah akun telah AWS CloudTrail atau CloudTrail Lake diaktifkan

Larang Pembuatan Kunci Akses untuk Pengguna Root

Mengamankan AWS akun Anda dengan melarang pembuatan kunci akses untuk pengguna root. Sebaiknya Anda membuat kunci akses untuk pengguna IAM atau pengguna IAM Identity Center, yang memberikan izin terbatas untuk berinteraksi dengan akun Anda. AWS Ini adalah kontrol preventif dengan panduan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRRESTRICTROOTUSERACCESSKEYS",
            "Effect": "Deny",
            "Action": "iam:CreateAccessKey",
            "Resource": [
                "*"
            ],
            "Condition": {
                "StringLike": {
                    "aws:PrincipalArn": [
```

```
                        "arn:aws:iam::*:root"
                    ]
                }
            }
        }
    ]
}
```

Larang Tindakan sebagai Pengguna Root

Mengamankan AWS akun Anda dengan melarang akses akun dengan kredensyal pengguna root, yang merupakan kredensyal pemilik akun yang memungkinkan akses tidak terbatas ke semua sumber daya di akun. Sebagai gantinya, kami menyarankan Anda membuat pengguna IAM Identity Center untuk interaksi sehari-hari dengan AWS akun Anda. Ini adalah kontrol preventif dengan panduan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "GRRESTRICTROOTUSER",
      "Effect": "Deny",
      "Action": "*",
      "Resource": [
        "*"
      ],
      "Condition": {
        "StringLike": {
          "aws:PrincipalArn": [
            "arn:aws:iam::*:root"
          ]
        }
      }
    }
  ]
}
```

Mendeteksi Apakah Enkripsi Diaktifkan untuk Volume Amazon EBS Terlampir ke Instans Amazon EC2

Kontrol ini mendeteksi apakah volume Amazon EBS yang dilampirkan ke instans Amazon EC2 dienkripsi. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan pada OU mana pun.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check for encryption of all storage volumes
 attached to compute
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForEncryptedVolumes:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether EBS volumes that are in an attached state are
 encrypted.
      Source:
        Owner: AWS
        SourceIdentifier: ENCRYPTED_VOLUMES
      Scope:
        ComplianceResourceTypes:
          - AWS::EC2::Volume
```

Deteksi Apakah Lalu Lintas TCP Masuk yang Tidak Dibatasi Diizinkan

Kontrol ini membantu mengurangi eksposur server terhadap risiko dengan mendeteksi apakah lalu lintas TCP masuk yang tidak dibatasi diizinkan. Ini mendeteksi apakah koneksi internet diaktifkan ke instans Amazon EC2 melalui layanan seperti Remote Desktop Protocol (RDP). Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

> **Note**
>
> Kontrol ini gagal jika ada aturan dalam grup keamanan yang mengizinkan lalu lintas masuk dari `0.0.0.0/0` atau `::/0` untuk port tersebut.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether security groups that are in
 use disallow unrestricted incoming TCP traffic to the specified ports.
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
  blockedPort1:
    Type: String
    Default: '20'
    Description: Blocked TCP port number.
  blockedPort2:
    Type: String
    Default: '21'
    Description: Blocked TCP port number.
  blockedPort3:
    Type: String
    Default: '3389'
    Description: Blocked TCP port number.
  blockedPort4:
    Type: String
    Default: '3306'
    Description: Blocked TCP port number.
  blockedPort5:
    Type: String
    Default: '4333'
    Description: Blocked TCP port number.
Conditions:
  blockedPort1:
    Fn::Not:
    - Fn::Equals:
      - ''
      - Ref: blockedPort1
  blockedPort2:
    Fn::Not:
```

```
    - Fn::Equals:
      - ''
      - Ref: blockedPort2
  blockedPort3:
    Fn::Not:
    - Fn::Equals:
      - ''
      - Ref: blockedPort3
  blockedPort4:
    Fn::Not:
    - Fn::Equals:
      - ''
      - Ref: blockedPort4
  blockedPort5:
    Fn::Not:
    - Fn::Equals:
      - ''
      - Ref: blockedPort5
Resources:
  CheckForRestrictedCommonPortsPolicy:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether security groups that are in use disallow unrestricted
 incoming TCP traffic to the specified ports.
      InputParameters:
        blockedPort1:
          Fn::If:
          - blockedPort1
          - Ref: blockedPort1
          - Ref: AWS::NoValue
        blockedPort2:
          Fn::If:
          - blockedPort2
          - Ref: blockedPort2
          - Ref: AWS::NoValue
        blockedPort3:
          Fn::If:
          - blockedPort3
          - Ref: blockedPort3
          - Ref: AWS::NoValue
        blockedPort4:
          Fn::If:
          - blockedPort4
```

```
          - Ref: blockedPort4
          - Ref: AWS::NoValue
        blockedPort5:
          Fn::If:
          - blockedPort5
          - Ref: blockedPort5
          - Ref: AWS::NoValue
      Scope:
        ComplianceResourceTypes:
        - AWS::EC2::SecurityGroup
      Source:
        Owner: AWS
        SourceIdentifier: RESTRICTED_INCOMING_TRAFFIC
```

Deteksi Apakah Koneksi Internet Tanpa Batas Melalui SSH Diizinkan

Kontrol ini mendeteksi apakah koneksi internet diizinkan melalui layanan jarak jauh seperti protokol Secure Shell (SSH). Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

> **Note**
>
> Kontrol ini gagal jika ada aturan dalam grup keamanan yang mengizinkan lalu lintas masuk dari `0.0.0.0/0` atau `::/0` untuk lalu lintas SSH.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether security groups that are in
 use disallow SSH
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForRestrictedSshPolicy:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether security groups that are in use disallow unrestricted
 incoming SSH traffic.
```

```
      Scope:
        ComplianceResourceTypes:
        - AWS::EC2::SecurityGroup
      Source:
        Owner: AWS
        SourceIdentifier: INCOMING_SSH_DISABLED
```

Mendeteksi Apakah MFA untuk Pengguna Root Diaktifkan

Kontrol ini mendeteksi apakah otentikasi multi-faktor (MFA) diaktifkan untuk pengguna root akun manajemen. MFA mengurangi risiko kerentanan dari otentikasi lemah dengan memerlukan kode otentikasi tambahan setelah nama pengguna dan kata sandi berhasil. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to require MFA for root access to accounts
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
  MaximumExecutionFrequency:
    Type: String
    Default: 24hours
    Description: The frequency that you want AWS Config to run evaluations for the
 rule.
    AllowedValues:
    - 1hour
    - 3hours
    - 6hours
    - 12hours
    - 24hours
Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours
Resources:
```

```
  CheckForRootMfa:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether the root user of your AWS account requires multi-
factor authentication for console sign-in.
      Source:
        Owner: AWS
        SourceIdentifier: ROOT_ACCOUNT_MFA_ENABLED
      MaximumExecutionFrequency:
        !FindInMap
          - Settings
          - FrequencyMap
          - !Ref MaximumExecutionFrequency
```

Deteksi Apakah Akses Baca Publik ke Bucket Amazon S3 Diizinkan

Kontrol ini mendeteksi apakah akses baca publik diizinkan ke bucket Amazon S3. Ini membantu Anda menjaga akses aman ke data yang disimpan dalam ember. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check that your S3 buckets do not allow
 public access
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForS3PublicRead:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks that your S3 buckets do not allow public read access. If an
 S3 bucket policy or bucket ACL allows public read access, the bucket is noncompliant.
      Source:
        Owner: AWS
        SourceIdentifier: S3_BUCKET_PUBLIC_READ_PROHIBITED
      Scope:
        ComplianceResourceTypes:
```

```
          - AWS::S3::Bucket
```

Deteksi Apakah Akses Tulis Publik ke Bucket Amazon S3 Diizinkan

Kontrol ini mendeteksi apakah akses tulis publik diizinkan ke bucket Amazon S3. Ini membantu Anda menjaga akses aman ke data yang disimpan dalam ember. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check that your S3 buckets do not allow
 public access
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForS3PublicWrite:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks that your S3 buckets do not allow public write access. If an
 S3 bucket policy or bucket ACL allows public write access, the bucket is noncompliant.
      Source:
        Owner: AWS
        SourceIdentifier: S3_BUCKET_PUBLIC_WRITE_PROHIBITED
      Scope:
        ComplianceResourceTypes:
          - AWS::S3::Bucket
```

Mendeteksi Apakah Volume Amazon EBS Terlampir ke Instans Amazon EC2

Kontrol ini mendeteksi apakah perangkat volume Amazon EBS tetap ada secara independen dari instans Amazon EC2. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
```

```
Description: Configure AWS Config rules to check whether EBS volumes are attached to
 EC2 instances
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
  deleteOnTermination:
    Type: 'String'
    Default: 'None'
    Description: 'Check for Delete on termination'
Conditions:
  deleteOnTermination:
    Fn::Not:
    - Fn::Equals:
      - 'None'
      - Ref: deleteOnTermination
Resources:
  CheckForEc2VolumesInUse:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether EBS volumes are attached to EC2 instances
      InputParameters:
        deleteOnTermination:
          Fn::If:
            - deleteOnTermination
            - Ref: deleteOnTermination
            - Ref: AWS::NoValue
      Source:
        Owner: AWS
        SourceIdentifier: EC2_VOLUME_INUSE_CHECK
      Scope:
        ComplianceResourceTypes:
          - AWS::EC2::Volume
```

Mendeteksi Apakah Optimasi Amazon EBS Diaktifkan untuk Instans Amazon EC2

Mendeteksi apakah instans Amazon EC2 diluncurkan tanpa volume Amazon EBS yang dioptimalkan untuk kinerja. Volume Amazon EBS yang dioptimalkan meminimalkan perselisihan antara Amazon EBS I/O dan lalu lintas lain dari instans Anda. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether EBS optimization is enabled
 for your EC2 instances that can be EBS-optimized
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForEbsOptimizedInstance:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether EBS optimization is enabled for your EC2 instances
 that can be EBS-optimized
      Source:
        Owner: AWS
        SourceIdentifier: EBS_OPTIMIZED_INSTANCE
      Scope:
        ComplianceResourceTypes:
          - AWS::EC2::Instance
```

Mendeteksi Apakah Akses Publik ke Instans Basis Data Amazon RDS Diaktifkan

Mendeteksi apakah instans database Amazon RDS Anda mengizinkan akses publik. Anda dapat mengamankan instans database Amazon RDS Anda dengan melarang akses publik. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether Amazon RDS instances are not
 publicly accessible.
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForRdsPublicAccess:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
```

```
      Description: Checks whether the Amazon Relational Database Service
 (RDS) instances are not publicly accessible. The rule is non-compliant if the
 publiclyAccessible field is true in the instance configuration item.
      Source:
        Owner: AWS
        SourceIdentifier: RDS_INSTANCE_PUBLIC_ACCESS_CHECK
      Scope:
        ComplianceResourceTypes:
          - AWS::RDS::DBInstance
```

Deteksi Apakah Akses Publik ke Snapshot Basis Data Amazon RDS Diaktifkan

Mendeteksi apakah snapshot database Amazon RDS Anda mengaktifkan akses publik. Anda dapat melindungi informasi Anda dengan menonaktifkan akses publik. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Checks if Amazon Relational Database Service (Amazon RDS) snapshots are
 public.
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForRdsStorageEncryption:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks if Amazon Relational Database Service (Amazon RDS) snapshots
 are public. The rule is non-compliant if any existing and new Amazon RDS snapshots are
 public.
      Source:
        Owner: AWS
        SourceIdentifier: RDS_SNAPSHOTS_PUBLIC_PROHIBITED
      Scope:
        ComplianceResourceTypes:
          - AWS::RDS::DBSnapshot
```

Mendeteksi Apakah Enkripsi Penyimpanan Diaktifkan untuk Instans Basis Data Amazon RDS

Mendeteksi instans database Amazon RDS yang tidak dienkripsi saat istirahat. Anda dapat mengamankan instans basis data Amazon RDS saat istirahat dengan mengenkripsi penyimpanan dasar untuk instans database dan pencadangan otomatis, Read Replicas, dan snapshot. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether storage encryption is enabled
 for your RDS DB instances
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForRdsStorageEncryption:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether storage encryption is enabled for your RDS DB
 instances.
      Source:
        Owner: AWS
        SourceIdentifier: RDS_STORAGE_ENCRYPTED
      Scope:
        ComplianceResourceTypes:
          - AWS::RDS::DBInstance
```

Mendeteksi apakah akun telah AWS CloudTrail atau CloudTrail Lake diaktifkan

Kontrol ini mendeteksi apakah akun telah AWS CloudTrail atau CloudTrail Lake diaktifkan. Aturannya adalah NON_COMPLIANT jika salah satu CloudTrail atau CloudTrail Lake tidak diaktifkan di akun. Ini adalah kontrol detektif dengan bimbingan yang sangat disarankan. Secara default, kontrol ini tidak diaktifkan pada OU apa pun.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
```

```
 Description: Configure AWS Config rules to detect whether an account has AWS
CloudTrail or CloudTrail Lake enabled.

 Parameters:
   ConfigRuleName:
     Type: 'String'
     Description: 'Name for the Config rule'

 Resources:
   CheckForCloudtrailEnabled:
     Type: AWS::Config::ConfigRule
     Properties:
       ConfigRuleName: !Sub ${ConfigRuleName}
       Description: Detects whether an account has AWS CloudTrail or CloudTrail Lake
enabled. The rule is NON_COMPLIANT if either CloudTrail or CloudTrail Lake is not
enabled in an account.
       Source:
         Owner: AWS
         SourceIdentifier: CLOUD_TRAIL_ENABLED
```

Kontrol elektif

Kontrol pilihan memungkinkan Anda untuk mengunci atau melacak upaya untuk melakukan tindakan yang umumnya dibatasi di lingkungan AWS perusahaan. Kontrol ini tidak diaktifkan secara default, dan dapat dinonaktifkan. Setelah itu, Anda akan menemukan referensi untuk kontrol elektif yang tersedia di AWS Control Tower. Kontrol elektif khusus untuk residensi data dikumpulkan ke dalam bagian terpisah,. Kontrol yang meningkatkan perlindungan residensi data

Topik

- Larang Perubahan Konfigurasi Enkripsi untuk Bucket Amazon S3 [Sebelumnya: Aktifkan Enkripsi saat Istirahat untuk Arsip Log]
- Larang Perubahan Konfigurasi Logging untuk Bucket Amazon S3 [Sebelumnya: Aktifkan Pencatatan Akses untuk Arsip Log]
- Larang Perubahan Kebijakan Bucket untuk Bucket Amazon S3 [Sebelumnya: Larang Perubahan Kebijakan pada Arsip Log]
- Larang Perubahan Konfigurasi Siklus Hidup untuk Bucket Amazon S3 [Sebelumnya: Tetapkan Kebijakan Retensi untuk Arsip Log]
- Larang Perubahan Konfigurasi Replikasi untuk Bucket Amazon S3
- Larang Hapus Tindakan di Bucket Amazon S3 Tanpa MFA

- Mendeteksi Apakah MFA Diaktifkan untuk AWS Pengguna IAM
- Mendeteksi Apakah MFA Diaktifkan untuk Pengguna AWS IAM Konsol AWS
- Deteksi Apakah Pembuatan Versi untuk Bucket Amazon S3 Diaktifkan
- Larang pengelolaan jenis sumber daya, modul, dan kait dalam registri AWS CloudFormation

Larang Perubahan Konfigurasi Enkripsi untuk Bucket Amazon S3 [Sebelumnya: Aktifkan Enkripsi saat Istirahat untuk Arsip Log]

Kontrol ini melarang perubahan enkripsi untuk semua bucket Amazon S3. Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah kebijakan kontrol layanan (SCP) berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRAUDITBUCKETENCRYPTIONENABLED",
            "Effect": "Deny",
            "Action": [
                "s3:PutEncryptionConfiguration"
            ],
            "Resource": ["*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan Konfigurasi Logging untuk Bucket Amazon S3 [Sebelumnya: Aktifkan Pencatatan Akses untuk Arsip Log]

Kontrol ini melarang perubahan pada konfigurasi logging untuk semua bucket Amazon S3. Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRAUDITBUCKETLOGGINGENABLED",
            "Effect": "Deny",
            "Action": [
                "s3:PutBucketLogging"
            ],
            "Resource": ["*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan Kebijakan Bucket untuk Bucket Amazon S3 [Sebelumnya: Larang Perubahan Kebijakan pada Arsip Log]

Kontrol ini melarang perubahan kebijakan bucket untuk semua bucket Amazon S3. Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRAUDITBUCKETPOLICYCHANGESPROHIBITED",
            "Effect": "Deny",
            "Action": [
                "s3:PutBucketPolicy"
            ],
            "Resource": ["*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
```

```
    ]
}
```

Larang Perubahan Konfigurasi Siklus Hidup untuk Bucket Amazon S3 [Sebelumnya: Tetapkan Kebijakan Retensi untuk Arsip Log]

Kontrol ini melarang perubahan konfigurasi siklus hidup untuk semua bucket Amazon S3. Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRAUDITBUCKETRETENTIONPOLICY",
            "Effect": "Deny",
            "Action": [
                "s3:PutLifecycleConfiguration"
            ],
            "Resource": ["*"],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN":"arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Larang Perubahan Konfigurasi Replikasi untuk Bucket Amazon S3

Mencegah perubahan pada cara bucket Amazon S3 Anda telah disiapkan untuk menangani replikasi di dalam Wilayah atau di seluruh Wilayah. Misalnya, jika Anda menyiapkan bucket dengan replikasi satu wilayah, untuk membatasi lokasi data Amazon S3 Anda menjadi satu Wilayah AWS (dengan demikian menonaktifkan penyalinan objek otomatis dan asinkron di seluruh bucket ke bucket lainnya Wilayah AWS), kontrol ini mencegah pengaturan replikasi tersebut diubah. Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
```

```
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRRESTRICTS3CROSSREGIONREPLICATION",
            "Effect": "Deny",
            "Action": [
                "s3:PutReplicationConfiguration"
            ],
            "Resource": [
                "*"
            ]
        }
    ]
}
```

Larang Hapus Tindakan di Bucket Amazon S3 Tanpa MFA

Melindungi bucket Amazon S3 Anda dengan meminta MFA untuk menghapus tindakan. MFA memerlukan kode otentikasi tambahan setelah nama pengguna dan kata sandi berhasil. Ini adalah kontrol preventif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah SCP berikut.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRRESTRICTS3DELETEWITHOUTMFA",
            "Effect": "Deny",
            "Action": [
                "s3:DeleteObject",
                "s3:DeleteBucket"
            ],
            "Resource": [
                "*"
            ],
            "Condition": {
                "BoolIfExists": {
                    "aws:MultiFactorAuthPresent": [
                        "false"
                    ]
                }
            }
```

```
        }
    ]
}
```

Mendeteksi Apakah MFA Diaktifkan untuk AWS Pengguna IAM

Kontrol ini mendeteksi apakah MFA diaktifkan AWS untuk pengguna IAM. Anda dapat melindungi akun Anda dengan mewajibkan MFA untuk semua AWS pengguna di akun. MFA memerlukan kode otentikasi tambahan setelah nama pengguna dan kata sandi berhasil. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether the IAM users have MFA enabled
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
  MaximumExecutionFrequency:
    Type: String
    Default: 1hour
    Description: The frequency that you want AWS Config to run evaluations for the
 rule.
    AllowedValues:
    - 1hour
    - 3hours
    - 6hours
    - 12hours
    - 24hours
Mappings:
  Settings:
    FrequencyMap:
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours
Resources:
  CheckForIAMUserMFA:
    Type: AWS::Config::ConfigRule
    Properties:
```

```
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether the AWS Identity and Access Management users have
 multi-factor authentication (MFA) enabled. The rule is COMPLIANT if MFA is enabled.
      Source:
        Owner: AWS
        SourceIdentifier: IAM_USER_MFA_ENABLED
      MaximumExecutionFrequency:
        !FindInMap
          - Settings
          - FrequencyMap
          - !Ref MaximumExecutionFrequency
```

Mendeteksi Apakah MFA Diaktifkan untuk Pengguna AWS IAM Konsol AWS

Melindungi akun Anda dengan mewajibkan MFA untuk semua pengguna AWS IAM di konsol. MFA mengurangi risiko kerentanan dari otentikasi lemah dengan memerlukan kode otentikasi tambahan setelah nama pengguna dan kata sandi berhasil. Kontrol ini mendeteksi apakah MFA diaktifkan. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether MFA is enabled for all AWS IAM
 users that use a console password.
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
  MaximumExecutionFrequency:
    Type: String
    Default: 1hour
    Description: The frequency that you want AWS Config to run evaluations for the
 rule.
    AllowedValues:
    - 1hour
    - 3hours
    - 6hours
    - 12hours
    - 24hours
Mappings:
  Settings:
    FrequencyMap:
```

```
      1hour   : One_Hour
      3hours  : Three_Hours
      6hours  : Six_Hours
      12hours : Twelve_Hours
      24hours : TwentyFour_Hours
Resources:
  CheckForIAMUserConsoleMFA:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
      Description: Checks whether AWS Multi-Factor Authentication (MFA) is enabled for
 all AWS Identity and Access Management (IAM) users that use a console password. The
 rule is COMPLIANT if MFA is enabled.
      Source:
        Owner: AWS
        SourceIdentifier: MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS
      MaximumExecutionFrequency:
        !FindInMap
          - Settings
          - FrequencyMap
          - !Ref MaximumExecutionFrequency
```

Deteksi Apakah Pembuatan Versi untuk Bucket Amazon S3 Diaktifkan

Mendeteksi apakah bucket Amazon S3 Anda diaktifkan untuk pembuatan versi. Pembuatan versi memungkinkan Anda memulihkan objek dari penghapusan atau penimpaan yang tidak disengaja. Kontrol ini tidak mengubah status akun. Ini adalah kontrol detektif dengan panduan elektif. Secara default, kontrol ini tidak diaktifkan.

Artefak untuk kontrol ini adalah AWS Config aturan berikut.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure AWS Config rules to check whether versioning is enabled for your
 S3 buckets.
Parameters:
  ConfigRuleName:
    Type: 'String'
    Description: 'Name for the Config rule'
Resources:
  CheckForS3VersioningEnabled:
    Type: AWS::Config::ConfigRule
    Properties:
      ConfigRuleName: !Sub ${ConfigRuleName}
```

```
    Description: Checks whether versioning is enabled for your S3 buckets.
    Source:
      Owner: AWS
      SourceIdentifier: S3_BUCKET_VERSIONING_ENABLED
    Scope:
      ComplianceResourceTypes:
        - AWS::S3::Bucket
```

Larang pengelolaan jenis sumber daya, modul, dan kait dalam registri AWS CloudFormation

Kontrol elektif ini melarang pengelolaan jenis ekstensi berikut dalam AWS CloudFormation registri: jenis sumber daya, modul, dan kait. Untuk informasi selengkapnya tentang AWS CloudFormation ekstensi, lihat Menggunakan AWS CloudFormation registri.

> **Note**
>
> Anda harus mengaktifkan kontrol ini ketika Anda mengaktifkan kontrol proaktif di lingkungan Anda.

- Tujuan kontrol: Lindungi konfigurasi
- Implementasi Kebijakan pengendalian layanan (SCP)
- Kontrol perilaku: Pencegahan
- Panduan kontrol: Pilihan
- Pemilik kontrol: AWS Control Tower
- ID Kontrol: CT.CLOUDFORMATION.PR.1
- Tingkat keparahan: Kritis
- AWS Layanan: AWS CloudFormation
- Jenis sumber daya: `AWS::CloudFormation::HookDefaultVersion`, `AWS::CloudFormation::HookTypeConfig`, `AWS::CloudFormation::HookVersion`, `AWS::CloudFormation::ModuleDefaultVersion`, `AWS::CloudFormation::ModuleVersion`, `AWS::CloudFormation::ResourceDefaultVersion`, `AWS::CloudFormation::ResourceVersion`

Contoh berikut menunjukkan artefak SCP untuk kontrol ini.

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "GRDISALLOWMODIFICATIONCFNREGISTRY",
            "Effect": "Deny",
            "Action": [
                "cloudformation:RegisterType",
                "cloudformation:DeregisterType",
                "cloudformation:SetTypeConfiguration",
                "cloudformation:SetTypeDefaultVersion",
                "cloudformation:PublishType"
            ],
            "Resource": [
                "*"
            ],
            "Condition": {
                "ArnNotLike": {
                    "aws:PrincipalARN": "arn:aws:iam::*:role/AWSControlTowerExecution"
                }
            }
        }
    ]
}
```

Layanan terintegrasi

AWS Control Tower adalah layanan yang dibangun di atas AWS layanan lain, untuk membantu Anda menyiapkan lingkungan yang dirancang dengan baik. Bab ini memberikan gambaran singkat tentang layanan ini, termasuk informasi konfigurasi tentang layanan yang mendasarinya dan cara kerjanya di AWS Control Tower.

Untuk informasi lebih lanjut tentang cara mengukur lingkungan yang dirancang dengan baik, pelajari tentang Well-Architected ToolAWS . Lihat juga Panduan Lingkungan Cloud Manajemen dan Tata Kelola.

Topik

- Menyebarkan Lingkungan dengan AWS CloudFormation
- Memantau Acara dengan CloudTrail
- Memantau Sumber Daya dan Layanan dengan CloudWatch
- Mengatur Konfigurasi Sumber Daya dengan AWS Config
- Mengelola Izin untuk Entitas dengan IAM
- AWS Key Management Service
- Jalankan Fungsi Komputasi Tanpa Server dengan Lambda
- Kelola Akun Melalui AWS Organizations
- Simpan Objek dengan Amazon S3
- Pantau lingkungan Anda dengan Security Hub
- Akun penyediaan melalui AWS Service Catalog
- Lacak Peringatan Melalui Layanan Pemberitahuan Sederhana Amazon
- Membangun Aplikasi Terdistribusi dengan AWS Step Functions

Menyebarkan Lingkungan dengan AWS CloudFormation

AWS CloudFormation memungkinkan Anda untuk membuat dan menyediakan penyebaran AWS infrastruktur yang dapat diprediksi dan berulang kali. Ini membantu Anda memanfaatkan AWS produk untuk membangun aplikasi yang sangat andal, sangat terukur, dan hemat biaya di cloud tanpa khawatir membuat dan mengonfigurasi infrastruktur yang mendasarinya. AWS AWS CloudFormation memungkinkan Anda untuk menggunakan file template untuk membuat dan menghapus koleksi

sumber daya bersama-sama sebagai satu unit (tumpukan). Untuk informasi selengkapnya, lihat Panduan Pengguna AWS CloudFormation.

AWS Control Tower menggunakan AWS CloudFormation stackset untuk menerapkan kontrol pada akun. Untuk informasi selengkapnya tentang cara AWS CloudFormation dan AWS Control Tower bekerja sama, lihat Menciptakan AWS Control Tower sumber daya dengan AWS CloudFormation.

Memantau Acara dengan CloudTrail

AWS Control Tower mengonfigurasi AWS CloudTrail untuk mengaktifkan pencatatan dan audit terpusat. Dengan CloudTrail, akun manajemen dapat meninjau tindakan administratif dan peristiwa siklus hidup untuk akun anggota.

CloudTrail membantu Anda memantau AWS lingkungan Anda di cloud dengan menyimpan riwayat panggilan AWS API untuk akun Anda. Misalnya, Anda dapat mengidentifikasi pengguna dan akun yang memanggil AWS API untuk layanan yang mendukung CloudTrail, alamat IP sumber dari mana panggilan dilakukan, dan waktu ketika panggilan terjadi. Anda dapat mengintegrasikan CloudTrail ke dalam aplikasi menggunakan API, mengotomatiskan pembuatan jejak untuk organisasi Anda, memeriksa status jejak Anda, dan mengontrol cara administrator mengaktifkan dan menonaktifkan CloudTrail log. Untuk informasi selengkapnya, lihat Panduan Pengguna AWS CloudTrail.

Memantau Sumber Daya dan Layanan dengan CloudWatch

Amazon CloudWatch menyediakan solusi pemantauan yang andal, terukur, dan fleksibel yang dapat Anda mulai gunakan dalam hitungan menit. Anda tidak perlu lagi mengatur, mengelola, dan menskalakan sistem dan infrastruktur pemantauan Anda sendiri. Untuk informasi selengkapnya, lihat Panduan CloudWatch Pengguna Amazon.

Untuk informasi selengkapnya tentang cara CloudWatch kerja Amazon dengan AWS Control Tower, lihat Pemantauan.

Mengatur Konfigurasi Sumber Daya dengan AWS Config

AWS Config memberikan tampilan rinci tentang sumber daya yang terkait dengan AWS akun Anda, termasuk bagaimana mereka dikonfigurasi, bagaimana mereka terkait satu sama lain, dan bagaimana konfigurasi dan hubungan mereka telah berubah dari waktu ke waktu. Untuk informasi selengkapnya, silakan lihat Panduan Developer AWS Config.

AWS Config sumber daya yang disediakan oleh AWS Control Tower ditandai secara otomatis dengan `aws-control-tower` dan nilainya. `managed-by-control-tower`

Untuk informasi selengkapnya tentang cara AWS Config memonitor dan merekam sumber daya di AWS Control Tower, dan cara tagihannya kepada Anda, lihatPantau perubahan sumber daya dengan AWS Config.

AWS Control Tower digunakan Aturan AWS Config untuk mengimplementasikan kontrol detektif. Untuk informasi selengkapnya, lihat Tentang kontrol di AWS Control Tower.

Mengelola Izin untuk Entitas dengan IAM

AWS Identity and Access Management (IAM) adalah AWS layanan untuk mengontrol akses ke AWS layanan lain. Dengan IAM, Anda dapat mengelola pengguna, kredensi keamanan secara terpusat — seperti kunci akses, dan izin — yang menentukan AWS sumber daya yang dapat diakses oleh pengguna dan aplikasi Anda.

Saat Anda mengatur landing zone, sejumlah grup dapat dibuat secara AWS IAM Identity Center otomatis, jika Anda memilih IAM sebagai penyedia identitas Anda. Grup ini memiliki set izin yang merupakan kebijakan izin yang telah ditentukan sebelumnya dari IAM. Pengguna akhir Anda juga dapat menggunakan IAM untuk menentukan ruang lingkup izin untuk pengguna IAM dan entitas lain dalam akun anggota.

AWS Identity and Access Management (IAM) menyederhanakan cara Anda mengelola akses ke AWS akun dan aplikasi bisnis. Anda dapat mengontrol akses IAM Identity Center dan izin pengguna di semua AWS akun Anda di AWS Control Tower.

Untuk informasi selengkapnya, lihat Panduan Pengguna AWS IAM Identity Center.

Jika Anda berbasis di sebuah Wilayah AWS yang tidak mendukung IAM, Anda dapat membawa penyedia identitas lain, untuk mengatur dan memelihara pengguna dan grup Anda sendiri secara manual.

AWS Key Management Service

AWS Key Management Service (AWS KMS) memungkinkan Anda untuk membuat dan mengontrol kunci yang melindungi data Anda. AWS Control Tower secara opsional memungkinkan Anda mengenkripsi data Anda dengan kunci AWS KMS enkripsi. Untuk selengkapnya AWS KMS, lihat Panduan PengembangAWS KMS.

Untuk informasi tentang cara mengatur AWS KMS kunci dengan AWS Control Tower, lihat Langkah 2. Konfigurasikan dan luncurkan landing zone Anda .

Jalankan Fungsi Komputasi Tanpa Server dengan Lambda

Dengan AWS Lambda, Anda dapat menjalankan kode tanpa menyediakan atau mengelola server. Anda dapat menjalankan kode untuk berbagai jenis aplikasi atau layanan backend — tanpa perlu overhead administrasi tambahan. Saat Anda mengunggah kode, Lambda dapat menjalankan dan menskalakan kode dengan ketersediaan tinggi. Anda dapat mengatur kode Anda untuk memicu dari AWS layanan lain secara otomatis, atau Anda dapat memanggilnya langsung dari web atau aplikasi seluler apa pun.

Misalnya, peran tertentu dalam akun audit AWS Control Tower dapat diasumsikan secara terprogram, sehingga Anda dapat meninjau akun lain menggunakan Lambda. Selain itu, Anda dapat menggunakan peristiwa siklus hidup AWS Control Tower untuk memicu fungsi Lambda.

Kelola Akun Melalui AWS Organizations

AWS Organizations adalah layanan manajemen akun yang memungkinkan Anda mengkonsolidasikan beberapa AWS akun ke dalam organisasi yang Anda buat dan kelola secara terpusat. Dengan Organizations, Anda dapat membuat akun anggota dan mengundang akun yang ada untuk bergabung dengan organisasi Anda. Anda dapat mengatur akun tersebut ke dalam grup dan melampirkan kontrol berbasis kebijakan. Untuk informasi selengkapnya, lihat Panduan Pengguna AWS Organizations.

Di AWS Control Tower, Organizations membantu mengelola penagihan secara terpusat; mengontrol akses, kepatuhan, dan keamanan; dan berbagi sumber daya di seluruh akun anggota AWS Anda. Akun dikelompokkan ke dalam kelompok logis, yang disebut unit organisasi (OU). Untuk informasi selengkapnya tentang Organizations, lihat PanduanAWS Organizations Pengguna.

AWS Control Tower menggunakan OU berikut:

- Root — Kontainer induk untuk semua akun dan semua OU lainnya di landing zone Anda.
- Keamanan - OU ini berisi akun arsip log, akun audit, dan sumber daya yang mereka miliki.
- Sandbox - OU ini dibuat saat Anda mengatur landing zone Anda. Itu dan OU anak lainnya di landing zone Anda berisi akun anggota Anda. Ini adalah akun yang diakses pengguna akhir Anda untuk melakukan pekerjaan pada AWS sumber daya.

> **Note**
>
> Anda dapat menambahkan OU tambahan di landing zone melalui konsol AWS Control Tower di halaman Unit Organisasi.

Pertimbangan

OU yang dibuat melalui AWS Control Tower dapat memiliki kontrol yang diterapkan padanya. OU yang dibuat di luar AWS Control Tower tidak dapat, secara default. Namun, Anda dapat mendaftarkan OU tersebut. Setelah Anda mendaftarkan OU, Anda dapat menerapkan kontrol untuk itu dan akunnya. Untuk informasi tentang mendaftarkan OU, lihatDaftarkan unit organisasi yang ada dengan AWS Control Tower.

Simpan Objek dengan Amazon S3

Amazon Simple Storage Service (Amazon S3) adalah penyimpanan untuk internet. Anda dapat menggunakan Amazon S3 untuk menyimpan dan mengambil data sebanyak apa pun kapan pun, dari mana pun di web. Anda dapat menyelesaikan tugas-tugas ini menggunakan antarmuka web yang sederhana dan intuitif. AWS Management ConsoleUntuk informasi selengkapnya, lihat Panduan Pengguna Layanan Penyimpanan Sederhana Amazon.

Saat menyiapkan landing zone, bucket Amazon S3 dibuat di akun arsip log untuk memuat semua log di semua akun di landing zone Anda.

Pantau lingkungan Anda dengan Security Hub

AWS Control Tower terintegrasi dengan AWS Security Hub melalui standar Security Hub yang disebut Service-Managed Standard: AWS Control Tower. Untuk informasi selengkapnya, lihat Standar Security Hub.

Akun penyediaan melalui AWS Service Catalog

AWS Service Catalog memungkinkan administrator TI untuk membuat, mengelola, dan mendistribusikan portofolio produk yang disetujui kepada pengguna akhir, yang kemudian memiliki akses produk yang mereka butuhkan di portal yang dipersonalisasi. Produk umum termasuk server, database, situs web, atau aplikasi yang digunakan menggunakan AWS sumber daya.

Anda dapat mengontrol pengguna yang memiliki akses ke produk tertentu, yang memungkinkan Anda menegakkan kepatuhan terhadap standar bisnis organisasi, mengelola siklus hidup produk, dan membantu pengguna menemukan dan meluncurkan produk dengan percaya diri. Untuk informasi selengkapnya, lihat Panduan Administrator Service Catalog.

Di AWS Control Tower, administrator cloud pusat dan pengguna akhir Anda dapat menyediakan akun khusus di landing zone Anda menggunakan AWS Service Catalog produk, yang disebut “cetak biru khusus”. Untuk informasi selengkapnya, lihat Langkah 2. Buat AWS Service Catalog produk.

AWS Control Tower juga dapat menggunakan Service Catalog API untuk mengotomatiskan penyediaan dan pembaruan akun lebih lanjut. Untuk detailnya, lihat Panduan Pengembang AWS Service Catalog.

Transisi ke jenis produk AWS Service Catalog Eksternal

AWS Service Catalog mengubah dukungan untuk produk Terraform Open Source dan menyediakan produk ke jenis produk baru, yang disebut Eksternal. Untuk mempelajari lebih lanjut tentang transisi ini, tinjau Memperbarui produk Terraform Open Source yang ada dan produk yang disediakan ke jenis produk Eksternal di panduan administrator.AWS Service Catalog

Perubahan ini memengaruhi akun yang sudah ada yang Anda buat atau daftarkan dengan kustomisasi pabrik akun AWS Control Tower. Untuk mentransisikan akun ini ke jenis produk Eksternal, Anda perlu membuat perubahan di AWS Control Tower AWS Service Catalog dan AWS Control Tower.

Untuk transisi ke jenis produk Eksternal

1. Tingkatkan Mesin Referensi Terraform Anda yang ada AWS Service Catalog untuk menyertakan dukungan untuk jenis produk Sumber Terbuka Eksternal dan Terraform. Untuk petunjuk tentang memperbarui Mesin Referensi Terraform Anda, tinjau Repositori.AWS Service Catalog GitHub
2. Di AWS Service Catalog, duplikat semua produk Terraform Open Source yang ada (cetak biru), dengan duplikat menggunakan jenis produk Eksternal yang baru. Jangan hentikan cetak biru Terraform Open Source yang ada.
3. Di AWS Control Tower, perbarui setiap akun menggunakan cetak biru Terraform Open Source untuk menggunakan cetak biru Eksternal yang baru.
    a. Untuk memperbarui cetak biru, Anda harus terlebih dahulu menghapus cetak biru Terraform Open Source sepenuhnya. Untuk detail selengkapnya, tinjau Hapus cetak biru dari akun.

b. Tambahkan cetak biru Eksternal baru ke akun yang sama. Untuk detail selengkapnya, tinjau Tambahkan cetak biru ke akun AWS Control Tower.

4. Setelah semua akun yang menggunakan cetak biru Sumber Terraform diperbarui ke cetak biru Eksternal, kembali ke AWS Service Catalog dan hentikan produk apa pun yang menggunakan Terraform Open Source sebagai jenis produk.
5. Ke depan, semua akun yang dibuat atau terdaftar menggunakan kustomisasi pabrik akun AWS Control Tower harus mereferensikan cetak biru menggunakan AWS CloudFormationatau jenis produk Eksternal.

   Untuk cetak biru yang dibuat menggunakan jenis produk Eksternal, AWS Control Tower hanya mendukung penyesuaian akun yang menggunakan templat Terraform dan mesin referensi Terraform. Untuk mempelajari lebih lanjut, tinjau Pengaturan untuk penyesuaian.

> **Note**
>
> AWS Control Tower tidak mendukung Terraform Open Source sebagai jenis produk saat membuat akun baru. Untuk mempelajari lebih lanjut tentang perubahan ini, tinjau Memperbarui produk Terraform Open Source yang ada dan produk yang disediakan ke jenis produk Eksternal dalam panduan administrator.AWS Service Catalog AWS Service Catalog akan mendukung pelanggan melalui transisi jenis produk ini, sesuai kebutuhan. Hubungi perwakilan akun Anda untuk meminta bantuan.

Lacak Peringatan Melalui Layanan Pemberitahuan Sederhana Amazon

Amazon Simple Notification Service (Amazon SNS) adalah layanan web yang memungkinkan aplikasi, pengguna akhir, dan perangkat untuk mengirim dan menerima notifikasi langsung dari cloud. Untuk informasi lebih lanjut, lihat Panduan Developer Amazon Simple Notification Service.

AWS Control Tower menggunakan Amazon SNS untuk mengirim peringatan terprogram ke alamat email akun manajemen dan akun audit Anda. Peringatan ini membantu Anda mencegah drift di dalam landing zone Anda. Untuk informasi selengkapnya, lihat Mendeteksi dan mengatasi penyimpangan di AWS Control Tower.

Kami juga menggunakan Amazon Simple Notification Service untuk mengirim pemberitahuan kepatuhan dari AWS Config.

> **Tip**
>
> Salah satu cara terbaik untuk menerima pemberitahuan kepatuhan kontrol AWS Control Tower (di akun audit Anda) adalah dengan berlangganan`AggregateConfigurationNotifications`. Ini adalah layanan yang membantu Anda memeriksa kepatuhan. Ini memberi Anda data nyata tentang AWS Config aturan yang keluar dari kepatuhan. AWS Config secara otomatis memelihara daftar akun di OU Anda.
>
> Anda harus berlangganan secara manual, menggunakan email atau jenis langganan apa pun yang memungkinkan SNS. Pernyataan tersebut `arn:aws:sns:`*`homeregion`*`:`*`account`*`:aws-controltower-AggregateSecurityNotifications` mengarah ke akun audit Anda.

Membangun Aplikasi Terdistribusi dengan AWS Step Functions

AWS Step Functions membuatnya mudah untuk mengoordinasikan komponen aplikasi terdistribusi sebagai serangkaian langkah dalam alur kerja visual. Anda dapat dengan cepat membangun dan menjalankan mesin status untuk mengeksekusi langkah-langkah aplikasi Anda secara andal dan dapat diskalakan. Untuk informasi selengkapnya, silakan lihat Panduan Developer AWS Step Functions.

Manajemen identitas dan akses di AWS Control Tower

Untuk melakukan operasi apa pun di landing zone Anda, seperti menyediakan akun di Account Factory atau membuat unit organisasi (OU) baru di konsol AWS Control Tower, baik AWS Identity and Access Management (IAM) atau AWS IAM Identity Center mengharuskan Anda untuk mengautentikasi bahwa Anda adalah pengguna yang disetujui. AWS Misalnya, jika Anda menggunakan konsol AWS Control Tower, Anda mengautentikasi identitas Anda dengan memberikan AWS kredensil Anda, seperti yang disediakan oleh administrator Anda.

Setelah Anda mengautentikasi identitas Anda, IAM mengontrol akses Anda AWS dengan sekumpulan izin yang ditentukan pada serangkaian operasi dan sumber daya tertentu. Jika Anda seorang administrator akun, Anda dapat menggunakan IAM untuk mengontrol akses pengguna IAM lainnya ke sumber daya yang terkait dengan akun Anda.

Topik

- Autentikasi
- Kontrol akses
- Bekerja dengan AWS IAM Identity Center dan AWS Control Tower
- Gambaran umum tentang mengelola izin akses ke sumber daya AWS Control Tower Anda
- Mencegah peniruan identitas lintas layanan
- Menggunakan kebijakan berbasis identitas (kebijakan IAM) untuk AWS Control Tower

Autentikasi

Anda memiliki akses ke AWS salah satu jenis identitas berikut:

- AWS pengguna root akun — Ketika Anda pertama kali membuat AWS akun, Anda mulai dengan identitas yang memiliki akses lengkap ke semua AWS layanan dan sumber daya di akun. Identitas ini disebut pengguna root AWS akun. Anda memiliki akses ke identitas ini ketika Anda masuk dengan alamat email dan kata sandi yang Anda gunakan untuk membuat akun. Kami sangat menyarankan agar Anda tidak menggunakan pengguna root untuk tugas sehari-hari, bahkan tugas administratif. Sebagai gantinya, patuhi praktik terbaik menggunakan pengguna root hanya untuk membuat pengguna Pusat Identitas IAM pertama Anda (disarankan) atau pengguna IAM (bukan praktik terbaik dalam sebagian besar kasus penggunaan). Kemudian, kunci kredensial pengguna

akar dengan aman dan gunakan kredensial itu untuk melakukan beberapa tugas manajemen akun dan layanan saja. Untuk informasi selengkapnya, lihat Kapan harus masuk sebagai pengguna root.

- Pengguna IAM — Pengguna IAM adalah identitas dalam AWS akun Anda yang memiliki izin khusus dan disesuaikan. Anda dapat menggunakan kredensil pengguna IAM untuk masuk guna mengamankan AWS halaman web seperti Konsol AWS Manajemen, Forum AWS Diskusi, atau Pusat Dukungan. AWS AWS praktik terbaik merekomendasikan agar Anda membuat pengguna IAM Identity Center alih-alih pengguna IAM, karena ada lebih banyak risiko keamanan saat Anda membuat pengguna IAM yang memiliki kredensi jangka panjang.

  Jika Anda harus membuat pengguna IAM untuk tujuan tertentu, selain kredensi masuk, Anda dapat membuat kunci akses untuk setiap pengguna IAM. Anda dapat menggunakan kunci ini ketika Anda memanggil AWS layanan secara terprogram, baik melalui salah satu dari beberapa SDK atau dengan menggunakan AWS Command Line Interface (CLI). Alat SDK dan CLI menggunakan access key untuk menandatangani permintaan Anda secara kriptografis. Jika Anda tidak menggunakan AWS alat, Anda harus menandatangani permintaan sendiri. AWS Control Tower mendukung Signature Version 4, protokol untuk mengautentikasi permintaan API masuk. Untuk informasi selengkapnya tentang mengautentikasi permintaan, lihat Proses Penandatanganan Versi Tanda Tangan 4 di Referensi AWS Umum.

- IAM role – IAM role adalah identitas IAM yang dapat Anda buat di akun Anda yang memiliki izin spesifik. Peran IAM mirip dengan pengguna IAM dalam hal itu adalah AWS identitas, dan memiliki kebijakan izin yang menentukan apa yang dapat dan tidak dapat dilakukan identitas. AWSNamun, alih-alih secara unik terkait dengan satu orang, peran dimaksudkan untuk menjadi dapat diambil oleh siapa pun yang membutuhkannya. Selain itu, peran tidak memiliki kredensial jangka panjang standar seperti kata sandi atau kunci akses yang terkait dengannya. Sebagai gantinya, saat Anda mengambil peran, kredensial keamanan sementara untuk sesi peran Anda akan diberikan. Peran IAM dengan kredensial temporer berguna dalam situasi berikut:

  - Akses pengguna federasi — Alih-alih membuat pengguna IAM, Anda dapat menggunakan identitas yang ada dari AWS Directory Service, direktori pengguna perusahaan Anda, atau penyedia identitas web. Ini dikenal sebagai pengguna federasi. AWS memberikan peran kepada pengguna federasi ketika akses diminta melalui penyedia identitas. Untuk informasi lebih lanjut tentang pengguna gabungan, lihat Pengguna Gabungan dan Peran di Panduan Pengguna IAM.

  - AWS Akses layanan — Peran layanan adalah peran IAM yang diasumsikan oleh layanan untuk melakukan tindakan di akun Anda atas nama Anda. Ketika Anda mengatur beberapa lingkungan AWS layanan, Anda harus menentukan peran untuk layanan untuk mengambil alih. Peran layanan ini harus mencakup semua izin yang diperlukan untuk layanan untuk mengakses AWS sumber daya yang dibutuhkan. Peran layanan bervariasi dari layanan ke layanan, tetapi

banyak yang memungkinkan Anda untuk memilih izin Anda selama Anda memenuhi persyaratan yang didokumentasikan untuk layanan tersebut. Peran layanan hanya menyediakan akses dalam akun Anda dan tidak dapat digunakan untuk memberikan akses ke layanan dalam akun lain. Anda dapat membuat, memodifikasi, dan menghapus peran layanan dari dalam IAM. Misalnya, Anda dapat membuat peran yang memungkinkan Amazon Redshift untuk mengakses bucket Amazon S3 atas nama Anda dan kemudian memuat data yang tersimpan di bucket ke dalam klaster Amazon Redshift. Untuk informasi selengkapnya, lihat Membuat Peran untuk Mendelegasikan Izin ke AWS Layanan di Panduan Pengguna IAM.

- Aplikasi yang berjalan di Amazon EC2 - Anda dapat menggunakan peran IAM untuk mengelola kredensi sementara untuk aplikasi yang berjalan pada instans Amazon EC2 dan membuat permintaan CLI atau API. AWS AWS Ini lebih baik untuk menyimpan kunci akses dalam instans Amazon EC2. Untuk menetapkan AWS peran ke instans Amazon EC2 dan membuatnya tersedia untuk semua aplikasinya, Anda membuat profil instans yang dilampirkan ke instans. Profil instans berisi peran dan memungkinkan program yang berjalan di instans Amazon EC2 untuk mendapatkan kredensi sementara. Untuk informasi selengkapnya, lihat Menggunakan IAM role untuk memberikan izin ke aplikasi yang berjalan di instans Amazon EC2 dalam Panduan pengguna IAM.

- Otentikasi pengguna IAM Identity Center ke portal pengguna IAM Identity Center dikendalikan oleh direktori yang telah Anda sambungkan ke IAM Identity Center. Namun, otorisasi ke AWS akun yang tersedia untuk pengguna akhir dari dalam portal pengguna ditentukan oleh dua faktor:
  - Siapa yang telah diberi akses ke AWS akun tersebut di konsol Pusat AWS Identitas IAM. Untuk informasi selengkapnya, lihat Akses Masuk Tunggal di AWS IAM Identity Center Panduan Pengguna.
  - Tingkat izin apa yang telah diberikan kepada pengguna akhir di konsol Pusat Identitas AWS IAM untuk memungkinkan mereka akses yang sesuai ke akun tersebut. AWS Untuk informasi selengkapnya, lihat Set Izin di PanduanAWS IAM Identity Center Pengguna.

Kontrol akses

Untuk membuat, memperbarui, menghapus, atau mencantumkan sumber daya AWS Control Tower, atau AWS sumber daya lain di landing zone, Anda memerlukan izin untuk melakukan operasi, dan Anda memerlukan izin untuk mengakses sumber daya terkait. Selain itu, untuk melakukan operasi secara terprogram, Anda memerlukan kunci akses yang valid.

Bagian berikut menjelaskan cara mengelola izin untuk AWS Control Tower:

Topik

- Gambaran umum tentang mengelola izin akses ke sumber daya AWS Control Tower Anda
- Menggunakan kebijakan berbasis identitas (kebijakan IAM) untuk AWS Control Tower

Bekerja dengan AWS IAM Identity Center dan AWS Control Tower

Di AWS Control Tower, IAM Identity Center memungkinkan administrator cloud pusat dan pengguna akhir untuk mengelola akses ke beberapa AWS akun dan aplikasi bisnis. Secara default, AWS Control Tower menggunakan layanan ini untuk mengatur dan mengelola akses ke akun yang dibuat melalui Account Factory, kecuali Anda telah memilih opsi untuk mengelola sendiri identitas dan kontrol akses Anda.

Untuk informasi selengkapnya tentang memilih provder identitas, lihatPanduan Pusat Identitas IAM.

Untuk tutorial singkat tentang cara mengatur pengguna IAM Identity Center dan izin di AWS Control Tower, Anda dapat melihat video ini (6:23). Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video Menyiapkan Pusat Identitas AWS IAM di AWS Control Tower.

Tentang menyiapkan AWS Control Tower dengan IAM Identity Center

Saat Anda pertama kali menyiapkan AWS Control Tower, hanya pengguna pengguna root dan pengguna IAM dengan izin yang benar yang dapat menambahkan pengguna IAM Identity Center. Namun, setelah pengguna akhir ditambahkan dalam AWSAccountFactorygrup, mereka dapat membuat pengguna Pusat Identitas IAM baru dari wizard Account Factory. Untuk informasi selengkapnya, lihat Menyediakan dan mengelola akun dengan Account Factory.

Jika Anda memilih default yang disarankan, AWS Control Tower menyiapkan landing zone Anda dengan direktori yang telah dikonfigurasi sebelumnya yang membantu Anda mengelola identitas pengguna dan sistem masuk tunggal, sehingga pengguna Anda memiliki akses gabungan di seluruh akun. Saat menyiapkan landing zone, direktori default ini dibuat untuk berisi grup pengguna dan set izin.

> **Note**
>
> Anda dapat mendelegasikan administrasi AWS IAM Identity Center di organisasi Anda ke akun selain akun manajemen, dengan menggunakan fitur administrator yang didelegasikan

dari Pusat Identitas IAM. Jika Anda memilih untuk menggunakan fitur ini, ketahuilah bahwa Administrator dengan akses untuk mengelola keanggotaan grup juga dapat mengelola grup yang ditetapkan ke akun manajemen. Untuk informasi lebih lanjut, lihat posting blog ini, berjudul, Memulai dengan administrasi delegasi AWS SSO

Grup pengguna, peran, dan set izin

Grup pengguna mengelola peran khusus yang ditentukan dalam akun bersama Anda. Peran menetapkan set izin yang dimiliki bersama. Semua anggota grup mewarisi set izin, atau peran, yang terkait dengan grup. Anda dapat membuat grup baru untuk pengguna akhir akun anggota Anda, sehingga Anda hanya dapat menetapkan peran yang diperlukan untuk tugas tertentu yang dilakukan grup.

Set izin yang tersedia mencakup berbagai persyaratan izin pengguna yang berbeda, seperti akses hanya-baca, akses administratif AWS Control Tower, dan akses Service Catalog. Set izin ini memungkinkan pengguna akhir Anda untuk menyediakan AWS akun mereka sendiri di landing zone Anda dengan cepat, dan sesuai dengan pedoman perusahaan Anda.

Untuk tips merencanakan alokasi pengguna, grup, dan izin Anda, lihat Rekomendasi untuk menyiapkan grup, peran, dan kebijakan

Untuk informasi selengkapnya tentang cara menggunakan layanan ini dalam konteks AWS Control Tower, lihat topik berikut di PanduanAWS IAM Identity Center Pengguna.

- Untuk menambahkan pengguna, lihat Menambahkan Pengguna.
- Untuk menambahkan pengguna ke grup, lihat Menambahkan Pengguna ke Grup.
- Untuk mengedit properti pengguna, lihat Mengedit Properti Pengguna.
- Untuk menambahkan grup, lihat Menambahkan Grup.

Warning

AWS Control Tower menyiapkan direktori Pusat Identitas IAM Anda di Wilayah asal Anda. Jika Anda mengatur landing zone di Wilayah lain dan kemudian menavigasi ke konsol Pusat Identitas IAM, Anda harus mengubah Wilayah ke wilayah asal Anda. Jangan hapus konfigurasi Pusat Identitas IAM Anda di Wilayah rumah Anda.

Hal yang perlu diketahui tentang akun IAM Identity Center dan AWS Control Tower

Berikut adalah beberapa hal baik yang perlu diketahui saat bekerja dengan akun pengguna IAM Identity Center di AWS Control Tower.

- Jika akun pengguna AWS IAM Identity Center dinonaktifkan, Anda akan mendapatkan pesan galat saat mencoba menyediakan akun baru di Account Factory. Anda dapat mengaktifkan kembali pengguna Pusat Identitas IAM Anda di konsol Pusat Identitas IAM.
- Jika Anda menentukan alamat email pengguna IAM Identity Center baru saat memperbarui produk yang disediakan yang terkait dengan akun yang dijual oleh Account Factory, AWS Control Tower akan membuat akun pengguna IAM Identity Center baru. Akun pengguna yang dibuat sebelumnya tidak dihapus. Jika Anda memilih untuk menghapus alamat email pengguna IAM Identity Center sebelumnya dari AWS IAM Identity Center, lihat Menonaktifkan Pengguna.
- AWS IAM Identity Center telah terintegrasi dengan Azure Active Directory, dan Anda dapat menghubungkan Azure Active Directory yang ada ke AWS Control Tower.
- Untuk informasi selengkapnya tentang bagaimana perilaku AWS Control Tower berinteraksi dengan AWS IAM Identity Center dan berbagai sumber identitas, lihat Pertimbangan untuk Mengubah Sumber Identitas Anda dalam dokumentasi AWS IAM Identity Center.

Grup Pusat Identitas IAM untuk AWS Control Tower

AWS Control Tower menawarkan grup yang telah dikonfigurasi sebelumnya untuk mengatur pengguna yang melakukan tugas tertentu di akun Anda. Anda dapat menambahkan pengguna dan menetapkan mereka ke grup ini secara langsung di Pusat Identitas IAM. Melakukannya mencocokkan set izin ke pengguna dalam grup dalam akun Anda. Grup berikut dibuat saat Anda mengatur landing zone Anda.

AWSAccountFactory

Akun	Set izin	Deskripsi
Akun manajemen	AWSServiceCatalogEndUserAccess	Grup ini hanya digunakan di akun ini untuk menyediakan akun baru menggunakan Account Factory.

AWSServiceCatalogAdmins

Akun	Set izin	Deskripsi
Akun manajemen	AWSServiceCatalogAdminFullAccess	Grup ini hanya digunakan di akun ini untuk melakukan perubahan administratif pada Account Factory. Pengguna di grup ini tidak dapat menyediakan akun baru kecuali mereka juga berada di AWSAccountFactorygrup.

AWSControlTowerAdmins

Akun	Set izin	Deskripsi
Akun manajemen	AWSAdministratorAccess	Pengguna grup ini di akun ini adalah satu-satunya yang memiliki akses ke konsol AWS Control Tower.
Akun arsip log	AWSAdministratorAccess	Pengguna memiliki akses administrator di akun ini.
Akun audit	AWSAdministratorAccess	Pengguna memiliki akses administrator di akun ini.
Akun anggota	AWSOrganizationsFullAccess	Pengguna memiliki akses penuh ke Organizations di akun ini.

AWSSecurityAuditPowerUsers

Akun	Set izin	Deskripsi
Akun manajemen	AWSPowerUserAccess	Pengguna dapat melakukan tugas pengembangan aplikasi

Akun	Set izin	Deskripsi
		dan dapat membuat dan mengkonfigurasi sumber daya dan layanan yang mendukung pengembangan aplikasi AWS sadar.
Akun arsip log	AWSPowerUserAccess	Pengguna dapat melakukan tugas pengembangan aplikasi dan dapat membuat dan mengkonfigurasi sumber daya dan layanan yang mendukung pengembangan aplikasi AWS sadar.
Akun audit	AWSPowerUserAccess	Pengguna dapat melakukan tugas pengembangan aplikasi dan dapat membuat dan mengkonfigurasi sumber daya dan layanan yang mendukung pengembangan aplikasi AWS sadar.
Akun anggota	AWSPowerUserAccess	Pengguna dapat melakukan tugas pengembangan aplikasi dan dapat membuat dan mengkonfigurasi sumber daya dan layanan yang mendukung pengembangan aplikasi AWS sadar.

AWSSecurityAuditors

Akun	Set izin	Deskripsi
Akun manajemen	AWSReadOnlyAccess	Pengguna memiliki akses hanya-baca ke semua AWS

Akun	Set izin	Deskripsi
		layanan dan sumber daya di akun ini.
Akun arsip log	AWSReadOnlyAccess	Pengguna memiliki akses hanya-baca ke semua AWS layanan dan sumber daya di akun ini.
Akun audit	AWSReadOnlyAccess	Pengguna memiliki akses hanya-baca ke semua AWS layanan dan sumber daya di akun ini.
Akun anggota	AWSReadOnlyAccess	Pengguna memiliki akses hanya-baca ke semua AWS layanan dan sumber daya di akun ini.

AWSLogArchiveAdmins

Akun	Set izin	Deskripsi
Akun arsip log	AWSAdministratorAccess	Pengguna memiliki akses administrator di akun ini.

AWSLogArchiveViewers

Akun	Set izin	Deskripsi
Akun arsip log	AWSReadOnlyAccess	Pengguna memiliki akses hanya-baca ke semua AWS layanan dan sumber daya di akun ini.

AWSAuditAccountAdmins

Akun	Set izin	Deskripsi
Akun audit	AWSAdministratorAccess	Pengguna memiliki akses administrator di akun ini.

Gambaran umum tentang mengelola izin akses ke sumber daya AWS Control Tower Anda

Setiap AWS sumber daya dimiliki oleh Akun AWS, dan izin untuk membuat atau mendapatkan akses ke sumber daya diatur oleh kebijakan izin. Administrator akun dapat melampirkan kebijakan izin pada identitas IAM (yaitu pengguna, grup, dan peran). Beberapa layanan (seperti AWS Lambda) juga mendukung melampirkan kebijakan izin ke sumber daya.

> **Note**
>
> Administrator akun (atau administrator) adalah pengguna dengan hak administrator. Untuk informasi selengkapnya tentang administrator, lihat Praktik Terbaik IAM dalam Panduan Pengguna IAM.

Ketika Anda bertanggung jawab untuk memberikan izin kepada pengguna atau peran, Anda harus mengetahui dan melacak pengguna dan peran yang memerlukan izin, sumber daya yang setiap pengguna dan peran memerlukan izin, dan tindakan spesifik yang harus diizinkan untuk mengoperasikan sumber daya tersebut.

Topik

- Sumber daya dan operasi AWS Control Tower
- Tentang kepemilikan sumber daya
- Kelola akses ke sumber daya
- Tentukan elemen kebijakan: Tindakan, Efek, dan Prinsip
- Menentukan kondisi dalam kebijakan

Sumber daya dan operasi AWS Control Tower

Di AWS Control Tower, sumber daya utamanya adalah landing zone. AWS Control Tower juga mendukung jenis sumber daya tambahan, kontrol, kadang-kadang disebut sebagai pagar pembatas. Namun, untuk AWS Control Tower, Anda dapat mengelola kontrol hanya dalam konteks landing zone yang ada. Kontrol dapat disebut sebagai subresource.

Sumber daya dan subsumber daya AWS memiliki Nama Sumber Daya Amazon (ARN) unik yang terkait dengannya, seperti yang ditunjukkan pada contoh berikut.

AWS Control Tower menyediakan serangkaian operasi API untuk bekerja dengan sumber daya AWS Control Tower. Untuk daftar operasi yang tersedia, lihat AWS Control Tower, AWS Control Tower Referensi API AWS Control Tower.

Untuk informasi selengkapnya tentang AWS CloudFormation sumber daya di AWS Control Tower, lihat Panduan AWS CloudFormation Pengguna.

Tentang kepemilikan sumber daya

AWS Akun memiliki sumber daya yang dibuat di akun, terlepas dari siapa yang membuat sumber daya. Secara khusus, pemilik sumber daya adalah AWS akun entitas utama (yaitu, pengguna Akun AWS root, pengguna Pusat Identitas IAM, pengguna IAM, atau peran IAM) yang mengautentikasi permintaan pembuatan sumber daya. Contoh berikut menggambarkan cara kerjanya:

- Jika Anda menggunakan kredensi pengguna root AWS akun AWS akun Anda untuk menyiapkan landing zone, AWS akun Anda adalah pemilik sumber daya.
- Jika Anda membuat pengguna IAM di AWS akun Anda dan memberikan izin untuk menyiapkan landing zone kepada pengguna tersebut, pengguna dapat menyiapkan landing zone selama akun mereka memenuhi prasyarat. Namun, AWS akun Anda, tempat pengguna berada, memiliki sumber daya landing zone.
- Jika Anda membuat peran IAM di AWS akun dengan izin untuk menyiapkan landing zone, siapa pun yang dapat mengambil peran tersebut dapat menyiapkan landing zone. AWS Akun Anda, tempat perannya berada, memiliki sumber daya landing zone.

Kelola akses ke sumber daya

Kebijakan izin menjelaskan siapa yang memiliki akses ke suatu objek. Bagian berikut menjelaskan opsi yang tersedia untuk membuat kebijakan izin.

> **Note**
>
> Bagian ini membahas penggunaan IAM dalam konteks AWS Control Tower. Bagian ini tidak memberikan informasi yang mendetail tentang layanan IAM. Untuk dokumentasi IAM lengkap, lihat Apa yang Dimaksud dengan IAM? dalam Panduan Pengguna IAM. Untuk informasi tentang sintaksis dan deskripsi kebijakan IAM, lihat Referensi Kebijakan IAMAWS dalam Panduan Pengguna IAM.

Kebijakan yang melekat pada identitas IAM disebut sebagai kebijakan berbasis identitas (kebijakan IAM). Kebijakan yang dilampirkan pada sumber daya disebut sebagai kebijakan berbasis-sumber daya.

> **Note**
>
> AWS Control Tower hanya mendukung kebijakan berbasis identitas (kebijakan IAM).

Topik

- Tentang kebijakan berbasis identitas (kebijakan IAM)
- Buat peran dan tetapkan izin
- Kebijakan berbasis sumber daya

Tentang kebijakan berbasis identitas (kebijakan IAM)

Anda dapat melampirkan kebijakan ke identitas IAM Anda. Misalnya, Anda dapat melakukan hal berikut:

- Lampirkan kebijakan izin ke pengguna atau grup di akun Anda — Untuk memberikan izin pengguna untuk membuat sumber daya AWS Control Tower, seperti menyiapkan landing zone, Anda dapat melampirkan kebijakan izin ke pengguna atau grup tempat pengguna tersebut berada.
- Melampirkan kebijakan izin pada peran (memberikan izin lintas akun) – Anda dapat melampirkan kebijakan izin berbasis identitas ke peran IAM untuk memberikan izin lintas akun. Misalnya, administrator untuk satu AWS akun (Akun A) dapat membuat peran yang memberikan izin lintas akun ke akun lain (AWS Akun B), atau administrator dapat membuat peran yang memberikan izin ke layanan lain. AWS

1. Administrator Akun A membuat peran IAM dan melampirkan kebijakan izin ke peran yang memberikan izin untuk mengelola sumber daya di Akun A.
2. Administrator Akun A melampirkan kebijakan kepercayaan ke peran tersebut. Kebijakan mengidentifikasi Akun B sebagai kepala sekolah yang dapat mengambil peran.
3. Sebagai prinsipal, administrator Akun B dapat memberikan izin kepada pengguna di Akun B untuk mengambil peran tersebut. Dengan mengasumsikan peran tersebut, pengguna di Akun B dapat membuat atau mendapatkan akses ke sumber daya di Akun A.
4. Untuk memberikan AWS layanan kemampuan (izin) untuk mengambil peran, prinsipal yang Anda tentukan dalam kebijakan kepercayaan dapat berupa AWS layanan.

Buat peran dan tetapkan izin

Peran dan izin memberi Anda akses ke sumber daya, di AWS Control Tower, dan di AWS layanan lainnya, termasuk akses terprogram ke sumber daya.

Untuk memberikan akses, tambahkan izin ke pengguna, grup, atau peran Anda:

- Pengguna dan grup di AWS IAM Identity Center:

  Buat rangkaian izin. Ikuti petunjuk dalam Buat set izin dalam Panduan PenggunaAWS IAM Identity Center .
- Pengguna yang dikelola di IAM melalui penyedia identitas:

  Buat peran untuk federasi identitas. Ikuti petunjuk dalam Membuat peran untuk penyedia identitas pihak ketiga (federasi) di Panduan Pengguna IAM.
- Pengguna IAM:
  - Buat peran yang dapat diambil pengguna Anda. Ikuti petunjuk dalam Membuat peran untuk pengguna IAM dalam Panduan Pengguna IAM.
  - (Tidak disarankan) Pasang kebijakan langsung ke pengguna atau tambahkan pengguna ke grup pengguna. Ikuti petunjuk di Menambahkan izin ke pengguna (konsol) dalam Panduan Pengguna IAM.

Untuk informasi selengkapnya tentang penggunaan IAM untuk mendelegasikan izin, lihat Manajemen Akses dalam Panduan Pengguna IAM.

> **Note**
>
> Saat menyiapkan zona landing zone AWS Control Tower, Anda memerlukan pengguna atau peran dengan kebijakan AdministratorAccessterkelola. (arn:aws:iam: :aws:policy/) AdministratorAccess

Untuk membuat peran untuk Layanan AWS (konsol IAM)

1. Masuk ke AWS Management Console dan buka konsol IAM di https://console.aws.amazon.com/iam/.
2. Di panel navigasi konsol IAM, pilih Peran, dan lalu pilih Buat peran.
3. Untuk jenis entitas Tepercaya, pilih Layanan AWS.
4. Untuk kasus Layanan atau penggunaan, pilih layanan, lalu pilih kasus penggunaan. Kasus penggunaan ditentukan oleh layanan untuk menyertakan kebijakan kepercayaan yang diperlukan layanan.
5. Pilih Berikutnya.
6. Untuk kebijakan Izin, opsi bergantung pada kasus penggunaan yang Anda pilih:
   - Jika layanan menentukan izin untuk peran tersebut, Anda tidak dapat memilih kebijakan izin.
   - Pilih dari serangkaian kebijakan izin terbatas.
   - Pilih dari semua kebijakan izin.
   - Pilih kebijakan tanpa izin, buat kebijakan setelah peran dibuat, lalu lampirkan kebijakan ke peran.
7. (Opsional) Tetapkan batas izin. Ini adalah fitur lanjutan yang tersedia untuk peran layanan, tetapi bukan peran tertaut layanan.
   a. Buka bagian Setel batas izin, lalu pilih Gunakan batas izin untuk mengontrol izin peran maksimum.

      IAM menyertakan daftar kebijakan yang AWS dikelola dan dikelola pelanggan di akun Anda.

   b. Pilih kebijakan yang akan digunakan untuk batas izin.
8. Pilih Berikutnya.
9. Untuk nama Peran, opsi bergantung pada layanan:
   - Jika layanan menentukan nama peran, Anda tidak dapat mengedit nama peran.

- Jika layanan mendefinisikan awalan untuk nama peran, Anda dapat memasukkan akhiran opsional.
- Jika layanan tidak menentukan nama peran, Anda dapat memberi nama peran.

> **Important**
>
> Saat Anda memberi nama peran, perhatikan hal berikut:
>
> - Nama peran harus unik di dalam diri Anda Akun AWS, dan tidak dapat dibuat unik berdasarkan kasus.
>
> Misalnya, jangan membuat peran bernama keduanya **`PRODROLE`** dan**`prodrole`**. Ketika nama peran digunakan dalam kebijakan atau sebagai bagian dari ARN, nama peran tersebut peka huruf besar/kecil, namun ketika nama peran muncul kepada pelanggan di konsol, seperti selama proses masuk, nama peran tersebut tidak peka huruf besar/kecil.
> - Anda tidak dapat mengedit nama peran setelah dibuat karena entitas lain mungkin mereferensikan peran tersebut.

10. (Opsional) Untuk Deskripsi, masukkan deskripsi untuk peran tersebut.
11. (Opsional) Untuk mengedit kasus penggunaan dan izin untuk peran, di Langkah 1: Pilih entitas tepercaya atau Langkah 2: Tambahkan izin, pilih Edit.
12. (Opsional) Untuk membantu mengidentifikasi, mengatur, atau mencari peran, tambahkan tag sebagai pasangan nilai kunci. Untuk informasi selengkapnya tentang penggunaan tanda di IAM, lihat Menandai sumber daya IAM di Panduan Pengguna IAM.
13. Tinjau peran lalu pilih Buat peran.

Cara menggunakan editor kebijakan JSON untuk membuat kebijakan

1. Masuk ke AWS Management Console dan buka konsol IAM di https://console.aws.amazon.com/iam/.
2. Pada panel navigasi di sebelah kiri, pilih Kebijakan.

   Jika ini pertama kalinya Anda memilih Kebijakan, akan muncul halaman Selamat Datang di Kebijakan Terkelola. Pilih Memulai.
3. Di bagian atas halaman, pilih Buat kebijakan.
4. Di bagian Editor kebijakan, pilih opsi JSON.

5. Masukkan atau tempel dokumen kebijakan JSON. Untuk detail bahasa kebijakan IAM, lihat Referensi kebijakan JSON IAM.
6. Selesaikan peringatan keamanan, kesalahan, atau peringatan umum yang dihasilkan selama validasi kebijakan, lalu pilih Berikutnya.

> **Note**
>
> Anda dapat beralih antara opsi editor Visual dan JSON kapan saja. Namun, jika Anda melakukan perubahan atau memilih Berikutnya di editor Visual, IAM dapat merestrukturisasi kebijakan Anda untuk mengoptimalkannya bagi editor visual. Untuk informasi selengkapnya, lihat Restrukturisasi kebijakan dalam Panduan Pengguna IAM.

7. (Opsional) Saat membuat atau mengedit kebijakan AWS Management Console, Anda dapat membuat templat kebijakan JSON atau YAMB yang dapat Anda gunakan dalam AWS CloudFormation templat.

   Untuk melakukannya, di editor Kebijakan pilih Tindakan, lalu pilih Buat CloudFormation templat. Untuk mempelajari selengkapnya AWS CloudFormation, lihat referensi jenisAWS Identity and Access Management sumber daya di PanduanAWS CloudFormation Pengguna.
8. Setelah selesai menambahkan izin ke kebijakan, pilih Berikutnya.
9. Pada halaman Tinjau dan buat, masukkan Nama kebijakan dan Deskripsi (opsional) untuk kebijakan yang Anda buat. Tinjau Izin yang ditentukan dalam kebijakan ini untuk melihat izin yang diberikan oleh kebijakan Anda.
10. (Opsional) Tambahkan metadata ke kebijakan dengan melampirkan tanda sebagai pasangan nilai kunci. Untuk informasi selengkapnya tentang penggunaan tanda di IAM, lihat Menandai sumber daya IAM di Panduan Pengguna IAM.
11. Pilih Buat kebijakan untuk menyimpan kebijakan baru Anda.

Untuk menggunakan editor visual dalam pembuatan kebijakan

1. Masuk ke AWS Management Console dan buka konsol IAM di https://console.aws.amazon.com/iam/.
2. Pada panel navigasi di sebelah kiri, pilih Kebijakan.

   Jika ini pertama kalinya Anda memilih Kebijakan, akan muncul halaman Selamat Datang di Kebijakan Terkelola. Pilih Memulai.

3. Pilih Buat kebijakan.
4. Di bagian Editor kebijakan, temukan bagian Pilih layanan, lalu pilih Layanan AWS. Anda bisa menggunakan kotak pencarian di bagian atas untuk membatasi hasil pada daftar layanan. Anda bisa memilih hanya satu layanan pada blok izin editor visual. Untuk memberikan akses ke lebih dari satu layanan, tambahkan beberapa blok izin dengan memilih Tambahkan lebih banyak izin.
5. Di Tindakan yang diizinkan, pilih tindakan yang akan ditambahkan ke kebijakan. Anda bisa memilih tindakan dengan cara berikut:

   - Pilih kotak centang untuk semua tindakan.
   - Pilih Tambahkan tindakan untuk memasukkan nama tindakan tertentu. Anda dapat menggunakan karakter wildcard (*) untuk menentukan beberapa tindakan.
   - Pilih satu grup Tingkat akses untuk memilih semua tindakan untuk tingkat akses tersebut (misalnya, Baca, Tulis, atau Daftar).
   - Perluas setiap grup Tingkat akses untuk memilih tindakan individu.

   Secara default, kebijakan yang Anda buat mengizinkan tindakan yang Anda pilih. Sebaliknya, untuk menolak tindakan terpilih, pilih Beralih ke menolak izin. Karena IAM menolak secara default, kami merekomendasikan sebagai praktik terbaik keamanan agar Anda mengizinkan hanya tindakan dan sumber daya yang diperlukan pengguna saja. Buat pernyataan JSON untuk menolak izin hanya jika Anda ingin mengganti izin secara terpisah yang diizinkan oleh pernyataan atau kebijakan lain. Kami sarankan Anda membatasi jumlah izin penolakan seminim mungkin karena dapat meningkatkan kesulitan izin pemecahan masalah.
6. Untuk Sumber Daya, bila layanan dan tindakan yang Anda pilih di langkah sebelumnya tidak mendukung pilihan sumber daya tertentu, semua sumber daya diperbolehkan dan Anda tidak bisa mengedit bagian ini.

   Jika Anda memilih satu atau lebih tindakan yang mendukungizin tingkat sumber daya, maka editor visual akan mendaftar sumber daya tersebut. Kemudian Anda bisa memperluas Sumber Daya untuk menentukan sumber daya bagi kebijakan Anda.

   Anda dapat menentukan sumber daya dengan cara berikut:

   - Pilih Tambahkan ARN untuk menentukan sumber daya berdasarkan Nama Sumber Daya Amazon (ARN) mereka. Anda dapat menggunakan editor ARN visual atau mendaftar ARN secara manual. Untuk informasi selengkapnya tentang sintaks ARN, lihat Amazon Resource Names (ARN) di Panduan Pengguna IAM. Untuk informasi tentang penggunaan ARN dalam

`Resource` elemen kebijakan, lihat elemen kebijakan IAM JSON: Sumber daya dalam Panduan Pengguna IAM.

- Pilih Apa saja di akun ini di samping sumber daya untuk memberikan izin ke sumber daya apa pun dari jenis itu.
- Pilih Semua untuk memilih semua sumber daya untuk layanan ini.

7. (Opsional) Pilih Ketentuan permintaan - opsional untuk menambahkan kondisi ke kebijakan yang Anda buat. Kondisi membatasi efek dari pernyataan kebijakan JSON. Misalnya, Anda dapat menentukan bahwa pengguna diizinkan melakukan tindakan pada sumber daya hanya ketika permintaan pengguna tersebut terjadi di rentang waktu tertentu. Anda juga dapat menggunakan kondisi yang umum digunakan untuk membatasi apakah pengguna harus diautentikasi dengan menggunakan perangkat otentikasi multi-faktor (MFA). Atau Anda bisa meminta agar permintaan yang berasal dari rentang alamat IP tertentu. Untuk daftar semua kunci konteks yang dapat Anda gunakan dalam kondisi kebijakan, lihat Tindakan, sumber daya, dan kunci kondisi untuk AWS layanan di Referensi Otorisasi Layanan.

   Anda bisa memilih kondisi dengan cara berikut:

   - Gunakan kotak centang untuk memilih kondisi yang biasa dipakai.
   - Pilih Tambahkan kondisi lain untuk menentukan kondisi lain. Pilih Condition Key, Qualifier, dan Operator kondisi, lalu masukkan Nilai. Untuk menambahkan lebih dari satu nilai, pilih Tambah. Anda dapat mempertimbangkan nilai-nilai sebagai terhubung oleh `OR` operator logis. Setelah selesai, pilih Tambahkan kondisi.

   Untuk menambahkan lebih dari satu kondisi, pilih Tambahkan kondisi lain lagi. Ulangi seperlunya. Setiap kondisi berlaku hanya untuk blok izin editor visual yang satu ini. Semua kondisi haruslah benar agar blok izin dapat dianggap cocok. Dengan kata lain, pertimbangkan kondisi yang akan dihubungkan oleh `AND` operator logis.

   Untuk informasi selengkapnya tentang elemen Kondisi, lihat elemen kebijakan IAM JSON: Kondisi dalam Panduan Pengguna IAM.

8. Untuk menambahkan lebih banyak blok izin, pilih Tambahkan izin lainnya. Untuk setiap blok, ulangi langkah 2 sampai 5.

> **Note**
>
> Anda dapat beralih antara opsi editor Visual dan JSON kapan saja. Namun, jika Anda melakukan perubahan atau memilih Berikutnya di editor Visual, IAM dapat merestrukturisasi kebijakan Anda untuk mengoptimalkannya bagi editor visual. Untuk informasi selengkapnya, lihat Restrukturisasi kebijakan dalam Panduan Pengguna IAM.

9. (Opsional) Saat membuat atau mengedit kebijakan AWS Management Console, Anda dapat membuat templat kebijakan JSON atau YAMB yang dapat Anda gunakan dalam AWS CloudFormation templat.

   Untuk melakukannya, di editor Kebijakan pilih Tindakan, lalu pilih Buat CloudFormation templat. Untuk mempelajari selengkapnya AWS CloudFormation, lihat referensi jenisAWS Identity and Access Management sumber daya di PanduanAWS CloudFormation Pengguna.
10. Setelah selesai menambahkan izin ke kebijakan, pilih Berikutnya.
11. Pada halaman Tinjau dan buat, masukkan Nama kebijakan dan Deskripsi (opsional) untuk kebijakan yang Anda buat. Tinjau Izin yang ditentukan dalam kebijakan ini untuk memastikan bahwa Anda telah memberikan izin yang dimaksud.
12. (Opsional) Tambahkan metadata ke kebijakan dengan melampirkan tanda sebagai pasangan nilai kunci. Untuk informasi selengkapnya tentang penggunaan tanda di IAM, lihat Menandai sumber daya IAM di Panduan Pengguna IAM.
13. Pilih Buat kebijakan untuk menyimpan kebijakan baru Anda.

Untuk memberikan akses terprogram

Pengguna membutuhkan akses terprogram jika mereka ingin berinteraksi dengan AWS luar. AWS Management ConsoleCara untuk memberikan akses terprogram tergantung pada jenis pengguna yang mengakses AWS.

Untuk memberi pengguna akses terprogram, pilih salah satu opsi berikut.

Pengguna mana yang membutuhkan akses terprogram?	Untuk	Oleh
Identitas tenaga kerja (Pengguna yang dikelola di Pusat Identitas IAM)	Gunakan kredenal sementara untuk menandatangani permintaan terprogram ke AWS CLI, AWS SDK, atau API. AWS	Mengikuti petunjuk untuk antarmuka yang ingin Anda gunakan. • Untuk AWS CLI, lihat Mengkonfigurasi yang akan AWS CLI digunakan AWS IAM Identity Center dalam PanduanAWS Command Line Interface Pengguna. • Untuk AWS SDK, alat, dan AWS API, lihat autentikasi Pusat Identitas IAM di Panduan Referensi AWS SDK dan Alat.
IAM	Gunakan kredenal sementara untuk menandatangani permintaan terprogram ke AWS CLI, AWS SDK, atau API. AWS	Mengikuti petunjuk dalam Menggunakan kredensi sementara dengan AWS sumber daya di Panduan Pengguna IAM.
IAM	(Tidak direkomendasikan) Gunakan kredenal jangka panjang untuk menandatangani permintaan terprogram ke AWS CLI, AWS SDK, atau API. AWS	Mengikuti petunjuk untuk antarmuka yang ingin Anda gunakan. • Untuk mengetahui AWS CLI, lihat Mengautentikasi menggunakan kredensi pengguna IAM di Panduan Pengguna.AWS Command Line Interface

Pengguna mana yang membutuhkan akses terprogram?	Untuk	Oleh
		• Untuk AWS SDK dan alat bantu, lihat Mengautentikasi menggunakan kredensil jangka panjang di Panduan ReferensiAWS SDK dan Alat. • Untuk AWS API, lihat Mengelola kunci akses untuk pengguna IAM di Panduan Pengguna IAM.

Melindungi dari penyerang

Untuk informasi selengkapnya tentang cara membantu melindungi dari penyerang saat Anda memberikan izin kepada prinsipal AWS layanan lain, lihat. Kondisi opsional untuk hubungan kepercayaan peran Anda Dengan menambahkan kondisi tertentu ke kebijakan Anda, Anda dapat membantu mencegah jenis serangan tertentu, yang dikenal sebagai serangan wakil bingung, yang terjadi jika entitas memaksa entitas yang lebih istimewa untuk melakukan tindakan, seperti dengan peniruan identitas lintas layanan. Untuk informasi umum tentang kondisi kebijakan, lihat jugaMenentukan kondisi dalam kebijakan.

Untuk informasi selengkapnya tentang penggunaan kebijakan berbasis identitas dengan AWS Control Tower, lihat. Menggunakan kebijakan berbasis identitas (kebijakan IAM) untuk AWS Control Tower Untuk informasi lebih lanjut tentang pengguna, grup, peran, dan izin, lihat Identitas (Pengguna, Grup, dan Peran) dalam Panduan Pengguna IAM.

Kebijakan berbasis sumber daya

Layanan lain, seperti Amazon S3, juga mendukung kebijakan izin berbasis sumber daya. Misalnya, Anda dapat melampirkan kebijakan ke bucket S3 untuk mengelola izin akses ke bucket tersebut. AWS Control Tower tidak mendukung kebijakan berbasis sumber daya.

Tentukan elemen kebijakan: Tindakan, Efek, dan Prinsip

Anda dapat mengatur dan mengelola landing zone melalui konsol AWS Control Tower, atau API landing zone. Untuk menyiapkan landing zone, Anda harus menjadi pengguna IAM dengan izin administratif sebagaimana didefinisikan dalam kebijakan IAM.

Elemen-elemen berikut adalah yang paling dasar yang dapat Anda identifikasi dalam suatu kebijakan:

- Sumber daya – Dalam kebijakan, Anda menggunakan Amazon Resource Name (ARN) untuk mengidentifikasi sumber daya yang diatur kebijakan. Untuk informasi selengkapnya, lihat Sumber daya dan operasi AWS Control Tower.
- Tindakan – Anda menggunakan kata kunci tindakan untuk mengidentifikasi operasi sumber daya yang ingin Anda izinkan atau tolak. Untuk informasi tentang jenis tindakan yang tersedia untuk dilakukan, lihat Tindakan yang ditentukan oleh AWS Control Tower.
- Efek – Anda menentukan efek ketika pengguna meminta tindakan tertentu—baik mengizinkan maupun menolak. Jika Anda tidak secara eksplisit memberikan akses ke (mengizinkan) sumber daya, akses akan ditolak secara implisit. Anda juga dapat secara eksplisit menolak akses ke sumber daya, yang mungkin Anda lakukan untuk memastikan bahwa pengguna tidak dapat mengaksesnya, meskipun ada akses memberikan kebijakan yang berbeda.
- Principal — Dalam kebijakan berbasis identitas (kebijakan IAM), pengguna yang melekat pada kebijakan tersebut adalah prinsipal implisit. Untuk kebijakan berbasis sumber daya, Anda menentukan pengguna, akun, layanan, atau entitas lain yang diinginkan untuk menerima izin (berlaku hanya untuk kebijakan berbasis sumber daya). AWS Control Tower tidak mendukung kebijakan berbasis sumber daya.

Untuk mempelajari selengkapnya tentang sintaksis dan deskripsi kebijakan IAM, lihat Referensi Kebijakan IAMAWS dalam Panduan Pengguna IAM.

Menentukan kondisi dalam kebijakan

Ketika Anda memberikan izin, Anda dapat menggunakan bahasa kebijakan IAM untuk menentukan kondisi ketika kebijakan harus berlaku. Misalnya, Anda mungkin ingin kebijakan diterapkan hanya setelah tanggal tertentu. Untuk informasi selengkapnya tentang menentukan kondisi dalam bahasa kebijakan, lihat Kondisi dalam Panduan Pengguna IAM.

Untuk menyatakan kondisi, Anda dapat menggunakan kunci kondisi yang telah ditentukan. Tidak ada kunci kondisi khusus untuk AWS Control Tower. Namun, ada tombol kondisi AWS-wide yang dapat

Anda gunakan sesuai kebutuhan. Untuk daftar lengkap tombol AWS-wide, lihat Kunci yang Tersedia untuk Ketentuan di Panduan Pengguna IAM.

Mencegah peniruan identitas lintas layanan

Pada tahun AWS, peniruan lintas layanan dapat mengakibatkan masalah wakil yang membingungkan. Ketika satu layanan memanggil layanan lain, peniruan identitas lintas layanan terjadi jika satu layanan memanipulasi layanan lain untuk menggunakan izinnya untuk bertindak atas sumber daya pelanggan dengan cara yang tidak diizinkan. Untuk mencegah serangan ini, AWS sediakan alat untuk membantu Anda melindungi data Anda, sehingga hanya layanan dengan izin yang sah yang dapat memperoleh akses ke sumber daya di akun Anda.

Sebaiknya gunakan `aws:SourceArn` dan `aws:SourceAccount` ketentuan dalam kebijakan Anda, untuk membatasi izin yang diberikan AWS Control Tower ke layanan lain untuk akses ke sumber daya Anda.

- Gunakan `aws:SourceArn` jika Anda hanya ingin satu sumber daya dikaitkan dengan akses lintas layanan.
- Gunakan `aws:SourceAccount` jika Anda ingin mengizinkan sumber daya apa pun di akun itu dikaitkan dengan penggunaan lintas layanan.
- Jika `aws:SourceArn` nilainya tidak berisi ID akun, seperti ARN untuk bucket Amazon S3, Anda harus menggunakan kedua kondisi tersebut untuk membatasi izin.
- Jika Anda menggunakan kedua kondisi, dan jika `aws:SourceArn` nilainya berisi ID akun, `aws:SourceAccount` nilai dan akun dalam `aws:SourceArn` nilai harus menunjukkan ID akun yang sama saat digunakan dalam pernyataan kebijakan yang sama

Untuk informasi selengkapnya dan contoh tambahan, lihat Kondisi opsional untuk hubungan kepercayaan peran Anda.

Menggunakan kebijakan berbasis identitas (kebijakan IAM) untuk AWS Control Tower

Topik ini memberikan contoh kebijakan berbasis identitas yang menunjukkan bagaimana administrator akun dapat melampirkan kebijakan izin ke identitas IAM (yaitu, pengguna, grup, dan peran) dan dengan demikian memberikan izin untuk melakukan operasi pada sumber daya AWS Control Tower.

> **Important**
>
> Kami menyarankan Anda terlebih dahulu meninjau topik pengantar yang menjelaskan konsep dasar dan opsi yang tersedia bagi Anda untuk mengelola akses ke sumber daya AWS Control Tower Anda. Untuk informasi selengkapnya, lihat Gambaran umum tentang mengelola izin akses ke sumber daya AWS Control Tower Anda.

Izin yang Diperlukan untuk Menggunakan AWS Control Tower Console

AWS Control Tower membuat tiga peran secara otomatis saat Anda menyiapkan landing zone. Ketiga peran tersebut diperlukan untuk memungkinkan akses konsol. AWS Control Tower membagi izin menjadi tiga peran sebagai praktik terbaik untuk membatasi akses ke serangkaian tindakan dan sumber daya minimal.

Tiga peran yang dibutuhkan

- AWSControlTowerAdmin peran
- AWSControlTowerStackSetRole
- AWSControlTowerCloudTrailRole

Kami menyarankan Anda membatasi akses ke kebijakan kepercayaan peran Anda untuk peran ini. Untuk informasi selengkapnya, lihat Kondisi opsional untuk hubungan kepercayaan peran Anda.

AWSControlTowerAdmin peran

Peran ini memberi AWS Control Tower akses ke infrastruktur penting untuk mempertahankan landing zone. `AWSControlTowerAdmin`Peran tersebut membutuhkan kebijakan terkelola terlampir dan kebijakan kepercayaan peran untuk peran IAM. Kebijakan kepercayaan peran adalah kebijakan berbasis sumber daya, yang menentukan prinsip mana yang dapat mengambil peran tersebut.

Berikut contoh cuplikan untuk kebijakan kepercayaan peran ini:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
```

```
      "Principal": {
        "Service": "controltower.amazonaws.com"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

Untuk membuat peran ini dari AWS CLI, dan memasukkannya ke dalam file bernama`trust.json`, berikut adalah contoh perintah CLI:

```
aws iam create-role --role-name AWSControlTowerAdmin --path /service-role/ --assume-
role-policy-document file://trust.json
```

Peran ini membutuhkan dua kebijakan IAM.

1. Kebijakan inline, misalnya:

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Action": "ec2:DescribeAvailabilityZones",
            "Resource": "*"
        }
    ]
}
```

2. Kebijakan terkelola yang mengikuti, yaitu`AWSControlTowerServiceRolePolicy`.

AWSControlTowerServiceRolePolicy

AWSControlTowerServiceRolePolicyIni adalah kebijakan AWSterkelola yang mendefinisikan izin untuk membuat dan mengelola sumber daya AWS Control Tower, seperti AWS CloudFormation stackset dan instance tumpukan, file AWS CloudTrail log, agregator konfigurasi untuk AWS Control Tower, AWS Organizations serta akun dan unit organisasi (OU) yang diatur oleh AWS Control Tower.

Pembaruan kebijakan terkelola ini dirangkum dalam tabel,Kebijakan terkelola untuk AWS Control Tower.

Untuk informasi selengkapnya, lihat AWSControlTowerServiceRolePolicydi Panduan Referensi Kebijakan Terkelola AWS.

Nama Kebijakan Terkelola: `AWSControlTowerServiceRolePolicy`

Artefak JSON untuk `AWSControlTowerServiceRolePolicy` adalah sebagai berikut:

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Action": [
                "cloudformation:CreateStack",
                "cloudformation:CreateStackInstances",
                "cloudformation:CreateStackSet",
                "cloudformation:DeleteStack",
                "cloudformation:DeleteStackInstances",
                "cloudformation:DeleteStackSet",
                "cloudformation:DescribeStackInstance",
                "cloudformation:DescribeStacks",
                "cloudformation:DescribeStackSet",
                "cloudformation:DescribeStackSetOperation",
                "cloudformation:ListStackInstances",
                "cloudformation:UpdateStack",
                "cloudformation:UpdateStackInstances",
                "cloudformation:UpdateStackSet"
            ],
            "Resource": [
                "arn:aws:cloudformation:*:*:type/resource/AWS-IAM-Role"
            ]
        },
        {
            "Effect": "Allow",
            "Action": [
                "account:EnableRegion",
                "account:ListRegions",
                "account:GetRegionOptStatus"
            ],
            "Resource": "*"
        },
        {
            "Effect": "Allow",
            "Action": [
```

```
                "cloudformation:CreateStack",
                "cloudformation:CreateStackInstances",
                "cloudformation:CreateStackSet",
                "cloudformation:DeleteStack",
                "cloudformation:DeleteStackInstances",
                "cloudformation:DeleteStackSet",
                "cloudformation:DescribeStackInstance",
                "cloudformation:DescribeStacks",
                "cloudformation:DescribeStackSet",
                "cloudformation:DescribeStackSetOperation",
                "cloudformation:GetTemplate",
                "cloudformation:ListStackInstances",
                "cloudformation:UpdateStack",
                "cloudformation:UpdateStackInstances",
                "cloudformation:UpdateStackSet"
            ],
            "Resource": [
                "arn:aws:cloudformation:*:*:stack/AWSControlTower*/*",
                "arn:aws:cloudformation:*:*:stack/StackSet-AWSControlTower*/*",
                "arn:aws:cloudformation:*:*:stackset/AWSControlTower*:*",
                "arn:aws:cloudformation:*:*:stackset-target/AWSControlTower*/*"
            ]
        },
        {
            "Effect": "Allow",
            "Action": [
                "cloudtrail:CreateTrail",
                "cloudtrail:DeleteTrail",
                "cloudtrail:GetTrailStatus",
                "cloudtrail:StartLogging",
                "cloudtrail:StopLogging",
                "cloudtrail:UpdateTrail",
                "cloudtrail:PutEventSelectors",
                "logs:CreateLogStream",
                "logs:PutLogEvents",
                "logs:PutRetentionPolicy"
            ],
            "Resource": [
                "arn:aws:logs:*:*:log-group:aws-controltower/CloudTrailLogs:*",
                "arn:aws:cloudtrail:*:*:trail/aws-controltower*"
            ]
        },
        {
            "Effect": "Allow",
```

```
            "Action": [
                "s3:GetObject"
            ],
            "Resource": [
                "arn:aws:s3:::aws-controltower*/*"
            ]
        },
        {
            "Effect": "Allow",
            "Action": [
                "sts:AssumeRole"
            ],
            "Resource": [
                "arn:aws:iam::*:role/AWSControlTowerExecution",
                "arn:aws:iam::*:role/AWSControlTowerBlueprintAccess"
            ]
        },
        {
            "Effect": "Allow",
            "Action": [
                "cloudtrail:DescribeTrails",
                "ec2:DescribeAvailabilityZones",
                "iam:ListRoles",
                "logs:CreateLogGroup",
                "logs:DescribeLogGroups",
                "organizations:CreateAccount",
                "organizations:DescribeAccount",
                "organizations:DescribeCreateAccountStatus",
                "organizations:DescribeOrganization",
                "organizations:DescribeOrganizationalUnit",
                "organizations:DescribePolicy",
                "organizations:ListAccounts",
                "organizations:ListAccountsForParent",
                "organizations:ListAWSServiceAccessForOrganization",
                "organizations:ListChildren",
                "organizations:ListOrganizationalUnitsForParent",
                "organizations:ListParents",
                "organizations:ListPoliciesForTarget",
                "organizations:ListTargetsForPolicy",
                "organizations:ListRoots",
                "organizations:MoveAccount",
                "servicecatalog:AssociatePrincipalWithPortfolio"
            ],
            "Resource": "*"
```

```
        },
        {
            "Effect": "Allow",
            "Action": [
                "iam:GetRole",
                "iam:GetUser",
                "iam:ListAttachedRolePolicies",
                "iam:GetRolePolicy"
            ],
            "Resource": "*"
        },
        {
            "Effect": "Allow",
            "Action": [
                "iam:PassRole"
            ],
            "Resource": [
                "arn:aws:iam::*:role/service-role/AWSControlTowerStackSetRole",
                "arn:aws:iam::*:role/service-role/AWSControlTowerCloudTrailRole",
                "arn:aws:iam::*:role/service-role/
AWSControlTowerConfigAggregatorRoleForOrganizations"
            ]
        },
        {
            "Effect": "Allow",
            "Action": [
                "config:DeleteConfigurationAggregator",
                "config:PutConfigurationAggregator",
                "config:TagResource"
            ],
            "Resource": "*",
            "Condition": {
                "StringEquals": {
                    "aws:ResourceTag/aws-control-tower": "managed-by-control-tower"
                }
            }
        },
        {
            "Effect": "Allow",
            "Action": [
                "organizations:EnableAWSServiceAccess",
                "organizations:DisableAWSServiceAccess"
            ],
            "Resource": "*",
```

```
            "Condition": {
                "StringLike": {
                    "organizations:ServicePrincipal": [
                        "config.amazonaws.com",
                        "cloudtrail.amazonaws.com"
                    ]
                }
            }
        },
        {
            "Effect": "Allow",
            "Action": "iam:CreateServiceLinkedRole",
            "Resource": "*",
            "Condition": {
                "StringEquals": {
                    "iam:AWSServiceName": "cloudtrail.amazonaws.com"
                }
            }
        }
    ]
}
```

Kebijakan kepercayaan peran:

```
{
    "Version": "2012-10-17",
    "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "Service": [
          "controltower.amazonaws.com"
         ]
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

Kebijakan inline adalah`AWSControlTowerAdminPolicy`:

```
{
```

```
    "Version": "2012-10-17",
    "Statement": [
        {
            "Action": "ec2:DescribeAvailabilityZones",
            "Resource": "*",
            "Effect": "Allow"
        }
    ]
}
```

AWSControlTowerStackSetRole

AWS CloudFormation mengasumsikan peran ini untuk menerapkan set tumpukan di akun yang dibuat oleh AWS Control Tower. Kebijakan Inline:

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Action": [
                "sts:AssumeRole"
            ],
            "Resource": [
                "arn:aws:iam::*:role/AWSControlTowerExecution"
            ],
            "Effect": "Allow"
        }
    ]
}
```

Kebijakan kepercayaan

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "Service": "cloudformation.amazonaws.com"
            },
            "Action": "sts:AssumeRole"
        }
```

```
    ]
}
```

AWSControlTowerCloudTrailRole

AWS Control Tower memungkinkan CloudTrail sebagai praktik terbaik dan menyediakan peran ini CloudTrail. CloudTrailmengasumsikan peran ini untuk membuat dan menerbitkan CloudTrail log. Kebijakan Inline:

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Action": "logs:CreateLogStream",
            "Resource": "arn:aws:logs:*:*:log-group:aws-controltower/CloudTrailLogs:*",
            "Effect": "Allow"
        },
        {
            "Action": "logs:PutLogEvents",
            "Resource": "arn:aws:logs:*:*:log-group:aws-controltower/CloudTrailLogs:*",
            "Effect": "Allow"
        }
    ]
}
```

Kebijakan kepercayaan

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "Service": "cloudtrail.amazonaws.com"
            },
            "Action": "sts:AssumeRole"
        }
    ]
}
```

AWSControlTowerBlueprintAccess persyaratan peran

AWS Control Tower mengharuskan Anda untuk membuat `AWSControlTowerBlueprintAccess` peran di akun hub cetak biru yang ditentukan, dalam organisasi yang sama.

Nama peran

Nama peran harus`AWSControlTowerBlueprintAccess`.

Kebijakan kepercayaan peran

Peran harus diatur untuk mempercayai prinsip-prinsip berikut:

- Prinsipal yang menggunakan AWS Control Tower di akun manajemen.
- `AWSControlTowerAdmin`Peran dalam akun manajemen.

Contoh berikut menunjukkan kebijakan kepercayaan paling tidak memiliki hak istimewa:

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "AWS": [
                    "arn:aws:iam::ManagementAccountId:role/AWSControlTowerAdmin",
                    "arn:aws:iam::ManagementAccountId:role/YourControlTowerUserRole"
                ]
            },
            "Action": "sts:AssumeRole",
            "Condition": {}
        }
    ]
}
```

Izin peran

Anda diminta untuk melampirkan kebijakan yang dikelola AWSServiceCatalogAdminFullAccesske peran tersebut.

AWSServiceRoleForAWSControlTower

Peran ini memberi AWS Control Tower akses ke akun Arsip Log, akun Audit, dan akun anggota, untuk operasi yang penting untuk mempertahankan landing zone, seperti memberi tahu Anda tentang sumber daya yang hanyut.

`AWSServiceRoleForAWSControlTower`Peran tersebut membutuhkan kebijakan terkelola terlampir dan kebijakan kepercayaan peran untuk peran IAM.

Kebijakan terkelola untuk peran ini: `AWSControlTowerAccountServiceRolePolicy`

Kebijakan kepercayaan peran:

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {
                "Service": "controltower.amazonaws.com"
            },
            "Action": "sts:AssumeRole"
        }
    ]
}
```

AWSControlTowerAccountServiceRolePolicy

Kebijakan yang AWSdikelola ini memungkinkan AWS Control Tower memanggil AWS layanan yang menyediakan konfigurasi akun otomatis dan tata kelola terpusat atas nama Anda.

Kebijakan ini berisi izin minimum AWS Control Tower untuk menerapkan penerusan AWS Security Hub temuan untuk sumber daya yang dikelola oleh kontrol Security Hub yang merupakan bagian dari Standar yang dikelola Layanan Security Hub: AWS Control Tower, dan mencegah perubahan yang membatasi kemampuan mengelola akun pelanggan. Ini adalah bagian dari proses deteksi AWS Security Hub drift latar belakang yang tidak secara langsung diprakarsai oleh pelanggan.

Kebijakan ini memberikan izin untuk membuat EventBridge aturan Amazon, khususnya untuk kontrol Security Hub, di setiap akun anggota, dan aturan ini harus menentukan EventPattern persisnya. Selain itu, aturan hanya dapat beroperasi berdasarkan aturan yang dikelola oleh prinsipal layanan kami.

Prinsipal layanan: `controltower.amazonaws.com`

Artefak JSON untuk `AWSControlTowerAccountServiceRolePolicy` adalah sebagai berikut:

```
{
 "Version": "2012-10-17",
 "Statement": [
  {
  //For creating the managed rule
   "Sid": "AllowPutRuleOnSpecificSourcesAndDetailTypes",
   "Effect": "Allow",
   "Action": "events:PutRule",
   "Resource": "arn:aws:events:*:*:rule/*ControlTower*",
   "Condition": {
    "ForAnyValue:StringEquals": {
     "events:source": "aws.securityhub"
    },
    "Null": {
     "events:detail-type": "false"
    },
    "StringEquals": {
     "events:ManagedBy": "controltower.amazonaws.com",
     "events:detail-type": "Security Hub Findings - Imported"
    }
   }
  },
  // Other operations to manage the managed rule
  {
   "Sid": "AllowOtherOperationsOnRulesManagedByControlTower",
   "Effect": "Allow",
   "Action": [
    "events:DeleteRule",
    "events:EnableRule",
    "events:DisableRule",
    "events:PutTargets",
    "events:RemoveTargets"
   ],
   "Resource": "arn:aws:events:*:*:rule/*ControlTower*",
   "Condition": {
    "StringEquals": {
     "events:ManagedBy": "controltower.amazonaws.com"
    }
   }
  },
```

```
  // More managed rule permissions
  {
   "Sid": "AllowDescribeOperationsOnRulesManagedByControlTower",
   "Effect": "Allow",
   "Action": [
    "events:DescribeRule",
    "events:ListTargetsByRule"
   ],
   "Resource": "arn:aws:events:*:*:rule/*ControlTower*"
  },
  // Add permission to publish the security notifications to SNS
  {
   "Sid": "AllowControlTowerToPublishSecurityNotifications",
   "Effect": "Allow",
   "Action": "sns:publish",
   "Resource": "arn:aws:sns:*:*:aws-controltower-AggregateSecurityNotifications",
   "Condition": {
    "StringEquals": {
     "aws:PrincipalAccount": "${aws:ResourceAccount}"
    }
   }
  },
  // For drift verification
  {
   "Sid": "AllowActionsForSecurityHubIntegration",
   "Effect": "Allow",
   "Action": [
    "securityhub:DescribeStandardsControls",
    "securityhub:GetEnabledStandards"
   ],
   "Resource": "arn:aws:securityhub:*:*:hub/default"
  }
 ]
}
```

Pembaruan kebijakan terkelola ini dirangkum dalam tabel,Kebijakan terkelola untuk AWS Control Tower.

Kebijakan terkelola untuk AWS Control Tower

AWS mengatasi banyak kasus penggunaan umum dengan menyediakan kebijakan IAM mandiri yang dibuat dan dikelola oleh. AWSKebijakan terkelola memberikan izin yang diperlukan untuk kasus

penggunaan umum sehingga Anda tidak perlu menyelidiki izin apa yang diperlukan. Untuk informasi selengkapnya, lihat Kebijakan TerkelolaAWS dalam Panduan Pengguna IAM.

Perubahan	Deskripsi	Tanggal
AWSControlTowerAccountServiceRolePolicy—Kebijakan baru	AWS Control Tower menambahkan peran terkait layanan baru yang memungkinkan AWS Control Tower membuat dan mengelola aturan peristiwa, dan berdasarkan aturan tersebut, untuk mengelola deteksi drift untuk kontrol yang terkait dengan Security Hub. Perubahan ini diperlukan agar pelanggan dapat melihat sumber daya yang hanyut di konsol, ketika sumber daya tersebut terkait dengan kontrol Security Hub yang merupakan bagian dari Standar yang dikelola Layanan Security Hub: AWS Control Tower.	22 Mei 2023
AWSControlTowerServiceRolePolicy – Pembaruan pada kebijakan yang sudah ada	AWS Control Tower menambahkan izin baru yang memungkinkan AWS Control Tower melakukan panggilan ke`EnableRegion` ,`ListRegions` , dan `GetRegionOptStatus` API yang diterapkan oleh layanan Manajemen AWS Akun, agar keikutsertaan Wilayah AWS tersedia untuk	6 April 2023

Perubahan	Deskripsi	Tanggal
	akun pelanggan di landing zone (Akun manajemen, akun arsip log, akun Audit, akun anggota OU). Perubahan ini diperlukan agar pelanggan dapat memiliki opsi untuk memperluas tata kelola Wilayah oleh AWS Control Tower ke dalam Wilayah keikutsertaan.	

Perubahan	Deskripsi	Tanggal
AWSControlTowerServiceRolePolicy – Pembaruan pada kebijakan yang sudah ada	AWS Control Tower menambahkan izin baru yang memungkinkan AWS Control Tower `AWSControlTowerBlueprintAccess` berperan dalam akun blueprint (hub), yang merupakan akun khusus dalam suatu organisasi, yang berisi cetak biru yang telah ditentukan sebelumnya yang disimpan dalam satu atau beberapa Produk Service Catalog. AWS Control Tower mengambil `AWSControlTowerBlueprintAccess` peran untuk melakukan tiga tugas: membuat Portofolio Service Catalog, menambahkan cetak biru Produk yang diminta, dan membagikan Portofolio ke akun anggota yang diminta pada waktu penyediaan akun. Perubahan ini diperlukan agar pelanggan dapat menyediakan akun yang disesuaikan melalui AWS Control Tower Account Factory.	28 Oktober 2022

Perubahan	Deskripsi	Tanggal
AWSControlTowerServiceRolePolicy – Pembaruan pada kebijakan yang sudah ada	AWS Control Tower menambahkan izin baru yang memungkinkan pelanggan menyiapkan AWS CloudTrail jejak tingkat organisasi, mulai dari landing zone versi 3.0. CloudTrail Fitur berbasis organisasi mengharuskan pelanggan untuk mengaktif kan akses tepercaya untuk CloudTrail layanan, dan pengguna atau peran IAM harus memiliki izin untuk membuat jejak tingkat organisasi di akun manajemen .	Juni 20, 2022

Perubahan	Deskripsi	Tanggal
AWSControlTowerServiceRolePolicy – Pembaruan pada kebijakan yang sudah ada	AWS Control Tower menambahkan izin baru yang memungkinkan pelanggan menggunakan enkripsi kunci KMS. Fitur KMS memungkinkan pelanggan untuk menyediakan kunci KMS mereka sendiri untuk mengenkripsi log mereka. CloudTrail Pelanggan juga dapat mengubah kunci KMS selama pembaruan atau perbaikan landing zone. Saat memperbarui kunci KMS, AWS CloudFormation perlu izin untuk memanggil API. AWS CloudTrail `PutEventSelector` Perubahan kebijakan adalah mengizinkan AWSControlTowerAdminperan memanggil AWS CloudTrail `PutEventSelector` API.	28 Juli 2021
AWS Control Tower mulai melacak perubahan	AWS Control Tower mulai melacak perubahan untuk kebijakan yang AWS dikelola.	27 Mei 2021

Keamanan di AWS Control Tower

Keamanan cloud di AWS adalah prioritas tertinggi. Sebagai AWS pelanggan, Anda mendapat manfaat dari pusat data dan arsitektur jaringan yang dibangun untuk memenuhi persyaratan organisasi yang paling sensitif terhadap keamanan.

Keamanan adalah tanggung jawab bersama antara Anda AWS dan Anda. Model tanggung jawab bersama menggambarkan ini sebagai keamanan cloud dan keamanan di cloud:

- Keamanan cloud — AWS bertanggung jawab untuk melindungi infrastruktur yang menjalankan AWS layanan di AWS Cloud. AWS juga memberi Anda layanan yang dapat Anda gunakan dengan aman. Efektivitas keamanan kami diuji dan diverifikasi secara rutin oleh auditor pihak ketiga sebagai bagian dari program kepatuhan AWS. Untuk mempelajari tentang program kepatuhan yang berlaku untuk AWS Control Tower, lihat AWS Layanan dalam Lingkup menurut Program Kepatuhan.
- Keamanan di cloud — Tanggung jawab Anda ditentukan oleh AWS layanan yang Anda gunakan. Anda juga bertanggung jawab atas faktor lain, termasuk sensitivitas data, persyaratan perusahaan, serta hukum dan peraturan yang berlaku.

Dokumentasi ini membantu Anda memahami cara menerapkan model tanggung jawab bersama saat menggunakan AWS Control Tower. Topik berikut menunjukkan cara mengonfigurasi AWS Control Tower untuk memenuhi tujuan keamanan dan kepatuhan Anda. Anda juga mempelajari cara menggunakan AWS layanan lain yang membantu Anda memantau dan mengamankan sumber daya AWS Control Tower Anda.

Perlindungan Data di AWS Control Tower

Model tanggung jawab AWS bersama model tanggung berlaku untuk perlindungan data di AWS Control Tower. Seperti yang dijelaskan dalam model AWS ini, bertanggung jawab untuk melindungi infrastruktur global yang menjalankan semua AWS Cloud. Anda bertanggung jawab untuk mempertahankan kendali atas konten yang di-host pada infrastruktur ini. Anda juga bertanggung jawab atas tugas-tugas konfigurasi dan manajemen keamanan untuk Layanan AWS yang Anda gunakan. Lihat informasi yang lebih lengkap tentang privasi data dalam Pertanyaan Umum Privasi Data. Lihat informasi tentang perlindungan data di Eropa di pos blog Model Tanggung Jawab Bersama dan GDPR AWS di Blog Keamanan AWS .

Untuk tujuan perlindungan data, kami menyarankan Anda melindungi Akun AWS kredensyal dan mengatur pengguna individu dengan AWS IAM Identity Center atau AWS Identity and Access Management (IAM). Dengan cara itu, setiap pengguna hanya diberi izin yang diperlukan untuk memenuhi tanggung jawab tugasnya. Kami juga menyarankan supaya Anda mengamankan data dengan cara-cara berikut:

- Gunakan autentikasi multi-faktor (MFA) pada setiap akun.
- Gunakan SSL/TLS untuk berkomunikasi dengan sumber daya. AWS Kami mensyaratkan TLS 1.2 dan menganjurkan TLS 1.3.
- Siapkan API dan pencatatan aktivitas pengguna dengan AWS CloudTrail.
- Gunakan solusi AWS enkripsi, bersama dengan semua kontrol keamanan default di dalamnya Layanan AWS.
- Gunakan layanan keamanan terkelola lanjut seperti Amazon Macie, yang membantu menemukan dan mengamankan data sensitif yang disimpan di Amazon S3.
- Jika Anda memerlukan modul kriptografi tervalidasi FIPS 140-2 saat mengakses AWS melalui antarmuka baris perintah atau API, gunakan titik akhir FIPS. Lihat informasi yang lebih lengkap tentang titik akhir FIPS yang tersedia di Standar Pemrosesan Informasi Federal (FIPS) 140-2.

Kami sangat merekomendasikan agar Anda tidak pernah memasukkan informasi identifikasi yang sensitif, seperti nomor rekening pelanggan Anda, ke dalam tanda atau bidang isian bebas seperti bidang Nama. Ini termasuk saat Anda bekerja dengan AWS Control Tower atau lainnya Layanan AWS menggunakan konsol, API AWS CLI, atau AWS SDK. Data apa pun yang Anda masukkan ke dalam tanda atau bidang isian bebas yang digunakan untuk nama dapat digunakan untuk log penagihan atau log diagnostik. Saat Anda memberikan URL ke server eksternal, kami sangat menganjurkan supaya Anda tidak menyertakan informasi kredensial di dalam URL untuk memvalidasi permintaan Anda ke server itu.

> **Note**
>
> Pencatatan aktivitas pengguna ditangani AWS CloudTrail secara otomatis di AWS Control Tower saat Anda mengatur landing zone.

Untuk informasi selengkapnya tentang perlindungan data, lihat postingan blog Model Tanggung Jawab Bersama AWS dan GDPR di Blog Keamanan AWS . AWS Control Tower menyediakan opsi

berikut yang dapat Anda gunakan untuk membantu mengamankan konten yang ada di landing zone Anda:

Topik

- Enkripsi saat Data Tidak Berpindah
- Enkripsi Saat Data Berpindah
- Batasi Akses ke Konten

Enkripsi saat Data Tidak Berpindah

AWS Control Tower menggunakan bucket Amazon S3 dan database Amazon DynamoDB yang dienkripsi saat istirahat menggunakan Amazon S3-Managed Keys (SSE-S3) untuk mendukung landing zone Anda. Enkripsi ini dikonfigurasi secara default saat Anda mengatur landing zone. Secara opsional, Anda dapat mengonfigurasi landing zone untuk mengenkripsi sumber daya dengan kunci enkripsi KMS. Anda juga dapat membuat enkripsi saat istirahat untuk layanan yang Anda gunakan di landing zone Anda untuk layanan yang mendukungnya. Untuk informasi selengkapnya, lihat bagian keamanan dokumentasi online layanan tersebut.

Enkripsi Saat Data Berpindah

AWS Control Tower menggunakan Transport Layer Security (TLS) dan enkripsi sisi klien untuk enkripsi saat transit guna mendukung landing zone Anda. Selain itu, mengakses AWS Control Tower memerlukan penggunaan konsol, yang hanya dapat diakses melalui titik akhir HTTPS. Enkripsi ini dikonfigurasi secara default saat Anda mengatur landing zone.

Batasi Akses ke Konten

Sebagai praktik terbaik, Anda harus membatasi akses ke subset pengguna yang sesuai. Dengan AWS Control Tower, Anda dapat melakukan ini dengan memastikan bahwa administrator cloud pusat dan pengguna akhir Anda memiliki izin IAM yang tepat atau, dalam kasus pengguna IAM Identity Center, bahwa mereka berada dalam grup yang benar.

- Untuk informasi selengkapnya tentang peran dan kebijakan untuk entitas IAM, lihat Panduan Pengguna IAM.
- Untuk informasi selengkapnya tentang grup Pusat Identitas IAM yang dibuat saat Anda menyiapkan landing zone, lihatGrup Pusat Identitas IAM untuk AWS Control Tower.

Validasi Kepatuhan untuk AWS Control Tower

AWS Control Tower adalah layanan yang dirancang dengan baik yang dapat membantu organisasi Anda memenuhi kebutuhan kepatuhan Anda dengan kontrol dan praktik terbaik. Selain itu, auditor pihak ketiga menilai keamanan dan kepatuhan sejumlah layanan yang dapat Anda gunakan di landing zone Anda sebagai bagian dari beberapa program AWS kepatuhan. Program ini mencakup SOC, PCI, FedRAMP, HIPAA, dan lainnya.

Untuk daftar AWS layanan dalam lingkup program kepatuhan tertentu, lihat AWS Layanan dalam Lingkup berdasarkan Program Kepatuhan. Untuk informasi umum, lihat Program Kepatuhan AWS.

Anda dapat mengunduh laporan audit pihak ketiga menggunakan AWS Artifact. Untuk informasi selengkapnya, lihat Mengunduh Laporan di AWS Artifak di AWS Artifact Panduan Pengguna.

Tanggung jawab kepatuhan Anda saat menggunakan AWS Control Tower ditentukan oleh sensitivitas data Anda, tujuan kepatuhan perusahaan Anda, serta hukum dan peraturan yang berlaku. AWS menyediakan sumber daya berikut untuk membantu kepatuhan:

- Panduan Memulai Cepat Keamanan dan Kepatuhan — Panduan penerapan ini membahas pertimbangan arsitektur dan memberikan langkah-langkah untuk menerapkan lingkungan dasar yang berfokus pada keamanan dan kepatuhan. AWS
- Arsitektur untuk Keamanan dan Kepatuhan HIPAA di Amazon Web Services — Whitepaper ini menjelaskan bagaimana perusahaan dapat menggunakan AWS untuk membuat aplikasi yang sesuai dengan HIPAA.
- AWS Sumber Daya Kepatuhan — Kumpulan buku kerja dan panduan ini mungkin berlaku untuk industri dan lokasi Anda.
- AWS Config AWS Layanan ini menilai seberapa baik konfigurasi sumber daya Anda mematuhi praktik internal, pedoman industri, dan peraturan.
- AWS Security Hub— AWS Layanan ini memberikan pandangan komprehensif tentang keadaan keamanan Anda di dalamnya AWS yang membantu Anda memeriksa kepatuhan Anda terhadap standar industri keamanan dan praktik terbaik.

Ketahanan di AWS Control Tower

Infrastruktur AWS global dibangun di sekitar AWS Wilayah dan Zona Ketersediaan.

AWS Wilayah menyediakan beberapa Availability Zone yang terpisah secara fisik dan terisolasi, yang terhubung melalui latensi rendah, throughput tinggi, dan jaringan yang sangat redundan. Availability Zones memungkinkan Anda merancang dan mengoperasikan aplikasi dan database yang secara otomatis gagal di antara Availability Zone tanpa gangguan. Zona Ketersediaan lebih sangat tersedia, lebih toleran kesalahan, dan lebih dapat diskalakan daripadai infrastruktur pusat data tunggal atau multi tradisional.

Untuk daftar Wilayah AWS tempat AWS Control Tower tersedia, lihatBagaimana AWS Wilayah Bekerja Dengan AWS Control Tower.

Wilayah asal Anda didefinisikan sebagai AWS Wilayah tempat landing zone Anda didirikan.

Untuk informasi selengkapnya tentang AWS Wilayah dan Availability Zone, lihat Infrastruktur AWS Global.

Keamanan Infrastruktur di AWS Control Tower

AWS Control Tower dilindungi oleh prosedur keamanan jaringan AWS global yang dijelaskan dalam whitepaper Amazon Web Services: Tinjauan Proses Keamanan.

Anda menggunakan panggilan API yang AWS dipublikasikan untuk akses ke AWS layanan dan sumber daya dalam landing zone Anda melalui jaringan. Kami memerlukan Transport Layer Security (TLS) 1.2 dan merekomendasikan Transport Layer Security (TLS) 1.3 atau yang lebih baru. Klien juga harus mendukung cipher suite dengan perfect forward secrecy (PFS) seperti Ephemeral Diffie-Hellman (DHE) atau Elliptic Curve Ephemeral Diffie-Hellman (ECDHE). Sebagian besar sistem modern seperti Java 7 dan sistem yang lebih baru mendukung mode ini.

Selain itu, permintaan harus ditandatangani dengan menggunakan ID kunci akses dan kunci akses rahasia yang terkait dengan pengguna utama IAM. Atau Anda dapat menggunakan AWS Security Token Service (AWS STS) untuk menghasilkan kredensial keamanan sementara untuk menandatangani permintaan.

Anda dapat mengatur grup keamanan untuk menyediakan keamanan infrastruktur jaringan tambahan untuk beban kerja landing zone AWS Control Tower Anda. Untuk informasi selengkapnya, lihat Panduan: Mengatur Grup Keamanan di AWS Control Tower Dengan AWS Firewall Manager.

Pencatatan dan pemantauan di AWS Control Tower

Pemantauan memungkinkan Anda untuk merencanakan dan menanggapi insiden potensial. Hasil kegiatan pemantauan disimpan dalam file log. Oleh karena itu, logging dan monitoring adalah konsep yang terkait erat, dan merupakan bagian penting dari sifat AWS Control Tower yang dirancang dengan baik.

Saat menyiapkan landing zone, salah satu akun bersama yang dibuat adalah akun arsip log. Ini didedikasikan untuk mengumpulkan semua log secara terpusat, termasuk log untuk semua akun bersama dan anggota Anda. File log disimpan dalam bucket Amazon S3. File log ini memungkinkan administrator dan auditor untuk meninjau tindakan dan peristiwa yang telah terjadi.

Sebagai praktik terbaik, Anda harus mengumpulkan data pemantauan dari semua bagian AWS pengaturan Anda ke dalam log Anda, sehingga Anda dapat lebih mudah men-debug kegagalan multi-titik jika terjadi. AWS menyediakan beberapa alat untuk memantau sumber daya dan aktivitas Anda di landing zone Anda.

Misalnya, status kontrol Anda dipantau terus-menerus. Anda dapat melihat status mereka secara sekilas di konsol AWS Control Tower, atau secara terprogram melalui AWS Control Tower API. Kesehatan dan status akun yang Anda berikan di Account Factory juga dipantau secara konstan.

Melihat tindakan yang dicatat dari halaman Aktivitas

Di konsol AWS Control Tower, halaman Aktivitas memberikan ikhtisar tindakan akun manajemen AWS Control Tower. Untuk menavigasi ke halaman AWS Control Tower Activities, pilih Aktivitas dari navigasi kiri.

Aktivitas yang ditampilkan di halaman Aktivitas adalah aktivitas yang sama yang dilaporkan dalam log AWS CloudTrail peristiwa untuk AWS Control Tower, tetapi ditampilkan dalam format tabel. Untuk mempelajari lebih lanjut tentang aktivitas tertentu, pilih aktivitas dari tabel, lalu pilih Lihat detail.

Anda dapat melihat tindakan dan peristiwa akun anggota di file arsip log.

Bagian berikut menjelaskan pemantauan dan pencatatan di AWS Control Tower dengan lebih detail:

Topik

- Alat terintegrasi untuk pemantauan
- Mencatat Tindakan AWS Control Tower dengan AWS CloudTrail
- Peristiwa Siklus Hidup di AWS Control Tower

- Menggunakan Notifikasi AWS Pengguna dengan AWS Control Tower

Tentang masuk ke AWS Control Tower

AWS Control Tower menyelesaikan pencatatan tindakan dan peristiwa secara otomatis, melalui integrasinya dengan AWS CloudTrail dan AWS Config, dan merekamnya CloudWatch. Semua tindakan dicatat, termasuk tindakan dari akun manajemen AWS Control Tower dan dari akun anggota organisasi Anda. Tindakan dan peristiwa akun manajemen dapat dilihat di halaman Aktivitas di konsol. Anda dapat melihat tindakan dan peristiwa akun anggota di file arsip log.

Jalur tingkat organisasi

AWS Control Tower menyiapkan CloudTrail jejak baru saat Anda menyiapkan landing zone. Ini adalah jejak tingkat organisasi, yang berarti mencatat semua peristiwa untuk akun manajemen dan semua akun anggota dalam organisasi. Fitur ini mengandalkan akses tepercaya untuk memberikan izin akun manajemen untuk membuat jejak di setiap akun anggota.

Untuk informasi selengkapnya tentang AWS Control Tower dan jejak CloudTrail organisasi, lihat Membuat jejak untuk organisasi.

> **Note**
>
> Dalam rilis AWS Control Tower sebelum landing zone versi 3.0, AWS Control Tower membuat jejak akun anggota di setiap akun. Saat Anda memperbarui ke rilis 3.0, CloudTrail jejak Anda menjadi jejak organisasi. Untuk praktik terbaik saat berpindah antar jalur, lihat Praktik terbaik untuk mengubah jejak di CloudTrail Panduan Pengguna.

Saat Anda mendaftarkan akun ke AWS Control Tower, akun Anda diatur oleh AWS CloudTrail jejak untuk organisasi AWS Control Tower. Jika Anda memiliki penerapan CloudTrail jejak yang ada di akun tersebut, Anda mungkin melihat biaya duplikat kecuali Anda menghapus jejak yang ada untuk akun tersebut sebelum Anda mendaftarkannya di AWS Control Tower.

> **Note**
>
> Saat Anda memperbarui ke landing zone versi 3.0, AWS Control Tower menghapus jejak tingkat akun (yang telah dibuat AWS Control Tower) di akun terdaftar atas nama Anda. File log tingkat akun Anda yang ada disimpan di bucket Amazon S3 mereka.

Kebijakan bucket Amazon S3 di akun audit

Di AWS Control Tower, AWS layanan memiliki akses ke sumber daya Anda hanya jika permintaan berasal dari organisasi atau unit organisasi (OU) Anda. `aws:SourceOrgID`Kondisi harus dipenuhi untuk izin menulis apa pun.

Anda dapat menggunakan kunci `aws:SourceOrgID` kondisi dan menyetel nilainya ke ID organisasi di elemen kondisi kebijakan bucket S3 Anda. Kondisi ini memastikan bahwa CloudTrail hanya dapat menulis log atas nama akun dalam organisasi Anda ke bucket S3 Anda; ini mencegah CloudTrail log di luar organisasi Anda menulis ke bucket AWS Control Tower S3 Anda.

Kebijakan ini memulihkan potensi kerentanan keamanan, tanpa memengaruhi fungsionalitas beban kerja Anda yang ada. Kebijakan ditampilkan dalam contoh berikut.

```
S3AuditBucketPolicy:
    Type: AWS::S3::BucketPolicy
    Properties:
      Bucket: !Ref S3AuditBucket
      PolicyDocument:
        Version: 2012-10-17
        Statement:
          - Sid: AllowSSLRequestsOnly
            Effect: Deny
            Principal: '*'
            Action: s3:*
            Resource:
             - !Sub "arn:${AWS::Partition}:s3:::${S3AuditBucket}"
             - !Sub "arn:${AWS::Partition}:s3:::${S3AuditBucket}/*"
            Condition:
              Bool:
                aws:SecureTransport: false
          - Sid: AWSBucketPermissionsCheck
            Effect: Allow
            Principal:
              Service:
                - cloudtrail.amazonaws.com
                - config.amazonaws.com
            Action: s3:GetBucketAcl
            Resource:
              - !Sub "arn:${AWS::Partition}:s3:::${S3AuditBucket}"
          - Sid: AWSConfigBucketExistenceCheck
            Effect: Allow
```

```
            Principal:
              Service:
                - cloudtrail.amazonaws.com
                - config.amazonaws.com
            Action: s3:ListBucket
            Resource:
              - !Sub "arn:${AWS::Partition}:s3:::${S3AuditBucket}"
          - Sid: AWSBucketDeliveryForConfig
            Effect: Allow
            Principal:
              Service:
                - config.amazonaws.com
            Action: s3:PutObject
            Resource:
              - Fn::Join:
                  - ""
                  -
                    - !Sub "arn:${AWS::Partition}:s3:::"
                    - !Ref "S3AuditBucket"
                    - !Sub "/${AWSLogsS3KeyPrefix}/AWSLogs/*/*"
            Condition:
              StringEquals:
                aws:SourceOrgID: !Ref OrganizationId
          - Sid: AWSBucketDeliveryForOrganizationTrail
            Effect: Allow
            Principal:
              Service:
                - cloudtrail.amazonaws.com
            Action: s3:PutObject
            Resource: !If [IsAccountLevelBucketPermissionRequiredForCloudTrail,
                [!Sub "arn:${AWS::Partition}:s3:::${S3AuditBucket}/
${AWSLogsS3KeyPrefix}/AWSLogs/${Namespace}/*", !Sub "arn:${AWS::Partition}:s3:::
${S3AuditBucket}/${AWSLogsS3KeyPrefix}/AWSLogs/${OrganizationId}/*"],
                !Sub "arn:${AWS::Partition}:s3:::${S3AuditBucket}/
${AWSLogsS3KeyPrefix}/AWSLogs/*/*"]
            Condition:
              StringEquals:
            aws:SourceOrgID: !Ref OrganizationId
```

Untuk informasi selengkapnya tentang kunci kondisi ini, lihat dokumentasi IAM dan posting blog IAM berjudul "Gunakan kontrol yang dapat diskalakan untuk AWS layanan yang mengakses sumber daya Anda.”

Alat terintegrasi untuk pemantauan

Pemantauan adalah bagian penting dalam menjaga keandalan, ketersediaan, dan kinerja AWS Control Tower dan AWS solusi Anda yang lain. AWS menyediakan alat pemantauan berikut untuk mengawasi AWS Control Tower, melaporkan ketika ada sesuatu yang salah, dan mengambil tindakan otomatis bila perlu:

- Amazon CloudWatch memantau AWS sumber daya Anda dan aplikasi yang Anda jalankan AWS secara real time. Anda dapat mengumpulkan dan melacak metrik, membuat dasbor yang disesuaikan, dan mengatur alarm yang memberi tahu Anda atau mengambil tindakan saat metrik tertentu mencapai ambang batas yang ditentukan. Misalnya, Anda dapat CloudWatch melacak penggunaan CPU atau metrik lain dari instans Amazon EC2 Anda dan secara otomatis meluncurkan instans baru bila diperlukan. Untuk informasi selengkapnya, lihat Panduan CloudWatch Pengguna Amazon.
- Amazon CloudWatch Events memberikan aliran peristiwa sistem yang mendekati real-time yang menjelaskan perubahan AWS sumber daya. CloudWatch Peristiwa memungkinkan komputasi berbasis peristiwa otomatis, karena Anda dapat menulis aturan yang mengawasi peristiwa tertentu dan memicu tindakan otomatis di AWS layanan lain saat peristiwa ini terjadi. Untuk informasi selengkapnya, lihat Panduan Pengguna CloudWatch Acara Amazon.
- Amazon CloudWatch Logs memungkinkan Anda memantau, menyimpan, dan mengakses file log Anda dari instans Amazon EC2, CloudTrail, dan sumber lainnya. CloudWatch Log dapat memantau informasi dalam file log dan memberi tahu Anda ketika ambang batas tertentu terpenuhi. Anda juga dapat mengarsipkan data log dalam penyimpanan yang sangat tahan lama. Untuk informasi selengkapnya, lihat Panduan Pengguna Amazon CloudWatch Logs.
- AWS CloudTrailmenangkap panggilan API dan peristiwa terkait yang dibuat oleh atau atas nama AWS akun Anda dan mengirimkan file log ke bucket Amazon S3 yang Anda tentukan. Anda dapat mengidentifikasi pengguna dan akun mana yang dipanggil AWS, alamat IP sumber dari mana panggilan dilakukan, dan kapan panggilan terjadi.

Tip: Anda dapat melihat dan CloudTrail melakukan kueri aktivitas di akun melalui Wawasan CloudWatch Log dan CloudWatch Log. Aktivitas ini mencakup peristiwa siklus hidup AWS Control Tower. CloudWatchKemampuan log memungkinkan Anda melakukan kueri yang lebih terperinci dan akurat daripada yang biasanya dapat Anda gunakan. CloudTrail

Lihat informasi yang lebih lengkap di Mencatat Tindakan AWS Control Tower dengan AWS CloudTrail.

Mencatat Tindakan AWS Control Tower dengan AWS CloudTrail

AWS Control Tower terintegrasi dengan AWS CloudTrail, layanan yang menyediakan catatan tindakan yang diambil oleh pengguna, peran, atau AWS layanan di AWS Control Tower. CloudTrail menangkap tindakan untuk AWS Control Tower sebagai peristiwa. Jika Anda membuat jejak, Anda dapat mengaktifkan pengiriman CloudTrail peristiwa secara berkelanjutan ke bucket Amazon S3, termasuk peristiwa untuk AWS Control Tower.

Jika Anda tidak mengonfigurasi jejak, Anda masih dapat melihat peristiwa terbaru di CloudTrail konsol dalam Riwayat acara. Dengan menggunakan informasi yang dikumpulkan oleh CloudTrail, Anda dapat menentukan permintaan yang dibuat ke AWS Control Tower, alamat IP dari mana permintaan dibuat, siapa yang membuat permintaan, kapan dibuat, dan detail tambahan.

Untuk mempelajari selengkapnya CloudTrail, termasuk cara mengonfigurasi dan mengaktifkannya, lihat PanduanAWS CloudTrail Pengguna.

Informasi AWS Control Tower di CloudTrail

CloudTrail diaktifkan di AWS akun Anda saat Anda membuat akun. Ketika aktivitas peristiwa yang didukung terjadi di AWS Control Tower, aktivitas tersebut direkam dalam suatu CloudTrail peristiwa bersama dengan peristiwa AWS layanan lainnya dalam riwayat Acara. Anda dapat melihat, mencari, dan mengunduh acara terbaru di AWS akun Anda. Untuk informasi selengkapnya, lihat Melihat Acara dengan Riwayat CloudTrail Acara.

> **Note**
>
> Dalam rilis AWS Control Tower sebelum landing zone versi 3.0, AWS Control Tower membuat jejak akun anggota. Saat Anda memperbarui ke rilis 3.0, CloudTrail jejak Anda diperbarui untuk menjadi jejak organisasi. Untuk praktik terbaik saat berpindah antar jalur, lihat Membuat jejak organisasi di Panduan CloudTrail Pengguna.

Direkomendasikan: Buat jejak

Untuk catatan peristiwa yang sedang berlangsung di AWS akun Anda, termasuk peristiwa untuk AWS Control Tower, buat jejak. Jejak memungkinkan CloudTrail untuk mengirimkan file log ke bucket Amazon S3. Secara default, saat Anda membuat jejak di konsol tersebut, jejak diterapkan ke semua Wilayah AWS . Jejak mencatat peristiwa dari semua Wilayah di AWS partisi dan mengirimkan file

log ke bucket Amazon S3 yang Anda tentukan. Selain itu, Anda dapat mengonfigurasi AWS layanan lain untuk menganalisis lebih lanjut dan menindaklanjuti data peristiwa yang dikumpulkan dalam CloudTrail log. Untuk informasi selengkapnya, lihat berikut:

- Gambaran umum untuk Membuat Jejak
- Bersiaplah untuk membuat jejak
- Mengelola CloudTrail biaya
- CloudTrail Layanan dan Integrasi yang Didukung
- Mengkonfigurasi Notifikasi Amazon SNS untuk CloudTrail
- Menerima File CloudTrail Log dari Beberapa Wilayah dan Menerima File CloudTrail Log dari Beberapa Akun

AWS Control Tower mencatat tindakan berikut sebagai peristiwa dalam file CloudTrail log:

API Publik

- `DisableControl`
- `EnableControl`
- `GetControlOperation`
- `ListEnabledControls`

API lainnya

- `SetupLandingZone`
- `UpdateAccountFactoryConfig`
- `ManageOrganizationalUnit`
- `CreateManagedAccount`
- `EnableGuardrail`
- `GetLandingZoneStatus`
- `GetHomeRegion`
- `ListManagedAccounts`
- `DescribeManagedAccount`
- `DescribeAccountFactoryConfig`

- `DescribeGuardrailForTarget`
- `DescribeManagedOrganizationalUnit`
- `ListEnabledGuardrails`
- `ListGuardrailViolations`
- `ListGuardrails`
- `ListGuardrailsForTarget`
- `ListManagedAccountsForGuardrail`
- `ListManagedAccountsForParent`
- `ListManagedOrganizationalUnits`
- `ListManagedOrganizationalUnitsForGuardrail`
- `GetGuardrailComplianceStatus`
- `DescribeGuardrail`
- `ListDirectoryGroups`
- `DescribeSingleSignOn`
- `DescribeCoreService`
- `GetAvailableUpdates`

Setiap peristiwa atau entri log berisi informasi tentang siapa yang membuat permintaan tersebut. Informasi identitas membantu Anda menentukan berikut:

- Apakah permintaan itu dibuat dengan kredenal pengguna root atau AWS Identity and Access Management (IAM).
- Apakah permintaan dibuat dengan kredensial keamanan sementara untuk suatu peran atau pengguna gabungan.
- Apakah permintaan itu dibuat oleh AWS layanan lain.
- Apakah permintaan ditolak karena akses ditolak atau diproses dengan sukses.

Untuk informasi lain, lihat Elemen userIdentity CloudTrail .

Contoh: Entri File Log AWS Control Tower

Trail adalah konfigurasi yang memungkinkan pengiriman peristiwa sebagai file log ke bucket Amazon S3 yang Anda tentukan. CloudTrail file log berisi satu atau lebih entri log. Peristiwa mewakili

permintaan tunggal dari sumber manapun dan mencakup informasi tentang tindakan yang diminta, tanggal dan waktu tindakan, parameter permintaan, dan sebagainya. CloudTrail peristiwa tidak muncul dalam urutan tertentu dalam file log.

Contoh berikut menunjukkan entri CloudTrail log yang menunjukkan struktur entri file log khas untuk acara `SetupLandingZone` AWS Control Tower, termasuk catatan identitas pengguna yang memulai tindakan.


```
{
  "eventVersion": "1.05",
  "userIdentity": {
    "type": "AssumedRole",
    "principalId": "AIDACKCEVSQ6C2EXAMPLE:backend-test-assume-role-session",
    "arn": "arn:aws:sts::76543EXAMPLE;:assumed-role/AWSControlTowerTestAdmin/backend-
test-assume-role-session",
    "accountId": "76543EXAMPLE",
    "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
    "sessionContext": {
      "attributes": {
        "mfaAuthenticated": "false",
        "creationDate": "2018-11-20T19:36:11Z"
      },
      "sessionIssuer": {
        "type": "Role",
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",
        "arn": "arn:aws:iam::AKIAIOSFODNN7EXAMPLE:role/AWSControlTowerTestAdmin",
        "accountId": "AIDACKCEVSQ6C2EXAMPLE",
        "userName": "AWSControlTowerTestAdmin"
      }
    }
  },
  "eventTime": "2018-11-20T19:36:15Z",
  "eventSource": "controltower.amazonaws.com",
  "eventName": "SetupLandingZone",
  "awsRegion": "us-east-1",
  "sourceIPAddress": "AWS Internal",
  "userAgent": "Coral/Netty4",
  "errorCode": "InvalidParametersException",
  "errorMessage": "Home region EU_CENTRAL_1 is unsupported",
  "requestParameters": {
    "homeRegion": "EU_CENTRAL_1",
    "logAccountEmail": "HIDDEN_DUE_TO_SECURITY_REASONS",
    "sharedServiceAccountEmail": "HIDDEN_DUE_TO_SECURITY_REASONS",
```

```
    "securityAccountEmail": "HIDDEN_DUE_TO_SECURITY_REASONS",
    "securityNotificationEmail": "HIDDEN_DUE_TO_SECURITY_REASONS"
  },
  "responseElements": null,
  "requestID": "96f47b68-ed5f-4268-931c-807cd1f89a96",
  "eventID": "4ef5cf08-39e5-4fdf-9ea2-b07ced506851",
  "eventType": "AwsApiCall",
  "recipientAccountId": "76543EXAMPLE"
}
```

Pantau perubahan sumber daya dengan AWS Config

AWS Control Tower memungkinkan AWS Config pada semua akun yang terdaftar, sehingga dapat memantau kepatuhan melalui kontrol detektif, merekam perubahan sumber daya, dan mengirimkan log perubahan sumber daya ke akun arsip log.

Jika versi landing zone Anda lebih awal dari 3.0: Untuk akun terdaftar Anda, AWS Config catat semua perubahan pada sumber daya, untuk semua Wilayah tempat akun beroperasi. Setiap perubahan dimodelkan sebagai item konfigurasi (CI), yang berisi informasi seperti pengidentifikasi sumber daya, Wilayah, tanggal setiap perubahan dicatat, dan apakah perubahan tersebut terkait dengan sumber daya yang diketahui atau yang baru ditemukan.

Jika versi landing zone Anda 3.0 atau yang lebih baru: AWS Control Tower membatasi perekaman untuk sumber daya global, seperti pengguna IAM, grup, peran, dan kebijakan yang dikelola pelanggan, hanya untuk Wilayah asal Anda. Salinan perubahan sumber daya global tidak disimpan di setiap Wilayah. Keterbatasan perekaman sumber daya ini sesuai dengan praktik AWS Config terbaik. Daftar lengkap sumber daya global tersedia dalam AWS Config dokumentasi.

- Untuk mempelajari selengkapnya AWS Config, lihat Cara AWS Config kerjanya.
- Untuk daftar sumber daya yang AWS Config dapat mendukung, lihat Jenis sumber daya yang didukung.
- Untuk mempelajari cara menyesuaikan pelacakan sumber daya di lingkungan AWS Control Tower, lihat posting blog berjudul Kustomisasi pelacakan AWS Config sumber daya di AWS Control Tower.

AWS Control Tower menyiapkan saluran AWS Config pengiriman di semua akun yang terdaftar. Melalui saluran pengiriman ini, ia mencatat semua perubahan yang direkam oleh AWS Config di akun arsip log, di mana mereka disimpan ke folder di bucket Amazon Simple Storage Service.

Mengelola AWS Config biaya di AWS Control Tower

Bagian ini menjelaskan cara AWS Config mencatat dan menagih Anda untuk perubahan sumber daya di akun AWS Control Tower Anda. Informasi ini dapat membantu Anda memahami cara mengelola biaya yang terkait AWS Config, saat Anda menggunakan AWS Control Tower. AWS Control Tower tidak menambahkan biaya tambahan.

> **Note**
>
> Jika versi landing zone Anda 3.0 atau yang lebih baru: AWS Control Tower membatasi AWS Config perekaman untuk sumber daya global, seperti pengguna IAM, grup, peran, dan kebijakan yang dikelola pelanggan, hanya untuk Wilayah asal Anda. Oleh karena itu, beberapa informasi di bagian ini mungkin tidak berlaku untuk landing zone Anda.

AWS Config dirancang untuk mencatat setiap perubahan ke setiap sumber daya, di setiap Wilayah tempat akun beroperasi, sebagai item konfigurasi (CI). AWS Config menagih Anda untuk setiap item konfigurasi yang dihasilkannya.

Bagaimana AWS Config beroperasi

AWS Config mencatat sumber daya di setiap Wilayah, secara terpisah. Beberapa sumber daya global, seperti peran IAM, dicatat satu kali per Wilayah. Misalnya, jika Anda membuat peran IAM baru di akun terdaftar yang beroperasi di lima Wilayah, AWS Config hasilkan lima CI, satu untuk setiap Wilayah. Sumber daya global lainnya, seperti zona yang dihosting Route 53, dicatat hanya sekali di semua Wilayah. Misalnya, jika Anda membuat zona host Route 53 baru di akun terdaftar, buat AWS Config satu CI, terlepas dari berapa banyak Wilayah yang dipilih untuk akun tersebut. Untuk daftar yang membantu Anda membedakan jenis sumber daya ini, lihatSumber daya yang sama dicatat beberapa kali.

> **Note**
>
> Saat AWS Control Tower berfungsi AWS Config, Wilayah dapat diatur oleh AWS Control Tower, atau tidak diatur, dan AWS Config masih mencatat perubahan jika akun beroperasi di Wilayah tersebut.

AWS Config mendeteksi dua jenis hubungan dalam sumber daya

AWS Config membuat perbedaan antara hubungan langsung dan tidak langsung antara sumber daya. Jika sumber daya dikembalikan dalam panggilan API Deskripsikan sumber daya lain, sumber daya tersebut dicatat sebagai hubungan langsung. Ketika Anda mengubah sumber daya dalam hubungan langsung dengan sumber daya lain, AWS Config tidak membuat CI untuk kedua sumber daya.

Misalnya, jika Anda membuat instans Amazon EC2, dan API mengharuskan Anda membuat antarmuka jaringan, AWS Config pertimbangkan instans Amazon EC2 memiliki hubungan langsung dengan antarmuka jaringan. Akibatnya, hanya AWS Config menghasilkan satu CI.

AWS Config mencatat perubahan terpisah untuk hubungan sumber daya yang merupakan hubungan tidak langsung. Misalnya, buat AWS Config dua CI jika Anda membuat grup keamanan dan menambahkan instans Amazon EC2 terkait yang merupakan bagian dari grup keamanan.

Untuk informasi lebih lanjut tentang hubungan langsung dan tidak langsung, lihat Apa itu hubungan langsung dan tidak langsung sehubungan dengan sumber daya?

Anda dapat menemukan daftar hubungan sumber daya dalam AWS Config dokumentasi.

Melihat data AWS Config perekam pada akun terdaftar

AWS Config terintegrasi dengan CloudWatch sehingga Anda dapat melihat AWS Config CI di dasbor. Untuk informasi selengkapnya, lihat posting blog berjudul AWS Config mendukung CloudWatch metrik Amazon.

Secara terprogram, untuk melihat AWS Config data, Anda dapat bekerja dengan AWS CLI, atau Anda dapat menggunakan alat lain. AWS

Kueri data AWS Config perekam pada sumber daya tertentu

Anda dapat menggunakan AWS CLI untuk mengambil daftar perubahan terbaru untuk sumber daya.

Perintah riwayat sumber daya:

- `aws configservice get-resource-config-history --resource-type RESOURCE-TYPE --resource-id RESOURCE-ID --region REGION`

Untuk mempelajari selengkapnya, lihat dokumentasi API untuk `get-config-history`.

Visualisasikan AWS Config data dengan Amazon QuickSight

Anda dapat memvisualisasikan dan meminta sumber daya yang direkam oleh AWS Config seluruh organisasi Anda. Untuk informasi selengkapnya, lihat Memvisualisasikan AWS Config data menggunakan Amazon Athena dan Amazon. QuickSight

Pemecahan Masalah AWS Config di AWS Control Tower

Bagian ini memberikan informasi tentang beberapa masalah yang mungkin Anda temui saat menggunakan AWS Config AWS Control Tower.

AWS Config Biaya tinggi

Jika alur kerja Anda menyertakan proses yang sering membuat, memperbarui, atau menghapus sumber daya, atau menangani sumber daya dalam jumlah besar, alur kerja tersebut dapat menghasilkan sejumlah besar CI. Jika Anda menjalankan proses ini di akun non-produksi, pertimbangkan untuk membuka pendaftaran akun. Anda mungkin perlu menonaktifkan AWS Config perekam untuk akun itu secara manual.

> **Note**
>
> Setelah Anda membatalkan pendaftaran akun, AWS Control Tower tidak dapat menerapkan kontrol detektif atau peristiwa akun log, seperti AWS Config aktivitas, untuk sumber daya di akun tersebut.

Untuk informasi selengkapnya, lihat Membatalkan kelola akun yang terdaftar. Untuk mempelajari cara menonaktifkan AWS Config perekam, lihat Mengelola perekam konfigurasi.

Sumber daya yang sama dicatat beberapa kali

Periksa apakah sumber daya adalah sumber daya global. Untuk zona pendaratan AWS Control Tower sebelum versi 3.0, AWS Config dapat merekam sumber daya global tertentu satu kali untuk

setiap Wilayah AWS Config yang beroperasi. Misalnya, jika AWS Config diaktifkan pada delapan Wilayah, setiap peran direkam delapan kali.

Sumber daya berikut dicatat satu kali untuk setiap Wilayah AWS Config yang beroperasi:

- `AWS::IAM::Group`
- `AWS::IAM::Policy`
- `AWS::IAM::Role`
- `AWS::IAM::User`

Sumber daya global lainnya dicatat hanya sekali. Berikut adalah beberapa contoh sumber daya yang direkam satu kali:

- `AWS::Route53::HostedZone`
- `AWS::Route53::HealthCheck`
- `AWS::ECR::PublicRepository`
- `AWS::GlobalAccelerator::Listener`
- `AWS::GlobalAccelerator::EndpointGroup`
- `AWS::GlobalAccelerator::Accelerator`

AWS Config tidak merekam sumber daya

Sumber daya tertentu memiliki hubungan ketergantungan dengan sumber daya lain. Hubungan ini mungkin langsung atau tidak langsung. Anda dapat menemukan daftar hubungan tidak langsung yang tidak digunakan lagi di FAQ. AWS Config

Peristiwa Siklus Hidup di AWS Control Tower

Beberapa peristiwa yang dicatat oleh AWS Control Tower adalah peristiwa siklus hidup. Tujuan peristiwa siklus hidup adalah untuk menandai penyelesaian tindakan AWS Control Tower tertentu yang mengubah status sumber daya. Peristiwa siklus hidup berlaku untuk sumber daya yang dibuat atau dikelola AWS Control Tower, seperti unit organisasi (OU), akun, dan kontrol.

Karakteristik peristiwa siklus hidup AWS Control Tower

- Untuk setiap peristiwa siklus hidup, log peristiwa menunjukkan apakah tindakan Control Tower yang berasal berhasil diselesaikan, atau gagal.

- AWS CloudTrail secara otomatis mencatat setiap peristiwa siklus hidup sebagai acara layanan non-API AWS . Untuk informasi selengkapnya, lihat Panduan AWS CloudTrail Pengguna.
- Setiap acara siklus hidup juga dikirimkan ke layanan Amazon dan EventBridge Amazon CloudWatch Events.

Peristiwa siklus hidup di AWS Control Tower menawarkan dua manfaat utama:

- Karena peristiwa siklus hidup mendaftarkan penyelesaian tindakan AWS Control Tower, Anda dapat membuat aturan Amazon EventBridge atau aturan CloudWatch Acara Amazon yang dapat memicu langkah selanjutnya dalam alur kerja otomatisasi Anda, berdasarkan status peristiwa siklus hidup.
- Log memberikan detail tambahan untuk membantu administrator dan auditor dalam meninjau jenis aktivitas tertentu di organisasi Anda.

Cara kerja peristiwa siklus hidup

AWS Control Tower mengandalkan beberapa layanan untuk mengimplementasikan tindakannya. Oleh karena itu, setiap peristiwa siklus hidup direkam hanya setelah serangkaian tindakan selesai. Misalnya, saat Anda mengaktifkan kontrol pada OU, AWS Control Tower meluncurkan serangkaian sub-langkah yang mengimplementasikan permintaan. Hasil akhir dari seluruh rangkaian sub-langkah dicatat dalam log sebagai status peristiwa siklus hidup.

- Jika setiap sub-langkah yang mendasari telah berhasil diselesaikan, status peristiwa siklus hidup dicatat sebagai Berhasil.
- Jika salah satu sub-langkah yang mendasari tidak berhasil diselesaikan, status peristiwa siklus hidup dicatat sebagai Gagal.

Setiap peristiwa siklus hidup menyertakan stempel waktu yang dicatat yang menunjukkan kapan tindakan AWS Control Tower dimulai, dan stempel waktu lain yang ditampilkan saat peristiwa siklus hidup selesai, menandai keberhasilan atau kegagalan.

Melihat peristiwa siklus hidup di Control Tower

Anda dapat melihat peristiwa siklus hidup dari halaman Aktivitas di dasbor AWS Control Tower.

- Untuk menavigasi ke halaman Aktivitas, pilih Aktivitas dari panel navigasi kiri.

- Untuk mendapatkan detail lebih lanjut tentang acara tertentu, pilih acara dan kemudian pilih tombol Lihat detail di kanan atas.

Untuk informasi selengkapnya tentang cara mengintegrasikan peristiwa siklus hidup AWS Control Tower ke dalam alur kerja Anda, lihat posting blog ini, Menggunakan peristiwa siklus hidup untuk melacak tindakan AWS Control Tower dan memicu alur kerja otomatis.

Perilaku yang diharapkan dari CreateManagedAccount dan UpdateManagedAccount peristiwa siklus hidup

Saat Anda membuat akun atau mendaftarkan akun di AWS Control Tower, kedua tindakan tersebut memanggil API internal yang sama. Jika ada kesalahan selama proses, biasanya terjadi setelah akun dibuat tetapi tidak sepenuhnya disediakan. Saat Anda mencoba lagi membuat akun setelah kesalahan, atau saat Anda mencoba memperbarui produk yang disediakan, AWS Control Tower melihat bahwa akun tersebut sudah ada.

Karena akun ada, AWS Control Tower merekam peristiwa `UpdateManagedAccount` siklus hidup alih-alih peristiwa `CreateManagedAccount` siklus hidup di akhir permintaan coba lagi. Anda mungkin mengharapkan untuk melihat `CreateManagedAccount` peristiwa lain karena kesalahan. Namun, peristiwa `UpdateManagedAccount` siklus hidup adalah perilaku yang diharapkan dan diinginkan.

Jika Anda berencana untuk membuat atau mendaftarkan akun ke AWS Control Tower menggunakan metode otomatis, program fungsi Lambda UpdateManagedAccountuntuk mencari peristiwa siklus hidup serta peristiwa siklus hidup. CreateManagedAccount

Nama acara siklus hidup

Setiap peristiwa siklus hidup diberi nama sedemikian rupa sehingga sesuai dengan tindakan AWS Control Tower yang berasal, yang juga direkam oleh AWS. CloudTrail Jadi, misalnya, peristiwa siklus hidup yang berasal dari peristiwa AWS Control Tower `CreateManagedAccount` CloudTrail diberi nama. `CreateManagedAccount`

Setiap nama dalam daftar berikut adalah tautan ke contoh detail yang dicatat dalam `JSON` format. Detail tambahan yang ditunjukkan dalam contoh ini diambil dari log CloudWatch peristiwa Amazon.

Meskipun `JSON` tidak mendukung komentar, beberapa komentar telah ditambahkan dalam contoh untuk tujuan penjelasan. Komentar didahului oleh “//” dan muncul di sisi kanan contoh.

Dalam contoh ini, beberapa nama akun dan nama organisasi dikaburkan. An selalu `accountId` merupakan urutan 12 angka, yang telah diganti dengan “xxxxxxxxxxxx” dalam contoh. An `organizationalUnitID` adalah rangkaian huruf dan angka yang unik. Bentuknya dipertahankan dalam contoh.

- `CreateManagedAccount`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk membuat dan menyediakan akun baru menggunakan pabrik akun.
- `UpdateManagedAccount`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk memperbarui produk yang disediakan yang terkait dengan akun yang sebelumnya Anda buat dengan menggunakan account factory.
- `EnableGuardrail`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk mengaktifkan kontrol pada OU yang dibuat oleh AWS Control Tower.
- `DisableGuardrail`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk menonaktifkan kontrol pada OU yang dibuat oleh AWS Control Tower.
- `SetupLandingZone`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk menyiapkan landing zone.
- `UpdateLandingZone`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk memperbarui landing zone yang ada.
- `RegisterOrganizationalUnit`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk mengaktifkan fitur tata kelola pada OU.
- `DeregisterOrganizationalUnit`: Log mencatat apakah AWS Control Tower berhasil menyelesaikan setiap tindakan untuk menonaktifkan fitur tata kelola pada OU.
- `PrecheckOrganizationalUnit`: Log mencatat apakah AWS Control Tower mendeteksi sumber daya apa pun yang akan mencegah operasi tata kelola Perpanjang selesai dengan sukses.

Bagian berikut menyediakan daftar peristiwa siklus hidup AWS Control Tower, dengan contoh detail yang dicatat untuk setiap jenis peristiwa siklus hidup.

`CreateManagedAccount`

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil membuat dan menyediakan akun baru menggunakan account factory. Acara ini sesuai dengan peristiwa AWS Control Tower `CreateManagedAccount` CloudTrail . Log peristiwa siklus hidup mencakup `accountName` dan `accountId` dari akun yang baru dibuat, dan `organizationalUnitName` dan `organizationalUnitId` dari OU di mana akun telah ditempatkan.

```
{
    "version": "0",
    "id": "999cccaa-eaaa-0000-1111-123456789012",
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "XXXXXXXXXXXX",                                  // Management account
 ID.
    "time": "2018-08-30T21:42:18Z",                             // Format: yyyy-MM-
dd'T'hh:mm:ssZ
    "region": "us-east-1",                                      // AWS Control Tower
 home region.
    "resources": [ ],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXXXXX",
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z",                    // Timestamp when call
 was made. Format: yyyy-MM-dd'T'hh:mm:ssZ.
        "eventSource": "controltower.amazonaws.com",
        "eventName": "CreateManagedAccount",
        "awsRegion": "us-east-1",
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "0000000-0000-0000-1111-123456789012",
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            "createManagedAccountStatus": {
                "organizationalUnit":{
                    "organizationalUnitName":"Custom",
                    "organizationalUnitId":"ou-XXXX-l3zc8b3h"

                    },
                "account":{
                    "accountName":"LifeCycle1",
                    "accountId":"XXXXXXXXXXXX"
                    },
                "state":"SUCCEEDED",
                "message":"AWS Control Tower successfully created a managed account.",
                "requestedTimestamp":"2019-11-15T11:45:18+0000",
                "completedTimestamp":"2019-11-16T12:09:32+0000"}
```

```
        }
    }
}
```

UpdateManagedAccount

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil memperbarui produk yang disediakan yang terkait dengan akun yang dibuat sebelumnya dengan menggunakan account factory. Acara ini sesuai dengan peristiwa AWS Control Tower `UpdateManagedAccount` CloudTrail. Log peristiwa siklus hidup mencakup `accountName` dan `accountId` dari akun terkait, dan `organizationalUnitName` dan `organizationalUnitId` dari OU di mana akun yang diperbarui ditempatkan.

```
{
    "version": "0",
    "id": "999cccaa-eaaa-0000-1111-123456789012",
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "XXXXXXXXXXXX",                                  // AWS Control Tower
 organization management account.
    "time": "2018-08-30T21:42:18Z",                             // Format: yyyy-MM-
dd'T'hh:mm:ssZ
    "region": "us-east-1",                                      // AWS Control Tower
 home region.
    "resources": [],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXX",
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z",                    // Timestamp when call
 was made. Format: yyyy-MM-dd'T'hh:mm:ssZ.
        "eventSource": "controltower.amazonaws.com",
        "eventName": "UpdateManagedAccount",
        "awsRegion": "us-east-1",
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "0000000-0000-0000-1111-123456789012",
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
```

```
            "updateManagedAccountStatus": {
                "organizationalUnit":{
                    "organizationalUnitName":"Custom",
                    "organizationalUnitId":"ou-XXXX-l3zc8b3h"
                    },
                "account":{
                    "accountName":"LifeCycle1",
                    "accountId":"624281831893"
                    },
                "state":"SUCCEEDED",
                "message":"AWS Control Tower successfully updated a managed account.",
                "requestedTimestamp":"2019-11-15T11:45:18+0000",
                "completedTimestamp":"2019-11-16T12:09:32+0000"}
        }
    }
}
```

EnableGuardrail

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil mengaktifkan kontrol pada OU yang dikelola oleh AWS Control Tower. Acara ini sesuai dengan peristiwa AWS Control Tower `EnableGuardrail` CloudTrail . Log peristiwa siklus hidup mencakup `guardrailId` dan `guardrailBehavior` kontrol, dan `organizationalUnitName` dan `organizationalUnitId` dari OU tempat kontrol diaktifkan.

```
{
    "version": "0",
    "id": "999cccaa-eaaa-0000-1111-123456789012",
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "XXXXXXXXXXXX",
    "time": "2018-08-30T21:42:18Z",                              // End-time of action.
 Format: yyyy-MM-dd'T'hh:mm:ssZ
    "region": "us-east-1",                                       // AWS Control Tower
 home region.
    "resources": [ ],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXXXXX",
            "invokedBy": "AWS Internal"
        },
```

```
        "eventTime": "2018-08-30T21:42:18Z",
        "eventSource": "controltower.amazonaws.com",
        "eventName": "EnableGuardrail",
        "awsRegion": "us-east-1",
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "0000000-0000-0000-1111-123456789012",
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            "enableGuardrailStatus": {
                "organizationalUnits": [
                    {
                      "organizationalUnitName": "Custom",
                      "organizationalUnitId": "ou-vwxy-18vy4yro"
                    }
                  ],
                  "guardrails": [
                    {
                      "guardrailId": "AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK",
                      "guardrailBehavior": "DETECTIVE"
                    }
                  ],
                  "state": "SUCCEEDED",
                  "message": "AWS Control Tower successfully enabled a guardrail on an
 organizational unit.",
                  "requestTimestamp": "2019-11-12T09:01:07+0000",
                  "completedTimestamp": "2019-11-12T09:01:54+0000"
                }
        }
    }
}
```

DisableGuardrail

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil menonaktifkan kontrol pada OU yang dikelola oleh AWS Control Tower. Acara ini sesuai dengan peristiwa AWS Control Tower `DisableGuardrail` CloudTrail . Log peristiwa siklus hidup mencakup `guardrailId` dan `guardrailBehavior` kontrol, dan `organizationalUnitName` dan `organizationalUnitId` dari OU tempat kontrol dinonaktifkan.

```
{
```

```
    "version": "0",
    "id": "999cccaa-eaaa-0000-1111-123456789012",
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "XXXXXXXXXXXX",
    "time": "2018-08-30T21:42:18Z",
    "region": "us-east-1",
    "resources": [ ],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXXXXX",
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z",
        "eventSource": "controltower.amazonaws.com",
        "eventName": "DisableGuardrail",
        "awsRegion": "us-east-1",
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "0000000-0000-0000-1111-123456789012",
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            "disableGuardrailStatus": {
                   "organizationalUnits": [
                    {
                      "organizationalUnitName": "Custom",
                      "organizationalUnitId": "ou-vwxy-18vy4yro"
                    }
                  ],
                  "guardrails": [
                    {
                      "guardrailId": "AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK",
                      "guardrailBehavior": "DETECTIVE"
                    }
                  ],
                  "state": "SUCCEEDED",
                  "message": "AWS Control Tower successfully disabled a guardrail on an
organizational unit.",
                  "requestTimestamp": "2019-11-12T09:01:07+0000",
                  "completedTimestamp": "2019-11-12T09:01:54+0000"
                }
            }
```

```
        }
    }
```

SetupLandingZone

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil menyiapkan landing zone. Acara ini sesuai dengan peristiwa AWS Control Tower `SetupLandingZone` CloudTrail . Log peristiwa siklus hidup menyertakan`rootOrganizationalId`, yang merupakan ID organisasi yang dibuat AWS Control Tower dari akun manajemen. Entri log juga mencakup `organizationalUnitName` dan `organizationalUnitId` untuk masing-masing OU, dan `accountName` dan `accountId` untuk setiap akun, yang dibuat saat AWS Control Tower menyiapkan landing zone.

```
{
    "version": "0",
    "id": "999cccaa-eaaa-0000-1111-123456789012",                // Request ID.
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "XXXXXXXXXXXX",                                   // Management account
 ID.
    "time": "2018-08-30T21:42:18Z",                              // Event time from
 CloudTrail.
    "region": "us-east-1",                                       // Management account
 CloudTrail region.
    "resources": [ ],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXXXXX",                         // Management-account
 ID.
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z",                     // Timestamp when call
 was made. Format: yyyy-MM-dd'T'hh:mm:ssZ.
        "eventSource": "controltower.amazonaws.com",
        "eventName": "SetupLandingZone",
        "awsRegion": "us-east-1",                                // AWS Control Tower
 home region.
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "CloudTrail_event_ID",                        // This value is
 generated by CloudTrail.
```

```
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            "setupLandingZoneStatus": {
                "state": "SUCCEEDED",                            // Status of entire
 lifecycle operation.
                "message": "AWS Control Tower successfully set up a new landing zone.",

                "rootOrganizationalId" : "r-1234",
                "organizationalUnits" : [                        // Use a list.
                  {
                    "organizationalUnitName": "Security",            // Security OU
 name.
                    "organizationalUnitId": "ou-adpf-302pk332"    // Security OU ID.
                  },
                  {
                    "organizationalUnitName": "Custom",           // Custom OU name.
                    "organizationalUnitId": "ou-adpf-302pk332"    // Custom OU ID.
                  },
                ],
               "accounts": [                                     // All created
 accounts are here. Use a list of "account" objects.

                  {
                    "accountName": "Audit",
                    "accountId": "XXXXXXXXXXXX"
                  },
                  {
                    "accountName": "Log archive",
                    "accountId": "XXXXXXXXXXXX"
                  }
              ],
              "requestedTimestamp": "2018-08-30T21:42:18Z",
              "completedTimestamp": "2018-08-30T21:42:18Z"
            }
        }
    }
}
```

UpdateLandingZone

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil memperbarui landing zone yang ada. Acara ini sesuai dengan peristiwa AWS Control Tower `UpdateLandingZone`

CloudTrail . Log peristiwa siklus hidup menyertakan`rootOrganizationalId`, yang merupakan ID organisasi (diperbarui) yang diatur oleh AWS Control Tower. Entri log juga mencakup `organizationalUnitName` dan `organizationalUnitId` untuk masing-masing OU, dan `accountName` dan `accountId` untuk setiap akun, yang dibuat sebelumnya, ketika AWS Control Tower awalnya mengatur landing zone.

```
{
    "version": "0",
    "id": "999cccaa-eaaa-0000-1111-123456789012",                // Request ID.
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "XXXXXXXXXXXX",                                   // Management account
 ID.
    "time": "2018-08-30T21:42:18Z",                              // Event time from
 CloudTrail.
    "region": "us-east-1",                                       // Management account
 CloudTrail region.
    "resources": [ ],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXXXXX",                         // Management account
 ID.
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z",                     // Timestamp when call
 was made. Format: yyyy-MM-dd'T'hh:mm:ssZ.
        "eventSource": "controltower.amazonaws.com",
        "eventName": "UpdateLandingZone",
        "awsRegion": "us-east-1",                                // AWS Control Tower
 home region.
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "CloudTrail_event_ID",                        // This value is
 generated by CloudTrail.

        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            "updateLandingZoneStatus": {
                "state": "SUCCEEDED",                            // Status of entire
 operation.
```

```
                "message": "AWS Control Tower successfully updated a landing zone.",


                "rootOrganizationalId" : "r-1234",
                "organizationalUnits" : [                          // Use a list.
                  {
                    "organizationalUnitName": "Security",             // Security OU
 name.
                    "organizationalUnitId": "ou-adpf-302pk332"    // Security OU ID.
                  },
                  {
                    "organizationalUnitName": "Custom",            // Custom OU name.
                    "organizationalUnitId": "ou-adpf-302pk332"     // Custom OU ID.
                  },
                ],
               "accounts": [                                       // All created
 accounts are here. Use a list of "account" objects.

                  {
                    "accountName": "Audit",
                    "accountId": "XXXXXXXXXXXX"
                  },
                  {
                    "accountName": "Log archive",
                    "accountId": "XXXXXXXXXX"
                  }
              ],
              "requestedTimestamp": "2018-08-30T21:42:18Z",
              "completedTimestamp": "2018-08-30T21:42:18Z"
            }
        }
    }
}
```

RegisterOrganizationalUnit

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil mengaktifkan fitur tata kelola pada OU. Acara ini sesuai dengan peristiwa AWS Control Tower `RegisterOrganizationalUnit` CloudTrail . Log peristiwa siklus hidup mencakup `organizationalUnitName` dan `organizationalUnitId` dari OU yang dibawa AWS Control Tower di bawah tata kelolanya.

```
{
    "version": "0",
```

```
    "id": "999cccaa-eaaa-0000-1111-123456789012",
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "123456789012",
    "time": "2018-08-30T21:42:18Z",
    "region": "us-east-1",
    "resources": [ ],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXXXXX",
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z",
        "eventSource": "controltower.amazonaws.com",
        "eventName": "RegisterOrganizationalUnit",
        "awsRegion": "us-east-1",
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "0000000-0000-0000-1111-123456789012",
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            "registerOrganizationalUnitStatus": {
                "state": "SUCCEEDED",

                "message": "AWS Control Tower successfully registered an organizational
 unit.",

                "organizationalUnit" :
                  {
                    "organizationalUnitName": "Test",
                    "organizationalUnitId": "ou-adpf-302pk332"
                  }
                "requestedTimestamp": "2018-08-30T21:42:18Z",
                "completedTimestamp": "2018-08-30T21:42:18Z"
            }
        }
    }
}
```

DeregisterOrganizationalUnit

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil menonaktifkan fitur tata kelola pada OU. Acara ini sesuai dengan peristiwa AWS Control Tower `DeregisterOrganizationalUnit` CloudTrail . Log peristiwa siklus hidup mencakup `organizationalUnitName` dan `organizationalUnitId` OU tempat AWS Control Tower menonaktifkan fitur tata kelolanya.

```
{
    "version": "0",
    "id": "999cccaa-eaaa-0000-1111-123456789012",
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "XXXXXXXXXXXX",
    "time": "2018-08-30T21:42:18Z",
    "region": "us-east-1",
    "resources": [ ],
    "detail": {
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "XXXXXXXXXXXX",
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z",
        "eventSource": "controltower.amazonaws.com",
        "eventName": "DeregisterOrganizationalUnit",
        "awsRegion": "us-east-1",
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "0000000-0000-0000-1111-123456789012",
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            "deregisterOrganizationalUnitStatus": {
                "state": "SUCCEEDED",
                "message": "AWS Control Tower successfully deregistered an
 organizational unit, and enabled mandatory guardrails on the new organizational
 unit.",
                "organizationalUnit" :
                  {
                    "organizationalUnitName": "Test",                  // Foundational
 OU name.
```

```
                    "organizationalUnitId": "ou-adpf-302pk332"         // Foundational
 OU ID.
                  },
                "requestedTimestamp": "2018-08-30T21:42:18Z",
                "completedTimestamp": "2018-08-30T21:42:18Z"
            }
            }
        }
    }
```

PrecheckOrganizationalUnit

Peristiwa siklus hidup ini mencatat apakah AWS Control Tower berhasil melakukan pemeriksaan awal pada OU. Acara ini sesuai dengan peristiwa AWS Control Tower `PrecheckOrganizationalUnit` CloudTrail . Log peristiwa siklus hidup berisi bidang untuk,, dan `failedPrechecks` nilai `IdName`, untuk setiap sumber daya tempat AWS Control Tower telah melakukan pemeriksaan awal selama proses pendaftaran OU.

Log peristiwa juga berisi informasi tentang akun bersarang tempat precheck dilakukan, termasuk, `accountNameaccountId`, dan `failedPrechecks` bidang.

Jika `failedPrechecks` nilainya kosong, itu berarti semua precheck untuk sumber daya itu berhasil lolos.

- Acara ini dipancarkan hanya jika ada kegagalan precheck.
- Acara ini tidak dipancarkan jika Anda mendaftarkan OU kosong.

Contoh acara:

```
{
  "eventVersion": "1.08",
  "userIdentity": {
    "accountId": "XXXXXXXXXXXX",
    "invokedBy": "AWS Internal"
  },
  "eventTime": "2021-09-20T22:45:43Z",
  "eventSource": "controltower.amazonaws.com",
  "eventName": "PrecheckOrganizationalUnit",
  "awsRegion": "us-west-2",
  "sourceIPAddress": "AWS Internal",
  "userAgent": "AWS Internal",
```

```
  "eventID": "b41a9d67-0da4-4dc5-a87a-25fa19dc5305",
  "readOnly": false,
  "eventType": "AwsServiceEvent",
  "managementEvent": true,
  "recipientAccountId": "XXXXXXXXXXXX",
  "serviceEventDetails": {
    "precheckOrganizationalUnitStatus": {
      "organizationalUnit": {
        "organizationalUnitName": "Ou-123",
        "organizationalUnitId": "ou-abcd-123456",
        "failedPrechecks": [
            "SCP_CONFLICT"
          ]
      },
      "accounts": [
        {
          "accountName": "Child Account 1",
          "accountId": "XXXXXXXXXXXX",
          "failedPrechecks": [
            "FAILED_TO_ASSUME_ROLE"
          ]
        },
        {
          "accountName": "Child Account 2",
          "accountId": "XXXXXXXXXXXX",
          "failedPrechecks": [
            "FAILED_TO_ASSUME_ROLE"
          ]
        },
        {
          "accountName": "Management Account",
          "accountId": "XXXXXXXXXXXX",
          "failedPrechecks": [
            "MISSING_PERMISSIONS_AF_PRODUCT"
          ]
        },
        {
          "accountName": "Child Account 3",
          "accountId": "XXXXXXXXXXXX",
          "failedPrechecks": []
        },
        ...
      ],
      "state": "FAILED",
```

```
      "message": "AWS Control Tower failed to register an organizational unit due to
 pre-check failures. Go to the OU details page to download a list of failed pre-checks
 for the OU and accounts within.",
      "requestedTimestamp": "2021-09-20T22:44:02+0000",
      "completedTimestamp": "2021-09-20T22:45:43+0000"
    }
  },
  "eventCategory": "Management"
}
```

Menggunakan Notifikasi AWS Pengguna dengan AWS Control Tower

Anda dapat menggunakan PemberitahuanAWS Pengguna untuk mengatur saluran pengiriman agar diberi tahu tentang AWS Control Tower peristiwa. Anda akan menerima notifikasi saat ada sebuah peristiwa yang cocok dengan sebuah aturan yang Anda tentukan. Anda dapat menerima pemberitahuan untuk acara melalui beberapa saluran, termasuk email, notifikasi AWS Chatbotobrolan, atau pemberitahuan push Aplikasi SelulerAWS Konsol. Anda juga dapat melihat notifikasi di Pusat Notifikasi Konsol.

AWS Pemberitahuan Pengguna mendukung agregasi, yang dapat mengurangi jumlah notifikasi yang Anda terima selama acara tertentu. Pemberitahuan juga terlihat di Pusat Pemberitahuan Konsol.

Keuntungan berlangganan notifikasi melalui Pemberitahuan AWS Pengguna alih-alih EventBridge meliputi:

- Antarmuka pengguna yang lebih ramah (UI).
- Integrasi dengan AWS konsol, di area bell/notifikasi di bilah navigasi global.
- Dukungan asli untuk pemberitahuan email, tidak perlu mengatur Amazon SNS.
- Terutama, dukungan untuk pemberitahuan push seluler, eksklusif untuk Pemberitahuan AWS Pengguna.

Misalnya, salah satu jenis notifikasi yang mungkin ingin Anda terima adalah jika terdapat temuan kritis dan tingkat keparahan yang tinggi dari Security Hub. Cuplikan kode di JSON untuk mengatur langganan notifikasi mungkin terlihat seperti ini:

```
{
  "detail": {
```

```
    "findings": {
      "Compliance": {
        "Status": ["FAILED", "WARNING", "NOT_AVAILABLE"]
      },
      "RecordState": ["ACTIVE"],
      "Severity": {
        "Label": ["CRITICAL", "HIGH"]
      },
      "Workflow": {
        "Status": ["NEW", "NOTIFIED"]
      }
    }
  }
}
```

Penyaringan acara

- Anda dapat memfilter peristiwa berdasarkan layanan dan nama menggunakan filter yang tersedia di konsol Pemberitahuan AWS Pengguna.
- Anda dapat memfilter peristiwa berdasarkan properti tertentu jika Anda membuat EventBridge filter sendiri dari kode JSON.

Contoh AWS Control Tower acara

Berikut adalah contoh acara umum untuk AWS Control Tower.

- Ini sebuah EventBridge peristiwa.
- Anda dapat berlangganan EventBridge acara (seperti ini) menggunakan Pemberitahuan AWS Pengguna.

```
{
    "version": "0",
    "id": "<id>", // alphanumeric string
    "detail-type": "AWS Service Event via CloudTrail",
    "source": "aws.controltower",
    "account": "<account ID>", // Management account ID.
    "time": "<date>", // Format: yyyy-MM-dd'T'hh:mm:ssZ
    "region": "<region>", // AWS Control Tower home region.
    "resources": [],
    "detail": {
```

```
        "eventVersion": "1.05",
        "userIdentity": {
            "accountId": "121212121212",
            "invokedBy": "AWS Internal"
        },
        "eventTime": "2018-08-30T21:42:18Z", // Timestamp when call was made. Format:
 yyyy-MM-dd'T'hh:mm:ssZ.
        "eventSource": "controltower.amazonaws.com",
        "eventName": "<event name>", // one of the 9 event names in https://
docs.aws.amazon.com/controltower/latest/userguide/lifecycle-events.html
        "awsRegion": "<region>",
        "sourceIPAddress": "AWS Internal",
        "userAgent": "AWS Internal",
        "eventID": "<id>",
        "readOnly": false,
        "eventType": "AwsServiceEvent",
        "serviceEventDetails": {
            // the contents of this object vary depending on the event subtype and
 event state
        }
    }
}
```

Panduan

Bab ini berisi prosedur panduan yang dapat membantu Anda dalam penggunaan AWS Control Tower.

Topik

- Panduan: Pindah dari ALZ ke AWS Control Tower
- Panduan: Mengotomatiskan Penyediaan Akun di AWS Control Tower oleh Service Catalog API
- Panduan: Konfigurasikan AWS Control Tower Tanpa VPC
- Kelola Sumber Daya AWS Control Tower
- Panduan: Mengatur Grup Keamanan di AWS Control Tower Dengan AWS Firewall Manager
- Panduan: Menonaktifkan Zona Pendaratan AWS Control Tower

Panduan: Pindah dari ALZ ke AWS Control Tower

Banyak AWS pelanggan telah mengadopsi solusi AWS Landing Zone (ALZ) untuk menyiapkan lingkungan AWS multi-akun yang aman, sesuai, dan aman. Untuk mengurangi beban pengelolaan landing zone, AWS buat layanan terkelola yang disebut AWS Control Tower.

Tidak ada fitur tambahan yang dijadwalkan untuk ALZ; itu hanya dalam dukungan jangka panjang. Oleh karena itu, kami menyarankan Anda untuk pindah ke layanan AWS Control Tower dari ALZ. Blog yang ditautkan dalam chapter ini memandu Anda melalui berbagai pertimbangan untuk langkah itu, dan ini menjelaskan bagaimana Anda dapat merencanakan migrasi yang sukses dari ALZ ke AWS Control Tower.

Blog: Migrasikan solusi Zona AWS Pendaratan ke AWS Control Tower

AWS Prescriptive Guidance menawarkan dokumentasi yang lebih luas, termasuk langkah-langkah untuk transisi dari ALZ ke AWS Control Tower. Pada dasarnya, Anda akan mengaktifkan tata kelola AWS Control Tower di organisasi Anda yang ada yang menjalankan ALZ, berdasarkan sejumlah prasyarat. Untuk selengkapnya, lihat Transisi dari Zona AWS Pendaratan ke AWS Control Tower.

Panduan: Mengotomatiskan Penyediaan Akun di AWS Control Tower oleh Service Catalog API

AWS Control Tower terintegrasi dengan beberapa AWS layanan lain, seperti AWS Service Catalog. Anda dapat menggunakan API untuk membuat dan menyediakan akun anggota Anda di AWS Control Tower.

Video menunjukkan kepada Anda cara menyediakan akun secara otomatis, secara batch, dengan memanggil AWS Service Catalog API. Untuk penyediaan, Anda akan memanggil `ProvisionProduct`API dari antarmuka baris AWS perintah (CLI), dan Anda akan menentukan file JSON yang berisi parameter untuk setiap akun yang ingin Anda atur. Video menggambarkan menginstal dan menggunakan lingkungan pengembangan AWS Cloud9 untuk melakukan pekerjaan ini. Perintah CLI akan sama jika Anda menggunakan Cloudshell AWS alih-alih Cloud9. AWS

> **Note**
>
> Anda juga dapat menyesuaikan pendekatan ini untuk mengotomatiskan pembaruan akun, dengan memanggil `UpdateProvisionedProduct`API AWS Service Catalog untuk setiap akun. Anda dapat menulis skrip untuk memperbarui akun, satu per satu.

Sebagai metode otomatisasi yang sama sekali berbeda, jika Anda terbiasa dengan Terraform, Anda dapat menyediakan akun dengan AWS Control Tower Account Factory for Terraform (AFT).

Contoh peran administrasi otomatisasi

Berikut adalah contoh templat yang dapat Anda gunakan untuk membantu mengonfigurasi peran administrasi otomatisasi Anda di akun manajemen. Anda akan mengonfigurasi peran ini di akun manajemen Anda sehingga dapat melakukan otomatisasi dengan akses Administrator di akun target.

```
AWSTemplateFormatVersion: 2010-09-09
Description: Configure the SampleAutoAdminRole

Resources:
  AdministrationRole:
    Type: AWS::IAM::Role
    Properties:
      RoleName: SampleAutoAdminRole
      AssumeRolePolicyDocument:
        Version: 2012-10-17
```

```
        Statement:
          - Effect: Allow
            Principal:
              Service: cloudformation.amazonaws.com
            Action:
              - sts:AssumeRole
      Path: /
      Policies:
        - PolicyName: AssumeSampleAutoAdminRole
          PolicyDocument:
            Version: 2012-10-17
            Statement:
              - Effect: Allow
                Action:
                  - sts:AssumeRole
                Resource:
                  - "arn:aws:iam::*:role/SampleAutomationExecutionRole"
```

Contoh peran eksekusi otomatisasi

Berikut adalah contoh template yang dapat Anda gunakan untuk membantu Anda mengatur peran eksekusi otomatisasi Anda. Anda akan mengonfigurasi peran ini di akun target.

```
AWSTemplateFormatVersion: "2010-09-09"
Description: "Create automation execution role for creating Sample Additional Role."

Parameters:
  AdminAccountId:
    Type: "String"
    Description: "Account ID for the administrator account (typically management,
 security or shared services)."
  AdminRoleName:
    Type: "String"
    Description: "Role name for automation administrator access."
    Default: "SampleAutomationAdministrationRole"
  ExecutionRoleName:
    Type: "String"
    Description: "Role name for automation execution."
    Default: "SampleAutomationExecutionRole"
  SessionDurationInSecs:
    Type: "Number"
    Description: "Maximum session duration in seconds."
    Default: 14400
```

```
Resources:
  # This needs to run after AdminRoleName exists.
  ExecutionRole:
    Type: "AWS::IAM::Role"
    Properties:
      RoleName: !Ref ExecutionRoleName
      MaxSessionDuration: !Ref SessionDurationInSecs
      AssumeRolePolicyDocument:
        Version: "2012-10-17"
        Statement:
          - Effect: "Allow"
            Principal:
              AWS:
                - !Sub "arn:aws:iam::${AdminAccountId}:role/${AdminRoleName}"
            Action:
              - "sts:AssumeRole"
      Path: "/"
      ManagedPolicyArns:
        - "arn:aws:iam::aws:policy/AdministratorAccess"
```

Setelah mengonfigurasi peran ini, Anda memanggil AWS Service Catalog API untuk melakukan tugas otomatis. Perintah CLI diberikan dalam video.

Contoh masukan penyediaan untuk Service Catalog API

Berikut adalah contoh masukan yang dapat Anda berikan ke Service Catalog `ProvisionProduct` API jika Anda menggunakan API untuk menyediakan akun AWS Control Tower:

```
{
  pathId: "lpv2-7n2o3nudljh4e",
  productId: "prod-y422ydgjge2rs",
  provisionedProductName: "Example product 1",
  provisioningArtifactId: "pa-2mmz36cfpj2p4",
  provisioningParameters: [
    {
      key: "AccountEmail",
      value: "abc@amazon.com"
    },
    {
      key: "AccountName",
      value: "ABC"
    },
```

```
    {
      key: "ManagedOrganizationalUnit",
      value: "Custom (ou-xfe5-a8hb8ml8)"
    },
    {
      key: "SSOUserEmail",
      value: "abc@amazon.com"
    },
    {
      key: "SSOUserFirstName",
      value: "John"
    },
    {
      key: "SSOUserLastName",
      value: "Smith"
    }
  ],
  provisionToken: "c3c795a1-9824-4fb2-a4c2-4b1841be4068"
}
```

Untuk informasi selengkapnya, lihat referensi API untuk Service Catalog.

> **Note**
>
> Perhatikan bahwa format string input untuk nilai `ManagedOrganizationalUnit` telah berubah dari `OU_NAME` ke`OU_NAME (OU_ID)`. Video berikut tidak menyebutkan perubahan ini.

Panduan Video

Video ini (6:58) menjelaskan cara mengotomatiskan penerapan akun di AWS Control Tower. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video Penyediaan Akun Otomatis di AWS Control Tower.

Panduan: Konfigurasikan AWS Control Tower Tanpa VPC

Topik ini membahas cara mengonfigurasi akun AWS Control Tower Anda tanpa VPC.

Jika beban kerja Anda tidak memerlukan VPC, Anda dapat melakukan hal berikut:

- Anda dapat menghapus AWS Control Tower virtual private cloud (VPC) virtual. VPC ini dibuat saat Anda mengatur landing zone Anda.
- Anda dapat mengubah pengaturan Account Factory sehingga akun AWS Control Tower baru dibuat tanpa VPC terkait.

> **Important**
>
> Jika Anda menyediakan akun Account Factory dengan pengaturan akses internet VPC diaktifkan, setelan Account Factory akan menggantikan kontrol. Larang akses internet untuk instans VPC Amazon yang dikelola oleh pelanggan Untuk menghindari mengaktifkan akses internet untuk akun yang baru disediakan, Anda harus mengubah pengaturan di Account Factory.

Hapus AWS Control Tower VPC

Di luar AWS Control Tower, setiap AWS pelanggan memiliki VPC default, yang dapat Anda lihat di konsol Amazon Virtual Private Cloud (Amazon VPC) di https://console.aws.amazon.com/vpc/. Anda akan mengenali VPC default, karena namanya selalu menyertakan kata (default) di akhir nama.

Saat Anda menyiapkan zona landing zone AWS Control Tower, AWS Control Tower menghapus VPC AWS default Anda dan membuat VPC default AWS Control Tower baru. VPC baru dikaitkan dengan akun manajemen AWS Control Tower Anda. Topik ini mengacu pada VPC baru itu sebagai VPC Control Tower.

Saat Anda melihat AWS Control Tower VPC di konsol VPC Amazon, Anda tidak akan melihat kata (default) di akhir nama. Jika Anda memiliki lebih dari satu VPC, Anda harus menggunakan rentang CIDR yang ditetapkan untuk mengidentifikasi VPC AWS Control Tower yang benar.

Anda dapat menghapus AWS Control Tower VPC, tetapi jika nanti Anda memerlukan VPC di AWS Control Tower, Anda harus membuatnya sendiri.

Untuk menghapus AWS Control Tower VPC

1. Buka konsol Amazon VPC di https://console.aws.amazon.com/vpc/.
2. Cari **VPC** atau pilih VPC dari opsi Service Catalog. Anda kemudian melihat Dasbor VPC.

3. Dari menu di sebelah kiri, pilih VPC Anda. Anda kemudian melihat daftar semua VPC Anda.
4. Identifikasi AWS Control Tower VPC berdasarkan rentang CIDR-nya.
5. Untuk menghapus VPC, pilih Tindakan dan kemudian pilih Hapus VPC.

VPC AWS (default) sudah ada di setiap Wilayah untuk akun manajemen AWS Control Tower. Untuk mengikuti praktik terbaik keamanan, jika Anda memilih untuk menghapus AWS Control Tower VPC, sebaiknya hapus AWS VPC default yang terkait dengan akun manajemen dari semua Wilayah. AWS Oleh karena itu, untuk mengamankan akun manajemen, hapus VPC default dari setiap Wilayah, serta menghapus VPC yang dibuat oleh Control Tower di wilayah asal AWS Control Tower Anda.

Membuat Akun di AWS Control Tower Tanpa VPC

Jika beban kerja pengguna akhir Anda tidak memerlukan VPC, Anda dapat menggunakan metode ini untuk menyiapkan akun pengguna akhir yang tidak memiliki VPC yang dibuat untuk mereka secara otomatis.

Dari dasbor AWS Control Tower, Anda dapat melihat dan mengedit pengaturan konfigurasi jaringan. Setelah Anda mengubah pengaturan sehingga akun AWS Control Tower dibuat tanpa VPC terkait, semua akun baru dibuat tanpa VPC hingga Anda mengubah pengaturan lagi.

Untuk mengkonfigurasi Account Factory untuk membuat akun tanpa VPC

1. Buka browser web, dan navigasikan ke konsol AWS Control Tower di https://console.aws.amazon.com/controltower.
2. Pilih Account Factory dari menu di sebelah kiri.
3. Anda kemudian melihat halaman Account Factory dengan bagian Network Configuration.
4. Perhatikan pengaturan saat ini jika Anda bermaksud memulihkannya nanti.
5. Pilih tombol Edit di bagian Konfigurasi Jaringan.
6. Di halaman konfigurasi jaringan pabrik Edit akun, buka bagian opsi Konfigurasi VPC untuk akun baru.

   Anda dapat mengikuti Opsi 1 atau Opsi 2, atau keduanya, untuk memastikan AWS Control Tower tidak membuat VPC saat menyediakan akun.

   a. Opsi 1 - Menghapus subnet

      - Matikan sakelar sakelar sakelar subnet yang dapat diakses Internet.

    - Atur jumlah maksimum nilai subnet pribadi ke 0.

  b. Opsi 2 - Menghapus AWS Wilayah

    - Hapus setiap kotak centang di kolom Regions for VPC creation.

7. Pilih Simpan.

Kemungkinan Kesalahan

Waspadai kemungkinan kesalahan ini yang dapat terjadi saat Anda menghapus AWS Control Tower VPC atau mengonfigurasi ulang Account Factory untuk membuat akun tanpa VPC.

- Akun manajemen Anda yang ada mungkin memiliki dependensi atau sumber daya di AWS Control Tower VPC, yang dapat menyebabkan kesalahan kegagalan penghapusan.
- Jika Anda membiarkan CIDR default di tempat saat mengatur untuk meluncurkan akun baru tanpa VPC, permintaan Anda gagal dengan kesalahan bahwa CIDR tidak valid.

Panduan: Mengatur Grup Keamanan di AWS Control Tower Dengan AWS Firewall Manager

Video menunjukkan kepada Anda cara menggunakan layanan AWS Firewall Manager untuk memberikan peningkatan keamanan jaringan Anda untuk AWS Control Tower. Anda dapat menetapkan akun administrator keamanan yang diaktifkan untuk menyiapkan grup keamanan. Anda akan melihat bagaimana Anda dapat mengonfigurasi kebijakan keamanan dan menerapkan aturan keamanan untuk organisasi AWS Control Tower Anda, dan bagaimana Anda dapat memulihkan sumber daya yang tidak sesuai dengan menerapkan kebijakan secara otomatis. Anda dapat melihat grup keamanan yang berlaku untuk setiap akun dan sumber daya (seperti instans Amazon EC2) di organisasi Anda.

Anda dapat membuat kebijakan firewall Anda sendiri, atau Anda dapat berlangganan aturan dari vendor tepercaya.

Mengatur Grup Keamanan Dengan AWS Firewall Manager

Video ini (8:02) menjelaskan cara mengatur keamanan infrastruktur jaringan yang lebih baik untuk sumber daya dan beban kerja Anda di AWS Control Tower. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Captioning tersedia.

Panduan Video Penyiapan Firewall di AWS Control Tower.

Untuk informasi selengkapnya, lihat dokumentasi tentang cara mengatur AWS WAF.

Panduan: Menonaktifkan Zona Pendaratan AWS Control Tower

AWS Control Tower memungkinkan Anda mengatur dan mengatur AWS lingkungan multi-akun yang aman, yang dikenal sebagai zona pendaratan. Proses pembersihan semua sumber daya yang dialokasikan oleh AWS Control Tower disebut sebagai penonaktifan landing zone.

Jika Anda tidak lagi ingin menggunakan AWS Control Tower, alat penonaktifan otomatis membersihkan sumber daya yang dialokasikan oleh AWS Control Tower. Untuk memulai proses penonaktifan otomatis, navigasikan ke halaman Pengaturan Zona Landing, pilih tab dekomisi, dan pilih Decommission landing zone.

Untuk daftar tindakan yang dilakukan selama penonaktifan, lihat. Ikhtisar proses penonaktifan

> **Warning**
>
> Menghapus semua sumber daya AWS Control Tower secara manual tidak sama dengan penonaktifan. Ini tidak akan memungkinkan Anda untuk mengatur landing zone baru.

Data Anda dan data Anda yang AWS Organizations ada tidak diubah oleh proses penonaktifan, dengan cara berikut.

- AWS Control Tower tidak menghapus data Anda, hanya menghapus bagian dari landing zone yang dibuatnya.
- Setelah proses penonaktifan selesai, beberapa artefak sumber daya tetap ada, seperti bucket Amazon S3 dan grup log Amazon Logs. CloudWatch Sumber daya ini harus dihapus secara manual sebelum Anda mengatur landing zone lain, dan untuk menghindari kemungkinan biaya yang terkait dengan pemeliharaan sumber daya tertentu.
- Anda tidak dapat menggunakan penonaktifan otomatis untuk menghapus landing zone yang telah diatur sebagian. Jika proses penyiapan landing zone Anda gagal, Anda harus menyelesaikan status kegagalan dan mengaturnya sepenuhnya untuk memungkinkan penonaktifan otomatis, atau Anda harus menghapus sumber daya secara manual satu per satu.

Menonaktifkan landing zone adalah proses dengan konsekuensi yang signifikan, dan tidak dapat dibatalkan. Tindakan penonaktifan yang dilakukan oleh AWS Control Tower dan artefak yang tersisa setelah penonaktifan dijelaskan di bagian berikut.

> **Important**
>
> Kami sangat menyarankan agar Anda melakukan proses dekomisioning ini hanya jika Anda berniat untuk berhenti menggunakan landing zone Anda. Tidak mungkin untuk membuat kembali landing zone yang ada setelah Anda menonaktifkannya.

Ikhtisar proses penonaktifan

Saat Anda meminta penonaktifan landing zone, AWS Control Tower melakukan tindakan berikut.

- Menonaktifkan setiap kontrol detektif diaktifkan di landing zone. AWS Control Tower menghapus AWS CloudFormation sumber daya yang mendukung kontrol.
- Menonaktifkan setiap kontrol preventif dengan menghapus kebijakan kontrol layanan (SCP) dari. AWS OrganizationsJika kebijakan kosong (yang seharusnya dilakukan setelah menghapus semua SCP yang dikelola oleh AWS Control Tower), AWS Control Tower melepaskan dan menghapus kebijakan sepenuhnya.
- Menghapus semua cetak biru yang digunakan sebagai. AWS CloudFormation StackSets
- Menghapus semua cetak biru yang digunakan sebagai CloudFormation Tumpukan di semua Wilayah.
- Untuk setiap akun yang disediakan, AWS Control Tower melakukan tindakan berikut selama proses penonaktifan.
  - Menghapus catatan dari setiap akun akun pabrik.
  - Mencabut izin AWS Control Tower ke akun dengan menghapus peran IAM yang dibuat AWS Control Tower (kecuali kebijakan tambahan telah ditambahkan ke dalamnya) dan membuat ulang peran IAM standar. `OrganizationsFullAccessRole`
  - Menghapus catatan akun dari AWS Service Catalog.
  - Menghapus produk dan portofolio akun pabrik dari AWS Service Catalog.
- Menghapus cetak biru untuk akun bersama (Audit dan Arsip Log).
- Mencabut izin AWS Control Tower dari akun bersama dengan menghapus peran IAM yang dibuat AWS Control Tower (kecuali kebijakan tambahan telah ditambahkan ke dalamnya) dan membuat ulang peran IAM. `OrganizationsFullAccessRole`

- Menghapus catatan yang terkait dengan akun bersama.
- Menghapus catatan yang terkait dengan OU yang dibuat pelanggan.
- Menghapus catatan internal yang mengidentifikasi Wilayah asal.

> **Note**
>
> Setelah dinonaktifkan, Anda mungkin ingin menghapus cetak biru Account Factory VPC (`BP_ACCOUNT_FACTORY_VPC`) untuk membersihkan rute dan gateway NAT, jika VPC Anda tidak kosong.

Sumber daya tidak dihapus selama penonaktifan

Menonaktifkan landing zone tidak sepenuhnya membalikkan proses penyiapan AWS Control Tower. Sumber daya tertentu tetap ada, yang dapat dihapus secara manual.

AWS Organizations

Untuk pelanggan tanpa AWS Organizations organisasi yang ada, AWS Control Tower menyiapkan organisasi dengan dua unit organisasi (OU), bernama Security dan Sandbox. Saat Anda menonaktifkan landing zone Anda, hierarki organisasi dipertahankan, sebagai berikut:

- Unit Organisasi (OU) yang Anda buat dari konsol AWS Control Tower tidak dihapus.
- Keamanan dan Sandbox OU tidak dihapus.
- Organisasi tidak dihapus dari AWS Organizations.
- Tidak ada akun di AWS Organizations (bersama, disediakan, atau manajemen) yang dipindahkan atau dihapus.

AWS IAM Identity Center (SSO)

Untuk pelanggan tanpa direktori IAM Identity Center yang ada, AWS Control Tower menyiapkan IAM Identity Center dan mengonfigurasi direktori awal. Saat Anda menonaktifkan landing zone, AWS Control Tower tidak membuat perubahan pada IAM Identity Center. Jika diperlukan, Anda dapat menghapus informasi Pusat Identitas IAM yang disimpan di akun manajemen Anda secara manual. Secara khusus, area ini tidak berubah dengan menonaktifkan:

- Pengguna yang dibuat dengan Account Factory tidak akan dihapus.

- Grup yang dibuat oleh penyiapan AWS Control Tower tidak dihapus.
- Set izin yang dibuat oleh AWS Control Tower tidak dihapus.
- Asosiasi antara akun AWS dan kumpulan izin Pusat Identitas IAM tidak dihapus.
- Direktori IAM Identity Center tidak diubah.

Peran

Selama penyiapan, AWS Control Tower membuat peran tertentu untuk Anda jika Anda menggunakan konsol, atau meminta Anda untuk membuat peran ini jika Anda menyiapkan landing zone melalui API. Saat Anda menonaktifkan landing zone, peran berikut tidak akan dihapus:

- `AWSControlTowerAdmin`
- `AWSControlTowerCloudTrailRole`
- `AWSControlTowerStackSetRole`
- `AWSControlTowerConfigAggregatorRoleForOrganizations`

Bucket Amazon S3

Selama penyiapan, AWS Control Tower membuat bucket di akun logging untuk logging dan akses logging. Saat Anda menonaktifkan landing zone, sumber daya berikut tidak akan dihapus:

- Logging dan logging access S3 bucket di akun logging tidak dihapus.
- Isi bucket akses logging dan logging tidak dihapus.

Akun Bersama

Dua akun bersama (Audit dan Arsip Log) dibuat di OU Keamanan selama penyiapan AWS Control Tower. Saat Anda menonaktifkan landing zone Anda:

- Akun bersama yang dibuat selama penyiapan AWS Control Tower tidak ditutup.
- Peran `OrganizationAccountAccessRole` IAM dibuat ulang untuk menyelaraskan dengan konfigurasi standar. AWS Organizations
- `AWSControlTowerExecution`Peran dihapus.

Akun yang Disediakan

Pelanggan AWS Control Tower dapat menggunakan pabrik akun untuk membuat akun AWS baru. Saat Anda menonaktifkan landing zone Anda:

- Akun yang disediakan yang Anda buat dengan Account Factory tidak ditutup.
- Produk yang disediakan tidak AWS Service Catalog dihapus. Jika Anda membersihkannya dengan menghentikannya, akun mereka dipindahkan ke Root OU.
- VPC yang dibuat AWS Control Tower tidak dihapus, dan AWS CloudFormation stack set (`BP_ACCOUNT_FACTORY_VPC`) terkait tidak dihapus.
- Peran `OrganizationAccountAccessRole` IAM dibuat ulang untuk menyelaraskan dengan konfigurasi standar. AWS Organizations
- `AWSControlTowerExecution`Peran dihapus.

CloudWatch Grup Log Log

Sebuah grup CloudWatch log log,`aws-controltower/CloudTrailLogs`, dibuat sebagai bagian dari cetak biru bernama. `AWSControlTowerBP-BASELINE-CLOUDTRAIL-MANAGEMENT` Grup log ini tidak dihapus. Sebaliknya, cetak biru dihapus dan sumber daya dipertahankan.

- Grup log ini harus dihapus secara manual sebelum Anda mengatur landing zone lain.

> **Note**
>
> Pelanggan di landing zone 3.0 dan yang lebih baru tidak perlu menghapus log akun dan CloudTrail CloudTrail log peran masing-masing yang terdaftar, karena ini dibuat di akun manajemen saja, untuk jejak tingkat organisasi.
> Dimulai dengan landing zone versi 3.2, AWS Control Tower membuat EventBridge aturan, yang disebut`AWSControlTowerManagedRule`. Aturan ini dibuat di setiap akun anggota, untuk semua Wilayah yang diatur. Aturan tidak dihapus secara otomatis selama penonaktifan, jadi Anda harus menghapusnya secara manual dari akun bersama dan anggota untuk semua Wilayah yang diatur sebelum Anda dapat mengatur landing zone di Wilayah baru.

Prosedur untuk cara menghapus sumber daya AWS Control Tower diberikan dalam[Kelola Sumber Daya AWS Control Tower](#).

Kelola Sumber Daya AWS Control Tower

Dokumen ini memberikan petunjuk tentang cara menghapus sumber daya AWS Control Tower secara individual, sebagai bagian dari tugas pemeliharaan dan administrasi rutin. Prosedur yang diberikan dalam pasal ini dimaksudkan hanya untuk menghilangkan sumber daya individu, atau beberapa sumber daya, bila diperlukan. Ini tidak sama dengan menonaktifkan landing zone Anda.

Dua jenis tugas mungkin mengharuskan Anda untuk menghapus sumber daya:

- Untuk menghapus sumber daya saat Anda mengelola landing zone dalam situasi biasa.
- Untuk membersihkan sumber daya yang tersisa setelah penonaktifan otomatis.

> **Warning**
>
> Menghapus sumber daya secara manual tidak akan memungkinkan Anda untuk mengatur landing zone baru. Ini tidak sama dengan penonaktifan. Jika Anda berniat untuk menonaktifkan landing zone AWS Control Tower Anda, ikuti petunjuk Panduan: Menonaktifkan Zona Pendaratan AWS Control Tower sebelum Anda mengambil tindakan apa pun yang dijelaskan dalam Bab ini. Petunjuk dalam Bab ini dapat membantu Anda membersihkan sumber daya yang tersisa setelah penonaktifan otomatis selesai. Bahkan jika Anda menghapus semua sumber daya landing zone Anda secara manual, itu tidak sama dengan menonaktifkan landing zone, dan Anda mungkin dikenakan biaya tak terduga.

Jika Anda perlu menghapus akun dari AWS Control Tower, lihat bagian berikut untuk menutup akun:

- Batalkan kelola akun
- Menutup akun yang dibuat di Account Factory

Apakah saya perlu menonaktifkan alih-alih menghapus?

Jika Anda tidak lagi berniat menggunakan AWS Control Tower untuk perusahaan Anda, atau jika Anda memerlukan pemindahan besar-besaran sumber daya organisasi Anda, Anda mungkin ingin menonaktifkan sumber daya yang dibuat saat pertama kali menyiapkan landing zone Anda.

- Setelah proses penonaktifan selesai, beberapa artefak sumber daya tetap ada, seperti bucket Amazon S3 dan grup log Amazon Logs. CloudWatch

- Anda harus membersihkan sumber daya yang tersisa di akun Anda secara manual sebelum menyiapkan landing zone lain, dan untuk menghindari kemungkinan biaya tak terduga. Untuk informasi selengkapnya, lihat Sumber daya tidak dihapus selama penonaktifan.

> **Warning**
>
> Kami sangat menyarankan agar Anda melakukan proses dekomisioning hanya jika Anda berniat untuk berhenti menggunakan landing zone Anda. Proses ini tidak dapat dibatalkan.

Tentang menghapus sumber daya AWS Control Tower

Prosedur individual dalam Bab ini memandu Anda melalui metode manual untuk menghapus sumber daya AWS Control Tower. Prosedur ini dapat diikuti ketika Anda perlu menghapus sumber daya tertentu dari landing zone Anda.

Sebelum melakukan prosedur ini, kecuali dinyatakan lain, Anda harus masuk ke Wilayah asal untuk landing zone Anda, dan Anda harus masuk sebagai pengguna IAM atau pengguna di IAM Identity Center dengan izin administratif untuk akun manajemen yang berisi landing zone Anda. AWS Management Console

> **Warning**
>
> Ini adalah tindakan destruktif yang dapat memperkenalkan penyimpangan tata kelola ke penyiapan AWS Control Tower Anda. Mereka tidak bisa dibatalkan.

Topik

- Hapus SCP
- Hapus StackSets dan Tumpukan
- Hapus Bucket Amazon S3 di Akun Arsip Log
- Menghapus Portofolio dan Produk Account Factory
- Hapus Peran dan Kebijakan AWS Control Tower
- Bantuan sumber daya AWS Control Tower

Hapus SCP

AWS Control Tower menggunakan kebijakan kontrol layanan (SCP) untuk kontrolnya. Prosedur ini membahas cara menghapus SCP yang secara khusus terkait dengan AWS Control Tower.

Untuk menghapus AWS Organizations SCP

1. Buka konsol Organizations di https://console.aws.amazon.com/organizations/.
2. Buka tab Policies, dan temukan Service Control Policies (SCPs) yang memiliki awalan aws-guardrails- dan lakukan hal berikut untuk setiap SCP:
   a. Lepaskan SCP dari OU terkait.
   b. Hapus SCP.

Hapus StackSets dan Tumpukan

AWS Control Tower menggunakan StackSets dan menumpuk untuk menerapkan Aturan AWS Config terkait dengan kontrol di landing zone Anda. Prosedur berikut berjalan melalui cara menghapus sumber daya khusus ini.

Untuk menghapus AWS CloudFormation StackSets

1. Buka AWS CloudFormation konsol di https://console.aws.amazon.com/cloudformation.
2. Dari menu navigasi kiri, pilih StackSets.
3. Untuk masing-masing StackSet dengan awalan AWSControlTower, lakukan hal berikut. Jika Anda memiliki banyak akun di a StackSet, ini bisa memakan waktu.
   a. Pilih yang spesifik StackSet dari tabel di dasbor. Ini membuka halaman properti untuk itu StackSet.
   b. Di bagian bawah halaman, di tabel Stacks, buat catatan ID AWS akun untuk semua akun di tabel. Salin daftar semua akun.
   c. Dari Tindakan, pilih Hapus tumpukan dari StackSet.
   d. Pada Setel opsi penerapan, dari lokasi Deployment, pilih Menerapkan tumpukan di akun.
   e. Di bidang teks, masukkan ID AWS akun yang Anda buat catatan di langkah 3.b, dipisahkan dengan koma. Misalnya: `123456789012`, `098765431098`, dan sebagainya.
   f. Dari Tentukan wilayah, pilih Tambahkan semua, biarkan parameter lainnya di halaman diatur ke defaultnya, dan pilih Berikutnya.

   g. Pada halaman Ulasan, tinjau pilihan Anda, lalu pilih Hapus tumpukan.
   h. Pada halaman StackSet properti, Anda dapat memulai prosedur ini lagi untuk yang lain StackSets.
4. Proses ini selesai ketika catatan dalam tabel Stacks dari halaman StackSets properti yang berbeda kosong.
5. Ketika catatan dalam tabel Stacks kosong, pilih Hapus StackSet.

Untuk menghapus AWS CloudFormation tumpukan

1. Buka AWS CloudFormation konsol di https://console.aws.amazon.com/cloudformation.
2. Dari dasbor Stacks, cari semua tumpukan dengan awalan. AWSControlTower
3. Untuk setiap tumpukan dalam tabel, lakukan hal berikut:
   a. Pilih kotak centang di sebelah nama tumpukan.
   b. Dari menu Actions, pilih Delete Stack.
   c. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, dan pilih Ya, Hapus.

Hapus Bucket Amazon S3 di Akun Arsip Log

Prosedur berikut memandu Anda melalui cara masuk ke akun arsip log sebagai pengguna Pusat Identitas IAM di AWSControlTowerExecutiongrup dan kemudian menghapus bucket Amazon S3 di akun arsip log Anda.

Untuk masuk ke akun arsip log Anda dengan izin yang tepat

1. Buka konsol Organizations di https://console.aws.amazon.com/organizations/.
2. Dari tab Akun, temukan akun Arsip Log.
3. Dari panel kanan yang terbuka, buat catatan nomor akun arsip log.
4. Dari bilah navigasi, pilih nama akun Anda untuk membuka menu akun Anda.
5. Pilih Ganti Peran.
6. Pada halaman yang terbuka, berikan nomor akun untuk akun arsip log di Akun.
7. Untuk Peran, masukkan AWSControlTowerExecution.
8. Nama Tampilan diisi dengan teks.

9. Pilih Warna favorit Anda.
10. Pilih Ganti Peran.

Untuk menghapus ember Amazon S3

1. Buka konsol Amazon S3 di https://console.aws.amazon.com/s3/.
2. Cari nama bucket yang berisi aws-controltower.
3. Untuk setiap ember di tabel, lakukan hal berikut:
   a. Pilih kotak centang untuk ember di tabel.
   b. Pilih Hapus.
   c. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, masukkan nama bucket untuk mengonfirmasi, lalu pilih Konfirmasi.

Menghapus Portofolio dan Produk Account Factory

Prosedur berikut memandu Anda melalui cara masuk sebagai pengguna IAM Identity Center di AWSServiceCatalogAdminsgrup dan kemudian membersihkan portofolio dan produk Account Factory Anda.

Untuk masuk ke akun manajemen Anda dengan izin yang tepat

1. Buka URL portal pengguna Anda di *directory-id* .awsapps.com/start
2. Dari AWS Akun, temukan akun Manajemen.
3. Dari AWSServiceCatalogAdminFullAccess, pilih Konsol manajemen untuk masuk ke peran AWS Management Console sebagai ini.

Untuk membersihkan Account Factory

1. Buka konsol Service Catalog di https://console.aws.amazon.com/servicecatalog/.
2. Dari menu navigasi kiri, pilih daftar Portofolio.
3. Dalam tabel Portofolio Lokal, cari portofolio bernama AWS Control Tower Account Factory Portfolio.
4. Pilih nama portofolio itu untuk membuka halaman detailnya.

5. Perluas bagian Constraints pada halaman, dan pilih tombol radio untuk kendala dengan nama produk Control TowerAWS Account Factory.
6. Pilih HAPUS KENDALA.
7. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, lalu pilih LANJUTKAN.
8. Dari bagian Produk halaman, pilih tombol radio untuk produk bernama AWS Control Tower Account Factory.
9. Pilih HAPUS PRODUK.
10. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, lalu pilih LANJUTKAN.
11. Perluas bagian Pengguna, Grup, dan Peran halaman, dan pilih kotak centang untuk semua catatan dalam tabel ini.
12. Pilih HAPUS PENGGUNA, GRUP ATAU PERAN.
13. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, lalu pilih LANJUTKAN.
14. Dari menu navigasi kiri, pilih daftar Portofolio.
15. Dalam tabel Portofolio Lokal, cari portofolio bernama AWS Control Tower Account Factory Portfolio.
16. Pilih tombol radio untuk portofolio itu, lalu pilih HAPUS PORTOFOLIO.
17. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, lalu pilih LANJUTKAN.
18. Dari menu navigasi kiri, pilih Daftar produk.
19. Pada halaman produk Admin, cari produk bernama AWS Control Tower Account Factory.
20. Pilih produk untuk membuka halaman detail produk Admin.
21. Dari Tindakan, pilih Hapus produk.
22. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, lalu pilih LANJUTKAN.

Hapus Peran dan Kebijakan AWS Control Tower

Prosedur ini memandu Anda melalui cara membersihkan peran dan kebijakan yang dibuat AWS Control Tower saat landing zone Anda disiapkan, atau yang lebih baru.

Untuk menghapus peran Pusat AWSServiceCatalogEndUserAccess Identitas IAM

1. Buka AWS IAM Identity Center konsol di https://console.aws.amazon.com/singlesignon/.
2. Ubah AWS Wilayah Anda ke Wilayah asal Anda, yang merupakan Wilayah tempat Anda pertama kali menyiapkan AWS Control Tower.
3. Dari menu navigasi kiri, pilih AWS akun.
4. Pilih tautan akun manajemen Anda.
5. Pilih dropdown untuk set Izin, pilih AWSServiceCatalogEndUserAccess, lalu pilih Hapus.
6. Pilih AWS akun dari panel kiri.
7. Buka tab Perizinan set.
8. Pilih AWSServiceCatalogEndUserAccessdan hapus.

Untuk menghapus peran IAM

1. Buka konsol IAM di https://console.aws.amazon.com/iam/.
2. Dari menu navigasi kiri, pilih Peran.
3. Dari tabel, cari peran dengan nama AWSControlTower.
4. Untuk setiap peran dalam tabel, lakukan hal berikut:
   a. Pilih kotak centang untuk peran tersebut.
   b. Pilih Hapus peran.
   c. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, lalu pilih Ya, hapus.

Untuk menghapus kebijakan IAM

1. Buka konsol IAM di https://console.aws.amazon.com/iam/.
2. Dari menu navigasi kiri, pilih Kebijakan.
3. Dari tabel, cari kebijakan dengan nama AWSControlTower.
4. Untuk setiap kebijakan dalam tabel, lakukan hal berikut:
   a. Pilih kotak centang untuk kebijakan tersebut.
   b. Pilih Tindakan kebijakan, dan Hapus dari menu tarik-turun.
   c. Di kotak dialog yang terbuka, tinjau informasi untuk memastikannya akurat, lalu pilih Hapus.

Bantuan sumber daya AWS Control Tower

Jika Anda mengalami masalah apa pun yang tidak dapat diselesaikan saat menghapus sumber daya AWS Control Tower, hubungi AWS Support.

Cara menonaktifkan landing zone

Untuk menonaktifkan landing zone AWS Control Tower Anda, ikuti prosedur yang diberikan di sini.

> **Note**
>
> Kami menyarankan Anda membatalkan kelola akun Anda yang terdaftar sebelum dinonaktifkan.

1. Arahkan ke halaman Pengaturan Zona Landing di konsol AWS Control Tower.
2. Pilih Donaktifkan landing zone Anda di bagian Donaktifkan landing zone Anda.
3. Dialog muncul, menjelaskan tindakan yang akan Anda lakukan, dengan proses konfirmasi yang diperlukan. Untuk mengonfirmasi maksud Anda untuk menonaktifkan, Anda harus memilih setiap kotak dan mengetik konfirmasi seperti yang diminta.

   > **Important**
   >
   > Proses dekomisioning tidak dapat dibatalkan.

4. Jika Anda mengonfirmasi maksud Anda untuk menonaktifkan landing zone, Anda akan diarahkan ke halaman beranda AWS Control Tower saat penonaktifan sedang berlangsung. Prosesnya mungkin membutuhkan waktu hingga dua jam.
5. Ketika penonaktifan telah berhasil, Anda harus menghapus sumber daya yang tersisa secara manual sebelum menyiapkan landing zone baru dari konsol AWS Control Tower. Sumber daya yang tersisa ini mencakup beberapa bucket Amazon S3 tertentu, organisasi, dan grup CloudWatch log Log.

   > **Note**
   >
   > Tindakan ini mungkin memiliki konsekuensi signifikan untuk aktivitas penagihan dan kepatuhan Anda. Misalnya, kegagalan untuk menghapus sumber daya ini dapat mengakibatkan biaya yang tidak terduga.

Untuk informasi selengkapnya tentang cara menghapus sumber daya secara manual, lihatTentang menghapus sumber daya AWS Control Tower.

6. Jika Anda berniat untuk membuat landing zone baru di AWS Wilayah baru, ikuti langkah tambahan ini. Masukkan perintah berikut melalui CLI:

```
aws organizations disable-aws-service-access --service-principal
 controltower.amazonaws.com
```

Tugas pembersihan manual diperlukan setelah dinonaktifkan

- Anda harus menentukan alamat email yang berbeda untuk arsip Log dan akun Audit jika Anda membuat landing zone baru setelah menonaktifkannya, atau mengikuti prosedur untuk membawa arsip Log atau akun Audit Anda sendiri yang ada.
- Grup CloudWatch log log,`aws-controltower/CloudTrailLogs`, harus dihapus secara manual sebelum Anda mengatur landing zone lain.
- Dua bucket Amazon S3 dengan nama yang dicadangkan untuk log harus dihapus, atau diganti namanya, secara manual.
- Anda harus menghapus, atau mengganti nama, unit organisasi Security dan Sandbox yang ada secara manual.

> **Note**
>
> Sebelum Anda dapat menghapus organisasi AWS Control Tower Security OU, Anda harus terlebih dahulu menghapus akun logging dan audit, tetapi bukan akun manajemen. Untuk menghapus akun ini, Anda harus Kapan harus masuk sebagai pengguna root ke akun audit dan ke akun logging dan menghapusnya satu per satu.

- Anda mungkin ingin menghapus konfigurasi AWS IAM Identity Center (IAM Identity Center) untuk AWS Control Tower secara manual, tetapi Anda dapat melanjutkan dengan konfigurasi IAM Identity Center yang ada.
- Anda mungkin ingin menghapus VPC yang dibuat oleh AWS Control Tower, dan menghapus set CloudFormation tumpukan AWS terkait.

- Sebelum Anda dapat mengatur landing zone baru di AWS Wilayah baru, Anda harus mengikuti langkah-langkah tambahan ini.
  - Masukkan perintah berikut melalui CLI:

    ```
    aws organizations disable-aws-service-access --service-principal
     controltower.amazonaws.com
    ```

  - Hapus aturan terkelola yang tersisa`AWSControlTowerManagedRule`, yang dipanggil, dari akun bersama dan anggota untuk semua Wilayah yang diatur.

Pengaturan setelah menonaktifkan landing zone

Setelah Anda menonaktifkan landing zone Anda, Anda tidak dapat berhasil menjalankan setup lagi sampai pembersihan manual selesai. Selain itu, tanpa pembersihan manual dari sumber daya yang tersisa ini, Anda mungkin dikenakan biaya penagihan yang tidak terduga. Anda harus memperhatikan masalah ini:

- Akun manajemen AWS Control Tower adalah bagian dari AWS Control Tower Root OU. Pastikan peran IAM dan kebijakan IAM ini dihapus dari akun manajemen:
  - Peran:
    - `AWSControlTowerAdmin`
    - `AWSControlTowerCloudTrailRole`
    - `AWSControlTowerStackSetRole`
  - Kebijakan:
    - `AWSControlTowerAdminPolicy`
    - `AWSControlTowerCloudTrailRolePolicy`
    - `AWSControlTowerStackSetRolePolicy`
- Anda mungkin ingin menghapus atau memperbarui konfigurasi IAM Identity Center yang ada untuk AWS Control Tower sebelum Anda menaikkan landing zone lagi, tetapi Anda tidak perlu menghapusnya.
- Anda mungkin ingin menghapus VPC yang dibuat oleh AWS Control Tower.

- Penyiapan gagal jika alamat email yang ditentukan untuk akun pencatatan atau audit dikaitkan dengan AWS akun yang ada. Anda dapat menutup AWS akun, atau menggunakan alamat email yang berbeda untuk mengatur landing zone lagi. Atau, Anda dapat menggunakan kembali akun bersama yang ada ini, dengan fitur yang memungkinkan Anda untuk membawa akun logging dan audit Anda sendiri. Untuk informasi selengkapnya, lihat Pertimbangan untuk membawa akun keamanan atau pencatatan yang ada.
- Penyiapan gagal jika bucket Amazon S3 dengan nama cadangan berikut sudah ada di akun logging:
  - `aws-controltower-logs-{accountId}-{region}`(digunakan untuk ember logging).
  - `aws-controltower-s3-access-logs-{accountId}-{region}`(digunakan untuk bucket akses logging).

  Anda harus mengganti nama atau menghapus bucket ini, atau menggunakan akun lain untuk akun logging.
- Pengaturan gagal jika akun manajemen memiliki grup log yang ada,`aws-controltower/CloudTrailLogs`, di CloudWatch Log. Anda harus mengganti nama atau menghapus grup log.

Sebelum Anda mengatur di yang baru Wilayah AWS

Jika Anda berniat untuk membuat landing zone baru di AWS Wilayah baru, ikuti langkah-langkah tambahan ini.

- Masukkan perintah berikut melalui CLI:

```
aws organizations disable-aws-service-access --service-principal
 controltower.amazonaws.com
```

- Hapus aturan terkelola yang tersisa`AWSControlTowerManagedRule`, dipanggil, dari akun bersama dan anggota untuk semua Wilayah yang diatur.

> **Note**
>
> Anda tidak dapat menyiapkan landing zone baru di organisasi dengan OU tingkat atas bernama Security atau Sandbox. Anda harus mengganti nama atau menghapus OU ini untuk mengatur landing zone lagi.

Memecahkan masalah

Jika Anda mengalami masalah saat menggunakan AWS Control Tower, Anda dapat menggunakan informasi berikut untuk menyelesaikannya sesuai dengan praktik terbaik kami. Jika masalah yang Anda temui berada di luar cakupan informasi berikut, atau jika masih ada setelah Anda mencoba menyelesaikannya, hubungi AWS Support.

Peluncuran Zona Pendaratan Gagal

Penyebab umum kegagalan peluncuran landing zone:

- Kurangnya respons terhadap pesan email konfirmasi.
- AWS CloudFormation StackSet Kegagalan.

Pesan email konfirmasi: Jika akun manajemen Anda berusia kurang dari satu jam, Anda mungkin mengalami masalah saat akun tambahan dibuat.

Tindakan yang harus diambil

Jika Anda mengalami masalah ini, periksa email Anda. Anda mungkin telah dikirimi email konfirmasi yang sedang menunggu tanggapan. Atau, kami sarankan Anda menunggu satu jam, dan kemudian coba lagi. Jika masalah berlanjut, hubungi AWS Support.

Gagal StackSets: Kemungkinan penyebab lain kegagalan peluncuran landing zone adalah AWS CloudFormation StackSet kegagalan. AWS Wilayah Security Token Service (STS) harus diaktifkan di akun manajemen untuk semua AWS Wilayah yang diatur AWS Control Tower, sehingga penyediaan dapat berhasil; jika tidak, kumpulan tumpukan akan gagal diluncurkan.

Tindakan yang harus diambil

Pastikan untuk mengaktifkan semua wilayah titik akhir AWS Security Token Service (STS) yang diperlukan sebelum meluncurkan AWS Control Tower.

Untuk melihat daftar AWS Control Tower Wilayah AWS yang didukung, lihatBagaimana AWS Wilayah Bekerja Dengan AWS Control Tower.

Kesalahan zona pendaratan tidak mutakhir

Jika Anda belum memperbarui landing zone baru-baru ini, Anda mungkin menerima kesalahan saat mencoba mendapatkan kembali akses ke AWS Control Tower. Anda mungkin melihat pesan kesalahan yang mirip dengan yang ini:

```
Unable to access Control Tower
```

Akun Anda sudah tidak aktif terlalu lama. Karena tidak aktif, Anda harus memperbarui landing zone untuk akses ke AWS Control Tower.

Namun, pembaruan landing zone Anda mungkin gagal.

Langkah-langkah yang harus diambil

Masuk ke akun manajemen organisasi Anda, dan masuk sebagai pengguna root. Pengguna IAM atau pengguna Anda di IAM Identity Center harus memiliki izin administrator AWS Control Tower dan menjadi bagian dari grup. AWSControlTowerAdmins Kemudian coba pembaruan lagi.

Penyediaan Akun Baru Gagal

Jika Anda mengalami masalah ini, periksa penyebab umum ini.

Saat Anda mengisi formulir penyediaan akun, Anda mungkin memiliki:

- TagOptions yang ditentukan,
- mengaktifkan notifikasi SNS,
- mengaktifkan pemberitahuan produk yang disediakan.

Coba lagi untuk menyediakan akun Anda, tanpa menentukan salah satu opsi tersebut. Untuk informasi selengkapnya, lihat Menyediakan akun dengan AWS Service Catalog Account Factory .

Penyebab umum lainnya untuk kegagalan:

- Jika Anda membuat paket produk yang disediakan (untuk melihat perubahan sumber daya), penyediaan akun Anda mungkin tetap dalam status Sedang berlangsung tanpa batas waktu.
- Pembuatan akun baru di Account Factory akan gagal sementara perubahan konfigurasi AWS Control Tower lainnya sedang berlangsung. Misalnya, saat proses sedang berjalan untuk

menambahkan kontrol ke OU, Account Factory akan menampilkan pesan kesalahan jika Anda mencoba menyediakan akun.

Untuk memeriksa status tindakan sebelumnya di AWS Control Tower

- Arahkan AWS CloudFormation ke> StackSets
- Periksa setiap set tumpukan yang terkait dengan AWS Control Tower (awalan: "AWSControlTower“)
- Cari AWS CloudFormation StackSets operasi yang masih berjalan.

Jika penyediaan akun Anda memakan waktu lebih dari satu jam, sebaiknya hentikan proses penyediaan dan coba lagi.

Gagal Mendaftarkan Akun yang Ada

Jika Anda mencoba sekali untuk mendaftarkan AWS akun yang ada dan pendaftaran itu gagal, saat Anda mencoba untuk kedua kalinya, pesan kesalahan mungkin memberi tahu Anda bahwa kumpulan tumpukan ada. Untuk melanjutkan, Anda harus menghapus produk yang disediakan di Account Factory.

Jika alasan kegagalan pendaftaran pertama adalah karena Anda lupa membuat `AWSControlTowerExecution` peran di akun sebelumnya, pesan kesalahan yang akan Anda terima dengan benar memberi tahu Anda untuk membuat peran. Namun, ketika Anda mencoba membuat peran, Anda kemungkinan akan menerima pesan kesalahan lain yang menyatakan bahwa AWS Control Tower tidak dapat membuat peran tersebut. Kesalahan ini terjadi karena prosesnya telah selesai sebagian.

Dalam hal ini, Anda harus mengambil dua langkah pemulihan sebelum Anda dapat melanjutkan dengan mendaftarkan akun Anda yang ada. Pertama, Anda harus menghentikan produk yang disediakan Account Factory melalui konsol. AWS Service Catalog Selanjutnya, Anda harus menggunakan AWS Organizations konsol untuk memindahkan akun secara manual dari OU dan kembali ke root. Setelah itu selesai, buat `AWSControlTowerExecution` peran di akun, lalu isi kembali formulir akun Daftarkan.

Kemungkinan penyebab kegagalan pendaftaran lainnya adalah akun tersebut memiliki sumber daya Config AWS yang ada. Dalam hal ini, lihat Mendaftarkan akun yang memiliki AWS Config sumber daya yang ada untuk petunjuk tentang cara mengubah sumber daya yang ada.

Tidak Dapat Memperbarui Akun Akun Factory

Ketika akun dalam keadaan tidak konsisten, akun tidak dapat diperbarui dengan sukses dari Account Factory atau AWS Service Catalog.

Kasus 1: Anda mungkin menemukan pesan kesalahan yang mirip dengan yang ini:

```
AWS Control Tower could not baseline VPC in the managed account because of
existing resource dependencies.
```

Penyebab umum: AWS Control Tower selalu menghapus VPC AWS default selama penyediaan awal. Untuk memiliki VPC AWS default di akun, Anda harus menambahkannya setelah pembuatan akun. AWS Control Tower memiliki VPC defaultnya sendiri yang menggantikan AWS VPC default, kecuali jika Anda menyiapkan Account Factory seperti yang ditunjukkan oleh penelusuran —-sehingga AWS Control Tower tidak menyediakan VPC sama sekali. Maka akun tersebut tidak memiliki VPC. Anda harus menambahkan kembali VPC AWS default jika Anda ingin menggunakannya.

Namun, AWS Control Tower tidak mendukung AWS VPC default. Menyebarkan satu menyebabkan akun memasuki `Tainted` status. Ketika dalam keadaan itu, Anda tidak dapat memperbarui akun melalui AWS Service Catalog.

Tindakan yang harus diambil: Anda harus menghapus VPC default yang Anda tambahkan, dan kemudian Anda akan dapat memperbarui akun.

> **Note**
>
> `Tainted`Status menyebabkan masalah tindak lanjut: Akun yang tidak diperbarui dapat mencegah pengaktifan kontrol pada OU yang menjadi bagiannya.

Kasus 2: Anda mungkin melihat pesan kesalahan yang mirip dengan yang ini:

```
AWS Control Tower detects that your enrolled account has been moved to a
new organizational unit.
```

Penyebab umum: Anda mencoba memindahkan akun dari satu OU terdaftar ke yang lain, tetapi aturan AWS Config lama tetap ada. Akun dalam keadaan tidak konsisten.

Tindakan yang harus diambil:

Jika pemindahan akun dimaksudkan:

- Mengakhiri akun di Service Catalog.
- Daftarkan lagi.
- Konteks/dampak: Aturan AWS Config Deployed tidak cocok dengan konfigurasi yang ditentukan oleh OU tujuan.
- AWS Aturan Config mungkin tetap dari OU sebelumnya, menyebabkan pengeluaran yang tidak diinginkan.
- Upaya untuk mendaftarkan ulang atau memperbarui akun akan gagal karena konflik penamaan sumber daya.

Jika pemindahan akun tidak disengaja:

- Kembalikan akun ke OU aslinya.
- Perbarui akun dari Service Catalog.
- Dalam parameter peluncuran, masukkan OU tempat akun awalnya berada.
- Konteks/dampak: Jika akun tidak dikembalikan ke OU aslinya, statusnya akan tidak konsisten dengan kontrol yang ditentukan oleh OU baru di dalamnya.
- Memperbarui akun bukanlah perbaikan yang valid, karena tidak menghapus AWS Config aturan yang terkait dengan OU sebelumnya.

Tidak Dapat Memperbarui Zona Pendaratan

AWS Control Tower tidak memutar kembali ke versi landing zone sebelumnya jika pembaruan gagal. Anda mungkin menemukan landing zone Anda dalam keadaan tak tentu. Jika demikian, hubungi AWS dukungan.

Pembaruan zona pendaratan mungkin gagal karena beberapa alasan.

- Prasyarat tidak terpenuhi
- AWS Config sumber daya ada di akun tertentu
- Akun tertutup ada

Prasyarat tidak terpenuhi

Pembaruan landing zone harus memenuhi prasyarat yang sama dengan pengaturan landing zone. Sebelum Anda memperbarui, tinjau cek pra-peluncuran.

AWS Config sumber daya ada di akun Security OU

Jangan menambahkan AWS Config sumber daya di akun Audit dan Arsip Log Anda. Proses pembaruan landing zone tidak dapat diselesaikan dengan sumber daya yang ada. Pembatasan ini mirip dengan yang berlaku untuk mendaftarkan akun atau menyiapkan landing zone untuk pertama kalinya. Untuk informasi selengkapnya, lihat Mendaftarkan akun yang memiliki AWS Config sumber daya yang ada.

Akun tertutup ada

Saat akun dalam status Tertutup atau Ditangguhkan, Anda mungkin mengalami masalah saat mencoba memperbarui landing zone. Anda harus menghapus produk yang disediakan di setiap akun yang ditutup sebelum melakukan pembaruan ke landing zone.

Pada halaman produk AWS Service Catalog yang disediakan, Anda mungkin melihat pesan kesalahan yang mirip dengan yang ini:

```
AWSControlTowerExecution role can't be assumed on the account.
```

Penyebab umum: Anda telah menangguhkan akun tanpa menghapus produk yang disediakan.

Tindakan yang harus diambil: Jika Anda melihat kesalahan ini, Anda memiliki dua opsi:

1. Hubungi AWS Support dan buka kembali akun, hapus produk yang disediakan, lalu tutup akun lagi.
2. Hapus sumber daya dari StackSets yang telah menjadi yatim piatu karena penutupan akun. (Opsi ini hanya tersedia jika StackSets memiliki instance dalam keadaan Saat ini yang tidak Anda hapus.)

Untuk menghapus sumber daya dari StackSets, lakukan ini untuk setiap akun yang ditutup:

- Masuk ke masing-masing AWS Control Tower StackSets dan hapus StackInstances dari setiap wilayah, untuk akun yang telah ditutup.
- PENTING: Pilih opsi Retain Stack sehingga hanya StackSet menghapus instance tumpukan. StackSet tidak dapat mengambil peran dari akun yang ditutup, sehingga akan gagal jika mencoba mengambil `AWSControlTowerExecution` peran, yang mengarah ke pesan kesalahan yang Anda terima.

Kesalahan Kegagalan yang Menyebutkan AWS Config

Jika AWS Config diaktifkan di AWS Wilayah mana pun yang didukung oleh AWS Control Tower, Anda mungkin menerima pesan kesalahan karena pra-pemeriksaan gagal. Pesan tersebut mungkin tampaknya tidak menjelaskan masalah secara memadai, karena beberapa perilaku yang mendasarinya. AWS Config

Anda mungkin menerima pesan kesalahan, mirip dengan salah satu dari ini:

- `AWS Control Tower cannot create an AWS Config delivery channel because one already exists. To continue, delete the existing delivery channel and try again`
  `.`
- `AWS Control Tower cannot create an AWS Config configuration recorder because one already exists. To continue, delete the existing delivery channel and try again`
  `.`

Penyebab umum: Ketika AWS Config layanan diaktifkan pada AWS akun, itu membuat perekam konfigurasi dan saluran pengiriman dengan penamaan default. Jika Anda menonaktifkan AWS Config layanan melalui konsol, itu tidak menghapus perekam konfigurasi atau saluran pengiriman. Anda harus menghapusnya melalui CLI, atau memodifikasinya untuk penggunaan AWS Control Tower. Jika AWS Config layanan diaktifkan di salah satu Wilayah yang didukung oleh AWS Control Tower, hal ini dapat mengakibatkan kegagalan ini.

Jika akun memiliki sumber daya AWS Config yang ada, lihat Mendaftarkan akun yang memiliki AWS Config sumber daya yang ada untuk petunjuk tentang cara mengubah sumber daya yang ada.

Tindakan yang harus diambil: Hapus perekam konfigurasi dan saluran pengiriman di semua wilayah yang didukung. Menonaktifkan AWS Config tidak cukup, perekam konfigurasi dan saluran pengiriman harus dihapus melalui CLI. Setelah menghapus perekam konfigurasi dan saluran pengiriman dari CLI, Anda dapat mencoba lagi untuk meluncurkan AWS Control Tower dan mendaftarkan akun.

Jika Anda sedang dalam proses menerapkan produk yang disediakan, Anda harus menghapus produk yang disediakan sebelum Anda mencoba lagi. Jika tidak, Anda mungkin melihat pesan kesalahan yang mirip dengan yang ini:

- `An error occurred` **`(InvalidParametersException)`** `when calling the` **`ProvisionProduct`** `operation: A stack named` *`Stackname`* `already exists.`

Dalam pesan, *`Stackname`*menentukan nama tumpukan.

Berikut adalah beberapa contoh perintah AWS Config CLI yang dapat Anda gunakan untuk menentukan status perekam konfigurasi dan saluran pengiriman Anda.

Lihat perintah:

- `aws configservice describe-delivery-channels`
- `aws configservice describe-delivery-channel-status`
- `aws configservice describe-configuration-recorders`
- `The normal response is something like "name": "default"`

Hapus perintah:

- `aws configservice stop-configuration-recorder --configuration-recorder-name` *`NAME-FROM-DESCRIBE-OUTPUT`*
- `aws configservice delete-delivery-channel --delivery-channel-name` *`NAME-FROM-DESCRIBE-OUTPUT`*
- `aws configservice delete-configuration-recorder --configuration-recorder-name` *`NAME-FROM-DESCRIBE-OUTPUT`*

Untuk informasi lebih lanjut, lihat AWS Config dokumentasi

- Mengelola Perekam Konfigurasi (AWS CLI)
- Mengelola Saluran Pengiriman

Tidak Ada Jalur Peluncuran Ditemukan Kesalahan

Saat Anda mencoba membuat akun baru, Anda mungkin melihat pesan kesalahan yang mirip dengan yang ini:

```
No launch paths found for resource: prod-dpqqfywxxxx
```

Pesan kesalahan ini dihasilkan oleh AWS Service Catalog, yang merupakan layanan terintegrasi yang membantu menyediakan akun di AWS Control Tower.

Penyebab Umum:

- Anda mungkin masuk sebagai root. AWS Control Tower tidak mendukung pembuatan akun saat Anda masuk sebagai pengguna root.
- Pengguna Pusat Identitas IAM Anda belum ditambahkan ke grup izin yang sesuai. Anda mungkin perlu menambahkan pengguna IAM Identity Center Anda ke salah satu grup izin ini: AWSAccountFactory(untuk akses pengguna akhir) atau AWSServiceCatalogAdmins(untuk akses admin).
- Jika Anda diautentikasi sebagai pengguna IAM, Anda harus menambahkannya ke AWS Service Catalog portofolio sehingga memiliki izin yang benar.
- Masalah ini juga terjadi jika Anda memiliki izin yang benar, tetapi AWS Control Tower drift terdeteksi dan perbaikan diperlukan.

Menerima Kesalahan Izin Tidak Cukup

Ada kemungkinan bahwa akun Anda mungkin tidak memiliki izin yang diperlukan untuk melakukan pekerjaan tertentu secara tertentu AWS Organizations. Jika Anda menemukan jenis kesalahan berikut, periksa semua area izin, seperti izin IAM atau IAM Identity Center, untuk memastikan izin Anda tidak ditolak dari tempat-tempat tersebut:

```
You have insufficient permissions to perform AWS Organizations API actions.
```

Jika Anda yakin pekerjaan Anda memerlukan tindakan yang Anda coba, dan Anda tidak dapat menemukan batasan yang relevan, hubungi administrator sistem atau SupportAWS Anda.

Kontrol Detektif tidak berlaku pada akun

Jika Anda baru saja memperluas penerapan AWS Control Tower ke AWS Wilayah baru, kontrol detektif yang baru diterapkan tidak berlaku pada akun baru yang Anda buat di Wilayah mana pun hingga akun individual dalam OU yang diatur oleh AWS Control Tower diperbarui. Kontrol detektif yang ada pada akun yang ada masih berlaku.

Jika Anda mencoba mengaktifkan kontrol detektif sebelum memperbarui akun, Anda mungkin melihat pesan kesalahan yang mirip dengan yang ini:

```
AWS Control Tower can't enable the selected control on this OU. AWS Control
Tower cannot apply the control on the OU ou-xxx-xxxxxxxx, because child
accounts have dependencies that are missing. Update all child accounts
under the OU, then try again.
```

Tindakan yang harus diambil: Perbarui akun.

Untuk memperbarui akun Anda dari konsol AWS Control Tower, lihatKapan harus memperbarui AWS Control Tower OU dan akun.

Untuk memperbarui beberapa akun individual secara terprogram, Anda dapat menggunakan API dari AWS Service Catalog dan AWS CLI untuk mengotomatiskan pembaruan. Untuk informasi selengkapnya tentang cara mendekati proses pembaruan, lihat iniPanduan Video. Anda dapat mengganti UpdateProvisionedProductAPI untuk ProvisionProductAPI yang ditampilkan dalam video.

Jika Anda memiliki kesulitan lebih lanjut dengan mengaktifkan kontrol detektif di akun Anda, hubungi SupportAWS .

Nilai terlampaui kesalahan yang dikembalikan oleh API AWS Organizations

Kemungkinan penyebab

Beban kerja Anda berjalan saat AWS Control Tower menjalankan pemindaian harian untuk memeriksa apakah SCP Anda telah hanyut.

Langkah-langkah untuk diikuti

Jika Anda mengalami pelambatan atau `rate exceeded` kesalahan API, coba langkah-langkah berikut:

- Jalankan beban kerja Anda pada waktu yang berbeda. (Lihat jadwal pemindaian invarian AWS Control Tower SCP menurut Wilayah untuk mengetahui kapan AWS Control Tower menjalankan pemindaian auditnya.)
- Jika Anda memanggil API secara langsung melalui HTTP: Gunakan AWS SDK, yang secara otomatis mencoba ulang tindakan yang gagal
- Meminta peningkatan batas melalui Service Quotas dan Support AWS

Contoh instruksi pemecahan masalah untuk pelambatan API di Elastic Beanstalk dapat ditemukan di sini: `https://aws.amazon.com/premiumsupport/knowledge-center/elastic-beanstalk-api-throttling-errors/`

Gagal memindahkan akun Account Factory langsung dari satu landing zone AWS Control Tower ke landing zone AWS Control Tower lainnya

> **Warning**
>
> Praktik ini tidak memenuhi prasyarat untuk pendaftaran akun yang memenuhi syarat, karena akun yang memenuhi syarat harus menjadi bagian dari Organisasi AWS keseluruhan yang sama, dan setiap organisasi mungkin hanya memiliki satu landing zone. Jika Anda telah mencoba melakukan tindakan ini dan Anda menemukan diri Anda menerima beberapa pesan kesalahan, berikut adalah beberapa informasi yang mungkin membantu.

Untuk memindahkan akun yang telah Anda sediakan melalui Account Factory ke landing zone lain yang dikelola oleh AWS Control Tower, di bawah akun manajemen lain, Anda harus menghapus semua peran IAM dan tumpukan yang terkait dengan akun tersebut dari OU asli. Hapus sumber daya ini dari setiap Wilayah tempat akun digunakan.

> **Note**
>
> Cara terbaik untuk menghapus sumber daya adalah dengan membatalkan penyediaan akun di OU aslinya sebelum Anda mencoba memindahkannya.

Jika Anda tidak menghapus sumber daya, pendaftaran ke OU baru akan gagal, agak spektakuler. Anda mungkin menemukan satu atau beberapa pesan kesalahan, dan Anda akan terus menerima pesan kesalahan serupa hingga peran dan tumpukan yang tersisa dihapus dari setiap Wilayah tempat akun digunakan.

Setiap kali Anda menerima pesan kesalahan, Anda harus menghapus akun dari OU baru, menghapus sumber daya lama yang merupakan subjek pesan kesalahan, dan kemudian mencoba untuk memindahkan akun kembali ke OU baru. Proses ini removing-and-deleting harus diulang untuk

setiap sumber daya yang tersisa, untuk setiap Wilayah di mana akun tersebut digunakan, mungkin 10 atau 20 kali. Kesalahan berulang ini terjadi karena akun disediakan ke dalam OU dengan SCP yang mencegah penghapusan peran IAM. Anda dapat memperpendek proses pemulihan dengan menghapus semua sumber daya akun sebelum Anda mencoba lagi.

Contoh di bawah ini menunjukkan jenis pesan kegagalan yang mungkin Anda terima jika peran dan tumpukan yang tidak dihapus tetap ada. Anda kemungkinan besar akan melihat salah satu pesan ini pada satu waktu, untuk setiap kali Anda mencoba mendaftarkan akun, selama sumber daya lama tetap ada.

Nilai string ID sumber daya telah dimodifikasi untuk contoh. Nilainya tidak akan sama dalam pesan kesalahan yang mungkin Anda terima. Anda mungkin melihat pesan yang mirip dengan contoh berikut:

- `AWS Control Tower cannot create the IAM role` *`aws-controltower-AdministratorExecutionRole`* `because the role already exists. To continue, delete the existing IAM role and try again.`
- `AWS Control Tower cannot create the IAM role` *`aws-controltower-ConfigRecorderRole`* `because the role already exists. To continue, delete the existing IAM role and try again.`
- `AWS Control Tower cannot create the IAM role` *`aws-controltower-ForwardSnsNotificationRole`* `because the role already exists. To continue, delete the existing IAM role and try again.`

Atau Anda mungkin melihat pesan kesalahan tentang kegagalan set tumpukan, mirip dengan yang ini:

```
"Error\":\"StackSetFailState\",
\"Cause\":\"StackSetOperation on AWSControlTowerBP-BASELINE-CLOUDWATCH
with id 8aXXXXf5-e0XX-4XXa-bc4XX-dXXXXXee31
has reached SUCCEEDED state but has 1 NON-CURRENT stack instances;
here is the summary :{ StackSet Id:
AWSControlTowerBP-BASELINE-CLOUDWATCH:40XXXbf2-Xead-46a1-XXXa-eXXXXecb2ee2,
Stack instance Id:
arn:aws:cloudformation:eu-west-1:1X23456789XX:
            stack/StackSet-AWSControlTowerBP-BASELINE-CLOUDWATCH-4feXXXXXX-ecXX-XXc6-
bXXX-4ae678/4feXXXXXX-ecX-4ae123458,
Status: OUTDATED,
```

```
Status Reason: ResourceLogicalId:ForwardSnsNotification,
ResourceType:AWS::Lambda::Function,
ResourceStatusReason:aws-controltower-NotificationForwarder already exists in stack
arn:aws:cloudformation:eu-west-1:1X23456789XX:
            stack/StackSet-AWSControlTowerBP-BASELINE-CLOUDWATCH-4feXXXXXX-ecXX-XXc6-
bXXX-4ae678/4feXXXXXX-ecX-4ae123458.
```

Setelah semua sumber daya yang tersisa dihapus dari OU pertama, Anda akan dapat mengundang, menyediakan, atau mendaftarkan akun ke OU baru dengan sukses.

AWS Support

Jika Anda ingin memindahkan akun anggota yang ada ke paket dukungan yang berbeda, Anda dapat masuk ke setiap akun dengan kredensi akun root, membandingkan paket, dan mengatur tingkat dukungan yang Anda inginkan.

Kami menyarankan Anda memperbarui MFA dan kontak keamanan akun saat Anda membuat perubahan pada paket dukungan Anda.

Jenis garis dasar

Garis dasar di AWS Control Tower adalah sekelompok sumber daya dan konfigurasi spesifik yang dapat Anda terapkan ke target. Target dasar dapat berupa unit organisasi (OU) atau zona pendaratan. Misalnya, Anda dapat mengaktifkan baseline dengan OU yang dipilih sebagai target, untuk mendaftarkan OU tersebut ke AWS Control Tower. Garis dasar juga dapat diaktifkan berdasarkan pengaturan dan konfigurasi landing zone Anda. AWS Control Tower membuat dan menyebarkan sumber daya ke target dengan cara yang ditentukan baseline.

Saat Anda mengaktifkan baseline untuk target, baseline direpresentasikan sebagai AWS CloudFormation sumber daya, yang disebut sumber daya. `EnabledBaseline`

AWS Control Tower mencakup empat jenis dasar penting:

- Satu jenis dapat berlaku untuk OU yang terdaftar di AWS Control Tower, atau ke OU yang ingin Anda daftarkan dengan menerapkan baseline.
- Tiga tipe dasar dapat diterapkan ke landing zone, selama pengaturan awal atau selama pembaruan landing zone.

Jenis dasar yang berlaku di tingkat OU, untuk mendaftar dan memperbarui OU

- Nama: `AWSControlTowerBaseline`

  Deskripsi: Menyiapkan sumber daya dan kontrol wajib untuk akun anggota dalam OU target, yang diperlukan untuk tata kelola AWS Control Tower.

  Pertimbangan: Garis dasar ini mempertahankan pengaturan zona pendaratan Wilayah menolak kontrol. Dengan kata lain, jika Region tidak diizinkan di tingkat landing zone, Region tersebut tidak diperbolehkan untuk OU tersebut ketika Anda memanggil `EnableBaseline` API untuk mendaftarkan OU.

  > **Note**
  >
  > Wilayah tingkat OU menolak kontrol tidak memiliki cara untuk mengizinkan Wilayah yang tidak diizinkan oleh zona pendaratan yang tidak diizinkan oleh Wilayah.

Untuk informasi selengkapnya, lihat Cara SCP bekerja dengan penolakan dalam AWS Organizations dokumentasi.

Rekomendasi: Kami menyarankan Anda mengonfirmasi Wilayah di mana target OU Anda mungkin menjalankan beban kerja, dan memeriksa hasilnya terhadap landing zone Region deny control, sebelum Anda memanggil `EnableBaseline` API untuk OU, atau Anda bisa kehilangan akses ke sumber daya di Wilayah tertentu.

> **Note**
>
> Garis dasar zona pendaratan berperilaku berbeda dari garis dasar tingkat OU.

AWS Control Tower memungkinkan baseline yang berlaku di level landing zone secara otomatis, sebagai bagian dari proses penyiapan dan pembaruan landing zone. Garis dasar untuk landing zone Anda dapat berubah saat Anda mengubah pengaturan landing zone. Misalnya, jika Anda memilih IAM Identity Center, AWS Control Tower dapat mengaktifkan versi terbaru dari `IdentityCenterBaseline` baseline di landing zone Anda.

Anda dapat melihat baseline yang diaktifkan untuk landing zone Anda dengan panggilan `ListEnabledBaselines` API.

Jenis dasar yang mungkin berlaku untuk landing zone Anda

- Nama: `AuditBaseline`

  Deskripsi: Mengatur sumber daya untuk memantau keamanan dan kepatuhan akun di organisasi Anda. Anda tidak dapat mengubah baseline ini, ini diterapkan oleh AWS Control Tower.
- Nama: `LogArchiveBaseline`

  Deskripsi: Menyiapkan repositori pusat untuk log aktivitas API dan konfigurasi sumber daya dari akun di organisasi Anda. Anda tidak dapat mengubah baseline ini, ini diterapkan oleh AWS Control Tower.
- Nama: `IdentityCenterBaseline`

  Deskripsi: Menyiapkan sumber daya bersama untuk IAM Identity Center, yang mempersiapkan `AWSControlTowerBaseline` untuk mengatur akses Pusat Identitas untuk akun.

Pertimbangan: Garis dasar ini hanya berfungsi ketika Anda telah memilih IAM Identity Center sebagai penyedia identitas Anda pada saat Anda mengatur landing zone Anda pada awalnya, atau jika Anda kemudian mengubah pengaturan landing zone Anda untuk mengaktifkan IAM Identity Center untuk landing zone Anda. Jika Anda menggunakan penyedia identitas yang berbeda, Anda tidak akan memiliki akses untuk mengaktifkan baseline ini.

Pendaftaran sebagian akun

Saat Anda bekerja dengan baseline, akun dapat ditempatkan ke dalam status yang disebut Terdaftar sebagian.

Status ini dapat terjadi jika Anda mendaftarkan ulang OU dengan memanggil `ResetEnabledBaseline` API, karena AWS Control Tower hanya menerapkan sumber daya wajib ke akun di OU target. Akun yang kehilangan sumber daya opsional (kontrol) untuk OU induknya ditandai sebagai Terdaftar sebagian.

Jika Anda memindahkan akun yang tidak terdaftar ke OU terdaftar dan kemudian memanggil `ResetEnabledBaseline` API di OU untuk mendaftarkan akun tersebut, AWS Control Tower menerapkan sumber daya yang terkait dengan akun yang `AWSControlTowerBaseline` baru terdaftar. Namun, kontrol opsional yang diaktifkan untuk OU ini tidak diterapkan ke akun. Akun tetap dalam keadaan terdaftar sebagian.

Untuk mendaftarkan akun sepenuhnya, pilih Daftar ulang atau Perbarui akun di konsol. Saat Anda memilih operasi ini dari konsol, AWS Control Tower menerapkan semua sumber daya OU tersebut ke akun yang baru terdaftar, termasuk kontrol opsional yang diaktifkan untuk OU tersebut.

Variasi dalam operasi antara konsol AWS Control Tower dan API untuk baseline

Saat Anda mengubah status tata kelola OU, konsol AWS Control Tower melakukan lebih banyak operasi untuk Anda secara otomatis, dibandingkan dengan mengubah tata kelola melalui API untuk baseline.

Perbedaan

- Mendaftarkan dan menyediakan produk

Saat Anda mendaftarkan OU melalui konsol, AWS Control Tower membuat produk Service Catalog untuk akun anggota OU, sebagai bagian dari pendaftaran setiap akun. Saat Anda mendaftarkan OU melalui `EnableBaseline` API dan AWS Control Tower tidak membuat produk yang disediakan untuk akun anggota di OU. `AWSControlTowerBaseline`

- Deregister ke OU

  Setiap kali Anda membatalkan pendaftaran OU, Anda harus terlebih dahulu menghapus semua akun anggota dan OU bersarang. Kemudian, AWS Control Tower menghapus semua kontrol yang diterapkan ke OU.

  - Jika Anda memilih Hapus OU OU dari konsol, AWS Control Tower melanjutkan ke deregister dan kemudian menghapus OU dari organisasi Anda.
  - Namun, jika Anda membatalkan pendaftaran OU dengan memanggil `DisableBaseline` API untuk menghapus `AWSControlTowerBaseline` dari OU, AWS Control Tower tidak menghapus OU dari organisasi Anda, OU masih ada di organisasi, tidak terdaftar.

Garis dasar dan default versi

Jika zona landing zone AWS Control Tower Anda sudah disiapkan, dan kemudian Anda memilih untuk mengaktifkan baseline landing zone, AWS Control Tower mengaktifkan versi terbaru dari baseline yang kompatibel dengan versi landing zone Anda. Jika Anda memilih untuk mengaktifkan baseline untuk OU yang belum terdaftar di AWS Control Tower, AWS Control Tower menyediakan versi terbaru yang kompatibel dari baseline untuk OU tersebut, secara otomatis.

Kompatibilitas baseline OU dan versi landing zone

Garis dasar AWS Control Tower memungkinkan Anda menetapkan standar tata kelola di tingkat OU, bukan di tingkat landing zone, jika bisnis Anda memerlukannya. Garis dasar yang disebut `AWSControlTowerBaseline` tersedia untuk membantu mendaftarkan OU Anda dengan AWS Control Tower.

> **Note**
>
> Baseline adalah sekelompok kontrol dan sumber daya yang bekerja sama untuk membangun lingkungan tata kelola yang stabil di dalam landing zone Anda.

Saat Anda mengaktifkan baseline pada OU, dengan memanggil `EnableBaseline` API di AWS Control Tower, Anda harus menentukan versi dasar yang kompatibel dengan versi landing zone AWS Control Tower AWS Control Tower saat ini. Setelah Anda menentukan garis dasar, semua akun anggota dalam OU mengikuti garis dasar yang diberikan untuk OU. Dengan kata lain, akun baru disediakan dengan baseline yang diperbarui, dan akun anggota yang ada diatur sesuai dengan baseline baru.

Jika Anda tidak memilih baseline untuk OU dan akun yang ada, versi landing zone menentukan keseluruhan postur tata kelola, secara default. Namun, setiap OU terdaftar di landing zone Anda diberi versi dasar, yang merupakan baseline terbaru yang kompatibel dengan versi landing zone Anda saat ini. Oleh karena itu, setiap akun anggota OU dan terdaftar memiliki baseline terkait, bahkan jika Anda tidak pernah menetapkan baseline secara khusus.

Untuk baseline level OU`AWSControlTowerBaseline`, tabel berikut menunjukkan kompatibilitas baseline dengan versi landing zone AWS Control Tower.

Versi dasar	Versi zona pendaratan	Cetak biru yang disertakan	Termasuk kontrol	Ubah dari baseline sebelumnya	
1.0	2.0 hingga 2.7	BP_BASELINE_CLOUDTRAIL, BP_BASELINE_CLOUDWATCH, BP_BASELINE_CONFIG, BP_BASELINE_ROLES, BP_BASELINE_SERVICE_ROLES, Sumber Daya IAM	Semua kontrol wajib	Tidak ada	
2.0	2,8 hingga 2,9	BP_BASELINE_CLOUDT	Semua kontrol wajib	Menambahkan peran	

Versi dasar	Versi zona pendaratan	Cetak biru yang disertakan	Termasuk kontrol	Ubah dari baseline sebelumnya	
		RAIL, BP_BASELINE_CLOUDWATCH, BP_BASELINE_CONFIG, BP_BASELINE_ROLES, BP_BASELINE_SERVICE_ROLES, Config SLR, sumber daya IAM		AWS Config terkait layanan (SLR) dan cetak biru Config baru untuk menggunakan SLR	
3.0	3.0 hingga 3.1	BP_BASELINE_CLOUDWATCH, BP_BASELINE_CONFIG, BP_BASELINE_ROLES, BP_BASELINE_SERVICE_ROLES, Config SLR, sumber daya IAM	Semua kontrol wajib	AWS Config Cetak biru baru. Ubah untuk merekam sumber daya global hanya di wilayah asal. CloudTrail Cetak biru yang dihapus	

Versi dasar	Versi zona pendaratan	Cetak biru yang disertakan	Termasuk kontrol	Ubah dari baseline sebelumnya	
4.0	3,2 hingga 3,3	BP_BASELINE_CLOUDWATCH, BP_BASELINE_CONFIG, BP_BASELINE_ROLES, BP_BASELINE_SERVICE_LINKED_ROLE, BP_BASELINE_SERVICE_ROLES, Config SLR, sumber daya IAM	Semua kontrol wajib	Cetak biru SLR baru	

Untuk informasi selengkapnya tentang sumber daya tertentu yang dibuat di akun saat menyiapkan landing zone, lihat Sumber daya yang dibuat di akun bersama.

Jika Anda memperbarui landing zone ke versi yang mendukung versi **`AWSControlTowerBaseline`** baseline yang lebih baru, dan versi landing zone baru kompatibel dengan versi baseline yang ada, status OU Anda berubah menjadi Pembaruan yang tersedia.

- Anda dapat terus menggunakan pabrik akun dan fitur lainnya tanpa memperbarui baseline OU segera, kecuali dalam kasus pembaruan landing zone dari 2.x ke 3.x.
- Akun baru yang terdaftar di OU ini menerima sumber daya berdasarkan versi baseline yang ada hingga versi dasar diperbarui (dengan fitur Perluas tata kelola di konsol, atau melalui API). `UpdateEnabledBaseline`
- Setelah Anda memperbarui versi dasar, semua akun dalam OU tersebut menerima sumber daya berdasarkan versi dasar yang baru.

> **Note**
>
> Jika Anda memperbarui landing zone AWS Control Tower dari versi 2.X apa pun ke versi 3.X apa pun, Anda juga harus memperbarui versi dasar pada OU Anda, karena perubahan dari jalur tingkat akun ke tingkat organisasi. AWS CloudTrail Di konsol, OU Anda akan menampilkan status Pembaruan yang diperlukan.

Pertimbangan untuk baseline

- Jika OU Anda memerlukan pembaruan dasar, Anda tidak dapat menyediakan akun baru atau mendaftarkan akun yang ada ke OU tersebut.
- Setelah pembaruan landing zone, jika Anda juga berencana untuk memperbarui baseline OU, Anda harus mendaftarkan ulang OU atau memperbarui versi dasar OU Anda secara terprogram.
- Kami menyarankan Anda memperbarui ke baseline tertinggi yang kompatibel untuk versi landing zone yang Anda gunakan, sehingga Anda mendapatkan semua manfaat dari landing zone dan baseline gabungan. Misalnya, jika Anda memperbarui ke landing zone versi 3.3, Anda dapat tetap menggunakan baseline 3.0, tetapi Anda tidak mendapatkan setiap manfaat dari landing zone versi 3.3 kecuali Anda juga memperbarui ke baseline 4.0.
- Pembaruan dasar tidak dapat diputar kembali.
- Pemberdayaan dasar menargetkan satu OU pada satu waktu. Oleh karena itu, OU bersarang tidak diperbarui secara otomatis saat OU induk diperbarui. Kami menyarankan Anda memperbarui OU induk sebelum memperbarui OU bersarang.
- Saat Anda memanggil `UpdateEnabledBaseline` API atau mendaftarkan ulang OU dari konsol, OU mempertahankan semua kontrol yang diaktifkan sebelum pembaruan dasar.
- Bila beberapa versi baseline kompatibel dengan versi landing zone Anda, Anda harus menggunakan versi baseline terbaru jika Anda mengaktifkan baseline pada OU yang tidak dikelola.

Contoh: Mendaftarkan AWS Control Tower OU hanya dengan API

Panduan contoh ini adalah dokumen pendamping. Untuk penjelasan, peringatan, dan informasi lebih lanjut, lihat. Jenis garis dasar

Prasyarat

Anda harus memiliki OU yang sudah ada yang tidak terdaftar di AWS Control Tower, dan yang ingin Anda daftarkan. Atau, Anda harus memiliki OU terdaftar yang ingin Anda daftarkan ulang untuk tujuan pembaruan.

Daftarkan OU

1. Periksa apakah `IdentityCenterBaseline` diaktifkan untuk landing zone. Jika demikian, dapatkan Identity Center Enabled Baseline identifier.

```
aws controltower list-baselines --query 'baselines[?name==`IdentityCenterBaseline`].
[arn]'
```

```
aws controltower list-enabled-baselines --query 'enabledBaselines[?
baselineIdentifier==`<Identity Center Baseline Arn>`].[arn]'
```

2. Dapatkan ARN dari target OU.

```
aws organizations describe-organizational-unit --organizational-unit-id
 <Organizational Unit ID> --query 'OrganizationalUnit.[Arn]'
```

3. Dapatkan ARN dari baseline. `AWSControlTowerBaseline`

```
aws controltower list-baselines --query 'baselines[?name==`AWSControlTowerBaseline`].
[arn]'
```

4. Buat `AWSControlTowerBaseline` baseline pada target OU.

   Jika Garis Dasar Pusat Identitas diaktifkan:

```
aws controltower enable-baseline --baseline-identifier <AWSControlTowerBaseline ARN>
 --baseline-version <BASELINE VERSION> --target-identifier <OU ARN> --parameters
 '[{"key":"IdentityCenterEnabledBaselineArn","value":"<Identity Center Enabled
 Baseline ARN>"}]'
```

   Jika Garis Dasar Pusat Identitas tidak diaktifkan, hilangkan *`parameters`* bendera, sebagai berikut:

```
aws controltower enable-baseline --baseline-identifier <AWSControlTowerBaseline ARN>
 --baseline-version <BASELINE VERSION> --target-identifier <OU ARN>
```

Registrasi ulang OU

Setelah Anda melakukan pembaruan pada pengaturan landing zone, atau memperbarui versi landing zone Anda, Anda harus mendaftar ulang OU untuk memberi mereka perubahan terbaru. Ikuti langkah-langkah ini untuk mendaftarkan ulang OU secara terprogram, dengan mengatur ulang sumber daya terkait. `EnabledBaseline`

1. Dapatkan ARN dari target OU untuk mendaftar ulang.

```
aws organizations describe-organizational-unit --organizational-unit-id <OU ID> --
query 'OrganizationalUnit.[Arn]'
```

2. Dapatkan ARN `EnabledBaseline` sumber daya untuk target OU.

```
aws controltower list-enabled-baselines --query 'enabledBaselines[?
targetIdentifier==`<OUARN>'`].[arn]'
```

3. Setel ulang Baseline yang Diaktifkan.

```
aws controltower reset-enabled-baseline --enabled-baseline-
identifier <EnabledBaselineArn>
```

Contoh untuk penggunaan API baseline

Bagian ini berisi contoh parameter input dan output untuk API dasar AWS Control Tower.

`DisableBaseline`

Untuk informasi selengkapnya tentang operasi API ini, lihat DisableBaseline.

`DisableBaseline`masukan:

```
{
    "enabledBaselineIdentifier": "arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/AB12CD34EF56GH789"
}
```

`DisableBaseline`keluaran:

```
{
```

```
    "operationIdentifier": "58f12232-26be-4735-a3e9-dd30d90f021f"
}
```

`DisableBaseline`Contoh CLI:

```
aws controltower disable-baseline \
    --enabled-baseline-identifier arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/AB12CD34EF56GH789 \
    --region us-west-2
```

`EnableBaseline`

Untuk informasi selengkapnya tentang operasi API ini, lihat EnableBaseline.

`EnableBaseline`masukan:

```
{
    "baselineIdentifier": "arn:aws:controltower:us-west-2::baseline:17BSJV3IGJ2QSGA2",
    "targetIdentifier": "arn:aws:organizations::123456789012:ou/o-kgj0txdhpa/ou-
r9mj-4j3mzjql",
    "baselineVersion": "3.0",
    "parameters": [
        {
            "key": "IdentityCenterEnabledBaselineArn",
            "value": "arn:aws:controltower:us-west-2:123456789012:enabledbaseline/
XAHCR4CJTSI4W07MZ"
        }
    ]
}
```

`EnableBaseline`keluaran:

```
{
    "operationIdentifier": "58f12232-26be-4735-a3e9-dd30d90f021f",
    "arn": "arn:aws:controltower:us-west-2:123456789012:enabledbaseline/
XAHCR4CJTSI4W07MZ"
}
```

`EnableBaseline`Contoh CLI:

Contoh ini menunjukkan mengaktifkan baseline untuk AWS Organizations organisasi yang memiliki landing zone yang ikut serta ke akses AWS IAM Identity Center, yang dikelola oleh

AWS Control Tower. Untuk mengambil `EnabledBaseline` identifier Pusat Identitas Anda, Anda dapat memanggil `ListEnabledBaselines` API, memfilter pada garis dasar Pusat Identitas: `(arn:aws:controltower:`*`Region`*`::baseline/LN25R72TTG6IGPTQ)`

```
aws controltower list-enabled-baselines \
    --filter baselineIdentifiers=arn:aws:controltower:us-west-2::baseline/
LN25R72TTG6IGPTQ \
    --region us-west-2
```

Respons akan menunjukkan `EnabledBaseline` detail, yang menunjukkan pengenalnya.

```
{
    "enabledBaselines": [
        {
            "arn": "arn:aws:controltower:us-west-2:123456789012:enabledbaseline/
XAHXS7P6C4I453EZC",
            "baselineIdentifier": "arn:aws:controltower:us-west-2::baseline/
LN25R72TTG6IGPTQ",
            "targetIdentifier": "arn:aws:organizations::123456789012:account/o-
aq21sw43de5/123456789012",
            "statusSummary": {
                "status": "SUCCEEDED"
            }
        }
    ]
}
```

> **Note**
>
> Catat nilai ARN dari respons, dan berikan nilai ini sebagai parameter untuk mengaktifkan baseline default.

```
aws controltower enable-baseline \
    --baseline-identifier arn:aws:controltower:us-west-2::baseline/17BSJV3IGJ2QSGA2 \
    --baseline-version 3.0 \
    --target-identifier arn:aws:organizations::123456789012:ou/o-aq21sw43de5/ou-po90-
lk87jh65 \
    --parameters
 '[{"key":"IdentityCenterEnabledBaselineArn","value":"arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/XAHXS7P6C4I453EZC"}]' \
```

```
    --region us-west-2
```

Untuk organisasi dengan landing zone opted-out dari manajemen AWS Control Tower IAM Identity Center, aktifkan baseline tanpa parameter.

```
aws controltower enable-baseline \
    --baseline-identifier arn:aws:controltower:us-west-2::baseline/17BSJV3IGJ2QSGA2 \
    --baseline-version 3.0 \
    --target-identifier arn:aws:organizations::123456789012:ou/o-aq21sw43de5/ou-po90-
lk87jh65 \
    --region us-west-2
```

GetBaseline

Untuk informasi selengkapnya tentang operasi API ini, lihat GetBaseline.

`GetBaseline`masukan:

```
{
    "baselineIdentifier": "arn:aws:controltower:us-west-2::baseline/17BSJV3IGJ2QSGA2"
}
```

`GetBaseline`keluaran:

```
{
    "arn": "arn:aws:controltower:us-west-2::baseline/17BSJV3IGJ2QSGA2",
    "name": "AWSControlTowerBaseline",
    "description": "Sets up resources and mandatory controls for member accounts within
 the target OU, required for AWS Control Tower governance.",
}
```

`GetBaseline`Contoh CLI:

```
aws controltower get-baseline \
    --baseline-identifier arn:aws:controltower:us-west-2::baseline/17BSJV3IGJ2QSGA2 \
    --region us-west-2
```

GetBaselineOperation

Untuk informasi selengkapnya tentang operasi API ini, lihat GetBaselineOperation.

`GetBaselineOperation`masukan:

```
{
    "operationIdentifier": "58f12232-26be-4735-a3e9-dd30d90f021f"
}
```

`GetBaselineOperation`keluaran:

```
{
    "baselineOperation": {
        "operationIdentifier": "58f12232-26be-4735-a3e9-dd30d90f021f",
        "operationType": "DISABLE_BASELINE",
        "status": "FAILED",
        "startTime": "2023-01-12T19:05:00Z",
        "endTime": "2023-01-12T19:45:00Z",
        "statusMessage": "Can't perform DisableBaseline on a parent target with
 governed child OUs"
    }
}
```

`GetBaselineOperation`Contoh CLI:

```
aws controltower get-baseline-operation \
    --operation-identifier 58f12232-26be-4735-a3e9-dd30d90f021f \
    --region us-west-2
```

`GetEnabledBaseline`

Untuk informasi selengkapnya tentang operasi API ini, lihat GetEnabledBaseline.

`GetEnabledBaseline`masukan:

```
{
    "enabledBaselineIdentifier": "arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/XAHCR4CJTSI4W07MZ"
}
```

`GetEnabledBaseline`keluaran:

```
{
    "enabledBaselineDetails": {
```

```
        "arn": "arn:aws:controltower:us-west-2:123456789012:enabledbaseline/
XAHCR4CJTSI4W07MZ",
        "baselineIdentifier": "arn:aws:controltower:us-
west-2::baseline:17BSJV3IGJ2QSGA2",
        "baselineVersion": "3.0",
        "targetIdentifier": "arn:aws:organizations::123456789012:ou/o-kgj0txdhpa/ou-
r9mj-4j3mzjql",
        "statusSummary": {
            "status": "SUCCEEDED",
            "lastOperationIdentifier": "58f12232-26be-4735-a3e9-dd30d90f021f"
        },
        "parameters": [
            {
                "key": "IdentityCenterEnabledBaselineArn",
                "value": "arn:aws:controltower:us-west-2:123456789012:enabledbaseline/
XAHCR4CJTSI4W07MZ"
            }
        ]
    }
}
```

`GetEnabledBaseline`Contoh CLI:

```
aws controltower get-enabled-baseline \
    --enabled-baseline-identifier arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/XAHXS7P6C4I453EZC \
    --region us-west-2
```

`ListBaselines`

Untuk informasi selengkapnya tentang operasi API ini, lihat ListBaselines.

`ListBaselines`input (menggunakan input opsional):

```
{
    "nextToken": "AbCd1234",
    "maxResults": "4"
}
```

`ListBaselines`keluaran:

```
{
```

```
    "baselines": [
        {
            "arn": "arn:aws:controltower:us-west-1::baseline/4T4HA1KMO10S6311",
            "name": "AuditBaseline",
            "description": "Sets up resources to monitor security and compliance of
 accounts in your organization."
        },
        {
            "arn": "arn:aws:controltower:us-west-1::baseline/J8HX46AHS5MIKQPD",
            "name": "LogArchiveBaseline",
            "description": "Sets up a central repository for logs of API activities and
 resource configurations from accounts in your organization."
        },
        {
            "arn": "arn:aws:controltower:us-west-1::baseline/LN25R72TTG6IGPTQ",
            "name": "IdentityCenterBaseline",
            "description": "Sets up shared resources for AWS Identity Center, which
 prepares the AWSControlTowerBaseline to set up Identity Center access for accounts."
        },
        {
            "arn": "arn:aws:controltower:us-west-1::baseline/17BSJV3IGJ2QSGA2",
            "name": "AWSControlTowerBaseline",
            "description": "Sets up resources and mandatory controls for member
 accounts within the target OU, required for AWS Control Tower governance."
        }
    ]
}
```

`ListBaselines`Contoh CLI:

```
aws controltower list-baselines \
    --region us-west-2
```

`ListEnabledBaselines`

Untuk informasi selengkapnya tentang operasi API ini, lihat ListEnabledBaselines.

`ListEnabledBaselines`masukan (tidak ada filter):

```
{
    "nextToken": "bde7-XX0c6fXXXXXX",
    "maxResults": 5
```

```
}
```

`ListEnabledBaselines`input (hanya `baselineIdentifiers` filter):

```
{
    "filter": {
        "baselineIdentifiers": ['arn:aws:controltower:us-
east-1::baseline/17BSJV3IGJ2QSGA2', 'arn:aws:controltower:us-
east-1::baseline/12GZU8CKZKVMS2AW']
    },
    "nextToken": "bde7-XX0c6fXXXXXX",
    "maxResults": 5
}
```

`ListEnabledBaselines`input (hanya `targetIdentifiers` filter):

```
{
    "filter": {
        "targetIdentifiers": ['arn:aws:organizations::123456789012:ou/o-s9511vn103/ou-
xqj7-fex1u317', 'arn:aws:organizations::123456789012:ou/o-s9511vn103/ou-xqj7-11q6n2cf']
    },
    "nextToken": "bde7-XX0c6fXXXXXX",
    "maxResults": 2
}
```

`ListEnabledBaselines`input (`baselineIdentifiers`dan `targetIdentifiers` filter):

```
{
    "filter": {
        "baselineIdentifiers": ['arn:aws:controltower:us-
east-1::baseline/17BSJV3IGJ2QSGA2']
        "targetIdentifiers": ['arn:aws:organizations::123456789012:ou/o-s9511vn103/ou-
xqj7-fex1u317']
    },
    "nextToken": "bde7-XX0c6fXXXXXX",
    "maxResults": 5
}
```

`ListEnabledBaselines`keluaran:

```
{
```

```
    "enabledBaselines": [
        {
            "arn": "arn:aws:controltower:us-east-1:123456789012:enabledbaseline/
XAHCR4CJTSI4W07MZ",
            "baselineIdentifier": "arn:aws:controltower:us-
east-1::baseline:17BSJV3IGJ2QSGA2",
            "baselineVersion": "3.0",
            "targetIdentifier": "arn:aws:organizations::123456789012:ou/o-kgj0txdhpa/
ou-r9mj-4j3mzjql",
            "statusSummary": {
                "status": "SUCCEEDED",
                "lastOperationIdentifier": "58f12232-26be-4735-a3e9-dd30d90f021f"
            }
        },
        {
            "arn": "arn:aws:controltower:us-east-1:123456789012:enabledbaseline/
XAJ9NKW88AA4W9CLL",
            "baselineIdentifier": "arn:aws:controltower:us-
east-1::baseline:17BSJV3IGJ2QSGA2",
            "baselineVersion": "4.0",
            "targetIdentifier": "arn:aws:organizations::123456789012:ou/o-s9511vn103/
ou-xqj7-fex1u317",
            "statusSummary": {
            "status": "FAILED",
                "lastOperationIdentifier": "81e02df1-2b4d-48f0-838f-3833b93dcdc0"
            }
        }
    ],
    "nextToken": "e2bXXXXX6cab"
}
```

Contoh CLI dengan satu jenis filter (`baselineIdentifiers`filter):

```
aws controltower list-enabled-baselines \
    --filter baselineIdentifiers=arn:aws:controltower:us-
west-2::baseline/17BSJV3IGJ2QSGA2,arn:aws:controltower:us-west-2::baseline/
LN25R72TTG6IGPTQ \
    --region us-west-2
```

Contoh CLI menggunakan beberapa filter (`baselineIdentifiers`dan `targetIdentifiers` filter):

```
aws controltower list-enabled-baselines \
```

```
    --filter targetIdentifiers=arn:aws:organizations::123456789012:ou/o-
aq21sw43de5/ou-po90-lk87jh65,baselineIdentifiers=arn:aws:controltower:us-
west-2::baseline/17BSJV3IGJ2QSGA2 \
    --region us-west-2
```

ResetEnabledBaseline

Untuk informasi selengkapnya tentang operasi API ini, lihat ResetEnabledBaseline.

`ResetEnabledbaselinemasukan`:

```
{
    "enabledBaselineIdentifier": "arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/XAJ9NKW88AA4W9CLL"
}
```

`ResetEnabledBaselinekeluaran`:

```
{
    "operationIdentifier": "81e02df1-2b4d-48f0-838f-3833b93dcdc0"
}
```

`ResetEnabledBaselineContoh CLI`:

```
aws controltower reset-enabled-baseline \
    --enabled-baseline-identifier arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/XAHXS7P6C4I453EZC \
    --region us-west-2
```

UpdateEnabledBaseline

Untuk informasi selengkapnya tentang operasi API ini, lihat UpdateEnabledBaseline.

`UpdateEnabledBaselinemasukan`:

```
{
    "enabledBaselineIdentifier": "arn:aws:controltower:us-
east-1:123456789012:enabledbaseline/XAJ9NKW88AA4W9CLL",
    "baselineVersion": "4.0",
    "parameters": [
```

```
        {
            "key": "IdentityCenterEnabledBaselineArn",
            "value": "arn:aws:controltower:us-east-1:123456789012:enabledbaseline/
XAHCR4CJTSI4W07MZ"
        }
    ]
}
```

`UpdateEnabledBaseline`keluaran:

```
{
    "operationIdentifier": "81e02df1-2b4d-48f0-838f-3833b93dcdc0"
}
```

`UpdateEnabledBaseline`Contoh CLI:

```
aws controltower update-enabled-baseline \
    --enabled-baseline-identifier arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/XAHXS7P6C4I453EZC \
    --baseline-version 4.0
    --parameters
 '[{"key":"IdentityCenterEnabledBaselineArn","value":"arn:aws:controltower:us-
west-2:123456789012:enabledbaseline/XAHXS7P6C4I453EZC"}]' \
    --region us-west-2
```

Informasi terkait

Topik ini mencantumkan kasus penggunaan umum dan praktik terbaik untuk kemampuan AWS Control Tower dan penyempurnaan tambahan. Topik ini juga mencakup tautan ke posting blog yang relevan, dokumentasi teknis, dan sumber daya terkait yang dapat membantu Anda saat Anda bekerja dengan AWS Control Tower.

Tutorial dan lab

- AWS Control Tower lab — Laboratorium ini memberikan gambaran umum tingkat tinggi tentang tugas-tugas umum yang terkait dengan AWS Control Tower.
- Di dasbor AWS Control Tower, pilih Dapatkan panduan yang dipersonalisasi jika Anda memiliki kasus penggunaan, tetapi Anda tidak yakin harus mulai dari mana.
- Coba kunjungi daftar YouTube video yang dikuratori yang menjelaskan lebih lanjut tentang cara menggunakan fungsionalitas AWS Control Tower.

Jaringan

Siapkan pola yang dapat diulang dan dikelola untuk jaringan di. AWSPelajari lebih lanjut tentang desain, otomatisasi, dan peralatan yang biasa digunakan oleh pelanggan.

- AWS Arsitektur VPC Mulai Cepat — Panduan Mulai Cepat ini menyediakan fondasi jaringan berdasarkan praktik AWS terbaik untuk infrastruktur AWS Cloud Anda. Ini membangun AWS Virtual Private Network lingkungan dengan subnet publik dan pribadi di mana Anda dapat meluncurkan AWS layanan dan sumber daya lainnya.
- VPC swalayan di AWS Control Tower menggunakan AWS Service Catalog — Posting blog ini menjelaskan cara menyiapkan Account Factory sehingga Anda dapat menyediakan akun dengan VPC yang disesuaikan.
- Menerapkan Serverless Transit Network Orchestrator (STNO) di AWS Control Tower — Posting blog ini menunjukkan cara mengotomatiskan akses konektivitas jaringan di seluruh akun. Blog ini ditujukan untuk administrator AWS Control Tower, atau mereka yang bertanggung jawab untuk mengelola jaringan di AWS lingkungan mereka.

Keamanan, identitas, dan pencatatan

Perluas postur keamanan Anda, integrasikan dengan penyedia identitas eksternal atau yang sudah ada, dan pusatkan sistem logging.

Keamanan

- Mengotomatiskan AWS Security Hub Peringatan dengan peristiwa siklus hidup AWS Control Tower — Posting blog ini menjelaskan cara mengotomatiskan pengaktifan dan konfigurasi Security Hub di lingkungan multi-akun AWS Control Tower pada akun yang ada dan yang baru.
- Mengaktifkan AWS Identity and Access Management - Posting blog ini menjelaskan cara meningkatkan visibilitas keamanan organisasi Anda dengan mengaktifkan dan memusatkan temuan IAM Access Analyzer.
- AWS Systems Manager Parameter Store menyediakan penyimpanan hierarkis yang aman untuk manajemen data konfigurasi dan manajemen rahasia. Anda dapat menggunakannya untuk berbagi informasi konfigurasi di lokasi yang aman, untuk digunakan oleh AWS Systems Manager dan AWS CloudFormation. Misalnya, Anda dapat menyimpan daftar Wilayah tempat Anda ingin menerapkan paket kesesuaian.

Identitas

- Tautkan identitas pengguna Azure AD ke AWS akun dan aplikasi untuk sistem masuk tunggal — Posting blog ini menjelaskan cara menggunakan Azure AD dengan IAM Identity Center dan AWS Control Tower.
- Kelola akses ke AWS secara terpusat untuk pengguna Okta dengan AWS IAM Identity Center — Posting blog ini menjelaskan cara menggunakan Okta dengan IAM Identity Center dan AWS Control Tower.

Pencatatan log

- AWS Solusi Pencatatan Terpusat — Posting solusi ini menjelaskan solusi Pencatatan Terpusat yang memungkinkan organisasi mengumpulkan, menganalisis, dan menampilkan log AWS di beberapa akun dan AWS Wilayah.

Menyebarkan sumber daya dan mengelola beban kerja

Menyebarkan dan mengelola sumber daya dan beban kerja.

- Integrasi Perpustakaan Memulai - Posting blog ini menjelaskan portofolio Memulai yang dapat Anda gunakan.
- Penerapan Cloud Custodian secara berkelanjutan ke AWS Control Tower

Bekerja dengan organisasi dan akun yang ada

Bekerja dengan AWS organisasi dan akun yang ada.

- Mendaftarkan akun — Topik panduan pengguna ini menjelaskan cara mendaftarkan AWS akun yang ada di AWS Control Tower.
- Bawa akun di AWS Control Tower — Postingan blog ini menjelaskan cara menerapkan AWS Control Tower ke AWS organisasi Anda yang ada.
- Perluas tata kelola AWS Control Tower menggunakan paket kesesuaian AWS Config — Posting blog ini menjelaskan cara AWS Config menerapkan paket kesesuaian untuk membantu membawa akun dan organisasi yang ada ke dalam tata kelola oleh AWS Control Tower.
- Cara Mendeteksi dan Mengurangi Pelanggaran Pagar Pembatas dengan AWS Control Tower — Posting blog ini menjelaskan cara menambahkan kontrol dan cara berlangganan notifikasi SNS sehingga Anda dapat diberi tahu melalui email tentang pelanggaran kepatuhan kontrol.

Otomatisasi dan integrasi

Otomatiskan pembuatan akun dan integrasikan peristiwa siklus hidup dengan AWS Control Tower.

- Peristiwa siklus hidup — Posting blog ini menjelaskan cara menggunakan peristiwa siklus hidup dengan AWS Control Tower.
- Mengotomatiskan pembuatan akun — Posting blog ini menjelaskan cara mengatur pembuatan akun otomatis di AWS Control Tower.
- Otomatisasi log aliran Amazon VPC - Posting blog ini menjelaskan cara mengotomatiskan dan memusatkan Log Aliran VPC Amazon di lingkungan multi-akun.

- Otomatiskan penandaan VPC dengan peristiwa siklus hidup AWS Control Tower — Posting blog ini menjelaskan cara mengotomatiskan penandaan sumber daya untuk VPC, melalui peristiwa siklus hidup di AWS Control Tower.
- Manajemen akun otomatis - Posting blog ini menjelaskan cara mengotomatiskan tugas manajemen akun setelah lingkungan AWS Control Tower Anda disiapkan.

Memigrasi beban kerja

Gunakan AWS layanan lain dengan AWS Control Tower untuk membantu migrasi beban kerja.

- CloudEndure migrasi — Posting blog ini menjelaskan cara menggabungkan CloudEndure dan AWS layanan lainnya dengan AWS Control Tower untuk membantu migrasi beban kerja.

Layanan AWS terkait

AWS Control Tower bertindak sebagai lapisan orkestrasi untuk. AWS OrganizationsOleh karena itu, melalui konsol AWS Organizations dan API, Anda memiliki akses ke lebih dari 20 layanan AWS lainnya yang bekerja dengan AWS Control Tower. Layanan tambahan ini tidak dapat diakses secara langsung melalui konsol AWS Control Tower.

- Untuk daftar lengkap layanan yang tersedia untuk AWS Control Tower melalui AWS Organizations, lihat layanan AWS yang dapat Anda gunakan dengan AWS Organizations.
- Untuk mengaktifkan kemampuan multi-akun untuk layanan AWS terkait ini, Anda harus mengaktifkan akses tepercaya. Untuk informasi selengkapnya, lihat Menggunakan AWS Organizations dengan layanan AWS lainnya.

> **Note**
>
> Ingat bahwa AWS IAM Identity Center, AWS Config, dan AWS CloudTrail disiapkan untuk Anda di AWS Control Tower dan terintegrasi sepenuhnya. Anda tidak perlu mengubah akses tepercaya atau pengaturan administrasi yang didelegasikan untuk layanan ini.

- Beberapa AWS layanan yang tersedia AWS Organizations dapat menggunakan administrasi yang didelegasikan, termasuk AWS Systems Manager dan AWS Firewall Manager. Untuk selengkapnya, lihat Mengonfigurasi Administrator Delegasi, dan Mengaktifkan akun administrator

yang didelegasikan untuk Firewall Manager. Lihat juga video ini, Siapkan grup keamanan dengan AWS Firewall Manager.

AWS Marketplace solusi

Temukan solusi dari AWS Marketplace.

- AWS Control Tower Marketplace — AWS Marketplace menawarkan berbagai solusi untuk AWS Control Tower untuk membantu Anda mengintegrasikan perangkat lunak pihak ketiga. Solusi ini membantu memecahkan infrastruktur utama dan kasus penggunaan operasional termasuk manajemen identitas, keamanan untuk lingkungan multi-akun, jaringan terpusat, intelijen operasional, dan informasi keamanan dan manajemen acara (SIEM).

Catatan rilis AWS Control Tower

Bagian berikut menunjukkan detail tentang rilis AWS Control Tower yang memerlukan pembaruan untuk landing zone AWS Control Tower, serta rilis yang dimasukkan ke dalam layanan secara otomatis.

Fitur dan rilis terdaftar dalam urutan kronologis terbalik (terbaru pertama) berdasarkan tanggal di mana mereka secara resmi diumumkan kepada publik. Karena mungkin ada jeda antara ketika fitur atau rilis didokumentasikan dan ketika diumumkan secara resmi, tanggal yang tercantum untuk fitur atau rilis di sini mungkin sedikit berbeda dari tanggal diRiwayat dokumen.

Fitur dirilis pada tahun 2024

Fitur dirilis pada tahun 2023

Fitur dirilis pada tahun 2022

Fitur dirilis pada tahun 2021

Fitur dirilis pada tahun 2020

Fitur dirilis pada 2019

Januari 2024 - Sekarang

Sejak Januari 2024, AWS Control Tower telah merilis pembaruan berikut:

- AWS Control Tower memperbarui dan mengganti nama dua kontrol proaktif
- Kontrol usang tidak lagi tersedia
- AWS Control Tower mendukung `EnabledControl` sumber daya penandaan di AWS CloudFormation
- AWS Control Tower mendukung API untuk pendaftaran dan konfigurasi OU dengan baseline

AWS Control Tower memperbarui dan mengganti nama dua kontrol proaktif

Maret 26, 2024

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower telah mengganti nama dua kontrol proaktif agar selaras dengan pembaruan ke Amazon Service. OpenSearch

- [CT.OPENSEARCH.PR.8] Memerlukan domain Layanan Elasticsearch untuk menggunakan TLSv1.2
- [CT.OPENSEARCH.PR.16] Memerlukan domain OpenSearch Layanan Amazon untuk menggunakan TLSv1.2

Kami memperbarui nama kontrol dan artefak untuk dua kontrol ini agar selaras dengan rilis terbaru dari OpenSearch Layanan Amazon, yang sekarang mendukung Transport Layer Security (TLS) versi 1.3 di antara opsi keamanan transportasinya untuk keamanan titik akhir domain.

Untuk menambahkan dukungan untuk TLSv1.3 untuk kontrol ini, kami telah memperbarui artefak dan nama kontrol untuk mencerminkan maksud dari kontrol. Mereka sekarang mengevaluasi versi TLS minimum dari domain layanan. Untuk membuat pembaruan ini di lingkungan Anda, Anda harus Nonaktifkan dan Aktifkan kontrol untuk menyebarkan artefak terbaru.

Tidak ada kontrol proaktif lain yang terpengaruh oleh perubahan ini. Kami menyarankan Anda meninjau kontrol ini, untuk memastikan bahwa mereka memenuhi tujuan kontrol Anda.

Untuk pertanyaan atau masalah, hubungi AWS Support.

Kontrol usang tidak lagi tersedia

Maret 12, 2024

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower telah menghentikan beberapa kontrol. Kontrol ini tidak lagi tersedia.

- CT.ATHENA.PR.1
- CT.CODEBUILD.PR.4
- CT.AUTOSCALING.PR.3
- SH.Athena.1
- SH.Codebuild.5
- SH.AutoScaling.4
- SH.SNS.1

- SH.SNS.2

AWS Control Tower mendukung **`EnabledControl`** sumber daya penandaan di AWS CloudFormation

Februari 22, 2024

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

Rilis AWS Control Tower ini memperbarui perilaku `EnabledControl` sumber daya, agar lebih selaras dengan kontrol yang dapat dikonfigurasi, dan untuk meningkatkan kemampuan mengelola lingkungan AWS Control Tower Anda dengan otomatisasi. Dengan rilis ini, Anda dapat menambahkan tag ke `EnabledControl` sumber daya yang dapat dikonfigurasi melalui AWS CloudFormation templat. Sebelumnya, Anda dapat menambahkan tag melalui konsol AWS Control Tower dan API saja.

AWS Control Tower `GetEnabledControlEnableControl`,, dan operasi `ListTagsforResource` API diperbarui dengan rilis ini, karena mereka bergantung pada fungsionalitas `EnabledControl` sumber daya.

Untuk informasi selengkapnya, lihat Menandai `EnabledControl` sumber daya di AWS Control Tower dan `EnabledControl`di Panduan AWS CloudFormation Pengguna.

AWS Control Tower mendukung API untuk pendaftaran dan konfigurasi OU dengan baseline

Februari 14, 2024

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

API ini mendukung pendaftaran OU terprogram dengan `EnableBaseline` panggilan tersebut. Saat Anda mengaktifkan baseline pada OU, akun anggota dalam OU didaftarkan ke dalam tata kelola AWS Control Tower. Peringatan tertentu mungkin berlaku. Misalnya, pendaftaran OU melalui konsol AWS Control Tower memungkinkan kontrol opsional serta kontrol wajib. Saat memanggil API, Anda mungkin perlu menyelesaikan langkah ekstra agar kontrol opsional diaktifkan.

Garis dasar AWS Control Tower mewujudkan praktik terbaik untuk tata kelola AWS Control Tower dari akun OU dan anggota. Misalnya, ketika Anda mengaktifkan baseline pada OU, akun anggota

dalam OU menerima kelompok sumber daya yang ditentukan, termasuk, Pusat Identitas IAM AWS CloudTrail AWS Config, dan peran IAM yang diperlukan AWS .

Garis dasar tertentu kompatibel dengan versi landing zone AWS Control Tower tertentu. AWS Control Tower dapat menerapkan baseline terbaru yang kompatibel ke landing zone Anda, saat Anda mengubah pengaturan landing zone. Untuk informasi selengkapnya, lihat Kompatibilitas baseline OU dan versi landing zone.

Rilis ini mencakup empat hal penting Jenis garis dasar

- `AWSControlTowerBaseline`
- `AuditBaseline`
- `LogArchiveBaseline`
- `IdentityCenterBaseline`

Dengan API baru dan garis dasar yang ditentukan, Anda dapat mendaftarkan OU dan mengotomatiskan alur kerja penyediaan OU Anda. API juga dapat mengelola OU yang sudah berada di bawah tata kelola AWS Control Tower, sehingga Anda dapat mendaftarkan ulang OU setelah pembaruan landing zone. API menyertakan dukungan untuk AWS CloudFormation `EnabledBaseline` sumber daya, yang memungkinkan Anda mengelola OU Anda dengan infrastruktur sebagai kode (IAc).

API dasar

- EnableBaseline, UpdateEnabledBaseline, DisableBaseline: Ambil tindakan pada garis dasar untuk OU.
- GetEnabledBaseline, ListEnabledBaselines: Temukan konfigurasi untuk garis dasar yang diaktifkan.
- GetBaselineOperation: Lihat status operasi dasar tertentu.
- ResetEnabledBaseline: Perbaiki penyimpangan sumber daya pada OU dengan baseline yang diaktifkan (termasuk OU bersarang dan penyimpangan kontrol wajib). Juga memulihkan penyimpangan untuk landing-zone-level Wilayah yang menolak kontrol
- GetBaseline, ListBaselines: Temukan konten baseline AWS Control Tower.

Untuk mempelajari lebih lanjut tentang API ini, tinjau Baseline di Panduan Pengguna AWS Control Tower, dan Referensi API. API baru tersedia di Wilayah AWS tempat AWS Control Tower tersedia,

kecuali Wilayah GovCloud (AS). Untuk daftar Wilayah AWS tempat AWS Control Tower tersedia, lihat Wilayah AWS Tabel.

Januari 2023 - Sekarang

Sejak Januari 2023, AWS Control Tower telah merilis pembaruan berikut:

- Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 3)
- AWS Control Tower landing zone versi 3.3
- Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 2)
- AWS Control Tower mengumumkan kontrol untuk membantu kedaulatan digital
- AWS Control Tower mendukung API landing zone
- AWS Control Tower mendukung penandaan untuk kontrol yang diaktifkan
- AWS Control Tower tersedia di Wilayah Asia Pasifik (Melbourne)
- Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 1)
- API kontrol baru tersedia
- AWS Control Tower menambahkan kontrol tambahan
- Jenis drift baru dilaporkan: akses tepercaya dinonaktifkan
- Empat tambahan Wilayah AWS
- AWS Control Tower tersedia di Wilayah Tel Aviv
- AWS Control Tower meluncurkan 28 kontrol proaktif baru
- AWS Control Tower menghentikan dua kontrol
- AWS Control Tower landing zone versi 3.2
- AWS Control Tower menangani akun berdasarkan ID
- Kontrol detektif Security Hub tambahan tersedia di pustaka kontrol AWS Control Tower
- AWS Control Tower menerbitkan tabel metadata kontrol
- Dukungan Terraform untuk Kustomisasi Account Factory
- AWS Manajemen mandiri IAM Identity Center tersedia untuk landing zone
- AWS Control Tower menangani tata kelola campuran untuk OU
- Tersedia kontrol proaktif tambahan
- Kontrol proaktif Amazon EC2 yang diperbarui
- Tujuh tambahan Wilayah AWS tersedia

- Account Factory untuk penelusuran permintaan kustomisasi akun Terraform (AFT)
- AWS Control Tower landing zone versi 3.1
- Kontrol proaktif umumnya tersedia

Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 3)

Desember 14, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower tidak lagi mendukung Terraform Open Source sebagai jenis produk (cetak biru) saat membuat produk baru. Akun AWS Untuk informasi selengkapnya dan petunjuk tentang memperbarui cetak biru akun Anda, tinjau Transisi ke jenis produk AWS Service Catalog Eksternal.

Jika Anda tidak memperbarui cetak biru akun untuk menggunakan jenis produk Eksternal, Anda hanya dapat memperbarui atau menghentikan akun yang Anda sediakan menggunakan cetak biru Sumber Terraform Open Source.

AWS Control Tower landing zone versi 3.3

Desember 14, 2023

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 3.3. Untuk informasi, lihatPerbarui Zona Pendaratan Anda).

Pembaruan kebijakan bucket S3 di akun AWS Control Tower Audit

Kami telah memodifikasi kebijakan bucket Audit Amazon S3 yang diterapkan AWS Control Tower di akun, sehingga `aws:SourceOrgID` kondisi harus dipenuhi untuk izin menulis apa pun. Dengan rilis ini, AWS layanan memiliki akses ke sumber daya Anda hanya jika permintaan berasal dari organisasi atau unit organisasi (OU) Anda.

Anda dapat menggunakan kunci `aws:SourceOrgID` kondisi dan menyetel nilainya ke ID organisasi di elemen kondisi kebijakan bucket S3 Anda. Kondisi ini memastikan bahwa CloudTrail hanya dapat menulis log atas nama akun dalam organisasi Anda ke bucket S3 Anda; ini mencegah CloudTrail log di luar organisasi Anda menulis ke bucket AWS Control Tower S3 Anda.

Kami membuat perubahan ini untuk memulihkan potensi kerentanan keamanan, tanpa memengaruhi fungsionalitas beban kerja Anda yang ada. Untuk melihat kebijakan yang diperbarui, lihatKebijakan bucket Amazon S3 di akun audit.

Untuk informasi selengkapnya tentang kunci kondisi baru, lihat dokumentasi IAM dan posting blog IAM berjudul "Gunakan kontrol yang dapat diskalakan untuk AWS layanan yang mengakses sumber daya Anda."

Pembaruan kebijakan dalam topik AWS Config SNS

Kami menambahkan kunci `aws:SourceOrgID` kondisi baru ke kebijakan untuk topik AWS Config SNS.Untuk melihat kebijakan yang diperbarui, lihat. Kebijakan topik AWS Config SNS

Pembaruan untuk kontrol wilayah Deny landing zone

- Dihapus`discovery-marketplace:`. Tindakan ini dicakup oleh `aws-marketplace:*` pengecualian.
- Ditambahkan `quicksight:DescribeAccountSubscription`

AWS CloudFormation Template diperbarui

Kami memperbarui AWS CloudFormation template untuk tumpukan bernama `BASELINE-CLOUDTRAIL-MASTER` sehingga tidak menunjukkan penyimpangan ketika AWS KMS enkripsi tidak digunakan.

Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 2)

Desember 7, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

HashiCorp memperbarui lisensi Terraform mereka. Akibatnya, AWS Service Catalog mengubah dukungan untuk produk Terraform Open Source dan menyediakan produk ke jenis produk baru, yang disebut Eksternal.

Untuk menghindari gangguan pada beban kerja dan AWS sumber daya yang ada di akun Anda, ikuti langkah transisi AWS Control Tower dalam Transisi ke jenis produk AWS Service Catalog Eksternal paling lambat 14 Desember 2023.

AWS Control Tower mengumumkan kontrol untuk membantu kedaulatan digital

November 27, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower mengumumkan 65 kontrol AWS terkelola baru, untuk membantu Anda memenuhi persyaratan kedaulatan digital Anda. Dengan rilis ini, Anda dapat menemukan kontrol ini di bawah grup kedaulatan digital baru di konsol AWS Control Tower. Anda dapat menggunakan kontrol ini untuk membantu mencegah tindakan dan mendeteksi perubahan sumber daya terkait residensi data, pembatasan akses terperinci, enkripsi, dan kemampuan ketahanan. Kontrol ini dirancang untuk memudahkan Anda menangani persyaratan dalam skala besar. Untuk informasi lebih lanjut tentang kontrol kedaulatan digital, lihat. Kontrol yang meningkatkan perlindungan kedaulatan digital

Misalnya, Anda dapat memilih untuk mengaktifkan kontrol yang membantu menegakkan strategi enkripsi dan ketahanan Anda, seperti Memerlukan cache AWS AppSync API agar enkripsi saat transit diaktifkan atau Memerlukan Firewall AWS Jaringan untuk diterapkan di beberapa Availability Zone. Anda juga dapat menyesuaikan kontrol penolakan Wilayah AWS Control Tower untuk menerapkan batasan regional yang paling sesuai dengan kebutuhan bisnis unik Anda.

Rilis ini menghadirkan kemampuan penolakan Wilayah AWS Control Tower AWS yang disempurnakan dengan baik. Anda dapat menerapkan kontrol penolakan Wilayah berparameter baru di tingkat OU, untuk meningkatkan perincian tata kelola, sambil mempertahankan tata kelola Wilayah tambahan di tingkat landing zone. Kontrol penolakan Wilayah yang dapat disesuaikan ini membantu Anda menerapkan batasan regional yang paling sesuai dengan kebutuhan bisnis unik Anda. Untuk informasi selengkapnya tentang kontrol penolakan Wilayah baru yang dapat dikonfigurasi, lihatWilayah menolak kontrol diterapkan pada OU.

Sebagai alat baru untuk peningkatan penolakan Wilayah baru, rilis ini menyertakan API baru`UpdateEnabledControl`, yang memungkinkan Anda mengatur ulang kontrol yang diaktifkan ke pengaturan default. API ini sangat membantu dalam kasus penggunaan di mana Anda perlu menyelesaikan drift dengan cepat, atau untuk menjamin secara terprogram bahwa kontrol tidak dalam keadaan drift. Untuk informasi selengkapnya tentang API baru, lihat AWS Control Tower API Referensi

Kontrol proaktif baru

- CT.APIGATEWAY.PR.6: Memerlukan domain Amazon API Gateway REST untuk menggunakan kebijakan keamanan yang menentukan versi protokol TLS minimum TLSv1.2
- CT.APPSYNC.PR.2: Memerlukan AWS AppSync GraphQL API untuk dikonfigurasi dengan visibilitas pribadi
- CT.APPSYNC.PR.3: Mengharuskan AWS AppSync GraphQL API tidak diautentikasi dengan kunci API

- CT.APPSYNC.PR.4: Memerlukan cache AWS AppSync GraphQL API agar enkripsi saat transit diaktifkan.
- CT.APPSYNC.PR.5: Memerlukan cache AWS AppSync GraphQL API agar enkripsi saat istirahat diaktifkan.
- CT.AUTOSCALING.PR.9: Memerlukan volume Amazon EBS yang dikonfigurasi melalui konfigurasi peluncuran Auto Scaling Amazon EC2 untuk mengenkripsi data saat istirahat
- CT.AUTOSCALING.PR.10: Memerlukan grup Auto Scaling Amazon EC2 untuk AWS hanya menggunakan jenis instans Nitro saat mengganti template peluncuran
- CT.AUTOSCALING.PR.11: Hanya memerlukan jenis instans AWS Nitro yang mendukung enkripsi lalu lintas jaringan antar instans untuk ditambahkan ke grup Auto Scaling Amazon EC2, saat mengganti template peluncuran
- CT.DAX.PR.3: Memerlukan klaster DynamoDB Accelerator untuk mengenkripsi data dalam perjalanan dengan Transport Layer Security (TLS)
- CT.DMS.PR.2: Memerlukan Endpoint AWS Database Migration Service (DMS) untuk mengenkripsi koneksi untuk titik akhir sumber dan target
- CT.EC2.PR.15: Memerlukan instans Amazon EC2 untuk menggunakan jenis instans AWS Nitro saat membuat dari jenis sumber daya `AWS::EC2::LaunchTemplate`
- CT.EC2.PR.16: Memerlukan instans Amazon EC2 untuk menggunakan jenis instans AWS Nitro saat dibuat menggunakan tipe sumber daya `AWS::EC2::Instance`
- CT.EC2.PR.17: Memerlukan host khusus Amazon EC2 untuk menggunakan jenis instans AWS Nitro
- CT.EC2.PR.18: Memerlukan armada Amazon EC2 untuk mengganti hanya template peluncuran tersebut dengan AWS tipe instans Nitro
- CT.EC2.PR.19: Memerlukan instans Amazon EC2 untuk menggunakan jenis instans nitro yang mendukung enkripsi dalam perjalanan antar instance saat dibuat menggunakan tipe sumber daya `AWS::EC2::Instance`
- CT.EC2.PR.20: Memerlukan armada Amazon EC2 untuk mengganti hanya template peluncuran tersebut dengan tipe instans AWS Nitro yang mendukung enkripsi saat transit antar instans
- CT.ELASTICACHE.PR.8: Memerlukan grup ElastiCache replikasi Amazon dari versi Redis yang lebih baru agar otentikasi RBAC diaktifkan
- CT.MQ.PR.1: Memerlukan broker Amazon MQ ActiveMQ untuk menggunakan mode penerapan aktif/siaga untuk ketersediaan tinggi

- CT.MQ.PR.2: Memerlukan broker MQ Amazon MQ Rabbit untuk menggunakan mode cluster multi-AZ untuk ketersediaan tinggi
- CT.MSK.PR.1: Memerlukan cluster Amazon Managed Streaming for Apache Kafka (MSK) untuk menerapkan enkripsi saat transit antar node broker cluster
- CT.MSK.PR.2: Memerlukan cluster Amazon Managed Streaming for Apache Kafka (MSK) untuk dikonfigurasi dengan dinonaktifkan PublicAccess
- CT.NETWORK-FIREWALL.PR.5: Memerlukan firewall AWS Network Firewall untuk digunakan di beberapa Availability Zone
- CT.RDS.PR.26: Memerlukan Proxy Amazon RDS DB untuk meminta koneksi Transport Layer Security (TLS)
- CT.RDS.PR.27: Memerlukan grup parameter cluster Amazon RDS DB untuk meminta koneksi Transport Layer Security (TLS) untuk tipe engine yang didukung
- CT.RDS.PR.28: Memerlukan grup parameter Amazon RDS DB untuk meminta koneksi Transport Layer Security (TLS) untuk jenis engine yang didukung
- CT.RDS.PR.29: Memerlukan klaster Amazon RDS yang tidak dikonfigurasi agar dapat diakses publik melalui properti " PubliclyAccessible
- CT.RDS.PR.30: Mengharuskan instans database Amazon RDS memiliki enkripsi saat istirahat yang dikonfigurasi untuk menggunakan kunci KMS yang Anda tentukan untuk jenis engine yang didukung
- CT.S3.PR.12: Memerlukan jalur akses Amazon S3 untuk memiliki konfigurasi Block Public Access (BPA) dengan semua opsi disetel ke true

Kontrol pencegahan baru

- CT.APPSYNC.PV.1Mengharuskan AWS AppSync GraphQL API dikonfigurasi dengan visibilitas pribadi
- CT.EC2.PV.1Memerlukan snapshot Amazon EBS dibuat dari volume EC2 terenkripsi
- CT.EC2.PV.2Mengharuskan volume Amazon EBS terlampir dikonfigurasi untuk mengenkripsi data saat istirahat
- CT.EC2.PV.3Mengharuskan snapshot Amazon EBS tidak dapat dipulihkan secara publik
- CT.EC2.PV.4Mengharuskan API langsung Amazon EBS tidak dipanggil
- CT.EC2.PV.5Larang penggunaan impor dan ekspor Amazon EC2 VM

- CT.EC2.PV.6Larang penggunaan tindakan Amazon EC2 dan API yang tidak digunakan lagi RequestSpotFleet RequestSpotInstances
- CT.KMS.PV.1Memerlukan kebijakan AWS KMS kunci untuk memiliki pernyataan yang membatasi pembuatan AWS KMS hibah untuk layanan AWS
- CT.KMS.PV.2Mengharuskan kunci AWS KMS asimetris dengan bahan kunci RSA yang digunakan untuk enkripsi tidak memiliki panjang kunci 2048 bit
- CT.KMS.PV.3Mengharuskan AWS KMS kunci dikonfigurasi dengan pemeriksaan keamanan penguncian kebijakan bypass diaktifkan
- CT.KMS.PV.4Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi utama yang berasal dari CloudHSM AWS
- CT.KMS.PV.5Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi kunci yang diimpor
- CT.KMS.PV.6Mengharuskan kunci yang AWS KMS dikelola pelanggan (CMK) dikonfigurasi dengan materi kunci yang berasal dari penyimpanan kunci eksternal (XKS)
- CT.LAMBDA.PV.1Memerlukan URL AWS Lambda fungsi untuk menggunakan otentikasi AWS berbasis IAM
- CT.LAMBDA.PV.2Memerlukan URL AWS Lambda fungsi untuk dikonfigurasi untuk akses hanya oleh prinsipal di dalam Akun AWS
- CT.MULTISERVICE.PV.1: Tolak akses berdasarkan permintaan untuk unit organisasi AWS Wilayah AWS

Kontrol detecive baru yang meningkatkan postur tata kelola kedaulatan digital Anda adalah bagian dari AWS Control Tower Standar yang Dikelola Layanan. AWS Security Hub

Kontrol detektif baru

- SH.ACM.2: Sertifikat RSA yang dikelola oleh ACM harus menggunakan panjang kunci minimal 2.048 bit
- SH.AppSync.5: AWS AppSync GraphQL API tidak boleh diautentikasi dengan kunci API
- SH.CloudTrail.6: Pastikan bucket S3 yang digunakan untuk menyimpan CloudTrail log tidak dapat diakses publik:
- SH.DMS.9: Titik akhir DMS harus menggunakan SSL
- SH.DocumentDB.3: Cuplikan cluster manual Amazon DocumentDB tidak boleh bersifat publik
- SH.DynamoDB.3: Cluster DynamoDB Accelerator (DAX) harus dienkripsi saat istirahat

- SH.EC2.23: EC2 Transit Gateways seharusnya tidak secara otomatis menerima permintaan lampiran VPC
- SH.EKS.1: Titik akhir kluster EKS tidak boleh diakses publik
- SH.ElastiCache.3: grup ElastiCache replikasi harus mengaktifkan failover otomatis
- SH.ElastiCache.4: grup ElastiCache replikasi seharusnya diaktifkan encryption-at-rest
- SH.ElastiCache.5: grup ElastiCache replikasi seharusnya diaktifkan encryption-in-transit
- SH.ElastiCache.6: grup ElastiCache replikasi versi Redis sebelumnya harus mengaktifkan Redis AUTH
- SH.EventBridge.3: bus acara EventBridge khusus harus memiliki kebijakan berbasis sumber daya terlampir
- SH.KMS.4: rotasi AWS KMS kunci harus diaktifkan
- SH.Lambda.3: Fungsi Lambda harus dalam VPC
- SH.MQ.5: Pialang ActiveMQ harus menggunakan mode penerapan aktif/siaga
- SH.MQ.6: Broker RabbitMQ harus menggunakan mode penerapan cluster
- SH.MSK.1: Cluster MSK harus dienkripsi dalam perjalanan di antara node broker
- SH.RDS.12: Autentikasi IAM harus dikonfigurasi untuk cluster RDS
- SH.RDS.15: Cluster RDS DB harus dikonfigurasi untuk beberapa Availability Zone
- SH.S3.17: Ember S3 harus dienkripsi saat istirahat dengan kunci AWS KMS

Untuk informasi selengkapnya tentang kontrol yang ditambahkan ke AWS Control Tower Standar yang AWS Security Hub Dikelola Layanan, lihat Kontrol yang berlaku untuk Standar yang Dikelola Layanan: AWS Control Tower dalam dokumentasi. AWS Security Hub

Untuk daftar yang tidak mendukung kontrol tertentu Wilayah AWS yang merupakan bagian dari AWS Control Tower Standar AWS Security Hub yang Dikelola Layanan, lihat. Wilayah yang Tidak Didukung

Kontrol baru yang dapat dikonfigurasi untuk penolakan Wilayah di tingkat OU

CT.MULTISERVICE.PV.1: Kontrol ini menerima parameter untuk menentukan Wilayah yang dikecualikan, prinsip IAM, dan Tindakan yang diizinkan, pada tingkat OU, bukan untuk seluruh zona landing AWS Control Tower. Ini adalah kontrol preventif, yang diterapkan oleh Kebijakan Kontrol Layanan (SCP).

Untuk informasi selengkapnya, lihat Wilayah menolak kontrol diterapkan pada OU.

`UpdateEnabledControl`API

Rilis AWS Control Tower ini menambahkan dukungan API berikut untuk kontrol:

- `EnableControl`API yang diperbarui dapat mengonfigurasi kontrol yang dapat dikonfigurasi.
- `GetEnabledControl`API yang diperbarui menunjukkan parameter yang dikonfigurasi pada kontrol yang diaktifkan.
- `UpdateEnabledControl`API baru dapat mengubah parameter pada kontrol yang diaktifkan.

Untuk informasi selengkapnya, lihat Referensi API AWS Control Tower.

AWS Control Tower mendukung API landing zone

November 26, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang mendukung konfigurasi landing zone dan peluncuran menggunakan API. Anda dapat membuat, memperbarui, mendapatkan, membuat daftar, mengatur ulang, dan menghapus zona pendaratan menggunakan API.

API berikut memungkinkan Anda untuk mengatur dan mengelola landing zone Anda secara terprogram menggunakan AWS CloudFormation atau. AWS CLI

AWS Control Tower mendukung API berikut untuk zona pendaratan:

- `CreateLandingZone`—Panggilan API ini membuat landing zone menggunakan versi landing zone dan file manifes.
- `GetLandingZoneOperation`—Panggilan API ini mengembalikan status operasi landing zone tertentu.
- `GetLandingZone`—Panggilan API ini menampilkan detail tentang landing zone yang ditentukan, termasuk versi, file manifes, dan status.
- `UpdateLandingZone`—Panggilan API ini memperbarui versi landing zone atau file manifes.
- `ListLandingZone`—Panggilan API ini mengembalikan satu pengenal landing zone (ARN) untuk pengaturan landing zone di akun manajemen.

- `ResetLandingZone`—Panggilan API ini me-reset landing zone ke parameter yang ditentukan pada pembaruan terbaru, yang dapat memperbaiki drift. Jika landing zone belum diperbarui, panggilan ini mengatur ulang landing zone ke parameter yang ditentukan saat pembuatan.
- `DeleteLandingZone`—Panggilan API ini menonaktifkan landing zone.

Untuk memulai dengan landing zone API, lihatMemulai AWS Control Tower menggunakan API.

AWS Control Tower mendukung penandaan untuk kontrol yang diaktifkan

November 10, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang mendukung penandaan sumber daya untuk kontrol yang diaktifkan, dari konsol AWS Control Tower atau melalui API. Anda dapat menambahkan, menghapus, atau mencantumkan tag untuk kontrol yang diaktifkan.

Dengan merilis API berikut, Anda dapat mengonfigurasi tag untuk kontrol yang Anda aktifkan di AWS Control Tower. Tag membantu Anda mengelola, mengidentifikasi, mengatur, mencari, dan memfilter sumber daya. Anda dapat membuat tag untuk mengategorikan sumber daya berdasarkan tujuan, pemilik, lingkungan, atau kriteria lainnya.

AWS Control Tower mendukung API berikut untuk penandaan kontrol:

- `TagResource`—Panggilan API ini menambahkan tag ke kontrol yang diaktifkan di AWS Control Tower.
- `UntagResource`—Panggilan API ini menghapus tag dari kontrol yang diaktifkan di AWS Control Tower.
- `ListTagsForResource`—Panggilan API ini mengembalikan tag untuk kontrol yang diaktifkan di AWS Control Tower.

API kontrol AWS Control Tower tersedia di Wilayah AWS tempat AWS Control Tower tersedia. Untuk daftar lengkap tentang Wilayah AWS AWS Control Tower yang tersedia, lihat Tabel AWS Wilayah. Untuk daftar lengkap AWS Control Tower API, lihat Referensi API.

AWS Control Tower tersedia di Wilayah Asia Pasifik (Melbourne)

November 3, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower tersedia di Wilayah Asia Pasifik (Melbourne).

Jika Anda sudah menggunakan AWS Control Tower dan ingin memperluas fitur tata kelola ke Wilayah ini di akun Anda, buka halaman Pengaturan di dasbor AWS Control Tower, pilih Wilayah, lalu perbarui landing zone Anda. Setelah pembaruan landing zone, Anda harus memperbarui semua akun yang diatur oleh AWS Control Tower, untuk membawa akun dan OU Anda di bawah tata kelola di Wilayah baru. Untuk informasi selengkapnya, lihat Tentang Pembaruan.

Untuk daftar lengkap Wilayah di mana AWS Control Tower tersedia, lihat Wilayah AWS Tabel.

Transisi ke jenis produk AWS Service Catalog eksternal baru (fase 1)

Oktober 31, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

HashiCorp memperbarui lisensi Terraform mereka. Akibatnya, dukungan yang AWS Service Catalog diperbarui untuk produk Terraform Open Source dan menyediakan produk ke jenis produk baru, yang disebut Eksternal.

AWS Control Tower tidak mendukung penyesuaian Account Factory yang bergantung pada jenis produk AWS Service Catalog Eksternal. Untuk menghindari gangguan pada beban kerja dan AWS sumber daya yang ada di akun Anda, ikuti langkah transisi AWS Control Tower dalam urutan yang disarankan ini, sebelum 14 Desember 2023:

1. Tingkatkan Mesin Referensi Terraform Anda yang ada AWS Service Catalog untuk menyertakan dukungan untuk jenis produk Sumber Terbuka Eksternal dan Terraform. Untuk petunjuk tentang memperbarui Mesin Referensi Terraform Anda, tinjau Repositori.AWS Service Catalog GitHub
2. Buka AWS Service Catalog dan duplikat cetak biru Terraform Open Source yang ada untuk menggunakan jenis produk Eksternal yang baru. Jangan hentikan cetak biru Terraform Open Source yang ada.
3. Lanjutkan menggunakan cetak biru Terraform Open Source yang ada untuk membuat atau memperbarui akun di AWS Control Tower.

API kontrol baru tersedia

Oktober 14, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower kini mendukung API tambahan yang dapat Anda gunakan untuk menerapkan dan mengelola kontrol AWS Control Tower, sesuai skala besar. Untuk informasi selengkapnya tentang API kontrol AWS Control Tower, lihat Referensi API.

AWS Control Tower menambahkan API kontrol baru.

- `GetEnabledControl`—Panggilan API memberikan detail tentang kontrol yang diaktifkan.

Kami juga memperbarui API ini:

`ListEnabledControls`—Panggilan API ini mencantumkan kontrol yang diaktifkan oleh AWS Control Tower pada unit organisasi yang ditentukan dan akun yang dikandungnya. Sekarang mengembalikan informasi tambahan dalam suatu `EnabledControlSummary` objek.

Dengan API ini, Anda dapat melakukan beberapa operasi umum secara terprogram. Sebagai contoh:

- Dapatkan daftar semua kontrol yang telah Anda aktifkan dari pustaka kontrol AWS Control Tower.
- Untuk kontrol apa pun yang diaktifkan, Anda bisa mendapatkan informasi tentang Wilayah di mana kontrol didukung, pengenal kontrol (ARN), status drift kontrol, dan ringkasan status kontrol.

API kontrol AWS Control Tower tersedia di Wilayah AWS tempat AWS Control Tower tersedia. Untuk daftar lengkap tentang Wilayah AWS AWS Control Tower yang tersedia, lihat Tabel AWS Wilayah. Untuk daftar lengkap AWS Control Tower API, lihat Referensi API.

AWS Control Tower menambahkan kontrol tambahan

Oktober 5, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower mengumumkan kontrol proaktif dan detektif baru.

Kontrol proaktif di AWS Control Tower diimplementasikan melalui AWS CloudFormation Hooks, yang mengidentifikasi dan memblokir sumber daya yang tidak sesuai sebelum menyediakannya. AWS CloudFormation Kontrol proaktif melengkapi kemampuan kontrol preventif dan detektif yang ada di AWS Control Tower.

Kontrol proaktif baru

- [CT.ATHENA.PR.1] Memerlukan workgroup Amazon Athena untuk mengenkripsi hasil kueri Athena saat istirahat
- [CT.ATHENA.PR.2] Memerlukan workgroup Amazon Athena untuk mengenkripsi hasil kueri Athena saat istirahat dengan kunci (KMS) AWS Key Management Service
- [CT.CLOUDTRAIL.PR.4] Memerlukan penyimpanan data acara AWS CloudTrail Lake untuk mengaktifkan enkripsi saat istirahat dengan AWS KMS kunci
- [CT.DAX.PR.2] Memerlukan klaster Amazon DAX untuk menyebarkan node ke setidaknya tiga Availability Zone
- [CT.EC2.PR.14] Memerlukan volume Amazon EBS yang dikonfigurasi melalui template peluncuran Amazon EC2 untuk mengenkripsi data saat istirahat
- [CT.EKS.PR.2] Memerlukan klaster Amazon EKS untuk dikonfigurasi dengan enkripsi rahasia menggunakan AWS kunci Layanan Manajemen Kunci (KMS)
- [CT.ELASTICLOADBALANCING.PR.14] Memerlukan Network Load Balancer agar penyeimbangan beban lintas zona diaktifkan
- [CT.ELASTICLOADBALANCING.PR.15] Mengharuskan grup target Elastic Load Balancing v2 tidak secara eksplisit menonaktifkan penyeimbangan beban lintas zona
- [CT.EMR.PR.1] Mengharuskan konfigurasi keamanan Amazon EMR (EMR) dikonfigurasi untuk mengenkripsi data saat istirahat di Amazon S3
- [CT.EMR.PR.2] Mengharuskan konfigurasi keamanan Amazon EMR (EMR) dikonfigurasi untuk mengenkripsi data saat istirahat di Amazon S3 dengan kunci AWS KMS
- [CT.EMR.PR.3] Mengharuskan konfigurasi keamanan Amazon EMR (EMR) dikonfigurasi dengan enkripsi disk lokal volume EBS menggunakan kunci AWS KMS
- [CT.EMR.PR.4] Mengharuskan konfigurasi keamanan Amazon EMR (EMR) dikonfigurasi untuk mengenkripsi data dalam perjalanan
- [CT.GLUE.PR.1] Memerlukan pekerjaan AWS Glue untuk memiliki konfigurasi keamanan terkait
- [CT.GLUE.PR.2] Memerlukan konfigurasi keamanan AWS Glue untuk mengenkripsi data di target AWS Amazon S3 menggunakan kunci KMS
- [CT.KMS.PR.2] Mengharuskan kunci AWS KMS asimetris dengan bahan kunci RSA yang digunakan untuk enkripsi memiliki panjang kunci lebih besar dari 2048 bit
- [CT.KMS.PR.3] Memerlukan kebijakan AWS KMS kunci untuk memiliki pernyataan yang membatasi pembuatan AWS KMS hibah untuk layanan AWS

- [CT.LAMBDA.PR.4] Memerlukan izin AWS Lambda lapisan untuk memberikan akses ke AWS organisasi atau AWS akun tertentu
- [CT.LAMBDA.PR.5] Memerlukan URL AWS Lambda fungsi untuk menggunakan otentikasi AWS berbasis IAM
- [CT.LAMBDA.PR.6] Memerlukan kebijakan CORS URL AWS Lambda fungsi untuk membatasi akses ke asal tertentu
- [CT.NEPTUNE.PR.4] Memerlukan cluster DB Amazon Neptunus untuk mengaktifkan ekspor log CloudWatch Amazon untuk log audit
- [CT.NEPTUNE.PR.5] Memerlukan cluster DB Amazon Neptunus untuk mengatur periode retensi cadangan lebih besar dari atau sama dengan tujuh hari
- [CT.REDSHIFT.PR.9] Mengharuskan grup parameter cluster Amazon Redshift dikonfigurasi untuk menggunakan Secure Sockets Layer (SSL) untuk enkripsi data dalam perjalanan

Kontrol proaktif baru ini tersedia dalam komersial di Wilayah AWS mana AWS Control Tower tersedia. Untuk detail selengkapnya tentang kontrol ini, lihatKontrol proaktif. Untuk detail selengkapnya tentang di mana kontrol tersedia, lihatKeterbatasan kontrol.

Kontrol detektif baru

Kontrol baru ditambahkan ke Standar yang Dikelola Layanan Security Hub: AWS Control Tower. Kontrol ini membantu Anda meningkatkan postur tata kelola Anda. Mereka bertindak sebagai bagian dari Security Hub Service-Managed Standard: AWS Control Tower, setelah Anda mengaktifkannya di OU tertentu.

- [SH.Athena.1] Kelompok kerja Athena harus dienkripsi saat istirahat
- [SH.Neptune.1] Cluster DB Neptunus harus dienkripsi saat istirahat
- [SH.Neptune.2] Cluster DB Neptunus harus menerbitkan log audit ke Log CloudWatch
- [SH.Neptune.3] Snapshot cluster DB Neptunus seharusnya tidak bersifat publik
- [SH.Neptune.4] Cluster DB Neptunus harus mengaktifkan perlindungan penghapusan
- [SH.Neptune.5] Cluster DB Neptunus harus mengaktifkan cadangan otomatis
- [SH.Neptune.6] Snapshot cluster DB Neptunus harus dienkripsi saat istirahat
- [SH.Neptune.7] Cluster DB Neptunus harus mengaktifkan otentikasi basis data IAM
- [SH.Neptune.8] Cluster DB Neptunus harus dikonfigurasi untuk menyalin tag ke snapshot
- [SH.RDS.27] Cluster RDS DB harus dienkripsi saat istirahat

Kontrol AWS Security Hub detektif baru tersedia di sebagian besar Wilayah AWS tempat AWS Control Tower tersedia. Untuk detail selengkapnya tentang kontrol ini, lihat Kontrol yang berlaku untuk Service-Managed Standard: AWS Control Tower. Untuk detail selengkapnya tentang di mana kontrol tersedia, lihatKeterbatasan kontrol.

Jenis drift baru dilaporkan: akses tepercaya dinonaktifkan

September 21, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

Setelah menyiapkan zona landing zone AWS Control Tower, Anda dapat menonaktifkan akses tepercaya ke AWS Control Tower AWS Organizations. Namun, hal itu menyebabkan penyimpangan.

Dengan tipe drift yang dinonaktifkan akses tepercaya, AWS Control Tower memberi tahu Anda kapan jenis drift ini terjadi, sehingga Anda dapat memperbaiki zona landing zone AWS Control Tower. Untuk informasi selengkapnya, lihat Jenis penyimpangan tata kelola.

Empat tambahan Wilayah AWS

September 13, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang tersedia di Asia Pasifik (Hyderabad), Eropa (Spanyol dan Zurich), dan Timur Tengah (UEA).

Jika Anda sudah menggunakan AWS Control Tower dan ingin memperluas fitur tata kelola ke Wilayah ini di akun Anda, buka halaman Pengaturan di dasbor AWS Control Tower, pilih Wilayah, lalu perbarui landing zone Anda. Setelah pembaruan landing zone, Anda harus memperbarui semua akun yang diatur oleh AWS Control Tower, untuk membawa akun dan OU Anda di bawah tata kelola di Wilayah baru. Untuk informasi selengkapnya, lihat Tentang Pembaruan.

Untuk daftar lengkap Wilayah di mana AWS Control Tower tersedia, lihat Wilayah AWS Tabel.

AWS Control Tower tersedia di Wilayah Tel Aviv

Agustus 28, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower mengumumkan ketersediaan di Wilayah Israel (Tel Aviv).

Jika Anda sudah menggunakan AWS Control Tower dan ingin memperluas fitur tata kelola ke Wilayah ini di akun Anda, buka halaman Pengaturan di dasbor AWS Control Tower, pilih Wilayah, lalu perbarui landing zone Anda. Setelah pembaruan landing zone, Anda harus memperbarui semua akun yang diatur oleh AWS Control Tower, untuk membawa akun dan OU Anda di bawah tata kelola di Wilayah baru. Untuk informasi selengkapnya, lihat Tentang Pembaruan.

Untuk daftar lengkap Wilayah di mana AWS Control Tower tersedia, lihat Wilayah AWS Tabel.

AWS Control Tower meluncurkan 28 kontrol proaktif baru

Juli 24, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower menambahkan 28 kontrol proaktif baru, untuk membantu Anda mengelola AWS lingkungan.

Kontrol proaktif meningkatkan kemampuan tata kelola AWS Control Tower di seluruh AWS lingkungan multi-akun Anda, dengan memblokir sumber daya yang tidak sesuai sebelum disediakan. Kontrol ini membantu mengelola AWS layanan seperti Amazon CloudWatch, Amazon Neptunus, Amazon, dan ElastiCache AWS Step Functions Amazon DocumentDB. Kontrol baru membantu Anda memenuhi tujuan kontrol seperti membuat pencatatan dan pemantauan, mengenkripsi data saat istirahat, atau meningkatkan ketahanan.

Berikut adalah daftar lengkap kontrol baru:

- [CT.APPSYNC.PR.1] Memerlukan GraphQL API agar logging diaktifkan AWS AppSync
- [CT.CLOUDWATCH.PR.1] Memerlukan alarm CloudWatch Amazon agar tindakan dikonfigurasi untuk status alarm
- [CT.CLOUDWATCH.PR.2] Memerlukan grup log CloudWatch Amazon untuk dipertahankan setidaknya selama satu tahun
- [CT.CLOUDWATCH.PR.3] Memerlukan grup log CloudWatch Amazon untuk dienkripsi saat istirahat dengan kunci KMS AWS
- [CT.CLOUDWATCH.PR.4] Memerlukan tindakan alarm Amazon untuk diaktifkan CloudWatch
- [CT.DOCUMENTDB.PR.1] Memerlukan cluster Amazon DocumentDB untuk dienkripsi saat istirahat
- [CT.DOCUMENTDB.PR.2] Memerlukan cluster Amazon DocumentDB agar pencadangan otomatis diaktifkan

- [CT.DYNAMODB.PR.2] Memerlukan tabel Amazon DynamoDB untuk dienkripsi saat istirahat menggunakan kunci AWS KMS
- [CT.EC2.PR.13] Memerlukan instans Amazon EC2 agar pemantauan terperinci diaktifkan
- [CT.EKS.PR.1] Memerlukan klaster Amazon EKS untuk dikonfigurasi dengan akses publik yang dinonaktifkan ke titik akhir server API Kubernetes cluster
- [CT.ELASTICACHE.PR.1] Memerlukan Amazon untuk cluster Redis agar cadangan otomatis diaktifkan ElastiCache
- [CT.ELASTICACHE.PR.2] Memerlukan ElastiCache Amazon untuk cluster Redis agar upgrade versi minor otomatis diaktifkan
- [CT.ELASTICACHE.PR.3] Memerlukan ElastiCache Amazon untuk grup replikasi Redis agar failover otomatis diaktifkan
- [CT.ELASTICACHE.PR.4] Memerlukan grup replikasi Amazon ElastiCache untuk mengaktifkan enkripsi saat istirahat
- [CT.ELASTICACHE.PR.5] Memerlukan ElastiCache Amazon untuk grup replikasi Redis agar enkripsi saat transit diaktifkan
- [CT.ELASTICACHE.PR.6] Memerlukan cluster cache Amazon ElastiCache untuk menggunakan grup subnet khusus
- [CT.ELASTICACHE.PR.7] Memerlukan grup replikasi ElastiCache Amazon dari versi Redis sebelumnya untuk memiliki otentikasi Redis AUTH
- [CT.ELASTICBEANSTALK.PR.3] Memerlukan lingkungan Elastic Beanstalk untuk memiliki konfigurasi logging AWS
- [CT.LAMBDA.PR.3] Memerlukan AWS Lambda fungsi untuk berada di Amazon Virtual Private Cloud (VPC) yang dikelola pelanggan
- [CT.NEPTUNE.PR.1] Memerlukan cluster DB Amazon Neptunus untuk memiliki otentikasi basis data (IAM) AWS Identity and Access Management
- [CT.NEPTUNE.PR.2] Memerlukan cluster DB Amazon Neptunus agar perlindungan penghapusan diaktifkan
- [CT.NEPTUNE.PR.3] Memerlukan cluster DB Amazon Neptunus agar enkripsi penyimpanan diaktifkan
- [CT.REDSHIFT.PR.8] Memerlukan cluster Amazon Redshift untuk dienkripsi
- [CT.S3.PR.9] Mengharuskan bucket Amazon S3 mengaktifkan Kunci Objek S3
- [CT.S3.PR.10] Memerlukan bucket Amazon S3 agar enkripsi sisi server dikonfigurasi menggunakan kunci AWS KMS

- [CT.S3.PR.11] Memerlukan bucket Amazon S3 agar versi diaktifkan
- [CT.STEPFUNCTIONS.PR.1] Memerlukan mesin status agar logging diaktifkan AWS Step Functions
- [CT.STEPFUNCTIONS.PR.2] Memerlukan mesin status agar penelusuran diaktifkan AWS Step Functions AWS X-Ray

Kontrol proaktif di AWS Control Tower diimplementasikan melalui AWS CloudFormation Hooks, yang mengidentifikasi dan memblokir sumber daya yang tidak sesuai sebelum menyediakannya. AWS CloudFormation Kontrol proaktif melengkapi kemampuan kontrol preventif dan detektif yang ada di AWS Control Tower.

Kontrol proaktif baru ini tersedia di semua Wilayah AWS tempat AWS Control Tower tersedia. Untuk detail selengkapnya tentang kontrol ini, lihatKontrol proaktif.

AWS Control Tower menghentikan dua kontrol

Juli 18, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower melakukan tinjauan rutin terhadap kontrol keamanannya untuk memastikan bahwa kontrol tersebut mutakhir dan masih dianggap sebagai praktik terbaik. Dua kontrol berikut telah usang, efektif 18 Juli 2023, dan mereka akan dihapus dari pustaka kontrol, efektif 18 Agustus 2023. Anda tidak dapat lagi mengaktifkan kontrol ini pada unit organisasi mana pun. Anda dapat memilih untuk menonaktifkan kontrol ini sebelum tanggal penghapusan.

- [SH.S3.4] Bucket S3 harus mengaktifkan enkripsi sisi server
- [CT.S3.PR.7] Memerlukan bucket Amazon S3 agar enkripsi sisi server dikonfigurasi

Alasan penghentian

Mulai Januari 2023, Amazon S3 mengonfigurasi enkripsi default pada semua bucket tidak terenkripsi baru dan yang sudah ada untuk menerapkan enkripsi sisi server dengan kunci terkelola S3 (SSE-S3) sebagai tingkat dasar enkripsi untuk objek baru yang diunggah ke bucket ini. Tidak ada perubahan yang dilakukan pada konfigurasi enkripsi default untuk bucket yang sudah ada yang sudah memiliki enkripsi SSE-S3 atau sisi server dengan AWS kunci Key Management Service (AWS KMS) (SSE-KMS) yang dikonfigurasi.

AWS Control Tower landing zone versi 3.2

Juni 16, 2023

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 3.2. Untuk informasi, lihatPerbarui Zona Pendaratan Anda).

AWS Control Tower landing zone versi 3.2 menghadirkan kontrol yang merupakan bagian dari Standar yang AWS Security Hub Dikelola Layanan: AWS Control Tower ke ketersediaan umum. Ini memperkenalkan kemampuan untuk melihat status drift kontrol yang merupakan bagian dari standar ini di konsol AWS Control Tower.

Pembaruan ini mencakup peran terkait layanan (SLR) baru, yang disebut. AWSServiceRoleForAWSControlTower Peran ini membantu AWS Control Tower dengan membuat Aturan EventBridge Terkelola, yang disebut AWSControlTowerManagedRuledi setiap akun anggota. Aturan terkelola ini mengumpulkan peristiwa AWS Security Hub Finding, dari AWS Control Tower dapat menentukan penyimpangan kontrol.

Aturan ini adalah aturan terkelola pertama yang dibuat oleh AWS Control Tower. Aturan tidak digunakan oleh tumpukan; itu diterapkan langsung dari API. EventBridge Anda dapat melihat aturan di EventBridge konsol, atau melalui EventBridge API. Jika `managed-by` bidang diisi, itu akan menampilkan prinsip layanan AWS Control Tower.

Sebelumnya, AWS Control Tower AWSControlTowerExecutionberperan untuk melakukan operasi di akun anggota. Peran dan aturan baru ini lebih selaras dengan prinsip praktik terbaik yang memungkinkan hak istimewa paling sedikit saat melakukan operasi di lingkungan AWS multi-akun. Peran baru ini memberikan izin cakupan ke bawah yang secara khusus memungkinkan: membuat aturan terkelola di akun anggota, mempertahankan aturan terkelola, menerbitkan pemberitahuan keamanan melalui SNS, dan memverifikasi penyimpangan. Untuk informasi selengkapnya, lihat AWSServiceRoleForAWSControlTower.

Pembaruan landing zone 3.2 juga menyertakan StackSet sumber daya baru di akun manajemen`BP_BASELINE_SERVICE_LINKED_ROLE`, yang awalnya menyebarkan peran terkait layanan.

Saat melaporkan drift kontrol Security Hub (di landing zone 3.2 dan versi lebih baru), AWS Control Tower menerima pembaruan status harian dari Security Hub. Meskipun kontrol aktif di setiap Wilayah yang diatur, AWS Control Tower mengirimkan peristiwa AWS Security Hub Finding ke Wilayah home AWS Control Tower saja. Untuk informasi selengkapnya, lihat Security Hub mengontrol pelaporan drift.

Perbarui ke kontrol Tolak Wilayah

Versi landing zone ini juga menyertakan pembaruan ke kontrol Region Deny.

Layanan global dan API ditambahkan

- AWS Billing and Cost Management (`billing:*`)
- AWS CloudTrail (`cloudtrail:LookupEvents`) untuk memungkinkan visibilitas peristiwa global di akun anggota.
- AWS Penagihan Konsolidasi () `consolidatedbilling:*`
- AWS Aplikasi Mobile Console Manajemen (`consoleapp:*`)
- AWS Tingkat Gratis (`freetier:*`)
- AWS Invoicing (`invoicing:*`)
- AWS IQ () `iq:*`
- AWS Pemberitahuan Pengguna (`notifications:*`)
- AWS Kontak Pemberitahuan Pengguna (`notifications-contacts:*`)
- Amazon Payments (`payments:*`)
- AWS Pengaturan Pajak (`tax:*`)

Layanan global dan API dihapus

- Dihapus `s3:GetAccountPublic` karena ini bukan tindakan yang valid.
- Dihapus `s3:PutAccountPublic` karena ini bukan tindakan yang valid.

AWS Control Tower menangani akun berdasarkan ID

Juni 14, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower kini membuat dan mengelola akun yang Anda buat di AWS Account Factory dengan melacak ID akun, bukan alamat email akun.

Saat menyediakan akun, pemohon akun selalu harus memiliki `CreateAccount` dan izin. `DescribeCreateAccountStatus` Set izin ini adalah bagian dari peran Admin, dan diberikan

secara otomatis ketika pemohon mengasumsikan peran Admin. Jika Anda mendelegasikan izin ke akun penyediaan, Anda mungkin perlu menambahkan izin ini secara langsung untuk pemohon akun.

Kontrol detektif Security Hub tambahan tersedia di pustaka kontrol AWS Control Tower

12 Juni 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower telah menambahkan sepuluh kontrol AWS Security Hub detektif baru ke perpustakaan kontrol AWS Control Tower. Kontrol baru ini menargetkan layanan seperti API Gateway AWS CodeBuild, Amazon Elastic Compute Cloud (EC2), Amazon Elastic Load Balancer, Amazon Redshift, Amazon, dan. SageMaker AWS WAF Kontrol baru ini membantu Anda meningkatkan postur tata kelola dengan memenuhi tujuan kontrol, seperti Menetapkan pencatatan dan pemantauan, Batasi akses jaringan, dan Enkripsi data saat istirahat.

Kontrol ini bertindak sebagai bagian dari Standar yang Dikelola Layanan Security Hub: AWS Control Tower, setelah Anda mengaktifkannya di OU tertentu.

- [SH.Account.1] Informasi kontak keamanan harus disediakan untuk Akun AWS
- [Sh.apigateway.8] Rute API Gateway harus menentukan jenis otorisasi
- [Sh.apigateway.9] Pencatatan akses harus dikonfigurasi untuk Tahapan API Gateway V2
- [SH. CodeBuild.3] CodeBuild Log S3 harus dienkripsi
- [SH.EC2.25] Template peluncuran EC2 tidak boleh menetapkan IP publik ke antarmuka jaringan
- [SH.ELB.1] Application Load Balancer harus dikonfigurasi untuk mengalihkan semua permintaan HTTP ke HTTPS
- [Sh.Redshift.10] Cluster Redshift harus dienkripsi saat istirahat
- [SH. SageMaker.2] instance SageMaker notebook harus diluncurkan dalam VPC khusus
- [SH. SageMaker.3] Pengguna seharusnya tidak memiliki akses root ke instance SageMaker notebook
- [SH.WAF.10] ACL web WAFV2 harus memiliki setidaknya satu aturan atau kelompok aturan

Kontrol AWS Security Hub detektif baru tersedia di semua Wilayah AWS tempat AWS Control Tower tersedia. Untuk detail selengkapnya tentang kontrol ini, lihat Kontrol yang berlaku untuk Service-Managed Standard: AWS Control Tower.

AWS Control Tower menerbitkan tabel metadata kontrol

Juni 7, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang menyediakan tabel lengkap metadata kontrol sebagai bagian dari dokumentasi yang diterbitkan. Saat bekerja dengan API kontrol, Anda dapat mencari ControliDentifier API masing-masing kontrol, yang merupakan ARN unik yang terkait dengan masing-masing. Wilayah AWS Tabel mencakup kerangka kerja dan tujuan kontrol yang dicakup oleh setiap kontrol. Sebelumnya, informasi ini hanya tersedia di konsol.

Tabel juga menyertakan metadata untuk kontrol Security Hub yang merupakan bagian dari AWS Security Hub Service-Managed Standard:AWS Control Tower. Untuk detail selengkapnya, lihatTabel metadata kontrol.

Untuk daftar singkat pengidentifikasi kontrol, dan beberapa contoh penggunaan, lihat. Pengidentifikasi sumber daya untuk API dan kontrol

Dukungan Terraform untuk Kustomisasi Account Factory

Juni 6, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower menawarkan dukungan wilayah tunggal untuk Terraform melalui Kustomisasi Account Factory (AFC). Dimulai dengan rilis ini, Anda dapat menggunakan AWS Control Tower dan Service Catalog bersama-sama, untuk menentukan cetak biru akun AFC, di open source Terraform. Anda dapat menyesuaikan yang baru dan yang sudah ada Akun AWS, sebelum Anda menyediakan sumber daya di AWS Control Tower. Secara default, fitur ini memungkinkan Anda untuk menerapkan dan memperbarui akun, dengan Terraform, di Wilayah home AWS Control Tower Anda.

Cetak biru akun menjelaskan sumber daya dan konfigurasi spesifik yang diperlukan saat disediakan. Akun AWS Anda dapat menggunakan cetak biru sebagai templat untuk membuat beberapa Akun AWS dalam skala besar.

Untuk memulai, gunakan Mesin Referensi Terraform aktif. GitHub Mesin Referensi mengonfigurasi kode dan infrastruktur yang diperlukan agar mesin open source Terraform dapat bekerja dengan Service Catalog. Proses penyiapan satu kali ini membutuhkan waktu beberapa menit. Setelah itu, Anda dapat menentukan persyaratan akun khusus Anda di Terraform, lalu menerapkan akun Anda dengan alur kerja pabrik akun AWS Control Tower yang terdefinisi dengan baik. Pelanggan

yang lebih suka bekerja dengan Terraform dapat menggunakan kustomisasi akun AWS Control Tower dalam skala besar dengan AFC, dan mendapatkan akses langsung ke setiap akun setelah disediakan.

Untuk mempelajari cara membuat kustomisasi ini, lihat Membuat Produk dan Memulai Terraform open source di dokumentasi Service Catalog. Fitur ini tersedia di semua Wilayah AWS tempat AWS Control Tower tersedia.

AWS Manajemen mandiri IAM Identity Center tersedia untuk landing zone

Juni 6, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower kini mendukung pilihan penyedia identitas opsional untuk landing zone AWS Control Tower, yang dapat Anda konfigurasikan selama penyiapan atau pembaruan. Secara default, landing zone dipilih untuk menggunakan AWS IAM Identity Center, selaras dengan panduan praktik terbaik yang ditentukan dalam Mengatur Lingkungan Anda Menggunakan Beberapa Akun. AWS Anda sekarang memiliki tiga alternatif:

- Anda dapat menerima default dan mengizinkan AWS Control Tower menyiapkan dan mengelola Pusat Identitas AWS IAM untuk Anda.
- Anda dapat memilih untuk mengelola sendiri Pusat AWS Identitas IAM, untuk mencerminkan kebutuhan bisnis spesifik Anda.
- Anda dapat secara opsional membawa dan mengelola sendiri penyedia identitas pihak ketiga, dengan menghubungkannya melalui IAM Identity Center, jika diperlukan. Anda harus menggunakan opsionalitas penyedia identitas jika lingkungan peraturan Anda mengharuskan Anda untuk menggunakan penyedia tertentu, atau jika Anda beroperasi di Wilayah AWS tempat Pusat Identitas AWS IAM tidak tersedia.

Untuk informasi selengkapnya, lihat Panduan Pusat Identitas IAM.

Pemilihan penyedia identitas di tingkat akun tidak didukung. Fitur ini hanya berlaku untuk landing zone secara keseluruhan. Opsionalitas penyedia identitas AWS Control Tower tersedia di semua Wilayah AWS tempat AWS Control Tower tersedia.

AWS Control Tower menangani tata kelola campuran untuk OU

Juni 1, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

Dengan rilis ini, AWS Control Tower mencegah kontrol diterapkan ke unit organisasi (OU), jika OU tersebut dalam keadaan tata kelola campuran. Tata kelola campuran terjadi di OU jika akun tidak diperbarui setelah AWS Control Tower memperluas tata kelola ke yang baru Wilayah AWS, atau menghapus tata kelola. Rilis ini membantu Anda menjaga akun anggota OU tersebut dalam kepatuhan yang seragam. Untuk informasi selengkapnya, lihat Hindari tata kelola campuran saat mengonfigurasi Wilayah.

Tersedia kontrol proaktif tambahan

19 Mei 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower menambahkan 28 kontrol proaktif baru untuk membantu Anda mengatur lingkungan multi-akun dan memenuhi tujuan kontrol tertentu, seperti enkripsi data saat istirahat, atau membatasi akses jaringan. Kontrol proaktif diimplementasikan dengan AWS CloudFormation kait yang memeriksa sumber daya Anda sebelum disediakan. Kontrol baru dapat membantu mengatur AWS layanan seperti Amazon OpenSearch Service, Amazon EC2 Auto Scaling, Amazon, Amazon SageMaker API Gateway, dan Amazon Relational Database Service (RDS).

Kontrol proaktif didukung di semua iklan di Wilayah AWS mana AWS Control Tower tersedia.

OpenSearch Layanan Amazon

- [CT.OPENSEARCH.PR.1] Memerlukan domain Elasticsearch untuk mengenkripsi data saat istirahat
- [CT.OPENSEARCH.PR.2] Memerlukan domain Elasticsearch untuk dibuat di VPC Amazon yang ditentukan pengguna
- [CT.OPENSEARCH.PR.3] Memerlukan domain Elasticsearch untuk mengenkripsi data yang dikirim antar node
- [CT.OPENSEARCH.PR.4] Memerlukan domain Elasticsearch untuk mengirim log kesalahan ke Amazon Logs CloudWatch
- [CT.OPENSEARCH.PR.5] Memerlukan domain Elasticsearch untuk mengirim log audit ke Amazon Logs CloudWatch
- [CT.OPENSEARCH.PR.6] Memerlukan domain Elasticsearch untuk memiliki kesadaran zona dan setidaknya tiga node data

- [CT.OPENSEARCH.PR.7] Memerlukan domain Elasticsearch untuk memiliki setidaknya tiga node master khusus
- [CT.OPENSEARCH.PR.8] Memerlukan domain Layanan Elasticsearch untuk menggunakan TLSv1.2
- [CT.OPENSEARCH.PR.9] Memerlukan domain Layanan Amazon OpenSearch untuk mengenkripsi data saat istirahat
- [CT.OPENSEARCH.PR.10] Memerlukan domain Layanan Amazon untuk dibuat di OpenSearch VPC Amazon yang ditentukan pengguna
- [CT.OPENSEARCH.PR.11] Memerlukan domain Layanan OpenSearch Amazon untuk mengenkripsi data yang dikirim antar node
- [CT.OPENSEARCH.PR.12] Memerlukan domain Layanan Amazon untuk mengirim log kesalahan ke OpenSearch Amazon Logs CloudWatch
- [CT.OPENSEARCH.PR.13] Memerlukan domain Layanan Amazon untuk mengirim log audit ke OpenSearch Amazon Logs CloudWatch
- [CT.OPENSEARCH.PR.14] Memerlukan domain Layanan OpenSearch Amazon untuk memiliki kesadaran zona dan setidaknya tiga node data
- [CT.OPENSEARCH.PR.15] Memerlukan domain Layanan Amazon OpenSearch untuk menggunakan kontrol akses berbutir halus
- [CT.OPENSEARCH.PR.16] Memerlukan domain Layanan Amazon untuk menggunakan TLSv1.2 OpenSearch

Amazon EC2 Auto Scaling

- [CT.AUTOSCALING.PR.1] Memerlukan grup Auto Scaling Amazon EC2 untuk memiliki beberapa Availability Zone
- [CT.AUTOSCALING.PR.2] Memerlukan konfigurasi peluncuran grup Auto Scaling Amazon EC2 untuk mengonfigurasi instans Amazon EC2 untuk IMDSv2
- [CT.AUTOSCALING.PR.3] Memerlukan konfigurasi peluncuran Auto Scaling Amazon EC2 untuk memiliki batas respons metadata single-hop
- [CT.AUTOSCALING.PR.4] Memerlukan grup Auto Scaling Amazon EC2 yang terkait dengan Amazon Elastic Load Balancing (ELB) agar pemeriksaan kesehatan ELB diaktifkan
- [CT.AUTOSCALING.PR.5] Mengharuskan konfigurasi peluncuran grup Auto Scaling Amazon EC2 tidak memiliki instans Amazon EC2 dengan alamat IP publik

- [CT.AUTOSCALING.PR.6] Memerlukan grup Auto Scaling Amazon EC2 untuk menggunakan beberapa jenis instans
- [CT.AUTOSCALING.PR.8] Memerlukan grup Auto Scaling Amazon EC2 agar templat peluncuran EC2 dikonfigurasi

Amazon SageMaker

- [CT.SAGEMAKER.PR.1] Memerlukan instance notebook Amazon untuk mencegah akses internet langsung SageMaker
- [CT.SAGEMAKER.PR.2] Memerlukan instance notebook Amazon untuk digunakan dalam SageMaker VPC Amazon khusus
- [CT.SAGEMAKER.PR.3] Memerlukan instance notebook Amazon agar akses root tidak diizinkan SageMaker

Amazon API Gateway

- [CT.APIGATEWAY.PR.5] Memerlukan Amazon API Gateway V2 Websocket dan rute HTTP untuk menentukan jenis otorisasi

Amazon Relational Database Service (RDS)

- [CT.RDS.PR.25] Memerlukan kluster basis data Amazon RDS agar logging dikonfigurasi

Untuk informasi selengkapnya, lihat Kontrol proaktif.

Kontrol proaktif Amazon EC2 yang diperbarui

2 Mei 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower telah memperbarui dua kontrol proaktif: CT.EC2.PR.3 danCT.EC2.PR.4.

Untuk CT.EC2.PR.3 kontrol yang diperbarui, AWS CloudFormation penerapan apa pun yang mereferensikan daftar awalan untuk sumber daya grup keamanan diblokir dari penerapan, kecuali untuk port 80 atau 443.

Untuk CT.EC2.PR.4 kontrol yang diperbarui, AWS CloudFormation penyebaran apa pun yang mereferensikan daftar awalan untuk sumber daya grup keamanan diblokir jika port 3389, 20, 23, 110, 143, 3306, 8080, 1433, 9200, 9300, 25, 445, 135, 135, 21, 1434, 4333, 5432, 5500, 5500, 5601, 22, 3000, 5000, 8088, 8888.

Tujuh tambahan Wilayah AWS tersedia

April 19, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang tersedia dalam tujuh tambahan Wilayah AWS: California Utara (San Francisco), Asia Pasifik (Hong Kong, Jakarta, dan Osaka), Eropa (Milan), Timur Tengah (Bahrain), dan Afrika (Cape Town). Wilayah tambahan untuk AWS Control Tower ini, yang disebut Wilayah keikutsertaan, tidak aktif secara default, kecuali Wilayah AS Barat (California Utara), yang aktif secara default.

Beberapa kontrol di AWS Control Tower tidak beroperasi di beberapa tambahan ini Wilayah AWS jika AWS Control Tower tersedia, karena Wilayah tersebut tidak mendukung fungsionalitas dasar yang diperlukan. Untuk detailnya, lihat Keterbatasan kontrol.

Di antara wilayah-wilayah baru ini, CFCT tidak tersedia di Asia Pasifik (Jakarta dan Osaka). Ketersediaan di tempat lain Wilayah AWS tidak berubah.

Untuk informasi selengkapnya tentang cara AWS Control Tower mengelola batasan Wilayah dan kontrol, lihatPertimbangan untuk mengaktifkan AWS Wilayah keikutsertaan.

Titik akhir VPCe yang diperlukan oleh AFT tidak tersedia di Wilayah Timur Tengah (Bahrain). Pelanggan yang menerapkan AFT di Wilayah ini diharuskan untuk menerapkan dengan parameter. `aft_vpc_endpoints=false` Untuk informasi selengkapnya, lihat parameter dalam file README.

AWS Control Tower VPC memiliki dua Availability Zone di Wilayah AS Barat (California N.)`us-west-1`, karena keterbatasan di Amazon EC2. Di AS Barat (California Utara), enam subnet dibagi menjadi dua Availability Zone. Untuk informasi selengkapnya, lihat Ikhtisar AWS Control Tower dan VPC.

AWS Control Tower menambahkan izin baru `AWSControlTowerServiceRolePolicy` yang memungkinkan AWS Control Tower melakukan panggilan ke`EnableRegion`,`ListRegions`, dan `GetRegionOptStatus` API yang diterapkan oleh layanan Manajemen AWS Akun, agar tambahan

ini Wilayah AWS tersedia untuk akun bersama Anda di landing zone (Akun manajemen, akun arsip Log, akun Audit), dan akun anggota OU Anda. Untuk informasi selengkapnya, lihat Kebijakan terkelola untuk AWS Control Tower.

Account Factory untuk penelusuran permintaan kustomisasi akun Terraform (AFT)

Februari 16, 2023

AFT mendukung penelusuran permintaan kustomisasi akun. Setiap kali Anda mengirimkan permintaan kustomisasi akun, AFT menghasilkan token penelusuran unik yang melewati mesin AWS Step Functions status kustomisasi AFT, yang mencatat token sebagai bagian dari pelaksanaannya. Anda dapat menggunakan kueri wawasan Amazon CloudWatch Logs untuk mencari rentang stempel waktu dan mengambil token permintaan. Akibatnya, Anda dapat melihat muatan yang menyertai token, sehingga Anda dapat melacak permintaan penyesuaian akun Anda di seluruh alur kerja AFT. Untuk informasi selengkapnya tentang AFT, lihat Ikhtisar AWS Control Tower Account Factory untuk Terraform. Untuk informasi tentang CloudWatch Log dan Step Functions, lihat berikut ini:

- Apa itu Amazon CloudWatch Logs? di Panduan Pengguna CloudWatch Log Amazon
- Apa itu AWS Step Functions? di Panduan AWS Step Functions Pengembang

AWS Control Tower landing zone versi 3.1

9 Februari 2023

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 3.1. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

AWS Control Tower landing zone versi 3.1 mencakup pembaruan berikut:

- Dengan rilis ini, AWS Control Tower menonaktifkan pencatatan akses yang tidak perlu untuk bucket logging akses Anda, yang merupakan bucket Amazon S3 tempat log akses disimpan di akun Arsip Log, sambil terus mengaktifkan pencatatan akses server untuk bucket S3. Rilis ini juga mencakup pembaruan pada kontrol Region Deny yang memungkinkan tindakan tambahan untuk layanan global, seperti AWS Support Paket dan AWS Artifact.
- Penonaktifan pencatatan akses server untuk bucket logging akses AWS Control Tower menyebabkan Security Hub membuat temuan untuk bucket logging akses akun Arsip Log, karena AWS Security Hub aturan, pencatatan akses server bucket [S3.9] S3 harus diaktifkan. Sejalan

dengan Security Hub, sebaiknya Anda menekan temuan khusus ini, seperti yang dinyatakan dalam deskripsi Security Hub dari aturan ini. Untuk informasi tambahan, lihat informasi tentang temuan yang ditekan.

- Pencatatan akses untuk bucket logging (reguler) di akun Arsip Log tidak berubah di versi 3.1. Sejalan dengan praktik terbaik, peristiwa akses untuk bucket tersebut direkam sebagai entri log di bucket logging akses. Untuk informasi selengkapnya tentang pencatatan akses, lihat Permintaan logging menggunakan pencatatan akses server di dokumentasi Amazon S3.
- Kami membuat pembaruan kontrol Region Deny. Pembaruan ini memungkinkan tindakan oleh lebih banyak layanan global. Untuk detail SCP ini, lihat Tolak akses AWS berdasarkan AWS Wilayah yang diminta danKontrol yang meningkatkan perlindungan residensi data.

  Layanan global menambahkan:

  - AWS Account Management (`account:*`)
  - AWS Aktifkan (`activate:*`)
  - AWS Artifact (`artifact:*`)
  - AWS Billing Conductor (`billingconductor:*`)
  - AWS Compute Optimizer (`compute-optimizer:*`)
  - AWS Data Pipeline (`datapipeline:GetAccountLimits`)
  - AWS Device Farm(`devicefarm:*`)
  - AWS Marketplace (`discovery-marketplace:*`)
  - Amazon ECR () `ecr-public:*`
  - AWS License Manager (`license-manager:ListReceivedLicenses`)
  - AWS Lightsail () `lightsail:Get*`
  - Penjelajah Sumber Daya AWS (`resource-explorer-2:*`)
  - Amazon S3 (`s3:CreateMultiRegionAccessPoint`,,`s3:GetBucketPolicyStatus`) `s3:PutMultiRegionAccessPointPolicy`
  - AWS Savings Plans (`savingsplans:*`)
  - Pusat Identitas IAM () `sso:*`
  - AWS Support App (`supportapp:*`)
  - AWS Support Rencana (`supportplans:*`)
  - AWS Keberlanjutan () `sustainability:*`
  - AWS Resource Groups Tagging API (`tag:GetResources`)

- AWS Marketplace Wawasan Vendor () `vendor-insights:ListEntitledSecurityProfiles`

Kontrol proaktif umumnya tersedia

Januari 24, 2023

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

Kontrol proaktif opsional, yang sebelumnya diumumkan dalam status pratinjau, sekarang tersedia secara umum. Kontrol ini disebut sebagai proaktif karena mereka memeriksa sumber daya Anda — sebelum sumber daya digunakan — untuk menentukan apakah sumber daya baru mematuhi kontrol yang diaktifkan di lingkungan Anda. Untuk informasi selengkapnya, lihat Kontrol komprehensif membantu dalam penyediaan dan manajemen AWS sumber daya.

Januari - Desember 2022

Pada tahun 2022, AWS Control Tower merilis pembaruan berikut:

- Operasi akun bersamaan
- Kustomisasi Account Factory (AFC)
- Kontrol komprehensif membantu dalam penyediaan dan manajemen AWS sumber daya
- Status kepatuhan dapat dilihat untuk semua AWS Config aturan
- API untuk kontrol dan sumber AWS CloudFormation daya baru
- CFCT mendukung penghapusan set tumpukan
- Retensi log yang disesuaikan
- Perbaikan drift peran tersedia
- AWS Control Tower landing zone versi 3.0
- Halaman Organisasi menggabungkan tampilan OU dan akun
- Mendaftar dan memperbarui akun anggota individu yang lebih mudah
- AFT mendukung kustomisasi otomatis untuk akun AWS Control Tower bersama
- Operasi bersamaan untuk semua kontrol opsional
- Akun keamanan dan pencatatan yang ada

- AWS Control Tower landing zone versi 2.9
- AWS Control Tower landing zone versi 2.8

Operasi akun bersamaan

Desember 16, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang mendukung tindakan bersamaan di pabrik akun. Anda dapat membuat, memperbarui, atau mendaftarkan hingga lima (5) akun sekaligus. Kirim hingga lima tindakan berturut-turut dan lihat status penyelesaian setiap permintaan, sementara akun Anda selesai dibangun di latar belakang. Misalnya, Anda tidak lagi harus menunggu setiap proses selesai sebelum memperbarui akun lain, atau sebelum Anda mendaftarkan ulang seluruh unit organisasi (OU).

Kustomisasi Account Factory (AFC)

November 28, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

Kustomisasi pabrik akun memungkinkan Anda menyesuaikan akun baru dan yang sudah ada dari dalam konsol AWS Control Tower. Kemampuan kustomisasi baru ini memberi Anda fleksibilitas untuk menentukan cetak biru akun, yang merupakan AWS CloudFormation templat yang terdapat dalam produk Service Catalog khusus. Cetak biru menyediakan sumber daya dan konfigurasi yang sepenuhnya disesuaikan. Anda juga dapat memilih menggunakan cetak biru yang telah ditentukan sebelumnya, dibuat dan dikelola oleh AWS mitra, yang membantu Anda menyesuaikan akun untuk kasus penggunaan tertentu.

Sebelumnya, pabrik akun AWS Control Tower tidak mendukung kustomisasi akun di konsol. Dengan pembaruan pabrik akun ini, Anda dapat menentukan persyaratan akun sebelumnya dan menerapkannya sebagai bagian dari alur kerja yang terdefinisi dengan baik. Anda dapat menerapkan cetak biru untuk membuat akun baru, mendaftarkan akun lain ke AWS Control Tower, dan memperbarui AWS akun AWS Control Tower yang ada.

Saat Anda menyediakan, mendaftarkan, atau memperbarui akun di pabrik akun, Anda akan memilih cetak biru yang akan diterapkan. Sumber daya yang ditentukan dalam cetak biru disediakan di akun Anda. Ketika akun Anda telah selesai dibangun, semua konfigurasi kustom tersedia untuk digunakan segera.

Untuk memulai dengan menyesuaikan akun, Anda dapat menentukan sumber daya untuk kasus penggunaan yang dimaksudkan dalam produk Service Catalog. Anda juga dapat memilih solusi yang dikelola mitra dari Perpustakaan AWS Memulai. Untuk informasi selengkapnya, lihat Kustomisasi akun dengan Kustomisasi Account Factory (AFC).

Kontrol komprehensif membantu dalam penyediaan dan manajemen AWS sumber daya

November 28, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang mendukung manajemen kontrol yang komprehensif, termasuk kontrol proaktif opsional baru, yang diimplementasikan melalui AWS CloudFormation kait. Kontrol ini disebut sebagai proaktif karena mereka memeriksa sumber daya Anda — sebelum sumber daya digunakan — untuk menentukan apakah sumber daya baru akan mematuhi kontrol yang diaktifkan di lingkungan Anda.

Lebih dari 130 kontrol proaktif baru membantu Anda memenuhi tujuan kebijakan spesifik untuk lingkungan AWS Control Tower Anda; dengan memenuhi persyaratan kerangka kerja kepatuhan standar industri; dan dengan mengatur interaksi AWS Control Tower di lebih dari dua puluh layanan lainnya. AWS

Pustaka kontrol AWS Control Tower mengklasifikasikan kontrol ini menurut AWS layanan dan sumber daya terkait. Untuk detail selengkapnya, lihat Kontrol proaktif.

Dengan rilis ini, AWS Control Tower juga terintegrasi dengan AWS Security Hub, melalui Security Hub Service-Managed Standard yang baru: AWS Control Tower, yang mendukung standar AWS Foundational Security Best Practices (FSBP). Anda dapat melihat lebih dari 160 kontrol Security Hub bersama kontrol AWS Control Tower di konsol, dan Anda dapat memperoleh skor keamanan Security Hub untuk lingkungan AWS Control Tower Anda. Untuk informasi selengkapnya, lihat Standar Security Hub.

Status kepatuhan dapat dilihat untuk semua AWS Config aturan

November 18, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang menampilkan status kepatuhan semua AWS Config aturan yang diterapkan ke unit organisasi yang terdaftar di AWS Control Tower. Anda dapat melihat status

kepatuhan semua AWS Config aturan yang memengaruhi akun Anda di AWS Control Tower, terdaftar atau tidak terdaftar, tanpa menavigasi di luar konsol AWS Control Tower. Pelanggan dapat memilih untuk mengatur aturan Config, yang disebut kontrol detektif, di AWS Control Tower, atau mengaturnya secara langsung melalui layanan. AWS Config Aturan yang diterapkan oleh AWS Config ditampilkan, bersama dengan aturan yang diterapkan oleh AWS Control Tower.

Sebelumnya, AWS Config aturan yang diterapkan melalui AWS Config layanan tidak terlihat di konsol AWS Control Tower. Pelanggan harus menavigasi ke AWS Config layanan untuk mengidentifikasi aturan yang tidak sesuai. AWS Config Sekarang Anda dapat mengidentifikasi AWS Config aturan yang tidak sesuai dalam konsol AWS Control Tower. Untuk melihat status kepatuhan semua aturan Config Anda, buka halaman Detail Akun di konsol AWS Control Tower. Anda akan melihat daftar yang menunjukkan status kepatuhan kontrol yang dikelola oleh AWS Control Tower dan aturan Config yang diterapkan di luar AWS Control Tower.

API untuk kontrol dan sumber AWS CloudFormation daya baru

September 1, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang mendukung manajemen kontrol terprogram, juga dikenal sebagai pagar pembatas, melalui serangkaian panggilan API. AWS CloudFormation Sumber daya baru mendukung fungsionalitas API untuk kontrol. Untuk lebih jelasnya, lihat Mengotomatiskan tugas di AWS Control Tower dan Menciptakan AWS Control Tower sumber daya dengan AWS CloudFormation.

API ini memungkinkan Anda mengaktifkan, menonaktifkan, dan melihat status aplikasi kontrol di pustaka AWS Control Tower. API menyertakan dukungan untuk AWS CloudFormation, sehingga Anda dapat mengelola AWS sumber daya sebagai infrastructure-as-code (IAc). AWS Control Tower menyediakan kontrol preventif dan detektif opsional yang menyatakan maksud kebijakan Anda mengenai seluruh unit organisasi (OU), dan setiap AWS akun dalam OU. Aturan ini tetap berlaku saat Anda membuat akun baru atau membuat perubahan pada akun yang ada.

API yang disertakan dalam rilis ini

- EnableControl— Panggilan API ini mengaktifkan kontrol. Ini memulai operasi asinkron yang menciptakan AWS sumber daya pada unit organisasi yang ditentukan dan akun yang dikandungnya.
- DisableControl— Panggilan API ini mematikan kontrol. Ini memulai operasi asinkron yang menghapus AWS sumber daya pada unit organisasi tertentu dan akun yang dikandungnya.

- GetControlOperation— Mengembalikan status tertentu EnableControlatau DisableControloperasi.
- ListEnabledControls— Daftar kontrol yang diaktifkan oleh AWS Control Tower pada unit organisasi yang ditentukan dan akun yang dikandungnya.

Untuk melihat daftar nama kontrol untuk kontrol opsional, lihatPengidentifikasi sumber daya untuk API dan kontrol, di Panduan Pengguna AWS Control Tower.

CFCT mendukung penghapusan set tumpukan

Agustus 26, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

Kustomisasi untuk AWS Control Tower (CFCT) sekarang mendukung penghapusan kumpulan tumpukan, dengan menyetel parameter dalam file. `manifest.yaml` Untuk informasi selengkapnya, lihat Hapus set tumpukan.

> **Important**
>
> Saat Anda awalnya menetapkan nilai `enable_stack_set_deletion` to`true`, saat berikutnya Anda memanggil CFCT, SEMUA sumber daya yang dimulai dengan awalan, yang memiliki tag kunci terkait`CustomControlTower-`, dan yang tidak dideklarasikan dalam file manifes`Key:AWS_Solutions, Value: CustomControlTowerStackSet`, akan dipentaskan untuk dihapus.

Retensi log yang disesuaikan

Agustus 15, 2022

(Pembaruan diperlukan untuk landing zone AWS Control Tower. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

AWS Control Tower kini menyediakan kemampuan untuk menyesuaikan kebijakan retensi untuk bucket Amazon S3 yang menyimpan log AWS Control Tower Anda. CloudTrail Anda dapat menyesuaikan kebijakan penyimpanan log Amazon S3 Anda, dalam beberapa hari atau tahun, hingga maksimal 15 tahun.

Jika Anda memilih untuk tidak menyesuaikan penyimpanan log Anda, pengaturan default adalah 1 tahun untuk pencatatan akun standar, dan 10 tahun untuk pencatatan akses.

Fitur ini tersedia untuk pelanggan lama melalui AWS Control Tower saat Anda memperbarui atau memperbaiki landing zone, dan untuk pelanggan baru melalui proses penyiapan AWS Control Tower.

Perbaikan drift peran tersedia

Agustus 11, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang mendukung perbaikan untuk drift peran. Anda dapat mengembalikan peran yang diperlukan tanpa perbaikan penuh dari landing zone Anda. Jika jenis perbaikan drift ini diperlukan, halaman kesalahan konsol menyediakan langkah-langkah untuk memulihkan peran, sehingga landing zone Anda sekali lagi tersedia.

AWS Control Tower landing zone versi 3.0

Juli 29, 2022

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 3.0. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

AWS Control Tower landing zone versi 3.0 mencakup pembaruan berikut:

- Opsi untuk memilih jalur tingkat organisasi, atau memilih keluar dari AWS CloudTrail CloudTrail jalur yang dikelola oleh AWS Control Tower.
- Dua kontrol detektif baru untuk menentukan AWS CloudTrail apakah aktivitas log di akun Anda.
- Opsi untuk mengumpulkan AWS Config informasi tentang sumber daya global di wilayah asal Anda saja.
- Pembaruan ke Wilayah menolak kontrol.
- Pembaruan untuk kebijakan terkelola, AWSControlTowerServiceRolePolicy.
- Kami tidak lagi membuat peran IAM `aws-controltower-CloudWatchLogsRole` dan grup CloudWatch log `aws-controltower/CloudTrailLogs` di setiap akun yang terdaftar. Sebelumnya, kami membuat ini di setiap akun untuk jejak akunnya. Dengan jejak organisasi, kami hanya membuat satu di akun manajemen.

Bagian berikut memberikan rincian lebih lanjut tentang setiap kemampuan baru.

CloudTrail Jalur tingkat organisasi di AWS Control Tower

Dengan landing zone versi 3.0, AWS Control Tower kini mendukung jalur tingkat organisasi AWS CloudTrail .

Saat memperbarui landing zone AWS Control Tower ke versi 3.0, Anda memiliki opsi untuk memilih AWS CloudTrail jalur tingkat organisasi sebagai preferensi logging Anda, atau memilih keluar dari CloudTrail jalur yang dikelola oleh AWS Control Tower. Saat Anda memperbarui ke versi 3.0, AWS Control Tower menghapus jejak tingkat akun yang ada untuk akun terdaftar setelah masa tunggu 24 jam. AWS Control Tower tidak menghapus jejak tingkat akun untuk akun yang tidak terdaftar. Jika pembaruan landing zone Anda tidak berhasil, tetapi kegagalan terjadi setelah AWS Control Tower telah membuat jejak tingkat organisasi, Anda mungkin dikenakan biaya duplikat untuk jalur tingkat organisasi dan tingkat akun, hingga operasi pembaruan Anda berhasil diselesaikan.

Ke depan dari landing zone 3.0, AWS Control Tower tidak lagi mendukung jalur tingkat akun yang mengelola. AWS Sebagai gantinya, AWS Control Tower membuat jejak tingkat organisasi, yang aktif atau tidak aktif, sesuai dengan pilihan Anda.

> **Note**
>
> Setelah memperbarui ke versi 3.0 atau yang lebih baru, Anda tidak memiliki opsi untuk melanjutkan CloudTrail jejak tingkat akun yang dikelola oleh AWS Control Tower.

Tidak ada data logging yang hilang dari log akun agregat Anda, karena log tetap berada di bucket Amazon S3 yang ada di mana mereka disimpan. Hanya jejak yang dihapus, bukan log yang ada. Jika Anda memilih opsi untuk menambahkan jejak tingkat organisasi, AWS Control Tower membuka jalur baru ke folder baru dalam bucket Amazon S3 Anda dan terus mengirimkan informasi pencatatan ke lokasi tersebut. Jika Anda memilih untuk memilih keluar dari jalur yang dikelola oleh AWS Control Tower, log yang ada tetap ada di bucket, tidak berubah.

Konvensi penamaan jalur untuk penyimpanan log

- Log jejak akun disimpan dengan jalur formulir ini: `/org id/AWSLogs/…`
- Log jejak organisasi disimpan dengan jalur formulir ini: `/org id/AWSLogs/org id/…`

Jalur yang dibuat AWS Control Tower untuk jalur tingkat organisasi CloudTrail Anda berbeda dari jalur default untuk jejak tingkat organisasi yang dibuat secara manual, yang akan memiliki bentuk berikut:

- `/AWSLogs/org id/…`

Untuk informasi selengkapnya tentang penamaan CloudTrail jalur, lihat Menemukan file CloudTrail log Anda.

> **Tip**
>
> Jika Anda berencana untuk membuat dan mengelola jejak tingkat akun Anda sendiri, kami sarankan Anda membuat jejak baru sebelum menyelesaikan pembaruan ke AWS Control Tower landing zone versi 3.0, untuk segera memulai pencatatan.

Kapan saja, Anda dapat memilih untuk membuat CloudTrail jalur tingkat akun atau tingkat organisasi baru dan mengelolanya sendiri. Opsi untuk memilih CloudTrail jalur tingkat organisasi yang dikelola oleh AWS Control Tower tersedia selama pembaruan landing zone ke versi 3.0 atau yang lebih baru. Anda dapat memilih dan memilih keluar dari jalur tingkat organisasi, setiap kali Anda memperbarui landing zone Anda.

Jika log Anda dikelola oleh layanan pihak ketiga, pastikan untuk memberikan nama jalur baru ke layanan Anda.

> **Note**
>
> Untuk zona pendaratan di versi 3.0 atau yang lebih baru, AWS CloudTrail jalur tingkat akun tidak didukung oleh AWS Control Tower. Anda dapat membuat dan memelihara jejak tingkat akun Anda sendiri kapan saja, atau Anda dapat memilih jalur tingkat organisasi yang dikelola oleh AWS Control Tower.

Rekam AWS Config sumber daya di wilayah asal saja

Di landing zone versi 3.0, AWS Control Tower telah memperbarui konfigurasi baseline AWS Config sehingga hanya mencatat sumber daya global di Wilayah asal. Setelah Anda memperbarui ke versi 3.0, perekaman sumber daya untuk sumber daya global hanya diaktifkan di Wilayah asal Anda.

Konfigurasi ini dianggap sebagai praktik terbaik. Hal ini direkomendasikan oleh AWS Security Hub dan AWS Config, dan menciptakan penghematan biaya dengan mengurangi jumlah item konfigurasi yang dibuat ketika sumber daya global dibuat, dimodifikasi, atau dihapus. Sebelumnya, setiap kali sumber daya global dibuat, diperbarui, atau dihapus, baik oleh pelanggan atau oleh AWS layanan, item konfigurasi dibuat untuk setiap item di setiap Wilayah yang diatur.

Dua kontrol detektif baru untuk logging AWS CloudTrail

Sebagai bagian dari perubahan AWS CloudTrail jalur tingkat organisasi, AWS Control Tower memperkenalkan dua kontrol detektif baru yang memeriksa apakah diaktifkan. CloudTrail Kontrol pertama memiliki panduan Wajib, dan diaktifkan pada OU Keamanan selama pengaturan atau pembaruan landing zone 3.0 dan yang lebih baru. Kontrol kedua memiliki Panduan yang sangat direkomendasikan, dan secara opsional diterapkan ke OU apa pun selain OU Keamanan, yang sudah memiliki perlindungan kontrol wajib yang diberlakukan.

Kontrol wajib: Mendeteksi apakah akun bersama di bawah unit organisasi Keamanan telah AWS CloudTrail atau CloudTrail Lake diaktifkan

Kontrol yang sangat disarankan: Deteksi apakah akun telah AWS CloudTrail atau CloudTrail Lake diaktifkan

Untuk informasi selengkapnya tentang kontrol baru, lihatAWS Control Tower mengontrol pustaka.

Pembaruan untuk Wilayah menolak kontrol

Kami memperbarui NotActiondaftar di Wilayah menolak kontrol untuk menyertakan tindakan oleh beberapa layanan tambahan, yang tercantum di bawah ini:

```
        “chatbot:*”,
        "s3:GetAccountPublic",
        "s3:DeleteMultiRegionAccessPoint",
        "s3:DescribeMultiRegionAccessPointOperation",
        "s3:GetMultiRegionAccessPoint",
        "s3:GetMultiRegionAccessPointPolicy",
        "s3:GetMultiRegionAccessPointPolicyStatus",
        "s3:ListMultiRegionAccessPoints",
        "s3:GetStorageLensConfiguration",
        “s3:GetStorageLensDashboard",
        “s3:ListStorageLensConfigurations”
        “s3:GetAccountPublicAccessBlock“,,
        “s3:PutAccountPublic",
        “s3:PutAccountPublicAccessBlock“,
```

Panduan Video

Video ini (3:07) menjelaskan cara memperbarui landing zone AWS Control Tower yang ada ke versi 3. Untuk tampilan yang lebih baik, pilih ikon di sudut kanan bawah video untuk memperbesarnya ke layar penuh. Teks tersedia.

Panduan Video untuk Memperbarui Zona Pendaratan AWS Control Tower yang Ada ke Zona Pendaratan 3.

Halaman Organisasi menggabungkan tampilan OU dan akun

Juli 18, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Halaman Organisasi baru di AWS Control Tower menampilkan tampilan hierarkis semua unit organisasi (OU) dan akun. Ini menggabungkan informasi dari halaman OU dan Akun, yang ada sebelumnya.

Di halaman baru, Anda dapat melihat hubungan antara OU induk dan OU dan akun bersarang mereka, Anda dapat mengambil tindakan pada pengelompokan sumber daya. Anda dapat mengkonfigurasi tampilan halaman. Misalnya, Anda dapat memperluas atau menciutkan tampilan hierarkis, memfilter tampilan untuk melihat akun atau OU saja, memilih untuk hanya melihat akun terdaftar dan OU terdaftar, atau Anda dapat melihat grup sumber daya terkait. Lebih mudah untuk memastikan bahwa seluruh organisasi Anda diperbarui dengan benar.

Mendaftar dan memperbarui akun anggota individu yang lebih mudah

31 Mei 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang memberi Anda kemampuan yang lebih baik untuk memperbarui dan mendaftarkan akun anggota satu per satu. Setiap akun menunjukkan kapan tersedia untuk pembaruan, sehingga Anda dapat lebih mudah memastikan bahwa akun anggota Anda menyertakan konfigurasi terbaru. Anda dapat memperbarui landing zone Anda, memulihkan penyimpangan akun, atau mendaftarkan akun ke OU terdaftar, dalam beberapa langkah efisien.

Saat Anda memperbarui akun, Anda tidak perlu menyertakan seluruh unit organisasi (OU) akun di setiap tindakan pembaruan. Akibatnya, waktu yang diperlukan untuk memperbarui akun individu sangat berkurang.

Anda dapat mendaftarkan akun ke AWS Control Tower OU dengan bantuan lebih lanjut dari konsol AWS Control Tower. Akun yang sudah ada yang Anda daftarkan di AWS Control Tower harus tetap memenuhi prasyarat akun, dan Anda harus menambahkan peran tersebut. `AWSControlTowerExecution` Kemudian, Anda dapat memilih OU terdaftar dan mendaftarkan akun ke dalamnya dengan memilih tombol Daftar.

Kami telah memisahkan fungsionalitas akun Daftarkan dari alur kerja Buat akun di pabrik akun, untuk membuat lebih banyak perbedaan antara proses serupa ini, dan membantu menghindari kesalahan penyiapan saat Anda memasukkan informasi akun.

AFT mendukung kustomisasi otomatis untuk akun AWS Control Tower bersama

Mei 27, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Account Factory for Terraform (AFT) sekarang dapat secara terprogram menyesuaikan dan memperbarui akun Anda yang dikelola oleh AWS Control Tower, termasuk akun manajemen, akun audit, dan akun arsip log, bersama dengan akun terdaftar Anda. Anda dapat memusatkan kustomisasi akun dan memperbarui manajemen, sekaligus melindungi keamanan konfigurasi akun Anda, karena Anda mencakup peran yang melakukan pekerjaan.

AWSAFTExecutionPeran yang ada sekarang menyebarkan penyesuaian di semua akun. Anda dapat mengatur izin IAM dengan batasan yang membatasi akses AWSAFTExecutionperan sesuai dengan persyaratan bisnis dan keamanan Anda. Anda juga dapat secara terprogram mendelegasikan izin penyesuaian yang disetujui dalam peran tersebut, untuk pengguna tepercaya. Sebagai praktik terbaik, kami menyarankan Anda membatasi izin untuk izin yang diperlukan untuk menerapkan penyesuaian yang diperlukan.

AFT sekarang membuat AWSAFTServiceperan baru untuk menyebarkan sumber daya AFT di semua akun terkelola, termasuk akun bersama dan akun manajemen. Sumber daya sebelumnya dikerahkan oleh peran tersebut. AWSAFTExecution

Akun bersama dan manajemen AWS Control Tower tidak disediakan melalui pabrik akun, sehingga akun tersebut tidak memiliki produk yang disediakan sesuai. AWS Service Catalog Oleh karena itu, Anda tidak dapat memperbarui akun bersama dan manajemen di Service Catalog.

Operasi bersamaan untuk semua kontrol opsional

Mei 18, 2022

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang mendukung operasi bersamaan untuk kontrol preventif, serta untuk kontrol detektif.

Dengan fitur baru ini, kontrol opsional apa pun sekarang dapat diterapkan atau dihapus secara bersamaan, sehingga meningkatkan kemudahan penggunaan dan kinerja untuk semua kontrol opsional. Anda dapat mengaktifkan beberapa kontrol opsional tanpa menunggu operasi kontrol individu selesai. Satu-satunya waktu terbatas adalah ketika AWS Control Tower sedang dalam proses penyiapan landing zone, atau saat memperluas tata kelola ke organisasi baru.

Fungsionalitas yang didukung untuk kontrol pencegahan:

- Terapkan dan hapus kontrol pencegahan yang berbeda pada OU yang sama.
- Terapkan dan hapus kontrol pencegahan yang berbeda pada OU yang berbeda, secara bersamaan.
- Terapkan dan hapus kontrol pencegahan yang sama pada beberapa OU, secara bersamaan.
- Anda dapat menerapkan dan menghapus kontrol preventif dan detektif, secara bersamaan.

Anda dapat mengalami peningkatan konkurensi kontrol ini di semua versi AWS Control Tower yang dirilis.

Saat Anda menerapkan kontrol preventif ke OU bersarang, kontrol preventif memengaruhi semua akun dan OU yang bersarang di bawah target OU, meskipun akun dan OU tersebut tidak terdaftar di AWS Control Tower. Kontrol preventif diimplementasikan menggunakan Kebijakan Kontrol Layanan (SCP), yang merupakan bagian dari. AWS Organizations Kontrol detektif diimplementasikan menggunakan AWS Config aturan. Guardrails tetap berlaku saat Anda membuat akun baru atau membuat perubahan pada akun Anda yang sudah ada, dan AWS Control Tower memberikan laporan ringkasan tentang bagaimana setiap akun sesuai dengan kebijakan Anda yang diaktifkan. Untuk daftar lengkap kontrol yang tersedia, lihatAWS Control Tower mengontrol pustaka.

Akun keamanan dan pencatatan yang ada

16 Mei 2022

(Tersedia selama pengaturan awal.)

AWS Control Tower sekarang menyediakan opsi bagi Anda untuk menentukan AWS akun yang ada sebagai akun keamanan atau logging AWS Control Tower, selama proses penyiapan landing zone awal. Opsi ini menghilangkan kebutuhan AWS Control Tower untuk membuat akun baru yang dibagikan. Akun keamanan, yang disebut akun Audit secara default, adalah akun terbatas yang memberi tim keamanan dan kepatuhan Anda akses ke semua akun di landing zone Anda. Akun

logging, yang disebut akun Log Archive secara default, berfungsi sebagai repositori. Ini menyimpan log aktivitas API dan konfigurasi sumber daya dari semua akun di landing zone Anda.

Dengan menghadirkan akun keamanan dan pencatatan yang ada, akan lebih mudah untuk memperluas tata kelola AWS Control Tower ke organisasi Anda yang ada, atau pindah ke AWS Control Tower dari landing zone alternatif. Opsi bagi Anda untuk menggunakan akun yang ada ditampilkan selama pengaturan landing zone awal. Ini termasuk pemeriksaan selama proses penyiapan, yang memastikan penerapan berhasil. AWS Control Tower mengimplementasikan peran dan kontrol yang diperlukan pada akun Anda yang ada. Itu tidak menghapus atau menggabungkan sumber daya atau data yang ada di akun ini.

Batasan: Jika Anda berencana untuk membawa AWS akun yang ada ke AWS Control Tower sebagai akun audit dan arsip log, dan jika akun tersebut memiliki AWS Config sumber daya yang ada, Anda harus menghapus AWS Config sumber daya yang ada sebelum dapat mendaftarkan akun ke AWS Control Tower.

AWS Control Tower landing zone versi 2.9

April 22, 2022

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 2.9. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

AWS Control Tower landing zone versi 2.9 memperbarui notifikasi forwarder Lambda untuk menggunakan runtime Python versi 3.9. Pembaruan ini membahas penghentian Python versi 3.6, yang direncanakan untuk Juli 2022. Untuk informasi terbaru, lihat halaman penghentian Python.

AWS Control Tower landing zone versi 2.8

Februari 10, 2022

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 2.8. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

AWS Control Tower landing zone versi 2.8 menambahkan fungsionalitas yang selaras dengan pembaruan terbaru pada Praktik Terbaik Keamanan AWS Dasar.

Dalam rilis ini:

- Pencatatan akses dikonfigurasi untuk bucket log akses di akun Arsip Log, untuk melacak akses ke bucket log akses S3 yang ada.

- Dukungan untuk kebijakan siklus hidup ditambahkan. Log akses untuk bucket log akses S3 yang ada disetel ke waktu retensi default 10 tahun.
- Selain itu, rilis ini memperbarui AWS Control Tower untuk menggunakan Peran Tertaut AWS Layanan (SLR) yang disediakan oleh AWS Config, di semua akun terkelola (tidak termasuk akun manajemen), sehingga Anda dapat mengatur dan mengelola aturan Konfigurasi agar AWS Config sesuai dengan praktik terbaik. Pelanggan yang tidak melakukan upgrade akan terus menggunakan peran mereka yang ada.
- Rilis ini merampingkan proses konfigurasi AWS Control Tower KMS untuk mengenkripsi data Config, dan meningkatkan pesan status terkait. CloudTrail
- Rilis ini mencakup pembaruan ke kontrol penolakan Wilayah, untuk memungkinkan `route53-application-recovery` fitur masuk`us-west-2`.
- Pembaruan: Pada 15 Februari 2022, kami menghapus antrian surat mati untuk fungsi AWS Lambda.

Detail tambahan:

- Jika Anda menonaktifkan landing zone, AWS Control Tower tidak menghapus peran AWS Config terkait layanan.
- Jika Anda membatalkan penyediaan akun Account Factory, AWS Control Tower tidak menghapus peran AWS Config terkait layanan.

Untuk memperbarui landing zone Anda ke 2.8, navigasikan ke halaman pengaturan zona pendaratan, pilih versi 2.8, lalu pilih Perbarui. Setelah memperbarui landing zone, Anda harus memperbarui semua akun yang diatur oleh AWS Control Tower, seperti yang diberikan. Manajemen pembaruan konfigurasi di AWS Control Tower

Januari - Desember 2021

Pada tahun 2021, AWS Control Tower merilis pembaruan berikut:

- Wilayah menolak kemampuan
- Fitur residensi data
- AWS Control Tower memperkenalkan penyediaan dan penyesuaian akun Terraform
- Acara siklus hidup baru tersedia
- AWS Control Tower memungkinkan OU bersarang

- Konkurensi kontrol detektif
- Dua Wilayah baru tersedia
- Pencabutan wilayah
- AWS Control Tower bekerja dengan Sistem Manajemen AWS Utama
- Kontrol berganti nama, fungsionalitas tidak berubah
- AWS Control Tower memindai SCP setiap hari untuk memeriksa drift
- Nama yang disesuaikan untuk OU dan akun
- AWS Control Tower landing zone versi 2.7
- Tiga AWS Wilayah baru tersedia
- Mengatur Wilayah yang dipilih saja
- AWS Control Tower sekarang memperluas tata kelola ke OU yang ada di organisasi Anda AWS
- AWS Control Tower menyediakan pembaruan akun massal

Wilayah menolak kemampuan

November 30, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower.)

AWS Control Tower sekarang menyediakan kemampuan penolakan Wilayah, yang membantu Anda membatasi akses ke AWS layanan dan operasi untuk akun terdaftar di lingkungan AWS Control Tower Anda. Fitur penolakan Wilayah melengkapi fitur pemilihan Wilayah dan pembatalan pilihan Wilayah yang ada di AWS Control Tower. Bersama-sama, fitur-fitur ini membantu Anda mengatasi masalah kepatuhan dan peraturan, sambil menyeimbangkan biaya yang terkait dengan perluasan ke Wilayah tambahan.

Misalnya, AWS pelanggan di Jerman dapat menolak akses ke AWS layanan di Wilayah di luar Wilayah Frankfurt. Anda dapat memilih Wilayah terbatas selama proses penyiapan AWS Control Tower, atau di halaman pengaturan zona pendaratan. Fitur penolakan Wilayah tersedia saat Anda memperbarui versi landing zone AWS Control Tower. AWS Layanan tertentu dikecualikan dari kemampuan penolakan Wilayah. Untuk mempelajari selengkapnya, lihat Konfigurasikan wilayah tolak kontrol.

Fitur residensi data

November 30, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower kini menawarkan kontrol yang dibuat khusus untuk membantu memastikan bahwa data pelanggan yang Anda unggah ke AWS layanan hanya terletak di AWS Wilayah yang Anda tentukan. Anda dapat memilih AWS Wilayah atau Wilayah tempat data pelanggan Anda disimpan dan diproses. Untuk daftar lengkap AWS Wilayah di mana AWS Control Tower tersedia, lihat Tabel AWS Wilayah.

Untuk kontrol granular, Anda dapat menerapkan kontrol tambahan, seperti Larang koneksi Amazon Virtual Private Network (VPN), atau Larang akses internet untuk instans VPC Amazon. Anda dapat melihat status kepatuhan kontrol di konsol AWS Control Tower. Untuk daftar lengkap kontrol yang tersedia, lihatAWS Control Tower mengontrol pustaka.

AWS Control Tower memperkenalkan penyediaan dan penyesuaian akun Terraform

November 29, 2021

(Pembaruan opsional untuk zona landing zone AWS Control Tower)

Anda sekarang dapat menggunakan Terraform untuk menyediakan dan memperbarui akun yang disesuaikan melalui AWS Control Tower, dengan AWS Control Tower Account Factory for Terraform (AFT).

AFT menyediakan infrastruktur Terraform tunggal sebagai pipeline kode (IAc), yang menyediakan akun yang dikelola oleh AWS Control Tower. Penyesuaian selama penyediaan membantu memenuhi kebijakan bisnis dan keamanan Anda, sebelum Anda memberikan akun kepada pengguna akhir.

Pipa pembuatan akun otomatis AFT memantau hingga penyediaan akun selesai, dan kemudian berlanjut, memicu modul Terraform tambahan yang meningkatkan akun dengan penyesuaian yang diperlukan. Sebagai bagian tambahan dari proses penyesuaian, Anda dapat mengonfigurasi pipeline untuk menginstal modul Terraform kustom Anda sendiri, dan Anda dapat memilih untuk menambahkan salah satu Opsi Fitur AFT, yang disediakan oleh AWS untuk penyesuaian umum.

Mulailah dengan AWS Control Tower Account Factory for Terraform dengan mengikuti langkah-langkah yang disediakan dalam Panduan Pengguna AWS Control Tower,Terapkan AWS Control Tower Account Factory untuk Terraform (AFT), dan dengan mengunduh AFT untuk instans Terraform Anda. AFT mendukung distribusi Terraform Cloud, Terraform Enterprise, dan Terraform Open Source.

Acara siklus hidup baru tersedia

November 18, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

`PrecheckOrganizationalUnit`Peristiwa mencatat apakah sumber daya apa pun memblokir tugas Perluas tata kelola agar tidak berhasil, termasuk sumber daya di OU bersarang. Untuk informasi selengkapnya, lihat `PrecheckOrganizationalUnit`.

AWS Control Tower memungkinkan OU bersarang

November 16, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang memungkinkan Anda untuk menyertakan OU bersarang sebagai bagian dari landing zone Anda.

AWS Control Tower menyediakan dukungan untuk unit organisasi bersarang (OU), memungkinkan Anda mengatur akun ke dalam beberapa tingkat hierarki, dan untuk menegakkan kontrol preventif secara hierarki. Anda dapat mendaftarkan OU yang berisi OU bersarang, membuat dan mendaftarkan OU di bawah OU induk, dan mengaktifkan kontrol pada OU terdaftar apa pun, terlepas dari kedalamannya. Untuk mendukung fungsi ini, konsol menunjukkan jumlah akun yang diatur dan OU.

Dengan OU bersarang, Anda dapat menyelaraskan AWS Control Tower OU Anda dengan strategi AWS multi-akun, dan Anda dapat mengurangi waktu yang diperlukan untuk mengaktifkan kontrol pada beberapa OU, dengan menerapkan kontrol di tingkat OU induk.

Pertimbangan utama

1. Anda dapat mendaftarkan OU multi-level yang ada dengan AWS Control Tower satu OU sekaligus, dimulai dengan OU tingkat atas dan kemudian melanjutkan ke bawah pohon. Untuk informasi selengkapnya, lihat Perluas dari struktur OU datar ke struktur OU bersarang.
2. Akun langsung di bawah OU terdaftar terdaftar secara otomatis. Akun lebih jauh ke bawah pohon dapat didaftarkan dengan mendaftarkan OU induk langsung mereka.
3. Kontrol preventif (SCP) diwariskan ke bawah hierarki secara otomatis; SCP yang diterapkan ke induk diwarisi oleh semua OU bersarang.
4. Kontrol Detektif (aturan AWS Config) TIDAK diwarisi secara otomatis.

5. Kepatuhan terhadap kontrol detektif dilaporkan oleh masing-masing OU.
6. Penyimpangan SCP pada OU memengaruhi semua akun dan OU di bawahnya.
7. Anda tidak dapat membuat OU bersarang baru di bawah Security OU (Core OU).

Konkurensi kontrol detektif

November 5, 2021

(Pembaruan opsional untuk zona landing zone AWS Control Tower)

Kontrol detektif AWS Control Tower sekarang mendukung operasi bersamaan untuk kontrol detektif, meningkatkan kemudahan penggunaan dan kinerja. Anda dapat mengaktifkan beberapa kontrol detektif tanpa menunggu operasi kontrol individu selesai.

Fungsionalitas yang didukung:

- Aktifkan kontrol detektif yang berbeda pada OU yang sama (misalnya, Deteksi Apakah MFA untuk Pengguna Root Diaktifkan dan Deteksi Apakah Akses Tulis Publik ke Bucket Amazon S3 Diizinkan).
- Aktifkan kontrol detektif yang berbeda pada OU yang berbeda, secara bersamaan.
- Pesan kesalahan pagar pembatas telah diperbaiki untuk memberikan panduan tambahan untuk operasi konkurensi kontrol yang didukung.

Tidak didukung dalam rilis ini:

- Mengaktifkan kontrol detektif yang sama pada beberapa OU secara bersamaan tidak didukung.
- Konkurensi kontrol preventif tidak didukung.

Anda dapat mengalami peningkatan konkurensi kontrol detektif di semua versi AWS Control Tower. Disarankan agar pelanggan yang saat ini tidak menggunakan versi 2.7 melakukan pembaruan landing zone untuk memanfaatkan fitur lain, seperti pemilihan Wilayah dan pembatalan pilihan, yang tersedia dalam versi terbaru.

Dua Wilayah baru tersedia

Juli 29, 2021

(Pembaruan diperlukan untuk zona landing zone AWS Control Tower)

AWS Control Tower sekarang tersedia di dua AWS Wilayah tambahan: Amerika Selatan (Sao Paulo), dan Eropa (Paris). Pembaruan ini memperluas ketersediaan AWS Control Tower ke 15 AWS Wilayah.

Jika Anda baru mengenal AWS Control Tower, Anda dapat langsung meluncurkannya di salah satu Wilayah yang didukung. Selama peluncuran, Anda dapat memilih Wilayah yang Anda inginkan AWS Control Tower untuk membangun dan mengatur lingkungan multi-akun Anda.

Jika Anda sudah memiliki lingkungan AWS Control Tower dan ingin memperluas atau menghapus fitur tata kelola AWS Control Tower di satu atau beberapa Wilayah yang didukung, buka halaman Pengaturan Zona Landing di dasbor AWS Control Tower, lalu pilih Wilayah. Setelah memperbarui landing zone, Anda harus memperbarui semua akun yang diatur oleh AWS Control Tower.

Pencabutan wilayah

Juli 29, 2021

(Pembaruan opsional untuk zona landing zone AWS Control Tower)

Pembatalan pemilihan Wilayah AWS Control Tower meningkatkan kemampuan Anda untuk mengelola jejak geografis sumber daya AWS Control Tower Anda. Anda dapat membatalkan pilihan Wilayah yang tidak lagi Anda inginkan AWS Control Tower untuk mengaturnya. Fitur ini memberi Anda kemampuan untuk mengatasi masalah kepatuhan dan peraturan sambil menyeimbangkan biaya yang terkait dengan perluasan ke Wilayah tambahan.

Pembatalan pilihan wilayah tersedia saat Anda memperbarui versi landing zone AWS Control Tower.

Saat Anda menggunakan Account Factory untuk membuat akun baru atau mendaftarkan akun anggota yang sudah ada sebelumnya, atau saat Anda memilih Perluas Tata Kelola untuk mendaftarkan akun di unit organisasi yang sudah ada sebelumnya, AWS Control Tower menerapkan kemampuan tata kelolanya — yang mencakup pencatatan, pemantauan, dan kontrol terpusat — di Wilayah pilihan Anda di akun. Memilih untuk membatalkan pilihan Wilayah dan menghapus tata kelola AWS Control Tower dari Wilayah tersebut akan menghapus fungsionalitas tata kelola tersebut, tetapi tidak menghambat kemampuan pengguna Anda untuk menerapkan AWS sumber daya atau beban kerja ke Wilayah tersebut.

AWS Control Tower bekerja dengan Sistem Manajemen AWS Utama

Juli 28, 2021

(Pembaruan opsional untuk zona landing zone AWS Control Tower)

AWS Control Tower memberi Anda opsi untuk menggunakan AWS kunci Key Management Service (AWS KMS). Kunci disediakan dan dikelola oleh Anda, untuk mengamankan layanan yang diterapkan AWS Control Tower, termasuk AWS CloudTrail AWS Config, dan data Amazon S3 terkait. AWS Enkripsi KMS adalah tingkat enkripsi yang ditingkatkan melalui enkripsi SSE-S3 yang digunakan AWS Control Tower secara default.

Integrasi dukungan AWS KMS ke AWS Control Tower sejalan dengan Praktik Terbaik Keamanan AWS Dasar, yang merekomendasikan lapisan keamanan tambahan untuk file log sensitif Anda. Anda harus menggunakan kunci yang AWS dikelola KMS (SSE-KMS) untuk enkripsi saat istirahat. AWS Dukungan enkripsi KMS tersedia saat Anda menyiapkan landing zone baru atau saat Anda memperbarui zona landing zone AWS Control Tower yang ada.

Untuk mengonfigurasi fungsionalitas ini, Anda dapat memilih Konfigurasi Kunci KMS selama pengaturan landing zone awal Anda. Anda dapat memilih kunci KMS yang ada, atau Anda dapat memilih tombol yang mengarahkan Anda ke konsol AWS KMS untuk membuat yang baru. Anda juga memiliki fleksibilitas untuk mengubah dari enkripsi default ke SSE-KMS, atau ke kunci SSE-KMS yang berbeda.

Untuk landing zone AWS Control Tower yang ada, Anda dapat melakukan pembaruan untuk mulai menggunakan kunci AWS KMS.

Kontrol berganti nama, fungsionalitas tidak berubah

Juli 26, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower merevisi nama dan deskripsi kontrol tertentu untuk mencerminkan maksud kebijakan kontrol dengan lebih baik. Nama dan deskripsi yang direvisi membantu Anda memahami secara lebih intuitif cara-cara kontrol mewujudkan kebijakan akun Anda. Misalnya, kami mengubah sebagian nama kontrol detektif dari “Larang” menjadi “Deteksi” karena kontrol detektif itu sendiri tidak menghentikan tindakan tertentu, hanya mendeteksi pelanggaran kebijakan dan memberikan peringatan melalui dasbor.

Fungsionalitas kontrol, panduan, dan implementasi tetap tidak berubah. Hanya nama dan deskripsi kontrol yang telah direvisi.

AWS Control Tower memindai SCP setiap hari untuk memeriksa drift

Mei 11, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang melakukan pemindaian otomatis harian SCP terkelola Anda untuk memverifikasi bahwa kontrol yang sesuai diterapkan dengan benar dan belum hanyut. Jika pemindaian menemukan penyimpangan, Anda akan menerima pemberitahuan. AWS Control Tower hanya mengirimkan satu notifikasi per masalah drift, jadi jika landing zone Anda sudah dalam keadaan drift, Anda tidak akan menerima pemberitahuan tambahan kecuali item drift baru ditemukan.

Nama yang disesuaikan untuk OU dan akun

April 16, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang memungkinkan Anda untuk menyesuaikan penamaan landing zone Anda. Anda dapat menyimpan nama yang direkomendasikan AWS Control Tower untuk unit organisasi (OU) dan akun inti, atau Anda dapat memodifikasi nama-nama ini selama proses penyiapan landing zone awal.

Nama default yang disediakan AWS Control Tower untuk akun OU dan inti cocok dengan panduan praktik terbaik AWS multi-akun. Namun, jika perusahaan Anda memiliki kebijakan penamaan tertentu, atau jika Anda sudah memiliki OU atau akun yang sudah ada dengan nama yang direkomendasikan yang sama, fungsi OU dan penamaan akun yang baru memberi Anda fleksibilitas untuk mengatasi kendala tersebut.

Terpisah dari perubahan alur kerja selama pengaturan, OU sebelumnya dikenal sebagai Core OU sekarang disebut Security OU, dan OU sebelumnya dikenal sebagai Custom OU sekarang disebut Sandbox OU. Kami membuat perubahan ini untuk meningkatkan keselarasan kami dengan panduan praktik AWS terbaik secara keseluruhan untuk penamaan.

Pelanggan baru akan melihat nama-nama OU baru ini. Pelanggan yang sudah ada akan terus melihat nama asli OU ini. Anda mungkin mengalami beberapa ketidakkonsistenan dalam penamaan OU saat kami memperbarui dokumentasi kami ke nama baru.

Untuk memulai AWS Control Tower dari AWS Management Console, buka konsol AWS Control Tower, dan pilih Siapkan landing zone di kanan atas. Untuk informasi tambahan, Anda dapat membaca tentang perencanaan landing zone AWS Control Tower.

AWS Control Tower landing zone versi 2.7

April 8, 2021

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 2.7. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

Dengan AWS Control Tower versi 2.7, AWS Control Tower memperkenalkan empat kontrol Log Archive pencegahan wajib baru yang menerapkan kebijakan hanya pada sumber daya AWS Control Tower. Kami telah menyesuaikan panduan tentang empat kontrol Arsip Log yang ada dari wajib ke elektif, karena mereka menetapkan kebijakan untuk sumber daya di luar AWS Control Tower. Perubahan dan ekspansi kontrol ini memberikan kemampuan untuk memisahkan tata kelola Arsip Log untuk sumber daya dalam AWS Control Tower dari tata kelola sumber daya di luar AWS Control Tower.

Keempat kontrol yang diubah dapat digunakan bersama dengan kontrol wajib baru untuk menyediakan tata kelola ke set Arsip Log yang lebih luas. AWS Lingkungan AWS Control Tower yang ada akan membuat keempat kontrol yang diubah ini diaktifkan secara otomatis, untuk konsistensi lingkungan; namun, kontrol elektif ini sekarang dapat dinonaktifkan. Lingkungan AWS Control Tower yang baru harus mengaktifkan semua kontrol elektif. Lingkungan yang ada harus menonaktifkan kontrol yang sebelumnya wajib sebelum menambahkan enkripsi ke bucket Amazon S3 yang tidak digunakan oleh AWS Control Tower.

Kontrol wajib baru:

- Larang Perubahan Konfigurasi Enkripsi untuk AWS Control Tower Membuat Bucket S3 di Arsip Log
- Larang Perubahan Konfigurasi Logging untuk AWS Control Tower Membuat Bucket S3 di Arsip Log
- Larang Perubahan Kebijakan Bucket untuk AWS Control Tower Membuat Bucket S3 di Arsip Log
- Larang Perubahan pada Konfigurasi Siklus Hidup untuk AWS Control Tower Membuat Bucket S3 di Arsip Log

Panduan berubah dari Wajib menjadi Pilihan:

- Larang Perubahan Konfigurasi Enkripsi untuk semua Bucket Amazon S3 [Sebelumnya: Aktifkan Enkripsi saat Istirahat untuk Arsip Log]
- Larang Perubahan pada Konfigurasi Logging untuk semua Bucket Amazon S3 [Sebelumnya: Aktifkan Pencatatan Akses untuk Arsip Log]
- Larang Perubahan Kebijakan Bucket untuk semua Bucket Amazon S3 [Sebelumnya: Larang Perubahan Kebijakan pada Arsip Log]

- Larang Perubahan Konfigurasi Siklus Hidup untuk semua Bucket Amazon S3 [Sebelumnya: Tetapkan Kebijakan Retensi untuk Arsip Log]

AWS Control Tower versi 2.7 menyertakan perubahan pada cetak biru landing zone AWS Control Tower yang dapat menyebabkan ketidakcocokan dengan versi sebelumnya setelah Anda meningkatkan ke 2.7.

- Secara khusus, AWS Control Tower versi 2.7 memungkinkan `BlockPublicAccess` secara otomatis pada bucket S3 yang digunakan oleh AWS Control Tower. Anda dapat menonaktifkan default ini jika beban kerja Anda memerlukan akses di seluruh akun. Untuk informasi selengkapnya tentang apa yang terjadi dengan `BlockPublicaccess` diaktifkan, lihat Memblokir akses publik ke penyimpanan Amazon S3 Anda.
- AWS Control Tower versi 2.7 menyertakan persyaratan untuk HTTPS. Semua permintaan yang dikirim ke bucket S3 yang digunakan oleh AWS Control Tower harus menggunakan secure socket layer (SSL). Hanya permintaan HTTPS yang diizinkan untuk lulus. Jika Anda menggunakan HTTP (tanpa SSL) sebagai titik akhir untuk mengirim permintaan, perubahan ini memberi Anda kesalahan akses ditolak, yang berpotensi merusak alur kerja Anda. Perubahan ini tidak dapat dikembalikan setelah pembaruan 2.7 ke landing zone Anda.

  Kami menyarankan Anda mengubah permintaan Anda untuk menggunakan TLS, bukan HTTP.

Tiga AWS Wilayah baru tersedia

April 8, 2021

(Pembaruan diperlukan untuk zona landing zone AWS Control Tower)

AWS Control Tower tersedia di tiga AWS Wilayah tambahan: Wilayah Asia Pasifik (Tokyo), Wilayah Asia Pasifik (Seoul), dan Wilayah Asia Pasifik (Mumbai). Pembaruan landing zone ke versi 2.7 diperlukan untuk memperluas tata kelola ke Wilayah ini.

Landing zone Anda tidak diperluas secara otomatis ke Wilayah ini ketika Anda melakukan pembaruan ke versi 2.7, Anda harus melihat dan memilihnya di tabel Wilayah untuk dimasukkan.

Mengatur Wilayah yang dipilih saja

Februari 19, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Pemilihan Wilayah AWS Control Tower memberikan kemampuan yang lebih baik untuk mengelola jejak geografis sumber daya AWS Control Tower Anda. Untuk memperluas jumlah Wilayah tempat Anda menampung AWS sumber daya atau beban kerja — untuk kepatuhan, peraturan, biaya, atau alasan lainnya — Anda sekarang dapat memilih Wilayah tambahan yang akan diatur.

Pemilihan wilayah tersedia saat Anda menyiapkan landing zone baru atau memperbarui versi landing zone AWS Control Tower. Saat Anda menggunakan Account Factory untuk membuat akun baru atau mendaftarkan akun anggota yang sudah ada sebelumnya, atau saat Anda menggunakan Perluas Tata Kelola untuk mendaftarkan akun di unit organisasi yang sudah ada sebelumnya, AWS Control Tower menerapkan kemampuan tata kelola untuk pencatatan, pemantauan, dan kontrol terpusat di Wilayah pilihan Anda di akun. Untuk informasi selengkapnya tentang memilih Wilayah, lihatKonfigurasikan Wilayah AWS Control Tower.

AWS Control Tower sekarang memperluas tata kelola ke OU yang ada di organisasi Anda AWS

Januari 28, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Perluas tata kelola ke unit organisasi (OU) yang ada (yang tidak ada di AWS Control Tower) dari dalam konsol AWS Control Tower. Dengan fitur ini, Anda dapat membawa OU tingkat atas dan akun yang disertakan di bawah tata kelola AWS Control Tower. Untuk informasi tentang memperluas tata kelola ke seluruh OU, lihat. Daftarkan unit organisasi yang ada dengan AWS Control Tower

Saat Anda mendaftarkan OU, AWS Control Tower melakukan serangkaian pemeriksaan untuk memastikan perpanjangan tata kelola dan pendaftaran akun yang berhasil dalam OU. Untuk informasi lebih lanjut tentang masalah umum yang terkait dengan pendaftaran awal OU, lihatPenyebab umum kegagalan saat pendaftaran atau pendaftaran ulang.

Anda juga dapat mengunjungi halaman web produk AWS Control Tower atau mengunjungi YouTube untuk menonton video tentang memulai AWS Control Tower ini. AWS Organizations

AWS Control Tower menyediakan pembaruan akun massal

Januari 28, 2021

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Dengan fitur pembaruan massal, Anda sekarang dapat memperbarui semua akun di unit AWS Organizations organisasi terdaftar (OU) yang berisi hingga 300 akun, dengan satu klik, dari dasbor

AWS Control Tower. Ini sangat berguna jika Anda memperbarui zona landing zone AWS Control Tower dan juga harus memperbarui akun terdaftar Anda untuk menyelaraskannya dengan versi landing zone saat ini.

Fitur ini juga membantu Anda memperbarui akun saat memperbarui zona landing AWS Control Tower untuk memperluas ke wilayah baru, atau saat Anda ingin mendaftarkan ulang OU untuk memastikan bahwa semua akun di OU tersebut memiliki kontrol terbaru yang diterapkan. Pembaruan akun massal menghilangkan kebutuhan untuk memperbarui satu akun pada satu waktu atau menggunakan skrip eksternal untuk melakukan pembaruan pada beberapa akun.

Untuk informasi tentang memperbarui landing zone, lihatPerbarui Zona Pendaratan Anda.

Untuk informasi tentang mendaftar atau mendaftarkan ulang OU, lihatDaftarkan unit organisasi yang ada dengan AWS Control Tower.

Januari - Desember 2020

Pada tahun 2020, AWS Control Tower merilis pembaruan berikut:

- Konsol AWS Control Tower sekarang terhubung ke aturan AWS Config eksternal
- AWS Control Tower sekarang tersedia di Wilayah tambahan
- Pembaruan pagar pembatas
- Konsol AWS Control Tower menampilkan detail lebih lanjut tentang OU dan akun
- Gunakan AWS Control Tower untuk menyiapkan AWS lingkungan multi-akun baru di AWS Organizations
- Kustomisasi untuk solusi AWS Control Tower
- Ketersediaan umum AWS Control Tower versi 2.3
- Penyediaan akun satu langkah di AWS Control Tower
- Alat penonaktifan AWS Control Tower
- Pemberitahuan acara siklus hidup AWS Control Tower

Konsol AWS Control Tower sekarang terhubung ke aturan AWS Config eksternal

Desember 29, 2020

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 2.6. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

AWS Control Tower sekarang menyertakan agregator tingkat organisasi, yang membantu mendeteksi aturan Config eksternal. AWS Ini memberi Anda visibilitas di konsol AWS Control Tower untuk melihat keberadaan aturan Config yang dibuat secara eksternal selain aturan AWS Config yang dibuat AWS oleh AWS Control Tower. Agregator memungkinkan AWS Control Tower mendeteksi aturan eksternal dan menyediakan tautan ke konsol AWS Config tanpa perlu AWS Control Tower untuk mendapatkan akses ke akun yang tidak dikelola.

Dengan fitur ini, Anda sekarang memiliki tampilan konsolidasi kontrol detektif yang diterapkan ke akun Anda sehingga Anda dapat melacak kepatuhan dan menentukan apakah Anda memerlukan kontrol tambahan untuk akun Anda. Untuk informasi, lihat Bagaimana AWS Control Tower menggabungkan AWS Config aturan dalam OU dan akun yang tidak dikelola.

AWS Control Tower sekarang tersedia di Wilayah tambahan

November 18, 2020

(Pembaruan diperlukan untuk landing zone AWS Control Tower ke versi 2.5. Untuk informasi, lihatPerbarui Zona Pendaratan Anda)

AWS Control Tower sekarang tersedia di 5 AWS Wilayah tambahan:

- Wilayah Asia Pasifik (Singapura)
- Wilayah Eropa (Frankfurt)
- Wilayah Eropa (London)
- Wilayah Eropa (Stockholm)
- Wilayah Kanada (Pusat)

Penambahan 5 AWS Wilayah ini adalah satu-satunya perubahan yang diperkenalkan untuk AWS Control Tower versi 2.5.

AWS Control Tower juga tersedia di Wilayah AS Timur (Virginia N.), Wilayah AS Timur (Ohio), Wilayah AS Barat (Oregon), Wilayah Eropa (Irlandia), dan Wilayah Asia Pasifik (Sydney). Dengan peluncuran ini AWS Control Tower sekarang tersedia di 10 AWS Wilayah.

Pembaruan landing zone ini mencakup semua Wilayah yang terdaftar dan tidak dapat dibatalkan. Setelah memperbarui landing zone ke versi 2.5, Anda harus memperbarui secara manual semua

akun AWS Control Tower yang terdaftar untuk mengatur di 10 Wilayah yang didukung AWS . Untuk informasi, lihat Konfigurasikan Wilayah AWS Control Tower.

Pembaruan pagar pembatas

Oktober 8, 2020

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Versi yang diperbarui telah dirilis untuk kontrol wajib`AWS-GR_IAM_ROLE_CHANGE_PROHIBITED`.

Perubahan pada kontrol ini diperlukan karena akun yang terdaftar secara otomatis ke AWS Control Tower harus mengaktifkan `AWSControlTowerExecution` peran tersebut. Versi kontrol sebelumnya mencegah peran ini dibuat.

Untuk informasi selengkapnya, lihat Kontrol pembaruan di referensi Kontrol Panduan Pengguna AWS Control Tower.

Konsol AWS Control Tower menampilkan detail lebih lanjut tentang OU dan akun

Juli 22, 2020

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Anda dapat melihat organisasi dan akun Anda yang tidak terdaftar di AWS Control Tower, bersama organisasi dan akun yang terdaftar.

Dalam konsol AWS Control Tower, Anda dapat melihat detail lebih lanjut tentang AWS akun dan unit organisasi (OU) Anda. Halaman Akun sekarang mencantumkan semua akun di organisasi Anda, terlepas dari status OU atau pendaftaran di AWS Control Tower. Anda sekarang dapat mencari, mengurutkan, dan memfilter di semua tabel.

Gunakan AWS Control Tower untuk menyiapkan AWS lingkungan multi-akun baru di AWS Organizations

April 22, 2020

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Organizations pelanggan sekarang dapat menggunakan AWS Control Tower untuk mengelola unit organisasi (OU) dan akun yang baru dibuat dengan memanfaatkan kemampuan baru ini:

- AWS Organizations Pelanggan yang sudah ada sekarang dapat menyiapkan landing zone baru untuk unit organisasi baru (OU) di akun manajemen mereka yang ada. Anda dapat membuat OU baru di AWS Control Tower dan membuat akun baru di OU tersebut dengan tata kelola AWS Control Tower.
- AWS Organizations pelanggan dapat mendaftarkan akun yang ada menggunakan proses pendaftaran akun atau melalui scripting.

AWS Control Tower menyediakan layanan orkestrasi yang menggunakan layanan lain. AWS Ini dirancang untuk organisasi dengan banyak akun dan tim yang mencari cara termudah untuk mengatur AWS lingkungan multi-akun baru atau yang sudah ada dan mengatur dalam skala besar. Dengan organisasi yang diatur oleh AWS Control Tower, administrator cloud tahu bahwa akun di organisasi sesuai dengan kebijakan yang ditetapkan. Pembangun mendapat manfaat karena mereka dapat menyediakan AWS akun baru dengan cepat, tanpa kekhawatiran yang tidak semestinya tentang kepatuhan.

Untuk informasi tentang pengaturan landing zone, lihatRencanakan landing zone AWS Control Tower. Anda juga dapat mengunjungi halaman web produk AWS Control Tower atau mengunjungi YouTube untuk menonton video tentang memulai AWS Control Tower ini. AWS Organizations

Selain perubahan ini, kemampuan penyediaan akun Cepat di AWS Control Tower diubah namanya menjadi akun Enroll. Sekarang memungkinkan pendaftaran akun yang ada serta pembuatan AWS akun baru. Untuk informasi selengkapnya, lihat Daftarkan akun yang ada.

Kustomisasi untuk solusi AWS Control Tower

Maret 17, 2020

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang menyertakan implementasi referensi baru yang memudahkan Anda menerapkan templat dan kebijakan khusus ke landing zone AWS Control Tower Anda.

Dengan penyesuaian AWS Control Tower, Anda dapat menggunakan AWS CloudFormation templat untuk menerapkan sumber daya baru ke akun yang ada dan baru dalam organisasi Anda. Anda juga dapat menerapkan kebijakan kontrol layanan kustom (SCP) ke akun tersebut selain SCP yang sudah disediakan oleh AWS Control Tower. Kustomisasi untuk pipeline AWS Control Tower terintegrasi

dengan peristiwa siklus hidup AWS Control Tower dan notifikasi (Peristiwa Siklus Hidup di AWS Control Tower) untuk memastikan bahwa penerapan sumber daya tetap sinkron dengan landing zone Anda.

Dokumentasi penerapan untuk arsitektur solusi AWS Control Tower ini tersedia melalui halaman web AWS Solusi.

Ketersediaan umum AWS Control Tower versi 2.3

Maret 5, 2020

(Pembaruan diperlukan untuk landing zone AWS Control Tower. Untuk informasi, lihatPerbarui Zona Pendaratan Anda.)

AWS Control Tower sekarang tersedia di Wilayah Asia Pasifik (Sydney), selain AWS Wilayah AS Timur (Ohio), AS Timur (Virginia N.), AS Barat (Oregon), dan Eropa (Irlandia). Penambahan Wilayah Asia Pasifik (Sydney) adalah satu-satunya perubahan yang diperkenalkan untuk AWS Control Tower versi 2.3.

Jika Anda belum pernah menggunakan AWS Control Tower sebelumnya, Anda dapat meluncurkannya hari ini di salah satu Wilayah yang didukung. Jika Anda sudah menggunakan AWS Control Tower dan ingin memperluas fitur tata kelola ke Wilayah Asia Pasifik (Sydney) di akun Anda, buka halaman Pengaturan di dasbor AWS Control Tower Anda. Dari sana, perbarui landing zone Anda ke rilis terbaru. Kemudian, perbarui akun Anda satu per satu.

> **Note**
>
> Memperbarui landing zone Anda tidak secara otomatis memperbarui akun Anda. Jika Anda memiliki lebih dari beberapa akun, pembaruan yang diperlukan dapat memakan waktu. Oleh karena itu, kami menyarankan agar Anda menghindari perluasan landing zone AWS Control Tower Anda ke Wilayah di mana Anda tidak memerlukan beban kerja Anda untuk dijalankan.

Untuk informasi tentang perilaku yang diharapkan dari kontrol detektif sebagai hasil dari penyebaran ke Wilayah baru, lihat. Konfigurasikan Wilayah AWS Control Tower

Penyediaan akun satu langkah di AWS Control Tower

Maret 2, 2020

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang mendukung penyediaan akun satu langkah melalui konsol AWS Control Tower. Fitur ini memungkinkan Anda untuk menyediakan akun baru dari dalam konsol AWS Control Tower.

Untuk menggunakan formulir yang disederhanakan, navigasikan ke Account Factory di konsol AWS Control Tower, lalu pilih Penyediaan akun Cepat. AWS Control Tower menetapkan alamat email yang sama ke akun yang disediakan dan pengguna masuk tunggal (IAM Identity Center) yang dibuat untuk akun tersebut. Jika Anda mengharuskan kedua alamat email ini berbeda, Anda harus menyediakan akun Anda melalui Service Catalog.

Perbarui akun yang Anda buat melalui penyediaan akun cepat dengan menggunakan Service Catalog dan pabrik akun AWS Control Tower, sama seperti pembaruan ke akun lainnya.

> **Note**
>
> Pada April 2020, kemampuan penyediaan akun Cepat diubah namanya menjadi akun Daftarkan. Pada Juni 2022, kemampuan untuk membuat dan memperbarui akun di konsol AWS Control Tower dipisahkan dari kemampuan untuk mendaftarkan AWS akun. Untuk informasi selengkapnya, lihat Daftarkan akun yang ada.

Alat penonaktifan AWS Control Tower

Februari 28, 2020

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang mendukung alat penonaktifan otomatis untuk membantu Anda membersihkan sumber daya yang dialokasikan oleh AWS Control Tower. Jika Anda tidak lagi berniat menggunakan AWS Control Tower untuk perusahaan Anda, atau jika Anda memerlukan pemindahan besar-besaran sumber daya organisasi Anda, Anda mungkin ingin membersihkan sumber daya yang dibuat saat pertama kali menyiapkan landing zone.

Untuk menonaktifkan landing zone Anda dengan menggunakan proses yang sebagian besar otomatis, hubungi AWS Support untuk mendapatkan bantuan dengan langkah-langkah tambahan yang diperlukan. Untuk informasi lebih lanjut tentang penonaktifan, lihat. Panduan: Menonaktifkan Zona Pendaratan AWS Control Tower

Pemberitahuan acara siklus hidup AWS Control Tower

Januari 22, 2020

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower mengumumkan ketersediaan notifikasi peristiwa siklus hidup. Peristiwa siklus hidup menandai penyelesaian tindakan AWS Control Tower yang dapat mengubah status sumber daya seperti unit organisasi (OU), akun, dan kontrol yang dibuat dan dikelola oleh AWS Control Tower. Peristiwa siklus hidup direkam sebagai AWS CloudTrail peristiwa dan dikirimkan ke Amazon EventBridge sebagai peristiwa.

AWS Control Tower mencatat peristiwa siklus hidup setelah menyelesaikan tindakan berikut yang dapat dilakukan menggunakan layanan: membuat atau memperbarui landing zone; membuat atau menghapus OU; mengaktifkan atau menonaktifkan kontrol pada OU; dan menggunakan pabrik akun untuk membuat akun baru atau memindahkan akun ke OU lain.

AWS Control Tower menggunakan beberapa AWS layanan untuk membangun dan mengatur lingkungan multi-akun AWS praktik terbaik. Diperlukan waktu beberapa menit untuk menyelesaikan tindakan AWS Control Tower. Anda dapat melacak peristiwa siklus hidup di CloudTrail log untuk memverifikasi apakah tindakan AWS Control Tower yang berasal berhasil diselesaikan. Anda dapat membuat EventBridge aturan untuk memberi tahu Anda saat CloudTrail merekam peristiwa siklus hidup atau untuk secara otomatis memicu langkah berikutnya dalam alur kerja otomatisasi Anda.

Januari - Desember 2019

Mulai 1 Januari hingga 31 Desember 2019, AWS Control Tower merilis pembaruan berikut:

- Ketersediaan umum AWS Control Tower versi 2.2
- Kontrol elektif baru di AWS Control Tower
- Kontrol detektif baru di AWS Control Tower
- AWS Control Tower menerima alamat email untuk akun bersama dengan domain berbeda dari akun manajemen
- Ketersediaan umum AWS Control Tower versi 2.1

Ketersediaan umum AWS Control Tower versi 2.2

November 13, 2019

(Pembaruan diperlukan untuk landing zone AWS Control Tower. Untuk informasi, lihatPerbarui Zona Pendaratan Anda.)

AWS Control Tower versi 2.2 menyediakan tiga kontrol preventif baru yang mencegah penyimpangan di akun:

- Larang Perubahan pada Grup CloudWatch Log Amazon Logs yang disiapkan oleh AWS Control Tower
- Larang Penghapusan Otorisasi Agregasi AWS Config yang Dibuat oleh AWS Control Tower
- Larang Penghapusan Arsip Log

Kontrol adalah aturan tingkat tinggi yang menyediakan tata kelola berkelanjutan untuk lingkungan Anda secara keseluruhan AWS . Saat Anda membuat landing zone AWS Control Tower, landing zone dan semua unit organisasi (OU), akun, dan sumber daya sesuai dengan aturan tata kelola yang diberlakukan oleh kontrol yang Anda pilih. Saat Anda dan anggota organisasi Anda menggunakan landing zone, perubahan (disengaja atau disengaja) dalam status kepatuhan ini dapat terjadi. Deteksi drift membantu Anda mengidentifikasi sumber daya yang memerlukan perubahan atau pembaruan konfigurasi untuk menyelesaikan penyimpangan. Untuk informasi selengkapnya, lihat Mendeteksi dan mengatasi penyimpangan di AWS Control Tower.

Kontrol elektif baru di AWS Control Tower

September 05, 2019

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang mencakup empat kontrol elektif baru berikut:

- Larang Hapus Tindakan di Bucket Amazon S3 Tanpa MFA
- Larang Perubahan Konfigurasi Replikasi untuk Bucket Amazon S3
- Larang Tindakan sebagai Pengguna Root
- Larang Pembuatan Kunci Akses untuk Pengguna Root

Kontrol adalah aturan tingkat tinggi yang menyediakan tata kelola berkelanjutan untuk lingkungan Anda secara keseluruhan AWS . Guardrails memungkinkan Anda untuk mengekspresikan niat kebijakan Anda. Untuk informasi selengkapnya, lihat Tentang kontrol di AWS Control Tower.

Kontrol detektif baru di AWS Control Tower

Agustus 25, 2019

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

AWS Control Tower sekarang mencakup delapan kontrol detektif baru berikut:

- Deteksi Apakah Pembuatan Versi untuk Bucket Amazon S3 Diaktifkan
- Mendeteksi Apakah MFA Diaktifkan untuk Pengguna AWS IAM Konsol AWS
- Mendeteksi Apakah MFA Diaktifkan untuk AWS Pengguna IAM
- Mendeteksi Apakah Optimasi Amazon EBS Diaktifkan untuk Instans Amazon EC2
- Mendeteksi Apakah Volume Amazon EBS Terlampir ke Instans Amazon EC2
- Mendeteksi Apakah Akses Publik ke Instans Basis Data Amazon RDS Diaktifkan
- Deteksi Apakah Akses Publik ke Snapshot Basis Data Amazon RDS Diaktifkan
- Mendeteksi Apakah Enkripsi Penyimpanan Diaktifkan untuk Instans Basis Data Amazon RDS

Kontrol adalah aturan tingkat tinggi yang menyediakan tata kelola berkelanjutan untuk lingkungan Anda secara keseluruhan AWS . Kontrol detektif mendeteksi ketidakpatuhan sumber daya dalam akun Anda, seperti pelanggaran kebijakan, dan memberikan peringatan melalui dasbor. Untuk informasi selengkapnya, lihat Tentang kontrol di AWS Control Tower.

AWS Control Tower menerima alamat email untuk akun bersama dengan domain berbeda dari akun manajemen

Agustus 01, 2019

(Tidak diperlukan pembaruan untuk landing zone AWS Control Tower)

Di AWS Control Tower, Anda sekarang dapat mengirimkan alamat email untuk akun bersama (arsip log dan anggota audit) dan akun anak (dijual menggunakan pabrik akun) yang domainnya berbeda dari alamat email akun manajemen. Fitur ini hanya tersedia saat Anda membuat landing zone baru dan saat Anda menyediakan akun anak baru.

Ketersediaan umum AWS Control Tower versi 2.1

Juni 24, 2019

(Pembaruan diperlukan untuk landing zone AWS Control Tower. Untuk informasi, lihatPerbarui Zona Pendaratan Anda.)

AWS Control Tower sekarang tersedia secara umum dan didukung untuk penggunaan produksi. AWS Control Tower ditujukan untuk organisasi dengan banyak akun dan tim yang mencari cara termudah untuk mengatur AWS lingkungan multi-akun baru mereka dan mengatur dalam skala besar. Dengan AWS Control Tower, Anda dapat membantu memastikan bahwa akun di organisasi Anda sesuai dengan kebijakan yang ditetapkan. Pengguna akhir di tim terdistribusi dapat menyediakan AWS akun baru dengan cepat.

Dengan AWS Control Tower, Anda dapat menyiapkan landing zone yang menggunakan praktik terbaik seperti mengonfigurasi struktur multi-akun menggunakan AWS Organizations, mengelola identitas pengguna, dan akses gabungan, mengaktifkan penyediaan akun melalui Service Catalog AWS IAM Identity Center, dan membuat arsip log terpusat menggunakan dan. AWS CloudTrail AWS Config

Untuk tata kelola yang sedang berlangsung, Anda dapat mengaktifkan kontrol pra-konfigurasi, yang merupakan aturan yang jelas untuk keamanan, operasi, dan kepatuhan. Guardrails membantu mencegah penyebaran sumber daya yang tidak sesuai dengan kebijakan dan terus memantau sumber daya yang diterapkan untuk ketidaksesuaian. Dasbor AWS Control Tower menyediakan visibilitas terpusat ke AWS lingkungan termasuk akun yang disediakan, kontrol diaktifkan, dan status kepatuhan akun.

Anda dapat mengatur lingkungan multi-akun baru dengan satu klik di konsol AWS Control Tower. Tidak ada biaya tambahan atau komitmen di muka untuk menggunakan AWS Control Tower. Anda hanya membayar untuk AWS layanan yang diaktifkan untuk menyiapkan landing zone dan menerapkan kontrol yang dipilih.

Riwayat dokumen

- Pembaruan dokumentasi terbaru: 22 Februari 2024

Tabel berikut menjelaskan perubahan penting pada Panduan Pengguna AWS Control Tower. Untuk notifikasi tentang pembaruan dokumentasi, Anda dapat berlangganan ke umpan RSS.

Perubahan	Deskripsi	Tanggal
Menandai `EnabledControl` sumber daya di AWS CloudFormation	AWS Control Tower mendukung penambahan tag ke `EnabledControl` sumber daya, melalui AWS CloudFormation templat.	Februari 22, 2024
API dasar tersedia	AWS Control Tower merilis API baru untuk mendaftarkan OU secara terprogram.	Februari 14, 2024
AWS Control Tower landing zone versi 3.3	AWS Control Tower landing zone versi 3.3 tersedia.	14 Desember 2023
AWS Control Tower mengumumkan kontrol untuk membantu kedaulatan digital	AWS Control Tower merilis sekelompok kontrol untuk membantu pelanggan dengan persyaratan kedaulatan digital.	27 November 2023
AWS Control Tower mendukung API landing zone	AWS Control Tower mendukung konfigurasi dan peluncuran zona pendaratan menggunakan API baru.	26 November 2023
AWS Control Tower mendukung kontrol yang diaktifkan penandaan	AWS Control Tower mendukung penandaan kontrol yang diaktifkan, di konsol dan dengan API baru.	10 November 2023

AWS Control Tower tersedia di Asia Pasifik (Melbourne) Wilayah AWS	Tersedia di Wilayah Asia Pasifik (Melbourne).	3 November 2023
API kontrol baru tersedia	AWS Control Tower merilis API kontrol baru.	Oktober 14, 2023
AWS Control Tower meluncurkan kontrol baru	AWS Control Tower merilis kontrol proaktif dan detektif baru.	5 Oktober 2023
AWS Control Tower melaporkan penyimpangan dari menonaktifkan akses tepercaya	AWS Control Tower memberi tahu pelanggan saat drift terjadi, jika pelanggan mematikan akses tepercaya ke AWS Control Tower di. AWS Organizations	21 September 2023
AWS Control Tower tersedia dalam empat tambahan Wilayah AWS	Tersedia di Asia Pasifik (Hyderabad), Eropa (Spanyol dan Zurich), dan Timur Tengah (UEA).	13 September 2023
AWS Control Tower tersedia di Wilayah Tel Aviv	AWS Control Tower tersedia di Wilayah Tel Aviv, il-central-1.	28 Agustus 2023
AWS Control Tower meluncurkan 28 kontrol proaktif baru	AWS Control Tower merilis 28 kontrol proaktif baru.	Juli 24, 2023
AWS Control Tower menghentikan 2 kontrol	AWS Control Tower akan menghapus dua kontrol dari pustaka kontrol, efektif 18 Agustus 2023.	Juli 18, 2023
AWS Control Tower landing zone 3.2 tersedia	AWS Control Tower landing zone versi 3.2 tersedia.	Juni 16, 2023

AWS Control Tower menangani akun berdasarkan ID	AWS Control Tower melacak ID AWS akun, bukan alamat email akun.	Juni 14, 2023
Kontrol detektif Security Hub tambahan tersedia	AWS Control Tower menambahkan sepuluh kontrol baru ke pustaka kontrol, untuk Standar yang Dikelola Layanan Security Hub: AWS Control Tower.	12 Juni 2023
AWS Control Tower menerbitkan tabel metadata kontrol	AWS Control Tower sekarang menyediakan tabel metadata kontrol sebagai bagian dari dokumentasi yang diterbitkan.	Juni 7, 2023
Dukungan Terraform untuk Kustomisasi Account Factory	Dukungan wilayah tunggal untuk cetak biru sumber terbuka Terraform di AFC.	6 Juni 2023
AWS Manajemen mandiri IAM tersedia untuk landing zone	AWS Control Tower kini mendukung pelanggan dalam memilih penyedia identitas mereka untuk landing zone.	6 Juni 2023
Peran baru ditambahkan	AWS Control Tower menambahkan peran terkait layanan baru AWSServiceRoleForAWSControlTower, dan kebijakan terkait,. AWSControlTowerAccountServiceRolePolicy	1 Juni 2023
Pembaruan tata kelola campuran	Pembaruan untuk memberi tahu pelanggan tentang tata kelola campuran.	1 Juni 2023

Tersedia kontrol proaktif tambahan	Kontrol proaktif baru membantu Anda dalam mengatur lingkungan multi-akun Anda dan memenuhi tujuan kontrol tertentu.	19 Mei 2023
Tujuh Wilayah tambahan tersedia	AWS Control Tower sekarang tersedia dalam tujuh tambahan Wilayah AWS: California Utara (San Francisco), Asia Pasifik (Hong Kong, Jakarta, dan Osaka), Eropa (Milan), Timur Tengah (Bahrain), dan Afrika (Cape Town).	19 April 2023
Ubah ke kebijakan terkelola	Kami mengubah AWSControlTowerServiceRolePolicysehingga AWS Control Tower dapat memanggil`EnableRegion` ,`ListRegions` , `GetRegionOptStatus` API yang diimplementasikan oleh layanan Manajemen AWS Akun.	6 April 2023
Penelusuran permintaan kustomisasi akun umumnya tersedia	AWS Control Tower sekarang mendukung kemampuan untuk melacak permintaan penyesuaian akun menggunakan alur kerja Account Factory for Terraform (AFT).	16 Februari 2023

Pembaruan praktik terbaik IAM	Panduan yang diperbaru i untuk menyelaraskan dengan rekomendasi praktik terbaik IAM. Untuk informasi selengkapnya, lihat Praktik terbaik keamanan di IAM.	15 Februari 2023
AWS Control Tower landing zone 3.1 tersedia	AWS Control Tower landing zone 3.1 tersedia.	9 Februari 2023
Kontrol proaktif umumnya tersedia	Kontrol proaktif diluncurkan dari status pratinjau hingga ketersediaan umum.	Januari 24, 2023
Operasi akun bersamaan	AWS Control Tower sekarang mendukung hingga lima (5) tindakan bersamaan di pabrik akun. Anda dapat membuat, memperbarui, atau mendaftarkan hingga lima akun sekaligus.	16 Desember 2022
Kontrol proaktif membantu dalam penyediaan sumber daya	AWS Control Tower sekarang mendukung kontrol proaktif, diimplementasikan melalui AWS CloudFormation kait.	28 November 2022
Kustomisasi akun pabrik tersedia	AWS Control Tower sekarang mendukung penyediaan akun dengan templat akun yang dapat disesuaikan, yang disebut cetak biru, langsung dari konsol AWS Control Tower.	28 November 2022

Status kepatuhan dapat dilihat untuk semua AWS Config aturan	AWS Control Tower sekarang menampilkan status kepatuhan semua AWS Config aturan yang diterapkan ke unit organisasi yang terdaftar di AWS Control Tower.	18 November 2022
Ubah ke kebijakan terkelola	Kami mengubah AWSControlTowerServiceRolePolicysehingga AWS Control Tower dapat mengambil `AWSControlTowerBlueprintAccess` peran, yang diperlukan untuk penyesuaian Account Factory.	28 Oktober 2022
API untuk kontrol, AWS CloudFormation sumber daya	AWS Control Tower sekarang mendukung aktivasi dan penonaktifan kontrol melalui serangkaian panggilan API, dan AWS CloudFormation sumber daya baru.	September 1, 2022
CFCT mendukung penghapusan set tumpukan	CFCT mendukung penghapusan kumpulan tumpukan, dengan menetapkan parameter dalam file manifes.	26 Agustus 2022
Retensi log yang disesuaikan	Anda dapat menyesuaikan kebijakan penyimpanan untuk bucket Amazon S3 yang menyimpan CloudTrail log AWS Control Tower Anda, dalam beberapa hari atau tahun, hingga maksimal 15 tahun.	Agustus 15, 2022

Perbaikan drift peran tersedia	AWS Control Tower mendukung perbaikan untuk drift peran, tanpa perbaikan penuh dari landing zone.	Agustus 11, 2022
Versi 3.0 tersedia	AWS Control Tower landing zone versi 3.0 berubah dari jalur berbasis akun menjadi AWS CloudTrail jalur berbasis organisasi, dan memperbar ui kebijakan terkelola untuk mengaktifkan jejak tingkat organisasi. Ini memungkin kan Anda untuk mengumpul kan AWS Config informasi di Wilayah asal Anda saja. Versi 3.0 juga mencakup pembaruan ke wilayah penolakan kontrol, dan dua kontrol detektif baru.	Juli 29, 2022
Halaman Organisasi menggabungkan tampilan OU dan akun	Halaman Organisasi baru di AWS Control Tower menampilkan tampilan hierarkis semua unit Organisasi (OU) dan akun.	18 Juli 2022
Ubah ke kebijakan terkelola	Kami mengubah AWSControlTowerServiceRolePolicysehingga pelanggan dapat memiliki AWS CloudTrail jalur tingkat organisasi untuk mengumpulkan log. AWS CloudTrail	Juni 20, 2022

Mendaftar dan memperbarui akun anggota yang lebih mudah	AWS Control Tower sekarang memberi Anda kemampuan untuk mendaftarkan dan memperbarui akun anggota secara individual, dari dalam landing zone Anda. Setiap akun menunjukkan kapan tersedia untuk pembaruan . Kami memisahkan tombol Daftarkan akun dari alur kerja Buat akun di Account Factory.	31 Mei 2022
AFT mendukung kustomisasi untuk akun bersama	AWS Control Tower Account Factory untuk Terraform sekarang mendukung penyesuaian untuk akun manajemen AWS Control Tower, arsip log, dan akun audit.	Mei 27, 2022
Operasi bersamaan untuk semua kontrol opsional	AWS Control Tower sekarang memungkinkan Anda untuk menerapkan dan menghapus pagar pencegahan opsional secara bersamaan, serta kontrol detektif.	Mei 18, 2022
Akun keamanan dan pencatatan yang ada	AWS Control Tower sekarang mendukung kemampuan untuk menghadirkan akun keamanan dan logging yang ada, daripada membuat akun baru selama pengaturan landing zone.	Mei 16, 2022

Versi 2.9 tersedia	AWS Control Tower landing zone versi 2.9 memperbarui notifikasi forwarder Lambda untuk menggunakan runtime Python versi 3.9.	22 April 2022
Dukungan yang diperbarui untuk praktik AWS terbaik, versi 2.8 tersedia	AWS Control Tower landing zone versi 2.8 memberikan dukungan tambahan untuk memastikan beban kerja dan AWS akun Anda selaras dengan AWS praktik terbaik.	Februari 10, 2022
Wilayah menolak kontrol	AWS Control Tower sekarang menyertakan kontrol yang membantu Anda membatasi akses ke AWS Wilayah, untuk mengatasi masalah kepatuhan dan peraturan.	30 November 2021
Kontrol residensi data	AWS Control Tower kini mendukung kontrol yang membantu Anda mengelola residensi data dengan kontrol granular.	30 November 2021
Pabrik Akun AWS Control Tower untuk Terraform	AWS Control Tower sekarang mendukung Terraform untuk penyediaan dan pembaruan akun otomatis.	29 November 2021

Acara siklus hidup baru tersedia	`PrecheckOrganizationalUnit` Peristiwa mencatat apakah sumber daya apa pun memblokir tugas Perluas tata kelola agar tidak berhasil, termasuk sumber daya di OU bersarang.	18 November 2021
OU bersarang tersedia	AWS Control Tower sekarang memungkinkan landing zone Anda berisi struktur OU bersarang.	November 16, 2021
Konkurensi kontrol detektif	Kontrol detektif AWS Control Tower sekarang mendukung mengaktifkan dan menonaktifkan operasi secara bersamaan.	November 5, 2021
Dua wilayah baru tersedia	AWS Control Tower sekarang tersedia di dua AWS Wilayah baru, Wilayah Eropa (Paris) dan Wilayah Amerika Selatan (São Paulo).	29 Juli 2021
Pencabutan wilayah	Anda dapat membatalkan pilihan AWS Wilayah yang tidak lagi ingin Anda atur melalui AWS Control Tower.	29 Juli 2021
Kunci KMS tersedia	Anda dapat secara opsional membuat atau memilih kunci KMS yang Anda kelola, untuk mengenkripsi data dan sumber daya Anda.	28 Juli 2021

Ubah ke kebijakan terkelola	Kami mengubah AWSControlTowerServiceRolePolicysehingga pelanggan dapat menggunakan kunci enkripsi KMS mereka sendiri untuk AWS CloudTrail log.	28 Juli 2021
Nama kontrol berubah, fungsionalitas tidak berubah	Nama dan deskripsi kontrol tertentu diperbarui untuk lebih mencerminkan niat kebijakan kontrol, tanpa perubahan fungsionalitas.	26 Juli 2021
Pemindaian otomatis SCP terkelola	AWS Control Tower melakukan pemindaian otomatis harian SCP terkelola untuk memeriksa penyimpangan.	11 Mei 2021
Nama yang disesuaikan untuk OU dan akun	AWS Control Tower memungkinkan Anda memberikan nama yang disesuaikan selama proses penyiapan landing zone, untuk OU dan akun penting, tanpa membuat drift.	16 April 2021
Menonaktifkan landing zone adalah layanan mandiri	AWS Control Tower sekarang memungkinkan Anda untuk menonaktifkan landing zone tanpa menghubungi AWS Support. Penonaktifan adalah proses semi-otomatis yang tidak dapat dibatalkan. Ini tidak sama dengan menghapus semua sumber daya AWS Control Tower secara manual.	9 April 2021

Tiga Wilayah tambahan	AWS Control Tower kini tersedia di tiga AWS Wilayah tambahan: Wilayah Asia Pasifik (Tokyo), Wilayah Asia Pasifik (Seoul), dan Wilayah Asia Pasifik (Mumbai).	8 April 2021
Kontrol Arsip Log baru, landing zone versi 2.7 tersedia	Empat kontrol Arsip Log baru menyediakan tata kelola Arsip Log atas sumber daya AWS Control Tower, terpisah dari tata kelola sumber daya di luar AWS Control Tower. Panduan tentang empat kontrol yang ada telah berubah dari wajib menjadi pilihan. Versi 2.7 dari AWS Control Tower landing zone menyertakan persyarat an untuk HTTPS, yang tidak dapat dibatalkan setelah Anda memperbarui.	8 April 2021
Pemilihan wilayah	Pemilihan Wilayah AWS Control Tower memberika n kemampuan yang lebih baik untuk mengelola jejak geografis sumber daya AWS Control Tower Anda. Untuk memperluas jumlah Wilayah tempat Anda menampung AWS sumber daya atau beban kerja — untuk kepatuhan, peraturan, biaya, atau alasan lainnya — Anda sekarang dapat memilih Wilayah tambahan yang akan diatur.	19 Februari 2021

Daftarkan OU dan atur semua akunnya dengan AWS Control Tower sekaligus	AWS Control Tower menambahkan kemampuan untuk mendaftarkan OU, yang merupakan cara untuk membawa beberapa akun ke dalam tata kelola pada saat yang bersamaan.	28 Januari 2021
Beberapa pembaruan akun di OU terdaftar	Anda sekarang dapat memperbarui semua akun di unit AWS Organizations organisasi terdaftar (OU) yang berisi hingga 300 akun, dengan satu klik, dari dasbor AWS Control Tower. Fitur pembaruan beberapa akun, juga disebut sebagai pembaruan massal, menghilangkan kebutuhan untuk memperbarui satu akun pada satu waktu, atau menggunakan skrip eksternal untuk melakukan pembaruan pada beberapa akun secara bersamaan.	28 Januari 2021
Peran baru untuk menggabungkan OU dan akun yang tidak dikelola	Peran baru membantu dalam mendeteksi AWS Config aturan eksternal, sehingga AWS Control Tower tidak perlu mendapatkan akses ke akun yang tidak dikelola.	29 Desember 2020

AWS Control Tower tersedia di lebih banyak AWS Wilayah.	AWS Control Tower sekarang tersedia untuk digunakan di Wilayah Asia Pasifik (Singapura), Wilayah Eropa (Frankfurt), Wilayah Eropa (London), Wilayah Eropa (Stockholm), dan Wilayah Kanada (Tengah). Dengan peluncuran ini AWS Control Tower sekarang tersedia di 10 AWS Wilayah. Pembaruan landing zone ini mencakup semua Wilayah yang terdaftar, dan tidak dapat dibatalkan. Setelah memperbarui landing zone ke versi 2.5, Anda harus memperbarui secara manual semua akun AWS Control Tower yang terdaftar untuk mengatur di 10 Wilayah yang didukung AWS .	18 November 2020
Kontrol pembaruan	Versi yang diperbarui telah dirilis untuk kontrol wajib`AWS-GR_IAM_ROLE_CHANGE_PROHIBITED` . Kontrol yang diperbarui memungkinkan pendaftaran akun otomatis yang lebih mudah.	8 Oktober 2020

Halaman informasi terkait sekarang tersedia untuk AWS Control Tower	Halaman informasi terkait memudahkan Anda menemukan tugas umum yang mungkin bermanfaat setelah menyiapkan landing zone AWS Control Tower Anda.	18 September 2020
Konsol AWS Control Tower menampilkan detail lebih lanjut tentang OU dan akun.	Dalam konsol AWS Control Tower, Anda dapat melihat detail lebih lanjut tentang AWS akun dan unit organisas i (OU) Anda. Halaman 'Akun' sekarang mencantumkan semua akun di organisas i Anda, terlepas dari status OU atau pendaftaran di AWS Control Tower. Anda sekarang dapat mencari, mengurutkan, dan memfilter di semua tabel.	22 Juli 2020
AWS Control Tower memungkinkan organisasi yang ada untuk menyiapkan landing zone	Anda sekarang dapat meluncurkan landing zone untuk AWS Control Tower di organisasi yang ada, untuk membawa organisas i ke dalam tata kelola. Kemampuan penyediaan akun Cepat di AWS Control Tower diubah namanya menjadi akun Enroll dan sekarang memungkinkan pendaftar an akun yang ada serta pembuatan AWS akun baru.	16 April 2020

AWS Control Tower sekarang tersedia di Asia Pasifik	AWS Control Tower sekarang tersedia untuk digunakan di AWS Wilayah Asia Pasifik (Sydney). Rilis ini memerlukan pembaruan manual untuk akun vended, pembaruan hanya jika Anda berencana untuk menjalankan beban kerja di Asia Pasifik (Sydney).	3 Maret 2020
Menonaktifkan zona landing zone AWS Control Tower dimungkinkan	AWS Support dapat membantu Anda menonaktifkan landing zone secara permanen melalui proses yang sebagian besar otomatis yang menjaga organisasi Anda, meskipun beberapa pembersihan manual diperlukan.	27 Februari 2020
Penyediaan akun cepat tersedia di AWS Control Tower	Penyediaan akun cepat memudahkan peluncuran akun anggota baru saat landing zone Anda diperbarui, dengan fitur akun Daftarkan.	20 Februari 2020
Peristiwa siklus hidup dilacak di AWS Control Tower	Peristiwa siklus hidup memberikan detail tambahan untuk peristiwa AWS Control Tower tertentu, untuk mempermudah otomatisasi alur kerja.	12 Desember 2019
Halaman Pengaturan dan Aktivitas tersedia untuk AWS Control Tower	Halaman Pengaturan dan Aktivitas memudahkan untuk memperbarui landing zone Anda dan melihat peristiwa yang dicatat.	November 30, 2019

Kontrol pencegahan tambahan tersedia untuk AWS Control Tower	Kontrol preventif di AWS Control Tower menjaga organisasi dan sumber daya Anda selaras dengan lingkungan Anda.	6 September 2019
Kontrol detektif tambahan tersedia untuk AWS Control Tower	Kontrol Detektif di AWS Control Tower memberikan informasi tentang status organisasi dan sumber daya Anda.	27 Agustus 2019
AWS Control Tower sekarang tersedia secara umum	AWS Control Tower adalah layanan yang menawarkan cara termudah untuk mengatur dan mengatur AWS lingkungan multi-akun Anda dalam skala besar.	24 Juni 2019

Wilayah AWS ketersediaan untuk kontrol AWS Control Tower

Bagian ini berisi tabel yang menunjukkan Wilayah AWS ketersediaan untuk kontrol. Ingatlah bahwa setiap kontrol memiliki pengenal API unik untuk setiap Wilayah tempat AWS Control Tower tersedia. Saat Anda bekerja dengan API kontrol, berikan pengenal untuk Wilayah tempat Anda melakukan panggilan API.

Terakhir diperbarui 28 Maret 2024.

af-south-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:af-south-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:af-south-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:af-south-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:af-selatan-1: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:af-south-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower: af-selatan-1: :kontrol/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower: af-selatan-1: :kontrol/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower: af-selatan-1: :kontrol/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_detect_cloudtrail_enabled_on_member_ac counts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:af-selatan-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:af-selatan-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2 , eu-u-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1 , us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:af-south-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:af-selatan-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:af-selatan-1: :Control/AWS-GR_RESTRICT_ROOT_User • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:af-selatan-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:af-selatan-1: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-south-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-soueu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:af-selatan-1: :kontrol/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:af-selatan-1: :control/zelxxbefaizk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:af-selatan-1: :control/BRXRBWLDnnXe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:af-selatan-1: :control/yckxugjpjjvq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:af-selatan-1: :control/ilkaCTDDSJMT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:af-south-1: :control/lodjmmsveomn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:af-selatan-1: :control/wsnstkygkfuc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:af-selatan-1: :control/tvzmdzvnreud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APPSYNC.PR.1
- arn:aws:controltower:af-selatan-1: :control/siiofvzpPRKF
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.2
- arn:aws:controltower:af-selatan-1: :control/wrajdimqfjnz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.3
- arn:aws:controltower:af-selatan-1: :control/xxamxnjjhizx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.4
- arn:aws:controltower:af-selatan-1: :control/hxpdfhuheagx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.5 • arn:aws:controltower:af-selatan-1: :kontrol/vqcmtfwzfesx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:af-selatan-1: :control/vnlzalrqbjho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:af-selatan-1: :control/gxlvugzwgpti • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:af-selatan-1: :Control/LPDQXNXjocug • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:af-selatan-1: :control/xpmjUvgqrzqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:af-selatan-1: :kontrol/zjukulwwshee • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:af-selatan-1: :control/pcogzfzuzxpx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:af-selatan-1: :kontrol/zniLugcqaiuq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:af-selatan-1: :control/yijblhbbqzvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:af-selatan-1: :control/ncnvpqrrqzro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:af-selatan-1: :control/yvpffbyvwoyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:af-selatan-1: :control/pjfbbozdwvxs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:af-selatan-1: :control/obrujgfhlwtl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:af-selatan-1: :kontrol/zkngGEqjfJew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:af-south-1: :control/qoufoyzmAhtp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:af-selatan-1: :kontrol/hyednwkaqEGW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:af-selatan-1: :control/jtuvgabklafe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:af-south-1: :control/eovqxrlmtyed • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:af-selatan-1: :control/vxryqogvhSUW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:af-selatan-1: :kontrol/hzeaihlpxgdg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:af-selatan-1: :control/mevravqyqcbd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:af-selatan-1: :Control/OIQLPXBBDAEF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:af-selatan-1: :control/RohxsitdIdwi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:af-selatan-1: :control/umsukoodjgne • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:af-selatan-1: :Control/CAZMRVABVNVZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:af-selatan-1: :control/arrmqaowvilw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:af-selatan-1: :control/rhloqrxgmgbq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:af-selatan-1: :control/hlhwsrjceydm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:af-selatan-1: :control/nsziackxczwu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:af-selatan-1: :kontrol/mdsocyvcvkct • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:af-south-1: :control/oldfvugrrhuk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:af-selatan-1: :control/ekmhyjgvzchg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:af-selatan-1: :control/wvyqzrgtlwhg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:af-selatan-1: :control/gcsghxxwtivo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:af-selatan-1: :control/dmzlxffhatnx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:af-selatan-1: :control/ewfvdykgedqm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:af-selatan-1: :Control/LXQDTRHemken • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.1 • arn:aws:controltower:af-selatan-1: :control/rkqeteugolzt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:af-selatan-1: :kontrol/silhlnrkXurr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-sout h-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:af-selatan-1: :control/pwuhxpbzioro • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:af-selatan-1: :control/unwefswwlqto • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:af-selatan-1: :control/fespixjaoulk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:af-selatan-1: :control/aiqlwaencevz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:af-selatan-1: :control/xdbaeaoqgfzq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.DYNAMODB.PR.1
- arn:aws:controltower:af-selatan-1: :control/xhwtlszdrhzd
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.DYNAMODB.PR.2
- arn:aws:controltower:af-selatan-1: :control/fwoevcmmzrie
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.1
- arn:aws:controltower:af-selatan-1: :control/rdgrkfsepuck
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:af-selatan-1: :control/zbxpgHgLMwxH • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:af-selatan-1: :control/jcitpfcdzuqi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:af-selatan-1: :control/Erdliqvqfjju • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.13
- arn:aws:controltower:af-selatan-1: :kontrol/qqxkjmhcuftx
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.14
- arn:aws:controltower:af-selatan-1: :kontrol/ppwmltweavhd
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.15
- arn:aws:controltower:af-selatan-1: :control/Tluqubllkewn
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.16 • arn:aws:controltower:af-selatan-1: :control/wzvbvfgptfyf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:af-selatan-1: :Control/ZuuyMacFmbyv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:af-selatan-1: :kontrol/hcwcespxjihw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.19 • arn:aws:controltower:af-selatan-1: :control/PVGFtiqeruky • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:af-selatan-1: :control/dukufdmkznne • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:af-selatan-1: :Control/HBPHHOIUVCIC • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:af-selatan-1: :control/yhthjbqjjvfq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:af-selatan-1: :control/nlxklurxrndl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:af-selatan-1: :control/etmsbmvidbmk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:af-selatan-1: :control/vfxwjqxLuihi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:af-selatan-1: :Control/hywnsPMvftmm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:af-selatan-1: :kontrol/khrcvsmbftbg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.9 • arn:aws:controltower:af-selatan-1: :control/ubkvzjixahca • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:af-selatan-1: :control/jejiqalgamrq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:af-selatan-1: :kontrol/samycdslhrsp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.3 • arn:aws:controltower:af-selatan-1: :control/vhaikmbjaynu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:af-selatan-1: :control/sstbojxrkdqw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:af-selatan-1: :control/yzbrypymhosr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:af-selatan-1: :control/uaxlthfetoay • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:af-selatan-1: :kontrol/ioiurojxaotb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:af-selatan-1: :kontrol/zcffkhbntvbl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.3 • arn:aws:controltower:af-selatan-1: :kontrol/fxwirnedjuvp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:af-selatan-1: :control/ndmgeezjexyo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:af-selatan-1: :kontrol/luphaykcdnot • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.11 • arn:aws:controltower:af-selatan-1: :control/vhgswxffxgea • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:af-selatan-1: :control/icyggntpxdri • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:af-selatan-1: :kontrol/yhhqmsoslwsq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECS.PR.3
- arn:aws:controltower:af-selatan-1: :control/ggzachvrluum
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.4
- arn:aws:controltower:af-selatan-1: :control/ddezlvowzivh
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.5
- arn:aws:controltower:af-selatan-1: :control/jljkxdpiiqqt
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:af-selatan-1: :kontrol/hornbwcmjorw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:af-selatan-1: :control/serkyjmnjnys • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:af-selatan-1: :Control/SMFMCNFPQLZO • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:af-selatan-1: :control/kfpxjhopuqjk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:af-selatan-1: :kontrol/gbjgLFTTbms • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:af-selatan-1: :control/pinkrroctzkv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:af-selatan-1: :control/HoqrgaEofJZL • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:af-selatan-1: :control/hbfyzgbecjmi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:af-selatan-1: :control/bvtitoucjxhe • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:af-selatan-1: :control/rgxktkoyekbi • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:af-selatan-1: :control/rctlxamlchxc • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:af-selatan-1: :control/fgnjbrongtog • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:af-selatan-1: :control/wlpsxaaivlnt • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:af-selatan-1: :kontrol/fkpwljzcntez • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:af-selatan-1: :control/dfpwbgxpawxb • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:af-selatan-1: :control/frrhegtsolmj • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:af-selatan-1: :control/wjomtuocasvn • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:af-selatan-1: :control/lbdebbxuishg • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:af-south-1: :control/srjvtnokskyw • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:af-selatan-1: :control/qkhcguwamjgm • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:af-selatan-1: :kontrol/bqrkdwsqpqxA • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:af-selatan-1: :kontrol/waklgktprgmm • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:af-selatan-1: :control/yxpxyzwdcgbw • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:af-selatan-1: :control/bgrusjxrhmlt • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:af-selatan-1: :control/vusTfqGunemp • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:af-selatan-1: :kontrol/dksvezccpuao • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:af-selatan-1: :control/nvgzyxilizlg • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:af-selatan-1: :kontrol/rlhxgpmichhc • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:af-selatan-1: :control/ogbthheofjim • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:af-selatan-1: :Control/XFLHCLMjqkNo • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:af-selatan-1: :control/wdlczeenwasp • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:af-selatan-1: :control/vdogntmsumjg • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:af-selatan-1: :control/lnoaJyutffua • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:af-selatan-1: :control/crfnoalwzkjx • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:af-selatan-1: :control/tlbppgcchpwd • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:af-selatan-1: :control/xfqfmxgykbnp • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:af-selatan-1: :Control/SAPJRYDGPIJG • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:af-selatan-1: :control/mnuyllryythp • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.3 • arn:aws:controltower:af-selatan-1: :control/mvglrqdigvky • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:af-selatan-1: :control/whagyfspkxke • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:af-selatan-1: :Control/JWHFWNFLFRPL • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:af-selatan-1: :control/mhnksdEffgql • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.IAM.PR.1
- arn:aws:controltower:af-selatan-1: :control/nvnhmajpwyqs
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.2
- arn:aws:controltower:af-selatan-1: :control/jqiiummbporm
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.3
- arn:aws:controltower:af-selatan-1: :control/xiiaJqqEISqw
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.4
- arn:aws:controltower:af-selatan-1: :control/cmhctvlgoazb
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.5 • arn:aws:controltower:af-selatan-1: :control/pykmstzyydbo • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:af-selatan-1: :kontrol/kipnhGildqwa • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:af-selatan-1: :control/ntikmxfyujch • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:af-selatan-1: :control/uwoyybylajqs • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.3 • arn:aws:controltower:af-selatan-1: :control/oxtcgxklymew • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:af-selatan-1: :control/owhamaxnyxuk • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:af-selatan-1: :control/qcnpncyckwog • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:af-south-1: :control/faxvinugmykc • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.4 • arn:aws:controltower:af-selatan-1: :control/oisqvdwkrrce • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:af-selatan-1: :control/rnvmmpnxuuhe • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:af-selatan-1: :kontrol/IOAEQLaJyojX • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:af-selatan-1: :kontrol/UIBDVHmmVauf • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.3 • arn:aws:controltower:af-selatan-1: :control/qrubhqkoldeo • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:af-selatan-1: :control/jreqflrkpLTJ • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:af-selatan-1: :control/UDPWLFKXATVG • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:af-selatan-1: :control/dewawzecdnwd • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.1 • arn:aws:controltower:af-selatan-1: :control/psyzrcxfcvtv • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:af-selatan-1: :control/oescslvhvsle • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:af-selatan-1: :control/wsjwkpyqttnu • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:af-selatan-1: :Control/kjeugeKunLzz • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.1 • arn:aws:controltower:af-selatan-1: :control/bahwmnpelsas • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:af-selatan-1: :control/yxnjqqtvfnis • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:af-selatan-1: :Control/VXHNRWGnCBCI • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:af-selatan-1: :Control/eryikqHLGOSR • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.2 • arn:aws:controltower:af-selatan-1: :control/nchillhmrkWV • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:af-selatan-1: :control/MajyueofRPCV • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:af-selatan-1: :control/qxmaaxpckzfs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:af-selatan-1: :control/rbocorviyGTI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:af-selatan-1: :control/IumiPauhWACS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:af-selatan-1: :control/rsvjlvhyrqnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:af-selatan-1: :control/auwsqhuowbso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:af-selatan-1: :control/qpyernzeovfw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:af-selatan-1: :kontrol/yriowakikpbi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:af-selatan-1: :control/sqgkfipvdstl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:af-selatan-1: :kontrol/gaerojsfbvfu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:af-selatan-1: :kontrol/lehjkcaWOHPJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:af-selatan-1: :Control/SnifQJTWztDE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:af-selatan-1: :control/IIUIGPGDAKKS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:af-selatan-1: :control/cotpywonncwv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:af-selatan-1: :control/grucglohaaod • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:af-selatan-1: :control/UYWBKVDKLLPS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:af-selatan-1: :control/wvgiwatqsxnv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:af-selatan-1: :control/vhmqvlvzkwno • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:af-selatan-1: :Control/JCZCTQBRlifs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:af-selatan-1: :control/ibprsocdfqrg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:af-selatan-1: :control/artuadleduaq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:af-selatan-1: :control/wzhbbvaeubff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:af-selatan-1: :control/vvgowqkfjvyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:af-selatan-1: :control/cqeekoeibbiv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:af-selatan-1: :control/ydifcpcasqlb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:af-selatan-1: :control/lbqmOfwqpxzs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:af-selatan-1: :control/divkmuvkjcwc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:af-selatan-1: :control/nmxexscyfmnr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:af-selatan-1: :control/wqozjpdgwHxw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:af-selatan-1: :kontrol/GHxhzgkqcisf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:af-selatan-1: :control/tcjcrqsdcnjk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:af-selatan-1: :control/zdpippffbmja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:af-selatan-1: :kontrol/gzzzwrtehcnu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:af-selatan-1: :control/cwzdrbgtmCFC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:af-selatan-1: :control/wkbaynvadiuj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.2 • arn:aws:controltower:af-selatan-1: :control/siaTJXQTJBLB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:af-selatan-1: :control/zndmTuxuoQZx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:af-selatan-1: :Control/PLHGNFBDwebp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:af-selatan-1: :control/mzrajdtdfgwc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.23 • arn:aws:controltower:af-selatan-1: :control/ojjpxbdllivt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:af-selatan-1: :control/pincLJDJzdre • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:af-selatan-1: :kontrol/jmcdfxuftouv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:af-selatan-1: :control/vwvtykuvaghj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.27 • arn:aws:controltower:af-selatan-1: :kontrol/hubalwdIvqs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:af-selatan-1: :control/fbuwpgbdndmw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:af-selatan-1: :kontrol/vqdvpqmkbqqg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:af-selatan-1: :control/tgaKqpbvzILV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.30 • arn:aws:controltower:af-selatan-1: :control/zaiujqnighix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:af-selatan-1: :control/fuzqrlukmslx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:af-south-1: :control/whrjiorzfxil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:af-selatan-1: :kontrol/Ehairiigwohc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:af-selatan-1: :control/pzzaslhinuog • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:af-selatan-1: :control/hbytlqzewbju • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:af-selatan-1: :control/xnloihbxmweg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:af-selatan-1: :kontrol/umihktztaPav • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:af-selatan-1: :control/aizboyvpcgke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:af-selatan-1: :control/UCTWBOSnRLBI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower: af-selatan-1: :control/vibecvzywwso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower: af-selatan-1: :kontrol/yhkypmkiwuzd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.6 • arn:aws:controltower: af-selatan-1: :control/kskjrcbrsnuy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower: af-selatan-1: :kontrol/phpnuhcyjive • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower: af-selatan-1: :control/nhqcipxiudqd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower: af-selatan-1: :control/djabachzcydn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.1 • arn:aws:controltower: af-selatan-1: :control/lrnInxjvlTol • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower: af-selatan-1: :control/nphpuzyhvoiy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower: af-selatan-1: :Control/IXZSFQFPXBPB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower: af-selatan-1: :control/ctuttryqqdkz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.2 • arn:aws:controltower: af-selatan-1: :kontrol/hipgbzkdqskn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower: af-selatan-1: :kontrol/bhncvzbgrdsf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower: af-selatan-1: :kontrol/ATMhoatozicq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower: af-selatan-1: :control/qgmbaeohjwgp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.6 • arn:aws:controltower: af-selatan-1: :control/xbkzpyokfuzt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower: af-selatan-1: :kontrol/stvapgcpqsut • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower: af-selatan-1: :kontrol/mcgzbckmxtxn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower: af-selatan-1: :kontrol/qmvmrdvzdkwa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.2 • arn:aws:controltower: af-selatan-1: :kontrol/aciicouhvbvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower: af-selatan-1: :kontrol/hrmnwahhhtft • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower: af-selatan-1: :kontrol/ohhohnxkodua • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower: af-selatan-1: :control/awunocueClqa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower: af-selatan-1: :kontrol/wjfyniikqsec • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower: af-selatan-1: :control/typgeibrqhqw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower: af-selatan-1: :kontrol/lxwhhalwltcf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower: af-selatan-1: :control/plbwftqguypo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.1 • arn:aws:controltower: af-selatan-1: :kontrol/gqfgylkzjida • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower: af-selatan-1: :Control/OxOrbScqfWTQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower: af-selatan-1: :kontrol/afmifzsFcjam • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower: af-selatan-1: :control/facntugqmnfd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

ap-east-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:ap-east-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-east-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-east-1: :control/aws-gr_cloudtrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-east-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower: ap-east-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-east-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-east-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-east-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-east-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-east-1: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ap-east-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, sa-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-east-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-east-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-east-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-east-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:ap-east-1: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ap-east-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2 , eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:ap-timur-1: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-east-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-east-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-east-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ap-east-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-u-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-east-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-southeast-2, ap-southeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-east-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-east-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-east-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-east-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu--south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:ap-east-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-east-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-east-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-east-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-east-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-east-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-south-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-soueu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:ap-east-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-east-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-east-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-east-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:ap-east-1: :control/diuhehausspq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-east-1: :control/hqjnvxoqekex • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-east-1: :control/kaupnlfaxlzw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-east-1: :control/nlxapqrkpiyu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-east-1: :control/knvayhzacoeu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-east-1: :control/egrymabjbfud • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-east-1: :control/bofkpqacpdvg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-east-1: :control/bfehjbxpogjn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-east-1: :control/fazjyqkxznzd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.3 • arn:aws:controltower:ap-east-1: :control/parbbqzhxmyg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:ap-east-1: :control/adbioohvwily • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ap-east-1: :control/pvjzfmqqspffmqspfffmqspff:east-1: :control/pvjzfmqqspff • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-east-1: :control/juwgyffvxbgq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ATHENA.PR.2
- arn:aws:controltower:ap-east-1: :control/fsuybvwavpgk
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.1
- arn:aws:controltower:ap-east-1: :control/eumjcocoqpzv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.10
- arn:aws:controltower:ap-east-1: :control/xianjozoitxh
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.11
- arn:aws:controltower:ap-east-1: :control/nuzqytykblmd
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.AUTOSCALING.PR.2
- arn:aws:controltower:ap-east-1: :control/mreiltlelysg
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.4
- arn:aws:controltower:ap-east-1: :control/xjpqiyknhppf:east-1:
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.5
- arn:aws:controltower:ap-east-1: :control/eshyedtxwsuw
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.6
- arn:aws:controltower:ap-east-1: :control/evlgnfoneDR
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-east-1: :control/lmmgxhixujyz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-east-1: :control/xhmwnrxpssec • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-east-1: :control/trdtwmrsuzav • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-east-1: :control/mkjzcqjtjtuu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-east-1: :control/rmfpwftbheuw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ap-east-1: :control/rkeofhwpsmrg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:ap-east-1: :control/jytohoysnlmb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-east-1: :control/ddvlbnvhgdub • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.4
- arn:aws:controltower:ap-east-1: :control/wjkrcbqfhzmz
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.5
- arn:aws:controltower:ap-east-1: :control/hgfgdwijhium
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.6
- arn:aws:controltower:ap-east-1: :control/leonxwjlqtym
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.7
- arn:aws:controltower:ap-east-1: :control/fomsseiepeir
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-east-1: :control/rtjqeckExlQP • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-east-1: :control/kyetogmxujpf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-east-1: :control/jlcbxyfljkyt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-east-1: :control/ieidamybjtse • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-east-1: :control/bcjqmheytigx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-east-1: :control/cfoqbauvzyh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-east-1: :control/jasxxrcjagrm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-east-1: :control/fbrquvhbozpb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-east-1: :control/qajhrgegpdmx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-east-1: :control/east-1: control/east-1 • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-east-1: :control/ejmerdnujbqj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-east-1: :control/vydljeuyorhk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-east-1: :control/koznxugujoxa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-east-1: :control/xooysbytmvee • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-east-1: :control/dqvtqlqfttbt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:ap-east-1: :control/yersbeznalic • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:ap-east-1: :control/gpiacdhsjuvo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-east-1: :control/owwbuifrthwc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-east-1: :control/qapcpdzhyebff:east-1: :control/qapcpdzhyebff:east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:ap-east-1: :control/glhmepncyusq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-east-1: :control/ndcswmCFzfwk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-east-1: :control/htinnlwmxrad • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-east-1: :control/igouamzmjlpq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-east-1: :control/PrmtfXGWHHGM • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.1 • arn:aws:controltower:ap-east-1: :control/pnkppqymtjffffffffffffff:east-1: :control/pnkppqym • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-east-1: :control/hisqjlsebwsd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-east-1: :control/grofhqwvwgnj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:ap-east-1: :control/LszfxiaPrtnl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:ap-east-1: :control/dtdhlewfgskv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-east-1: :control/ygasehttcvjz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-east-1: :control/qscqvdjhekmv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:ap-east-1: :control/guvgihukhmjx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.17
- arn:aws:controltower:ap-east-1: :control/ssgqvsUliuco
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.18
- arn:aws:controltower:ap-east-1: :control/ntprvwtjpLDH
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.19
- arn:aws:controltower:ap-east-1: :control/trpsrcvretka
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.2
- arn:aws:controltower:ap-east-1: :control/oxdelgpzpgwl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.20
- arn:aws:controltower:ap-east-1: :control/bwqygyntytff
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.3
- arn:aws:controltower:ap-east-1: :control/wohimvfowtal
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.4
- arn:aws:controltower:ap-east-1: :control/jyopiaBwxZko
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.5
- arn:aws:controltower:ap-east-1: :control/nxuwxuaogpas
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:ap-east-1: :control/jgbjbnjykxys • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-east-1: :control/nimaukzkmioe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-east-1: :control/xrngsvnwuox • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:ap-east-1: :control/alctcnzfpwy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PV.1
- arn:aws:controltower:ap-east-1: :control/zscypaibxq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PV.2
- arn:aws:controltower:ap-east-1: :control/rlftoffBLX
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PV.3
- arn:aws:controltower:ap-east-1: :control/xockEfmnjojl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PV.4
- arn:aws:controltower:ap-east-1: :control/odnpakutmscp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:ap-east-1: :control/uyuhtdnani • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-east-1: :control/cviasrnencbk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-east-1: :control/ehpcwfmojuew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:ap-east-1: :control/pirumjaenjDF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.3 • arn:aws:controltower:ap-east-1: :control/cptyxymlloze • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:ap-east-1: :control/mzvxpglpgwvm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-east-1: :control/bdwmgkgtlc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:ap-east-1: :control/efcznpvomknp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:ap-east-1: :control/xakunaCppCIH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-east-1: :control/lxjsscoapfzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-east-1: :control/noiwgzckjdwv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:ap-east-1: :control/rhqtkxeGvonX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:ap-east-1: :control/afxfiknnjtcd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-east-1: :control/cbomkcltzdhu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-east-1: :control/dxbqecpiaBVE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:ap-east-1: :control/fRjmqpfLSysc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:ap-east-1: :control/cirjdrqjihri • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-east-1: :control/lrjdboeotgap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-east-1: :control/woiyzkwubdwg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-east-1: :control/zkjyxvysxgiv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:ap-east-1: :control/dhpffwwjjjjjju
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:ap-east-1: :control/bvluznpvrsmn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:ap-east-1: :control/aqmsltabzijn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:ap-east-1: :control/rttolxatlpii
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-east-1: :control/dzewfadzwcfadzwcp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-east-1: :Control/Qhahuqdyirij • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-east-1: :control/ofkhtkwfwhn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-east-1: :control/xoarmtavrpgi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-east-1: :control/aorfbcgnctrn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-east-1: :control/bzzgaalqhmgi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-east-1: :control/feucywwtilfU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-east-1: :control/hjbqvlynjrhh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-east-1: :control/lhfjtxlmrebc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-east-1: :control/jkbocktbfdms • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-east-1: :control/ctxvlaedjdlj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-east-1: :control/qrjndnxhwvfn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICLOADBALANCING.PR.11
- arn:aws:controltower:ap-east-1: :control/ybraemtmllQO
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICLOADBALANCING.PR.12
- arn:aws:controltower:ap-east-1: :control/UDCJOOJKFe
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICLOADBALANCING.PR.13
- arn:aws:controltower:ap-east-1: :control/xnmlhoxtxtyz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICLOADBALANCING.PR.14
- arn:aws:controltower:ap-east-1: :control/Lickejrynwtg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-east-1: :control/dblevfjhldwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-east-1: :control/tikcaypvlewi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-east-1: :control/cuudwqguomwe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-east-1: :control/zhtqablcbmij • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-east-1: :control/klkolhyuidkn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-east-1: :control/disfRWVXQRSD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:sws:controltower:ap-east-1: :control/jgnrbprfUjHz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-east-1: :control/tuaetwcfnphp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-east-1: :control/dltvtixrosgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-east-1: :control/mbpqygmwwwun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-east-1: :control/qhfqnhuajjos • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:ap-east-1: :control/qyntmmvilf: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:ap-east-1: :control/uhpyogsodqal • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-east-1: :control/svydusngtbao • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-east-1: :control/east-1: :control/east-1 • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:ap-east-1: :control/ljcrljpovctc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.2 • arn:aws:controltower:ap-east-1: :control/cpytouzuvomy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:ap-east-1: :control/orpnelruofkt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-east-1: :control/UfhnhlrVIPSM • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:ap-east-1: :control/iztczmfknczo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-east-1: :control/cpxpgddibiqv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-east-1: :control/rboowyightip • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-east-1: :control/jkljqlgqgqgvpY • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:ap-east-1: :control/ctnrpsCimtii • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:ap-east-1: :control/ptwpvukbhydm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-east-1: :control/phokvwowywywwwTb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-east-1: :control/llazypbbzyub • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:ap-east-1: :control/qyfkeoynzbiw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:sws:controltower:ap-east-1: :control/larqjqctxlkn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-east-1: :control/vqnidirznpxo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-east-1: :control/jvmxsvkdkfffouu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-east-1: :control/pzwtielyizte • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-east-1: :control/gmzagjhnxskp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-east-1: :control/toujwqchmrth • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-east-1: :control/dmnsqncznivc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-east-1: :control/spmkgjccjcjopn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-east-1: :control/dmqnskcjemge • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-east-1: :control/vtbbzhevnvoi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-east-1: :control/dxjdwwzotryo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:ap-east-1: :control/vjksjuwkzgrn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:ap-east-1: :control/wnvhocpcotrr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-east-1: :control/cwtmvehxotnw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-east-1: :control/bqehcqgvuzal • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-east-1: :control/mnxlyflervoh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-east-1: :control/THfqxqzmwHwz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:sws:controltower:ap-east-1: :control/cvrzomaswhhhh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-east-1: :control/vgeocpjnbaue • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-east-1: :control/cemwkhogonex • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-east-1: :control/iggmCFbbhycg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-east-1: :control/cwchpoddcpbb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:sws:controltower:ap-east-1: :control/oxbwnyzsdnxj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-east-1: :control/lqtkghevehhhhhb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.1 • arn:aws:sws:controltower:ap-east-1: :control/tndqhfjxdbps • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:sws:controltower:ap-east-1: :control/bhqiyxueqmk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-east-1: :control/xikcxgotlkej • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:sws:controltower:ap-east-1: :control/mtphrgymtxnz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-east-1: :control/drjpmhhmdlx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:sws:controltower:ap-east-1: :control/ubvzqbvuccn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-east-1: :control/ohtdbhwvhjkO • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-east-1: :control/hqxcyquhxDGA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:ap-east-1: :control/bxkdbcnekukq
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:ap-east-1: :control/gzfiocnjxqlt
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:ap-east-1: :control/djvtcgpzyslr
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:ap-east-1: :control/dngaakxqfdqfdqv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:ap-east-1: :control/nhtzgoyiswah
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.7
- arn:aws:controltower:ap-east-1: :control/ojfegcmaqkjo
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.8
- arn:aws:controltower:ap-east-1: :control/ajfwgmgactiu
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.9
- arn:aws:controltower:ap-east-1: :control/aasyblnjtfye
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.1 • arn:aws:controltower:ap-east-1: :control/phkjmgxzwmwh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-east-1: :control/znkdvovbdave • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-east-1: :control/fxbsifwkqxod • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:ap-east-1: :control/ecvbiucvkdhd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.13
- arn:aws:controltower:ap-east-1: :control/optpmaizqhqv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.14
- arn:aws:controltower:ap-east-1: :control/saqbrauembwq
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.15
- arn:aws:controltower:ap-east-1: :control/zatlszlrttse
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.16
- arn:aws:controltower:ap-east-1: :control/npbhbwquqzgy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.17
- arn:aws:controltower:ap-east-1: :control/eqzluzvlfbmg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.18
- arn:aws:controltower:ap-east-1: :control/thypqjumlhkt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.19
- arn:aws:controltower:ap-east-1: :control/lnrlbvginmlu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.2
- arn:aws:controltower:ap-east-1: :control/eenmwzamrydx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.20
- arn:aws:controltower:ap-east-1: :control/ktyttdoyximz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.21
- arn:aws:controltower:ap-east-1: :control/dhsgtivfffi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.22
- arn:aws:controltower:ap-east-1: :control/pnycuzbptays
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.23
- arn:aws:controltower:ap-east-1: :control/whlmozjdxygq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:ap-east-1: :control/ndngnjiyvjro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-east-1: :control/gagqxontsuso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-east-1: :control/kvynpgjblxlu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:ap-east-1: :control/aws:swlQx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.28 • arn:aws:controltower:ap-east-1: :control/gjstalhqphwy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-east-1: :control/iuqcaalgvot • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-east-1: :control/mpnwlsenzayk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.30 • arn:aws:sws:controltower:ap-east-1: :control/lfxmnoxdxaij • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:ap-east-1: :control/qncirbgcprtm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-east-1: :control/xsrlbiojykop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-east-1: :control/uunyjstqktkj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:ap-east-1: :control/dqcwdyipykcu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:ap-east-1: :control/imazhuogwzdj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-east-1: :control/xojrcdgsroh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-east-1: :control/ktgzuacwnwfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:sws:controltower:ap-east-1: :control/qzyfvjmmffg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.REDSHIFT.PR.3
- arn:aws:controltower:ap-east-1: :control/ltbategewnms
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.REDSHIFT.PR.4
- arn:aws:controltower:ap-east-1: :control/mknpmkkeuyrw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.REDSHIFT.PR.5
- arn:aws:controltower:ap-east-1: :control/mrbtrpxksmjj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.REDSHIFT.PR.6
- arn:aws:controltower:ap-east-1: :control/epjuxeyjyxrt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-east-1: :control/fqvgihdkjgrs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-east-1: :control/gzgtvbekiprm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-east-1: :control/qwlipumztiwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-east-1: :control/hugvrcbothns • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:ap-east-1: :control/unairgrmsyde • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-east-1: :control/vysilmraeexw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-east-1: :control/jipoqduyuwiy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:ap-east-1: :control/oxuzjosnxugv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:ap-east-1: :control/jwyssjgwqqiqi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-east-1: :control/rkmcRsknqdmf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-east-1: :control/onlmvxnytoqo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ap-east-1: :control/wpjqrrmwavw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:ap-east-1: :control/qftbtlbffqsq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:ap-east-1: :control/kqciatxnkEvo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-east-1: :control/uoyfcmrgsgqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-east-1: :control/nysyxcratnbx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:sws:controltower:ap-east-1: :control/mamfmgxsssq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-east-1: :control/sbdrrprisvpy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-east-1: :control/hgmwzivvmlxp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-east-1: :control/qiwxqalpowvn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.STEPFUNCTIONS.PR.2
- arn:aws:controltower:ap-east-1: :control/mwcjkkkkfLgqi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.WAF-REGIONAL.PR.1
- arn:aws:controltower:ap-east-1: :control/vvykykulbInf:aws:controltower:ap-east-1:
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.WAF-REGIONAL.PR.2
- arn:aws:controltower:ap-east-1: :control/ocleqhmCFSEV
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

- CT.WAF.PR.1
- arn:aws:controltower:ap-east-1: :control/ncrrnmolkHqe
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:sws:controltower:ap-east-1: :control/wvkfsxcmoafb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-east-1: :control/allkezaetgxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:swswyf:ap-east-1: :Control/olrfceMwLwyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

ap-northeast-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:ap-northeast-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-northeast-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-northeast-1: :control/aws-gr_cloudtrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-northeast-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-northeast-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ap-northeast-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, sa-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ebs_optimized_instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ap-northeast-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2 , eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:ap-northeast-1: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-northeast-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-northeast-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ap-northeast-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-u-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-northeast-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-southeast-2, ap-southeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-northeast-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-northeast-1: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southe ast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1 , eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu--south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:ap-northeast-1: :control/aws-gr_restricted_ssh • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- AWS-GR_RESTRICT_ROOT_USER
- arn:aws:controltower:ap-northeast-1: :Control/AWS-GR_RESTRICT_ROOT_USER
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS
- arn:aws:controltower:ap-northeast-1: :control/aws-gr_restrict_root_user_access_keys
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI
- arn:aws:controltower:ap-northeast-1: :control/aws-gr_restrict_s3_cross_region_replication
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA
- arn:aws:controltower:ap-northeast-1: :control/aws-gr_restrict_s3_delete_without_mfa
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-northeast-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-south-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-soueu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:ap-northeast-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-northeast-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-northeast-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:ap-northeast-1: :control/xfrrfflmubdq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower: ap-northeast-1: :control/etkwxiyCryuf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower: ap-northeast-1: :control/xsdrgbmlivbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-northeast-1: :control/fggphpwirfwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-northeast-1: :control/qsclqqfnjqxe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-northeast-1: :control/ukyeaddrmenu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-northeast-1: :control/mqyprrnUcsoT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-northeast-1: :control/xrxgfzgeypmv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-northeast-1: :control/bydtaFcktvon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:ap-northeast-1: :control/hxvoutlhlmas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower: ap-northeast-1: :control/SkjidSweebbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ap-northeast-1: :control/jypekumpxcua • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-northeast-1: :control/ynsqamiirmgx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-northeast-1: :control/kplqrimzgqfv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-northeast-1: :control/uyjobtdphaim • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-northeast-1: :control/rbqyqgmshnlf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-northeast-1: :control/sbspoycvuqfi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower: ap-northeast-1: :control/DupfutistCKO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-northeast-1: :control/wwetvqmusgfb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-northeast-1: :control/RJDSvNZodQNV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-northeast-1: :control/rihzbjgcqnzn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-northeast-1: :control/lifoktediujg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-northeast-1: :control/vnubxqiebaga • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-northeast-1: :control/tujjpjiYTmnx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-northeast-1: :control/xpnzkjlgpxqa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-northeast-1: :control/rfcfgqxjzara • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower: ap-northeast-1: :control/hfhbnwighfmy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower: ap-northeast-1: :control/bmfrhkrdlpye • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-northeast-1: :control/tmydusktakbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-northeast-1: :control/voozhgulfvbg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-northeast-1: :control/edsgirtyzhta • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-northeast-1: :control/yfrqgl AWSBZU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-northeast-1: :control/pvawacseuzoc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-northeast-1: :control/vsbtgoogybbh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-northeast-1: :control/gitaqksejdxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-northeast-1: :control/vfezpsfucmnk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-northeast-1: :control/pnbcqsceguyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-northeast-1: :control/GUMXCBJWOVuy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-northeast-1: :control/djvakggzobgg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-northeast-1: :control/dzzbwhyovwzh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-northeast-1: :control/sbtrqdfydcoK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-northeast-1: :control/wyeddrsfqtdy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-northeast-1: :control/aeheufzdkjqd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-northeast-1: :control/euukrljqrwdl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-northeast-1: :control/dcwlynejulnr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-northeast-1: :control/yfgovookmxzq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-northeast-1: :control/qmyrauaaqspg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-northeast-1: :control/rxrlkzguxbfq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:ap-northeast-1: :control/yjpskrtfovni • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ap-northeast-1: :control/kczjtmrtlpzh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:ap-northeast-1: :control/kanmrmpwouqv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/ctfmrjpPgcc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:ap-northeast-1: :control/sqlhupexuoku • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-northeast-1: :control/eonqzxnxgapb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-northeast-1: :control/uixmpmavsmso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-northeast-1: :control/ylnvmsvqpPOW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-northeast-1: :control/crebiegaavzs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ap-northeast-1: :control/ysqcfbuotepd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:ap-northeast-1: :control/PRVLLjpyMyPC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-northeast-1: :control/enufauvezvfi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:ap-northeast-1: :control/ybiikcgwaord • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:ap-northeast-1: :control/ohyrlagkxsxr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:ap-northeast-1: :control/luupjikopjwo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-northeast-1: :control/tjoeowkonptn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:ap-northeast-1: :control/kumqjazmvwle • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:ap-northeast-1: :control/yngfyrmlihyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.18 • arn:aws:controltower:ap-northeast-1: :control/oihvtxvjsflz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-northeast-1: :control/iftnpubqdyxw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:ap-northeast-1: :control/iqtzlhsdavpj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:ap-northeast-1: :control/JKUGSakGLTHD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:ap-northeast-1: :control/dcjbsgytzdve • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-northeast-1: :control/mhxzhobfjfun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:ap-northeast-1: :control/bwlzvkgfdrig • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:ap-northeast-1: :control/xjfutukmxhkb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:ap-northeast-1: :control/zaxkmesmexsf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-northeast-1: :control/xnjaysgvgvmT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:ap-northeast-1: :control/wspjasmshimh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:ap-northeast-1: :control/kndlvqmvyriw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:ap-northeast-1: :control/qbbkufgdmmsm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-northeast-1: :control/dddzbldxbnli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:ap-northeast-1: :control/dkwrbpjyshbt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:ap-northeast-1: :control/uwulndelzycj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:ap-northeast-1: :control/weaezpvlacwy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-northeast-1: :control/irddnolwnmnn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:ap-northeast-1: :control/bbnlhikhvsdf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:ap-northeast-1: :control/kixafvfywnom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/oxtKLLlGwcQV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-northeast-1: :control/sftbsyxogmzg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:ap-northeast-1: :control/gqvkxjhrwrzy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:ap-northeast-1: :control/mggrrkotqygt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECS.PR.2
- arn:aws:controltower:ap-northeast-1: :control/iunrxfcqgpri
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.3
- arn:aws:controltower:ap-northeast-1: :control/bkvhtgkqkyeu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.4
- arn:aws:controltower:ap-northeast-1: :control/godejvzhxFUC
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.5
- arn:aws:controltower:ap-northeast-1: :control/nwtwuheshfsa
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:ap-northeast-1: :control/zxdgezsopfcd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-northeast-1: :control/bssdtcjtxidj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:ap-northeast-1: :control/kuhuyiyoxnxl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:ap-northeast-1: :control/ufcfasrbmggt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/ozxlrjkgcmbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-northeast-1: :control/byeghpqcysbn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-northeast-1: :control/IkoCsathallQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ap-northeast-1: :control/kzehhhskpgkcs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ap-northeast-1: :control/mzfhebyqruqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ap-northeast-1: :control/atdplkoflvcr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-northeast-1: :control/xaepcupngcno • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-northeast-1: :control/avpowahsubeb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-northeast-1: :control/lzopzblredvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-northeast-1: :control/cwfpzbcvsctd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-northeast-1: :control/upsvyowfpeji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-northeast-1: :control/vpneuqlirqzw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-northeast-1: :control/vdtcpkayzedk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-northeast-1: :control/harkdeigpstw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-northeast-1: :control/oykedlnzhumf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-northeast-1: :control/scenhysbaryu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-northeast-1: :control/ysdpcithzxQi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-northeast-1: :control/mavnerrcdgui • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-northeast-1: :control/pBOVNVABHNQW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-northeast-1: :control/smfwpjqcLTTI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-northeast-1: :control/ewseakuvmbgz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-northeast-1: :control/kohvkyufpxuz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-northeast-1: :control/koyytiuqcfmh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-northeast-1: :control/ncoygdocxngl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-northeast-1: :control/tnewnbtnwbox • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-northeast-1: :control/slyllbvcpsqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-northeast-1: :control/wjexqwqtkvun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-northeast-1: :control/jggusygaqezo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-northeast-1: :control/jfixyokmrpdz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-northeast-1: :control/erfoijbakgvw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-northeast-1: :control/tupokaowcewx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-northeast-1: :control/gkafftubedga • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.1 • arn:aws:controltower:ap-northeast-1: :control/ctsxxpdcuedr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-northeast-1: :control/ddjlgxqnvuuq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:ap-northeast-1: :control/prnnnbeuwytva • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:ap-northeast-1: :control/isrntokyvyfl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GLUE.PR.1 • arn:aws:controltower:ap-northeast-1: :control/lzyutoymdjev • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-northeast-1: :control/spimivfzlkgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:ap-northeast-1: :control/azwofywoCyfd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:ap-northeast-1: :control/hocofzgqhtgd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:ap-northeast-1: :control/bhiawwiknmsh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-northeast-1: :control/ztogoilbnlvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:ap-northeast-1: :control/iscndufsmevm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/stvpvnwmiflx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/kbubbeprvjva • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-northeast-1: :control/owtlnRexrimn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:ap-northeast-1: :control/wqmvytcuapho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:ap-northeast-1: :control/ouzrlatrkxpp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:controltower:ap-northeast-1: :control/gmsmkrasufkn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-northeast-1: :control/cxrzgjfnhkhg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:ap-northeast-1: :control/ioddjwmrkxyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:ap-northeast-1: :control/natxylwhlddy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:controltower:ap-northeast-1: :control/hkdzixzvnqiq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-northeast-1: :control/puxilaklqqyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-northeast-1: :control/woqsthulhxbb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-northeast-1: :control/ukoekfdbeqka • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-northeast-1: :control/beayvejmkazh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-northeast-1: :control/kgdgfdztqxad • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-northeast-1: :control/bmicnuyefuyp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-northeast-1: :control/ckunxxzigpco • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.1 • arn:aws:controltower:ap-northeast-1: :control/ucilleajeuij • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-northeast-1: :control/ckskrihjfkxx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:ap-northeast-1: :control/uqtbilpkytby • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:ap-northeast-1: :control/pqscrpwaiGsi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-northeast-1: :control/mpjqglaiizem • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-northeast-1: :control/wmprscmjeqpr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-northeast-1: :control/nacpturomgyt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-northeast-1: :control/lpfivzuroojj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-northeast-1: :control/ttuqityqnlqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-northeast-1: :control/ilvyltzpohwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-northeast-1: :control/mktmbjsActFi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-northeast-1: :control/sdcrnfktgmmd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-northeast-1: :control/xfesnqjwyrzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-northeast-1: :control/etwpttqysuzg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-northeast-1: :control/aysfspbizdpj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ap-northeast-1: :control/xfoeojkeetke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:ap-northeast-1: :control/ytwempalpimn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-northeast-1: :control/bbxsreyffrms • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:ap-northeast-1: :control/flplzprkqsrw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-northeast-1: :control/ihqjbygoyrnj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-northeast-1: :control/ooelhvjwnsqu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-northeast-1: :control/nczocaqxazcz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-northeast-1: :control/uytwqujjsxpk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:ap-northeast-1: :control/tjjgfrbzrzsv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:ap-northeast-1: :control/wzfmvxttcmfr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:ap-northeast-1: :control/nemeblsvqdqw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:ap-northeast-1: :control/zbuoyiwgujzp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:ap-northeast-1: :control/ulujpiodnxmq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ap-northeast-1: :control/gkhbcxgnpzmk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ap-northeast-1: :control/ajmlarvdofyw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ap-northeast-1: :control/qxogtdbdLuji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/gyehzoawyuur • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:ap-northeast-1: :control/lxvuloyzqaoh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-northeast-1: :control/blrcfnbjelwj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:ap-northeast-1: :control/wiixhzhccjrq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ap-northeast-1: :control/annpbiSWZvnu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.14
- arn:aws:controltower:ap-northeast-1: :control/bmfdqznvavyo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.15
- arn:aws:controltower:ap-northeast-1: :control/ylclbfjjgfdz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.16
- arn:aws:controltower:ap-northeast-1: :control/znemlopsodlt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.17
- arn:aws:controltower:ap-northeast-1: :control/qouoailppglh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:ap-northeast-1: :control/pfpveovumuut • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-northeast-1: :control/kzpgjxhlyhQi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:ap-northeast-1: :control/GhyshehsCDnB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:ap-northeast-1: :control/UFToxCooxJTV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:ap-northeast-1: :control/xjjpkiggeexg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ap-northeast-1: :control/oppfsuxbzgnn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:ap-northeast-1: :control/ftlpowebbbyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:ap-northeast-1: :control/hnuudlamfesz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.25
- arn:aws:controltower:ap-northeast-1: :control/rtjtuojnofcr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.26
- arn:aws:controltower:ap-northeast-1: :control/fksfasostxny
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.27
- arn:aws:controltower:ap-northeast-1: :control/mwmiczoctcuu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.28
- arn:aws:controltower:ap-northeast-1: :control/nsxqrrrsjutdv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:ap-northeast-1: :control/kxqtvnurogbg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-northeast-1: :control/ztrxnvywddkt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:ap-northeast-1: :control/pxfzmhxiyfxo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:ap-northeast-1: :control/knmitjgfkrmb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:ap-northeast-1: :control/nxkktrzgyrzu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-northeast-1: :control/sajabiitsFkw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:ap-northeast-1: :control/EGQHMBKZVKBO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ap-northeast-1: :control/dohistpwuuoA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:ap-northeast-1: :control/duhrnevtdqkm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-northeast-1: :control/xwiekidjyhm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-northeast-1: :control/vjqidPsryYRH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-northeast-1: :control/jtzspkuczeqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-northeast-1: :control/shaqanklsrud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:ap-northeast-1: :control/dwdplrtctqrk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-northeast-1: :control/kwcqmvwgtopi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-northeast-1: :control/vurrkcwicxxj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-northeast-1: :control/hiuboyxxzojv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-northeast-1: :control/nsomcbuhydtr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-northeast-1: :control/hcyqiloqajgp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:ap-northeast-1: :control/sdkaaurvkrom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.11 • arn:aws:controltower:ap-northeast-1: :control/aqqopefixrly • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-northeast-1: :control/hvoiyqguxwza • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:ap-northeast-1: :control/eejurbqmfykx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:ap-northeast-1: :control/zzwzqeuoxaho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.S3.PR.4
- arn:aws:controltower:ap-northeast-1: :control/jikpkvbcqtzz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.5
- arn:aws:controltower:ap-northeast-1: :control/skxezlrkrifo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.6
- arn:aws:controltower:ap-northeast-1: :control/urwgyobmhnov
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.8
- arn:aws:controltower:ap-northeast-1: :control/qwxAzrhGAPOF
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:ap-northeast-1: :control/hsmbywljevpn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-northeast-1: :control/kabhykbsjcdd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-northeast-1: :control/xrqnsqzacils • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-northeast-1: :control/hcjsgypxgjzd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/jhjlybfelnsz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-northeast-1: :control/xddgssvpqavq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-northeast-1: :control/erzimfmfcivl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-northeast-1: :control/ixmahhusduvr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-northeast-1: :control/gblqkizjuwli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-northeast-1: :control/snjtgwlcrzlw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ap-northeast-1: :control/txhpctjxmext • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:ap-northeast-1: :control/wgloyxozaylu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-northeast-1: :control/qpsonuaqwaor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-northeast-1: :control/uklhgbfdoupk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.ACM.1 • arn:aws:controltower:ap-northeast-1: :control/eylaegfqrcwo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ACM.2 • arn:aws:controltower:ap-northeast-1: :control/kbbaurdmutkq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.1 • arn:aws:controltower:ap-northeast-1: :control/xgfcwuscpwbt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• Sh.apigateway.2 • arn:aws:controltower:ap-northeast-1: :control/azwaxowqmanj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• Sh.apigateway.3 • arn:aws:controltower:ap-northeast-1: :control/uizdzmdgpdqp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• Sh.apigateway.4 • arn:aws:controltower:ap-northeast-1: :control/xigrnzoufdkf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:ap-northeast-1: :control/jzserwwqxdhp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• Sh.apigateway.8 • arn:aws:controltower:ap-northeast-1: :control/sdtkoazrprvu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• Sh.apigateway.9 • arn:aws:controltower:ap-northeast-1: :control/kbyfzPageIey • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.Account.1 • arn:aws:controltower:ap-northeast-1: :control/dtwmAhwpbvqx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AppSync.5 • arn:aws:controltower:ap-northeast-1: :control/cgpdlkjqepxw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,1 • arn:aws:controltower:ap-northeast-1: :control/cxxhkfgcswuh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,2 • arn:aws:controltower:ap-northeast-1: :control/esqrnRojxEVQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,3 • arn:aws:controltower:ap-northeast-1: :control/eocubakfmzjt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AutoScaling0,6 • arn:aws:controltower:ap-northeast-1: :control/xnjdgljohams • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,9 • arn:aws:controltower:ap-northeast-1: :control/rtzfstkoxudd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• Sh.Autoscaling.5 • arn:aws:controltower:ap-northeast-1: :control/irmfchoijrai • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CloudTrail0,1 • arn:aws:controltower:ap-northeast-1: :control/ahvtlutbiumb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,2 • arn:aws:controltower:ap-northeast-1: :control/ommcjbkycgmk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• .SH CloudTrail0,4 • arn:aws:controltower:ap-northeast-1: :control/shdopoldkxvq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• .SH CloudTrail.5 • arn:aws:controltower:ap-northeast-1: :control/obozwihzlruh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• .SH CloudTrail0,6 • arn:aws:controltower:ap-northeast-1: :control/iqigwudmidmk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,1 • arn:aws:controltower:ap-northeast-1: :control/ydrnrdutcdvy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• .SH CodeBuild0,2 • arn:aws:controltower:ap-northeast-1: :control/amkmyjenqhdh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• .SH CodeBuild0,3 • arn:aws:controltower:ap-northeast-1: :control/CJRJPNdUPVHS • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• .SH CodeBuild0,4 • arn:aws:controltower:ap-northeast-1: :control/wuoxvmezafha • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DMS.1 • arn:aws:controltower:ap-northeast-1: :control/mimzfvueanjv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• ID.DMS.9 • arn:aws:controltower:ap-northeast-1: :control/pjkHuctavozo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.DocumentDB.3 • arn:aws:controltower:ap-northeast-1: :control/kaacgtykenkg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.DynamoDB.1 • arn:aws:controltower:ap-northeast-1: :control/xnmeowfbwsUt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.2 • arn:aws:controltower:ap-northeast-1: :control/elrzaxwjygnk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.DynamoDB.3 • arn:aws:controltower:ap-northeast-1: :control/qidtejqluhjl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.1 • arn:aws:controltower:ap-northeast-1: :control/flykucwhefps • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.10 • arn:aws:controltower:ap-northeast-1: :control/epxmgykiwopn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.15 • arn:aws:controltower:ap-northeast-1: :control/nbjexihgixes • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.16 • arn:aws:controltower:ap-northeast-1: :control/ehgvcokgqgmi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.17 • arn:aws:controltower:ap-northeast-1: :control/urwtjdzbohep • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.18 • arn:aws:controltower:ap-northeast-1: :control/wukbmihwtcey • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.19 • arn:aws:controltower:ap-northeast-1: :control/ikdbykslbfco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.2 • arn:aws:controltower:ap-northeast-1: :control/xkattedrnkxm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.20 • arn:aws:controltower:ap-northeast-1: :control/djmcstiicrbq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.21 • arn:aws:controltower:ap-northeast-1: :control/vjmzlonuacsi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.22 • arn:aws:controltower:ap-northeast-1: :control/svkeffmybgmc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.23 • arn:aws:controltower:ap-northeast-1: :control/qfkxmwqoysle • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.25 • arn:aws:controltower:ap-northeast-1: :control/evoxpwvtdvnv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• ID.EC2.3 • arn:aws:controltower:ap-northeast-1: :control/rkvsdklngubt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.4 • arn:aws:controltower:ap-northeast-1: :control/hxhuzbbsjptr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.6 • arn:aws:controltower:ap-northeast-1: :control/ottdunomcdcz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.7 • arn:aws:controltower:ap-northeast-1: :control/ammzarwocrgp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.8 • arn:aws:controltower:ap-northeast-1: :control/ztltqyuvgvmo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.9 • arn:aws:controltower:ap-northeast-1: :control/VVFAVFgiyded • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECR.1 • arn:aws:controltower:ap-northeast-1: :control/qvucvszubuvl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECR.2 • arn:aws:controltower:ap-northeast-1: :control/UEebkulxvsor • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.3 • arn:aws:controltower:ap-northeast-1: :control/nqspsfvpxcgo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.1 • arn:aws:controltower:ap-northeast-1: :control/ptkunqwsqmbf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.10 • arn:aws:controltower:ap-northeast-1: :control/alvogjrvkkzk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.12 • arn:aws:controltower:ap-northeast-1: :control/eoyyyfdchifpm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.2 • arn:aws:controltower:ap-northeast-1: :control/drvamwtxhoso • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.3 • arn:aws:controltower:ap-northeast-1: :control/ynjyrfyeddhe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.4 • arn:aws:controltower:ap-northeast-1: :control/qtlpywokiuKL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.5 • arn:aws:controltower:ap-northeast-1: :control/jhkkiimqvtbf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECS.8 • arn:aws:controltower:ap-northeast-1: :control/fxubxsuywjpd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.1 • arn:aws:controltower:ap-northeast-1: :control/dobfvcukromu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EFS.2 • arn:aws:controltower:ap-northeast-1: :control/pomnjThrclye • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.1 • arn:aws:controltower:ap-northeast-1: :control/bluvrgcqbqcq • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.13 • arn:aws:controltower:ap-northeast-1: :control/wargnxcjhuvw • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.4 • arn:aws:controltower:ap-northeast-1: :control/mlyxgovhgthd • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.ELB.5 • arn:aws:controltower:ap-northeast-1: :control/oxvtpfbqeeaq • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.6 • arn:aws:controltower:ap-northeast-1: :control/zkruxhvksdig • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.ELB.7 • arn:aws:controltower:ap-northeast-1: :control/zrqgkzbowpzn • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.8 • arn:aws:controltower:ap-northeast-1: :control/dpjvnbbvqght • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.1 • arn:aws:controltower:ap-northeast-1: :control/umfdewammcfn • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH0,5 • arn:aws:controltower:ap-northeast-1: :control/elqaasftewwi • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElastiCache0,3 • arn:aws:controltower:ap-northeast-1: :control/uesovoadvsmu • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElasticBeanstalk0,1 • arn:aws:controltower:ap-northeast-1: :control/VGWiRuaPmvur • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.1 • arn:aws:controltower:ap-northeast-1: :control/wfeqvtuhenvp • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.IAM.2 • arn:aws:controltower:ap-northeast-1: :control/acwmieuicsky • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.IAM.21 • arn:aws:controltower:ap-northeast-1: :control/migmwgineuvs • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• ID.IAM.3 • arn:aws:controltower:ap-northeast-1: :control/eGBXSeljndTo • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.4 • arn:aws:controltower:ap-northeast-1: :control/lcwhrmfyrdpy • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.8 • arn:aws:controltower:ap-northeast-1: :control/aywukjzbdyqw • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.KMS.1 • arn:aws:controltower:ap-northeast-1: :control/byxfjjhfuzou • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.KMS.2 • arn:aws:controltower:ap-northeast-1: :control/BRCRZnyQLWRK • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• SH.KMS.3 • arn:aws:controltower:ap-northeast-1: :control/smqgpfwvoPub • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.4 • arn:aws:controltower:ap-northeast-1: :control/gacategittzc • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.3 • arn:aws:controltower:ap-northeast-1: :control/CellBNIGQSFA • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• MSK.1 • arn:aws:controltower:ap-northeast-1: :control/appecghsboja • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.4 • arn:aws:controltower:ap-northeast-1: :control/dwoabbmiwodr • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.8 • arn:aws:controltower:ap-northeast-1: :control/ffyzccnncfoi • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-2,
• .SH NetworkFirewall0,3 • arn:aws:controltower:ap-northeast-1: :control/eccrbkuvprpy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH NetworkFirewall0,4 • arn:aws:controltower:ap-northeast-1: :control/LZJFDKEaPals • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH NetworkFirewall.5 • arn:aws:controltower:ap-northeast-1: :control/ergwlqrsnyoz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH NetworkFirewall0,6 • arn:aws:controltower:ap-northeast-1: :control/ldgxfyhakixe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.OpenSearch.1 • arn:aws:controltower:ap-northeast-1: :control/yhhtxfnvscll • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.OpenSearch.2 • arn:aws:controltower:ap-northeast-1: :control/gkqyhnvczxum • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.OpenSearch.3 • arn:aws:controltower:ap-northeast-1: :control/mlxugqdbtlds • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.4 • arn:aws:controltower:ap-northeast-1: :control/rpxlcwpblwod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.OpenSearch.5 • arn:aws:controltower:ap-northeast-1: :control/jjwixluwybcv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.OpenSearch.6 • arn:aws:controltower:ap-northeast-1: :control/BRKBMKFMLHEQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.OpenSearch.7 • arn:aws:controltower:ap-northeast-1: :control/qgkguekwkelb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:controltower:ap-northeast-1: :control/SSAMJDSxkuqB • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.1 • arn:aws:controltower:ap-northeast-1: :control/toxghrqoouzm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.10 • arn:aws:controltower:ap-northeast-1: :control/hcccl busXota • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.11 • arn:aws:controltower:ap-northeast-1: :control/ueypqelhzgcq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.12 • arn:aws:controltower:ap-northeast-1: :control/aplecybwmjvr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.13 • arn:aws:controltower:ap-northeast-1: :control/xigvoemjkaan • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.15 • arn:aws:controltower:ap-northeast-1: :control/vbnkkwdfnazw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.17 • arn:aws:controltower:ap-northeast-1: :control/dvldwxjcomxm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.18 • arn:aws:controltower:ap-northeast-1: :control/jsnskzqfyvbt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.19 • arn:aws:controltower:ap-northeast-1: :control/ctnwhydirsvt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.2 • arn:aws:controltower:ap-northeast-1: :control/ryzqhjvddksu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.20 • arn:aws:controltower:ap-northeast-1: :control/ymsjktcpzvlq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.21 • arn:aws:controltower:ap-northeast-1: :control/yxjrnyqxffbj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.22 • arn:aws:controltower:ap-northeast-1: :control/exehmgvogpel • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.23 • arn:aws:controltower:ap-northeast-1: :control/hiwfhifszskm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.25 • arn:aws:controltower:ap-northeast-1: :control/gfqgkqgmtlqt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.27 • arn:aws:controltower:ap-northeast-1: :control/drfbxtxbncrs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• RDS.3 • arn:aws:controltower:ap-northeast-1: :control/icyiAugutwub • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• RDS.4 • arn:aws:controltower:ap-northeast-1: :control/clrbhzmkgnha • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• RDS.5 • arn:aws:controltower:ap-northeast-1: :control/othpzrzhrynm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RD.6 • arn:aws:controltower:ap-northeast-1: :control/bkcrqhwtoidq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.8 • arn:aws:controltower:ap-northeast-1: :control/kvsvipsizpas • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.RDS.9 • arn:aws:controltower:ap-northeast-1: :control/eizjbsdxpfgk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• Sh.Redshift.1 • arn:aws:controltower:ap-northeast-1: :control/aytbpcvdxbqv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.10 • arn:aws:controltower:ap-northeast-1: :control/lyyelpwnRVLL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• Sh.Redshift.2 • arn:aws:controltower:ap-northeast-1: :control/oradmunkkiys • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• Sh.Redshift.4 • arn:aws:controltower:ap-northeast-1: :control/bdvlmxdlacbs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• Sh.Redshift.6 • arn:aws:controltower:ap-northeast-1: :control/uoqthhtkoqaj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.7 • arn:aws:controltower:ap-northeast-1: :control/dsklsblanwjm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• Sh.Redshift.8 • arn:aws:controltower:ap-northeast-1: :control/hqiovijmpdmp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• Sh.Redshift.9 • arn:aws:controltower:ap-northeast-1: :control/vzuuwsepmgag • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.1 • arn:aws:controltower:ap-northeast-1: :control/vrhoxligooyv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.10 • arn:aws:controltower:ap-northeast-1: :control/bkqzdjripdch • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.11 • arn:aws:controltower:ap-northeast-1: :control/uwdncnqhitxr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.12 • arn:aws:controltower:ap-northeast-1: :control/wmghtzrzaszi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.13 • arn:aws:controltower:ap-northeast-1: :control/iiutdtjvtrub • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.17 • arn:aws:controltower:ap-northeast-1: :control/ihevzggqgbkx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.2 • arn:aws:controltower:ap-northeast-1: :control/fnagbsjdnsmr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.3 • arn:aws:controltower:ap-northeast-1: :control/IOXTWTJPAgnk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.5 • arn:aws:controltower:ap-northeast-1: :control/urnktbowahsh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.6 • arn:aws:controltower:ap-northeast-1: :control/XUHLFSNTEwFP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.8 • arn:aws:controltower:ap-northeast-1: :control/Lujleeorwubi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.S3.9 • arn:aws:controltower:ap-northeast-1: :control/khowwktfvnws • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.SQS.1 • arn:aws:controltower:ap-northeast-1: :control/zdmvzwyxpyng • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.1 • arn:aws:controltower:ap-northeast-1: :control/hgkhlymqcwxz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SSM.SSM.2 • arn:aws:controltower:ap-northeast-1: :control/gygbasaioixs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.3 • arn:aws:controltower:ap-northeast-1: :control/kpmcxmaztwyo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.4 • arn:aws:controltower:ap-northeast-1: :control/IUFHQearVUHK • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SageMaker0,1 • arn:aws:controltower:ap-northeast-1: :control/jicnynfrvrqx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SageMaker0,2 • arn:aws:controltower:ap-northeast-1: :control/McLMAWQKBWTG • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SageMaker0,3 • arn:aws:controltower:ap-northeast-1: :control/hleuyibplnqu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SecretsManager0,1 • arn:aws:controltower:ap-northeast-1: :control/lseqymivibna • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager0,2 • arn:aws:controltower:ap-northeast-1: :control/feqzviimfica • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SecretsManager0,3 • arn:aws:controltower:ap-northeast-1: :control/fnojorykehut • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH SecretsManager0,4 • arn:aws:controltower:ap-northeast-1: :control/IIHPFCymqEGJ • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.WAF.10 • arn:aws:controltower:ap-northeast-1: :control/qjdmohvcovcc • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.2 • arn:aws:controltower:ap-northeast-1: :control/dlqoslpespjr • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.WAF.3 • arn:aws:controltower:ap-northeast-1: :control/yrqazzkpddpi • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• WAF.4 • arn:aws:controltower:ap-northeast-1: :control/beigezgmnwrl • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

ap-northeast-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-

Pengenal kontrol, ARN, dan Wilayah yang didukung

north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED
- arn:aws:controltower:ap-northeast-2: :control/aws-gr_audit_bucket_encryption_enabled
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED
- arn:aws:controltower:ap-northeast-2: :control/aws-gr_audit_bucket_logging_enabled
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG
- arn:aws:controltower:ap-northeast-2: :control/aws-gr_audit_bucket_policy_changes_banned
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG
- arn:aws:controltower:ap-northeast-2: :control/aws-gr_audit_bucket_public_read_banned
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-northeast-2: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:ap-northeast-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-northeast-2: :control/aws-gr_cloudtrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-northeast-2: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-northeast-2: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ap-northeast-2: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, sa-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ebs_optimized_instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ap-northeast-2: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:ap-northeast-2: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-northeast-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-northeast-2: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ap-northeast-2: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-u-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-northeast-2: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-southeast-2, ap-southeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-northeast-2: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-northeast-2: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu--south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:ap-northeast-2: :control/aws-gr_restricted_ssh • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-northeast-2: :control/AWS-GR_RESTRICT_ROOT_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_restrict_root_user_access_keys • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-northeast-2: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-northeast-2: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-northeast-2: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-south-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-soueu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-west-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:ap-northeast-2: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-west-1, us-east-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-northeast-2: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-northeast-2: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ACM.PR.1 • arn:aws:controltower:ap-northeast-2: :control/zylcikkljkln • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-northeast-2: :control/asamdcsljxzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-northeast-2: :control/bmgeyehcobbu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APIGATEWAY.PR.3
- arn:aws:controltower:ap-northeast-2: :control/nblsrdrbDjxo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.4
- arn:aws:controltower:ap-northeast-2: :control/muldplotlraj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.5
- arn:aws:controltower:ap-northeast-2: :control/RFifJohvlBab
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-northeast-2: :control/kutdoxvokanl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-northeast-2: :control/cxexlmcydmpy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-northeast-2: :control/mmibkbumaxkx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APPSYNC.PR.3
- arn:aws:controltower:ap-northeast-2: :control/dkaijlhzezfi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APPSYNC.PR.4
- arn:aws:controltower:ap-northeast-2: :control/izcxfcdnhoel
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APPSYNC.PR.5
- arn:aws:controltower:ap-northeast-2: :control/cxbgwzgmpxhm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-northeast-2: :control/zvmzwnppTitl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-northeast-2: :control/jpleosqgpvev • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-northeast-2: :control/fsxlenxSGMGD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-northeast-2: :control/zqnrmCZkouat • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-northeast-2: :control/bprutbopitbz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ap-northeast-2: :control/tbbxraytvdek • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-northeast-2: :control/zfeojgamvvzt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-northeast-2: :control/mowuhfaojrjy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-northeast-2: :control/pallylikpdoo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-northeast-2: :control/yzybkzlryplj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-northeast-2: :control/txaddeaxhqjo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-northeast-2: :control/azayrjyxcxzr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-northeast-2: :control/vbjdohqsiiax • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-northeast-2: :control/ybhtldhkEkfz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ap-northeast-2: :control/icesdvdpquji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.2
- arn:aws:controltower:ap-northeast-2: :control/IOOJYJoancXR
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.CLOUDFRONT.PR.3
- arn:aws:controltower:ap-northeast-2: :control/mklfhiwiewwr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.CLOUDFRONT.PR.4
- arn:aws:controltower:ap-northeast-2: :control/gffyuyuvpdku
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-northeast-2: :control/cgzwlzpdwimx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-northeast-2: :control/mcpecpgyyppz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-northeast-2: :control/kyifisgdqahh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.8
- arn:aws:controltower:ap-northeast-2: :control/dnsoblsowzbo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.CLOUDFRONT.PR.9
- arn:aws:controltower:ap-northeast-2: :control/pzbignjzqzwk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.CLOUDTRAIL.PR.1
- arn:aws:controltower:ap-northeast-2: :control/iymkuwmifvny
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-northeast-2: :control/mxwilhexrjpt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-northeast-2: :control/qubsrgsnruto • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-northeast-2: :control/rfbrgafchgrh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-northeast-2: :control/jwzxowqpDALC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-northeast-2: :control/tykalnidluxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-northeast-2: :control/cwbbuwulylow • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-northeast-2: :control/cfaqbjoyclfh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-northeast-2: :control/xwosmscoryxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-northeast-2: :control/eoopastmjset • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-northeast-2: :control/bycxowcvcfop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-northeast-2: :control/jirhxxyrrcpu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-northeast-2: :control/mfnmfparkbbf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.1 • arn:aws:controltower:ap-northeast-2: :control/gkkawaprnslp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ap-northeast-2: :control/mcggzqjdqseg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-northeast-2: :control/qsnxkozmymfr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-northeast-2: :control/pmxdpocyqxvy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:ap-northeast-2: :control/wknusicbmqov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-northeast-2: :control/tezxetagkyot • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-northeast-2: :control/cmomyyeljwtw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-northeast-2: :control/sicgaihkeqsw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-northeast-2: :control/pghdrcmddfer • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ap-northeast-2: :control/prpqipyuclfe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:ap-northeast-2: :control/gnmpimbynyke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-northeast-2: :control/wopjhtrshefp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:ap-northeast-2: :control/hfyuzftnqrzg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:ap-northeast-2: :control/oaceJPSHEDTT • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-northeast-2: :control/wcomsKmdnaFg • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-northeast-2: :control/cknbwalgpvdu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:ap-northeast-2: :control/cwvhkpavxzhh • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:ap-northeast-2: :control/TWGqumhbqPEQ • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-northeast-2: :control/ndqnzaivsega • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-northeast-2: :control/dknvgkmOcfrk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:ap-northeast-2: :control/uelaljtztkjg • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.20 • arn:aws:controltower:ap-northeast-2: :control/bfornbxjkdww • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-northeast-2: :control/tlxgqrqzrnjr • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-northeast-2: :control/ytlkasxyaswh • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:ap-northeast-2: :control/lmvuecwmmmag • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:ap-northeast-2: :control/ubnojkelNWGQ • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-northeast-2: :control/xmlxjmijglvl • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-northeast-2: :control/dmnhgnnkzeBP • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:ap-northeast-2: :control/ppewyvjjutdl • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:ap-northeast-2: :control/ccdkonbvfhmx • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-northeast-2: :control/kpbtwenbxjvw • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-northeast-2: :control/IKBXDKhinkqz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:ap-northeast-2: :control/lzlmuhowcxxm • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:ap-northeast-2: :control/qfglugbhyxzk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-northeast-2: :control/weoifhctulkv • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-northeast-2: :control/qmydbmpboohm • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:ap-northeast-2: :control/elsounerqmfa • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECR.PR.3
- arn:aws:controltower:ap-northeast-2: :control/ecnpmkmzljxf
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.1
- arn:aws:controltower:ap-northeast-2: :control/avqavlsbsymu
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.10
- arn:aws:controltower:ap-northeast-2: :control/oheaqzbmadfe
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.11
- arn:aws:controltower:ap-northeast-2: :control/sefhyqqecpnz
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:ap-northeast-2: :control/jtqtbqtjxrty • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-northeast-2: :control/lqmmphysfreq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-northeast-2: :control/ysvbkspqrord • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:ap-northeast-2: :control/ibtzpttdyakt • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECS.PR.5
- arn:aws:controltower:ap-northeast-2: :control/jlpdeekgftns
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.6
- arn:aws:controltower:ap-northeast-2: :control/amhlljicmvig
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.7
- arn:aws:controltower:ap-northeast-2: :control/zhitnvqddrnt
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.8
- arn:aws:controltower:ap-northeast-2: :control/ucebjdgykziw
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:ap-northeast-2: :control/fkqyiwlkblwc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-northeast-2: :control/tgccacsypmro • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-northeast-2: :control/wyevjiizolil • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-northeast-2: :control/gcjwcusxqigj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ap-northeast-2: :control/qgojfaeubqyz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ap-northeast-2: :control/fgfsusqplyjz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ap-northeast-2: :control/fbobftinynlt • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-northeast-2: :control/piunmtkiffjl • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-northeast-2: :control/rdyipvicgwei • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-northeast-2: :control/nuecfxemfwte • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-northeast-2: :control/mxnlntiygzqb • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-northeast-2: :control/bvohdzjhejiw • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-northeast-2: :control/vyctcscjqlye • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-northeast-2: :control/dcjbgphztljw • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-northeast-2: :control/ASIKFXczhazv • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-northeast-2: :control/ynqixfrnqwfs • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-northeast-2: :control/fjucamqrkdyc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-northeast-2: :control/trasmslgpgvz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-northeast-2: :control/sosaaooksDIQ • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-northeast-2: :control/diaqavduubsl • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-northeast-2: :control/hpmpedwyshtq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-northeast-2: :control/ccbebbtrlftn • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-northeast-2: :control/yaklmulfRDKX • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-northeast-2: :control/ASEAWQQCerpp • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-northeast-2: :control/qwltotpyPBRS • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-northeast-2: :control/nzjcesrauakf • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-northeast-2: :control/dzkuxadkblko • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-northeast-2: :control/GMFGDGaNQPXL • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-northeast-2: :control/kzplsiuxhzlu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-northeast-2: :control/yqzxxonryiqk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-northeast-2: :control/pnsqxKurzaoo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-northeast-2: :control/aeqvltgjcuvy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-northeast-2: :control/lylrcnqcpnjv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-northeast-2: :control/esgklhspodey • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-northeast-2: :control/nxjykobpzcef • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:ap-northeast-2: :control/yiittjqxipjh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:ap-northeast-2: :control/rdhyeefaeums • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-northeast-2: :control/fjgiMxrxtumo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-northeast-2: :control/kwnbrwjuuaak • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:ap-northeast-2: :control/ahdcttxnkgum • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.IAM.PR.2
- arn:aws:controltower:ap-northeast-2: :control/trwcetxweoue
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.IAM.PR.3
- arn:aws:controltower:ap-northeast-2: :control/sedwsbccupur
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.IAM.PR.4
- arn:aws:controltower:ap-northeast-2: :control/vpfgsmfpnedx
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.IAM.PR.5
- arn:aws:controltower:ap-northeast-2: :control/bxcztlodjifg
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.KINESIS.PR.1
- arn:aws:controltower:ap-northeast-2: :control/ccupdgnbqpgw
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.KMS.PR.1
- arn:aws:controltower:ap-northeast-2: :control/fsqbjxdjbzvu
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.KMS.PR.2
- arn:aws:controltower:ap-northeast-2: :control/HanqyUpdQHSI
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.KMS.PR.3
- arn:aws:controltower:ap-northeast-2: :control/sdhraoxpcxdr
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.KMS.PV.1
- arn:aws:controltower:ap-northeast-2: :control/caeurxkpvzix
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.KMS.PV.2
- arn:aws:controltower:ap-northeast-2: :control/ICJZCoyeoisc
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.KMS.PV.3
- arn:aws:controltower:ap-northeast-2: :control/hbyzhpnokdnq
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.KMS.PV.4
- arn:aws:controltower:ap-northeast-2: :control/odiibhmxitot
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:ap-northeast-2: :control/avzbaPujnopy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-northeast-2: :control/kxelckqiwmyl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-northeast-2: :control/lnbocfpqispj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-northeast-2: :control/whxwcLbqbwbc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-northeast-2: :control/jfszbxdktwkb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-northeast-2: :control/ylldfqwutmoq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-northeast-2: :control/nfidizdughte • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-northeast-2: :control/wcldubrecnqb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-northeast-2: :control/qzrxzbuctpuu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-northeast-2: :control/rjizkygoaopq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-northeast-2: :control/qjhcrlolaacu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:ap-northeast-2: :control/agcjfraojaqh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:ap-northeast-2: :control/kgtzsyxabuiq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-northeast-2: :control/blxdpwextkra • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-northeast-2: :control/fihjpxzcwduv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-northeast-2: :control/wbfruhnlhdqy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-northeast-2: :control/mpxcnsrkmdrf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-northeast-2: :control/gjevngPGKxiw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-northeast-2: :control/fztdzjzcfwiv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-northeast-2: :control/vtapsfmtmepo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-northeast-2: :control/xxdjjpdxvvtt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-northeast-2: :control/npxrmxowrhbb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-northeast-2: :control/nvripmnhuxms • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-northeast-2: :control/lukcmxopmmce • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.1
- arn:aws:controltower:ap-northeast-2: :control/fgytcvpcxege
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.10
- arn:aws:controltower:ap-northeast-2: :control/xrnyjufpdret
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:ap-northeast-2: :control/shxzhxdyiiem
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:ap-northeast-2: :control/lxmwymcwwqdq
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-northeast-2: :control/bowbhcdyikiv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-northeast-2: :control/avepztwuqohv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-northeast-2: :control/csjdxwlkosqp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-northeast-2: :control/qufltzgkihyn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:ap-northeast-2: :control/uclvyxavoahm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:ap-northeast-2: :control/uggnpnqicgzq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:ap-northeast-2: :control/zybifaaqoqzb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:ap-northeast-2: :control/jccugyqncity • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:ap-northeast-2: :control/bqnhzocgnlia
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.7
- arn:aws:controltower:ap-northeast-2: :control/ldjizxculadj
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.8
- arn:aws:controltower:ap-northeast-2: :control/alicrwqmxikk
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.9
- arn:aws:controltower:ap-northeast-2: :control/litfpwdcfwmo
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.1 • arn:aws:controltower:ap-northeast-2: :control/iqzlhkczprdq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-northeast-2: :control/seclzxzviezo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-northeast-2: :control/ifjmwzqbhuiv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:ap-northeast-2: :control/lxslbphqtpfe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ap-northeast-2: :control/bfsgzkninMRH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-northeast-2: :control/xefjxadorgjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.15
- arn:aws:controltower:ap-northeast-2: :control/qjoodgpkzycb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.16
- arn:aws:controltower:ap-northeast-2: :control/jPoWMFDTTqpt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.17
- arn:aws:controltower:ap-northeast-2: :control/ouwnjttomxil
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:ap-northeast-2: :control/yhsxddxxwitq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-northeast-2: :control/zpvwjrxnpqev • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:ap-northeast-2: :control/tcgizhxwoehq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.20
- arn:aws:controltower:ap-northeast-2: :control/jlkkrikeppcy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.21
- arn:aws:controltower:ap-northeast-2: :control/tjwpiojaiCun
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.22
- arn:aws:controltower:ap-northeast-2: :control/bejukscjoyqq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.23
- arn:aws:controltower:ap-northeast-2: :control/nnnwmzyhhrle
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.24
- arn:aws:controltower:ap-northeast-2: :control/sbvczozvtnsm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.25
- arn:aws:controltower:ap-northeast-2: :control/jbpgiholpqak
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.26
- arn:aws:controltower:ap-northeast-2: :control/bzfwvehfccfu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.27
- arn:aws:controltower:ap-northeast-2: :control/dlnnzrjfaVuq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.28
- arn:aws:controltower:ap-northeast-2: :control/ybavateFayxD
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:ap-northeast-2: :control/ongmkqswcauo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-northeast-2: :control/weczxrhvkcnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:ap-northeast-2: :control/kxuyyQuymded • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:ap-northeast-2: :control/mCPSKMJZqIMN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-northeast-2: :control/jexjdxdqqrfv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-northeast-2: :control/audenqflmraq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:ap-northeast-2: :control/zeumsslizdtu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ap-northeast-2: :control/hodaqwgbtrmp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-northeast-2: :control/ppbgzvglkLzm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.REDSHIFT.PR.1
- arn:aws:controltower:ap-northeast-2: :control/xolihofjyqac
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.REDSHIFT.PR.2
- arn:aws:controltower:ap-northeast-2: :control/zqkoucatizvk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.REDSHIFT.PR.3
- arn:aws:controltower:ap-northeast-2: :control/ocmbdmysnhxv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-northeast-2: :control/plwsdpngncxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:ap-northeast-2: :control/dmbwtcjtwzzk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-northeast-2: :control/cydyxnvpizpg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-northeast-2: :control/idygeagglakl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-northeast-2: :control/dhaugopsexmd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-northeast-2: :control/fgepizcarzgw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-northeast-2: :control/ykbyyoorvydq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:ap-northeast-2: :control/ajzipuomehpw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-northeast-2: :control/ccseyysawfkx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-northeast-2: :control/kbdedurvzelg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.2 • arn:aws:controltower:ap-northeast-2: :control/utcuyxqmqxrc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:ap-northeast-2: :control/zxkhhalobmmc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-northeast-2: :control/ngfegycazmoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.5 • arn:aws:controltower:ap-northeast-2: :control/oujugypgpbtr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ap-northeast-2: :control/RPCLzykiCeam • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:ap-northeast-2: :control/ktrfcyexstxr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:ap-northeast-2: :control/Geanurjhosju • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-northeast-2: :control/ihhcxmijdpuy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-northeast-2: :control/ajubxqwzcnza • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-northeast-2: :control/ykzdbockkzbp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-northeast-2: :control/hbilqhczjfaw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-northeast-2: :control/dtarwafqdlej • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-northeast-2: :control/bsarinirfygl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-northeast-2: :control/flvjbwfdwhdj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-northeast-2: :control/gmirrpoykdsi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-northeast-2: :control/koguyyccseJB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ap-northeast-2: :control/plnvfarekzxp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:ap-northeast-2: :control/hwdelibebvfk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-northeast-2: :control/flftsmdkqpga • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-northeast-2: :control/yuwwrbujckws • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.1 • arn:aws:controltower:ap-northeast-2: :control/tfntuzcunkto • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.ACM.2 • arn:aws:controltower:ap-northeast-2: :control/dzvwvpkKlyfw • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.1 • arn:aws:controltower:ap-northeast-2: :control/nwuhbvmjfvwU • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• Sh.apigateway.2 • arn:aws:controltower:ap-northeast-2: :control/rdmvjesgqcrw • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• Sh.apigateway.3 • arn:aws:controltower:ap-northeast-2: :control/acsvlxdduuqp • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• Sh.apigateway.4 • arn:aws:controltower:ap-northeast-2: :control/cwhofifmiuus • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:ap-northeast-2: :control/hxgroxenskjt • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• Sh.apigateway.8 • arn:aws:controltower:ap-northeast-2: :control/kxmshtinjodp • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• Sh.apigateway.9 • arn:aws:controltower:ap-northeast-2: :control/hubwbmqsctci • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.Account.1 • arn:aws:controltower:ap-northeast-2: :control/eMCjntxlmTcs • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AppSync.5 • arn:aws:controltower:ap-northeast-2: :control/kqtdhcypenti • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH AutoScaling0,1 • arn:aws:controltower:ap-northeast-2: :control/zaugappkzgzc • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH AutoScaling0,2 • arn:aws:controltower:ap-northeast-2: :control/oveqwnzwUVPE • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH AutoScaling0,3 • arn:aws:controltower:ap-northeast-2: :control/vmbgayottzmk • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AutoScaling0,6 • arn:aws:controltower:ap-northeast-2: :control/womtjfixvurh • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH AutoScaling0,9 • arn:aws:controltower:ap-northeast-2: :control/fpophnudjvch • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• Sh.Autoscaling.5 • arn:aws:controltower:ap-northeast-2: :control/iyoevgeycofv • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH CloudTrail0,1 • arn:aws:controltower:ap-northeast-2: :control/kuzdsxrcmeWW • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,2 • arn:aws:controltower:ap-northeast-2: :control/oesjohrdgipi • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH CloudTrail0,4 • arn:aws:controltower:ap-northeast-2: :control/fzyqsnllcpxq • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH CloudTrail.5 • arn:aws:controltower:ap-northeast-2: :control/raldkyfcikbo • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH CloudTrail0,6 • arn:aws:controltower:ap-northeast-2: :control/kmafnpvvvnsy • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,1 • arn:aws:controltower:ap-northeast-2: :control/tihgqhsiuqes • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH CodeBuild0,2 • arn:aws:controltower:ap-northeast-2: :control/ihlkdrjwxUHX • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH CodeBuild0,3 • arn:aws:controltower:ap-northeast-2: :control/eaxvkdlafmui • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• .SH CodeBuild0,4 • arn:aws:controltower:ap-northeast-2: :control/debwvflxagzi • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.1 • arn:aws:controltower:ap-northeast-2: :control/kktkhlmbceti • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• ID.DMS.9 • arn:aws:controltower:ap-northeast-2: :control/clqmfxiuxtdv • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.DocumentDB.3 • arn:aws:controltower:ap-northeast-2: :control/jvhtnanJBMDS • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.DynamoDB.1 • arn:aws:controltower:ap-northeast-2: :control/bejcxbywovaj • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.2 • arn:aws:controltower:ap-northeast-2: :control/EUJvjqythQHz • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.1 • arn:aws:controltower:ap-northeast-2: :control/vhsrrhuysmzf • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.10 • arn:aws:controltower:ap-northeast-2: :control/oxfaihyqztpl • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.15 • arn:aws:controltower:ap-northeast-2: :control/HDIfindBKXRQ • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.16 • arn:aws:controltower:ap-northeast-2: :control/unxyuhchqwyq • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.17 • arn:aws:controltower:ap-northeast-2: :control/wxfflhkvjhmt • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.18 • arn:aws:controltower:ap-northeast-2: :control/pulybigqamiu • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.19 • arn:aws:controltower:ap-northeast-2: :control/osttyxvzpakb • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.2 • arn:aws:controltower:ap-northeast-2: :control/yprequjhsseg • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.20 • arn:aws:controltower:ap-northeast-2: :control/odpvibbcemzv • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.21 • arn:aws:controltower:ap-northeast-2: :control/zxuciocdkwse • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.22 • arn:aws:controltower:ap-northeast-2: :control/lpkinekddrbm • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.23 • arn:aws:controltower:ap-northeast-2: :control/jhwdnmkpayrk • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.25 • arn:aws:controltower:ap-northeast-2: :control/zlokqigtihzd • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• ID.EC2.3 • arn:aws:controltower:ap-northeast-2: :control/svkzoqvubaew • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.4 • arn:aws:controltower:ap-northeast-2: :control/qvkvkmnhbrcv • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.6 • arn:aws:controltower:ap-northeast-2: :control/gibtseivfpki • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.7 • arn:aws:controltower:ap-northeast-2: :control/ppumeAruomas • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.8 • arn:aws:controltower:ap-northeast-2: :control/wenmehkvcfxe • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.EC2.9 • arn:aws:controltower:ap-northeast-2: :control/exuufygyjtsr • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.1 • arn:aws:controltower:ap-northeast-2: :control/aqojkzamTaps • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.ECR.2 • arn:aws:controltower:ap-northeast-2: :control/ockpmloskzgw • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.3 • arn:aws:controltower:ap-northeast-2: :control/ixmoortcbtmd • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.ECS.1 • arn:aws:controltower:ap-northeast-2: :control/crtklejmvwkx • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.10 • arn:aws:controltower:ap-northeast-2: :control/mfbanbyeibii • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.ECS.12 • arn:aws:controltower:ap-northeast-2: :control/qilrkmifrvdi • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.ECS.2 • arn:aws:controltower:ap-northeast-2: :control/azeuzhahyCTW • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we
• SH.3 • arn:aws:controltower:ap-northeast-2: :control/vjybxqpuiubx • ap-northeast-1, ap-central-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.4 • arn:aws:controltower:ap-northeast-2: :control/zlqsibgruzqn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.5 • arn:aws:controltower:ap-northeast-2: :control/rxtaclfmbscy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ECS.8 • arn:aws:controltower:ap-northeast-2: :control/gnpkscsztrda • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.EFS.1 • arn:aws:controltower:ap-northeast-2: :control/ynhuhlghQVNE • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.2 • arn:aws:controltower:ap-northeast-2: :control/vtexleqndaok • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.3 • arn:aws:controltower:ap-northeast-2: :control/fmaxthswuhan • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.4 • arn:aws:controltower:ap-northeast-2: :control/LHCKUUuhCRPBR • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.EKS.1 • arn:aws:controltower:ap-northeast-2: :control/hfepqkkcgyuo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.2 • arn:aws:controltower:ap-northeast-2: :control/knmberlunbly • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.10 • arn:aws:controltower:ap-northeast-2: :control/kxjzkdgjxtym • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.12 • arn:aws:controltower:ap-northeast-2: :control/qxhrcrdlpkyu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.13 • arn:aws:controltower:ap-northeast-2: :control/ramknmueeexg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.14 • arn:aws:controltower:ap-northeast-2: :control/jmocsntdnppi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.2 • arn:aws:controltower:ap-northeast-2: :control/utlwzjkgqsnn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.3 • arn:aws:controltower:ap-northeast-2: :control/rhkbqspweasw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.4 • arn:aws:controltower:ap-northeast-2: :control/teprpaikhscw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.5 • arn:aws:controltower:ap-northeast-2: :control/ivvplpkpuuwq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.6 • arn:aws:controltower:ap-northeast-2: :control/zonlnmddogjo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.7 • arn:aws:controltower:ap-northeast-2: :control/nkyewhlzppqc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ELB.8 • arn:aws:controltower:ap-northeast-2: :control/lsdfybagxzrb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.9 • arn:aws:controltower:ap-northeast-2: :control/ifcbclnrpanh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.elbv2.1 • arn:aws:controltower:ap-northeast-2: :control/kcwnemffuyln • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.EMR.1 • arn:aws:controltower:ap-northeast-2: :control/fuwgqxdejhvl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.1 • arn:aws:controltower:ap-northeast-2: :control/lasvwdcilygq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.2 • arn:aws:controltower:ap-northeast-2: :control/tpvvqkjodfvl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.3 • arn:aws:controltower:ap-northeast-2: :control/wjvnwggfddkn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.4 • arn:aws:controltower:ap-northeast-2: :control/syuvamhwznfm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH0,5 • arn:aws:controltower:ap-northeast-2: :control/eckectwtcces • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH6 • arn:aws:controltower:ap-northeast-2: :control/ksbfkzwauvig • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.7 • arn:aws:controltower:ap-northeast-2: :control/abaxyowHDPKC • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.ES.8 • arn:aws:controltower:ap-northeast-2: :control/wzwugrotvpxc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• .SH ElasticBeanstalk0,1 • arn:aws:controltower:ap-northeast-2: :control/gxyyxmdjpqws • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElasticBeanstalk0,2 • arn:aws:controltower:ap-northeast-2: :control/olbwuhfklxto • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• .SH EventBridge0,3 • arn:aws:controltower:ap-northeast-2: :control/bocatjekjnpz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• .SH GuardDuty0,1 • arn:aws:controltower:ap-northeast-2: :control/sxtyezhkegvg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.IAM.1 • arn:aws:controltower:ap-northeast-2: :control/mfxiibsznhhf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.2 • arn:aws:controltower:ap-northeast-2: :control/yaALMGHjqdzX • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.IAM.21 • arn:aws:controltower:ap-northeast-2: :control/mxpbnmAhqmHQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• ID.IAM.3 • arn:aws:controltower:ap-northeast-2: :control/mctnebtxcmpf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.4 • arn:aws:controltower:ap-northeast-2: :control/kndgxyoajbad • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• ID.IAM0,5 • arn:aws:controltower:ap-northeast-2: :control/ecynnuzfpwmi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.6 • arn:aws:controltower:ap-northeast-2: :control/boircxqeYNLQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.7 • arn:aws:controltower:ap-northeast-2: :control/kgkmvfekjmlz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.IAM.8 • arn:aws:controltower:ap-northeast-2: :control/llxpayehwbta • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.1 • arn:aws:controltower:ap-northeast-2: :control/heqyhqmeTwve • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.KMS.2 • arn:aws:controltower:ap-northeast-2: :control/cuvjhpimjuhf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.KMS.3 • arn:aws:controltower:ap-northeast-2: :control/irpudlzbqqwO • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.KMS.4 • arn:aws:controltower:ap-northeast-2: :control/ysevcokrfqtc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.kinesis.1 • arn:aws:controltower:ap-northeast-2: :control/wtqvfwigvfql • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.Lambda.1 • arn:aws:controltower:ap-northeast-2: :control/fqmqxedymynk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.Lambda.2 • arn:aws:controltower:ap-northeast-2: :control/qpnemkawaoiv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.Lambda.3 • arn:aws:controltower:ap-northeast-2: :control/mgiysfeiqjye • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.5 • arn:aws:controltower:ap-northeast-2: :control/kscpkeamjicj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• MQ0,5 • arn:aws:controltower:ap-northeast-2: :control/hvknxpztqppn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• MQ.6 • arn:aws:controltower:ap-northeast-2: :control/phytuyfnlzvs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.MSK.1 • arn:aws:controltower:ap-northeast-2: :control/eiplvfpxplaw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.1 • arn:aws:controltower:ap-northeast-2: :control/hkgqlnxoumfp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Neptune.2 • arn:aws:controltower:ap-northeast-2: :control/hqgzcyudhvrm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Neptune.3 • arn:aws:controltower:ap-northeast-2: :control/agqdwlbsvzhw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Neptune.4 • arn:aws:controltower:ap-northeast-2: :control/gypmvkorwscm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.5 • arn:aws:controltower:ap-northeast-2: :control/vzandngxqtnf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Neptune.6 • arn:aws:controltower:ap-northeast-2: :control/dwwvoihdhqnz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Neptune.7 • arn:aws:controltower:ap-northeast-2: :control/usigwxbkcxxc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Neptune.8 • arn:aws:controltower:ap-northeast-2: :control/whzkuAldwlxH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH NetworkFirewall0,3 • arn:aws:controltower:ap-northeast-2: :control/sihzynykwubd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH NetworkFirewall0,4 • arn:aws:controltower:ap-northeast-2: :control/yxcjhleGwvhw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH NetworkFirewall.5 • arn:aws:controltower:ap-northeast-2: :control/rcafdpagimpz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH NetworkFirewall0,6 • arn:aws:controltower:ap-northeast-2: :control/muvxuxjslzgb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.OpenSearch.1 • arn:aws:controltower:ap-northeast-2: :control/eusihtcwfmow • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.2 • arn:aws:controltower:ap-northeast-2: :control/nphmmqwtnqja • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.OpenSearch.3 • arn:aws:controltower:ap-northeast-2: :control/ggxzvsaxjjdo • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.OpenSearch.4 • arn:aws:controltower:ap-northeast-2: :control/ezausyqgyqld • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.OpenSearch.5 • arn:aws:controltower:ap-northeast-2: :control/hmqdjfsyxhrc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.OpenSearch.6 • arn:aws:controltower:ap-northeast-2: :control/nalywtotqsqm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.7 • arn:aws:controltower:ap-northeast-2: :control/jvlecknihjft • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.OpenSearch.8 • arn:aws:controltower:ap-northeast-2: :control/elqlurswuqrb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.1 • arn:aws:controltower:ap-northeast-2: :control/jzxyyuxydves • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.10 • arn:aws:controltower:ap-northeast-2: :control/molcfspboqvj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.11 • arn:aws:controltower:ap-northeast-2: :control/wngcepodswma • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.12 • arn:aws:controltower:ap-northeast-2: :control/tuchtkhppaut • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.13 • arn:aws:controltower:ap-northeast-2: :control/yhgqsnnfhdvq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.15 • arn:aws:controltower:ap-northeast-2: :Control/SehegbVDGFYC • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.17 • arn:aws:controltower:ap-northeast-2: :control/eptkmhacqelh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.18 • arn:aws:controltower:ap-northeast-2: :control/nnrqjbasrgfm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.19 • arn:aws:controltower:ap-northeast-2: :control/jbytkromqcxv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.2 • arn:aws:controltower:ap-northeast-2: :control/lvcjbgbivjad • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.20 • arn:aws:controltower:ap-northeast-2: :control/hvlenlxsmyvm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• RDS.21 • arn:aws:controltower:ap-northeast-2: :control/gzclbnpokrnz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.22 • arn:aws:controltower:ap-northeast-2: :control/xgnlirogtvpw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.23 • arn:aws:controltower:ap-northeast-2: :control/viwczstjllww • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.25 • arn:aws:controltower:ap-northeast-2: :control/yflhzpiznnyt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• RDS.27 • arn:aws:controltower:ap-northeast-2: :control/onfiohpfshgk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.3 • arn:aws:controltower:ap-northeast-2: :control/vmjovsbqhnli • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.4 • arn:aws:controltower:ap-northeast-2: :control/txzgwwjtmyas • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.5 • arn:aws:controltower:ap-northeast-2: :control/qsRbkyKNWKM • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.6 • arn:aws:controltower:ap-northeast-2: :control/meynqqlibfvh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.8 • arn:aws:controltower:ap-northeast-2: :control/ewkoxiosnjcz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.RDS.9 • arn:aws:controltower:ap-northeast-2: :control/pshcdlxafpiz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• Sh.Redshift.1 • arn:aws:controltower:ap-northeast-2: :control/kukrawpcwpwd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.10 • arn:aws:controltower:ap-northeast-2: :control/hltTibmTadka • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• Sh.Redshift.2 • arn:aws:controltower:ap-northeast-2: :control/qindhcurjdpr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• Sh.Redshift.4 • arn:aws:controltower:ap-northeast-2: :control/vaongwdmqjrf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• Sh.Redshift.6 • arn:aws:controltower:ap-northeast-2: :control/ljcqvrorirsp • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• Sh.Redshift.7 • arn:aws:controltower:ap-northeast-2: :control/dbioxkscyzgd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.8 • arn:aws:controltower:ap-northeast-2: :control/khsjiqxmkuKn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• Sh.Redshift.9 • arn:aws:controltower:ap-northeast-2: :control/vygtylrwzyad • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.1 • arn:aws:controltower:ap-northeast-2: :control/aglatcnijprq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.10 • arn:aws:controltower:ap-northeast-2: :control/lrfqvsxhryqu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.11 • arn:aws:controltower:ap-northeast-2: :control/ldpzbydvreog • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.12 • arn:aws:controltower:ap-northeast-2: :control/UWBLTnmbDoox • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.13 • arn:aws:controltower:ap-northeast-2: :control/mndghsqgihsp • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.17 • arn:aws:controltower:ap-northeast-2: :control/ccdjwqazraba • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.2 • arn:aws:controltower:ap-northeast-2: :control/jvtganidgryd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.3 • arn:aws:controltower:ap-northeast-2: :control/uqfgrbnkrvkm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.5 • arn:aws:controltower:ap-northeast-2: :control/ovtxwkobzpzr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.6 • arn:aws:controltower:ap-northeast-2: :control/qjayywxcxhdn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.8 • arn:aws:controltower:ap-northeast-2: :control/lngheqdyeqlv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.S3.9 • arn:aws:controltower:ap-northeast-2: :control/xkqrayjcrjrs • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.SQS.1 • arn:aws:controltower:ap-northeast-2: :control/eauiyipccxxz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.1 • arn:aws:controltower:ap-northeast-2: :control/soadynvmuuse • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SSM.SSM.2 • arn:aws:controltower:ap-northeast-2: :control/ypzmngtrokxv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.SSM.3 • arn:aws:controltower:ap-northeast-2: :control/uawrvxehxoni • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• SH.SSM.4 • arn:aws:controltower:ap-northeast-2: :control/udaqamuogddv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH SageMaker0,1 • arn:aws:controltower:ap-northeast-2: :control/sngbhaiqctef • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SageMaker0,2 • arn:aws:controltower:ap-northeast-2: :control/oikbjxeozoyq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH SageMaker.3 • arn:aws:controltower:ap-northeast-2: :control/grzcufgqekeg • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH SecretsManager.1 • arn:aws:controltower:ap-northeast-2: :control/gpalvemmryoj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH SecretsManager.2 • arn:aws:controltower:ap-northeast-2: :control/giggahaendHH • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1.
• .SH SecretsManager.3 • arn:aws:controltower:ap-northeast-2: :control/mspqxybgosxa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager.4 • arn:aws:controltower:ap-northeast-2: :control/dzwynexsllej • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-
• SH.WAF.10 • arn:aws:controltower:ap-northeast-2: :control/sdfinezeusjy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-
• SH.WAF.2 • arn:aws:controltower:ap-northeast-2: :control/tmczbyvxvtjl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-
• SH.WAF.3 • arn:aws:controltower:ap-northeast-2: :control/ymbnbhldyvoc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.WAF.4
- arn:aws:controltower:ap-northeast-2: :control/iveplvnecsly
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-

ap-northeast-3

Pengenal kontrol, ARN, dan Wilayah yang didukung

- AWS-GR_AUDIT_BUCKET_DELETION_DILARANG
- arn:aws:controltower:ap-northeast-3: :control/aws-gr_audit_bucket_deletion_banned
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED
- arn:aws:controltower:ap-northeast-3: :control/aws-gr_audit_bucket_encryption_enabled
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED
- arn:aws:controltower:ap-northeast-3: :control/aws-gr_audit_bucket_logging_enabled

Pengenal kontrol, ARN, dan Wilayah yang didukung
• af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-northeast-3: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:ap-northeast-3: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-northeast-3: :control/aws-gr_cloudtrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-northeast-3: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-northeast-3: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-northeast-3: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-northeast-3: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-northeast-3: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-northeast-3: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-northeast-3: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-northeast-3: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ap-northeast-3: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, sa-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1 , us-east-1, us-east-1, us-east-1, t-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ebs_optimized_instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ap-northeast-3: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2 , eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-northeast-3: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-northeast-3: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-northeast-3: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-northeast-3: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-southeast-2, ap-southeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-northeast-3: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-northeast-3: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1 , eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-northeast-3: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-northeast-3: :Control/AWS-GR_RESTRICT_ROOT_USER • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-northeast-3: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-northeast-3: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-northeast-3: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-northeast-3: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-northeast-3: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-northeast-3: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-northeast-3: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-northeast-3: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:ap-northeast-3: :control/pfbktwximmiv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-northeast-3: :control/sqjbdnvuhovm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-northeast-3: :control/sxpszglueezh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-northeast-3: :control/cdpdatwigguh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-northeast-3: :control/faghqevlpxrl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-northeast-3: :control/gvuducuxkdln • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-northeast-3: :control/grmwxcqogmbq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-northeast-3: :control/tbpgnzbeDtst • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-northeast-3: :control/ymeivntgkvyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.3 • arn:aws:controltower:ap-northeast-3: :control/ocfaarzlcvuw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:ap-northeast-3: :control/slxxvxfldwnv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ap-northeast-3: :control/lwzzoxdnxpak • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-northeast-3: :control/rrjrztmnimkB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-northeast-3: :control/svhrkrgsqykt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-northeast-3: :control/MopbpKZRKDTC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-northeast-3: :control/zxfbyrtfqsef • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-northeast-3: :control/wvmbatxxqygh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ap-northeast-3: :control/eplqwrochulu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-northeast-3: :control/ankicwwvqkyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-northeast-3: :control/foslermmwgcq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-northeast-3: :control/bshzjgowiyan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-northeast-3: :control/ubfeqjtbfaby • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-northeast-3: :control/sdwsycvwcgeh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-northeast-3: :control/bkghdlnfolgz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-northeast-3: :control/kfbjhzdcitrt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-northeast-3: :control/HPIJWRRRNZWV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ap-northeast-3: :control/vzfsugkciksl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:ap-northeast-3: :control/hvmwxrcnfrdo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-northeast-3: :control/yqyfxrcgojvl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-northeast-3: :control/dotfjqvjflrm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-northeast-3: :control/nrrjrtUjBKro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-northeast-3: :control/wbmvrqpraoqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-northeast-3: :control/UHYZMCZnNITK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-northeast-3: :control/ffuabxmeWYYC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-northeast-3: :control/lfpemxyizgog • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-northeast-3: :control/xxbngwaceejo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-northeast-3: :control/bqoobsdudojy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-northeast-3: :control/ndejiggfjkir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-northeast-3: :control/PrbkenaxoJXR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-northeast-3: :control/xftuwpjddhwr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-northeast-3: :control/uzokbnysyizw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-northeast-3: :control/azangkxvsqgh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-northeast-3: :control/yhliycncguaa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-northeast-3: :control/qvlwifoppdep • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-northeast-3: :control/ypiaepnijnqg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-northeast-3: :control/mrugscuaoCAC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-northeast-3: :control/bilmnunvkgqu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-northeast-3: :control/BJZEvenbvkmt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:ap-northeast-3: :control/avrdikubviel • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:ap-northeast-3: :control/hgxhjvirqstj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-northeast-3: :control/bbmutvsrzxpv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/cpgocdmdhgfi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:ap-northeast-3: :control/wdereymnsgmu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-northeast-3: :control/fihfpxxswpvr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-northeast-3: :control/tyksqtkvdrpu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-northeast-3: :control/cricqphntaay • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-northeast-3: :control/qfzxljqcuptb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.1 • arn:aws:controltower:ap-northeast-3: :control/rduemsjpxbwr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-northeast-3: :control/gbitmjkpakce • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-northeast-3: :control/vsdswnnkprro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:ap-northeast-3: :control/drlfkvuwerwu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:ap-northeast-3: :control/zbkkuulmnwgl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-northeast-3: :control/izazffymgzos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-northeast-3: :control/vwbdqcrjgcbv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:ap-northeast-3: :control/rpjhctjtenst • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:ap-northeast-3: :control/laaweszwtfbn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-northeast-3: :control/chwqtiithCLL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-northeast-3: :control/pckxslrdawmL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:ap-northeast-3: :control/uwvomybtmint • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.20 • arn:aws:controltower:ap-northeast-3: :control/sqhocrnsexej • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-northeast-3: :control/vfvjcomqjkbh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-northeast-3: :control/bnihbvsglune • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:ap-northeast-3: :control/hpuaflsjfnnq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:ap-northeast-3: :control/rkivcdunahhs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-northeast-3: :control/qvtiuyotixLG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-northeast-3: :control/afmpkbwmaqvx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:ap-northeast-3: :control/ebcerjizrpes • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:ap-northeast-3: :control/tftcjovkjLmt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-northeast-3: :control/lyrnebmkprtr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-northeast-3: :control/fcbhskccqwiw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:ap-northeast-3: :control/hizpxmqpaoia • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:ap-northeast-3: :control/bzxqvpisujue • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-northeast-3: :control/uvsjzuhfsukd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-northeast-3: :control/qzakdbvraqpu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:ap-northeast-3: :control/dszqhohpilvm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.3 • arn:aws:controltower:ap-northeast-3: :control/uqfghquaibai • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/rxwkvancuwsa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-northeast-3: :control/nturygmjmidn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:ap-northeast-3: :control/qhueupksmvac • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:ap-northeast-3: :control/cutnmqpjiesp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-northeast-3: :control/usNbraeirtOf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-northeast-3: :control/hiavtiwmmcdv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:ap-northeast-3: :control/vaAgglzeFDKT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:ap-northeast-3: :control/vuofrsmbbpcp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-northeast-3: :control/dzpUWGAVWHXA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-northeast-3: :control/qmhmuoscgehn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:ap-northeast-3: :control/NBTIIIWMCBBVP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:ap-northeast-3: :control/kwfpvpyeuqkj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/hszazlrvwdlr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-northeast-3: :control/rhhgamnjzhyk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-northeast-3: :control/lfdjwcrgqxcz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ap-northeast-3: :control/jaymtbjnczcx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ap-northeast-3: :control/GMSvmLabMcNo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ap-northeast-3: :control/lfqascuyichi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-northeast-3: :control/winogqjeeovq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-northeast-3: :control/vfzvdkouurfd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-northeast-3: :control/mjultzfoikmk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-northeast-3: :control/gsyrjtgiewkz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-northeast-3: :control/zittomdiekyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-northeast-3: :control/dnugefzvwzli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-northeast-3: :control/bijtqzzcvcxn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-northeast-3: :control/gbvifteeMnci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-northeast-3: :control/bddobotqftpn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-northeast-3: :control/oqumnmodbgir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-northeast-3: :control/erxwwuaeefid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-northeast-3: :control/myhwfmeyvgpl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-northeast-3: :control/mtfuxdnbvijo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-northeast-3: :control/usvndldkaFxe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-northeast-3: :control/nsguuzckljms • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-northeast-3: :control/itcuusrtkcqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-northeast-3: :control/obhpnwyxelni • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-northeast-3: :control/trvjvootgfuq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-northeast-3: :control/ygnxdteMustj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-northeast-3: :control/iyjmhgrxoftx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-northeast-3: :control/lsugitkostlf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-northeast-3: :control/rebzvfivnnzm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-northeast-3: :control/lhrlwvzagtie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-northeast-3: :control/kepkxdedcabz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-northeast-3: :control/qyyuhuzokxsi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-northeast-3: :control/CTMaceMaywwp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-northeast-3: :control/omamqjbxcrmu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-northeast-3: :control/ebfhbzhpbgvb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:ap-northeast-3: :control/lvbhihyuitgh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:ap-northeast-3: :control/vsioocsnccxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-northeast-3: :control/ioystbilsaiq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-northeast-3: :control/gatxictoakVM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:ap-northeast-3: :control/zhhfeziypbjk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.2 • arn:aws:controltower:ap-northeast-3: :control/rohdzmympcuo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:ap-northeast-3: :control/cjwyukysxkup • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-northeast-3: :control/sxuorjzqkepj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:ap-northeast-3: :control/dovtcmzpycon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/cxqvuzqzugds • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/rwzmauhnerfs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-northeast-3: :control/mygxakqzzkau • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:ap-northeast-3: :control/cdawcxvactrp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:ap-northeast-3: :control/vezvgzfsmura • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-northeast-3: :control/djfgeKhrJHSR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-northeast-3: :control/srljjfkocpjz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:ap-northeast-3: :control/jqsieduwsFyp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:ap-northeast-3: :control/aiurgkghipsd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-northeast-3: :control/glkjuhbwigyr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-northeast-3: :control/vyepjcyalyak • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-northeast-3: :control/mweravuhagvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-northeast-3: :control/pjenjyvyiTLK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-northeast-3: :control/rqsbsqziJmeb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-northeast-3: :control/qiztbznuzbkx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-northeast-3: :control/wkrqcrpwltIQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-northeast-3: :control/nqdlcwottwye • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-northeast-3: :control/uyxvfzsktubk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-northeast-3: :control/cxvlqmrmznca • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:ap-northeast-3: :control/greteClsqpsi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:ap-northeast-3: :control/gopumviquaBN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-northeast-3: :control/nsddzgmmkner • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-northeast-3: :control/vrvlpexhuhrr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-northeast-3: :control/rbzjytjvkehn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-northeast-3: :control/meyigjfznyvr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-northeast-3: :control/cetxvrvgquky • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-northeast-3: :control/afexsgmdsATC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-northeast-3: :control/KFPGHTQXQZey • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-northeast-3: :control/vuncrjljdfio • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-northeast-3: :control/vcmkhwlpdxbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-northeast-3: :control/txszcxgxzssn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-northeast-3: :control/jvtnuxcwxdnn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ap-northeast-3: :control/texjpfyiyirt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:ap-northeast-3: :control/pghnznedffyc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-northeast-3: :control/vzmeqzkmkztd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:ap-northeast-3: :control/pfesrxepjlxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-northeast-3: :control/ocifqryxyvrz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-northeast-3: :control/vxvttkvhavtx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-northeast-3: :control/vomvauoiundr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-northeast-3: :control/pkhuqjejclws • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:ap-northeast-3: :control/cqlgrrfxieid
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:ap-northeast-3: :control/ragnocsysijr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:ap-northeast-3: :control/zvktnwlswkuc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:ap-northeast-3: :control/vxaomowsCIBP
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:ap-northeast-3: :control/wftczpqqjgqn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ap-northeast-3: :control/Bakhbhloykaa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ap-northeast-3: :control/mdwfwnzouxsm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ap-northeast-3: :control/zqambsntxdij • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/acfmystvsrbk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-northeast-3: :control/uxavtpdbvfpf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-northeast-3: :control/hrhvbeggvkun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:ap-northeast-3: :control/fillvtgdmvak • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.13 • arn:aws:controltower:ap-northeast-3: :control/cevyqidvtpjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-northeast-3: :control/dhbpzufkfkmp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ap-northeast-3: :control/yzeebzwvnkyw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:ap-northeast-3: :control/ovstmoqmnpmi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.17 • arn:aws:controltower:ap-northeast-3: :control/mpzbvxojlrkf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:ap-northeast-3: :control/gxnwddjvuiva • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-northeast-3: :control/kzewmmuengwq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:ap-northeast-3: :control/znqtivzbeppv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.20 • arn:aws:controltower:ap-northeast-3: :control/cbiDNXqgCckr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:ap-northeast-3: :control/hfowjubmozxb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ap-northeast-3: :control/swnlnnnmlxinq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:ap-northeast-3: :control/aveiainbmsja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:ap-northeast-3: :control/gcoskklrmnia • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-northeast-3: :control/puekrodebbup • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-northeast-3: :control/uqkhnvhgPoWR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:ap-northeast-3: :control/xvqbqygeVFTF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.28 • arn:aws:controltower:ap-northeast-3: :control/sfuvhqqveFdl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-northeast-3: :control/kczwzonusfov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-northeast-3: :control/edxdfsjcwfcr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:ap-northeast-3: :control/mskzvzduytgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:ap-northeast-3: :control/tqtywxqtGLKU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-northeast-3: :control/BebksCLLCLJN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-northeast-3: :control/thyqNogWgHdy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:ap-northeast-3: :control/rxrbkiomoqmd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:ap-northeast-3: :control/azhrbfnvkfno • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-northeast-3: :Control/NHSQTNZHEZZM • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-northeast-3: :control/nynghxGLptor • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-northeast-3: :control/awojxmbcsbdf • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-northeast-3: :control/sxxaliodjecc • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-northeast-3: :control/ddjapokcnvkj • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:ap-northeast-3: :control/xgnnextHJQXK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-northeast-3: :control/xkehdxoajsoF • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-northeast-3: :control/qpkhxjwaxbec • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-northeast-3: :control/ezywkaozzjcs • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-northeast-3: :control/wmhzvknjbhhh • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-northeast-3: :control/btklxpippgwe • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:ap-northeast-3: :control/igacbruidHRL • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-northeast-3: :control/cicqlrnyaBRT • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-northeast-3: :control/znlhstmraXLF • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:ap-northeast-3: :control/paaxmdtzlcsw • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:ap-northeast-3: :control/gdpyjxjbmbrs • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-northeast-3: :control/qpoadhznfitp • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-northeast-3: :control/hcnpcydqybtr • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ap-northeast-3: :control/uiwwhnmzaHub • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.S3.PR.8
- arn:aws:controltower:ap-northeast-3: :control/rvfbvptcpjhi
- af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.S3.PR.9
- arn:aws:controltower:ap-northeast-3: :control/daripviirwuc
- af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.SAGEMAKER.PR.1
- arn:aws:controltower:ap-northeast-3: :control/glvfjpofpxnj
- af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.SAGEMAKER.PR.2
- arn:aws:controltower:ap-northeast-3: :control/wljgiwfsjqdk
- af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-northeast-3: :control/odrngavpvjlj • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/ywvnshoteSWX • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-northeast-3: :control/hygnovuhpjwo • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-northeast-3: :control/itiixOxNegvy • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-northeast-3: :control/tvtnaphrdrzu • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-northeast-3: :control/zjlimdysnjva • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-northeast-3: :control/qyjwcleeoxnl • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ap-northeast-3: :control/xkvnioeewele • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:ap-northeast-3: :control/tlgqqboreosv • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-northeast-3: :control/atyemlpacryl • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-northeast-3: :control/evfgolaancyd • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

ap-south-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_audit_bucket_deletion_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:ap-selatan-1: :control/aws-gr_audit_bucket_encryption_enabled • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-selatan-1: :control/aws-gr_audit_bucket_logging_enabled • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_audit_bucket_public_read_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_audit_bucket_public_write_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_audit_bucket_retention_policy • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-selatan-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-southeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_cloudtrail_change_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:ap-selatan-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_CloudTrail_enabled • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-selatan-1: :control/aws-gr_cloudtrail_validation_enabled • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_cloudwatch_events_change_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_config_aggregation_change_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_config_change_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_CONFIG_enabled • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_config_rule_change_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower: ap-selatan-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower: ap-selatan-1: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-southeast-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-selatan-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-selatan-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-t-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ap-selatan-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3 , il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3 , il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-selatan-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ap-selatan-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_rds_instance_public_access_check • af-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-south-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3 , il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_RESTRICTED_COMMON_PORTS • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-selatan-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-selatan-1: :Control/AWS-GR_RESTRICT_S3_Delete_Without_MFA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_root_account_mfa_enabled • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-selatan-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-selatan-1: :kontrol/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-selatan-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:ap-selatan-1: :control/yslzgqsfaAgk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-south-1: :control/ownnoaxidvkf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-selatan-1: :control/yvjsvpyrbsbh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-selatan-1: :control/hebrxkgjorfl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-selatan-1: :control/yrnsaxogsjsy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-selatan-1: :control/uxjbmyyqdhmx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-selatan-1: :control/fyrzeyaudcmx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-selatan-1: :control/qhzrcuzcbfvr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-selatan-1: :control/yztdfulthzai • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:ap-selatan-1: :control/dscbaavlxjta • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:ap-selatan-1: :control/ybiiyqmkpbjc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ap-selatan-1: :control/lljefwbueema • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-selatan-1: :control/oayeuaafuddq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ATHENA.PR.2
- arn:aws:controltower:ap-selatan-1: :control/xzsytuywcxpr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.1
- arn:aws:controltower:ap-selatan-1: :control/uwtjakcqqdqs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.10
- arn:aws:controltower:ap-selatan-1: :control/lgtydbjhkrwy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.AUTOSCALING.PR.11
- arn:aws:controltower:ap-selatan-1: :control/rzlfqwhtfklx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.2
- arn:aws:controltower:ap-selatan-1: :control/zsfupizukols
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.4
- arn:aws:controltower:ap-selatan-1: :control/sotbxawrfpzb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.5
- arn:aws:controltower:ap-selatan-1: :control/ywrltvcfeext
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-selatan-1: :control/olnbkfllqmbm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-selatan-1: :control/juibggnjbhvd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-selatan-1: :Control/PLFOJFSzjqRR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-selatan-1: :control/znykrmjomgmd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.1
- arn:aws:controltower:ap-selatan-1: :control/jurdjlneswgr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.10
- arn:aws:controltower:ap-selatan-1: :control/dpdnfocwkpxr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.11
- arn:aws:controltower:ap-selatan-1: :control/latrcfdqwvin
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.2
- arn:aws:controltower:ap-selatan-1: :control/sdpqnyineqra
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-selatan-1: :control/ocrrdmbcttpp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-selatan-1: :control/hpoiokydfmze • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-selatan-1: :control/qdmuyvefhyor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-selatan-1: :control/SWGZZGILWLWS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-selatan-1: :control/byqgxidvqdfm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-selatan-1: :control/cffxQujbtgpr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-selatan-1: :control/nbugvulzanxD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-selatan-1: :control/yvivtcsbknzw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-selatan-1: :control/xolqdyeynfba • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-selatan-1: :Control/AFDQMhyCXZPG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-selatan-1: :control/uqxtlqquvmro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-selatan-1: :control/vzqeaylruvew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-selatan-1: :control/jpduoxrodbeg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-selatan-1: :control/otgqbknmwnkv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-selatan-1: :control/ihhakhdrlogu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-selatan-1: :control/pmzekqnvBRkz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-selatan-1: :control/mvsgvyhinmlz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-selatan-1: :control/owjxwkpqucwt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-selatan-1: :control/zubapdkbhpee • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-selatan-1: :control/xfebdnhxuvok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.1 • arn:aws:controltower:ap-selatan-1: :control/ipctfygtpjqk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ap-selatan-1: :control/kiadsevtatnk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-selatan-1: :control/acwsaqrxmapj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/uicxsevcabsw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:ap-selatan-1: :kontrol/tcedvkznchkw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-selatan-1: :control/njtdqshrspim • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-selatan-1: :control/xdkecwmgywqs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-selatan-1: :control/rmgeyqokbyat • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-selatan-1: :control/wzfvboyaomih • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ap-selatan-1: :control/ozfckkrkzsib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-selatan-1: :control/IUSDzwvdetir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-selatan-1: :control/irkwhfejobyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.12 • arn:aws:controltower:ap-selatan-1: :control/vehfjhvkjnrg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:ap-selatan-1: :control/ssckajiewdzo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-selatan-1: :control/tuqfryikjbam • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-selatan-1: :control/wclndtllgblc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.16 • arn:aws:controltower:ap-selatan-1: :control/yaaaygtoxoou • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:ap-selatan-1: :control/vsoagvugdsfc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-selatan-1: :control/pjauvlxzjdjl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-selatan-1: :control/gjazfjqqymyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.2 • arn:aws:controltower:ap-selatan-1: :control/umdaunxlfjji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:ap-selatan-1: :kontrol/jiimkwuyjacb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-selatan-1: :control/qimwiczwnCTJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-selatan-1: :control/valjqomvxomi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.5 • arn:aws:controltower:ap-selatan-1: :control/pekeynxlwhha • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:ap-selatan-1: :control/rspkehrkfskk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-selatan-1: :control/mxxcfqmdzvvy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-selatan-1: :control/pttxrhpkisjl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.9 • arn:aws:controltower:ap-selatan-1: :control/rwbqbcwgsmyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:ap-selatan-1: :control/nmuxqxqemyou • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-selatan-1: :control/jdqdbmiynkpu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-selatan-1: :control/pmuhwxsmswpj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.4 • arn:aws:controltower:ap-selatan-1: :control/jodkgykbmuci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:ap-selatan-1: :control/kxlrvkucfqsj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-selatan-1: :control/gtsxroefliqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-selatan-1: :control/myomrlioxvfn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.2 • arn:aws:controltower:ap-selatan-1: :control/wbsbajchoslr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:ap-selatan-1: :control/qamxlouswqvo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/kpqkcvefhkym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-selatan-1: :control/toajycrkcfxd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.11 • arn:aws:controltower:ap-selatan-1: :Control/HzhMSMNSGECV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:ap-selatan-1: :control/phusquzzkdfw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-selatan-1: :control/doawptyptcxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-selatan-1: :control/rqjoqngjDIYW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.4 • arn:aws:controltower:ap-selatan-1: :control/zawnberliwew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:ap-selatan-1: :control/aeksngnwnyuj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-selatan-1: :control/dnufpjwdbslz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-selatan-1: :control/hrfrzyonqajf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.8 • arn:aws:controltower:ap-selatan-1: :Control/IGXZMogoCQBH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:ap-selatan-1: :control/bvartmymopnp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/yhwwdzfujrbq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-selatan-1: :control/koplffvkedab • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-selatan-1: :control/rzrxixzmavli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ap-selatan-1: :control/lfungcaftslk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ap-selatan-1: :control/iygwakkvkoao • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ap-selatan-1: :control/eumqyrapdftl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-selatan-1: :kontrol/hmblnjnctdHz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-selatan-1: :control/ljwygoMftCTb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-selatan-1: :control/eawbfglusNpy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-selatan-1: :control/ismypojdeigk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-selatan-1: :control/HDHDDnueobs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-selatan-1: :control/qyiyehubojkb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-selatan-1: :control/CBTNCZstvkee • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-selatan-1: :Control/LJZehfLGLFSO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-selatan-1: :control/akixeauextwq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-selatan-1: :Control/RVThuvtedVMP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-selatan-1: :Control/XKQWNWpEIRFE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-selatan-1: :kontrol/kdcylstbldfe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-selatan-1: :control/TWjwyqmuzohv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-selatan-1: :control/amqctrghkrtz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-selatan-1: :Control/JICDLDNZKCWO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-selatan-1: :control/lhlsdalyhrnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-selatan-1: :control/orkeSkwxKFSA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-selatan-1: :control/sfhsnoqtuahq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-selatan-1: :control/ysaharnpjcbu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-selatan-1: :control/uqnsexwgoavi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-selatan-1: :control/yxluvvvlybomp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-selatan-1: :control/nfdtxlihkaBM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-selatan-1: :control/fkdciavbhald • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-selatan-1: :control/rstfvkgdffvp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-selatan-1: :control/jdaaurpdzmos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-selatan-1: :control/rganyvcmwfzg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-selatan-1: :control/tvayhgquxlpe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-selatan-1: :control/phhkzgewdazk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.3 • arn:aws:controltower:ap-selatan-1: :control/xstlmpkvvtzp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:ap-selatan-1: :kontrol/hizugnmvvfiv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-selatan-1: :control/tlznzdrmxyud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-selatan-1: :control/cgjwzyiksakc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.1 • arn:aws:controltower:ap-selatan-1: :control/utuymaxjrgid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:ap-selatan-1: :control/febwnsmfejib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:ap-selatan-1: :control/UJVQwoklapoa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-selatan-1: :control/cbivzxrpuAXJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.5 • arn:aws:controltower:ap-selatan-1: :control/jzhxbikwjjll • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/qexysdbegdvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/xhshcfzkrksk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-selatan-1: :control/iqokddfqvulp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.3 • arn:aws:controltower:ap-selatan-1: :control/vezbrkxrlkat • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:ap-selatan-1: :control/axyyodjfuxqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-selatan-1: :control/hvpbyisbzgoc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-selatan-1: :control/viyxfdtjftov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.4 • arn:aws:controltower:ap-selatan-1: :control/xvujxmnujkrh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:ap-selatan-1: :kontrol/bivkyujttvxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-selatan-1: :control/fbtmevizdzxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-selatan-1: :control/ymywztvhnpmq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-selatan-1: :kontrol/oylhprxkqadb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-selatan-1: :control/bzxkmlbauxjy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-selatan-1: :control/pcxksoqrfojg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-selatan-1: :control/xorgkkzramgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-selatan-1: :control/bfbvyiexhbjm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-selatan-1: :control/gvzqjuvywdcb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-selatan-1: :control/kbsAgxsaaduw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-selatan-1: :control/oydktpamrybe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.1 • arn:aws:controltower:ap-selatan-1: :control/btwmdhyzhdai • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:ap-selatan-1: :control/xawvjzrstadx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-selatan-1: :control/olqbakmrjyxe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-selatan-1: :Control/HKuteituourQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-selatan-1: :control/uskyfiqhpsrg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-selatan-1: :control/dscgrldbstvb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-selatan-1: :control/ekpwqjmyxyjc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-selatan-1: :control/vfhgvctvpmqf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-selatan-1: :Control/SewCMvQOWXZF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-selatan-1: :control/zjxsbkpnKoso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-selatan-1: :control/vbxmakcxqcpj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-selatan-1: :control/vzafyqvtasyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-selatan-1: :control/dojbixuzzfqd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ap-selatan-1: :control/zbdnhdiozemy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:ap-selatan-1: :control/voxpjbuxxxsh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-selatan-1: :control/BPRGFRVWRLYQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:ap-selatan-1: :control/aadyuonvcylf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-selatan-1: :Control/XRXYSFHHVRGW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-selatan-1: :Control/POFYFDIMHQKH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-selatan-1: :control/tjjenzzfeaxl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-selatan-1: :control/kztactidlfab • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:ap-selatan-1: :control/tsaauqsilysh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:ap-selatan-1: :control/ogzkucpqnzaz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:ap-selatan-1: :control/ejlrjluvbnhn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:ap-selatan-1: :control/frhdoexxbowq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:ap-selatan-1: :control/hkmnhqcbpfbi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ap-selatan-1: :control/sjevtrviswqo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ap-selatan-1: :control/ejeegaxfuiuq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ap-selatan-1: :control/GWVtumuOxNCX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/hzbehsxytyjp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-selatan-1: :control/cgcclnzvzfey • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-selatan-1: :control/zzrrqngffmlk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:ap-selatan-1: :control/sknyypgegzze • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ap-selatan-1: :Control/PKVinhpdqtmi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-selatan-1: :control/nvaqmmwpiipq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ap-selatan-1: :control/ktcrrgsruwgr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:ap-selatan-1: :control/fwazwnkrmetw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:ap-selatan-1: :control/UbrpeheoKhpo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:ap-selatan-1: :control/ykuelcladaom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-selatan-1: :control/tqmklidiaqmf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.2 • arn:aws:controltower:ap-selatan-1: :control/yeqraryejpwa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:ap-selatan-1: :control/pjnmBtvrxJja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:ap-selatan-1: :control/aonmprgsrmub • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ap-selatan-1: :control/hynxjzmOfcxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.23 • arn:aws:controltower:ap-selatan-1: :control/bcjowgctpymi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:ap-selatan-1: :control/vxfcduyxiiex • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-selatan-1: :control/izgpuabatwso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-selatan-1: :control/orbpvzysxabe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.27 • arn:aws:controltower:ap-selatan-1: :control/gozzpvlefgzw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:ap-selatan-1: :control/uzsjiymnzodo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-selatan-1: :control/ezdgzglbtfvt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-selatan-1: :control/vfydrpbpnnbt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.30 • arn:aws:controltower:ap-selatan-1: :control/sapcidksbcgk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:ap-selatan-1: :kontrol/mzcfsyuemwcm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-selatan-1: :control/njpgnypghmdz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-selatan-1: :Control/GFPESZSMOHKB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:ap-selatan-1: :control/bfmjvhxzbfls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ap-selatan-1: :Control/UzSCdcCoffDx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-south-1: :control/lwnvyraqeita • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-selatan-1: :control/GAHFLNXXDQAI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-selatan-1: :control/cumxjysqugqj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-selatan-1: :control/ujyybszjhubp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-selatan-1: :control/jjykticmbnii • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:ap-selatan-1: :control/jvrpbpfufxuo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-selatan-1: :control/iqzbjzuenuef • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-selatan-1: :control/wpofsgasmafh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-selatan-1: :control/wiwqcadwssnj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-selatan-1: :control/vakavhvbzrlt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.1 • arn:aws:controltower:ap-selatan-1: :control/dvqucyqssvyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:ap-selatan-1: :control/zvwfnyutbjqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-selatan-1: :control/yrttykighxej • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-selatan-1: :control/yawommvylvvm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.2 • arn:aws:controltower:ap-selatan-1: :control/fqxyyrcxlsvy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:ap-selatan-1: :control/ognpshwcnuxg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-selatan-1: :control/hdfmaxjxvunx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-selatan-1: :control/kyicilzpasaz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.6 • arn:aws:controltower:ap-selatan-1: :control/iJYFTufPBGPV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:ap-selatan-1: :control/zwzwdemhxohi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:ap-selatan-1: :control/ydwmxghwkjdo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-selatan-1: :control/eoqdtumrbxgy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-selatan-1: :kontrol/ztzrimhdvqsr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-selatan-1: :control/mwsrfjckcmyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/wbexrwirfkjl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-selatan-1: :control/jagvxxxlxsrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-selatan-1: :control/fkxonmcufedb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-selatan-1: :control/yhnwbnxvkozp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-selatan-1: :control/pwyddDjmHvka • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-selatan-1: :kontrol/tkftxhezwgtf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.1 • arn:aws:controltower:ap-selatan-1: :control/xanetjvaeosw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:ap-selatan-1: :control/tzfbnaetomjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-selatan-1: :control/zjtwmptTrzrr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-selatan-1: :control/fqitwycbkfgz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM. • arn:aws:controltower:ap-selatan-1: :control/vpnpoeiiusha • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ACM.2 • arn:aws:controltower:ap-selatan-1: :control/qgyuuhwatoqj • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• Sh.apigateway.1 • arn:aws:controltower:ap-selatan-1: :control/ylbgcoijcwco • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• Sh.apigateway.2 • arn:aws:controltower:ap-selatan-1: :Control/ZWRPSdcjjtpw • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• Sh.apigateway.3 • arn:aws:controltower:ap-selatan-1: :control/rdtqsqgieQuc • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• Sh.apigateway.4 • arn:aws:controltower:ap-selatan-1: :Control/RXPVPyDGQhym • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:ap-selatan-1: :control/szgaiymxifvu • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• Sh.apigateway.8 • arn:aws:controltower:ap-selatan-1: :control/LPEGHvwxGrwr • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• Sh.apigateway.9 • arn:aws:controltower:ap-selatan-1: :control/tpqdznhepzzy • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.Account.1 • arn:aws:controltower:ap-selatan-1: :kontrol/idezugbafkot • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH AppSync.5 • arn:aws:controltower:ap-selatan-1: :control/GALGXJCQPHEO • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AutoScaling0,1 • arn:aws:controltower:ap-selatan-1: :control/rjdqsggxmfnh • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH AutoScaling0,2 • arn:aws:controltower:ap-selatan-1: :control/vfwaylbrjfyi • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH AutoScaling0,3 • arn:aws:controltower:ap-selatan-1: :control/lpsgvwspbfom • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH AutoScaling0,6 • arn:aws:controltower:ap-selatan-1: :control/naceepqfgkzt • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH AutoScaling0,9 • arn:aws:controltower:ap-selatan-1: :Control/UHHKZSLKXCPG • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Autoscaling.5 • arn:aws:controltower:ap-selatan-1: :control/nrpxjaticulb • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH CloudTrail0,1 • arn:aws:controltower:ap-selatan-1: :control/hdxrgaszibjr • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH CloudTrail0,2 • arn:aws:controltower:ap-selatan-1: :control/bjkttlyawqnp • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH CloudTrail0,4 • arn:aws:controltower:ap-selatan-1: :control/wyjyqdzhoumc • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH CloudTrail.5 • arn:aws:controltower:ap-selatan-1: :control/tnffxmmeknuk • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,6 • arn:aws:controltower:ap-selatan-1: :kontrol/akryyjmcpeuj • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH CodeBuild0,1 • arn:aws:controltower:ap-selatan-1: :control/icyksdrbzjbo • ap-northeast-2, ap-northeast-1, ap-northeast-1, ap-southeast-2, ca-central-1, us-central-1, us-north-1, us-north-1, us-west-1, us-west-2, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• .SH CodeBuild0,2 • arn:aws:controltower:ap-selatan-1: :control/rbononxlxnlm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH CodeBuild0,3 • arn:aws:controltower:ap-selatan-1: :control/agxayvcmisli • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,4 • arn:aws:controltower:ap-selatan-1: :control/vzjshorkblyn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.DMS.DMS.DMS.DMS.D • arn:aws:controltower:ap-selatan-1: :control/Giddggafouji • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• ID.DMS.9 • arn:aws:controltower:ap-selatan-1: :control/untgipbgzwdd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.DocumentDB.3 • arn:aws:controltower:ap-selatan-1: :control/zgfvwyfzctdx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.1 • arn:aws:controltower:ap-selatan-1: :control/afpomtibacas • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.DynamoDB.2 • arn:aws:controltower:ap-selatan-1: :control/lawqmoxhjyfr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.DynamoDB.3 • arn:aws:controltower:ap-selatan-1: :control/tefxanoxfvrk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EC2.1 • arn:aws:controltower:ap-selatan-1: :control/dcywbswphals • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.10 • arn:aws:controltower:ap-selatan-1: :control/HbypeqKuWCTB • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.EC2.15 • arn:aws:controltower:ap-selatan-1: :control/lhhyjcuxfcse • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.EC2.16 • arn:aws:controltower:ap-selatan-1: :control/whqjltoonsgh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.EC2.17 • arn:aws:controltower:ap-selatan-1: :control/slceebhvdjfi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.18 • arn:aws:controltower:ap-selatan-1: :control/cmovkntimgoh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EC2.19 • arn:aws:controltower:ap-selatan-1: :control/vyoubcppbfty • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EC2.2 • arn:aws:controltower:ap-selatan-1: :control/hrilsvbgxggb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EC2.20 • arn:aws:controltower:ap-selatan-1: :control/wiuldpiakwsu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.21 • arn:aws:controltower:ap-selatan-1: :control/soutwzrnwhmc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.EC2.22 • arn:aws:controltower:ap-selatan-1: :control/ysmqiqvosfya • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.EC2.25 • arn:aws:controltower:ap-selatan-1: :Control/UXLJDHfLBjT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• ID.EC2.3 • arn:aws:controltower:ap-selatan-1: :control/wkhaumvqjhbl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.4 • arn:aws:controltower:ap-selatan-1: :control/ftpnayewdtjt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EC2.6 • arn:aws:controltower:ap-selatan-1: :control/xssfyrgjznxH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EC2.7 • arn:aws:controltower:ap-selatan-1: :control/ygqdrtwxylox • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EC2.8 • arn:aws:controltower:ap-selatan-1: :control/bicioksbgcme • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.9 • arn:aws:controltower:ap-selatan-1: :control/djyjfjkfzgNB • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECR.1 • arn:aws:controltower:ap-selatan-1: :control/fktcylywjyfl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECR.2 • arn:aws:controltower:ap-selatan-1: :control/loyorbygcynu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECR.ECR.ECR.ECR.EC • arn:aws:controltower:ap-selatan-1: :control/amxiuavtmarh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.1 • arn:aws:controltower:ap-selatan-1: :control/dzknsgruqhtt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECS.10 • arn:aws:controltower:ap-selatan-1: :Control/Sudprjeduawi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECS.12 • arn:aws:controltower:ap-selatan-1: :control/xafjjvqhmgnx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECS.2 • arn:aws:controltower:ap-selatan-1: :control/ocqsrqosdjoy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS. • arn:aws:controltower:ap-selatan-1: :control/zmmjvddxrggf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECS. • arn:aws:controltower:ap-selatan-1: :control/yezcuvrwiyfa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECS. • arn:aws:controltower:ap-selatan-1: :control/afncbeGByixm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ECS.8 • arn:aws:controltower:ap-selatan-1: :kontrol/kanmmzemjftv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.1 • arn:aws:controltower:ap-selatan-1: :control/IuaGtqHNXJJ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EFS.2 • arn:aws:controltower:ap-selatan-1: :control/RydlpnlerRow • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EFS.EFS.EFS.EFS.EFS.SH • arn:aws:controltower:ap-selatan-1: :kontrol/qzxhmiohktkh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EFS.EFS.EFS.EFS.EFS.SH • arn:aws:controltower:ap-selatan-1: :control/hyfdeividtoe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.1 • arn:aws:controltower:ap-selatan-1: :control/hgfrloazsnpf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.EKS.2 • arn:aws:controltower:ap-selatan-1: :control/olrvvjbcrsgn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.10 • arn:aws:controltower:ap-selatan-1: :control/snuvekznarwv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.12 • arn:aws:controltower:ap-selatan-1: :Control/LKVZZNiHLSAG • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.13 • arn:aws:controltower:ap-selatan-1: :control/wmxuzbxgiqwf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.14 • arn:aws:controltower:ap-selatan-1: :control/gfcilrdcwfsu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.2 • arn:aws:controltower:ap-selatan-1: :control/qiavfqeMyprm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.ELB. • arn:aws:controltower:ap-selatan-1: :control/ktztxrnimgcy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.4 • arn:aws:controltower:ap-selatan-1: :control/yclavfmlzxco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.5 • arn:aws:controltower:ap-selatan-1: :kontrol/fotlyksqlkLV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.6 • arn:aws:controltower:ap-south-1: :control/qechnaarnaon • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ELB.7 • arn:aws:controltower:ap-selatan-1: :control/ikkhfuaqzuvn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.8 • arn:aws:controltower:ap-selatan-1: :control/bbkarsamzqxx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.ELB.9 • arn:aws:controltower:ap-selatan-1: :control/svecmbmgskgw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• Sh.elbv2.1 • arn:aws:controltower:ap-selatan-1: :control/batagmqwyonm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.EMR.1 • arn:aws:controltower:ap-selatan-1: :control/NotXpwzxUBGQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.1 • arn:aws:controltower:ap-selatan-1: :control/scvojnyhgdol • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ES.2 • arn:aws:controltower:ap-selatan-1: :control/nokxlsvszdse • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-selatan-1: :control/ozyvqtzlogqo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-selatan-1: :control/tipbmsrpmonc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.ES.ES.ES.ES.ES.ES.ES5 • arn:aws:controltower:ap-selatan-1: :control/yvmkovthfrnh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-selatan-1: :control/glomyatyelrz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-selatan-1: :kontrol/ptxysyharcva • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ES.8 • arn:aws:controltower:ap-selatan-1: :control/qvpgwcrcbgps • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElasticBeanstalk0,1 • arn:aws:controltower:ap-selatan-1: :control/tjvuctruzxbi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH ElasticBeanstalk0,2 • arn:aws:controltower:ap-selatan-1: :control/dwgnukilaczo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH EventBridge0,3 • arn:aws:controltower:ap-selatan-1: :Control/RuxvsGigSQEA • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH GuardDuty0,1 • arn:aws:controltower:ap-selatan-1: :control/fitxslohmhek • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.1 • arn:aws:controltower:ap-selatan-1: :control/tenomrdybhfd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.2 • arn:aws:controltower:ap-selatan-1: :control/rybhhgrlqnrs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.21 • arn:aws:controltower:ap-selatan-1: :control/wfvnbrntreiu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.3 • arn:aws:controltower:ap-selatan-1: :control/rfhkmyzymhyo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.4 • arn:aws:controltower:ap-selatan-1: :control/mynfrqfmidrc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM0,5 • arn:aws:controltower:ap-selatan-1: :control/MajhPoePBKQN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.6 • arn:aws:controltower:ap-selatan-1: :control/hivwuodpedii • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.7 • arn:aws:controltower:ap-selatan-1: :control/xadxtopdefzn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.8 • arn:aws:controltower:ap-selatan-1: :control/fkpjqkaoDrew • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.KMS.1 • arn:aws:controltower:ap-selatan-1: :Control/IGBZSWRYBKOJ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.KMS.2 • arn:aws:controltower:ap-selatan-1: :control/jbhozlajzrht • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.KMS.3 • arn:aws:controltower:ap-selatan-1: :control/apznzrndyxHH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.4 • arn:aws:controltower:ap-selatan-1: :control/siazykixawvm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.kinesis.1 • arn:aws:controltower:ap-selatan-1: :control/ypewszcwjiur • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.Lambda.1 • arn:aws:controltower:ap-selatan-1: :control/wlotgenglmyp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.Lambda.2 • arn:aws:controltower:ap-selatan-1: :control/bhbseuqufgwl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.3 • arn:aws:controltower:ap-selatan-1: :control/eudgmamqfgdu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.Lambda.5 • arn:aws:controltower:ap-selatan-1: :control/pyksdwctupjj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.MQ.MQ.MQ.MQ.M • arn:aws:controltower:ap-selatan-1: :control/GHrHLPKDQnud • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.MQ.MQ.MQ.MQ.M • arn:aws:controltower:ap-selatan-1: :control/atxqbwmkkeue • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• MSK.MSK.1 • arn:aws:controltower:ap-selatan-1: :control/jvuelrtaeori • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.1 • arn:aws:controltower:ap-selatan-1: :control/ydrdbhstegff • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.2 • arn:aws:controltower:ap-selatan-1: :control/zpzgkoghbupr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.3 • arn:aws:controltower:ap-selatan-1: :control/mwnolnfgiqdk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.4 • arn:aws:controltower:ap-selatan-1: :control/wyuuhckljmjn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.5 • arn:aws:controltower:ap-selatan-1: :control/dfluigicknqb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.6 • arn:aws:controltower:ap-selatan-1: :control/rgtmiuhbcjer • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.7 • arn:aws:controltower:ap-selatan-1: :control/zreijbcxrjco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.8 • arn:aws:controltower:ap-selatan-1: :control/iqncagyrqmac • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall0,3 • arn:aws:controltower:ap-selatan-1: :control/kxecuoxepwae • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall0,4 • arn:aws:controltower:ap-selatan-1: :control/hahswplbydby • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall.5 • arn:aws:controltower:ap-selatan-1: :control/owxsvhkinpix • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH NetworkFirewall0,6 • arn:aws:controltower:ap-selatan-1: :control/aydxhnxypdcx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.1 • arn:aws:controltower:ap-selatan-1: :control/ubzmndyjffgl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.2 • arn:aws:controltower:ap-selatan-1: :control/htjozsbbcwos • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.3 • arn:aws:controltower:ap-selatan-1: :control/lddceqcamdtz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.4 • arn:aws:controltower:ap-selatan-1: :control/fbetlntpixih • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.5 • arn:aws:controltower:ap-selatan-1: :control/gzummdqrrygl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.6 • arn:aws:controltower:ap-selatan-1: :control/ahzdavzeikpi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.7 • arn:aws:controltower:ap-selatan-1: :control/awwbnorxhgfq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:controltower:ap-selatan-1: :control/yrwimcszllag • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.1 • arn:aws:controltower:ap-selatan-1: :control/ehmnwtqnuqfx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.10 • arn:aws:controltower:ap-selatan-1: :control/ryhnwnnmlodq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.11 • arn:aws:controltower:ap-selatan-1: :control/yitlgyairubp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.12 • arn:aws:controltower:ap-selatan-1: :control/ydfqasdrciik • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.13 • arn:aws:controltower:ap-selatan-1: :control/sjkovphpKCSE • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.15 • arn:aws:controltower:ap-selatan-1: :control/alncdifdixfy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.17 • arn:aws:controltower:ap-selatan-1: :control/yvfdauwenfaa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.18 • arn:aws:controltower:ap-selatan-1: :control/wuniheuemujr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.19 • arn:aws:controltower:ap-selatan-1: :control/fnyimxtfodxs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.2 • arn:aws:controltower:ap-selatan-1: :control/qpxosoojydod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.20 • arn:aws:controltower:ap-selatan-1: :control/nvfjxdyxezui • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.21 • arn:aws:controltower:ap-selatan-1: :control/mudgoldwjqfj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.22 • arn:aws:controltower:ap-selatan-1: :control/quvlhkddegey • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.23 • arn:aws:controltower:ap-selatan-1: :control/fafqhceranwf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.25 • arn:aws:controltower:ap-selatan-1: :control/awjundmltrrd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.27 • arn:aws:controltower:ap-selatan-1: :control/vllllyemugoc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.3 • arn:aws:controltower:ap-selatan-1: :control/qlbphxrqyfte • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.4 • arn:aws:controltower:ap-selatan-1: :control/daciceFqauls • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.RDS.5 • arn:aws:controltower:ap-selatan-1: :control/GPUFSACIRWXI • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.6 • arn:aws:controltower:ap-selatan-1: :control/vhpwtyrbfsmr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.10 • arn:aws:controltower:ap-selatan-1: :control/wjwrwaeumdco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.7 • arn:aws:controltower:ap-selatan-1: :control/qtiuhwemwamc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• Sh.Redshift.8 • arn:aws:controltower:ap-selatan-1: :control/lnlpibkgauqr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• Sh.Redshift.9 • arn:aws:controltower:ap-selatan-1: :control/dnjVacrrrvqmj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.1 • arn:aws:controltower:ap-selatan-1: :control/ddfxzzzgualp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.10 • arn:aws:controltower:ap-selatan-1: :kontrol/kpctmbedxbva • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.11 • arn:aws:controltower:ap-selatan-1: :control/rftvxuxsdpbj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.12 • arn:aws:controltower:ap-selatan-1: :control/qyszqbrlivhx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.13 • arn:aws:controltower:ap-selatan-1: :control/ekxyshhntfgf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.17 • arn:aws:controltower:ap-selatan-1: :kontrol/qkqsgbktqtni • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.2 • arn:aws:controltower:ap-selatan-1: :control/wqftuqoyepuo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.3 • arn:aws:controltower:ap-selatan-1: :Control/MumhaVuhexe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.5 • arn:aws:controltower:ap-selatan-1: :control/ojxaxighyfqw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.6 • arn:aws:controltower:ap-selatan-1: :control/dbisinhulbgv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.1 • arn:aws:controltower:ap-selatan-1: :control/istitqjtngSD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SageMaker0,1 • arn:aws:controltower:ap-selatan-1: :control/dgbajffoftub • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH SageMaker0,2 • arn:aws:controltower:ap-selatan-1: :control/plpatenuqnnz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH SageMaker0,3 • arn:aws:controltower:ap-selatan-1: :control/lmyfynkdcokv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH SecretsManager0,1 • arn:aws:controltower:ap-selatan-1: :control/vcdombqozakf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager0,2 • arn:aws:controltower:ap-selatan-1: :control/logbiwtpoflx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH SecretsManager0,3 • arn:aws:controltower:ap-selatan-1: :control/drwddumjxgdx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH SecretsManager0,4 • arn:aws:controltower:ap-selatan-1: :Control/MFXRVGDHFFau • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.WAF.10 • arn:aws:controltower:ap-selatan-1: :control/dzcjrbfwfyza • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.WAF.2
- arn:aws:controltower:ap-selatan-1: :control/dloliyyveVKV
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:ap-selatan-2: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-selatan-2: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-selatan-2: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-southeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:ap-selatan-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-selatan-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_CONFIG_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-selatan-2: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-selatan-2: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-selatan-2: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_Disallow_VPC_Internet_Access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-selatan-2: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-south-2: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_RESTRICTED_COMMON_PORTS • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-selatan-2: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-selatan-2: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-selatan-2: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_root_account_mfa_enabled • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-selatan-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-selatan-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-selatan-2: :kontrol/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-selatan-2: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ACM.PR.1 • arn:aws:controltower:ap-selatan-2: :control/puxhxgeXNZWU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-selatan-2: :kontrol/zknnhmhvzwcv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-selatan-2: :control/wuvycwrieryh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-selatan-2: :kontrol/dnueoqsfwtrd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-selatan-2: :control/vxynukktzxge • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-selatan-2: :control/eoxavtbqihie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-selatan-2: :control/sthzpvsvpasx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-selatan-2: :control/khnuyygintjk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-selatan-2: :control/jxqtzkixjrcc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:ap-selatan-2: :Control/IKYKQMGGAKTZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:ap-selatan-2: :control/cdkxwsfzgmii • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ap-selatan-2: :control/dlcuijbzagxg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-selatan-2: :control/xucexylcfryy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-selatan-2: :control/wpkkgxfeusgm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-selatan-2: :control/pmsupkwknjrz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-selatan-2: :control/xuabkdyxzwki • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-selatan-2: :control/dmkztxzxocdv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ap-selatan-2: :kontrol/pcdfzdmsejkw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-selatan-2: :control/lplvnkcqlvjf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-selatan-2: :control/tqetcizkimiu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-selatan-2: :control/ncsoesjizpdj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-selatan-2: :control/dkhbspqgatgw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-selatan-2: :control/pvjjtccpqerk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-selatan-2: :control/rtjyhaxoeedy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-selatan-2: :control/hathjjwtnrte • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-selatan-2: :control/ncqfjehlnvol • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ap-selatan-2: :control/mfljbhyhdjza • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:ap-selatan-2: :control/kpxxrykibwcp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-selatan-2: :control/njqtyerBvbji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-selatan-2: :control/wqizckkcsrxt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-selatan-2: :control/JPFMNYtbxSix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-selatan-2: :control/ewculhxpmCBD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-selatan-2: :control/uptabjlzluld • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-selatan-2: :control/dwtwkhvwmsms • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-selatan-2: :control/hjiqhqjzmqzi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-selatan-2: :kontrol/kfvuhHobqfsh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-selatan-2: :control/qfcajqomwryu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-selatan-2: :control/ycgkiqtamtUj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-selatan-2: :control/awblellPBPBZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-selatan-2: :control/xscoqusbvakh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-selatan-2: :control/uejepffszubw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-selatan-2: :Control/DejfozeGerQP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-selatan-2: :Control/TRQTFJozzeOf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-selatan-2: :control/bgonjaeqqodc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-selatan-2: :control/zqLuvNoAmurg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-selatan-2: :control/kefqcwmqbgjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-selatan-2: :control/ettgkypzhdwe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-selatan-2: :control/srrajiimevge • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.1 • arn:aws:controltower:ap-selatan-2: :control/hdspsoqhqadh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ap-selatan-2: :control/rdukualnevnu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-selatan-2: :control/befhhefamigj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-selatan-2: :control/euclhhuydeec • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:ap-selatan-2: :control/yrgkyvhvrbsl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-selatan-2: :control/ecviefmuqjmz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-selatan-2: :control/wajsgcijcgch • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-selatan-2: :control/cunozjclcdxs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-selatan-2: :control/moylidkdfbhl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ap-selatan-2: :control/mtslskqkpifr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-selatan-2: :control/TWBjimnvqoyc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-selatan-2: :control/tcputkeculuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.12
- arn:aws:controltower:ap-selatan-2: :control/hleakiwsbdxq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.13
- arn:aws:controltower:ap-selatan-2: :control/lxnqljajnvlt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.14
- arn:aws:controltower:ap-selatan-2: :control/nagysjvvwtds
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.15
- arn:aws:controltower:ap-selatan-2: :control/afzixcjhxmfe
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.16 • arn:aws:controltower:ap-selatan-2: :control/atwndzayesgz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:ap-selatan-2: :control/yvotfuwygjcl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-south-2: :control/gjhonuwzlygn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-selatan-2: :control/zdtjvrysteym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.2 • arn:aws:controltower:ap-selatan-2: :control/akethxxmvtqr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:ap-selatan-2: :control/rxglycjgbygd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-selatan-2: :control/ycuagicdvcvg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-selatan-2: :kontrol/kmfiihjhprot • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.5 • arn:aws:controltower:ap-selatan-2: :control/gxamohyonsay • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:ap-selatan-2: :control/pqkqbdqpixca • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-selatan-2: :kontrol/hlkxsqdkbysc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-selatan-2: :kontrol/lpnsppzgrsqc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.9 • arn:aws:controltower:ap-selatan-2: :control/qcweeeetsstc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:ap-selatan-2: :control/grwqkmqthfta • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-selatan-2: :control/vczvabgyjpwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-selatan-2: :control/neqjlansjhsn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.4 • arn:aws:controltower:ap-south-2: :control/tadwjeuehalg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:ap-selatan-2: :control/rwajownwxewf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-selatan-2: :control/ACJbmmgjKLkg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-selatan-2: :control/ryskjqctstwt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.2 • arn:aws:controltower:ap-selatan-2: :control/jutywvtnrcms • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:ap-selatan-2: :control/eehwjwmdsose • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:ap-selatan-2: :control/juygsqouwufl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-selatan-2: :Control/TeolhjitGnSI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.11 • arn:aws:controltower:ap-selatan-2: :control/uzyaasorzstk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:ap-selatan-2: :control/dimymtirumar • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-selatan-2: :control/nuvqpypcrwRU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-selatan-2: :control/acwevnimyucl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.4 • arn:aws:controltower:ap-selatan-2: :control/dzmbacoevmxs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:ap-selatan-2: :control/jbhwtyukeeio • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-selatan-2: :control/ryojtkatlzwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-selatan-2: :control/ftvhcAlgecke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.8 • arn:aws:controltower:ap-selatan-2: :control/niryansaziql • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:ap-selatan-2: :control/etuvkdvbnxwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-selatan-2: :control/ckeckgiuxtqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-selatan-2: :control/dhnvbipnlttm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-selatan-2: :control/trjrzvzcrwlt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ap-selatan-2: :Control/FSMtbmPoWFCC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ap-selatan-2: :control/jziuwcpvxprg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ap-selatan-2: :control/lxxvjgeCxCLX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-selatan-2: :control/jkiqqdhmBwjg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-selatan-2: :control/kemjknuaminw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-selatan-2: :control/epmcdgugokvq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-selatan-2: :control/xaydszrnrdcw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-selatan-2: :control/mrwdnkokejvs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-selatan-2: :control/yqwdjdigftji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-selatan-2: :control/nskznaonqadx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-selatan-2: :kontrol/mcsqehqtiywz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-selatan-2: :control/arfsnbuxzzkj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-selatan-2: :control/cwjpiebegenm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-selatan-2: :control/cvgtzdjtzlji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-selatan-2: :kontrol/aqbrqhvhbkkkb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-selatan-2: :control/efcetyxccsxq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-selatan-2: :control/jhzckzsjbdkv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-selatan-2: :control/cseuegczreoy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-selatan-2: :control/hfjuuuogtepo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-selatan-2: :control/nylpbexsggow • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-selatan-2: :control/IDWCAEqueTLC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-selatan-2: :control/bjcgmxbuqoas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-selatan-2: :control/vrewvbqogotc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-selatan-2: :control/gcbljghguuxa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-selatan-2: :control/kgllbspufjrb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-selatan-2: :control/nvnlwpusghdz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-selatan-2: :control/kbggldwqnutk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-selatan-2: :control/kjlvwzwyxece • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-selatan-2: :control/trloihfyirmi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-selatan-2: :Control/LMBWEFMCQiyn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-selatan-2: :control/fhsouojengfw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.3 • arn:aws:controltower:ap-selatan-2: :control/zestqvqplbxw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:ap-selatan-2: :Control/PRXVTLEHHJRV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-selatan-2: :control/znlhbhlaorxt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-selatan-2: :control/ontrozvbxcsh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.1 • arn:aws:controltower:ap-selatan-2: :control/vfmzimkrmwcn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:ap-selatan-2: :control/ybdthccprlhg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:ap-selatan-2: :control/lsokraevkvhm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-selatan-2: :control/jmwlmqksowrb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.5 • arn:aws:controltower:ap-selatan-2: :control/qyfjqefkxmae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-selatan-2: :control/nycmwpojwlvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-selatan-2: :control/dnsqmertUtyl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-selatan-2: :control/riklhwlbscop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.3 • arn:aws:controltower:ap-selatan-2: :kontrol/bomfypzaqnzu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:ap-selatan-2: :control/zfsncedhsqjz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-selatan-2: :control/vntgrhVAOAZP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-selatan-2: :control/redxlsftogwe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.4 • arn:aws:controltower:ap-selatan-2: :control/zlveayebgqyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:ap-selatan-2: :control/dctjvtiegizc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-selatan-2: :control/JurdomClqetm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-selatan-2: :control/xwzgmytsszac • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-selatan-2: :control/ouakoukaruha • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-selatan-2: :control/vjswzaqroijf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-selatan-2: :control/peceawghzuhr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-selatan-2: :control/hauiliysysqr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-selatan-2: :control/slmbvwjdnkmx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-selatan-2: :control/tjfqqziceGuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-selatan-2: :control/wtwvlyjwrksb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-selatan-2: :control/avwbmtcgefmz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.1 • arn:aws:controltower:ap-selatan-2: :control/TWCRBSOgzPFF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:ap-selatan-2: :control/sbetccvkpniu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-selatan-2: :control/qouyadivtwnb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-selatan-2: :control/gcidlpuwzzsc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-selatan-2: :control/aldjgkdlkysd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-selatan-2: :control/auxnhikwywom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-selatan-2: :control/sqjjlqfwdylt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-selatan-2: :control/guzdyggucqef • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-selatan-2: :control/utnknmwkyebf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-selatan-2: :control/hyptjdayxnhh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-selatan-2: :control/rfdnthgJELTR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-selatan-2: :control/ktzytmwbdrhp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-selatan-2: :control/aoikxrldqgdb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ap-selatan-2: :control/stqlabavrxqo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:ap-selatan-2: :control/kjpzfvgaxusq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-selatan-2: :control/xoaojpzffesj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:ap-selatan-2: :kontrol/gaekxuennotd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-selatan-2: :control/fnrixbviotif • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-selatan-2: :control/zrbrjycvysig • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-selatan-2: :control/pxjllpjdADLP • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-selatan-2: :control/cinysctvzmhx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:ap-selatan-2: :control/voyuolerdhma • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:ap-selatan-2: :control/hfbwabbdquge • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:ap-selatan-2: :control/rhzecqraaazw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:ap-selatan-2: :Control/XJXEZtthXKQF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:ap-selatan-2: :control/oclocvaytooi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ap-selatan-2: :kontrol/ttphklhovraj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ap-selatan-2: :control/avgvrwymxrrx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ap-selatan-2: :control/taogfqgdmgod • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:ap-selatan-2: :control/jehzotctrsdl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-selatan-2: :control/xkopezhnrzwx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-selatan-2: :control/joxyqpqmcaxo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:ap-south-2: :control/skkorlkazaop • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ap-selatan-2: :control/bizbtulxelsx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-selatan-2: :control/qedaepenjipg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ap-selatan-2: :control/fctfoqpgteyv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:ap-selatan-2: :control/ditszvhzlyom • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:ap-south-2: :control/usenkgrnckyn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:ap-selatan-2: :Control/BAFzpqAZnezZ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-selatan-2: :control/ernaimffviwz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.2 • arn:aws:controltower:ap-selatan-2: :Control/XRoomLouyAFE • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:ap-selatan-2: :control/qrjpdjcxmztc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:ap-selatan-2: :control/hpxnnrrqxNXi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ap-selatan-2: :control/kayubudgenWW • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.23 • arn:aws:controltower:ap-selatan-2: :control/yaqqwpijlykn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:ap-selatan-2: :control/iywxhemrrbhl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-selatan-2: :control/slxkvclufuos • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-selatan-2: :control/mitoitkkodew • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.27 • arn:aws:controltower:ap-selatan-2: :control/dygitqiogdau • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:ap-selatan-2: :control/fezbskmfnmgo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-selatan-2: :control/nttoskrxzhsw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-selatan-2: :control/bkrloxvtvpme • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.30 • arn:aws:controltower:ap-selatan-2: :control/qtuldyfdwykd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:ap-selatan-2: :control/kroeclwfgbsa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-selatan-2: :control/rmeboyadjyho • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-selatan-2: :control/niopcrppkclh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:ap-selatan-2: :control/mxfsctlatsLV • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ap-selatan-2: :control/qpzxslctjrtb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-selatan-2: :control/cbiqoktfvuyg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-selatan-2: :control/zngcfwphzzzi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-selatan-2: :control/nqjjkyhzhlfg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-selatan-2: :control/gnwmbrybygug • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-selatan-2: :control/goomdzfiuxfu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-selatan-2: :control/pqyazyvnbwkB • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-selatan-2: :control/mbzbywqhwyya • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-selatan-2: :control/fwduxfdxqcqq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-selatan-2: :control/nxyujnvdtbzp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-selatan-2: :control/qnvofwqbeimn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:ap-selatan-2: :Control/HWTOUvQXQKRI • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-selatan-2: :control/jaqqlphvmoth • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-selatan-2: :control/zbromccsoofu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:ap-selatan-2: :control/djanzmgcqevc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:ap-selatan-2: :control/mepsjmoraqqd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-selatan-2: :kontrol/hpsjsqxkszhv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-selatan-2: :control/fihxyrebyhqg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ap-selatan-2: :control/scsyafkbkfet • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:ap-selatan-2: :control/xqmjuiqtgzyx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:ap-selatan-2: :control/wvtljtcjufxm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-selatan-2: :control/wxnswewicmmi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-selatan-2: :control/fwlxiosgxlzd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-selatan-2: :control/ryvxfmpgiygk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-selatan-2: :Control/iMICltiIQHXY • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-selatan-2: :control/lqqxtjhppscl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-selatan-2: :control/ljsInxghbeny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-selatan-2: :kontrol/fxoeugccowih • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-selatan-2: :control/gmcxxvdxpphh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-selatan-2: :control/rwnpuzwyhnmy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ap-selatan-2: :control/zfnfrznghwko • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:ap-selatan-2: :control/tfntahcaFohl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-selatan-2: :control/hhwuxjhwsthw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-selatan-2: :control/ebhcutsnubce • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

ap-southeast-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:ap-southeast-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-southeast-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_autoscaling_launch_config_public_ip_di sabled • af-south-1, ap-southeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southe ast-2, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:ap-southeast-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-southeast-1: :control/aws-gr_cloudtrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-southeast-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-southeast-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ap-southeast-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-t-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ebs_optimized_instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ap-southeast-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2 , eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:ap-tenggara 1: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-southeast-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-southeast-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ap-southeast-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-southeast-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-southeast-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-southeast-1: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:ap-southeast-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-southeast-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-southeast-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-southeast-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-southeast-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-southeast-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:ap-southeast-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-southeast-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-southeast-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:ap-southeast-1: :control/jhlozpxdfzlz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-southeast-1: :control/qfzclbsxxbkm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-southeast-1: :control/ifwwbitjqwqo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-southeast-1: :control/eshxzmsbzxke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-southeast-1: :control/khgsjqsdyflh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-southeast-1: :control/FXZedHLSFKXJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-southeast-1: :control/hkkdwufjipow • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-southeast-1: :control/szsrsnlxooxb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-southeast-1: :Control/SqADHLZmBzjn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.3 • arn:aws:controltower:ap-southeast-1: :control/vncilgzefdhs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:ap-southeast-1: :control/msrcchvlerdn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ap-southeast-1: :control/mgqzmyvdxkjs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, ap-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-southeast-1: :control/axubgpdvhueE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-southeast-1: :control/xmsfgwxqsowh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-southeast-1: :control/qyeyjcswqxxd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-southeast-1: :control/xhgvmblnppwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-southeast-1: :control/ltezjrqbqqyx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ap-southeast-1: :control/waslcdwkgjbp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-southeast-1: :control/wavccmidcexh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-southeast-1: :control/THTGVEGTGXBO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-southeast-1: :control/jbgglezgynny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-southeast-1: :control/ctwwgopbjzzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-southeast-1: :control/mmtqybwwzfen • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-southeast-1: :control/vqjenywqlikn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-southeast-1: :control/phmwmcanhksw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-southeast-1: :control/tjjcfozermmu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ap-southeast-1: :control/pwkkknyclontw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:ap-southeast-1: :control/jpidqbifwbwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-southeast-1: :control/jlxonozwheci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-southeast-1: :control/radlruniixjv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-southeast-1: :control/rhbucaSOCZAV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-southeast-1: :control/tuiukmpmaeud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-southeast-1: :control/xfodqonncmng • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-southeast-1: :control/xkywapjwatkr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-southeast-1: :control/orpmlbimjeyi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-southeast-1: :control/ldwqncxtiacq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-southeast-1: :control/vlnmmtwxffir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-southeast-1: :control/enofmwznykbc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-southeast-1: :control/ncgcphkailmf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-southeast-1: :control/efyipkximwcm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-southeast-1: :control/quykuyvnwszv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-southeast-1: :control/aheqlqiviowd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-southeast-1: :control/ismlvctxzgyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-southeast-1: :control/rdsuwxnodesz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-southeast-1: :control/ftddomzpcich • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-southeast-1: :control/vbdumcpmlqtk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-southeast-1: :control/BRCVOcSepxiq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-southeast-1: :control/ljafckimtdgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:ap-southeast-1: :control/qwqalhiypodd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:ap-southeast-1: :control/lsycopmqsaqk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-southeast-1: :control/vnhvfuclaksx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-southeast-1: :control/fvtctpbwHDTL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:ap-southeast-1: :control/wsxhlsuckdgh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-southeast-1: :control/xuvxihbpxaam • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-southeast-1: :control/uihmuqngecff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-southeast-1: :control/bqimdwjdeklb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-southeast-1: :control/vatdyitsdfzt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.1 • arn:aws:controltower:ap-southeast-1: :control/ukdfsiypxfvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-southeast-1: :control/xxrxmnfpaiir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-southeast-1: :control/gaezxfnkitwd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:ap-southeast-1: :control/lnydlnmlkHFD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:ap-southeast-1: :control/qzmarzrdzenj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-southeast-1: :control/giixbvqaqtnt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-southeast-1: :control/mlghLudgFFBA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:ap-southeast-1: :control/ncyjqJarmyXT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:ap-southeast-1: :control/hrlzouhqkybc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-southeast-1: :control/wlgovqzcvmax • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-southeast-1: :control/rqzhiczbnkit • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:ap-southeast-1: :control/tttkthomejgw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.20 • arn:aws:controltower:ap-southeast-1: :control/AFBXGnHALNJF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-southeast-1: :control/lzmeysksqsyc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-southeast-1: :control/bwpbqrumlzxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:ap-southeast-1: :control/xtgiabcgsegh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:ap-southeast-1: :control/tjczqywqvxkw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-southeast-1: :control/fishmdvxaktq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-southeast-1: :control/hvuxmkmliwut • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:ap-southeast-1: :control/jhbkwbdqdygy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:ap-southeast-1: :control/zltpovdcncgm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-southeast-1: :control/fdiwdcprvBud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-southeast-1: :control/ydwhldllqykq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:ap-southeast-1: :control/jmvysfpcmpop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:ap-southeast-1: :control/ckuthxnxRMCF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-southeast-1: :control/ogsghvhzcimc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-southeast-1: :control/uksavcpeyyyxg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:ap-southeast-1: :control/ateorbkqumyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECR.PR.3
- arn:aws:controltower:ap-southeast-1: :control/xzfsmlddyhok
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.1
- arn:aws:controltower:ap-southeast-1: :control/arpwjuylvoef
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.10
- arn:aws:controltower:ap-southeast-1: :control/jywfvnvocrvr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.11
- arn:aws:controltower:ap-southeast-1: :control/txmzrktzucxz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:ap-southeast-1: :control/edpkycggtmws • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-southeast-1: :control/fdksthvuwwya • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-southeast-1: :control/UWMacLLLDWQA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:ap-southeast-1: :control/dqlffjbhmjjb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:ap-southeast-1: :control/yahlrrlbbdti • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-southeast-1: :control/pewmzhwhaxnb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-southeast-1: :control/rewmtiunpngu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:ap-southeast-1: :control/jeghyzbsmsqe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:ap-southeast-1: :control/BzrondFGFUHD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-southeast-1: :control/sbdbcvufddxn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-southeast-1: :control/rrvfdzmdhuyx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-southeast-1: :control/mmgpvlccqdkc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ap-southeast-1: :control/bnzbywhddjas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ap-southeast-1: :control/egnyzbjwmlrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ap-southeast-1: :control/mmzeefknskmu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-southeast-1: :control/dcciqjohrvie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-southeast-1: :control/injgamrvoajq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-southeast-1: :control/iWBQQXYWVQGA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-southeast-1: :control/fbpmvjxectiz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-southeast-1: :control/earstrslzbzc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-southeast-1: :control/yigecekffpjw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-southeast-1: :control/sntazaygytds • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-southeast-1: :control/ermqracxwhlo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-southeast-1: :control/jvohlvyuhcbk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-southeast-1: :control/cprqirlljjzr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-southeast-1: :control/JBBLWRTYSJII • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-southeast-1: :control/nknjblfcpcgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-southeast-1: :control/sttskrcgxnod • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-southeast-1: :control/gxofhfawfnod • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-southeast-1: :control/cxhkqipmppor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-southeast-1: :control/wqmjlmpnjrht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-southeast-1: :control/wmuygbvgkEvd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-southeast-1: :control/rtxcngwmaDbt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-southeast-1: :control/iboadpmiqpqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-southeast-1: :control/ohovdegrdbjy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-southeast-1: :control/ggmitqucxrsc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-southeast-1: :control/fcbahaowapag • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-southeast-1: :control/uftghaicjbke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-southeast-1: :control/oetugrlwduua • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-southeast-1: :control/qkoijaupeCRW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-southeast-1: :control/onUHDZQBRTPI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-southeast-1: :control/ksglcsmaeeda • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-southeast-1: :control/pfaxxmhsTojg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:ap-southeast-1: :control/ljlbkoojfqzd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:ap-southeast-1: :control/ipwajhvdzlkx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-southeast-1: :control/qqfwdeloyzhj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-southeast-1: :control/ytvhwkkjnvvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:ap-southeast-1: :control/joywuukessyi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.IAM.PR.2
- arn:aws:controltower:ap-southeast-1: :control/yhmpkyktcuml
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.3
- arn:aws:controltower:ap-southeast-1: :control/rbkjftdcpgHb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.4
- arn:aws:controltower:ap-southeast-1: :control/yxxsrjwmgbgn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.5
- arn:aws:controltower:ap-southeast-1: :control/lzsjwcbdnbck
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-southeast-1: :control/vpocrymnflhq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-southeast-1: :control/fzqevkyaazwt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-southeast-1: :control/cwznigtyzzag • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:ap-southeast-1: :control/xtnlhqdkvozw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:ap-southeast-1: :control/erxhyqnevryz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-southeast-1: :control/nczdnqrkdyma • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-southeast-1: :control/kkrpfqthvvnf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:ap-southeast-1: :control/xcurerqkngza • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:ap-southeast-1: :control/njsiljcbkkdx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-southeast-1: :control/xpqjdejnqrea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-southeast-1: :control/ldxuxpgthftm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-southeast-1: :control/zhvuggwvvibx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-southeast-1: :control/jrqnmmquxfvx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-southeast-1: :control/vwpmclitubnj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-southeast-1: :control/vitkcwedwfww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-southeast-1: :control/gqhtnzuzungf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-southeast-1: :control/xigdwyxfdnyi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-southeast-1: :control/yserpgvivtqy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-southeast-1: :control/uxkpredrsldk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:ap-southeast-1: :control/rdgyyyrdgsfhx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:ap-southeast-1: :control/kdugevwdhrho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-southeast-1: :control/lsenangxzuzz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-southeast-1: :control/ukylcmuzfqmf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-southeast-1: :control/mkekowuxvhec • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-southeast-1: :control/hxrjrjsrdqbb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-southeast-1: :control/wnmayptTNdej • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-southeast-1: :control/lforacizChRB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-southeast-1: :control/valvpgbffrbg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NETWORK-FIREWALL.PR.2
- arn:aws:controltower:ap-southeast-1: :control/izhfdrgphjyf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.3
- arn:aws:controltower:ap-southeast-1: :control/tkvyxdhyraet
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.4
- arn:aws:controltower:ap-southeast-1: :control/afhbfgrqfbmv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.5
- arn:aws:controltower:ap-southeast-1: :control/jiuddmvxuntx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.1
- arn:aws:controltower:ap-southeast-1: :control/vimtcpwljsnn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.10
- arn:aws:controltower:ap-southeast-1: :control/llkoqrpppwtv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:ap-southeast-1: :control/nrczhbgzpnfi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:ap-southeast-1: :control/absanflguhse
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.13
- arn:aws:controltower:ap-southeast-1: :control/msqlwozplnjr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.14
- arn:aws:controltower:ap-southeast-1: :Control/XBNRHLhsyaqw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.15
- arn:aws:controltower:ap-southeast-1: :control/orfjwtupgszy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:ap-southeast-1: :control/RZZWLHNJDkWW
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:ap-southeast-1: :control/nxuqgvfmohag
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:ap-southeast-1: :control/rmnnulzxvffo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:ap-southeast-1: :control/noexbydhyfln
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:ap-southeast-1: :control/svohvktulzgk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:ap-southeast-1: :control/vjkqxgbojpyx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.7
- arn:aws:controltower:ap-southeast-1: :control/yxttbalivpsx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.8
- arn:aws:controltower:ap-southeast-1: :control/clxjodnherhu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.9
- arn:aws:controltower:ap-southeast-1: :control/ucolfzdggjjq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.1 • arn:aws:controltower:ap-southeast-1: :control/pbwerhrrpvke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-southeast-1: :control/qesqsxdheyux • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-southeast-1: :control/rlrmhnpbzwmz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:ap-southeast-1: :control/ilujfephtbgc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.13 • arn:aws:controltower:ap-southeast-1: :control/zqvrGymnsXha • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-southeast-1: :control/dlunyvzcxarr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ap-southeast-1: :control/iynqlanvhzku • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:ap-southeast-1: :control/cfyqqqejaffv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.17
- arn:aws:controltower:ap-southeast-1: :control/odrtwyahzkpb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.18
- arn:aws:controltower:ap-southeast-1: :control/kopcqnksyeuz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.19
- arn:aws:controltower:ap-southeast-1: :control/lywqaojfkfqc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.2
- arn:aws:controltower:ap-southeast-1: :control/kospqcbqovfn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.20
- arn:aws:controltower:ap-southeast-1: :control/qkdqfkmgvhso
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.21
- arn:aws:controltower:ap-southeast-1: :control/EixirafPVPAO
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.22
- arn:aws:controltower:ap-southeast-1: :control/qqnxzyqvnbca
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.23
- arn:aws:controltower:ap-southeast-1: :control/vdmhbdvttkrc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:ap-southeast-1: :control/suxnkmqdmqmqmQmL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-southeast-1: :control/yzyqyliohqym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-southeast-1: :control/ojdubghkgqqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:ap-southeast-1: :control/puujcqpUHPfB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.28 • arn:aws:controltower:ap-southeast-1: :control/HXFCVUHPMAEZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-southeast-1: :control/cyhfjumzycfe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-southeast-1: :control/BLXJDLbaerSW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:ap-southeast-1: :control/rqlvewdzpyi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:ap-southeast-1: :control/nytwxxkqnpyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-southeast-1: :control/vdgrxwmzircd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-southeast-1: :control/bketeSogwhjt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:ap-southeast-1: :control/guboikvnfyhi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:ap-southeast-1: :control/cojxsekfzekx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-southeast-1: :control/ykdwridugsbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-southeast-1: :control/gfdvqjmasrcb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-southeast-1: :control/kggvmOpmmNLR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-southeast-1: :control/nhbudlmzcdgy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-southeast-1: :control/cvuxessifPVi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:ap-southeast-1: :control/vevovfzbxpgu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-southeast-1: :control/owuugcuqfztv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-southeast-1: :control/ffxxgiyucwrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-southeast-1: :control/vuqfibcplzju • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-southeast-1: :control/vlsfpdqgtlez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-southeast-1: :control/oqjnjijydvn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.S3.PR.10
- arn:aws:controltower:ap-southeast-1: :control/xoelwgITrrrjp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.11
- arn:aws:controltower:ap-southeast-1: :control/nfqvyrnqzulr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.12
- arn:aws:controltower:ap-southeast-1: :control/eplomjjlwcug
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.2
- arn:aws:controltower:ap-southeast-1: :control/bpvhezbcmbzh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:ap-southeast-1: :control/mgldcuijsxop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-southeast-1: :control/cqypjbfgnvrn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-southeast-1: :control/ikflvycsquuw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ap-southeast-1: :control/sifxkrhftfjv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:ap-southeast-1: :control/evshzceocldq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:ap-southeast-1: :Control/HHIBSFxwaofQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-southeast-1: :control/hlygauwtyvrb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-southeast-1: :control/ftkaonsngnfd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-southeast-1: :control/borbttfxsvmr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-southeast-1: :control/ocqcvfyirmuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-southeast-1: :control/llqbeyvbonps • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-southeast-1: :control/cwlrwptpgqvd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-southeast-1: :control/jhbuwwhflvyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-southeast-1: :control/MBRmiddgsbsb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-southeast-1: :control/qomugmegsihk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ap-southeast-1: :control/akubjoagfdtu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:ap-southeast-1: :control/vulaatrxmkna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-southeast-1: :control/gxkagsheblqa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-southeast-1: :control/gitzqttinvih • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.ACM.1 • arn:aws:controltower:ap-southeast-1: :control/msyjenqmuxjk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.ACM.2
- arn:aws:controltower:ap-southeast-1: :control/JSIqtgmCBGSA
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- Sh.apigateway.1
- arn:aws:controltower:ap-southeast-1: :control/aguztoxvatmm
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- Sh.apigateway.2
- arn:aws:controltower:ap-southeast-1: :control/gcoloavwadda
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- Sh.apigateway.3
- arn:aws:controltower:ap-southeast-1: :control/togmxheoyzlh
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.4 • arn:aws:controltower:ap-southeast-1: :control/asbmsmgxqkps • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Account.1 • arn:aws:controltower:ap-southeast-1: :control/clwafaijbwuo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH AppSync.5 • arn:aws:controltower:ap-southeast-1: :control/cjzbnrvkkphc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH AutoScaling0,1 • arn:aws:controltower:ap-southeast-1: :control/xdfgvgcirjge • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH AutoScaling0,2 • arn:aws:controltower:ap-southeast-1: :control/dctofqwbssei • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AutoScaling0,3 • arn:aws:controltower:ap-southeast-1: :control/vjqhucfgcesl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,1 • arn:aws:controltower:ap-southeast-1: :control/mewhpmwuribq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH CloudTrail0,2 • arn:aws:controltower:ap-southeast-1: :control/gjbsdwacbfqe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH CloudTrail0,4 • arn:aws:controltower:ap-southeast-1: :control/kdjojwfstfgl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH CloudTrail.5 • arn:aws:controltower:ap-southeast-1: :control/nzapcfaouvsk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,6 • arn:aws:controltower:ap-southeast-1: :control/cxopzyuaBhod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,4 • arn:aws:controltower:ap-southeast-1: :control/vmcohoqciswj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.DMS.1 • arn:aws:controltower:ap-southeast-1: :control/pzgunnscntbm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• ID.DMS.9 • arn:aws:controltower:ap-southeast-1: :control/gxuwclhgxxhs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.DocumentDB.3 • arn:aws:controltower:ap-southeast-1: :control/ahccqfkrlyda • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.1 • arn:aws:controltower:ap-southeast-1: :control/urwyqjcvifqk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.DynamoDB.2 • arn:aws:controltower:ap-southeast-1: :control/lvaditndsybi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.DynamoDB.3 • arn:aws:controltower:ap-southeast-1: :control/vyiivebiedcw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.1 • arn:aws:controltower:ap-southeast-1: :control/bdcqiyfjgxwz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.10 • arn:aws:controltower:ap-southeast-1: :control/zrinadvubthv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.15 • arn:aws:controltower:ap-southeast-1: :control/fmfhqrllytfu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.16 • arn:aws:controltower:ap-southeast-1: :control/dsmiaZvjBJye • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.17 • arn:aws:controltower:ap-southeast-1: :control/hetfyogbfwsa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.18 • arn:aws:controltower:ap-southeast-1: :control/dcmkuvkuglns • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.19 • arn:aws:controltower:ap-southeast-1: :control/kegfoacysszl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.2 • arn:aws:controltower:ap-southeast-1: :control/fxjgcoywizgn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.20 • arn:aws:controltower:ap-southeast-1: :control/ixqpokdtasvw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.21 • arn:aws:controltower:ap-southeast-1: :control/lqnnhnwzoCVA • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.22 • arn:aws:controltower:ap-southeast-1: :control/povumufwgdaq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.23 • arn:aws:controltower:ap-southeast-1: :control/homzirwwcswu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.25 • arn:aws:controltower:ap-southeast-1: :control/NSCQQnuExpim • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• ID.EC2.3 • arn:aws:controltower:ap-southeast-1: :control/cxpqsiruaetb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.4 • arn:aws:controltower:ap-southeast-1: :control/yphzlbgopeef • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.6 • arn:aws:controltower:ap-southeast-1: :control/cokpybgatqfc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.7 • arn:aws:controltower:ap-southeast-1: :control/rokmSCrmlkwf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.8 • arn:aws:controltower:ap-southeast-1: :control/pjiplfcshlgz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EC2.9 • arn:aws:controltower:ap-southeast-1: :control/whrcljsdrmgi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECR.1 • arn:aws:controltower:ap-southeast-1: :control/disetfbtthbo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECR.2 • arn:aws:controltower:ap-southeast-1: :control/tkdsbfrhcrhm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECR.3 • arn:aws:controltower:ap-southeast-1: :control/xofccmmrfekz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.1 • arn:aws:controltower:ap-southeast-1: :control/drqqfnioixfd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.10 • arn:aws:controltower:ap-southeast-1: :control/jljtqceswdoa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.12 • arn:aws:controltower:ap-southeast-1: :control/evnjgvrmbuiz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.2 • arn:aws:controltower:ap-southeast-1: :control/zpdcbkmlwiio • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.3 • arn:aws:controltower:ap-southeast-1: :control/cqynujhwpjmz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.4 • arn:aws:controltower:ap-southeast-1: :control/wyhazmrjhmrs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ECS.5 • arn:aws:controltower:ap-southeast-1: :control/getzoyoujixq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.8 • arn:aws:controltower:ap-southeast-1: :control/wqzezojhiddt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EFS.1 • arn:aws:controltower:ap-southeast-1: :control/fcpqpnivmtlv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EFS.2 • arn:aws:controltower:ap-southeast-1: :control/lnawknuydxzm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EFS.3 • arn:aws:controltower:ap-southeast-1: :control/mlstprepkcet • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.4 • arn:aws:controltower:ap-southeast-1: :control/vbqlolhzxkni • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EKS.1 • arn:aws:controltower:ap-southeast-1: :control/horwjxpwmeyx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.EKS.2 • arn:aws:controltower:ap-southeast-1: :control/zgytsfajvjci • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.10 • arn:aws:controltower:ap-southeast-1: :control/fjzfxvjrpraz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.12 • arn:aws:controltower:ap-southeast-1: :control/haqazmdwoyqj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.13 • arn:aws:controltower:ap-southeast-1: :control/teguoPRVXVVR • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.14 • arn:aws:controltower:ap-southeast-1: :control/wuxjuuzoqmxc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.2 • arn:aws:controltower:ap-southeast-1: :control/fnnzmaarrnkg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.3 • arn:aws:controltower:ap-southeast-1: :control/bgoeioExpoid • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.4 • arn:aws:controltower:ap-southeast-1: :control/tguhgxfnqxkw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.5 • arn:aws:controltower:ap-southeast-1: :control/nkenzbrjjpoz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.6 • arn:aws:controltower:ap-southeast-1: :control/bdrmhlfbguep • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.7 • arn:aws:controltower:ap-southeast-1: :control/fiastWtnRwvc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.8 • arn:aws:controltower:ap-southeast-1: :control/whzutczdevxu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ELB.9 • arn:aws:controltower:ap-southeast-1: :control/Updndztpzain • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• Sh.elbv2.1 • arn:aws:controltower:ap-southeast-1: :control/ajrcpzgmLTzj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EMR.1 • arn:aws:controltower:ap-southeast-1: :control/lcguhrdqwngl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ES.1 • arn:aws:controltower:ap-southeast-1: :control/bimqvmmqiskp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ES.2 • arn:aws:controltower:ap-southeast-1: :control/fugyrqozuejv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-1: :control/ppyophngfcaw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-1: :control/gfkaizzpillq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ES.ES.ES.ES.ES.ES.ES.ES5 • arn:aws:controltower:ap-southeast-1: :control/akwsxuizdgpz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-1, ap-south-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-1: :control/gskyicefcyul • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-1: :control/qorxbykoqwgo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.8 • arn:aws:controltower:ap-southeast-1: :control/vwvzxxjavdvy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• .SH ElastiCache0,3 • arn:aws:controltower:ap-southeast-1: :control/awagcjqxxebj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• .SH ElastiCache0,4 • arn:aws:controltower:ap-southeast-1: :control/oacbbhovaeva • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• .SH ElastiCache.5 • arn:aws:controltower:ap-southeast-1: :control/lfewheaigecj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElastiCache0,6 • arn:aws:controltower:ap-southeast-1: :control/aifkqipqmnex • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH ElasticBeanstalk0,1 • arn:aws:controltower:ap-southeast-1: :control/qtkghoclskqr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH ElasticBeanstalk0,2 • arn:aws:controltower:ap-southeast-1: :control/uzmjmwjxybre • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH EventBridge0,3 • arn:aws:controltower:ap-southeast-1: :control/vqfsgmzoxvfb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH GuardDuty.1 • arn:aws:controltower:ap-southeast-1: :control/nolgmphoapvf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.IAM.1 • arn:aws:controltower:ap-southeast-1: :control/jujqvscczamm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.IAM.2 • arn:aws:controltower:ap-southeast-1: :control/nyvwqvokpqzu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.IAM.21 • arn:aws:controltower:ap-southeast-1: :control/wuhbfcqmvmrd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.3 • arn:aws:controltower:ap-southeast-1: :control/zqdcznsvlwoo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.IAM.4 • arn:aws:controltower:ap-southeast-1: :control/krkfauziazch • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.IAM0,5 • arn:aws:controltower:ap-southeast-1: :control/ccolabwrkeyn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.IAM.6 • arn:aws:controltower:ap-southeast-1: :control/punpgeqklgnw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.7 • arn:aws:controltower:ap-southeast-1: :control/GLWFPUPESYOC • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.IAM.8 • arn:aws:controltower:ap-southeast-1: :control/AlxcCrNiHSHQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.KMS.1 • arn:aws:controltower:ap-southeast-1: :control/iwkwhagmhfqu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.KMS.2 • arn:aws:controltower:ap-southeast-1: :control/ksmdojxhbpmw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.3 • arn:aws:controltower:ap-southeast-1: :control/TuHCpyQGzehj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.KMS.4 • arn:aws:controltower:ap-southeast-1: :control/xjhaywlpkcmw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• Sh.kinesis.1 • arn:aws:controltower:ap-southeast-1: :control/ytwgdulhcptp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.Lambda.1 • arn:aws:controltower:ap-southeast-1: :control/vtlsmhlqznaj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.2 • arn:aws:controltower:ap-southeast-1: :control/npxhiqycwkor • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.Lambda.3 • arn:aws:controltower:ap-southeast-1: :control/bjgeeefftpqv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.Lambda.5 • arn:aws:controltower:ap-southeast-1: :control/bnvvxzalmupf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.MQ.MQ.MQ.MQ.M • arn:aws:controltower:ap-southeast-1: :control/rvhwtozmzzuc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.MQ.MQ.MQ.MQ.M • arn:aws:controltower:ap-southeast-1: :control/edujatalizzv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.MSK.1 • arn:aws:controltower:ap-southeast-1: :control/nnugsisvjigp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.1 • arn:aws:controltower:ap-southeast-1: :control/qyyyrrlwtoMG • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.2 • arn:aws:controltower:ap-southeast-1: :control/guolshixwfmq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.3 • arn:aws:controltower:ap-southeast-1: :control/qtltubcuaGtr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.4 • arn:aws:controltower:ap-southeast-1: :control/odxewsfkgmdg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.5 • arn:aws:controltower:ap-southeast-1: :control/ahwgaetjpnsm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.6 • arn:aws:controltower:ap-southeast-1: :control/kygvjyxteiyz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.7 • arn:aws:controltower:ap-southeast-1: :control/htmetsUnkKKNC • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• Sh.Neptune.8 • arn:aws:controltower:ap-southeast-1: :control/pojmdjsliujf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• .SH NetworkFirewall.3 • arn:aws:controltower:ap-southeast-1: :control/jvtcwoysptgh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• .SH NetworkFirewall.4 • arn:aws:controltower:ap-southeast-1: :control/ceridgzlwhoz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH NetworkFirewall.5 • arn:aws:controltower:ap-southeast-1: :control/xgofvgcgbczm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• .SH NetworkFirewall.6 • arn:aws:controltower:ap-southeast-1: :control/gwddtzumkshu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.OpenSearch.1 • arn:aws:controltower:ap-southeast-1: :control/ISPpunaOKJTL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.OpenSearch.2 • arn:aws:controltower:ap-southeast-1: :control/pdiqinmikbju • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.3 • arn:aws:controltower:ap-southeast-1: :control/impwkhacfwkn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.OpenSearch.4 • arn:aws:controltower:ap-southeast-1: :control/venrtmnhfvdy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.OpenSearch.5 • arn:aws:controltower:ap-southeast-1: :control/mxrreadodgvf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.OpenSearch.6 • arn:aws:controltower:ap-southeast-1: :control/thcukeevgvrs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.7 • arn:aws:controltower:ap-southeast-1: :control/ywdfkjtpfdgl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.OpenSearch.8 • arn:aws:controltower:ap-southeast-1: :control/yqckqpeaijqt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.1 • arn:aws:controltower:ap-southeast-1: :control/qzxcsynmquwz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.10 • arn:aws:controltower:ap-southeast-1: :control/juhunmeavsxz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.11 • arn:aws:controltower:ap-southeast-1: :control/jkxcqshkofwd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.12 • arn:aws:controltower:ap-southeast-1: :control/bbfdnncbmaot • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.13 • arn:aws:controltower:ap-southeast-1: :control/pjlxyfzcqddf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.15 • arn:aws:controltower:ap-southeast-1: :control/XVSMstPMPwpo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.17 • arn:aws:controltower:ap-southeast-1: :control/srqhdgheomql • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.18 • arn:aws:controltower:ap-southeast-1: :control/fllxflhifsmq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.19 • arn:aws:controltower:ap-southeast-1: :control/wytbuhzzbiks • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-
• SH.RDS.2 • arn:aws:controltower:ap-southeast-1: :control/fxnnewsuukut • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.20 • arn:aws:controltower:ap-southeast-1: :control/qmpwthdyxpnf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.21 • arn:aws:controltower:ap-southeast-1: :control/sfjabilzrzse • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.22 • arn:aws:controltower:ap-southeast-1: :control/eqaawxjptmkt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.23 • arn:aws:controltower:ap-southeast-1: :control/qxhtviikmwtw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.25 • arn:aws:controltower:ap-southeast-1: :control/ndcfqrxzylgr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.27 • arn:aws:controltower:ap-southeast-1: :control/UEUHZXQNABCQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.3 • arn:aws:controltower:ap-southeast-1: :control/DuPimtbmZJBD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.4 • arn:aws:controltower:ap-southeast-1: :control/swwdmmpjtvut • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.5 • arn:aws:controltower:ap-southeast-1: :control/nnynumctqzcz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.6 • arn:aws:controltower:ap-southeast-1: :control/wgvcyimztdak • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.8 • arn:aws:controltower:ap-southeast-1: :control/ginleixhnsyl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.9 • arn:aws:controltower:ap-southeast-1: :control/tbimmptmbjtl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.1 • arn:aws:controltower:ap-southeast-1: :control/AWCJAMQendQO • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.10 • arn:aws:controltower:ap-southeast-1: :control/feoofzlbvnod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.2 • arn:aws:controltower:ap-southeast-1: :control/jboxyupvwnzo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.4 • arn:aws:controltower:ap-southeast-1: :control/fzjixflbdrut • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.6 • arn:aws:controltower:ap-southeast-1: :control/dkjzuwrtdlhv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.7 • arn:aws:controltower:ap-southeast-1: :control/rerslkeibqhg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.8 • arn:aws:controltower:ap-southeast-1: :control/freyxdzyztbb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.9 • arn:aws:controltower:ap-southeast-1: :control/thqbusxdsjmL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.1 • arn:aws:controltower:ap-southeast-1: :control/tfbjichqsqcx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.10 • arn:aws:controltower:ap-southeast-1: :control/gekktsnjmqze • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.11 • arn:aws:controltower:ap-southeast-1: :control/dczqylxvsenf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.12 • arn:aws:controltower:ap-southeast-1: :control/lezplytttvhv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.13 • arn:aws:controltower:ap-southeast-1: :control/gcyhdaoazezq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.17 • arn:aws:controltower:ap-southeast-1: :control/zmdrqjpwibdd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.2 • arn:aws:controltower:ap-southeast-1: :control/lbknuohewdpk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.3 • arn:aws:controltower:ap-southeast-1: :control/lehhnnzdypsc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.5 • arn:aws:controltower:ap-southeast-1: :control/bielwghjkgpa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.6 • arn:aws:controltower:ap-southeast-1: :control/azgsoszuwikh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.8 • arn:aws:controltower:ap-southeast-1: :control/naqfffpservd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.9 • arn:aws:controltower:ap-southeast-1: :control/mxlthqzbctdq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SQS.1 • arn:aws:controltower:ap-southeast-1: :control/nzdjtqadtxgs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SSM.SSM.1 • arn:aws:controltower:ap-southeast-1: :control/nwstajgoqbjj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SSM.SSM.2 • arn:aws:controltower:ap-southeast-1: :control/zaeiemptksgd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.3 • arn:aws:controltower:ap-southeast-1: :control/dwxvjlglhica • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.4 • arn:aws:controltower:ap-southeast-1: :control/jgsyatcrdpgx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SageMaker.1 • arn:aws:controltower:ap-southeast-1: :control/oiwalmeqvbyz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SageMaker.2 • arn:aws:controltower:ap-southeast-1: :control/ttnxtlKrLuqi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SageMaker.3 • arn:aws:controltower:ap-southeast-1: :control/hplwobupsfsf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager.1 • arn:aws:controltower:ap-southeast-1: :control/abwgmgkazwbz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SecretsManager.2 • arn:aws:controltower:ap-southeast-1: :control/odppjqbzcotx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SecretsManager.3 • arn:aws:controltower:ap-southeast-1: :control/dvrpvfhgpoqi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SecretsManager.4 • arn:aws:controltower:ap-southeast-1: :control/llxucseGvuuz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.10 • arn:aws:controltower:ap-southeast-1: :control/vtAlpzjylJoc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.2 • arn:aws:controltower:ap-southeast-1: :control/mcglkifmewcw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.3 • arn:aws:controltower:ap-southeast-1: :control/tfcnqsiyjfyc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.4 • arn:aws:controltower:ap-southeast-1: :control/rwkjoqgeCyva • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

ap-southeast-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_audit_bucket_public_read_banned

Pengenal kontrol, ARN, dan Wilayah yang didukung
• af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-southeast-2: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-southeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:ap-southeast-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-southeast-2: :control/aws-gr_cloudtrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-southeast-2: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-southeast-2: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ap-southeast-2: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-t-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ebs_optimized_instance • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ap-southeast-2: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:ap-southeast-2: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-southeast-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-southeast-2: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ap-southeast-2: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-southeast-2: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-southeast-2: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-southeast-2: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:ap-southeast-2: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-southeast-2: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_restrict_root_user_access_keys • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-southeast-2: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-southeast-2: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-southeast-2: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:ap-southeast-2: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-southeast-2: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-southeast-2: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ACM.PR.1 • arn:aws:controltower:ap-southeast-2: :control/otjfgeeqxkhe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-southeast-2: :control/mgcukhlruhgp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-southeast-2: :control/eaphsjqrhzub • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-southeast-2: :control/ngdiepxbgznx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-southeast-2: :control/wuquvnluxdqu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-southeast-2: :control/rblhxksflkza • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-southeast-2: :control/ngyioybyjlxl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-southeast-2: :control/vziwinlzxvma • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APPSYNC.PR.2
- arn:aws:controltower:ap-southeast-2: :control/epapancghnlc
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.3
- arn:aws:controltower:ap-southeast-2: :control/szdkcltuHpds
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.4
- arn:aws:controltower:ap-southeast-2: :control/qmiisenukizb
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.5
- arn:aws:controltower:ap-southeast-2: :control/duhllhoumswk
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-southeast-2: :control/Giedwciriste • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-southeast-2: :control/uicxtphipstt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-southeast-2: :control/gukawpwoamgj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-southeast-2: :control/oispuyemxwdm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-southeast-2: :control/grjulaqndwzl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ap-southeast-2: :control/fwwwwwdzrsyob • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-southeast-2: :control/dixwaspfnofq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-southeast-2: :control/aqixlpccrqhs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-southeast-2: :control/hyemaFkyGeog • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-southeast-2: :control/zbbmsbcwhdjt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-southeast-2: :control/xcdsjczajagy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-southeast-2: :control/uhaftvuqlbjq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.1
- arn:aws:controltower:ap-southeast-2: :control/hgeuzpxsvdos
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.10
- arn:aws:controltower:ap-southeast-2: :control/XSFJGHxkkxJQ
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.11
- arn:aws:controltower:ap-southeast-2: :control/olkkbiygtttv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.2
- arn:aws:controltower:ap-southeast-2: :control/nmgepjroacoh
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-southeast-2: :control/mcqetjvlfuou • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-southeast-2: :control/elyjmxpjvkei • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-southeast-2: :control/COFQNFPVILDJ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-southeast-2: :control/iybpcxpfecfi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-southeast-2: :control/aqdudhilvqne • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-southeast-2: :control/fwxcswfyxmci • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-southeast-2: :control/mrnnwkobupww • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-southeast-2: :control/mqtvmqfraqqv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-southeast-2: :control/dtikkbfjwtrd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-southeast-2: :control/akrkbpxlhcro • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-southeast-2: :control/ctocgyrsdlyb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-southeast-2: :control/mowbjmxoihsb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-southeast-2: :control/hebngalbpyxj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-southeast-2: :control/yhkybcwcrljj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-southeast-2: :control/cldcbwosiaul • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-southeast-2: :control/scdvmCSbzzbp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-southeast-2: :control/cdupzgswhydk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-southeast-2: :control/qycihtaxyltz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-southeast-2: :control/ykadobilmoxe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-southeast-2: :control/bkdgpcxehuym • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.1 • arn:aws:controltower:ap-southeast-2: :control/wqdlghqpluez • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ap-southeast-2: :control/ylppvnaClidz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-southeast-2: :control/jcldtmndgrtr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/zerdighmxmhk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:ap-southeast-2: :control/chwmzwderdlu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-southeast-2: :control/lvzgowhnffqq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-southeast-2: :control/ydrknneuewMB • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-southeast-2: :control/hyexgeaodqcg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-southeast-2: :control/mxjnghqysqwt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ap-southeast-2: :control/izbfojrzkbev • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-southeast-2: :control/pbnlhcfgrzzo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-southeast-2: :control/hntczvieejoi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.12 • arn:aws:controltower:ap-southeast-2: :control/drpwgxjhmiqa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:ap-southeast-2: :control/osvhefpiysyr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-southeast-2: :control/griqsowftuzo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-southeast-2: :control/heeztxaqnuxr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.16 • arn:aws:controltower:ap-southeast-2: :control/ewrfiolhhuod • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:ap-southeast-2: :control/saiqvzxzknbg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-southeast-2: :control/kfsytinxoisa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-southeast-2: :control/rriyzjrbcsnn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.2 • arn:aws:controltower:ap-southeast-2: :control/tpixaiidPgby • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:ap-southeast-2: :control/wlrzmsulfixm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-southeast-2: :control/wunoaupaPjbr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-southeast-2: :control/geqabopvfxco • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.5 • arn:aws:controltower:ap-southeast-2: :control/JSpejfthByZF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:ap-southeast-2: :control/ncddqqzLdCzi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-southeast-2: :control/qvybwowbjxkc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-southeast-2: :control/wtyijxiqqbwx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.9 • arn:aws:controltower:ap-southeast-2: :control/nkvjxxqbvisf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:ap-southeast-2: :control/jxrgcRRLVVdi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-southeast-2: :control/dymehjarmkva • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-southeast-2: :control/zfgpinzednha • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.4 • arn:aws:controltower:ap-southeast-2: :control/kpdjijghkwzj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:ap-southeast-2: :control/bxvvwHFTyoaf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-southeast-2: :control/gumqhpykekbx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-southeast-2: :control/qbvjwkfjgixu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.2 • arn:aws:controltower:ap-southeast-2: :control/qzcgkpxcbxgb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:ap-southeast-2: :control/Nemirsqyepie • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/aelenoqzmxvf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-southeast-2: :control/baruwerycvpz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.11 • arn:aws:controltower:ap-southeast-2: :control/eufkwmgwevvf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:ap-southeast-2: :control/qanddovbokjx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-southeast-2: :control/wxyoroqyzppg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-southeast-2: :control/LHNFHNNMmixx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.4 • arn:aws:controltower:ap-southeast-2: :control/nrnxsuvdqaOK • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:ap-southeast-2: :control/oozuiefuetgl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-southeast-2: :control/alosysctdxmc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-southeast-2: :control/nezkavumhclm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.8 • arn:aws:controltower:ap-southeast-2: :control/vahlxfoozhse • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:ap-southeast-2: :control/yxlnpxsemftr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/njsrobyvjrto • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-southeast-2: :control/kipwxypstxzu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.1
- arn:aws:controltower:ap-southeast-2: :control/pgzsvhjpxlrn
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:ap-southeast-2: :control/tiwudrzwgrhu
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:ap-southeast-2: :control/bplcsusniiye
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:ap-southeast-2: :control/ayhveaySGMHD
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-southeast-2: :control/zhslhilxvoco • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-southeast-2: :control/wbjixmokjknb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-southeast-2: :control/hbxncbguqcbz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-southeast-2: :control/vouknnrvzuzs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-southeast-2: :control/yhiwfcyqdarh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-southeast-2: :control/uoctrmadkupw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-southeast-2: :control/xpbhhezznqjs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-southeast-2: :control/qecojwzqhmjq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-southeast-2: :control/vxmyeulbukrk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-southeast-2: :control/finceVukqThu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-southeast-2: :control/thcbrfjbevks • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-southeast-2: :control/jwblmbpmkkdd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-southeast-2: :control/barrvadarlxa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-southeast-2: :control/rfhzpjrexlse • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-southeast-2: :control/oluiotbvoocs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-southeast-2: :control/vdprziodkyss • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-southeast-2: :control/ribtdohhyuml • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-southeast-2: :control/waivizipaghi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-southeast-2: :control/oprfiuyzwtcd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-southeast-2: :control/dtfrjdgwcdvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-southeast-2: :control/rebmkcjkotpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-southeast-2: :control/rnhsnsuajpav • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-southeast-2: :control/tgxqxnzccexr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-southeast-2: :control/fsrkkrikntvd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-southeast-2: :control/nhxvnosxdcmq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-southeast-2: :control/xceabskxhnew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-southeast-2: :control/tfctanmlngMR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-southeast-2: :control/chdefrbdbnlc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.3 • arn:aws:controltower:ap-southeast-2: :control/pmkizzxisxgc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:ap-southeast-2: :control/ylgtyolgxbhh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-southeast-2: :control/uetcetttawifa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-southeast-2: :control/celijozuytcc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.1 • arn:aws:controltower:ap-southeast-2: :control/ohtnyzerstjl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:ap-southeast-2: :control/caoCwBicfGob • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:ap-southeast-2: :control/DiyaWishCsup • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-southeast-2: :control/niqnddiappyt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.5 • arn:aws:controltower:ap-southeast-2: :control/pstefaebicwj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/kreyisswdiil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/kzdjwgkcnwvi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-southeast-2: :control/nbBuffkzoiwg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.3 • arn:aws:controltower:ap-southeast-2: :control/gcuyvygogbef • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:ap-southeast-2: :control/QosMiszNLZHS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-southeast-2: :control/mjqbpfokaHLQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-southeast-2: :control/laqdbvgbztnn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.4 • arn:aws:controltower:ap-southeast-2: :control/drlhygnqfbck • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:ap-southeast-2: :control/lrzpjjxmtxyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-southeast-2: :control/xdchzdyyybwq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-southeast-2: :control/bagtsqzjeerj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-southeast-2: :control/ortkuzlivkow • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-southeast-2: :control/dfiqwzhssnzy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-southeast-2: :control/qzpPEvmdcayu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-southeast-2: :control/doxcjuneaqci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-southeast-2: :control/llyurtibppyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-southeast-2: :control/dlcegpczvkvr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-southeast-2: :control/ffgvhtgzxpez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-southeast-2: :control/swvpvfanftmw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.1 • arn:aws:controltower:ap-southeast-2: :control/BnivUzkpmvqn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:ap-southeast-2: :control/EhtoBztbszxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-southeast-2: :control/tkfqgxobpops • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-southeast-2: :control/zbnzckkefzpz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-southeast-2: :control/ephjmxqeysvc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-southeast-2: :control/gqzrecitmlzc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-southeast-2: :control/icnuqordndta • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-southeast-2: :control/hnywaxkkadcc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-southeast-2: :control/itjwvpiybveb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-southeast-2: :control/jtcrhwtvytmb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-southeast-2: :control/jflldlxjupdd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-southeast-2: :control/bozpzuyfxhuq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-southeast-2: :control/wbwnixyirgjg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ap-southeast-2: :control/zkczqkazstai • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:ap-southeast-2: :control/juuvifswjwit • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-southeast-2: :control/ybebqcizyylw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:ap-southeast-2: :control/givzchzyhvff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-southeast-2: :control/liqklrnjwvln • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-southeast-2: :control/hyenhqkndjct • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-southeast-2: :control/gtqnohlwvmvh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-southeast-2: :control/suionskyscob • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:ap-southeast-2: :control/gygeiiyyznlm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:ap-southeast-2: :control/qqbybbdrdpjs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:ap-southeast-2: :control/uyaxzwgnslom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:ap-southeast-2: :control/orikzbbnszrb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:ap-southeast-2: :control/utdglwwsqdeu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ap-southeast-2: :control/bekzjrwesged • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ap-southeast-2: :control/rufevumsoqxr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ap-southeast-2: :control/glpwolqveqjq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/xfyddjqmpbsv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-southeast-2: :control/ovtfqmgwpnhm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-southeast-2: :control/oxxjqnobpmsw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:ap-southeast-2: :control/vqtxjcsdcvnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ap-southeast-2: :control/cwtdavdxuyns • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-southeast-2: :control/hsizeCNPmumr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ap-southeast-2: :control/rzhjavyjqGUI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:ap-southeast-2: :control/jccmupzaxmmw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:ap-southeast-2: :control/tkaivnuozeop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:ap-southeast-2: :control/txdopooefogj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-southeast-2: :control/akurskmxirnz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.2 • arn:aws:controltower:ap-southeast-2: :control/lndhgbltexal • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:ap-southeast-2: :control/rktxrguxfwxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:ap-southeast-2: :control/gogyclisxjie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ap-southeast-2: :control/sijetkicnysa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.23 • arn:aws:controltower:ap-southeast-2: :control/odztklopevya • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:ap-southeast-2: :control/ugdacebuctme • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-southeast-2: :control/blfcabkjkcsa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-southeast-2: :control/bvkoxcfdoikd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.27 • arn:aws:controltower:ap-southeast-2: :control/mxuiehdnelel • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:ap-southeast-2: :control/ywvwigxdkbqc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-southeast-2: :control/yxbepozgpcvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-southeast-2: :control/kgvgcjnumniy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.30 • arn:aws:controltower:ap-southeast-2: :control/nqdurrvjlgnp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:ap-southeast-2: :control/vgjjuwdnfdik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-southeast-2: :control/vtwuxlyfanSP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-southeast-2: :control/mknywnvxkukg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:ap-southeast-2: :control/bvmannhhvijj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ap-southeast-2: :control/gjkuhdaqkcnh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-southeast-2: :control/tbpewwyhecgp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-southeast-2: :control/quvpaazpcfdz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-southeast-2: :control/cmtvpjtihqtj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-southeast-2: :control/tzmqftlfiyii • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-southeast-2: :control/djjvyzthhnqu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:ap-southeast-2: :control/icxwyeeblzwh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-southeast-2: :control/kcsagkldynmb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-southeast-2: :control/ijmliavpgioi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-southeast-2: :control/KLGGBJekofdx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-southeast-2: :control/qeuhirfgeyfm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.1 • arn:aws:controltower:ap-southeast-2: :control/wrgfynfnmleh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:ap-southeast-2: :control/xuawjgylskou • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-southeast-2: :control/EUTFKNVDBwid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-southeast-2: :control/ovqwgrgynwtk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.2 • arn:aws:controltower:ap-southeast-2: :control/msrdmfgavcxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:ap-southeast-2: :control/rrbbsrtvoulj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-southeast-2: :control/tjvpirlfqnju • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-southeast-2: :control/xbiancenznpt • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.6 • arn:aws:controltower:ap-southeast-2: :control/wvhllzevrmCQ • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:ap-southeast-2: :control/bykxckkryviv • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:ap-southeast-2: :control/mocnfrgvjqiq • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-southeast-2: :control/kjahyckssraa • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-southeast-2: :control/whzcfxemtxvf • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-southeast-2: :control/wfsjgehtgUjd • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/rbkkatwlgqvs • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-southeast-2: :control/nwpvcucmywjv • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-southeast-2: :control/hyfuiujoxqnv • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-southeast-2: :control/buacwbsqopnw • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-southeast-2: :control/jgwgmjbhdruf • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-southeast-2: :control/qwrjqunfealj • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.1 • arn:aws:controltower:ap-southeast-2: :control/lbebqhsfdadd • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:ap-southeast-2: :control/zwqcpixantte • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-southeast-2: :control/itrzpfpnhovu • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-southeast-2: :control/hgykzrufifsg • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ACM.1 • arn:aws:controltower:ap-southeast-2: :control/pkbecmzkorwl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.ACM.2 • arn:aws:controltower:ap-southeast-2: :control/ddixkrvkEqel • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.1 • arn:aws:controltower:ap-southeast-2: :control/pwjugoafxgnw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.2 • arn:aws:controltower:ap-southeast-2: :control/hcpqxeylputg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.3 • arn:aws:controltower:ap-southeast-2: :control/pmgeovfnrwuu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.4 • arn:aws:controltower:ap-southeast-2: :control/jdosdypypulq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.5 • arn:aws:controltower:ap-southeast-2: :control/qrfwqmUpbgal • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.8 • arn:aws:controltower:ap-southeast-2: :control/aotxaaixuzgo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.9 • arn:aws:controltower:ap-southeast-2: :control/xnmgcokkdrtm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.Account.1 • arn:aws:controltower:ap-southeast-2: :control/tdchulzqjjyu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH AppSync.5 • arn:aws:controltower:ap-southeast-2: :control/zwrdsYAScgHb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH AutoScaling.1 • arn:aws:controltower:ap-southeast-2: :control/hpbrojjrprqp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling.2 • arn:aws:controltower:ap-southeast-2: :control/cfqpppbkhpve • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH AutoScaling.3 • arn:aws:controltower:ap-southeast-2: :control/rsjyifhsknss • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH AutoScaling.6 • arn:aws:controltower:ap-southeast-2: :control/TNSLXHUTKWTZ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH AutoScaling.9 • arn:aws:controltower:ap-southeast-2: :control/xfpefwdnoLGH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Autoscaling.5 • arn:aws:controltower:ap-southeast-2: :control/brqejbsgcnrn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH CloudTrail.1 • arn:aws:controltower:ap-southeast-2: :control/jovyocpubvqt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH CloudTrail.2 • arn:aws:controltower:ap-southeast-2: :control/rhdaymwqsnqm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH CloudTrail.4 • arn:aws:controltower:ap-southeast-2: :control/rcluachbluej • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail.5 • arn:aws:controltower:ap-southeast-2: :control/wrjbvwccgcpa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH CloudTrail.6 • arn:aws:controltower:ap-southeast-2: :control/qetmrbrjtokf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH CodeBuild.1 • arn:aws:controltower:ap-southeast-2: :control/OGBNWMegmmNM • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH CodeBuild.2 • arn:aws:controltower:ap-southeast-2: :control/nendynymgbal • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CodeBuild.3 • arn:aws:controltower:ap-southeast-2: :control/hbojxaixDHPV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH CodeBuild.4 • arn:aws:controltower:ap-southeast-2: :control/nqsljqhqtlku • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.DMS.1 • arn:aws:controltower:ap-southeast-2: :control/dhojqskcriqh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• ID.DMS.9 • arn:aws:controltower:ap-southeast-2: :control/cslqwapsnymd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DocumentDB.3 • arn:aws:controltower:ap-southeast-2: :control/wmkkhioyhnfp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.DynamoDB.1 • arn:aws:controltower:ap-southeast-2: :control/zztzvypqvdak • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.DynamoDB.2 • arn:aws:controltower:ap-southeast-2: :control/scppkinqmzaf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.DynamoDB.3 • arn:aws:controltower:ap-southeast-2: :control/njasdoedzrue • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.1 • arn:aws:controltower:ap-southeast-2: :control/qnciigxditvk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.10 • arn:aws:controltower:ap-southeast-2: :control/cmhfrdiiseab • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.15 • arn:aws:controltower:ap-southeast-2: :control/vsuclwgvqldf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.16 • arn:aws:controltower:ap-southeast-2: :control/evnhpwacqhea • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.17 • arn:aws:controltower:ap-southeast-2: :control/lwyojlpcbzpk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.18 • arn:aws:controltower:ap-southeast-2: :control/upvtHtZVSLwe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.19 • arn:aws:controltower:ap-southeast-2: :control/sqjouzgfkzpv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.2 • arn:aws:controltower:ap-southeast-2: :control/rdjyzgxfhyue • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.20 • arn:aws:controltower:ap-southeast-2: :control/xsslfggjdhri • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.21 • arn:aws:controltower:ap-southeast-2: :control/ylohxvlefubg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.22 • arn:aws:controltower:ap-southeast-2: :control/ajffkkxrafmb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.23 • arn:aws:controltower:ap-southeast-2: :control/qkrvhrzehozz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.25 • arn:aws:controltower:ap-southeast-2: :control/qrhehtvoruem • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• ID.EC2.3 • arn:aws:controltower:ap-southeast-2: :control/qjpyfhyytIdf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.4 • arn:aws:controltower:ap-southeast-2: :control/TWWDQaseknor • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.6 • arn:aws:controltower:ap-southeast-2: :control/nztmipszhemv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.7 • arn:aws:controltower:ap-southeast-2: :control/kopzmcroghhm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.8 • arn:aws:controltower:ap-southeast-2: :control/jiqjxdpknwcg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EC2.9 • arn:aws:controltower:ap-southeast-2: :control/mqlrbdkqrbrz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECR.1 • arn:aws:controltower:ap-southeast-2: :control/ktmzoolgtwjx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECR.2 • arn:aws:controltower:ap-southeast-2: :control/thacmomucyac • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECR.3 • arn:aws:controltower:ap-southeast-2: :control/vmxvkjdqhdkb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECS.1 • arn:aws:controltower:ap-southeast-2: :control/cpddhhpdkpip • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECS.10 • arn:aws:controltower:ap-southeast-2: :control/wilnhtopfewq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.12 • arn:aws:controltower:ap-southeast-2: :control/mgjpdobputit • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECS.2 • arn:aws:controltower:ap-southeast-2: :control/oavlgbtroifk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECS.3 • arn:aws:controltower:ap-southeast-2: :control/xtgmidmjowxw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECS.4 • arn:aws:controltower:ap-southeast-2: :control/lfuvywfyyllu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.5 • arn:aws:controltower:ap-southeast-2: :control/xwhfzmHURMPa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ECS.8 • arn:aws:controltower:ap-southeast-2: :control/hlgkexfgGobe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EFS.1 • arn:aws:controltower:ap-southeast-2: :control/ttllyUnpaeqs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EFS.2 • arn:aws:controltower:ap-southeast-2: :control/ojagqjkaXRQT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.3 • arn:aws:controltower:ap-southeast-2: :control/oppewlvdkcxa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EFS.4 • arn:aws:controltower:ap-southeast-2: :control/uwyrbpeewvo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EKS.1 • arn:aws:controltower:ap-southeast-2: :control/slotdkvqknmq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EKS.2 • arn:aws:controltower:ap-southeast-2: :control/damqguzzuzBH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.10 • arn:aws:controltower:ap-southeast-2: :control/zdvygbsrjwyg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.12 • arn:aws:controltower:ap-southeast-2: :control/uxumubgbzhzo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.13 • arn:aws:controltower:ap-southeast-2: :control/zuslmmqoyoho • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.14 • arn:aws:controltower:ap-southeast-2: :control/ntkiroxxrldd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.2 • arn:aws:controltower:ap-southeast-2: :control/hqutvbzcpuel • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.3 • arn:aws:controltower:ap-southeast-2: :control/wlnvbasspybo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.4 • arn:aws:controltower:ap-southeast-2: :control/fiplhetxvced • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.5 • arn:aws:controltower:ap-southeast-2: :control/hpxockuzzone • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.6 • arn:aws:controltower:ap-southeast-2: :control/pjazyxffmuvw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.7 • arn:aws:controltower:ap-southeast-2: :control/lpnjzvngkyjn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.8 • arn:aws:controltower:ap-southeast-2: :control/lbdqcqlatjbb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ELB.9 • arn:aws:controltower:ap-southeast-2: :control/pyrvscbyfiym • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.elbv2.1 • arn:aws:controltower:ap-southeast-2: :control/fjvebrucxpro • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.EMR.1 • arn:aws:controltower:ap-southeast-2: :control/GJCorwHPFGQY • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1 , us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-
• SH.ES.1 • arn:aws:controltower:ap-southeast-2: :control/sfspfdzncynl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ES.2 • arn:aws:controltower:ap-southeast-2: :control/baqaamclmwue • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-2: :control/ldlvcuojczxv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-2: :control/ntwhsoqikopq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ES.ES.ES.ES.ES.ES.ES.ES5 • arn:aws:controltower:ap-southeast-2: :control/HBJIClmPqaqo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-2: :control/lsvjltkrgrnl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.ES.ES.ES.ES.ES.ES.ES.SH • arn:aws:controltower:ap-southeast-2: :control/ykzliamkuetj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ES.8 • arn:aws:controltower:ap-southeast-2: :control/chitvxzcwfak • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH ElastiCache.3 • arn:aws:controltower:ap-southeast-2: :control/IRLLBPCLBFSF • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH ElastiCache.4 • arn:aws:controltower:ap-southeast-2: :control/okarfuxxcrpd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElastiCache.5 • arn:aws:controltower:ap-southeast-2: :control/yyppucnfwook • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH ElastiCache.6 • arn:aws:controltower:ap-southeast-2: :control/bmqhzuzdyvzz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH ElasticBeanstalk.1 • arn:aws:controltower:ap-southeast-2: :control/ivnffjmnhdxc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH ElasticBeanstalk.2 • arn:aws:controltower:ap-southeast-2: :control/aliabggibjqx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH EventBridge.3 • arn:aws:controltower:ap-southeast-2: :control/akiqocperzbo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH GuardDuty.1 • arn:aws:controltower:ap-southeast-2: :control/SepyalesyFHN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.IAM.1 • arn:aws:controltower:ap-southeast-2: :control/lfxqgujozivj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.IAM.2 • arn:aws:controltower:ap-southeast-2: :control/yknixgerukge • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.21 • arn:aws:controltower:ap-southeast-2: :control/cwytgqudynsl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.IAM.3 • arn:aws:controltower:ap-southeast-2: :control/zwzxsxowdrjn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.IAM.4 • arn:aws:controltower:ap-southeast-2: :control/cvtoqohcxjye • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.IAM.5 • arn:aws:controltower:ap-southeast-2: :control/plgjlsnggCig • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.6 • arn:aws:controltower:ap-southeast-2: :control/djmvzwkqlowp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.IAM.7 • arn:aws:controltower:ap-southeast-2: :control/xluhjbtpsegr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.IAM.8 • arn:aws:controltower:ap-southeast-2: :control/hexkeueltwuj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.KMS.1 • arn:aws:controltower:ap-southeast-2: :control/ybjersbvcehs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.2 • arn:aws:controltower:ap-southeast-2: :control/nhkyzbgueqpj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.KMS.3 • arn:aws:controltower:ap-southeast-2: :control/bdiqmpnveknt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.KMS.4 • arn:aws:controltower:ap-southeast-2: :control/xmhszgfvuckv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.kinesis.1 • arn:aws:controltower:ap-southeast-2: :control/ljrfknwnztfu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.1 • arn:aws:controltower:ap-southeast-2: :control/uqxxeluqddbo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.Lambda.2 • arn:aws:controltower:ap-southeast-2: :control/tocwowcanSfu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.Lambda.3 • arn:aws:controltower:ap-southeast-2: :control/eufjhwdurpmh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.Lambda.5 • arn:aws:controltower:ap-southeast-2: :control/wtxqrfalxgyl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.MQ.MQ.MQ.MQ.M • arn:aws:controltower:ap-southeast-2: :control/bxdsosnwhwbb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.MQ.MQ.MQ.MQ.M • arn:aws:controltower:ap-southeast-2: :control/bxvozyiinnmw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.MSK.1 • arn:aws:controltower:ap-southeast-2: :control/akmdcplqcitk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.Neptune.1 • arn:aws:controltower:ap-southeast-2: :control/yirywjnntlle • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.2 • arn:aws:controltower:ap-southeast-2: :control/fupoveeuoswa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.Neptune.3 • arn:aws:controltower:ap-southeast-2: :control/gpriyfljktbb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.Neptune.4 • arn:aws:controltower:ap-southeast-2: :control/tuxnkqcyfahx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.Neptune.5 • arn:aws:controltower:ap-southeast-2: :control/ieoehvhfupuo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.6 • arn:aws:controltower:ap-southeast-2: :control/kmneeerhozwo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.Neptune.7 • arn:aws:controltower:ap-southeast-2: :control/elpfknrxkoft • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.Neptune.8 • arn:aws:controltower:ap-southeast-2: :control/flkrvtmmlumn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH NetworkFirewall.3 • arn:aws:controltower:ap-southeast-2: :control/tipaejghispe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall.4 • arn:aws:controltower:ap-southeast-2: :control/evsnhfcdznep • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2
• SH NetworkFirewall.5 • arn:aws:controltower:ap-southeast-2: :control/vzmvhimbixow • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2
• SH NetworkFirewall.6 • arn:aws:controltower:ap-southeast-2: :control/mmmcbtwvvbbfm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.OpenSearch.1 • arn:aws:controltower:ap-southeast-2: :control/GnnuAYUHJXLT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.2 • arn:aws:controltower:ap-southeast-2: :control/qwjlmxtgttty • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.OpenSearch.3 • arn:aws:controltower:ap-southeast-2: :control/qprzHowCofow • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.OpenSearch.4 • arn:aws:controltower:ap-southeast-2: :control/ygrktwgzgywp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.OpenSearch.5 • arn:aws:controltower:ap-southeast-2: :control/ozijzgyjiauk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.6 • arn:aws:controltower:ap-southeast-2: :control/ftzioovbehsu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.OpenSearch.7 • arn:aws:controltower:ap-southeast-2: :control/egtexckxtwyu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.OpenSearch.8 • arn:aws:controltower:ap-southeast-2: :control/mqgzxocedkkx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.RDS.1 • arn:aws:controltower:ap-southeast-2: :control/kmpuuhksuhbg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.10 • arn:aws:controltower:ap-southeast-2: :control/smavvtoynjti • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.RDS.11 • arn:aws:controltower:ap-southeast-2: :control/pvjeiowfeXgw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.RDS.12 • arn:aws:controltower:ap-southeast-2: :control/BMLXMSrnedoj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.RDS.13 • arn:aws:controltower:ap-southeast-2: :control/sfkatynuszry • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.15 • arn:aws:controltower:ap-southeast-2: :control/cxrhcsgctduz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.RDS.17 • arn:aws:controltower:ap-southeast-2: :control/srfncndsxznt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, us-north-1, us-west-2, us-west-2, us-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.RDS.18 • arn:aws:controltower:ap-southeast-2: :control/rbypdktchcvn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.RDS.19 • arn:aws:controltower:ap-southeast-2: :control/fdbshssuiulv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.2 • arn:aws:controltower:ap-southeast-2: :control/iwpfnxtzxadu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.RDS.20 • arn:aws:controltower:ap-southeast-2: :control/sizrzValiseg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• RDS.21 • arn:aws:controltower:ap-southeast-2: :control/beajmshplzaf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.RDS.22 • arn:aws:controltower:ap-southeast-2: :control/hguanbqwzzzt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.23 • arn:aws:controltower:ap-southeast-2: :control/zrqksdqfngqj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• RDS.25 • arn:aws:controltower:ap-southeast-2: :control/bgpiytqzcfxl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• RDS.27 • arn:aws:controltower:ap-southeast-2: :control/yiqwygaNupyo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• RDS.3 • arn:aws:controltower:ap-southeast-2: :control/okwmnxyzruvg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.4 • arn:aws:controltower:ap-southeast-2: :control/uocqavokobtp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• RDS.5 • arn:aws:controltower:ap-southeast-2: :control/irsibrzrnpgj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• RD.RD.6 • arn:aws:controltower:ap-southeast-2: :control/ljqfihvojewc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.RDS.8 • arn:aws:controltower:ap-southeast-2: :control/cdkcdvdpazje • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.9 • arn:aws:controltower:ap-southeast-2: :control/fppdgiqpzqt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Redshift.1 • arn:aws:controltower:ap-southeast-2: :control/wviyukdgfony • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Redshift.10 • arn:aws:controltower:ap-southeast-2: :control/lqibxysztotd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Redshift.2 • arn:aws:controltower:ap-southeast-2: :control/orjwwxapjacw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.4 • arn:aws:controltower:ap-southeast-2: :control/unnoevfpfbmc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Redshift.6 • arn:aws:controltower:ap-southeast-2: :control/wmxbzohrkuoq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Redshift.7 • arn:aws:controltower:ap-southeast-2: :control/mvnwoyaumtgj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Redshift.8 • arn:aws:controltower:ap-southeast-2: :control/xidwpgtukalt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.9 • arn:aws:controltower:ap-southeast-2: :control/ttpohloszbpo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.1 • arn:aws:controltower:ap-southeast-2: :control/ubqserafqqli • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.10 • arn:aws:controltower:ap-southeast-2: :control/oewtphsMPPGY • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.11 • arn:aws:controltower:ap-southeast-2: :control/hydzjvqvossg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.12 • arn:aws:controltower:ap-southeast-2: :control/iyzuneufkeby • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.13 • arn:aws:controltower:ap-southeast-2: :control/TWWHDSTFPQWH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.17 • arn:aws:controltower:ap-southeast-2: :control/rakbnmgbwpvk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.2 • arn:aws:controltower:ap-southeast-2: :control/wuhzwryejouj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.3 • arn:aws:controltower:ap-southeast-2: :control/yjqgdkELzcka • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.5 • arn:aws:controltower:ap-southeast-2: :control/mywmnvqhdbpc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.6 • arn:aws:controltower:ap-southeast-2: :control/fgneazjphzuu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.S3.8 • arn:aws:controltower:ap-southeast-2: :control/hisiokdaamqr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.9 • arn:aws:controltower:ap-southeast-2: :control/zpoeopatkjic • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.SQS.1 • arn:aws:controltower:ap-southeast-2: :control/enshcnplxzhx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SSM.SSM.1 • arn:aws:controltower:ap-southeast-2: :control/rlruqavpcazi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SSM.SSM.2 • arn:aws:controltower:ap-southeast-2: :control/LartaAZXHQGH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.3 • arn:aws:controltower:ap-southeast-2: :control/sfescrtzjfxb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.SSM.4 • arn:aws:controltower:ap-southeast-2: :control/rkbcveoaaxfa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH SageMaker.1 • arn:aws:controltower:ap-southeast-2: :control/lybvpjqfkfum • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH SageMaker.2 • arn:aws:controltower:ap-southeast-2: :control/xwkdvydavxsw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SageMaker.3 • arn:aws:controltower:ap-southeast-2: :control/GhyjjWogipds • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH SecretsManager.1 • arn:aws:controltower:ap-southeast-2: :control/piprtuknSocx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH SecretsManager.2 • arn:aws:controltower:ap-southeast-2: :control/hoqmrbmnikaw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH SecretsManager.3 • arn:aws:controltower:ap-southeast-2: :control/fnkxyqszmwqm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager.4 • arn:aws:controltower:ap-southeast-2: :control/ptcinVdozrek • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.WAF.10 • arn:aws:controltower:ap-southeast-2: :control/zmfzrnvvudds • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.WAF.2 • arn:aws:controltower:ap-southeast-2: :control/yjauivtcyrjw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.WAF.3 • arn:aws:controltower:ap-southeast-2: :control/cygneescwzxg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.4 • arn:aws:controltower:ap-southeast-2: :control/LylusaTwxWGZ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

ap-southeast-3

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_audit_bucket_deletion_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_audit_bucket_encryption_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_audit_bucket_logging_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_audit_bucket_policy_changes_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_audit_bucket_public_read_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_audit_bucket_public_write_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-southeast-3: :control/aws-gr_audit_bucket_retention_policy • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_cloudtrail_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:ap-southeast-3: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-southeast-3: :control/aws-gr_cloudtrail_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_cloudtrail_validation_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_cloudwatch_events_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-southeast-3: :control/aws-gr_config_aggregation_authorization_policy • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_config_aggregation_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_config_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_config_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_config_rule_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-southeast-3: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-southeast-3: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-southeast-3: :control/aws-gr_disallow_cross_region_networking • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-southeast-3: :control/aws-gr_disallow_vpc_internet_access • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-southeast-3: :control/aws-gr_disallow_vpn_connections • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ebs_optimized_instance • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1 u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ec2_volume_inuse_check • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-southeast-3: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_iam_role_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_lambda_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-southeast-3: :control/aws-gr_log_group_policy • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ap-southeast-3: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-southeast-3: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-southeast-3: :control/aws-gr_region_deny • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-southeast-3: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-southeast-3: :control/aws-gr_restrict_root_user • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-southeast-3: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-southeast-3: :control/aws-gr_restrict_s3_cross_region_replication • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-southeast-3: :control/aws-gr_restrict_s3_delete_without_mfa • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-southeast-3: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-south-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_s3_bucket_public_read_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_s3_bucket_public_write_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_s3_versioning_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_sns_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-3: :control/aws-gr_sns_subscription_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-southeast-3: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-southeast-3: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1 u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ACM.PR.1
- arn:aws:controltower:ap-southeast-3: :control/iyxofxbxlmgs
- af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.1
- arn:aws:controltower:ap-southeast-3: :control/cbcscturqxdp
- af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.2
- arn:aws:controltower:ap-southeast-3: :control/EGXWMKYDFRSK
- af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.3
- arn:aws:controltower:ap-southeast-3: :control/trnoxupebwoo
- af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-southeast-3: :control/bookwypoxmtq • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-southeast-3: :control/paptplxskujl • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-southeast-3: :control/qdomogkgwuob • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-southeast-3: :control/yvqnvhxOxyls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APPSYNC.PR.2
- arn:aws:controltower:ap-southeast-3: :control/xlmcuhyrolcp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.3
- arn:aws:controltower:ap-southeast-3: :control/frbncatebzvb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.4
- arn:aws:controltower:ap-southeast-3: :control/gzlyqhadqmah
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.5
- arn:aws:controltower:ap-southeast-3: :control/hbaZxGaubons
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-southeast-3: :control/dyscgaatraxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-southeast-3: :control/orrxhoxquyoa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-southeast-3: :control/bxwjnmfcdynn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-southeast-3: :control/hradzajmasbp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-southeast-3: :control/AIVKYADIWIXE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ap-southeast-3: :control/oktfvjfnoegh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-southeast-3: :control/xvbyplvrqxbc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-southeast-3: :control/mfbwyiyzrdwU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-southeast-3: :control/riaghuspaBqy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-southeast-3: :control/hfdqzkoiutpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-southeast-3: :control/cravizgsuznw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-southeast-3: :control/fzacipkyozwj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-southeast-3: :control/toogkxniztgi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-southeast-3: :control/rnebjbktwynp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ap-southeast-3: :control/ebmffonqcpfd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:ap-southeast-3: :control/slgaankafeya • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-southeast-3: :control/ISFZibfigEye • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-southeast-3: :control/ipcythqFAFnw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-southeast-3: :control/xryuqxktpxyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-southeast-3: :control/saewmkrdhmro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-southeast-3: :control/feoxiqqbhyqn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-southeast-3: :control/ucowsxpwkcci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-southeast-3: :control/vfzmjzenumgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-southeast-3: :control/jqroqrcxwacd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-southeast-3: :control/vlsedzswlnnnn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-southeast-3: :control/rirmCQIOIAWT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-southeast-3: :control/gblibfbfwewj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-southeast-3: :control/EHGRDSwJBZRD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-southeast-3: :control/vnuhtqrctwlu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-southeast-3: :control/tgzqhfrkwocf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-southeast-3: :control/vkhcxdmguook • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-southeast-3: :control/lbggssrbsgus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-southeast-3: :control/jteuuimxiupm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-southeast-3: :control/wktxnanzyylb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-southeast-3: :control/iiqoevfkxqua • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-southeast-3: :control/rcuqgupbritk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.1 • arn:aws:controltower:ap-southeast-3: :control/maulwzovbhag • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ap-southeast-3: :control/sdxgbjamzipn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-1, eu-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-southeast-3: :control/bhrdsdrzczys • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/cxveoohimnnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:ap-southeast-3: :control/envxmqewhfbx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-southeast-3: :control/bmnublzwwwwa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-southeast-3: :control/ntkvapldgpie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-southeast-3: :control/xawhufnruuxo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-southeast-3: :control/pcyswlzhmhpw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ap-southeast-3: :control/pwxeqpxbwgjt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-southeast-3: :control/gnbootbhjqvg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-southeast-3: :control/crattpofxycu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.12 • arn:aws:controltower:ap-southeast-3: :control/uqoceesbnnif • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:ap-southeast-3: :control/jyeukjnofjqt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-southeast-3: :control/vmkdwyckpkrh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-southeast-3: :control/orverzawckro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.16 • arn:aws:controltower:ap-southeast-3: :control/gthxkjhcjejj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:ap-southeast-3: :control/vypanyufofaq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-southeast-3: :control/cxylmyzhnkta • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-southeast-3: :control/lknkzomuuqzi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.2 • arn:aws:controltower:ap-southeast-3: :control/nsyqyxihebwe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:ap-southeast-3: :control/ldiqipnkyddu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-southeast-3: :control/vcsbdjnknxjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-southeast-3: :control/erckypeqkgqy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.5 • arn:aws:controltower:ap-southeast-3: :control/xnoklovhwbez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:ap-southeast-3: :control/oehvbkeunbfi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-southeast-3: :control/zpfldjxnzpie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-southeast-3: :control/lcziculvyvtq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.9 • arn:aws:controltower:ap-southeast-3: :control/zrlpktzvmaDM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:ap-southeast-3: :control/jjjxznglhluf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-southeast-3: :control/ejdxiymhlmfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-southeast-3: :control/duzazkiytoji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.4 • arn:aws:controltower:ap-southeast-3: :control/letjitmenkEq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:ap-southeast-3: :control/gmshbdoahkhi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-southeast-3: :control/zxtggjqzhlqy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-southeast-3: :control/ybfbqoouvswp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.2 • arn:aws:controltower:ap-southeast-3: :control/nqtdlnzgogbg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:ap-southeast-3: :control/qrcfkibeupde • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/orawxbhceJwg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-southeast-3: :control/ajnkxrbukmiw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.11 • arn:aws:controltower:ap-southeast-3: :control/wanjblrhtdxz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:ap-southeast-3: :control/fbniucymsfgp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-southeast-3: :control/wmyolpnabXBV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-southeast-3: :control/HIVKSROFOHMI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.4 • arn:aws:controltower:ap-southeast-3: :control/RVWNBZeiampe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:ap-southeast-3: :control/nzxrqvwelrez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-southeast-3: :control/kwsnctwdcyia • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-southeast-3: :control/szbhnxbfpdgi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.8 • arn:aws:controltower:ap-southeast-3: :control/cpusdpmirohk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:ap-southeast-3: :control/nocaixxnkaij • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/gtuycdybwlho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-southeast-3: :control/XCCMmbToHCIV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.1
- arn:aws:controltower:ap-southeast-3: :control/jbfipvguuhgw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:ap-southeast-3: :control/qrbxruffbuzk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:ap-southeast-3: :control/bgsoaudwlhlt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:ap-southeast-3: :control/klqyruhzyfan
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-southeast-3: :control/ifmxfkflexkp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-southeast-3: :control/ompfcrwudyxw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-southeast-3: :control/iqdclulomhin • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-southeast-3: :control/matyzeiucdib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-southeast-3: :control/cfmvumabxoqu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-southeast-3: :control/ufuqhfphrdmp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-southeast-3: :control/dcnarssndlvd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-southeast-3: :control/aubcxbxvtkut • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-southeast-3: :control/nuheltpitcru • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-southeast-3: :control/rfsaqlsomrwe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-southeast-3: :control/tmvunwzicuth • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-southeast-3: :control/axmnamrzwuht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-southeast-3: :control/cfxscvnjuric • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-southeast-3: :control/ybeqehquoIBL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-southeast-3: :control/assexckvikwr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-southeast-3: :control/oorogruvayit • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-southeast-3: :control/akzimzmbhxpk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-southeast-3: :control/zalytabutanc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-southeast-3: :control/ftfrbhjuchhk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-southeast-3: :control/bmtmygwwkgrp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-southeast-3: :control/jldjrxdzhocs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-southeast-3: :control/pfrmcvvxgcwd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-southeast-3: :control/bcctqmaxuqop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-southeast-3: :control/inbvxuzpitiy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-southeast-3: :control/hljoxoyoqrwo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-southeast-3: :control/fakskcvvlglz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-southeast-3: :control/HGZIJECVJGDL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-southeast-3: :control/pixvjdfyleek • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.3 • arn:aws:controltower:ap-southeast-3: :control/gmwrrluzjkuv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:ap-southeast-3: :control/nwzaqbrtrvwq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-southeast-3: :control/oyfsljfwanfx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-southeast-3: :control/oqxjtSRqrSiC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.1 • arn:aws:controltower:ap-southeast-3: :control/endgxubafxaj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:ap-southeast-3: :control/qjiwslsiugxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:ap-southeast-3: :control/ilmqsxxdtgiw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-southeast-3: :control/gqdqanygjapi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.5 • arn:aws:controltower:ap-southeast-3: :control/hvfuxhsoqxpb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/psnlrylrryhn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/tlikroymivqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-southeast-3: :control/kviruturjnht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.3 • arn:aws:controltower:ap-southeast-3: :control/hxbwehkkkwqbm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:ap-southeast-3: :control/wefpamotWmdm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-southeast-3: :control/FXokbdkdcrrn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-southeast-3: :control/pmnickkuueae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.4 • arn:aws:controltower:ap-southeast-3: :control/tbecjbyqnbxc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:ap-southeast-3: :control/omhrjdqoqrnt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-southeast-3: :control/xqklxtjscqku • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-southeast-3: :control/uxzdcqjyosnc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-southeast-3: :control/cltipwnnuwfu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-southeast-3: :control/zgtsaFjltner • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-southeast-3: :control/pmhegulrzvpo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-southeast-3: :control/lvdyjrbnzidj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-southeast-3: :control/qzpchxxrsnqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-southeast-3: :control/ybogplnvdmjy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-southeast-3: :control/ixdxngqkeApr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-southeast-3: :control/NHVOAEYKAXPI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.1 • arn:aws:controltower:ap-southeast-3: :control/wcdcffyfymde • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:ap-southeast-3: :control/ojfgsqyylttd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-southeast-3: :control/myzwlugjmtlg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-southeast-3: :control/zcyiljxnyjps • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-southeast-3: :control/mqcmsswzmsnp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-southeast-3: :control/wuvfsnjypxzy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-southeast-3: :control/iowukzdwgons • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-southeast-3: :control/otvnxeouupbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-southeast-3: :control/etuwzlerTVQi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-southeast-3: :control/mtpretpWRQNM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-southeast-3: :control/ISPNAEMQQYUG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-southeast-3: :control/pgeABSLQNWSZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-southeast-3: :control/pzzqcseitcrl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ap-southeast-3: :control/bzmourjqbwka • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:ap-southeast-3: :control/wtkhfunahsrc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-southeast-3: :control/svwddtcgvtor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:ap-southeast-3: :control/gxdbigPNJLKC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-southeast-3: :control/cryygmvajetx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-southeast-3: :control/dsvsbrmwzikq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-southeast-3: :control/ruvaayrtpbwd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:ap-southeast-3: :control/bciswmgtuiek
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:ap-southeast-3: :control/yccnrZZhQrau
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:ap-southeast-3: :control/qlyzgpdanyda
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:ap-southeast-3: :control/tolokfeegtjh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:ap-southeast-3: :control/pwundfxSuyay • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:ap-southeast-3: :control/hizsjveoiwxp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ap-southeast-3: :control/bqwptlyflvjt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ap-southeast-3: :control/whkqjxkelyjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ap-southeast-3: :control/lyxbcheezPVN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/hupjoppysuga • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-southeast-3: :control/uzrspfwzqtyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-southeast-3: :control/nhkxbyqlkdds • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:ap-southeast-3: :control/gbnyuhasxvmy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ap-southeast-3: :control/tcpyxNozeTyp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-southeast-3: :control/igmnpkjrfzmt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ap-southeast-3: :control/DakstnViezpx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:ap-southeast-3: :control/vkmgprnmlcby • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:ap-southeast-3: :control/wufezoizmxba • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:ap-southeast-3: :control/qntssylvysbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-southeast-3: :control/bxcukdzsylog • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.2 • arn:aws:controltower:ap-southeast-3: :control/SPKTRduppmsl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:ap-southeast-3: :control/aztjjpgjofeo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:ap-southeast-3: :control/cfrtftjozprw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ap-southeast-3: :control/yzcwkmnauexz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.23 • arn:aws:controltower:ap-southeast-3: :control/oxcyozpuwjYP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:ap-southeast-3: :control/otpoyeielitw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-southeast-3: :control/rjutoozncckea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-southeast-3: :control/mjpfjbridkhb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.27 • arn:aws:controltower:ap-southeast-3: :control/ofcalleofmgc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:ap-southeast-3: :control/IDDASOINPLGV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-southeast-3: :control/mbcmhnlezler • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-southeast-3: :control/dhdwzpymbdim • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.30 • arn:aws:controltower:ap-southeast-3: :control/zerceprqwwgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:ap-southeast-3: :control/pdcylhotaimm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-southeast-3: :control/mReykjjsedQR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-southeast-3: :control/awidkjqlxfpb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:ap-southeast-3: :control/vbtynzmzdtyx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ap-southeast-3: :control/ukeuaxdwkkov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-southeast-3: :control/wzxmvxzmjqse • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-southeast-3: :control/cxppstsyrqsr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-southeast-3: :control/ivyouwqfcuyq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-southeast-3: :control/xnbkeaBvQQna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-southeast-3: :control/ocspczdhkdrv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-southeast-3: :control/dubpdvdvasss • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-southeast-3: :control/mgzsffrpjxnj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-southeast-3: :control/lluvkhvotykb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-southeast-3: :control/bedtsjxbpyrq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-southeast-3: :control/rdnvzkoxqrbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:ap-southeast-3: :control/sztuwipcdhja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-southeast-3: :control/tisetcevqbzy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-southeast-3: :control/yngemlonshef • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:ap-southeast-3: :control/usolsrktdaxd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:ap-southeast-3: :control/trwwvpdnblsg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-southeast-3: :control/xwcenvgpfkvp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-southeast-3: :control/nkzlnbhhnywr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ap-southeast-3: :control/menfclcehumv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:ap-southeast-3: :control/kzhgchwlwfgo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:ap-southeast-3: :control/kmrgdqjcvikh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-southeast-3: :control/pocebhmeghxj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-southeast-3: :control/pyuyqrajteyr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-southeast-3: :control/jgrcefmtnsll • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/bvgshigLnFap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-southeast-3: :control/ErhgiidRLPCS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-southeast-3: :control/ouzwaonsggya • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-southeast-3: :control/mxxulkhavunn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-southeast-3: :control/ADCMSrccwzpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-southeast-3: :control/hhxuysufafpi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ap-southeast-3: :control/kcrfffcebpea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:ap-southeast-3: :control/bwsnhisvrcnv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-southeast-3: :control/wrsgktamfunn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-southeast-3: :control/ufzyeeyhgrgq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

ap-southeast-4

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:ap-southeast-4: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ap-southeast-4: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ap-southeast-4: :control/aws-gr_cloudtrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ap-southeast-4: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ap-southeast-4: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ap-southeast-4: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ap-southeast-4: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ap-southeast-4: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ap-southeast-4: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ebs_optimized_instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ap-southeast-4: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ap-southeast-4: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ap-southeast-4: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-southeast-4: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ap-southeast-4: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ap-southeast-4: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ap-southeast-4: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ap-southeast-4: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ap-southeast-4: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ap-southeast-4: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ap-southeast-4: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ap-southeast-4: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ap-southeast-4: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ap-southeast-4: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-1, us-west-2, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ap-southeast-4: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ACM.PR.1 • arn:aws:controltower:ap-southeast-4: :control/utglxcqdismw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ap-southeast-4: :control/aohbbohvyoxc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:ap-southeast-4: :control/cprjznhslxqo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:ap-southeast-4: :control/jsvpqlcsvwlg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:ap-southeast-4: :control/gdmzaruabrdk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:ap-southeast-4: :control/xoijwvlccytu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ap-southeast-4: :control/eCADNMFRQVPH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ap-southeast-4: :control/ncdtankppsFX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.2 • arn:aws:controltower:ap-southeast-4: :control/HJCSACGZAZKN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:ap-southeast-4: :control/tudpsrdpjipg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:ap-southeast-4: :control/kqafeidtvwyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ap-southeast-4: :control/uwworeonbqqj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PV.1 • arn:aws:controltower:ap-southeast-4: :control/yqeeaipkxpei • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:ap-southeast-4: :control/lbespkjsmpzt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ap-southeast-4: :control/xquoyywureyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ap-southeast-4: :control/fxrotuvaftok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ap-southeast-4: :control/mcuarpnyqnrm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ap-southeast-4: :control/vaHivvevbWHB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ap-southeast-4: :control/ojsmbftlwyyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ap-southeast-4: :control/idgoebrsqbuy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ap-southeast-4: :control/eweadhpwkaqo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ap-southeast-4: :control/cvlvwhpnfdHv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ap-southeast-4: :control/ytuqpnaGtVUD • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ap-southeast-4: :control/kcdbciayuxwt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ap-southeast-4: :control/azrixjrpzegb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ap-southeast-4: :control/qlwfwmzshupd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ap-southeast-4: :control/cqedlawqdaex • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:ap-southeast-4: :control/haxvfqczvwmz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ap-southeast-4: :control/tywuxnegbhgc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ap-southeast-4: :control/mvvstrhvzwsc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ap-southeast-4: :control/bprdziznwybs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ap-southeast-4: :control/bhnuhfppnutc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ap-southeast-4: :control/xzfllxiqynud • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ap-southeast-4: :control/ADCTwwszwzts • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ap-southeast-4: :control/rbadpchoycie • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ap-southeast-4: :control/raahjhhqsmwp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ap-southeast-4: :control/fslgmxbtmemg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ap-southeast-4: :control/kwexxntleavb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ap-southeast-4: :control/fdrwvvlulzad • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ap-southeast-4: :control/fccvjpunpvxq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ap-southeast-4: :control/jlvkwjaTwuTV • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ap-southeast-4: :control/rfqbnrcceika • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ap-southeast-4: :control/hyrunfpdznhr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ap-southeast-4: :control/lxvuslokwayd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ap-southeast-4: :control/tykatgnymslj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ap-southeast-4: :control/jezzfRmLkwfs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ap-southeast-4: :control/rwixrmhpksme • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ap-southeast-4: :control/BBRKFcwFuglh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.1 • arn:aws:controltower:ap-southeast-4: :control/rylggcgveelg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ap-southeast-4: :control/dncwseozinhl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:ap-southeast-4: :control/xthsonulvjip • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/romimqwyagfd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:ap-southeast-4: :control/yfahkvxxocsx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ap-southeast-4: :control/knyflvizoiaz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ap-southeast-4: :control/kwpvvwprubzo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ap-southeast-4: :control/hoscjvrplnzp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ap-southeast-4: :control/nculpycwmenb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ap-southeast-4: :control/spyifbbriand • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:ap-southeast-4: :control/lybokwdbulnw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ap-southeast-4: :control/izalucpzoayn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.12 • arn:aws:controltower:ap-southeast-4: :control/UbpyTWKIMQOK • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:ap-southeast-4: :control/yxzjotgzjjvl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:ap-southeast-4: :control/pttagsyatzth • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ap-southeast-4: :control/ycgpczcvfqbm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.16 • arn:aws:controltower:ap-southeast-4: :control/ghhwsdlfcimb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:ap-southeast-4: :control/hsvuaimCvfgu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:ap-southeast-4: :control/xhxuqxlxfaVC • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ap-southeast-4: :control/McLmjUhlgsbq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.2 • arn:aws:controltower:ap-southeast-4: :control/mizlgqyhhgna • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:ap-southeast-4: :control/gqngxwbtgeve • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:ap-southeast-4: :control/mrbmelvziazk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ap-southeast-4: :control/LPEKGJIKOSHF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.5 • arn:aws:controltower:ap-southeast-4: :control/dbgpjosfenfn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:ap-southeast-4: :control/atkgmnoiydjq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:ap-southeast-4: :control/ebkempbnwlyf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ap-southeast-4: :control/vdohffwlbmll • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.9 • arn:aws:controltower:ap-southeast-4: :control/bfprpytvropt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:ap-southeast-4: :control/mepyvzxuoiwe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:ap-southeast-4: :control/hykiCgfawyuk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ap-southeast-4: :control/jnvlbgkixglf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.4 • arn:aws:controltower:ap-southeast-4: :control/tdhbnshleyaw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:ap-southeast-4: :control/klifzqizzwdm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:ap-southeast-4: :control/yqzpjpgGFKnj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ap-southeast-4: :control/tzctugjaeznv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.2 • arn:aws:controltower:ap-southeast-4: :control/qzessatnrqbl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:ap-southeast-4: :control/qgqoolgeufro • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/oqtraoqxrmkf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ap-southeast-4: :control/kqemaqvkcpav • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.11 • arn:aws:controltower:ap-southeast-4: :control/yicnyvzhgqfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:ap-southeast-4: :control/jtjzephnxqvh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:ap-southeast-4: :control/ohutrxxkjgcq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ap-southeast-4: :control/eytoivaspvem • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.4 • arn:aws:controltower:ap-southeast-4: :control/ytnyDNtBjror • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:ap-southeast-4: :control/iaipqjcusfgx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:ap-southeast-4: :control/uwjwvkorwuoi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ap-southeast-4: :control/pcizqstgkqoy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.8 • arn:aws:controltower:ap-southeast-4: :control/sukowfylvdjt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:ap-southeast-4: :control/bnfdudzypcfd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/puxokijtzoie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ap-southeast-4: :control/kmrgwhjrkity • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ap-southeast-4: :control/fkpzdngaeman • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ap-southeast-4: :control/yuwpaBBCXfek • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ap-southeast-4: :control/mkkksjgqgfrs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ap-southeast-4: :control/oklgyxvmgvvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ap-southeast-4: :control/ogtaayezPuma • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ap-southeast-4: :control/fwqdeeyqangn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ap-southeast-4: :control/qmvtndbftcLC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ap-southeast-4: :control/ulkfedfjabhf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ap-southeast-4: :control/lcxdoojwvvha • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ap-southeast-4: :control/uflzaxaqsxda • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ap-southeast-4: :control/jrrspqbkxbiq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ap-southeast-4: :control/ckkipgioqzlp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ap-southeast-4: :control/gvpgzwwqfcvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ap-southeast-4: :control/uogieqyubvwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ap-southeast-4: :control/cgnkjzryhizj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ap-southeast-4: :control/bkpddvhnqliz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ap-southeast-4: :control/adhrmnatndfH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ap-southeast-4: :control/zgxgcigjhyhq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ap-southeast-4: :control/lmbawxbhtszn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ap-southeast-4: :control/xbbfjwwsAlqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ap-southeast-4: :control/radmlmbaCOBH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ap-southeast-4: :control/IISqufQmirph • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ap-southeast-4: :control/bvfelbgggjle • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ap-southeast-4: :control/ClbavidGQFBI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ap-southeast-4: :control/mvejsuxzwcoy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ap-southeast-4: :control/uqjjgfucdaal • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ap-southeast-4: :control/ijcgbgkqjxlj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ap-southeast-4: :control/wpuguncmuaks • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ap-southeast-4: :control/jljilswjbawd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ap-southeast-4: :control/lfvomxngcjax • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:ap-southeast-4: :control/fbobozdtktrb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ap-southeast-4: :control/evbcokhitcao • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.3 • arn:aws:controltower:ap-southeast-4: :control/ilislowkjihg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:ap-southeast-4: :control/gyjlbwgsdiew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:ap-southeast-4: :control/vgevdhsnvcjn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ap-southeast-4: :control/lgyhsjssfitw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.1 • arn:aws:controltower:ap-southeast-4: :control/pulitxedkezn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:ap-southeast-4: :control/hdjtijyvjznh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:ap-southeast-4: :control/rlbvvzelhwht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ap-southeast-4: :control/skiibuqdkmnx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.5 • arn:aws:controltower:ap-southeast-4: :control/qjvbmtnzmymh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/mnnubyjozssi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/gsgzpjgxawvs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ap-southeast-4: :control/viadymcewuaq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.3 • arn:aws:controltower:ap-southeast-4: :control/zfkvowdneyfb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:ap-southeast-4: :control/chybydlzlycy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:ap-southeast-4: :control/vnjtgwiulhac • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ap-southeast-4: :control/ucypthstgdby • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.4 • arn:aws:controltower:ap-southeast-4: :control/etwptxvqzwnz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:ap-southeast-4: :control/hxqvwadeflzb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:ap-southeast-4: :control/ckhyagzgeynq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ap-southeast-4: :control/xfyxvaypogyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.3 • arn:aws:controltower:ap-southeast-4: :control/rpxkxcxytlea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:ap-southeast-4: :control/hocxbbcnzlkk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:ap-southeast-4: :control/ueeckadlrwfr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ap-southeast-4: :control/klzcjqzasasq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.1 • arn:aws:controltower:ap-southeast-4: :control/tevrxvtdqjpb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:ap-southeast-4: :control/jmfyxcopftxd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:ap-southeast-4: :control/ywvsxwgeFxuc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ap-southeast-4: :control/ezyjltelgejz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.1 • arn:aws:controltower:ap-southeast-4: :control/oulbrfihytnn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:ap-southeast-4: :control/mefcjwchCrqA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ap-southeast-4: :control/jumcmtebpiho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ap-southeast-4: :control/emrqqneeyxan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ap-southeast-4: :control/ijpzwnxpuxes • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ap-southeast-4: :control/nxkulghrfxpv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ap-southeast-4: :control/ekfelzaaqzpg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ap-southeast-4: :control/ourfproldkav • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ap-southeast-4: :control/ouyobzfvvxcw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ap-southeast-4: :control/IPvfmirapiga • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ap-southeast-4: :control/pipclzwmaqul • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ap-southeast-4: :control/eamnvepgnhra • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ap-southeast-4: :control/eckhabeFonXL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ap-southeast-4: :control/qgiehlwasggx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:ap-southeast-4: :control/evjthcmseqqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:ap-southeast-4: :control/LuzfsXfqskrq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:ap-southeast-4: :control/eigxmdvshdty • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:ap-southeast-4: :control/qaaewibskhvb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ap-southeast-4: :control/wazdzcmzoctv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ap-southeast-4: :control/cnzptjjrwsnx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ap-southeast-4: :control/laplgftjaxib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:ap-southeast-4: :control/nlyegmaoftad • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:ap-southeast-4: :control/grsdifuyimfn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:ap-southeast-4: :control/ipqwjirbiwgq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:ap-southeast-4: :control/jywshgenxkto • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:ap-southeast-4: :control/ypzclpkbngia • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ap-southeast-4: :control/ycwspddleedg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ap-southeast-4: :control/cjklxuejmvcj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ap-southeast-4: :control/zftzsjuiuyur • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/bpvkewvtuwlr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:ap-southeast-4: :control/ellzceanxpro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ap-southeast-4: :control/zfnhhdpytjbl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:ap-southeast-4: :control/szbdiczivcps • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ap-southeast-4: :control/jlsrqqsunnsy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:ap-southeast-4: :control/khjnqzhznmby • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ap-southeast-4: :control/crdtqdjysrka • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:ap-southeast-4: :control/qyjmtccoydng • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:ap-southeast-4: :control/bgjehlnqlzex • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:ap-southeast-4: :control/AMLFAOvWRYRF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ap-southeast-4: :control/brirjruiozmf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.2 • arn:aws:controltower:ap-southeast-4: :control/bksotgwhuepf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:ap-southeast-4: :control/bhrdikzlqnsu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:ap-southeast-4: :control/gabvuuuqlsdb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ap-southeast-4: :control/akpeayguraxn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.23 • arn:aws:controltower:ap-southeast-4: :control/coubetklzedr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:ap-southeast-4: :control/yrbxfhaZobdb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:ap-southeast-4: :control/nlpddlrtcakp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ap-southeast-4: :control/rbqvqflwmkby • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.27 • arn:aws:controltower:ap-southeast-4: :control/bzjjfmutklaj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:ap-southeast-4: :control/xqnyxekdzigq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:ap-southeast-4: :control/ppqbrtyvmgrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ap-southeast-4: :control/zushtbgqwbdp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.30 • arn:aws:controltower:ap-southeast-4: :control/oifdzpetjxow • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:ap-southeast-4: :control/pdnocldcofwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:ap-southeast-4: :control/uaznuswprzel • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ap-southeast-4: :control/ncroqkszjxGB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:ap-southeast-4: :control/lfkkwgDLRegn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ap-southeast-4: :control/islvboajzveo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:ap-southeast-4: :control/xxmtCrFouhKV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ap-southeast-4: :control/wxbaemgbnrwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ap-southeast-4: :control/mzvftanpecpp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ap-southeast-4: :control/zxyqnptgykqk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ap-southeast-4: :control/ikcxehxyjrve • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ap-southeast-4: :control/bgmycckjsxsj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ap-southeast-4: :control/hdajofbscazc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ap-southeast-4: :control/ustddcUnojvf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ap-southeast-4: :control/mefkmqgdlmbw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ap-southeast-4: :control/vmuqkkurtfqh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:ap-southeast-4: :control/uznlvdvsmhzc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:ap-southeast-4: :control/ernmvmjmmucd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ap-southeast-4: :control/gsohgifwyqyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:ap-southeast-4: :control/hujnxxthldbm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:ap-southeast-4: :control/wubxnlcmsyuw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:ap-southeast-4: :control/vhkxdiwzqdsn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ap-southeast-4: :control/nmaailPgvxan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ap-southeast-4: :control/jjrozzpyLDSV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:ap-southeast-4: :control/qppbaojdqlfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:ap-southeast-4: :control/mnqsvfbxekdq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ap-southeast-4: :control/qnapkiuxfepp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ap-southeast-4: :control/pzibdnevgznv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ap-southeast-4: :control/nozhicokjijr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/dgefibbknnay • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ap-southeast-4: :control/tcomvfdnxjhq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ap-southeast-4: :control/qncubtyvdmnk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ap-southeast-4: :control/vuvjnjrxbzav • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ap-southeast-4: :control/izbrunfkgill • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ap-southeast-4: :control/thihaamwyolm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ap-southeast-4: :control/cmrlltlxfkck • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:ap-southeast-4: :control/enlmlrvxkumb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:ap-southeast-4: :control/gmgtdmvfmmix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ap-southeast-4: :control/aufybclsxdir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

ca-central-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:ca-central-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:ca-central-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:ca-central-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:ca-central-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:ca-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:ca-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:ca-central-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:ca-central-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:ca-central-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:ca-central-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-centra l-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:ca-central-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:ca-central-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:ca-central-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:ca-central-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:ca-central-1: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:ca-central-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:ca-central-1: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-centra l-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:ca-central-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southe ast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:ca-central-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:ca-central-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:ca-central-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ca-central-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:ca-central-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:ca-central-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:ca-central-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:ca-central-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:ca-central-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:ca-central-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:ca-central-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:ca-central-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:ca-central-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:ca-central-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:ca-central-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:ca-central-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:ca-central-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-1, us-west-2, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:ca-central-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:ca-central-1: :control/ckcktglvekyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:ca-central-1: :control/euyznapvcuus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APIGATEWAY.PR.2
- arn:aws:controltower:ca-central-1: :control/rpoxlfosavoi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.3
- arn:aws:controltower:ca-central-1: :control/xxkodhbwtztz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.4
- arn:aws:controltower:ca-central-1: :control/wdeozrygkeqk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.5
- arn:aws:controltower:ca-central-1: :control/nmhbyplkkhgt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:ca-central-1: :control/otrryhqqapmy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:ca-central-1: :control/krlwexiirjpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:ca-central-1: :control/mdzmfquifjsz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:ca-central-1: :control/gqjwedlmdawd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:ca-central-1: :control/naglsyfofCue • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:ca-central-1: :control/fgriemdejjcd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:ca-central-1: :control/xnssrzidasbo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:ca-central-1: :control/iammttgpsekx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:ca-central-1: :control/sdbnxvsdhxfd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:ca-central-1: :control/snifzdshbseq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:ca-central-1: :control/cqvxmptkzzld • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:ca-central-1: :control/zrmhgmlrjgdn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:ca-central-1: :control/vcdsrazxdlzp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:ca-central-1: :control/cxhvxoatjhpy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:ca-central-1: :control/knwxlcuzbjpr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:ca-central-1: :control/suqitvfxsnas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:ca-central-1: :control/gjmtgweqycfk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:ca-central-1: :control/omctijoasmiz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:ca-central-1: :control/tqHowlddehmd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:ca-central-1: :control/embbjboezuxi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:ca-central-1: :control/roxojwpkijgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:ca-central-1: :control/rumpjmccncjw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:ca-central-1: :control/yxrnfyzicbaz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:ca-central-1: :control/cxlhfjbbeSPG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:ca-central-1: :control/zydbrrmvvtzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:ca-central-1: :control/lliutejbmghe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:ca-central-1: :control/eyukxnoqhbvc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:ca-central-1: :control/fzhdafbjjmxp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:ca-central-1: :control/ojpyimzxkwmn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:ca-central-1: :control/ladqhopwfdqe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:ca-central-1: :control/kaeewmvgtqbg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:ca-central-1: :control/gkzhbzwqtgxq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:ca-central-1: :control/qdldufikrtaf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:ca-central-1: :control/vqrwiupqxdng • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:ca-central-1: :control/vpxbctgurfrg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:ca-central-1: :control/rzudtgnqslrg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:ca-central-1: :control/ioqugwnhedso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:ca-central-1: :control/rsyhhwkExhco • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:ca-central-1: :control/scrybkuzhbyq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:ca-central-1: :control/znxnbmzchfpq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:ca-central-1: :control/kjeoayepvawt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:ca-central-1: :control/lwzacznxewfr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:ca-central-1: :control/nbkpocfuayko • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:ca-central-1: :control/juntgfkwffja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:ca-central-1: :control/bynsawvhntaj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:ca-central-1: :control/xxxigzqsipvk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:ca-central-1: :control/qojpatdawfro • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:ca-central-1: :control/cuusqevmnyir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:ca-central-1: :control/nurhqpdkmitf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:ca-central-1: :control/muuoxhegoero • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:ca-central-1: :control/zxanarwcpqnw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:ca-central-1: :control/hhafbczlqyxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:ca-central-1: :control/rtcrbmnlmgbl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:ca-central-1: :control/zbwkqbjuypua • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:ca-central-1: :control/hjkxvhtkufcb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:ca-central-1: :control/mTunnertAwuk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:ca-central-1: :control/cgsrrxaekbdn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:ca-central-1: :control/vlnrasmmqcct • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:ca-central-1: :control/mxjeiqxymifj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:ca-central-1: :control/dwqpxwtedtuy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.18 • arn:aws:controltower:ca-central-1: :control/fcqlvhmquyem • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:ca-central-1: :Control/TNQReqcherez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:ca-central-1: :control/kltlenuylchx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:ca-central-1: :control/aqaljjabnsXP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:ca-central-1: :control/xenhmlfnkuik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:ca-central-1: :control/kpfaqfaqjawk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:ca-central-1: :control/ftwndukurlTP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:ca-central-1: :control/dkuiahchyztu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:ca-central-1: :control/kmlzlrnmckxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:ca-central-1: :control/bfyfbngdUpmy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:ca-central-1: :control/slqhsjsmhmnf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:ca-central-1: :Control/IWKYDPSHhvmL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:ca-central-1: :control/sfhbtrltbpke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:ca-central-1: :control/qernfetyilJR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:ca-central-1: :control/xtcfttkivgtn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:ca-central-1: :control/jukqtejgavsa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:ca-central-1: :control/hpajkclswuki • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:ca-central-1: :control/imgiirqpzyli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:ca-central-1: :Control/NTNTNZegmLuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:ca-central-1: :control/fkseykpjsdjt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:ca-central-1: :control/gbpyrlboqckz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:ca-central-1: :control/qfqhdlejLuva • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:ca-central-1: :control/einhsetmutzs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:ca-central-1: :control/uicvawrleuia • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.2 • arn:aws:controltower:ca-central-1: :control/shixzvmggymm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:ca-central-1: :control/whbvgsrpvind • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:ca-central-1: :control/iarhpiwnylny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:ca-central-1: :control/mbylgyrjvdvq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:ca-central-1: :control/ifzzozkbhyxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:ca-central-1: :control/owweuidVouHP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:ca-central-1: :control/opjantdnjxxu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:ca-central-1: :control/qqbfgiyiomao • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:ca-central-1: :control/awmwffqfzkmx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:ca-central-1: :control/ntrrbcokhjrz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:ca-central-1: :control/sidzoiyxvikc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:ca-central-1: :control/gxkojveizckj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:ca-central-1: :control/agvbfpdhsfh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:ca-central-1: :control/rwfpwlvdfxeu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:ca-central-1: :control/djmuojnrfwvf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:ca-central-1: :control/vatzkdswzsoa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:ca-central-1: :control/kbovlcaxajec • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:ca-central-1: :control/oiuocgoeqsks • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:ca-central-1: :control/cietiovqworv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:ca-central-1: :control/yyhzhddxkkia • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:ca-central-1: :control/vblrfnoujaix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:ca-central-1: :control/jemasgvkbrqf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:ca-central-1: :control/smqitiahfkpg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:ca-central-1: :control/rsznnhzmphgq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:ca-central-1: :control/akfecgtiwojz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:ca-central-1: :control/gyirqyzqgxoj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:ca-central-1: :control/cwgcutvhelnv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:ca-central-1: :control/vgcefhslonxt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:ca-central-1: :control/rzqgporfmuys • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:ca-central-1: :control/shnyfgrzoknr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:ca-central-1: :control/mefqwcbroonn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:ca-central-1: :control/sfjrxhpeewfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:ca-central-1: :control/uqpwystfwpnx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:ca-central-1: :control/blkontfmjjim • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:ca-central-1: :control/gpgubqhoywea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:ca-central-1: :control/lztvnxqbdidf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:ca-central-1: :Control/UHSFKNBKXDLE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:ca-central-1: :control/rxbclxmndyls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:ca-central-1: :control/hduqirhqjhib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:ca-central-1: :control/zfdyemubadtu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.1 • arn:aws:controltower:ca-central-1: :control/inxdkmeoBTFF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:ca-central-1: :control/qsnqbmvqiogp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:ca-central-1: :control/udkrpgzvfdue • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:ca-central-1: :control/pbxjbzpnelgx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GLUE.PR.1 • arn:aws:controltower:ca-central-1: :control/ieksunokgwll • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:ca-central-1: :control/etrmjixaellb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:ca-central-1: :control/xsodkgtqfxrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:ca-central-1: :control/hokzeqypeyhl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:ca-central-1: :control/uvqfbxevkvgx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:ca-central-1: :control/UEHHSmozoliq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:ca-central-1: :control/cxydxhzwznxx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:ca-central-1: :control/gjhiybnftixa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:ca-central-1: :control/tdlocmnrydew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:ca-central-1: :control/utuhyviwszjg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:ca-central-1: :control/ogedaciruobw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:ca-central-1: :control/tuwdpwlyPabh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:controltower:ca-central-1: :control/vuuvmkzdxtgu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:ca-central-1: :control/zqzjxllwiwoj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:ca-central-1: :control/vydrimvkdwqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:ca-central-1: :control/hiqdpztwodip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:controltower:ca-central-1: :control/dvfenxuybyml • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:ca-central-1: :control/fxfpbxfqpqww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:ca-central-1: :control/felbwgxpfujb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:ca-central-1: :control/pmhqafglasne • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:controltower:ca-central-1: :control/awzaqjtrttfm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:ca-central-1: :control/diytgmgappgv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:ca-central-1: :control/nzldfsafrbwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:ca-central-1: :control/amwdcroiieir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.1 • arn:aws:controltower:ca-central-1: :control/sfqdjvtlhwnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:ca-central-1: :control/LuzxHFYGBRHQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:ca-central-1: :control/mnirmHulkcqs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:ca-central-1: :control/munqhojyuzaj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:ca-central-1: :control/cumnvxpzbgry • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:ca-central-1: :control/imapsyukkcbz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:ca-central-1: :control/vfqogqvhfgge • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:ca-central-1: :control/bonsnyfhtqym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:ca-central-1: :control/obnebudnrrqh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:ca-central-1: :control/vrscwuwxskoo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:ca-central-1: :control/siioukqwzsfk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:ca-central-1: :control/gtfhckelkrxj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:ca-central-1: :control/yzyedzmrqlkg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:ca-central-1: :control/qborbgfwfgix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:ca-central-1: :control/jnlbipkxyysi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:ca-central-1: :control/dyhuhtzmanyt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.10
- arn:aws:controltower:ca-central-1: :control/cuknpgfnvivz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:ca-central-1: :control/jjjbkfbkoifl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:ca-central-1: :control/gborbukxvxwv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

- CT.OPENSEARCH.PR.13
- arn:aws:controltower:ca-central-1: :control/mHOCPNBLGbet
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:ca-central-1: :control/bhkrhjkoiara • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:ca-central-1: :control/axplmdkrpsrx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:ca-central-1: :control/bymwnekjvbpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:ca-central-1: :control/xmrahluxzrvt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:ca-central-1: :control/quikfrdefzbk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:ca-central-1: :control/doppxrivayvn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:ca-central-1: :control/wzantgteglma • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:ca-central-1: :control/atekpckhhhyq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:ca-central-1: :control/mdjzfkjkkfmg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:ca-central-1: :control/pkoeozeujqmu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:ca-central-1: :control/ixypcnjpavyp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:ca-central-1: :control/qfafuikdihxa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:ca-central-1: :control/dvxctdpqanlr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:ca-central-1: :control/htvhiqwpulez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:ca-central-1: :control/rvapyalzjhly • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:ca-central-1: :control/wajlgtnldljs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.14 • arn:aws:controltower:ca-central-1: :control/ausmnrmjjufg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:ca-central-1: :control/kynergdemogq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:ca-central-1: :control/ANFLBGZRYMCQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:ca-central-1: :control/cbukunuoeilm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:ca-central-1: :control/mkvllpsiepio • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:ca-central-1: :control/pjxooipsMnda • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:ca-central-1: :control/ohbbtgztmhob • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:ca-central-1: :control/rzbfftpjogcg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:ca-central-1: :control/ehehugumgnmm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:ca-central-1: :control/niabczcsxruw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:ca-central-1: :control/smcloxftggjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:ca-central-1: :control/videbvcbmmhe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.25 • arn:aws:controltower:ca-central-1: :control/lobresbccmgm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:ca-central-1: :control/trirjeyqdgym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:ca-central-1: :control/ijdhmcuqrdck • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:ca-central-1: :control/mCAZDRFZdigr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:ca-central-1: :control/vnolgbjqurah • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:ca-central-1: :control/ckrdgqknebyt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:ca-central-1: :control/sbrvrebputab • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:ca-central-1: :control/omcigoBmpxnw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:ca-central-1: :control/aoricfzeclos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:ca-central-1: :control/bptukboeyvec • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:ca-central-1: :control/OPZBMsCIYMQF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:ca-central-1: :control/lokaogksiric • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:ca-central-1: :control/RGEVPCaeaOut • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:ca-central-1: :control/ytyjjrrxoezw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:ca-central-1: :control/cxvhrdcrtvrv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:ca-central-1: :control/xbmwnuqrgvg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:ca-central-1: :control/nhaZvuyWKCGM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:ca-central-1: :control/jnuthipqtkap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-1, us-west-2, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:ca-central-1: :control/lxrtgbkavzrm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:ca-central-1: :control/qjzmcjvycogm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:ca-central-1: :control/xqgtrhzsjlas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:ca-central-1: :control/jtotpcsgxPIF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:ca-central-1: :control/sdawdcrwpyaz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:ca-central-1: :control/klkyrvhdtsnq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.11 • arn:aws:controltower:ca-central-1: :control/crtxzsitmulu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:ca-central-1: :control/dkcurrutbbzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:ca-central-1: :control/fgdzhxufrphf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:ca-central-1: :control/twvwtnvbnuji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.4 • arn:aws:controltower:ca-central-1: :control/zezhyrlecuPJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:ca-central-1: :control/rzfoshdjdwqr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:ca-central-1: :control/jvkpebopgeKW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:ca-central-1: :control/giqaexynybiq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:ca-central-1: :control/dkovkunlsmju • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:ca-central-1: :control/zxucdqeyshpt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:ca-central-1: :Control/McLenughmFXO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:ca-central-1: :control/pfwxjzlghzhs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:ca-central-1: :control/scsceoqlmmep • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:ca-central-1: :control/oqpvuzbbdokr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:ca-central-1: :control/RJCWEUDWebLJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:ca-central-1: :control/bzaerzjtdtlu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:ca-central-1: :control/tltacwukomhh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:ca-central-1: :control/TyqhrxOLTMRT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:ca-central-1: :control/sefpfjcqoykk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:ca-central-1: :control/wkaoaeefqegb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:ca-central-1: :control/NPVKWmPNGNPQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:ca-central-1: :control/lzirxmiwbdly • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM.1 • arn:aws:controltower:ca-central-1: :control/buycuyitypvg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ACM.2 • arn:aws:controltower:ca-central-1: :control/rpndgppshsbc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• Sh.apigateway.1 • arn:aws:controltower:ca-central-1: :control/dhnknpswpete • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.2 • arn:aws:controltower:ca-central-1: :control/fdwkkfdtszxx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• Sh.apigateway.3 • arn:aws:controltower:ca-central-1: :control/xccmvzsavcxr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• Sh.apigateway.4 • arn:aws:controltower:ca-central-1: :control/ezacrqznmtpk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• Sh.apigateway.5 • arn:aws:controltower:ca-central-1: :control/uhuyxduhucfj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• Sh.apigateway.8 • arn:aws:controltower:ca-central-1: :control/IESMZiloltCP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.9 • arn:aws:controltower:ca-central-1: :control/ysrnxospmpar • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.Account.1 • arn:aws:controltower:ca-central-1: :control/ibipkuptgkch • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH AppSync.5 • arn:aws:controltower:ca-central-1: :control/ktdspdijwyr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH AutoScaling0,1 • arn:aws:controltower:ca-central-1: :control/ikkvvsewgLMB • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH AutoScaling0,2 • arn:aws:controltower:ca-central-1: :control/jxpaoxbtcBuy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AutoScaling0,3 • arn:aws:controltower:ca-central-1: :control/jwiwntsKazgy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH AutoScaling0,6 • arn:aws:controltower:ca-central-1: :control/zfzuxslegckv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH AutoScaling0,9 • arn:aws:controltower:ca-central-1: :control/dviowkwkifhk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• Sh.Autoscaling.5 • arn:aws:controltower:ca-central-1: :control/ixjdzwzanlko • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH CloudTrail0,1 • arn:aws:controltower:ca-central-1: :control/rqfyefhioomq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,2 • arn:aws:controltower:ca-central-1: :control/agxogghcgroe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH CloudTrail0,4 • arn:aws:controltower:ca-central-1: :control/jvyzmzldddrj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH CloudTrail.5 • arn:aws:controltower:ca-central-1: :control/uhrcndtkyiuy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH CloudTrail0,6 • arn:aws:controltower:ca-central-1: :control/wermmskcvgst • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH CodeBuild0,1 • arn:aws:controltower:ca-central-1: :control/sguswwcrfwn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,2 • arn:aws:controltower:ca-central-1: :control/yuaevtsmxvyi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH CodeBuild0,3 • arn:aws:controltower:ca-central-1: :control/nzbzrtlnlrhc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• .SH CodeBuild0,4 • arn:aws:controltower:ca-central-1: :control/kwxngckxfpfj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.DMS.1 • arn:aws:controltower:ca-central-1: :control/aajezebpckqn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• ID.DMS.9 • arn:aws:controltower:ca-central-1: :control/hyoqasrnnLKH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DocumentDB.3 • arn:aws:controltower:ca-central-1: :control/jkhvvrtzqzzt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.DynamoDB.1 • arn:aws:controltower:ca-central-1: :Control/BPAFlcPharog • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.DynamoDB.2 • arn:aws:controltower:ca-central-1: :control/lefdcdblzGBP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.1 • arn:aws:controltower:ca-central-1: :control/zphsvmvqoeue • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.10 • arn:aws:controltower:ca-central-1: :control/yutcrrlvnedl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.15 • arn:aws:controltower:ca-central-1: :control/jniofiqsinqa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.16 • arn:aws:controltower:ca-central-1: :control/joqqkgokqtzn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.17 • arn:aws:controltower:ca-central-1: :Control/HPCenfroxVMO • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.18 • arn:aws:controltower:ca-central-1: :control/keikzyhhgwjs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.19 • arn:aws:controltower:ca-central-1: :control/fqhrptppxkux • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.2 • arn:aws:controltower:ca-central-1: :control/arhtrdlrmozs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.20 • arn:aws:controltower:ca-central-1: :control/KLGunnBLXGKP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.21 • arn:aws:controltower:ca-central-1: :control/kmvivysegfwx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.22 • arn:aws:controltower:ca-central-1: :control/ahmnfxclbavd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.23 • arn:aws:controltower:ca-central-1: :control/uqzllsowwaat • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.25 • arn:aws:controltower:ca-central-1: :control/ggjfodcqqced • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• ID.EC2.3 • arn:aws:controltower:ca-central-1: :control/IEYBLJBRQTUY • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.4 • arn:aws:controltower:ca-central-1: :control/kwvqhhyvrndf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.6 • arn:aws:controltower:ca-central-1: :control/okzldnisdvix • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.7 • arn:aws:controltower:ca-central-1: :control/xgnqtadzliok • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.8 • arn:aws:controltower:ca-central-1: :control/hxubjtxhypip • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.EC2.9 • arn:aws:controltower:ca-central-1: :control/xpjjcaojdfwb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECR0,1 • arn:aws:controltower:ca-central-1: :control/vjwddytkmdle • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECR.2 • arn:aws:controltower:ca-central-1: :control/skimjmsmpjyn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECR0,3 • arn:aws:controltower:ca-central-1: :control/uukjmlkqdjsz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.1 • arn:aws:controltower:ca-central-1: :control/zbkhvvfkvdfr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECS.10 • arn:aws:controltower:ca-central-1: :control/ULWMHFCYLPWR • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECS.12 • arn:aws:controltower:ca-central-1: :control/kxeryzucggjc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECS.2 • arn:aws:controltower:ca-central-1: :control/bedxpjrwtdzq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECS.3 • arn:aws:controltower:ca-central-1: :control/sfbmoxohpgja • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.4 • arn:aws:controltower:ca-central-1: :control/ifccvdcgnttk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2
• SH.ECS.5 • arn:aws:controltower:ca-central-1: :control/xgglvmqeYmtu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.ECS.8 • arn:aws:controltower:ca-central-1: :control/othwmxxnmcsp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EFS.1 • arn:aws:controltower:ca-central-1: :control/csvenqntznyv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.2 • arn:aws:controltower:ca-central-1: :control/gcwiqedcgvfe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.2 • arn:aws:controltower:ca-central-1: :control/nxdailokjurd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.14 • arn:aws:controltower:ca-central-1: :control/habokklkhbxf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.5 • arn:aws:controltower:ca-central-1: :control/fbadzsaqtfex • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.9 • arn:aws:controltower:ca-central-1: :control/niqnqivtoblt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.2 • arn:aws:controltower:ca-central-1: :control/szzldheghcre • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.6 • arn:aws:controltower:ca-central-1: :control/fajdnsweyjtj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElasticBeanstalk0,2 • arn:aws:controltower:ca-central-1: :control/wifjqeawbyyy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.2 • arn:aws:controltower:ca-central-1: :control/bqesnvpCOBGD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM0,5 • arn:aws:controltower:ca-central-1: :control/noouavovbuey • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.1 • arn:aws:controltower:ca-central-1: :control/vzyjnyatgyqb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.kinesis.1 • arn:aws:controltower:ca-central-1: :control/xwjfeusbzywc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.5 • arn:aws:controltower:ca-central-1: :control/xfyqblrudynb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.1 • arn:aws:controltower:ca-central-1: :control/pwbvwswbtqad • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.5 • arn:aws:controltower:ca-central-1: :control/dhyifiegkchk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH NetworkFirewall0,3 • arn:aws:controltower:ca-central-1: :control/ovlteuuoayrm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• .SH NetworkFirewall0,4 • arn:aws:controltower:ca-central-1: :control/ndxzoszbzazp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• .SH NetworkFirewall.5 • arn:aws:controltower:ca-central-1: :control/UYDVGExRollf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• .SH NetworkFirewall0,6 • arn:aws:controltower:ca-central-1: :control/mkmoeilvvshm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.1 • arn:aws:controltower:ca-central-1: :control/dhtdoxddwkdt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.2 • arn:aws:controltower:ca-central-1: :control/vhkujnwuzhwf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.3 • arn:aws:controltower:ca-central-1: :Control/VehxNormxQFE • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.4 • arn:aws:controltower:ca-central-1: :Control/MTretsLgneme • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.5 • arn:aws:controltower:ca-central-1: :control/zwuquzvgRFGN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.6 • arn:aws:controltower:ca-central-1: :control/UFNjuyunHPUO • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.7 • arn:aws:controltower:ca-central-1: :control/cdtqypilpgyq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.8 • arn:aws:controltower:ca-central-1: :control/cltbpmsnisnr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.1 • arn:aws:controltower:ca-central-1: :control/nzxcaqoxccub • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.10 • arn:aws:controltower:ca-central-1: :control/prhacjrazpnl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.11 • arn:aws:controltower:ca-central-1: :control/tpwbdxcllfxk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.12 • arn:aws:controltower:ca-central-1: :control/wljsevcpuvgt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.13 • arn:aws:controltower:ca-central-1: :control/ptcfmavpzjnj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.15 • arn:aws:controltower:ca-central-1: :control/vuxwhqtmduil • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.17 • arn:aws:controltower:ca-central-1: :control/augogjcnnlch • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.18 • arn:aws:controltower:ca-central-1: :control/wgeldilyyvxl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.19 • arn:aws:controltower:ca-central-1: :control/duybroxnvrzj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.2 • arn:aws:controltower:ca-central-1: :control/lvtheobwshxi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.20 • arn:aws:controltower:ca-central-1: :control/oodduwohhnmj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.21 • arn:aws:controltower:ca-central-1: :control/juucavnvkifz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.22 • arn:aws:controltower:ca-central-1: :control/zgghjoyoxrwy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.23 • arn:aws:controltower:ca-central-1: :control/wssfkixfviry • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.25 • arn:aws:controltower:ca-central-1: :control/hkyzmpyfmafo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.27 • arn:aws:controltower:ca-central-1: :control/hyhwkjxephps • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.3 • arn:aws:controltower:ca-central-1: :control/kazmyjauzysy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.4 • arn:aws:controltower:ca-central-1: :control/vxuolnfzhrxa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.5 • arn:aws:controltower:ca-central-1: :control/xmpobiwvbcbi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.6 • arn:aws:controltower:ca-central-1: :control/dksrzcxjnfhq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.8 • arn:aws:controltower:ca-central-1: :control/wFliuePsiayX • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.9 • arn:aws:controltower:ca-central-1: :control/ryuxcwvbrcad • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.1 • arn:aws:controltower:ca-central-1: :control/rsfnttqdnsxm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.10 • arn:aws:controltower:ca-central-1: :control/sftasjfbqozk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.2 • arn:aws:controltower:ca-central-1: :control/ymggcUbqwezw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.4 • arn:aws:controltower:ca-central-1: :control/jwqmoswepuqn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.6 • arn:aws:controltower:ca-central-1: :control/mwbntmmyObqk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.7 • arn:aws:controltower:ca-central-1: :control/vzizlxfwaefl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.8 • arn:aws:controltower:ca-central-1: :control/oumgxbplinod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.9 • arn:aws:controltower:ca-central-1: :control/csogijbmpver • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.1 • arn:aws:controltower:ca-central-1: :control/araaxrocjlmk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.10 • arn:aws:controltower:ca-central-1: :control/mvwraoteogzf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.11 • arn:aws:controltower:ca-central-1: :control/ITNNRYBVJGNI • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.12 • arn:aws:controltower:ca-central-1: :control/ungoclmlknah • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.13 • arn:aws:controltower:ca-central-1: :control/kpnakozearrb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.17 • arn:aws:controltower:ca-central-1: :control/qxtwlyuxvmie • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.2 • arn:aws:controltower:ca-central-1: :control/bpfivhgtxogg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.3 • arn:aws:controltower:ca-central-1: :control/aqqixvcnldyx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.5 • arn:aws:controltower:ca-central-1: :control/rqkkrcviikyw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.6 • arn:aws:controltower:ca-central-1: :control/tscsmhzbpaod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.8 • arn:aws:controltower:ca-central-1: :control/rxzjmqeolmgw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.9 • arn:aws:controltower:ca-central-1: :control/gfofpvbqvufv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.SQS.1 • arn:aws:controltower:ca-central-1: :control/ynrxrvwroter • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SSM.SSM.1 • arn:aws:controltower:ca-central-1: :control/xounwpbzjnvb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.2 • arn:aws:controltower:ca-central-1: :control/nmlxrbhlmgsl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.SSM.3 • arn:aws:controltower:ca-central-1: :control/fvqfkojunloy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.SSM.4 • arn:aws:controltower:ca-central-1: :control/crpldmsgzvnx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• .SH SageMaker0,1 • arn:aws:controltower:ca-central-1: :control/sqzaftgiixln • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SageMaker0,2 • arn:aws:controltower:ca-central-1: :control/rapznyohivyb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• .SH SageMaker0,3 • arn:aws:controltower:ca-central-1: :control/gbjuioMQLVOT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• .SH SecretsManager0,1 • arn:aws:controltower:ca-central-1: :control/abzhcdtaxCTD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• .SH SecretsManager0,2 • arn:aws:controltower:ca-central-1: :control/stqszaqdryti • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager0,3 • arn:aws:controltower:ca-central-1: :control/zklbbefbumdr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• .SH SecretsManager0,4 • arn:aws:controltower:ca-central-1: :control/bncsmilpesrz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.WAF.10 • arn:aws:controltower:ca-central-1: :control/kzxbooiwpjmL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.WAF.2 • arn:aws:controltower:ca-central-1: :control/pggmesvizffp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.3 • arn:aws:controltower:ca-central-1: :control/tefnoepilshb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.WAF.4 • arn:aws:controltower:ca-central-1: :control/wqqnmfdArnqd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

eu-central-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-

Pengenal kontrol, ARN, dan Wilayah yang didukung
southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-central-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- AWS-GR_CLOUDTRAIL_DIAKTIFKAN
- arn:aws:controltower:eu-central-1: :Control/AWS-GR_CloudTrail_enabled
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED
- arn:aws:controltower:eu-central-1: :control/aws-gr_cloudtrail_validation_enabled
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG
- arn:aws:controltower:eu-central-1: :control/aws-gr_cloudwatch_events_change_banned
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY
- arn:aws:controltower:eu-central-1: :control/aws-gr_config_aggregation_authorization_policy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-central-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-central-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-central-1: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:eu-central-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-central-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:eu-central-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-central-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-central-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:eu-central-1: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-centra l-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:eu-central-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-2, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2 , eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:eu-central-1: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-centra l-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:eu-central-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southe ast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-central-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:eu-central-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:eu-central-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-central-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:eu-central-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-central-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:eu-central-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:eu-central-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:eu-central-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-central-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-central-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-central-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-central-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:eu-central-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:eu-central-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-centra l-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-central-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-central-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-1, us-west-2, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-central-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-central-1: :control/efgfckdlgvor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:eu-central-1: :control/xhevqaztseaz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:eu-central-1: :control/Peiqunshaalc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:eu-central-1: :control/taypguhjacmn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:eu-central-1: :control/hwauyoesycqt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-central-1: :control/uqcqwsufrsvb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-central-1: :Control/ZWRTQAVLHFEx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-central-1: :control/mtirjipwckmx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-central-1: :control/zfmiuzrfiidz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:eu-central-1: :control/lhjsaziyqgbq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:eu-central-1: :control/uprfzbbaream • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:eu-central-1: :control/qbihqjygyujq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:eu-central-1: :control/nnvleivtnfhb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:eu-central-1: :control/eadnjfraykuj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:eu-central-1: :control/lqqdniwfnoqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:eu-central-1: :control/nkcxaqttdofg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:eu-central-1: :control/rutqhwvkExoq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:eu-central-1: :control/pkwpqzwudpmc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:eu-central-1: :control/polaijlnegqu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:eu-central-1: :control/gdyupfopbkqp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:eu-central-1: :control/pfkpzdjxqarn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:eu-central-1: :control/usqmzzghDryn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:eu-central-1: :control/jqqdqqjxogno • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:eu-central-1: :control/iebshsuwvlnw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:eu-central-1: :Control/ZWIhyGTQCIQA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-central-1: :control/dpttylbmyles • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-central-1: :control/ooiglwnrdlbr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-central-1: :control/yixchurujdbk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-central-1: :control/oiwlnkzulihf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:eu-central-1: :control/ppdpqykycvqv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:eu-central-1: :control/xzrmwoaqccxl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:eu-central-1: :control/maeldxbvmxcm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:eu-central-1: :control/FLFNIUITMQCJ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:eu-central-1: :control/vcvfzrijcquz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:eu-central-1: :control/dvciccsxhkoe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:eu-central-1: :control/qhbxokoyniqv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:eu-central-1: :control/rjsembteRth • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-central-1: :control/dgzzthpbwajx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-central-1: :control/wgwysuammwwn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-central-1: :control/obzivwnwnifk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-central-1: :control/urqehvtsKllb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-central-1: :control/gszuckwwmlzm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-central-1: :control/oogePDLGDWEM • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:eu-central-1: :control/ozclpkrvovhv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:eu-central-1: :control/ddvqlinsurbw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:eu-central-1: :control/utfbcsbsisvw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-central-1: :control/fpcuvscxoalo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-central-1: :control/ljxnloulchoc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-central-1: :control/usayugmvgvcz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:eu-central-1: :control/wypotmkggrtf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:eu-central-1: :control/xrlxmryiigwi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:eu-central-1: :control/omlkcpqpsjtr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-central-1: :control/jnvvnweuiogw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-central-1: :control/xobynmaVPBFP • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-central-1: :control/NDOASXOMEPNB • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-central-1: :control/puhtgifrksnj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-central-1: :control/cbzjapzhxfdx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:eu-central-1: :control/adabiovnntms • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:eu-central-1: :control/hpompeCafiaj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:eu-central-1: :control/pdkcugswcjwf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:eu-central-1: :control/ebsiwjjpvvbw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:eu-central-1: :control/mycumpvjexfz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:eu-central-1: :control/rierqjrbkcvs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:eu-central-1: :control/zaoapdymtboo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:eu-central-1: :control/phnehttrjbiv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:eu-central-1: :control/wyefrjhthwvv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.18 • arn:aws:controltower:eu-central-1: :control/jwtqanyvkkrl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:eu-central-1: :control/xoahapwxpejl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:eu-central-1: :control/ldzlizeyhsbd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:eu-central-1: :control/sqntapqougnh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:eu-central-1: :control/tkgslzfxkvyw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:eu-central-1: :control/numpUVXQDHGA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-central-1: :control/SWBFLJHBRLPW • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:eu-central-1: :control/vgtxiunuitgo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:eu-central-1: :control/nilbbcjystms • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:eu-central-1: :control/eseuinwaqpfu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-central-1: :control/dvzjisbfgpxq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:eu-central-1: :control/kjktxjucvrwi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:eu-central-1: :control/yxrjtfnsrqbt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:eu-central-1: :control/xcbblvwruuzh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:eu-central-1: :control/zbomdkmjynrn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:eu-central-1: :control/flvqljkgjqcu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:eu-central-1: :control/miqdlagroxra • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:eu-central-1: :control/blrqaaknfkrk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:eu-central-1: :control/ITyuprdrhqjx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:eu-central-1: :control/czvdxryerzbe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:eu-central-1: :control/mjyzztptbhok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:eu-central-1: :control/niqdiwohubin • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:eu-central-1: :control/zgzxtlvzqfho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:eu-central-1: :control/jwxcyuipkhha • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.2 • arn:aws:controltower:eu-central-1: :control/wrzgkfsxxOrw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:eu-central-1: :control/icgglmzipmat • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:eu-central-1: :control/namuqzryrjqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:eu-central-1: :control/yqofkkmhuber • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:eu-central-1: :control/xpaygnhwkprq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:eu-central-1: :control/csekqrbeebhi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-central-1: :control/hekfvpaupmov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:eu-central-1: :control/zodtfhonmpak • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:eu-central-1: :control/noijyyrqmqeu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:eu-central-1: :control/xemvrmkxihtj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:eu-central-1: :control/nutmzsmqdwkn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:eu-central-1: :control/owqyybntgqlf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:eu-central-1: :control/yydsvcjsvrup
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:eu-central-1: :control/cericeoqbakr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:eu-central-1: :control/lickfadisxmu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.6
- arn:aws:controltower:eu-central-1: :control/btlrcfrmvaqp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-central-1: :control/fxukotdgoinu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-central-1: :control/LufBBRLHCJKH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-central-1: :control/hwoodcnihcji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-central-1: :control/nrxbkfazgjew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-central-1: :control/htmoveujdamg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-central-1: :control/cfdljldurjfv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-central-1: :control/ttlcibpztAln • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-central-1: :control/trqslrysyasx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-central-1: :control/hilxuylmfybm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-central-1: :control/tfixkksmtkde • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-central-1: :control/jbpmudnrefnu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-central-1: :control/jqxogqbyfkfu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-central-1: :control/dfpiforhuval • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-central-1: :control/pdrqzumhbwiz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-central-1: :control/mhmictuwlson • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-central-1: :control/nkwjjbuzinnh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-central-1: :control/qgsaryanmwyn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-central-1: :control/ebwhwdarurzt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-central-1: :control/ahytfkbzppnu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-central-1: :control/lwervudadshp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-central-1: :control/cxxfuakpjafc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-central-1: :control/iajrqaluglvc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-central-1: :control/pjgyhttikRFD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-central-1: :control/ewmjjyudxreq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.1 • arn:aws:controltower:eu-central-1: :control/mmpgmigajqon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:eu-central-1: :control/shpwlbfpmvxd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-central-1: :control/nujinjjlqoun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:eu-central-1: :control/jckgmjoajmop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GLUE.PR.1 • arn:aws:controltower:eu-central-1: :control/zabapqcmenqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-central-1: :control/hfqiqznqedbf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-central-1: :control/vlbubgrovkqd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:eu-central-1: :control/bvikmvrhddmg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:eu-central-1: :control/irqimxuahhnq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:eu-central-1: :control/algnwndjohgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:eu-central-1: :control/nsluiojzynzs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-central-1: :control/xcigqstrvfAR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:eu-central-1: :control/jkuxpiayfksk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:eu-central-1: :control/bsvbulvsurii • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:eu-central-1: :control/uyokyclbtzqr • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:eu-central-1: :control/kyxcymglosld • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:controltower:eu-central-1: :control/whwuqtvothta • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:eu-central-1: :control/kkgzonawptzq • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-central-1: :control/zovqfvwywthk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:eu-central-1: :control/etxnautwpedi • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:controltower:eu-central-1: :control/axvnmaytcton • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-central-1: :control/hliqpfvkclve • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-central-1: :control/tebukozuomuu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-central-1: :control/paconhnzqyaf • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-central-1: :control/armthjnnvdcd • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-central-1: :Control/DefeegBbwnmg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-central-1: :control/fftezonphduj • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-central-1: :control/gpjajnaSbgwv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.1 • arn:aws:controltower:eu-central-1: :control/ecciysndaqte • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:eu-central-1: :Control/XMKXPSLJXIZG • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-central-1: :control/nrgtnobyftgx • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:eu-central-1: :control/skrzgwywsips • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-central-1: :control/txgpjwifoIGP • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-central-1: :control/toibcmwtqulc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-central-1: :control/bfoilrcavcco • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-central-1: :control/GQXVHTLKFULO • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-central-1: :control/zlnxpzlyqokg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-central-1: :control/hjzpjjvxqesr • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-central-1: :control/jowpyqpsKhfy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:eu-central-1: :control/gtuxambrepyk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:eu-central-1: :control/euxjzrqmlyng • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:eu-central-1: :control/tyhkwojmolgm • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:eu-central-1: :control/pprqofybmlwe • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:eu-central-1: :control/kynvriqmLTBN • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:eu-central-1: :control/cykusfnstjzz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:eu-central-1: :control/ryuknmpzheoe • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:eu-central-1: :control/bpdfirxuucoo • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:eu-central-1: :control/zsjscmifqyhq • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.14
- arn:aws:controltower:eu-central-1: :control/sbagrezdutqh
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

- CT.OPENSEARCH.PR.15
- arn:aws:controltower:eu-central-1: :control/cyladynnhzzx
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:eu-central-1: :control/rfzmhddcatdv
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:eu-central-1: :control/acuninhqngli
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:eu-central-1: :control/ngsgmlmbvfok • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:eu-central-1: :control/qwerpplzpcht • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:eu-central-1: :control/TWQSZLViyaVG • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-central-1: :control/emjyvyydoqrx • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-central-1: :control/inndaqgpPHvc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:eu-central-1: :control/zztfuhnjwnbg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:eu-central-1: :control/mGUuphVHUUC • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:eu-central-1: :control/ngzcedhorknm • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:eu-central-1: :control/onnohnalhbah • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:eu-central-1: :control/qgpyEjMHJHpn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:eu-central-1: :control/orsizkyrnjqk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:eu-central-1: :control/xvpzagnvddkt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.14 • arn:aws:controltower:eu-central-1: :control/fwiyamlipwzl • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:eu-central-1: :control/nniilidptjrp • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:eu-central-1: :control/neujcnuidiou • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:eu-central-1: :control/asunkgvvfpxy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:eu-central-1: :control/htovapfgmpcj • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:eu-central-1: :control/xzspkesdkkwi • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:eu-central-1: :control/prguxerbxdaq • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:eu-central-1: :control/nlibrfktpngz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:eu-central-1: :control/ampsqvwjutpb • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:eu-central-1: :control/eezwqxhrksyg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:eu-central-1: :control/dvyhjpogznbf • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:eu-central-1: :control/ULfmtwybjbht • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.25
- arn:aws:controltower:eu-central-1: :control/lbaobdkaghaf
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.26
- arn:aws:controltower:eu-central-1: :control/cxdsovcfvfyx
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-1, us-west-2

- CT.RDS.PR.27
- arn:aws:controltower:eu-central-1: :control/glcrcnwfyctg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.28
- arn:aws:controltower:eu-central-1: :control/fdpotdswryob
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:eu-central-1: :control/ilpibploxEMP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:eu-central-1: :control/gffrrvsfmqud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:eu-central-1: :control/opdyhndksqwg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:eu-central-1: :control/sjfwajasszna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:eu-central-1: :control/bpsccxvahrqw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:eu-central-1: :control/yuygwyrmeufs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-central-1: :control/rvuldnzjgtet • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:eu-central-1: :control/xjustkgwbgze • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:eu-central-1: :control/ncdqfswprewo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-central-1: :control/ygjywzcmoADx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-central-1: :control/cdaxwwxqmpdq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-central-1: :control/dzievggplaky • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-central-1: :control/zzcsSWYJZrnt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:eu-central-1: :control/xzuanqnwmUnb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-1, us-west-2, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-central-1: :control/izqohuiekspl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-central-1: :control/xdrokaroozxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-central-1: :control/edemxysbxDNA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-central-1: :control/krqcdkydlpln • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:eu-central-1: :control/kxjqnrhpLFXJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:eu-central-1: :control/hwukcnbpqjph • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.11 • arn:aws:controltower:eu-central-1: :control/kyzjomcmhgsg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-central-1: :control/rzooifzzqpxt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:eu-central-1: :control/lmplbwvgmucw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:eu-central-1: :control/bgafyftrfrwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.4 • arn:aws:controltower:eu-central-1: :control/gvtlgkiyrxae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-central-1: :control/qdumvvxovrju • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:eu-central-1: :control/hyksatxaetxb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:eu-central-1: :control/rrmxkklsmmco • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:eu-central-1: :control/doscmggebqub • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-central-1: :control/fsujovacpHJM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-central-1: :control/ssaohzohnkpc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:eu-central-1: :control/xgsjwjucdsdd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:eu-central-1: :control/oyphjpnfbwwn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:eu-central-1: :control/dndlxkjdbgsf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:eu-central-1: :control/namqporqvxqm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:eu-central-1: :control/jkufughykgwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:eu-central-1: :control/xhvssbihiroy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:eu-central-1: :control/rmixorrphoqd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:eu-central-1: :control/xvrzcgvspyil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:eu-central-1: :control/qvebbpuqhhtp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-central-1: :control/tjzlgrpbefzz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-central-1: :control/vdaeuhlapsja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM.1 • arn:aws:controltower:eu-central-1: :control/vyldskrlkkoa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.ACM.2 • arn:aws:controltower:eu-central-1: :control/hsnwretfpgvz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.1 • arn:aws:controltower:eu-central-1: :control/uedenvomhgzd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• Sh.apigateway.2 • arn:aws:controltower:eu-central-1: :control/BBRKQRFGKHfm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• Sh.apigateway.3 • arn:aws:controltower:eu-central-1: :control/bxichcdhleqe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• Sh.apigateway.4 • arn:aws:controltower:eu-central-1: :control/yywwzofoqnug • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:eu-central-1: :control/icjxnxxfnjbh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• Sh.apigateway.8 • arn:aws:controltower:eu-central-1: :control/femiwyhjxJIR • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• Sh.apigateway.9 • arn:aws:controltower:eu-central-1: :control/tcuhjqtyqixf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.Account.1 • arn:aws:controltower:eu-central-1: :control/loeehdrvhtwk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AppSync.5 • arn:aws:controltower:eu-central-1: :control/kjgyswniwtpl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,1 • arn:aws:controltower:eu-central-1: :control/gvpmlvrgbxzi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,2 • arn:aws:controltower:eu-central-1: :control/lojsjxuwyjip • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,3 • arn:aws:controltower:eu-central-1: :control/xzhhuazpenxe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AutoScaling0,6 • arn:aws:controltower:eu-central-1: :control/yvwdskajhejo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH AutoScaling0,9 • arn:aws:controltower:eu-central-1: :control/tlyxcqulsgyq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• Sh.Autoscaling.5 • arn:aws:controltower:eu-central-1: :control/vgdqwylmcbem • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CloudTrail0,1 • arn:aws:controltower:eu-central-1: :control/prvefkirbuog • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,2 • arn:aws:controltower:eu-central-1: :control/gdbnbtcdaxfu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CloudTrail0,4 • arn:aws:controltower:eu-central-1: :control/bgagheoywzsk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CloudTrail.5 • arn:aws:controltower:eu-central-1: :control/mjuaaasupxjuo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CloudTrail0,6 • arn:aws:controltower:eu-central-1: :control/ddnfhhxfqbzu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,1 • arn:aws:controltower:eu-central-1: :control/gjycumzxboox • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CodeBuild0,2 • arn:aws:controltower:eu-central-1: :control/zrpuuakxkynq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CodeBuild0,3 • arn:aws:controltower:eu-central-1: :control/fcggepjwwzps • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• .SH CodeBuild0,4 • arn:aws:controltower:eu-central-1: :control/frtpfqmerzyu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DMS.1 • arn:aws:controltower:eu-central-1: :Control/UGTQRQUDPFTC • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• ID.DMS.9 • arn:aws:controltower:eu-central-1: :control/gudzjbslrtum • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.DocumentDB.3 • arn:aws:controltower:eu-central-1: :control/bqdhwqqbrzlt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.DynamoDB.1 • arn:aws:controltower:eu-central-1: :control/qcecbyghsjfx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.2 • arn:aws:controltower:eu-central-1: :control/ysiwdenulvgh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.DynamoDB.3 • arn:aws:controltower:eu-central-1: :control/qcojtuqogzke • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.1 • arn:aws:controltower:eu-central-1: :control/ttsvjomqqltn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.10 • arn:aws:controltower:eu-central-1: :control/pivihialzugq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.15 • arn:aws:controltower:eu-central-1: :control/Duhhrmntzcwb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.16 • arn:aws:controltower:eu-central-1: :control/kxjknjedtxlk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.17 • arn:aws:controltower:eu-central-1: :control/vrwutnmjexzw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.18 • arn:aws:controltower:eu-central-1: :control/btpgDLJbamQH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.19 • arn:aws:controltower:eu-central-1: :control/bzixcrfoirct • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.EC2.2 • arn:aws:controltower:eu-central-1: :control/gnoqgmznqkdc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.EC2.20 • arn:aws:controltower:eu-central-1: :control/rjzxmczoenjk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.EC2.21 • arn:aws:controltower:eu-central-1: :control/flcqbkgzaflw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.22 • arn:aws:controltower:eu-central-1: :control/wdlhcvprlkuz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.EC2.23 • arn:aws:controltower:eu-central-1: :control/qftggfgwtdti • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• SH.EC2.25 • arn:aws:controltower:eu-central-1: :control/vuwlcaopmgsk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-
• ID.EC2.3 • arn:aws:controltower:eu-central-1: :control/ocodnwwhjrao • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.4 • arn:aws:controltower:eu-central-1: :control/rjyqzkdggpzo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.6 • arn:aws:controltower:eu-central-1: :control/fwyauksivhlf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.7 • arn:aws:controltower:eu-central-1: :control/nyjhllgljnvl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.EC2.8 • arn:aws:controltower:eu-central-1: :control/epcoxjuhamzg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.9 • arn:aws:controltower:eu-central-1: :control/dwbldystizxj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECR.1 • arn:aws:controltower:eu-central-1: :control/ukmvzzgixjha • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECR.2 • arn:aws:controltower:eu-central-1: :control/wnrnzolqupyq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECR0,3 • arn:aws:controltower:eu-central-1: :control/txulsfutmwad • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.1 • arn:aws:controltower:eu-central-1: :control/xdqjhtgyrmxH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECS.10 • arn:aws:controltower:eu-central-1: :control/xrzghywsunre • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECS.12 • arn:aws:controltower:eu-central-1: :control/tthiclwsshfl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECS.2 • arn:aws:controltower:eu-central-1: :control/jvnvfxhhiodf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.3 • arn:aws:controltower:eu-central-1: :control/snwdopioueov • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, us-central-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-
• SH.ECS.4 • arn:aws:controltower:eu-central-1: :control/yzqpffcvzsnl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ECS.5 • arn:aws:controltower:eu-central-1: :control/jrzbgrqcvxuk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ECS.8 • arn:aws:controltower:eu-central-1: :control/rtatkxpwirib • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.1 • arn:aws:controltower:eu-central-1: :control/eewvzsoalxsa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.EFS.2 • arn:aws:controltower:eu-central-1: :control/qruyzohtbyfy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.EFS.3 • arn:aws:controltower:eu-central-1: :control/zvugckesdoav • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.EFS.4 • arn:aws:controltower:eu-central-1: :control/ddgncqcyaads • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.1 • arn:aws:controltower:eu-central-1: :control/ocmaxhkfgzkw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.EKS.2 • arn:aws:controltower:eu-central-1: :control/qxpcmozgpbrz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.10 • arn:aws:controltower:eu-central-1: :control/nurkmclehuph • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.12 • arn:aws:controltower:eu-central-1: :control/vdpgrrybghov • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.13 • arn:aws:controltower:eu-central-1: :control/ihskurwxdutw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.14 • arn:aws:controltower:eu-central-1: :control/ewpwyqnjoiwe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.2 • arn:aws:controltower:eu-central-1: :control/uovuldqlqthl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.3 • arn:aws:controltower:eu-central-1: :control/bktuulnoscwa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.4 • arn:aws:controltower:eu-central-1: :control/tbbrkuwlccbo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.5 • arn:aws:controltower:eu-central-1: :control/cqglvpheturu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.6 • arn:aws:controltower:eu-central-1: :control/wrsisoeddwsd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.7 • arn:aws:controltower:eu-central-1: :control/maspmnhsxitg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.8 • arn:aws:controltower:eu-central-1: :control/yqlcufaojxux • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ELB.9 • arn:aws:controltower:eu-central-1: :control/wpwbigrzpvns • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• Sh.elbv2.1 • arn:aws:controltower:eu-central-1: :control/SIPOMQYYFWGO • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.EMR.1 • arn:aws:controltower:eu-central-1: :control/gonvsldluoon • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.1 • arn:aws:controltower:eu-central-1: :control/pfhfmpylfgru • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ES.2 • arn:aws:controltower:eu-central-1: :control/bolpwwjiexnk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ES.3 • arn:aws:controltower:eu-central-1: :control/qqbvgztckgjj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ES.4 • arn:aws:controltower:eu-central-1: :control/ltwwgejumygh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH0,5 • arn:aws:controltower:eu-central-1: :control/tetkghqchvtj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ES.6 • arn:aws:controltower:eu-central-1: :control/thcgkvuolbgv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ES.7 • arn:aws:controltower:eu-central-1: :Control/GZWHLSAgplnz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.ES.8 • arn:aws:controltower:eu-central-1: :control/opqgrnksrbmf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElastiCache0,3 • arn:aws:controltower:eu-central-1: :control/qxsnutuugeaz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• .SH ElastiCache0,4 • arn:aws:controltower:eu-central-1: :control/tulmantmoiiu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• .SH ElastiCache.5 • arn:aws:controltower:eu-central-1: :control/rykmecnhfehh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• .SH ElastiCache0,6 • arn:aws:controltower:eu-central-1: :control/zzetegshhbwU • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElasticBeanstalk0,1 • arn:aws:controltower:eu-central-1: :control/xxhcdrwnecmp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• .SH ElasticBeanstalk0,2 • arn:aws:controltower:eu-central-1: :control/wizmlnwmCLPL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• .SH EventBridge0,3 • arn:aws:controltower:eu-central-1: :control/auppfvdvttbr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• .SH GuardDuty0,1 • arn:aws:controltower:eu-central-1: :control/hnrjjlkeirqj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.1 • arn:aws:controltower:eu-central-1: :control/rwldodtorapo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.IAM.2 • arn:aws:controltower:eu-central-1: :control/fqjshaajbvjz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.IAM.21 • arn:aws:controltower:eu-central-1: :control/vipdqgletfrv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.IAM0,3 • arn:aws:controltower:eu-central-1: :control/nywztjuicrut • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.4 • arn:aws:controltower:eu-central-1: :control/fvfahhxhvedz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.IAM0,5 • arn:aws:controltower:eu-central-1: :control/jzqvfksofwsa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.IAM.6 • arn:aws:controltower:eu-central-1: :control/nklmwnzykali • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.IAM.7 • arn:aws:controltower:eu-central-1: :control/iqpahzjvrrmc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.8 • arn:aws:controltower:eu-central-1: :control/xzddelxkydny • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.KMS.1 • arn:aws:controltower:eu-central-1: :control/qgqgzmrwirvz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.KMS.2 • arn:aws:controltower:eu-central-1: :control/ygkExzmFRppn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.KMS.3 • arn:aws:controltower:eu-central-1: :control/trhptrldzsjy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.4 • arn:aws:controltower:eu-central-1: :control/thpiddssfyit • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• Sh.kinesis.1 • arn:aws:controltower:eu-central-1: :control/ozccicxzvlag • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.Lambda.1 • arn:aws:controltower:eu-central-1: :control/wxfrgpfwbnlr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.Lambda.2 • arn:aws:controltower:eu-central-1: :control/wlfoudcraipb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.3 • arn:aws:controltower:eu-central-1: :control/iwvkfzsxrhhs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.Lambda.5 • arn:aws:controltower:eu-central-1: :control/NaqqdsSDPlik • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• MQ0,5 • arn:aws:controltower:eu-central-1: :control/kgcbnmwiurnx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• SH.MQ.6 • arn:aws:controltower:eu-central-1: :control/pilnolmetqbj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• MSK.MSK.1 • arn:aws:controltower:eu-central-1: :control/xngbvccegvlw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• Sh.Neptune.1 • arn:aws:controltower:eu-central-1: :Control/OTZEVSPPCPAV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• Sh.Neptune.2 • arn:aws:controltower:eu-central-1: :control/zdqkovbbqwrp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• Sh.Neptune.3 • arn:aws:controltower:eu-central-1: :control/zkdtbatdaale • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.4 • arn:aws:controltower:eu-central-1: :control/kqnojhspswzh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2,
• Sh.Neptune.5 • arn:aws:controltower:eu-central-1: :control/etkrdeymopro • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.6 • arn:aws:controltower:eu-central-1: :control/roviknqoeuea • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.7 • arn:aws:controltower:eu-central-1: :control/zwwwowacaakx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.8 • arn:aws:controltower:eu-central-1: :control/pnmlkbcthpln • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall0,3 • arn:aws:controltower:eu-central-1: :control/tfssqytbvrtd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall0,4 • arn:aws:controltower:eu-central-1: :control/ckqtvobljvxu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall.5 • arn:aws:controltower:eu-central-1: :control/EAJHPCQelMZV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH NetworkFirewall0,6 • arn:aws:controltower:eu-central-1: :control/bowragmfvvrg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.1 • arn:aws:controltower:eu-central-1: :control/zpplhwomkjda • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.2 • arn:aws:controltower:eu-central-1: :control/elgalpgexdoi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.3 • arn:aws:controltower:eu-central-1: :control/cbwbmtsyadve • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.4 • arn:aws:controltower:eu-central-1: :control/sycxpgvfvccl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.5 • arn:aws:controltower:eu-central-1: :control/qaxhunqcuxsa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.6 • arn:aws:controltower:eu-central-1: :control/iqtwvhrnnnLnt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.7 • arn:aws:controltower:eu-central-1: :control/HBOVIWODSIIQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:controltower:eu-central-1: :control/qbmjtlwywcpb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.1 • arn:aws:controltower:eu-central-1: :control/ncztirgktdtq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.10 • arn:aws:controltower:eu-central-1: :control/sxlqidoefsri • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.11 • arn:aws:controltower:eu-central-1: :control/expwzlgxOBNE • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.12 • arn:aws:controltower:eu-central-1: :control/ycyhjvthdnpx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.13 • arn:aws:controltower:eu-central-1: :control/gcfqcjmrpawo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.15 • arn:aws:controltower:eu-central-1: :control/cvmcodcfpumr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.17 • arn:aws:controltower:eu-central-1: :control/djzapefihnfu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.18 • arn:aws:controltower:eu-central-1: :control/bpcamesmwahb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.19 • arn:aws:controltower:eu-central-1: :control/sdcingkzsoqu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.2 • arn:aws:controltower:eu-central-1: :control/monnjzhxuzjv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.20 • arn:aws:controltower:eu-central-1: :control/mggswfnhyeyw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.21 • arn:aws:controltower:eu-central-1: :control/bdswapwaejoo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.22 • arn:aws:controltower:eu-central-1: :control/noqnkambarqq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.23 • arn:aws:controltower:eu-central-1: :control/vxaklauiepmu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.25 • arn:aws:controltower:eu-central-1: :control/grovjrzibjcl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.27 • arn:aws:controltower:eu-central-1: :control/yhfdayzpevwo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.3 • arn:aws:controltower:eu-central-1: :control/knpniwdevejg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.4 • arn:aws:controltower:eu-central-1: :control/kzaqfipmorte • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.5 • arn:aws:controltower:eu-central-1: :control/rdryyidewyny • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.6 • arn:aws:controltower:eu-central-1: :control/jkbkeCqarady • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.8 • arn:aws:controltower:eu-central-1: :control/sqhtjkLmqjgb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.9 • arn:aws:controltower:eu-central-1: :control/gxzylmfpqwdw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.1 • arn:aws:controltower:eu-central-1: :control/iygokelwjwmb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.10 • arn:aws:controltower:eu-central-1: :control/apzbndsLbegy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.2 • arn:aws:controltower:eu-central-1: :control/hfsibffedeqy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.4 • arn:aws:controltower:eu-central-1: :control/txhhsjdortmL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.6 • arn:aws:controltower:eu-central-1: :control/tmjcfuasvofo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.7 • arn:aws:controltower:eu-central-1: :control/hoispciayqcb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.8 • arn:aws:controltower:eu-central-1: :control/xfbmdqeicxzm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.9 • arn:aws:controltower:eu-central-1: :control/tvvizssmlnit • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.1 • arn:aws:controltower:eu-central-1: :control/ujqjnpzsglta • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.10 • arn:aws:controltower:eu-central-1: :control/cgpvjamlpncd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.11 • arn:aws:controltower:eu-central-1: :control/vporjkpkmjtx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.12 • arn:aws:controltower:eu-central-1: :control/chidbjocxikm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.13 • arn:aws:controltower:eu-central-1: :control/gygncqlcypex • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.17 • arn:aws:controltower:eu-central-1: :control/dgettajqxvau • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.2 • arn:aws:controltower:eu-central-1: :control/uxnoywddkLnl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.3 • arn:aws:controltower:eu-central-1: :control/ztsefwnwfbfi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.5 • arn:aws:controltower:eu-central-1: :control/AAUHCklBMUEV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.6 • arn:aws:controltower:eu-central-1: :control/qnjwdzcivdch • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.8 • arn:aws:controltower:eu-central-1: :control/oguolztxjtvw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.9 • arn:aws:controltower:eu-central-1: :control/ywwkswsznpsi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SQS.1 • arn:aws:controltower:eu-central-1: :control/sdqytAutuong • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.1 • arn:aws:controltower:eu-central-1: :control/rapyuevjejbi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SSM.SSM.2 • arn:aws:controltower:eu-central-1: :control/hsenlnfbihtf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.3 • arn:aws:controltower:eu-central-1: :control/BuffWCQVunmg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.4 • arn:aws:controltower:eu-central-1: :control/vayhiyppeeds • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SageMaker0,1 • arn:aws:controltower:eu-central-1: :control/wrtyzgzdwcoy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SageMaker0,2 • arn:aws:controltower:eu-central-1: :control/unuxxnvpkdky • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SageMaker.3 • arn:aws:controltower:eu-central-1: :control/OJPMWQSLZigr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SecretsManager.1 • arn:aws:controltower:eu-central-1: :control/vpllfhivpddz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager.2 • arn:aws:controltower:eu-central-1: :control/nnbwankzrgib • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SecretsManager.3 • arn:aws:controltower:eu-central-1: :control/pxruqaqcpsny • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• .SH SecretsManager.4 • arn:aws:controltower:eu-central-1: :control/yidnvpanofjf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.WAF.10 • arn:aws:controltower:eu-central-1: :control/qnqkbyxyjbfj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.2 • arn:aws:controltower:eu-central-1: :control/yndapxatuioy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.WAF.3 • arn:aws:controltower:eu-central-1: :control/vnfblcxuewua • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.WAF.4 • arn:aws:controltower:eu-central-1: :control/fxiuudqlpoox • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

eu-central-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-central-2: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:eu-central-2: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:eu-central-2: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-central-2: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-central-2: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-central-2: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-central-2: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-central-2: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-central-2: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:eu-central-2: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-central-2: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-central-2: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:eu-central-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southe ast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-central-2: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:eu-central-2: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southe ast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-central-2: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-central-2: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:eu-central-2: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-central-2: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-central-2: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-central-2: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-central-2: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-central-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-central-2: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-1, us-west-2, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-central-2: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-central-2: :control/jsjtoibkuzxr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:eu-central-2: :control/iopqnyujzkfp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:eu-central-2: :control/mrkdcbadgmtl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:eu-central-2: :control/BRRZGXLVBexs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:eu-central-2: :control/pwahyuhvumya • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-central-2: :control/whsneetrfehl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-central-2: :control/fxsqwoabyri • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-central-2: :control/vfnpssmvrvnt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-central-2: :control/jjinxxjyefga • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.3 • arn:aws:controltower:eu-central-2: :control/jbdxgshrenlt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:eu-central-2: :control/aaqcadcugnnz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:eu-central-2: :control/mgkbzfzsnaSr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:eu-central-2: :control/wrzpzvpzixtg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ATHENA.PR.2 • arn:aws:controltower:eu-central-2: :control/uchrtodukkuv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:eu-central-2: :control/yudngtlytvyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:eu-central-2: :control/sjhfpgsbnccp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:eu-central-2: :control/pijjpheaaszc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:eu-central-2: :control/ocwpoviyytsl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:eu-central-2: :control/kpacoosyzfzj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:eu-central-2: :control/yjueunvojkao • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:eu-central-2: :control/ugalpvvxqvqc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:eu-central-2: :control/qirlbhladkab • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:eu-central-2: :control/vmytqlggelgn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:eu-central-2: :control/zykouzyvaxvl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:eu-central-2: :control/jsthuabmxzdz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-central-2: :control/RizvPumyJKMF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-central-2: :control/pdsoeasqxldh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-central-2: :control/xkaFLKSMRCTZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-central-2: :control/lrzzvkquskfk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:eu-central-2: :control/omewbmvicxjg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:eu-central-2: :control/daaojzcwcnlc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:eu-central-2: :control/ltklswpoplnr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:eu-central-2: :control/uetnvsjmzfsb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:eu-central-2: :control/dcsiomfmhotm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:eu-central-2: :control/ymjhsainuzql • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:eu-central-2: :control/iwxmefrdiikx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:eu-central-2: :control/xyvnaSperoze • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-central-2: :control/AlhffppGdkfH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-central-2: :control/yrwhyieugkwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-central-2: :control/IGPKWKCRTQSA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-central-2: :control/daudmkigrgoz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-central-2: :control/tmuerigfsbvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-central-2: :control/uhoajrviplha • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:eu-central-2: :control/jpchezjsiyjy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:eu-central-2: :control/qgkvbmjedjew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:eu-central-2: :control/cmijyjcfekwd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-central-2: :control/pvmeslbtiork • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-central-2: :control/sdlnctlecqxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-central-2: :control/werbgvnlrwcp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:eu-central-2: :control/SGSxaylhNusk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:eu-central-2: :control/oolzdmstrwyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:eu-central-2: :control/umvtlbcrrgkv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-central-2: :control/ujgyumgmjbey • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-central-2: :control/ufmccfrsisyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-central-2: :control/ymmxeicwpzqc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-central-2: :control/dmUbhzwcmkBV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-central-2: :control/tryhwaumsgsm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.1 • arn:aws:controltower:eu-central-2: :control/imrvgyyqjllw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:eu-central-2: :control/eevrmjqghifb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:eu-central-2: :control/rtmwzjpfhfer • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:eu-central-2: :control/vpojzqaasxuu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:eu-central-2: :control/ooezrxcqhbcz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:eu-central-2: :control/jygvqkjqfjni • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:eu-central-2: :control/rriidiuccwtb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:eu-central-2: :control/irlxlbmfaist • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:eu-central-2: :control/jvssywhlgqnz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:eu-central-2: :control/qqpuovyqoufh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:eu-central-2: :control/gtcjjwcenycy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:eu-central-2: :control/cjvawzzzeafy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.20 • arn:aws:controltower:eu-central-2: :control/apeafkrgxxgl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:eu-central-2: :control/vcnqwobrfbyk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:eu-central-2: :control/vbhqsmhyyhtm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-central-2: :control/rugkautiokRF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:eu-central-2: :control/tszfSulsyzvh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:eu-central-2: :control/nqitdcbrpBRP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:eu-central-2: :control/uccvnqspnyvq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-central-2: :control/mlyqxydsmsno • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:eu-central-2: :control/ovjyktcvhjfk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:eu-central-2: :control/ychzhvvxGHRV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:eu-central-2: :control/xguqgbdnofsp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:eu-central-2: :control/GACNHGSANTCE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:eu-central-2: :control/jdlbrlvbzoyn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:eu-central-2: :control/ymjbbgstfcvn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:eu-central-2: :control/govjwuevroct • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:eu-central-2: :control/bwsaxhizeZdd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.3 • arn:aws:controltower:eu-central-2: :control/yafjvsltgbpg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:eu-central-2: :control/muckkrinlint • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:eu-central-2: :control/ajkjainryyqr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:eu-central-2: :control/txzqcwtxjksr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:eu-central-2: :control/rcksoeojjjxq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:eu-central-2: :control/mnkwnxxtmDNM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:eu-central-2: :control/aawoaijmxlny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:eu-central-2: :control/cwhshxcpxhan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:eu-central-2: :control/gvwabblexztu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:eu-central-2: :control/vkEzRNWMAPCG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:eu-central-2: :control/dvtkbjdcscij • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-central-2: :control/XRKutGZuWRQP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:eu-central-2: :control/pqytenjtrmqg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:eu-central-2: :control/suwybnuzamnv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:eu-central-2: :control/jvqulljdbyjm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:eu-central-2: :control/drixcewazkma • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:eu-central-2: :control/tqizcCryAlkX
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:eu-central-2: :control/mxkavohndtfj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:eu-central-2: :control/mtyvbatsPzdm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:eu-central-2: :control/iycxhimvndra
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:eu-central-2: :control/mejywiyamqme • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-central-2: :control/SPTKJopDxWGW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-central-2: :control/tozerunnjsso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-central-2: :control/oqcjappbiiom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-central-2: :Control/SAPBZqTPScww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-central-2: :control/lsnmthbhsxbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-central-2: :control/yzvalczxxass • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-central-2: :control/bmtjvpkubgyh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-central-2: :control/vhhdsewdxctu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-central-2: :control/xjjfnwyxgEyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-central-2: :control/ojzjaevlvqgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-central-2: :control/yjrvuxkiukok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-central-2: :control/ppigurfcakxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-central-2: :control/qxaqewrorjag • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-central-2: :control/cmqqxvfuwsbz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-central-2: :control/swbfynaejpic • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-central-2: :control/zpdhwknuohsg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-central-2: :control/ueybkxzrgqhs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-central-2: :control/neogtbszeGPQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-central-2: :control/tioetktmtpum • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-central-2: :control/oufzbmcixksj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-central-2: :control/iymnaKmmHPCR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-central-2: :control/uvvsuvygxhvb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-central-2: :control/hcenlrgkupqg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-central-2: :control/xkgbomujjqht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:eu-central-2: :control/apmarigmlcih • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:eu-central-2: :control/nvjshtxuxijy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-central-2: :control/liigcimsqflt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:eu-central-2: :control/guvjobdboibj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:eu-central-2: :control/ttoqowvnswrp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-central-2: :control/nvfwcudslmoc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-central-2: :control/wtzxoeuoawtj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.2 • arn:aws:controltower:eu-central-2: :control/svnxraxowypd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:eu-central-2: :control/ndajbjgdiuah • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:eu-central-2: :control/jgduwoaafnan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:eu-central-2: :control/bjkadrcunydc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-central-2: :control/mwrdfwNgltzr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:eu-central-2: :control/cseqkcwkhjuu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:eu-central-2: :control/ADCWXShrSAWJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:eu-central-2: :control/wfzwbbmwqine • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:eu-central-2: :control/wggzmzpdcvqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:eu-central-2: :control/mbfsdimftzkh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:eu-central-2: :control/oluyxyoweivp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-central-2: :control/janqxgxqtngq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:eu-central-2: :control/xrnjtyflzjtm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:eu-central-2: :control/iwamoschkkoH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-central-2: :control/xlakvgwnszvu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-central-2: :control/wkgmnymtiouy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-central-2: :control/wwdzvoaovtrp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-central-2: :control/selwujijatdk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-central-2: :control/wiirwsrteybb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-central-2: :control/ezdduoquxmkk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-central-2: :control/etifldqrndgm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:eu-central-2: :control/qnzqmpovqbvf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:eu-central-2: :control/vhbkueSupaps • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-central-2: :control/kiloknwjsyzq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:eu-central-2: :control/sqboptgllenj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-central-2: :control/xyeocxgqgpil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-central-2: :control/xyvguqmpbhlo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-central-2: :control/jpogmCFzrqdk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-central-2: :control/dathnolbmkas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-central-2: :control/xkpkbpmmdzkq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-central-2: :control/neljwtjjptyo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-central-2: :control/fkdeutbspqqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NETWORK-FIREWALL.PR.2
- arn:aws:controltower:eu-central-2: :control/zlwueaneguki
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.3
- arn:aws:controltower:eu-central-2: :control/mdvwfmyjkbva
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.4
- arn:aws:controltower:eu-central-2: :control/hyyfukrtdisl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.5
- arn:aws:controltower:eu-central-2: :control/ooyqfewcjlci
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:eu-central-2: :control/yksfvhhvwruz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:eu-central-2: :control/vulxbgHmFRCG • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:eu-central-2: :control/nzuiijpxvqdj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:eu-central-2: :control/qkhwlpcvkoef • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:eu-central-2: :control/xmzaqadyesgl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:eu-central-2: :control/dfgbjorymmny • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:eu-central-2: :control/pduhlzpptvrk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:eu-central-2: :control/wtojctplofoi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:eu-central-2: :control/owmjywqwwwHvl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:eu-central-2: :control/Howajkattukz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:eu-central-2: :control/lzhepffMogfV • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:eu-central-2: :control/ifntitblctpb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-central-2: :control/vpiipjobxeet • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-central-2: :control/bqntmfnfoirl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:eu-central-2: :control/zjnznjlfxdsr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:eu-central-2: :control/ejvvGuibrfzo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.1 • arn:aws:controltower:eu-central-2: :control/zrdoehViocly • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:eu-central-2: :control/tvwgqaxdabkp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:eu-central-2: :control/xbpnregmwexz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:eu-central-2: :control/siieasjgDLth • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.13 • arn:aws:controltower:eu-central-2: :control/oxhetocaigyr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:eu-central-2: :control/xsujhoixwmwv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:eu-central-2: :control/duoalumxeype • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:eu-central-2: :control/iufblxgrtwql • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.17 • arn:aws:controltower:eu-central-2: :control/beoeocvqseyo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:eu-central-2: :control/sqatjdiqjnbp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:eu-central-2: :control/ijruyubpglle • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:eu-central-2: :control/kiudkgocbckh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.20
- arn:aws:controltower:eu-central-2: :control/piduquoptvry
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.21
- arn:aws:controltower:eu-central-2: :control/gfjcugiotnux
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.22
- arn:aws:controltower:eu-central-2: :control/qornhggyquS
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.23
- arn:aws:controltower:eu-central-2: :control/frxxrrrkgqqkv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:eu-central-2: :control/oxpvbogeocby • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:eu-central-2: :control/vuixasyjjrgw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:eu-central-2: :control/jlvsidejqrid • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:eu-central-2: :control/tkodcrolvqjj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.28 • arn:aws:controltower:eu-central-2: :control/dtzfnfqezoht • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:eu-central-2: :control/qshfiwjpaoir • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:eu-central-2: :control/ydkulbfmyxbm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:eu-central-2: :control/yaeckwzfoozj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:eu-central-2: :control/vfcizsfitdkr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:eu-central-2: :control/fedudfhbplra • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:eu-central-2: :control/ztpwdsbgjdax • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-central-2: :control/kcohvmjasnkk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:eu-central-2: :control/evzuldeeakna • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:eu-central-2: :control/rpartqjexffy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-central-2: :control/bdlgavePwigv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-central-2: :control/ukmxnaglwzpr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-central-2: :control/zlloccptqiaa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-central-2: :control/igbvezkddpsk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-central-2: :control/UDPjfGoSuoGB • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-central-2: :control/rlooaqwwohbt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-central-2: :control/blzovyutprkw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-central-2: :control/kcijayenpABP • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:eu-central-2: :control/hylhrtalkcxa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:eu-central-2: :control/zqtnvagigwjj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.11 • arn:aws:controltower:eu-central-2: :control/wngirgiyruqc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-central-2: :control/uwnpyflxedjr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:eu-central-2: :control/uezmqhoakjkc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:eu-central-2: :control/rrnbhhgjpsly • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.4 • arn:aws:controltower:eu-central-2: :control/tgvkwknmhkgv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-central-2: :control/ugofnnrhfkrl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:eu-central-2: :control/gkffppvnguoy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:eu-central-2: :control/fxnnhxmtpwob • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:eu-central-2: :control/cbyrcokjueIw • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-central-2: :control/xzrbqvwnhool • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-central-2: :control/orwqsqdzdzfL • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:eu-central-2: :control/oypvsqelueml • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:eu-central-2: :control/csmgzdwgujgl • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:eu-central-2: :control/rcdcyandwuai • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:eu-central-2: :control/mnyfkbieunxe • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:eu-central-2: :control/RMLLZiihunyx • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:eu-central-2: :control/jlhuawbndbhn • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:eu-central-2: :Control/OJMmCNHJKKIC • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:eu-central-2: :control/euouieiksrqk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:eu-central-2: :control/kgupkwoejmql • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-central-2: :control/crgwqeGnyRwj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-central-2: :control/ssuygefippht • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

eu-north-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:eu-utara-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_CloudTrail_Validation_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_CONFIG_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_Disallow_VPC_Internet_Access • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-centra l-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-2, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2 , eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-centra l-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southe ast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_RDS_Storage_Encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_RESTRICTED_COMMON_PORTS • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-we-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-utara-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-utara-1: :Control/AWS-GR_RESTRICT_S3_Delete_Without_MFA • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, eu-central-1, eu-centra l-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-utara-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, me-south-1, sa-east-1, us-east-1, us-west-1, us-west-2, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-utara-1: :kontrol/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-utara-1: :control/xjpcvffvvnlh • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:eu-utara-1: :control/rplzivlhueve • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:eu-utara-1: :control/jzxxpwrfzler • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:eu-utara-1: :control/mqgsdyxvdoad • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:eu-utara-1: :control/hhqmBntKLtog • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-utara-1: :control/bvsvxemrtbng • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-utara-1: :control/voafrpaPokkz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-utara-1: :control/dlwguvabsKGB • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-utara-1: :control/blrxdimfgojq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:eu-utara-1: :control/jnbfwdsxttsq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:eu-utara-1: :control/titpstZoqjea • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:eu-utara-1: :control/jcaxxrbfbpdq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:eu-utara-1: :control/xyerpukvvrqx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:eu-utara-1: :control/mpgnzbgwnfvs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:eu-utara-1: :control/pooflsrcmvhc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:eu-utara-1: :control/cywgzfxycwbh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:eu-utara-1: :control/qvzflxuekxmc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/wyhxvtolllXu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:eu-utara-1: :control/nvnxtlbwmduw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:eu-utara-1: :control/czlfmlnisvys • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:eu-utara-1: :control/eqrHGKGnQngX • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:eu-utara-1: :control/jhzvidcofkwq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:eu-utara-1: :kontrol/ruzqhtxldrvi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:eu-utara-1: :control/rthcffnncbic • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:eu-utara-1: :control/myoohwlvkuvg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-utara-1: :control/KebvyBugdcjl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-utara-1: :control/oeqboveXmmKR • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-utara-1: :control/akxtqwfsqtvq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-utara-1: :control/kfvegdrdknyi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:eu-utara-1: :control/klxweebcgmdj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:eu-utara-1: :control/jnblgpsroefq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:eu-utara-1: :control/loaxfppqrmCF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:eu-utara-1: :control/ambupgbvmsrb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:eu-utara-1: :control/hlxsozzdwmjn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:eu-utara-1: :control/izkulfxrtznu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:eu-utara-1: :control/frhfjvraptrv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:eu-utara-1: :control/yajiwbetkskd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-utara-1: :control/mfojturoqzpi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-utara-1: :control/guovvfieckhb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-utara-1: :control/sfqhejleuaue • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-utara-1: :Control/DSvhtvHfNRSE • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-utara-1: :control/vzxnazzkvvej • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-utara-1: :control/fkoimkgdpjbq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:eu-utara-1: :control/lapqrzrtcbbl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:eu-utara-1: :control/NAcqkiaXFRVP • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:eu-utara-1: :kontrol/bgmckuyviaxa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-utara-1: :control/kstoqhluumab • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-utara-1: :control/nkxxsznqjnag • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-utara-1: :control/qriokxqbwHTR • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/lkwsoijnzrrt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:eu-utara-1: :control/dbohjejmynwg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:eu-utara-1: :control/lexigwtcmjsa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-utara-1: :control/yakmsvkkuhuu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-utara-1: :control/cmailydyauoy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/uatwyhsuxsuy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-utara-1: :kontrol/Cygilliclubj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-utara-1: :control/IADWVKAfgxuw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:eu-utara-1: :control/utxkbqqergvi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:eu-utara-1: :kontrol/lauhkwtAtlxy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:eu-utara-1: :kontrol/txqccbsqpfnb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:eu-utara-1: :kontrol/sijdbtelnsui • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:eu-utara-1: :control/armdlugjamic • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:eu-utara-1: :control/kfixewhueype • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:eu-utara-1: :control/jsdwjrikgiej • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:eu-utara-1: :control/wakwhqkmggoF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:eu-utara-1: :kontrol/fysqojhwvnsr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.18 • arn:aws:controltower:eu-utara-1: :control/blhvjcefkwfp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:eu-utara-1: :control/tqyohuvrbvlh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:eu-utara-1: :control/YYGFVEDLRYTJ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:eu-utara-1: :control/rlggijoqhtwu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:eu-utara-1: :control/rasrtlvwuaou • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:eu-utara-1: :control/cztdwpxRider • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-utara-1: :Control/EJCXprmBYXHH • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:eu-utara-1: :kontrol/tiuyqfrwxsbr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:eu-utara-1: :kontrol/skzqwoofknwa • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:eu-utara-1: :control/fkbvrkhonppp • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-utara-1: :control/xogwruhglmyt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:eu-utara-1: :control/mnuwgxowkuru • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:eu-utara-1: :control/ubhheauuyqry • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:eu-utara-1: :kontrol/lmogzfxqtsfq • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:eu-utara-1: :kontrol/ifwqxgywxhpg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:eu-utara-1: :kontrol/lpfllhdhcxrw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:eu-utara-1: :control/kdBTSQXEVFKN • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:eu-utara-1: :Control/LauyczExCNRP • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:eu-utara-1: :control/ctbpmnojrrrg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:eu-utara-1: :kontrol/dqxosgoleftv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:eu-utara-1: :control/jqrigjxoxpyn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:eu-utara-1: :control/xwupvdsfntvz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:eu-utara-1: :control/lbwoheisyble • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:eu-utara-1: :kontrol/xbkAlbvbfbmu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.2 • arn:aws:controltower:eu-utara-1: :control/zudlvfpndoio • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:eu-utara-1: :control/xuqcmrrstmwq • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:eu-utara-1: :Control/ETHWPOFJNBHN • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:eu-utara-1: :control/yaudjtjjygtz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:eu-utara-1: :control/pwqaqgqmgwxy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:eu-utara-1: :control/sxcpwidypopo • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-utara-1: :control/nlwrwumemnqr • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:eu-utara-1: :kontrol/jhdqjbioetht • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:eu-utara-1: :control/shjwjbnmdrrg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:eu-utara-1: :control/kmjxnnelyejc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:eu-utara-1: :control/ogazaAWMPvyp • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:eu-utara-1: :control/wutmkzyrthqy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:eu-utara-1: :control/kitwcdgnigab • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:eu-utara-1: :control/zrzrxiubbrwc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:eu-utara-1: :control/mntksmstrmmf • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:eu-utara-1: :kontrol/mcwtnzudmxpm • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-utara-1: :control/rxeuzutylshw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-utara-1: :kontrol/bktjnxqpceHz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-utara-1: :control/kioxcgyzamnp • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-utara-1: :control/cxiwqgAdtQoW • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-utara-1: :control/wwecpkuijhfa • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-utara-1: :control/nznhlaLwumet • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-utara-1: :control/ssheklskmces • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-utara-1: :kontrol/etafbheusSM • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-utara-1: :control/ulqolkqfxxgo • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-utara-1: :control/ukhampphxyfv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-utara-1: :control/byrdsecdqqjp • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-utara-1: :control/twbywmnbmpny • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-utara-1: :control/ppzgfkmgrmny • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-utara-1: :control/mxzlyvqilodc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-utara-1: :control/dmqfzjqbaokw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-utara-1: :control/ITvpCOCjzhLR • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/wifxfdazylay • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-utara-1: :control/vmkvmhbxxjxt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-utara-1: :control/hcrxayuxhxvh • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-utara-1: :control/tqlteqmjsAcm • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-utara-1: :kontrol/johhsdgrjvxt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-utara-1: :control/unysaqenbdwh • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-utara-1: :control/qbkegnqimowd • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-utara-1: :control/stgpisytfyuo • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.1 • arn:aws:controltower:eu-utara-1: :control/qskwrydHxved • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:eu-utara-1: :control/vwufofVipeuj • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-utara-1: :control/ocddxwmlcwvt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:eu-utara-1: :control/omimvrhodcmr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GLUE.PR.1 • arn:aws:controltower:eu-utara-1: :control/lijzzppmxino • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-utara-1: :control/wtyfksynhcoe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-utara-1: :control/stctjilzfudn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:eu-utara-1: :control/nfggerhbczuw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:eu-utara-1: :control/yaymmpoicsws • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:eu-utara-1: :control/eyjvadfyatuk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:eu-utara-1: :control/wyobttmtgxjg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-utara-1: :control/imxqjnmzjzao • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:eu-utara-1: :control/yvfyiehqzeww • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/gkrbfpiqrmTC • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:eu-utara-1: :control/fwpbetjperdf • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:eu-utara-1: :control/arhzrqjrnaXN • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:controltower:eu-utara-1: :control/nixemblqgrbx • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:eu-utara-1: :control/nmwkofnnpcaf • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-utara-1: :control/yfyxmucfeqjr • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:eu-utara-1: :control/uaddujmwumfi • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:controltower:eu-utara-1: :kontrol/onpvyltfrzhk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-utara-1: :control/uilfblliqabg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-utara-1: :control/aqdryjfphmsw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-utara-1: :control/iiploxpqwiwc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-utara-1: :control/synfeuhojifi • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-utara-1: :control/chnmhtenmipb • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-utara-1: :control/pxbkwtafswhj • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-utara-1: :control/smcufbywbnyt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.1 • arn:aws:controltower:eu-utara-1: :control/aebztyvzdnrc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:eu-utara-1: :control/smhujlytmhmq • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-utara-1: :control/xoxtxfxpxmea • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:eu-utara-1: :control/fegvrwhevdrb • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-utara-1: :control/fejanolacbiz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-utara-1: :control/jcshaijvqjpn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/lzehpwyxybnv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-utara-1: :control/rggbnarhylpc • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-utara-1: :control/cqktuqpfgnzn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-utara-1: :Control/IBHWTDKBHOQR • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-utara-1: :control/huiwidbgyyjb • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/zlxeyhkebbow • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:eu-utara-1: :control/ixiekmhopxsa • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:eu-utara-1: :control/csifnpqgkxwv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:eu-utara-1: :control/mivmbadgfitx • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:eu-utara-1: :Control/LFGRNFRJMKXE • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:eu-utara-1: :Control/FocmHCPHMGia • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:eu-utara-1: :control/amiycnjhxfzg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:eu-utara-1: :Control/UIQWGZTLAHXU • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:eu-utara-1: :control/slmgzlltgpdt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:eu-utara-1: :control/bakglcsoqajv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:eu-utara-1: :control/xmrbsjakypqw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:eu-utara-1: :kontrol/yuiusciomudh • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:eu-utara-1: :control/qlsjkvlplmmo • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:eu-utara-1: :kontrol/qrgsgezfdhui • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:eu-utara-1: :kontrol/KLCYSVFSKGBO • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:eu-utara-1: :control/glkqjfwskvch • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-utara-1: :control/wsbitcghgedk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-utara-1: :control/gfzrkvaqntnm • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:eu-utara-1: :control/xuoyurypsgti • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:eu-utara-1: :kontrol/gkdvqztohfqg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:eu-utara-1: :control/dqydqalnzizz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:eu-utara-1: :control/olnlhxekjzge • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:eu-utara-1: :control/eohtlnpnlahi • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:eu-utara-1: :control/xlumdeetUgPN • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:eu-utara-1: :control/iimgjhztBafn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.14 • arn:aws:controltower:eu-utara-1: :control/rmqbhtevkhex • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:eu-utara-1: :control/ozjobrgrexzt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:eu-utara-1: :control/mALKWFCLFDSJ • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:eu-utara-1: :control/PBDUvvvqcokdv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:eu-utara-1: :control/qzfgdrvziltn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:eu-utara-1: :control/ybvhyranltfi • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:eu-utara-1: :control/tkputyvvqyzj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:eu-utara-1: :control/fgjjsxezbzcc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:eu-utara-1: :control/emhudinoaram • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:eu-utara-1: :control/wcapgbyzbasc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:eu-utara-1: :control/arotjykqnbwl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:eu-utara-1: :control/jzpwxKozqLJD • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.25
- arn:aws:controltower:eu-utara-1: :control/goglmdracqck
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.26
- arn:aws:controltower:eu-utara-1: :control/efvubbupadgh
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.27
- arn:aws:controltower:eu-utara-1: :Control/BRBGLNWYTWvk
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.28
- arn:aws:controltower:eu-utara-1: :control/kszoilivlssp
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:eu-utara-1: :control/wnqwksitawhv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:eu-utara-1: :control/xbfxykvrotzv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:eu-utara-1: :control/lnyhpqclrbmx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:eu-utara-1: :control/hibkfwhchzzb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:eu-utara-1: :kontrol/tbcpkypzuheb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:eu-utara-1: :control/pqyeukwxzffk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-utara-1: :control/bugvoinbxvcd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:eu-utara-1: :kontrol/dtqgiurtBpqd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:eu-utara-1: :control/uvodewuujgcl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-utara-1: :kontrol/HolursRfkyoj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-utara-1: :control/wlamynhxyyhv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-utara-1: :control/llxyeqnhcClQ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-utara-1: :control/nhbhtnDiSQFC • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:eu-utara-1: :control/tzhuckegthpu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-utara-1: :control/ggtqqvusxoox • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-utara-1: :Control/LHKEiAIJJGLM • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-utara-1: :Control/TNFUUZTWVOQS • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-utara-1: :control/chkkypafdigq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:eu-utara-1: :kontrol/wrhsehigmpnl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:eu-utara-1: :control/ixtxshxvnuzm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.11 • arn:aws:controltower:eu-utara-1: :control/dehwlvenfbqf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-utara-1: :control/yzvbrukjwfnh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:eu-utara-1: :kontrol/qigdyvqvhtoy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:eu-utara-1: :control/vkffqexowyro • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.4 • arn:aws:controltower:eu-utara-1: :control/jrzymzvvabue • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-utara-1: :control/qtkvxjrhkvvn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:eu-utara-1: :control/zdozuwmodnsh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:eu-utara-1: :control/vxowmbpgjwwg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:eu-utara-1: :control/nmevazfezwld • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-utara-1: :control/eecqvszwloxw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-utara-1: :control/sctogvxjhstw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:eu-utara-1: :control/vecrjwsqkkjx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:eu-utara-1: :control/daleunijkthy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:eu-utara-1: :control/zigsjhhcjdff • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:eu-utara-1: :control/cgafsubvzbjh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:eu-utara-1: :control/flmfywqvjdzx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:eu-utara-1: :control/aynfyqxovcgw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:eu-utara-1: :control/irxuirouyyys • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:eu-utara-1: :control/irrdwbveevzr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:eu-utara-1: :control/hafobopsxwqf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-utara-1: :control/pqbmkwiwabgd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-utara-1: :control/cxjmvdjzhual • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM.1 • arn:aws:controltower:eu-utara-1: :control/qpvaascuwyza • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• SH.ACM.2 • arn:aws:controltower:eu-utara-1: :control/rwlryadxzpug • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• Sh.apigateway.1 • arn:aws:controltower:eu-utara-1: :control/fviryjhplbkr • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• Sh.apigateway.2 • arn:aws:controltower:eu-utara-1: :control/jjltdtnzhjxm • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.3 • arn:aws:controltower:eu-utara-1: :kontrol/voyxylqqehgq • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• Sh.apigateway.4 • arn:aws:controltower:eu-utara-1: :control/onnvqavmvkbl • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• Sh.apigateway.5 • arn:aws:controltower:eu-utara-1: :Control/ZBNVuTRHQWLB • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• Sh.apigateway.8 • arn:aws:controltower:eu-utara-1: :control/iuvytyanihhu • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• Sh.apigateway.9 • arn:aws:controltower:eu-utara-1: :control/fsetkhtfgihy • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• SH.Account.1 • arn:aws:controltower:eu-utara-1: :control/ackpbiehtkjo • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AppSync.5 • arn:aws:controltower:eu-utara-1: :control/LRPBTLPEKFHL • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH AutoScaling0,1 • arn:aws:controltower:eu-utara-1: :control/zitvbpnzfkcc • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH AutoScaling0,2 • arn:aws:controltower:eu-utara-1: :control/ekzhxvnheevw • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH AutoScaling0,3 • arn:aws:controltower:eu-utara-1: :control/wqmeexrgqCEN • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH AutoScaling0,6 • arn:aws:controltower:eu-utara-1: :control/gvthrvbnlzlb • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH AutoScaling0,9 • arn:aws:controltower:eu-utara-1: :control/IMDDCNRbween • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Autoscaling.5 • arn:aws:controltower:eu-utara-1: :control/dgqmjompdbgu • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CloudTrail0,1 • arn:aws:controltower:eu-utara-1: :control/iejnycapcfwn • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CloudTrail0,2 • arn:aws:controltower:eu-utara-1: :control/bjleqovhkvjh • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CloudTrail0,4 • arn:aws:controltower:eu-utara-1: :control/mtoabaqlnodu • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CloudTrail.5 • arn:aws:controltower:eu-utara-1: :control/vokjcuPznxgr • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CloudTrail0,6 • arn:aws:controltower:eu-utara-1: :control/scgfyjxaebht • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,1 • arn:aws:controltower:eu-utara-1: :control/fpfonxhmhqky • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CodeBuild0,2 • arn:aws:controltower:eu-utara-1: :kontrol/vmuohsukegzy • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CodeBuild0,3 • arn:aws:controltower:eu-utara-1: :control/eyhvubqycypw • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• .SH CodeBuild0,4 • arn:aws:controltower:eu-utara-1: :control/rawbsxydhupu • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• SH.DMS.1 • arn:aws:controltower:eu-utara-1: :control/xsooilkwtsyf • ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• ID.DMS.9 • arn:aws:controltower:eu-utara-1: :kontrol/Tokzoywbnhcv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.1 • arn:aws:controltower:eu-utara-1: :control/smovilgcyemt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.DynamoDB.2 • arn:aws:controltower:eu-utara-1: :control/jkhwovileaiy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.1 • arn:aws:controltower:eu-utara-1: :control/yyxttlzpxpsk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.10 • arn:aws:controltower:eu-utara-1: :control/iouvrzzhpjuy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.15 • arn:aws:controltower:eu-utara-1: :control/kuwhvrclyojb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.16 • arn:aws:controltower:eu-utara-1: :control/UkrQRKXRAMKT • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.17 • arn:aws:controltower:eu-utara-1: :control/nfperwalalzi • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.18 • arn:aws:controltower:eu-utara-1: :Control/KFLXJOLWUWRB • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.19 • arn:aws:controltower:eu-utara-1: :kontrol/sqreyuuvcpas • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.2 • arn:aws:controltower:eu-utara-1: :control/fwyhqcqtnnvt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.20 • arn:aws:controltower:eu-utara-1: :control/qqifucsrdDNN • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.21 • arn:aws:controltower:eu-utara-1: :control/zavxsarxkiwb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.22 • arn:aws:controltower:eu-utara-1: :Control/COFGIGMLJyog • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.23 • arn:aws:controltower:eu-utara-1: :control/yclkrclzpsak • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.25 • arn:aws:controltower:eu-utara-1: :control/exzubeasrxgz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• ID.EC2.3 • arn:aws:controltower:eu-utara-1: :control/wsodwmgkouow • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.4 • arn:aws:controltower:eu-north-1: :control/svylmDwlneds • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.6 • arn:aws:controltower:eu-utara-1: :control/xmdSizzaWLKR • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.7 • arn:aws:controltower:eu-utara-1: :control/kxohmxgpwjqz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EC2.8 • arn:aws:controltower:eu-utara-1: :control/evqzckscdybu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.9 • arn:aws:controltower:eu-utara-1: :control/gdldqwnbtzsc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ECR.1 • arn:aws:controltower:eu-utara-1: :control/yExpdQMofoBN • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ECR.2 • arn:aws:controltower:eu-utara-1: :control/fmxguctefmhu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ECR.3 • arn:aws:controltower:eu-utara-1: :kontrol/kqeewfqplsvd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.1 • arn:aws:controltower:eu-utara-1: :kontrol/vpimqoueKyac • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ECS.10 • arn:aws:controltower:eu-utara-1: :control/ebjtjombwlnq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ECS.12 • arn:aws:controltower:eu-utara-1: :Control/UOGMDFBVJPQJ • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ECS.2 • arn:aws:controltower:eu-utara-1: :control/GEwfdodmqpjo • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH. • arn:aws:controltower:eu-utara-1: :control/knuallkqetty • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH. • arn:aws:controltower:eu-utara-1: :control/pgnrttnfkgwf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH. • arn:aws:controltower:eu-utara-1: :control/zuitzqovjnuj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ECS.8 • arn:aws:controltower:eu-utara-1: :control/hgldpnfoqmbH • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.1 • arn:aws:controltower:eu-utara-1: :control/qnvqpftvixea • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EFS.2 • arn:aws:controltower:eu-utara-1: :control/fgmjdikxkhpe • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .EFS.3 • arn:aws:controltower:eu-utara-1: :control/rirptgivTuug • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .EFS.4 • arn:aws:controltower:eu-utara-1: :control/rubeqkkwpqqx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EKS.1
- arn:aws:controltower:eu-utara-1: :control/plkwfcuwedyb
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- SH.EKS.2
- arn:aws:controltower:eu-utara-1: :control/nntrkkkqfkpqb
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- SH.ELB.10
- arn:aws:controltower:eu-utara-1: :control/xtytryanvabu
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- SH.ELB.12
- arn:aws:controltower:eu-utara-1: :control/jyqsykanctjw
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.13 • arn:aws:controltower:eu-utara-1: :control/srjyxmtwstje • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ELB.14 • arn:aws:controltower:eu-utara-1: :control/kudrcomeiptr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ELB.2 • arn:aws:controltower:eu-utara-1: :control/zddenalctjrr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ELB.3 • arn:aws:controltower:eu-utara-1: :control/yesxdsArdrys • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.4 • arn:aws:controltower:eu-utara-1: :control/mwrjrkrtuhhj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ELB.5 • arn:aws:controltower:eu-utara-1: :control/zsbqedxdmbgn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ELB.6 • arn:aws:controltower:eu-utara-1: :control/pokcjdinnsvr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ELB.7 • arn:aws:controltower:eu-utara-1: :control/shypaflbhaml • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.8 • arn:aws:controltower:eu-utara-1: :Control/IJXHXDULMKRD • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ELB.9 • arn:aws:controltower:eu-utara-1: :control/sdbxigmfjfdr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• Sh.elbv2.1 • arn:aws:controltower:eu-utara-1: :control/zqcdkamuinpz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.EMR.1 • arn:aws:controltower:eu-utara-1: :control/iblzudbnmllt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.1 • arn:aws:controltower:eu-utara-1: :Control/PttShggLKLpy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ES.2 • arn:aws:controltower:eu-utara-1: :control/lrnncpqefssy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ES.3 • arn:aws:controltower:eu-utara-1: :control/IOprwmtvbsln • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ES.4 • arn:aws:controltower:eu-utara-1: :control/wzypfcrtWxix • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.5 • arn:aws:controltower:eu-utara-1: :control/ybtlugmfrdze • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.6 • arn:aws:controltower:eu-utara-1: :control/gzypqiasbbij • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ES.7 • arn:aws:controltower:eu-utara-1: :control/jhnmrapwcsxq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.ES.8 • arn:aws:controltower:eu-utara-1: :control/sibugfysxGEW • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElasticBeanstalk0,1 • arn:aws:controltower:eu-utara-1: :control/aoeptpwcmpha • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH ElasticBeanstalk0,2 • arn:aws:controltower:eu-utara-1: :Control/HWWRWNRQayGV • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH EventBridge0,3 • arn:aws:controltower:eu-utara-1: :control/ovfhmriqmylb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH GuardDuty0,1 • arn:aws:controltower:eu-utara-1: :control/byukmxpstzgb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.1 • arn:aws:controltower:eu-utara-1: :Control/AFVWWeiuroeo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.2 • arn:aws:controltower:eu-utara-1: :kontrol/xfgbpvbxfmhv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.21 • arn:aws:controltower:eu-utara-1: :kontrol/hcjubneaeycy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.IAM.3 • arn:aws:controltower:eu-utara-1: :kontrol/qcuyutvqdrtv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.4 • arn:aws:controltower:eu-utara-1: :control/wmmeolobhwlp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.IAM.5 • arn:aws:controltower:eu-utara-1: :control/hxunmlyFTBjc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.IAM.6 • arn:aws:controltower:eu-utara-1: :kontrol/riygdtpnpqHD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.IAM.7 • arn:aws:controltower:eu-utara-1: :control/liujkzcjexbk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.8 • arn:aws:controltower:eu-utara-1: :control/abcvafyfouzl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.KMS.1 • arn:aws:controltower:eu-utara-1: :control/qkthxyqplnyy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.KMS.2 • arn:aws:controltower:eu-utara-1: :kontrol/wtdvcvdhovvi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.KMS.3 • arn:aws:controltower:eu-utara-1: :control/uesqjjtmclkn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.4 • arn:aws:controltower:eu-utara-1: :control/eztpqmvhtqto • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.kinesis.1 • arn:aws:controltower:eu-utara-1: :control/preprjhmCliq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.Lambda.1 • arn:aws:controltower:eu-utara-1: :control/eewuillndCow • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.Lambda.2 • arn:aws:controltower:eu-utara-1: :control/snxjdqucdoam • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.3 • arn:aws:controltower:eu-utara-1: :control/ymeowgilvdce • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.Lambda.5 • arn:aws:controltower:eu-utara-1: :control/IICOIHCGFGP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.MQ.5 • arn:aws:controltower:eu-utara-1: :kontrol/cwmcqnysvmck • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.MQ.6 • arn:aws:controltower:eu-utara-1: :control/flttdxfeozg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• MSK.MSK.1 • arn:aws:controltower:eu-utara-1: :control/vnxuvzmzsznk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.1 • arn:aws:controltower:eu-utara-1: :control/ygccjhpdgfia • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.2 • arn:aws:controltower:eu-utara-1: :control/umznlnfrfxwu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.3 • arn:aws:controltower:eu-utara-1: :control/ereeueztqqvi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.4 • arn:aws:controltower:eu-utara-1: :control/adorvdrowvpa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.5 • arn:aws:controltower:eu-utara-1: :control/pfznfcauvfcw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.6 • arn:aws:controltower:eu-utara-1: :control/cqhzfmptvovn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.7 • arn:aws:controltower:eu-utara-1: :kontrol/wjixmoggtbsr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.8 • arn:aws:controltower:eu-utara-1: :control/beuazkyamikm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall0,3 • arn:aws:controltower:eu-north-1: :control/owfemsefetjt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall0,4 • arn:aws:controltower:eu-utara-1: :control/vfytjncaranb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH NetworkFirewall.5 • arn:aws:controltower:eu-utara-1: :control/gjzcypsnoaff • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH NetworkFirewall0,6 • arn:aws:controltower:eu-utara-1: :control/lsbuvhesmxcj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.1 • arn:aws:controltower:eu-utara-1: :control/ssbmeZombxUD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.2 • arn:aws:controltower:eu-utara-1: :control/eyydqbdgwxag • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.3 • arn:aws:controltower:eu-utara-1: :kontrol/nztgoxilalhz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.4 • arn:aws:controltower:eu-utara-1: :Control/kGHPMJBWTZnm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.5 • arn:aws:controltower:eu-utara-1: :control/mCFVGQDHUXSS • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.6 • arn:aws:controltower:eu-utara-1: :control/nbjrumluqpzk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.7 • arn:aws:controltower:eu-utara-1: :control/ubsepweoevhb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:controltower:eu-utara-1: :control/hupegipajuzg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.RD.1 • arn:aws:controltower:eu-utara-1: :control/ronrevdojlhj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.RDS.10 • arn:aws:controltower:eu-utara-1: :control/btpgjctlryln • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-
• SH.RDS.11 • arn:aws:controltower:eu-utara-1: :kontrol/zhufjuohqhak • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.12 • arn:aws:controltower:eu-utara-1: :control/vgucuqauxaqz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.13 • arn:aws:controltower:eu-utara-1: :control/ytdrspnpDUdG • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.15 • arn:aws:controltower:eu-utara-1: :control/kjtookwwqywp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.17 • arn:aws:controltower:eu-utara-1: :control/fwivewqqxnhk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.18 • arn:aws:controltower:eu-utara-1: :control/ejnzymozmykx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.19 • arn:aws:controltower:eu-utara-1: :control/lazjdbkfejma • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.2 • arn:aws:controltower:eu-utara-1: :control/lrlyxevqgytm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.20 • arn:aws:controltower:eu-utara-1: :control/ayteemRepgty • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.21 • arn:aws:controltower:eu-utara-1: :control/xzajrqosaivs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.22 • arn:aws:controltower:eu-utara-1: :control/wccggPoeskun • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.23 • arn:aws:controltower:eu-utara-1: :control/ivctuyynhzks • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.25 • arn:aws:controltower:eu-utara-1: :control/onrgzmzopbuf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.27 • arn:aws:controltower:eu-utara-1: :control/shkeujzrgzdp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.3 • arn:aws:controltower:eu-utara-1: :control/qggsrcnfpbon • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.4 • arn:aws:controltower:eu-utara-1: :control/bbvsfcjbdkuz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.5 • arn:aws:controltower:eu-utara-1: :control/yreoqgnqkBLJ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RD.6 • arn:aws:controltower:eu-utara-1: :kontrol/oituklcxalqi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.8 • arn:aws:controltower:eu-utara-1: :control/nmwoupnachol • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.9 • arn:aws:controltower:eu-utara-1: :control/rejgklyphvdn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.1 • arn:aws:controltower:eu-utara-1: :control/lzkiqtredtfy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.10 • arn:aws:controltower:eu-utara-1: :Control/LuuievukWmhu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.2 • arn:aws:controltower:eu-utara-1: :control/qxuxfmmqnnjv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.4 • arn:aws:controltower:eu-utara-1: :control/hgplavrgklhm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.6 • arn:aws:controltower:eu-utara-1: :control/yrroefoyjqly • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.7 • arn:aws:controltower:eu-utara-1: :control/nddiaqwleptb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.8 • arn:aws:controltower:eu-utara-1: :control/abexbglmxtjb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.9 • arn:aws:controltower:eu-utara-1: :control/untiruwzwunn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.1 • arn:aws:controltower:eu-utara-1: :control/dhadsfaeuwzs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.10 • arn:aws:controltower:eu-utara-1: :Control/UFOIHGFEAASV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.11 • arn:aws:controltower:eu-utara-1: :control/boyxqvgzihky • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.12 • arn:aws:controltower:eu-utara-1: :kontrol/wyytzohuuuia • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.13 • arn:aws:controltower:eu-utara-1: :control/livwoxmjiwlk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.17 • arn:aws:controltower:eu-utara-1: :control/itynebupbygg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.2 • arn:aws:controltower:eu-utara-1: :control/oelovgewuicf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.3 • arn:aws:controltower:eu-utara-1: :control/ltivgdfurrih • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.5 • arn:aws:controltower:eu-utara-1: :control/vdlzmbufaTGB • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.6 • arn:aws:controltower:eu-utara-1: :control/qkusdpwbmhzg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.8 • arn:aws:controltower:eu-utara-1: :control/yuttrnvcqcij • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.9 • arn:aws:controltower:eu-utara-1: :control/fsdrkinnpPBD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SQS.1 • arn:aws:controltower:eu-utara-1: :kontrol/kbkqawgkvvbk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.1 • arn:aws:controltower:eu-utara-1: :Control/KSKCLFWRTEJP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SSM.SSM.2 • arn:aws:controltower:eu-utara-1: :control/uafftpqzixdj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.3 • arn:aws:controltower:eu-utara-1: :control/slnldxnhymts • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.4 • arn:aws:controltower:eu-utara-1: :kontrol/sagbqdvutvpi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SageMaker0,1 • arn:aws:controltower:eu-utara-1: :control/xdtalwaduvaq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SageMaker0,2 • arn:aws:controltower:eu-utara-1: :control/xjuietbsjowp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SageMaker0,3 • arn:aws:controltower:eu-utara-1: :kontrol/qoyzofzyuvbp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SecretsManager0,1 • arn:aws:controltower:eu-utara-1: :control/ckuscvvhknir • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager0,2 • arn:aws:controltower:eu-utara-1: :Control/ZASYFRCXDOII • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SecretsManager0,3 • arn:aws:controltower:eu-utara-1: :control/giflryeyhehl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH SecretsManager0,4 • arn:aws:controltower:eu-utara-1: :kontrol/tidmokhnbs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.10 • arn:aws:controltower:eu-utara-1: :kontrol/izgqeigcnxhb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.2 • arn:aws:controltower:eu-utara-1: :control/zyshrembydpm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.3 • arn:aws:controltower:eu-utara-1: :control/Holxvcbpwtjx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.4 • arn:aws:controltower:eu-utara-1: :kontrol/lkowmmbvxxxz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

eu-south-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-

Pengenal kontrol, ARN, dan Wilayah yang didukung

north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED
- arn:aws:controltower:eu-selatan-1: :control/aws-gr_audit_bucket_encryption_enabled
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED
- arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_audit_bucket_logging_enabled
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG
- arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_audit_bucket_policy_changes_banned
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG
- arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_audit_bucket_public_read_banned
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:eu-selatan-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:eu-south-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:eu-selatan-1: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-south-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-selatan-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-selatan-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-we-central-1, us-west-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, us-west-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, us-west-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-central-2, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:eu-south-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:eu-selatan-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-selatan-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-selatan-1: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-selatan-1: :kontrol/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-selatan-1: :control/ajypirpbhbru • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:eu-south-1: :control/ekdimruqzbui • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:eu-selatan-1: :control/mwdnbkqdcnce • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:eu-selatan-1: :control/kcsnfbwrtaxt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:eu-selatan-1: :control/iymxhziofydy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-selatan-1: :control/broasonaouzh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-selatan-1: :control/jmbkfykxnrry • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-selatan-1: :control/whcwmahtsopr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-selatan-1: :control/jzuyxwpllcyx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.3 • arn:aws:controltower:eu-selatan-1: :kontrol/Gezdaeswihav • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:eu-selatan-1: :control/izkkjixchnge • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:eu-selatan-1: :control/PBFQttviaqlu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:eu-selatan-1: :kontrol/DSFmitdCamsz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ATHENA.PR.2 • arn:aws:controltower:eu-selatan-1: :control/redtageTRZSC • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:eu-selatan-1: :control/hdsppvqslzua • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:eu-selatan-1: :control/jkbgugupuxoh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:eu-south-1: :control/bynsjfxohcoc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:eu-selatan-1: :control/xejsbbjigsri • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:eu-selatan-1: :control/bdaqoqkwqvix • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:eu-selatan-1: :kontrol/lzhhrtkskbyg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:eu-selatan-1: :control/wtwcpkfewpyk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:eu-selatan-1: :control/ytpnkyliykvy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:eu-selatan-1: :kontrol/gmsbkmgntiru • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:eu-selatan-1: :control/qvsbupsguhvs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:eu-south-1: :control/mlfofpieqpdk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-selatan-1: :kontrol/zsttbvotuctj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-selatan-1: :control/acoaleksqbva • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-south-1: :control/tojrwdyhnnxg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-selatan-1: :kontrol/hpkhjfqxjaev • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:eu-south-1: :control/oegleoaapisr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:eu-selatan-1: :control/lhgullynlwnf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:eu-selatan-1: :kontrol/hyecmjhmdqao • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:eu-south-1: :control/lanxjnmRoubg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:eu-south-1: :control/jlxingwidtUj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:eu-selatan-1: :control/hydvihshnujk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:eu-selatan-1: :control/jhshfwnlvdkx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:eu-south-1: :control/obwfnaetcxtz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-selatan-1: :control/hdbbnlsswfjn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-selatan-1: :control/cqiiwizridxd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-selatan-1: :control/fqubddochvxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-south-1: :control/ozclfshtiscq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-south-1: :control/oryxupsldoot • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-selatan-1: :kontrol/julhffnmmhXu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:eu-selatan-1: :control/mknrueoifdio • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:eu-south-1: :control/jeudkxerrmyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:eu-selatan-1: :control/aqxbhqxxzesg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-selatan-1: :kontrol/xiponlrxvtlm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-selatan-1: :kontrol/lklevoqimcuv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-selatan-1: :control/ahwdgtqantpz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:eu-south-1: :control/untrgvlzhgwc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:eu-selatan-1: :control/exaclwanurzw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:eu-selatan-1: :control/opswxxysyumy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-selatan-1: :control/zxthnnmvrrgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-selatan-1: :kontrol/dtkbfeiqnvql • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-selatan-1: :Control/AFQCMisibnzc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-selatan-1: :control/cxpurymvymsc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-selatan-1: :control/gcgxgjulmUjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.1 • arn:aws:controltower:eu-selatan-1: :control/wluudfwbdjhu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:eu-selatan-1: :kontrol/dnlpnfanemru • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:eu-selatan-1: :control/RTEWMJEUHLJQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:eu-south-1: :control/epdeapqfuapz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:eu-selatan-1: :control/ayfzqoecapeh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:eu-selatan-1: :control/ialxtistuwwm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:eu-selatan-1: :control/dxgdluezmicz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:eu-selatan-1: :kontrol/kasynbccnyul • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:eu-selatan-1: :control/wazwrstldpdp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:eu-selatan-1: :kontrol/bihfkagsigrm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:eu-selatan-1: :control/kxriyokioldg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:eu-selatan-1: :control/tpmkjpkveDNA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.20 • arn:aws:controltower:eu-selatan-1: :control/dypmgydyneie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:eu-selatan-1: :control/ixeozhldvita • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:eu-selatan-1: :control/gfighdgrwxgm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-selatan-1: :control/LSSLWVUItJC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:eu-selatan-1: :kontrol/ypbpjcbgkrxg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:eu-south-1: :control/yeateJGNLHKD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:eu-selatan-1: :kontrol/dbcluroptpqj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-selatan-1: :control/llulmhxrnSIP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:eu-selatan-1: :control/deuuoihpmkav • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:eu-selatan-1: :control/tucsbmycofpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:eu-selatan-1: :control/uaxgcrlstkbx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:eu-selatan-1: :control/yncmwzyjqyvg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:eu-selatan-1: :control/cifrwudogzzz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:eu-selatan-1: :kontrol/dtsizqdyzvpq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:eu-south-1: :control/kipjomkoboma • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:eu-selatan-1: :control/IOCROVUHSSPK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECR.PR.3
- arn:aws:controltower:eu-selatan-1: :kontrol/kiflkmdmdvph
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ECS.PR.1
- arn:aws:controltower:eu-selatan-1: :control/jrisokffildm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ECS.PR.10
- arn:aws:controltower:eu-south-1: :control/nuguphomseqv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ECS.PR.11
- arn:aws:controltower:eu-selatan-1: :control/okdushuvoNot
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:eu-selatan-1: :Control/LGDXTFQGNDD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:eu-selatan-1: :kontrol/dqfkehkzlqdw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:eu-selatan-1: :control/Reygphbqwsgi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:eu-selatan-1: :control/nzwwzbpgyeqi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:eu-selatan-1: :control/mshudweprdvi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:eu-south-1: :control/onbilkcuryst • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:eu-selatan-1: :control/rsbgfqkavqfr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-selatan-1: :control/vqycxjzpsixd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECS.PR.9
- arn:aws:controltower:eu-selatan-1: :control/vmopjvsaebdk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.EKS.PR.1
- arn:aws:controltower:eu-selatan-1: :control/xjcbpedkrfoa
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.EKS.PR.2
- arn:aws:controltower:eu-selatan-1: :control/dfggqvucosms
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.1
- arn:aws:controltower:eu-selatan-1: :control/ewncznfjJehh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:eu-selatan-1: :control/knymwnnuooou • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:eu-selatan-1: :control/QiarJesgtxmw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:eu-selatan-1: :control/glcjxmivawfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:eu-selatan-1: :kontrol/fgztnsldxwci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:eu-selatan-1: :kontrol/btikmdwemmbx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-selatan-1: :control/mklxfzcodzlq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-selatan-1: :kontrol/gajhrsmsqifv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-selatan-1: :control/exrorzbilxws • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-south-1: :control/jmintmkzqzxS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-selatan-1: :control/wqqmloayapzq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-selatan-1: :control/NHKFJahagyJS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-selatan-1: :control/tlqphmzpCKtx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-selatan-1: :Control/MegmjyGDzacd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-selatan-1: :control/cucxnnwypfjg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-selatan-1: :control/cklwemxbfskt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-selatan-1: :kontrol/qbjqwllXe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-selatan-1: :control/xfjzolzqsmdv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-selatan-1: :control/snqrkwnnhror • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-selatan-1: :kontrol/orvxqiodqzqi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-selatan-1: :control/rezxcumitgvu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-south-1: :control/ocyadtlktjso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-selatan-1: :control/tciaxdvbeicz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-selatan-1: :kontrol/oigjsckahjka • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-selatan-1: :control/gfuuyaytpgjl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-selatan-1: :control/hcwifnjeckzg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-south-1: :control/mrijzhygxlts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-selatan-1: :control/uvrgePyisqsr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-south-1: :control/biwekwojfqpy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-selatan-1: :Control/IZWNTXSZpihy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:eu-selatan-1: :control/rjolqveufpwx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:eu-selatan-1: :kontrol/wsqgbudgzqbd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-selatan-1: :control/ieisuveelsrq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:eu-selatan-1: :kontrol/gkmomebkhzel • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:eu-selatan-1: :control/ftvodadncsve • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-selatan-1: :control/lucaavdcoxyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-selatan-1: :Control/ETMDQokwhrei • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.2 • arn:aws:controltower:eu-selatan-1: :control/jibskfgzpwyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:eu-selatan-1: :control/srcnccovaktw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:eu-selatan-1: :control/cnvgxhjpqjve • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:eu-south-1: :control/misfemwxccgg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-selatan-1: :control/ijpnwgfqmfnr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:eu-selatan-1: :control/iqjlhcntBzqA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:eu-selatan-1: :control/lOUxavzFJdak • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:eu-selatan-1: :control/qlcvbytaqknz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:eu-selatan-1: :control/hyysjtsiiylw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:eu-selatan-1: :kontrol/dzqyuvlqchyn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:eu-selatan-1: :Control/UXZidzhPWQQC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-selatan-1: :control/eyterdxvhxqv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:eu-selatan-1: :control/fagtwhnutyvn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:eu-south-1: :control/zmaggoBxQDLS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-selatan-1: :control/borkywuaxjkk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-selatan-1: :control/ouqcuufmlxqy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-selatan-1: :control/yyqixbripjhj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-selatan-1: :control/zlfyyhfzkLJK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-selatan-1: :control/qamsluzwjhts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-selatan-1: :control/hznfiympmbMmr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-selatan-1: :kontrol/xkhrnismiPCD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:eu-selatan-1: :Control/HBCoaJeafxdu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:eu-selatan-1: :control/kzimauhepzmr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-selatan-1: :kontrol/hukywxegzloq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:eu-selatan-1: :control/swiaigyrdqca • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-south-1: :control/tfigqzaemvux • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-selatan-1: :control/vskcnzbjmsdl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-selatan-1: :control/cpempxzltstb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-weth-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-selatan-1: :control/velcdmBuySDH • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-selatan-1: :control/oliytoimrzcm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-selatan-1: :control/kaonkkjavxiy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-selatan-1: :kontrol/hoiewdtlwcmz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:eu-south-1: :control/eryduhmymurh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:eu-selatan-1: :control/xrafmhdntzxj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:eu-selatan-1: :control/vfjyjRiwcxtj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:eu-selatan-1: :control/amrirkfdcrqq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:eu-selatan-1: :control/biktrnyrjzoc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:eu-selatan-1: :control/oowbbdugzxpk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:eu-selatan-1: :kontrol/kzqcijbavbfu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:eu-selatan-1: :control/yzfsnbzyngbn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:eu-south-1: :control/sijlmhumibea • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:eu-selatan-1: :kontrol/hzegotzohzqb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:eu-selatan-1: :control/ustzbjhmmnpb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:eu-selatan-1: :control/jsjwbubpjfbg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:eu-selatan-1: :control/nplwoosvwqns • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:eu-selatan-1: :control/hqfaqrqrciys • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:eu-selatan-1: :kontrol/bqzzssjvrnHD • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:eu-selatan-1: :control/jvkvvhvygeXB • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-selatan-1: :control/pysbfvwycMau • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-selatan-1: :control/asnsdrvzsyxt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:eu-south-1: :control/nsoljexjzynl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:eu-selatan-1: :control/vrdrytjltawf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.1
- arn:aws:controltower:eu-south-1: :control/gicllryravtc
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.10
- arn:aws:controltower:eu-selatan-1: :control/ckjesaigjntu
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.11
- arn:aws:controltower:eu-selatan-1: :control/nbwuronlvxRT
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.12
- arn:aws:controltower:eu-south-1: :control/gvlklasffmra
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.13 • arn:aws:controltower:eu-south-1: :control/upmyiseycnav • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:eu-selatan-1: :kontrol/kcpaxgbppfci • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:eu-selatan-1: :control/exohlmgvbSIW • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:eu-selatan-1: :control/jcrhcvjebebf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.17 • arn:aws:controltower:eu-selatan-1: :control/equrnftunijc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:eu-selatan-1: :Control/DKDjtNLQAppr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:eu-selatan-1: :control/vjkmqykkknxfj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:eu-selatan-1: :control/djnvnbxzybeq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.20 • arn:aws:controltower:eu-selatan-1: :control/xisvvpfgpuOp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:eu-selatan-1: :control/jwdrulgyqlul • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:eu-selatan-1: :control/UGDMThybnqgn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:eu-selatan-1: :control/ggfmcmfbggyk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:eu-selatan-1: :kontrol/okhigzardbvn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:eu-selatan-1: :control/uwtyxfpzqybr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:eu-selatan-1: :control/akzhyzvlmtuu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:eu-selatan-1: :control/ztugxigbtlid • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.28 • arn:aws:controltower:eu-selatan-1: :control/owtkaqnkcqac • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:eu-selatan-1: :control/fwtklsnlbfiw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:eu-south-1: :control/eygxdyjgbynq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:eu-south-1: :control/yehoovmsritj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:eu-selatan-1: :control/qrljhhaxnPno • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:eu-selatan-1: :control/ttguymvamnnnn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:eu-selatan-1: :control/euqfjegdjxiv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-selatan-1: :control/yvbifqksppzs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:eu-selatan-1: :kontrol/ybnffkwiebft • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:eu-selatan-1: :control/bdwhSynrGSRD • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-selatan-1: :kontrol/opdyrimrtUp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-selatan-1: :control/esnvklavfxdt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-selatan-1: :control/sywhydtegyGB • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-selatan-1: :control/qzfmvcttfkun • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:eu-selatan-1: :control/fwzbxdsfuzqj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-south-1: :control/ioudddyhBuye • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-selatan-1: :control/zsflwfhdednw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-selatan-1: :control/tjtghsrkcado • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-selatan-1: :control/ERJCsGibwPxf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:eu-selatan-1: :control/fakntwcvjbbq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:eu-selatan-1: :kontrol/trpkhigmyxao • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:eu-selatan-1: :control/aojrffgdxylf • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-south-1: :control/VienqAdpdjbg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:eu-selatan-1: :control/rprqaykwhkve • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:eu-south-1: :control/ubeketdjhqdk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:eu-selatan-1: :control/rqqqdsqmsxse • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-selatan-1: :control/gxpxmxodybyo • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:eu-selatan-1: :control/CTwTiwreUJJ • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:eu-selatan-1: :control/bclbadagfadv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:eu-selatan-1: :control/qusgefkiglxk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-selatan-1: :control/xbmhgbxutpts • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-selatan-1: :control/fqocoBhbfWnB • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:eu-selatan-1: :control/yieficywyzlu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:eu-selatan-1: :control/GMPKoneBtSAP • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:eu-selatan-1: :kontrol/mlkluiarvdhn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:eu-selatan-1: :control/yvhxpcmyplfp • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:eu-selatan-1: :Control/UlpoiyidRFwe • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:eu-selatan-1: :control/pwkkzxicjegw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:eu-selatan-1: :control/kmlhomcisoof • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:eu-south-1: :control/zdjomtgohojr • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:eu-selatan-1: :control/jnfjcdgbqaqj • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-selatan-1: :control/JUDFDFZupGDV • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-south-1: :control/rbgkcdwrdjos • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

eu-south-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:eu-south-2: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:eu-selatan-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:eu-south-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-south-2: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_Disallow_VPC_Internet_Access • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_RESTRICT_ROOT_User • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-selatan-2: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-south-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-selatan-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-selatan-2: :kontrol/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-selatan-2: :control/cdfrpkvaaeba • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:eu-selatan-2: :control/svyvsczdwyqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:eu-selatan-2: :kontrol/kdxsgixbaPzu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:eu-selatan-2: :control/mydvofuazsbv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:eu-selatan-2: :control/xdlqvfgazwou • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-selatan-2: :control/atodwgomzucx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-south-2: :control/hdupsfyarake • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-selatan-2: :control/vtifqrejyecj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-selatan-2: :control/bmsdslxzpinv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:eu-selatan-2: :control/eqegufuddqhj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:eu-selatan-2: :control/pbwzkzjtUype • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.5 • arn:aws:controltower:eu-selatan-2: :control/bfvdrthkjlkl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:eu-selatan-2: :control/amgwcnexglwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:eu-selatan-2: :control/urpfisnflyyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:eu-selatan-2: :control/bpghyvyppDUM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:eu-selatan-2: :kontrol/svbzruzegmye • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:eu-selatan-2: :control/lgamivpbshqs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:eu-selatan-2: :control/xgadyewucjue • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:eu-selatan-2: :control/eeeuvwslnvll • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:eu-selatan-2: :control/hbclypoqkniw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:eu-selatan-2: :control/lembcaxjdjxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:eu-selatan-2: :Control/PSRDubingKQS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:eu-selatan-2: :control/hxltcqisfqbe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:eu-selatan-2: :control/suzuxrseelft • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:eu-selatan-2: :control/wuyntgjjukNP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-selatan-2: :control/utnkpvfydnwy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-selatan-2: :control/camauzymjoph • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-selatan-2: :control/hpurlnwrkjwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-selatan-2: :control/cvmbtuqqjqvf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:eu-selatan-2: :Control/LexJMWZMLivi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:eu-selatan-2: :control/ptduocaxihae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:eu-selatan-2: :control/gktdsyxjrurb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:eu-selatan-2: :control/cueqjGenotan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:eu-selatan-2: :control/zvqcjxikmxic • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:eu-selatan-2: :kontrol/mvbzhlfjexgh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:eu-selatan-2: :control/yzfAlbbJBHjw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:eu-selatan-2: :control/gdqdyhiwoyjv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-selatan-2: :control/gcviucrkrzjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-selatan-2: :control/eqjlpbknwcEw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-south-2: :control/iyzcfyktloez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-selatan-2: :control/dpzxyqalxsbj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-selatan-2: :control/syoymubletan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-selatan-2: :control/SBRKWJRBLSDV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.1 • arn:aws:controltower:eu-south-2: :control/tlizgyoslxid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:eu-selatan-2: :kontrol/wzhivertknmt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:eu-selatan-2: :Control/DGQLWMribaoa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-south-2: :control/ezedzuyheozt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-selatan-2: :control/nkSjvwJewecr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-selatan-2: :kontrol/xtnhyzredRev • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:eu-selatan-2: :control/rqktasyxhvyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:eu-selatan-2: :control/cjqflunigrdw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.1 • arn:aws:controltower:eu-south-2: :control/tggyqcvrrdmf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-selatan-2: :kontrol/xgzxzocuakpp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-selatan-2: :control/aiutnqwkgfdr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-selatan-2: :kontrol/nokrkreqwepp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-south-2: :control/efnqessmtrwa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-south-2: :control/gfijumqyzykt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:eu-selatan-2: :control/vnhgwwcsjwra • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:eu-south-2: :control/dcorpiatuvcg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.11 • arn:aws:controltower:eu-selatan-2: :control/suubdbbvlxlq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:eu-selatan-2: :kontrol/cncxwxerycoc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:eu-selatan-2: :control/szrcwaqmisfs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:eu-south-2: :control/pwargjrtrqxD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.15 • arn:aws:controltower:eu-selatan-2: :control/nhdzbtzuxelq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:eu-selatan-2: :control/uhzjazabjywg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:eu-selatan-2: :control/Nefcdemgsowz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:eu-selatan-2: :control/wnktvrgndube • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.19 • arn:aws:controltower:eu-selatan-2: :control/jkalpjxndeuj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:eu-selatan-2: :control/VHBubkoezthi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:eu-selatan-2: :control/yfioiofavnpw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:eu-selatan-2: :control/uwwtmovsnrcu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.4 • arn:aws:controltower:eu-selatan-2: :kontrol/DRDSqmkcirrj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-selatan-2: :kontrol/cfpkobhyvxfu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:eu-selatan-2: :control/ycudiirumwev • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:eu-selatan-2: :control/rviocfzirsnu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.8 • arn:aws:controltower:eu-selatan-2: :control/gaoyrtvnqgHb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-selatan-2: :control/fmacbwhcxoso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:eu-south-2: :control/qpcqunrtqsab • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:eu-selatan-2: :control/whrrrjkpjkbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.3 • arn:aws:controltower:eu-selatan-2: :control/hnbpmelxefgd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:eu-selatan-2: :kontrol/kwvfibruvcnw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:eu-selatan-2: :control/sqpmuedbmiyh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:eu-selatan-2: :control/fxlwnqrvhtmz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.1 • arn:aws:controltower:eu-selatan-2: :control/ssggvleuygfh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:eu-south-2: :control/eauqcaJhcrls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:eu-selatan-2: :Control/UHSKPCFWWNHJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:eu-selatan-2: :kontrol/gmohyfmCJqwc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.10 • arn:aws:controltower:eu-selatan-2: :control/vcodoizdbxdk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:eu-south-2: :control/ykedjrvrzkeh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:eu-selatan-2: :control/hcqdnsiuyvib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:eu-selatan-2: :control/UFMSTkpvlyKF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.3 • arn:aws:controltower:eu-selatan-2: :control/plgsgrfmdmhh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:eu-south-2: :control/zvtrpsjbskgg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:eu-selatan-2: :control/dfbrawtbzsif • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:eu-selatan-2: :control/jizjuwrjazlr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.7 • arn:aws:controltower:eu-south-2: :control/rooabjegqobt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-selatan-2: :kontrol/fxeheqafpush • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:eu-south-2: :control/cteimjaetblh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:eu-selatan-2: :control/vilplvhudsiq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.2 • arn:aws:controltower:eu-selatan-2: :control/gkqonvlddsfk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:eu-selatan-2: :control/kktmcyddnqie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:eu-selatan-2: :control/pnhpeprklpun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:eu-selatan-2: :control/dhonppsgaleu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:eu-selatan-2: :control/SBCvifZBXRep • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:eu-selatan-2: :control/xkmbreuxjfvn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:eu-south-2: :control/ypgrdmkvvdks • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-south-2: :control/yelomvbvitoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-selatan-2: :control/rbrvwnfadpdd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-selatan-2: :control/jfceipdxbfeq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-selatan-2: :control/fbqcciqkujyh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-selatan-2: :control/rgydiakRwxNX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-selatan-2: :control/jyaViewOCBTI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-selatan-2: :control/knbthicpczag • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-selatan-2: :control/vlwkjncqrhjv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-selatan-2: :control/ekltmhhimjyr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-selatan-2: :control/olsplufaTrih • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-south-2: :control/zyfulhcejdyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-south-2: :control/zgiqcdyvmsjs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-selatan-2: :control/vyrqokmpukeb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-selatan-2: :control/UJHZJDJveeaz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-selatan-2: :control/zvfsRQsylgxW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-selatan-2: :control/hasotqtpcqqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-selatan-2: :control/idevszemxxfj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-selatan-2: :control/djoqxybxrkyd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-selatan-2: :kontrol/xvsqhwpokdlh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-selatan-2: :control/exmpaqittjvg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-selatan-2: :control/yeqCNYpdRFTF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-selatan-2: :control/ERKLVPLKNZVI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-selatan-2: :control/GNGTFFxVJzoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-selatan-2: :control/amszojwmymva • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-west-1, us-east-2, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:eu-selatan-2: :kontrol/hjimsqrptzsy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.2 • arn:aws:controltower:eu-selatan-2: :control/dandkaCrghen • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-selatan-2: :control/gshijxlkamtb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:eu-selatan-2: :control/LXJWhuCunccf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:eu-selatan-2: :kontrol/wqyrtwuzxqct • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-selatan-2: :control/gldwztwhcyit • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-selatan-2: :kontrol/kkzvofxrsyjv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:eu-south-2: :control/oziylncgrzxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:eu-selatan-2: :control/hyihrsxdnoGB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.4 • arn:aws:controltower:eu-selatan-2: :control/ehmjznhwssnr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:eu-selatan-2: :control/bggcavauwznz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-south-2: :control/oycwerwiiyae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:eu-selatan-2: :control/nrbbzhzcnzio • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.2 • arn:aws:controltower:eu-south-2: :control/dicutesjcxrb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:eu-selatan-2: :kontrol/mmqqtmxfbqcl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:eu-selatan-2: :control/myIDTBEDJJMR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:eu-selatan-2: :kontrol/xgwmrwrxqrid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.3 • arn:aws:controltower:eu-selatan-2: :control/jakfhfSucQJN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-selatan-2: :control/drpfzfquqqhg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:eu-selatan-2: :control/phqdhcsbpsuo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:eu-selatan-2: :kontrol/kvswabxwgvdw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-selatan-2: :Control/LPJIPJvevhok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-selatan-2: :control/yvginzgkbdrb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-selatan-2: :control/dtwywlvutwgk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-selatan-2: :kontrol/rezqwryaqmtv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-selatan-2: :control/azadvqdrvpal • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-selatan-2: :control/vpchudlkofxz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-selatan-2: :kontrol/ptqgpzhvizyl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:eu-selatan-2: :kontrol/jqczitbajqhz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.2 • arn:aws:controltower:eu-selatan-2: :control/auwzowmmlnbo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-selatan-2: :control/tjypfsdytzks • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:eu-selatan-2: :Control/LGRHBZusxUxO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-selatan-2: :control/Dubeszeorflo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-selatan-2: :control/edcfdzflslte • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-selatan-2: :kontrol/jhjzowoqksqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-selatan-2: :control/UMJFXSSLQxoz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-selatan-2: :control/jovzfqyfbtrr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-selatan-2: :control/eieqgavihyzt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-selatan-2: :control/alcdfjhbswuf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:eu-selatan-2: :control/bumckvfumszx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:eu-selatan-2: :control/vetvanxgmhxz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:eu-selatan-2: :control/ytuwmvcgzmbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:eu-selatan-2: :control/xxaidigbwoyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:eu-selatan-2: :control/rqxyfztdbgcs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:eu-selatan-2: :kontrol/lsfhgnpmfohv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:eu-selatan-2: :control/tzujhbaatela • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:eu-selatan-2: :control/itljtqkwunyo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:eu-selatan-2: :control/eeomdyllxxff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:eu-selatan-2: :control/pwcyckzxaduq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:eu-selatan-2: :kontrol/qhoqnfccsyhj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:eu-south-2: :control/jrbkuhrgfzjn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:eu-selatan-2: :control/cerujqswoleg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:eu-selatan-2: :control/afjchtbcrusw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:eu-south-2: :control/zkddjnjngeet • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:eu-selatan-2: :control/wlqzflevvvgw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-selatan-2: :control/feCuisckyvvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-south-2: :control/gucqqgcdgdns • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:eu-selatan-2: :control/gtncyqertnur • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:eu-south-2: :control/npiggpfblbtj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:eu-selatan-2: :control/umpypulzbkmv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:eu-selatan-2: :control/wkxdonnkfyzu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.11 • arn:aws:controltower:eu-south-2: :control/ahxqjsvnvuis • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:eu-selatan-2: :control/ssmtarooyqxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:eu-selatan-2: :control/pxzorcgcqert • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:eu-selatan-2: :control/mlneonxEGJIQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.15 • arn:aws:controltower:eu-selatan-2: :control/izywofweaivn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:eu-selatan-2: :control/ylbwsaetgrea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:eu-selatan-2: :control/ukquawkojnpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:eu-south-2: :control/eaeiezeihafs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.19 • arn:aws:controltower:eu-selatan-2: :control/yfbpwskfzxSi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:eu-selatan-2: :control/jfvjguvnpUJF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:eu-selatan-2: :control/iOPGZliwnWGE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:eu-selatan-2: :control/cskcekscemjz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.22 • arn:aws:controltower:eu-selatan-2: :control/lwxpntjgdtsg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:eu-selatan-2: :control/ndcxnzrttihh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:eu-selatan-2: :control/tkhiagefuesq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:eu-selatan-2: :control/noymfjnnhnhi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.26 • arn:aws:controltower:eu-south-2: :control/vlqtlomexgxo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:eu-selatan-2: :control/wzxnldnknlvx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:eu-selatan-2: :control/znyyuqnrwHzu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:eu-selatan-2: :control/nvhelpsPkuiw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.3 • arn:aws:controltower:eu-south-2: :control/aouesokiferi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:eu-selatan-2: :control/teinimwoqeph • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:eu-selatan-2: :control/ogxvzkvwcszq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:eu-selatan-2: :control/cbpifxgzjjnu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.6 • arn:aws:controltower:eu-selatan-2: :control/yralccmnwdht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-selatan-2: :control/cxyfuxajhpqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:eu-south-2: :control/ndewgwupterc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:eu-selatan-2: :control/unaqzkvptxja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-selatan-2: :control/ydwwscrjbnct • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-selatan-2: :control/jrefgbnjxlvp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-selatan-2: :kontrol/SejvfMinhDoc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-selatan-2: :control/ujayqiwwpssb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-selatan-2: :kontrol/vkkswsrocohy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-selatan-2: :control/PVWOHRPFVQOI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-selatan-2: :control/nolkazjrjdvu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-selatan-2: :kontrol/kzeyentrzsqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.1 • arn:aws:controltower:eu-selatan-2: :kontrol/mkkryhxwdzfz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:eu-selatan-2: :control/skgfyrdinxpi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:eu-selatan-2: :control/agjxnidfTlth • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-selatan-2: :control/ketgottijkzn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.2 • arn:aws:controltower:eu-selatan-2: :kontrol/zdekkvejknzr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:eu-selatan-2: :control/wtjtrxbvkeCg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:eu-south-2: :control/owrwjmcrcqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-selatan-2: :Control/NZFRDTFZPLno • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.6 • arn:aws:controltower:eu-south-2: :control/faaexsnajbgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:eu-selatan-2: :control/EGTVZTLAIMXV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:eu-south-2: :control/hpmqgmddkgsq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-selatan-2: :control/ffoctnbptmal • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-south-2: :control/dfqmngminele • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:eu-south-2: :control/tvclbfamysly • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:eu-selatan-2: :control/ueynxejbymsm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:eu-selatan-2: :control/bajgotfzuyno • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:eu-south-2: :control/cmaqxqsalrdw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:eu-selatan-2: :control/wtjhrsshpakk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:eu-south-2: :control/dqmonwosdetx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:eu-selatan-2: :control/zeypelwnmqgb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.1 • arn:aws:controltower:eu-selatan-2: :control/ovmowjdwshzx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:eu-selatan-2: :kontrol/hsixlkcrsnkw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-south-2: :control/thnaCpixqEGW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-selatan-2: :control/wyztrlbpogab • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

eu-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:eu-west-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-west-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, us-west-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:eu-west-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:eu-west-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:eu-west-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-west-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-west-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-west-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-west-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-west-1: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:eu-west-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-1, t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-west-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:eu-west-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-west-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-west-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:eu-west-1: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:eu-west-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-we-central-1, us-west-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1 , us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:eu-west-1: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:eu-west-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, us-west-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-west-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:eu-west-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:eu-west-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-west-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-central-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:eu-west-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-west-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:eu-west-1: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:eu-west-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-3, meu--south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:eu-west-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-west-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-west-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-west-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-west-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:eu-west-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:eu-west-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-west-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-west-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-west-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-west-1: :control/rmpgjntozyed • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:eu-west-1: :control/kbxffjccxccz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:eu-west-1: :control/WEFXKwwqelzp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:eu-west-1: :control/ddauqmqwafbz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:eu-west-1: :control/vecskjbmfgmm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-west-1: :control/akvoxjcrarvm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-west-1: :control/godrtvcqlfrw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-west-1: :control/cxukmnsnxboo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-west-1: :control/kpcumxfuzqwy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.3 • arn:aws:controltower:eu-west-1: :control/zcagtbprcath • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:eu-west-1: :control/jewjgqydtbbv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:eu-west-1: :control/nnndvooeoqgb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:eu-west-1: :control/hjutbnsblfbb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ATHENA.PR.2 • arn:aws:controltower:eu-west-1: :control/azhmihhetzdo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:eu-west-1: :control/moluixBLTnnw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:eu-west-1: :control/hmvefwnhhutx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:eu-west-1: :control/chbxzvzctibq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:eu-west-1: :control/UbahwQGSLvPQ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:eu-west-1: :control/IYKSvezzLtnf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:eu-west-1: :control/KicfaVQBoref • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:eu-west-1: :control/wmtustwlrdzo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:eu-west-1: :control/ybnniymrbiyn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:eu-west-1: :control/xeprsgzclszi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:eu-west-1: :control/xlsirlrdkwvq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:eu-west-1: :control/uaukdthxfexn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-west-1: :control/cojljaoyfiiy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-west-1: :control/iaudcmrwxwey • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-west-1: :control/spjydxwvbvhq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-west-1: :control/agjsnvmsvmzw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.4
- arn:aws:controltower:eu-west-1: :control/wjkmtilnpqpe
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.5
- arn:aws:controltower:eu-west-1: :control/rssxgizaphtx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.6
- arn:aws:controltower:eu-west-1: :control/obrskekwvrvb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.7
- arn:aws:controltower:eu-west-1: :control/pjocvkgbljjl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.8
- arn:aws:controltower:eu-west-1: :control/cnnzuyodkidh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.9
- arn:aws:controltower:eu-west-1: :control/adcfmzexrpwh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDTRAIL.PR.1
- arn:aws:controltower:eu-west-1: :control/gnpfaazfplun
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDTRAIL.PR.2
- arn:aws:controltower:eu-west-1: :control/zbavtaqoibmn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-west-1: :control/befmohimgmyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-west-1: :control/bidxzlovtaph • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-west-1: :control/ypscuerhmdgl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-west-1: :control/tbwhzggfagcx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-west-1: :control/gvvbwcaaoctc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-west-1: :control/appyzptnBLGo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:eu-west-1: :control/ncdyzqyyximf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:eu-west-1: :control/weymgaqeesoz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:eu-west-1: :control/ebccrsbqvoek • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-west-1: :control/hsykylvthmsc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-west-1: :control/rrrkazcwmwyc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-west-1: :control/hpqclfnnnhnvs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:eu-west-1: :control/gtnfgaxvmTiy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:eu-west-1: :control/zdnatwertbbl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:eu-west-1: :control/ychpeybhxvbf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-west-1: :control/lujeqbwkcvda • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-west-1: :control/uwykauhsrukz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-west-1: :control/dvxwrdhupopr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-west-1: :control/ezqdfkipcmhl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-west-1: :control/vndwojrwdjiz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.1
- arn:aws:controltower:eu-west-1: :control/gfknbaoPnhxf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.10
- arn:aws:controltower:eu-west-1: :control/dbkjhdjxkwny
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.11
- arn:aws:controltower:eu-west-1: :control/ramfrlquwvmn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.12
- arn:aws:controltower:eu-west-1: :control/sdyxhovwbmmm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.13
- arn:aws:controltower:eu-west-1: :control/qcbnfllwhorl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.14
- arn:aws:controltower:eu-west-1: :control/vbawhsPrvffo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.15
- arn:aws:controltower:eu-west-1: :control/ogjdlytmeumv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.16
- arn:aws:controltower:eu-west-1: :control/pgcwqudcxajg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:eu-west-1: :control/etevulkqlpuo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:eu-west-1: :control/canoygxzakrk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:eu-west-1: :control/dlhjfrbqiouz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:eu-west-1: :control/xochllpoovtv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.20 • arn:aws:controltower:eu-west-1: :control/SuarJCFCbbQV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:eu-west-1: :control/keawnifqnqod • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:eu-west-1: :control/nmiwxppbijic • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-west-1: :control/gnltwrbkgzmv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:eu-west-1: :control/kvvdnffomgmt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:eu-west-1: :control/czsrnxvwvWon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:eu-west-1: :control/kmdvqbzyahyq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-west-1: :control/ottrczabnRLV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:eu-west-1: :control/esbandfnaupy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:eu-west-1: :control/emucxpddrqrs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:eu-west-1: :control/dxedenhxardc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:eu-west-1: :control/snxtymbhgdfs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:eu-west-1: :control/skywkznfezbh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:eu-west-1: :control/sxaspfxvycvq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:eu-west-1: :control/jhxdesjfvfuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:eu-west-1: :control/wyffkckepljd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.3 • arn:aws:controltower:eu-west-1: :control/evjnatwhxbew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:eu-west-1: :control/fjiwsmftnujp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:eu-west-1: :control/qtcqltciqjqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:eu-west-1: :control/uvdvaunqeefe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECS.PR.12
- arn:aws:controltower:eu-west-1: :control/emxlyjrhkcxq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.2
- arn:aws:controltower:eu-west-1: :control/hfxlzyqmgfrs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.3
- arn:aws:controltower:eu-west-1: :control/LQBIGKSRNIXX
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.4
- arn:aws:controltower:eu-west-1: :control/komkxlgqhvzi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:eu-west-1: :control/deahtywklwpu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:eu-west-1: :control/kvihshxvhfcx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:eu-west-1: :control/sectlwsvmkfb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-west-1: :control/dshjhpgbennq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:eu-west-1: :control/ujiycpzpsndw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:eu-west-1: :control/makasqnhoxis • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:eu-west-1: :control/pfwxkkgvzukd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:eu-west-1: :control/iiyfhpbwxAWV • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:eu-west-1: :control/tjnezhvnsipf
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:eu-west-1: :control/ggcxymjirasv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:eu-west-1: :control/qnkpfqucxqpe
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:eu-west-1: :control/jflveMytdyru
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:eu-west-1: :control/hoaebnbzxxMo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-west-1: :control/dltknkgpiGcn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-west-1: :control/sazcoaqirywi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-west-1: :control/hbxfjsxsuimw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-west-1: :control/txcpemiatuzf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-west-1: :control/tmmcjhmkvlcl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-west-1: :control/bhmrgdcojvnb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-west-1: :control/epulsmbtumfd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-west-1: :control/nvrahjakgows • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-west-1: :control/gnopUcJToMmm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-west-1: :control/hgmljlfkucfw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-west-1: :control/vmaqqdyrdsVL • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-west-1: :control/otflwytqqqquc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-west-1: :control/zsefdtlwvoak • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-west-1: :control/dwlxbjdqnjfh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-west-1: :control/wbpotybsjlho • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-west-1: :control/fglphbuzphik • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-west-1: :control/uxjgsexnojmu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-west-1: :control/eddmfeeeesktr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-west-1: :control/stvtfnnqgfNC • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-west-1: :control/hzmwwchiopku • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-west-1: :control/tiggqhuxhqkw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-west-1: :control/pmueifetyeve • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-west-1: :control/nsqjffbdyfje • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-west-1: :control/wqwnygwhuhdw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:eu-west-1: :control/TWSLMQLeohks • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:eu-west-1: :control/sfhgsruhywur • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-west-1: :control/jahqgpnbheji • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:eu-west-1: :control/tetbymuvvmck • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:eu-west-1: :control/gftlTbqsmxzn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-west-1: :control/qbumavyuuwfg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-west-1: :control/ovzgsdcwzlcd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.2 • arn:aws:controltower:eu-west-1: :control/arqsbkhbxqcm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:eu-west-1: :Control/GDTCMKSZZJPE • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:eu-west-1: :control/HTVEKDWTRMZF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:eu-west-1: :control/IHTJEPIWSWWF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-west-1: :control/tcpbirilcaqq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:eu-west-1: :control/vhieqhfPSHxy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:eu-west-1: :control/sgdbxeolrruy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:eu-west-1: :control/kssftgalefzc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:eu-west-1: :control/wfpvsUnmfjxd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:eu-west-1: :control/nsnqfzkpoPgv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:eu-west-1: :control/ISSVLWAHpuky • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-west-1: :control/mtoAkbauukkz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:eu-west-1: :control/lcgfhzwlqhql • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:eu-west-1: :control/tqqkewsbwodp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-west-1: :control/mjbvvbiclfwm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-west-1: :control/bvyprowtaFiv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-west-1: :control/mynqputapphv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-west-1: :control/mdqqqewxaslo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-west-1: :control/qxxqdgaqaxxw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-west-1: :control/BRGLcipezuas • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-west-1: :control/owrkzhzguvyv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:eu-west-1: :control/kjxykuoppurv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:eu-west-1: :control/jytbuickdusx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-west-1: :control/uwbxkptyrjsz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:eu-west-1: :control/tackpjyynvwa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-west-1: :control/lgtpyjyccrap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-west-1: :control/qbmpfynyanko • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-west-1: :control/wxrtdnjwpqox • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-west-1: :control/gfecitkojidB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-west-1: :control/xwjidbfmfsiu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-west-1: :control/dgtimibuikzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-west-1: :control/jcrwunvvLoxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:eu-west-1: :control/hovykeeftigu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:eu-west-1: :control/wqszoxojgabb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:eu-west-1: :control/gpdndenlphwn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:eu-west-1: :control/yjuchdzfhzce • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.1
- arn:aws:controltower:eu-west-1: :control/mumekfgkatwe
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.10
- arn:aws:controltower:eu-west-1: :control/tjzkdxzqbhaf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:eu-west-1: :control/ddnsagxfvzye
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:eu-west-1: :control/yhchfbwnqKEm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.13
- arn:aws:controltower:eu-west-1: :control/zocelnrkwsqc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.14
- arn:aws:controltower:eu-west-1: :control/ommradbymvnj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.15
- arn:aws:controltower:eu-west-1: :control/sxsljjaotgmy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:eu-west-1: :control/vtqfjkcnupta
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:eu-west-1: :control/lpusjomlhgcv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:eu-west-1: :control/cazkxjyxmwbl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:eu-west-1: :control/vpwhxjistfoh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:eu-west-1: :control/qeezpbmzyqfn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-west-1: :control/qmiRwqGLwTKC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-west-1: :control/uhqgaJJJbqddj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:eu-west-1: :control/yykvyxhemuib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:eu-west-1: :control/icdkmtflinvg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.1
- arn:aws:controltower:eu-west-1: :control/iszorrywjrhn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.10
- arn:aws:controltower:eu-west-1: :control/lyzsdliuynxH
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.11
- arn:aws:controltower:eu-west-1: :control/qliqbxfpmwqg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.12
- arn:aws:controltower:eu-west-1: :control/xswqzjidxexx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.13 • arn:aws:controltower:eu-west-1: :control/ztknqgkspgtr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:eu-west-1: :control/uhevilpyOdir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:eu-west-1: :control/hjrgqtayqary • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:eu-west-1: :control/wlpobbccaweg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.17 • arn:aws:controltower:eu-west-1: :control/irqzdEjqmxLG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:eu-west-1: :control/rqcdurnmvvts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:eu-west-1: :control/zslsjymdjbal • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:eu-west-1: :control/yvrqvgLixyvc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.20 • arn:aws:controltower:eu-west-1: :control/smmmdvygdpen • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:eu-west-1: :control/rorrjyockmfu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:eu-west-1: :control/vcvbyurvmjwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:eu-west-1: :control/trixkgvkmldo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:eu-west-1: :control/kchaudqmscna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:eu-west-1: :control/jgeKijtijosk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:eu-west-1: :control/lbDiiendyke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:eu-west-1: :Control/LindxCLKumKB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.28 • arn:aws:controltower:eu-west-1: :control/kupnxndkdfsw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:eu-west-1: :control/ejfhdhqixjph • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:eu-west-1: :control/nocxmvoikgcv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:eu-west-1: :control/tfadkfdlroqj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:eu-west-1: :control/UGLMTCZXLMRP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:eu-west-1: :control/jpxahnokHuzp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:eu-west-1: :control/lzhvtnvjqmrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-west-1: :control/LHNLJBQexqks • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:eu-west-1: :control/rknknlplalqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:eu-west-1: :control/mhmksjqayvls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-west-1: :control/eiyjrpvvjyqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-west-1: :control/xybnzeowjkvt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-west-1: :control/ytmbwvljkbom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-west-1: :control/dzfjxhwgwbcz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, il-west-1, saya-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:eu-west-1: :control/bvbkqczdvesl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-west-1: :control/rqfuxcxkbwoy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-west-1: :control/bdxfkxopitmd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-west-1: :control/dxphoezmtcqv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-west-1: :control/aylflqsrccsq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:eu-west-1: :control/inphvgnnyWhe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:eu-west-1: :control/whmuofunyxle • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:eu-west-1: :control/ougcaqgtccfy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-west-1: :control/uqeockfzkppv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:eu-west-1: :control/nckafxmyielc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:eu-west-1: :control/ppczrhiwwdco • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:eu-west-1: :control/hmpqswnzrqvd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-west-1: :control/zqnuyrnleLMH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:eu-west-1: :control/ptgebdeghrpd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:eu-west-1: :control/wwingkfvkvzx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:eu-west-1: :control/xxuotyaxziom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-west-1: :control/xrtoypmybc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-west-1: :control/yexomfqqqirqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.SAGEMAKER.PR.3
- arn:aws:controltower:eu-west-1: :control/quamxlgbeebm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.SQS.PR.1
- arn:aws:controltower:eu-west-1: :control/wqdiiqgfbscm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.SQS.PR.2
- arn:aws:controltower:eu-west-1: :control/viricuduzrhz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.STEPFUNCTIONS.PR.1
- arn:aws:controltower:eu-west-1: :control/sbvylfyiixpp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.STEPFUNCTIONS.PR.2
- arn:aws:controltower:eu-west-1: :control/mUNRXYWSIOUS
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.WAF-REGIONAL.PR.1
- arn:aws:controltower:eu-west-1: :control/ktkpkivbnqde
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.WAF-REGIONAL.PR.2
- arn:aws:controltower:eu-west-1: :control/dlvxapjngyip
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.WAF.PR.1
- arn:aws:controltower:eu-west-1: :control/elfpblogrzye
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:eu-west-1: :control/lapesugiqgrw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-west-1: :control/aczqqjxmsskx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-west-1: :control/fbejwawhughf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.ACM.1 • arn:aws:controltower:eu-west-1: :control/zkvpmzuwfgjf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ACM.2 • arn:aws:controltower:eu-west-1: :control/pisvjsllvexn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.1 • arn:aws:controltower:eu-west-1: :control/cbnmuengdkvz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.2 • arn:aws:controltower:eu-west-1: :control/uadgcpbnjjbs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.3 • arn:aws:controltower:eu-west-1: :control/aoqcyzginfnv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.4 • arn:aws:controltower:eu-west-1: :control/havzhqbltyre • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.5 • arn:aws:controltower:eu-west-1: :control/ibhkgkzkmhej • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.8 • arn:aws:controltower:eu-west-1: :control/apxjlvkobseb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.apigateway.9 • arn:aws:controltower:eu-west-1: :control/grekwxlbumyc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Account.1 • arn:aws:controltower:eu-west-1: :control/tujjhfeuqrtd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH AppSync.5 • arn:aws:controltower:eu-west-1: :control/kmxmasdfbpzc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH AutoScaling0,1 • arn:aws:controltower:eu-west-1: :control/bvvbnbhsigxc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH AutoScaling0,2 • arn:aws:controltower:eu-west-1: :control/ppnrogqxgmtg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH AutoScaling0,3 • arn:aws:controltower:eu-west-1: :control/cbrreqkvjiel • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH AutoScaling0,6 • arn:aws:controltower:eu-west-1: :control/omiraxeilqak • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH AutoScaling0,9 • arn:aws:controltower:eu-west-1: :control/tynabohygdxr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Autoscaling.5 • arn:aws:controltower:eu-west-1: :control/eztdiomarrwe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,1 • arn:aws:controltower:eu-west-1: :control/zswmqfppnnos • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH CloudTrail0,2 • arn:aws:controltower:eu-west-1: :control/pnvppzdhtldx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH CloudTrail0,4 • arn:aws:controltower:eu-west-1: :control/ohtouhwxbhvl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH CloudTrail.5 • arn:aws:controltower:eu-west-1: :control/uwgszeduwtbp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CloudTrail0,6 • arn:aws:controltower:eu-west-1: :control/zhltsytcmzjz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH CodeBuild0,1 • arn:aws:controltower:eu-west-1: :control/kahxkgGQNXKH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH CodeBuild0,2 • arn:aws:controltower:eu-west-1: :control/qsuunzfubpxg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• .SH CodeBuild0,3 • arn:aws:controltower:eu-west-1: :control/rroqjcosebio • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH CodeBuild0,4 • arn:aws:controltower:eu-west-1: :control/eqrazacxkprq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.DMS.1 • arn:aws:controltower:eu-west-1: :control/aihuamecllhs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• ID.DMS.9 • arn:aws:controltower:eu-west-1: :control/zpknjqukzdva • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.DocumentDB.3 • arn:aws:controltower:eu-west-1: :control/kxcdbnhbdktf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.1 • arn:aws:controltower:eu-west-1: :control/pejtxaodkvkd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.DynamoDB.2 • arn:aws:controltower:eu-west-1: :control/qjrpwnBCThuf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.DynamoDB.3 • arn:aws:controltower:eu-west-1: :control/egnsowwevsbk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.1 • arn:aws:controltower:eu-west-1: :control/ubcgkoorfcmo • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.10 • arn:aws:controltower:eu-west-1: :control/lqlawrxdygtc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.15 • arn:aws:controltower:eu-west-1: :control/djqxfsknomlu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.16 • arn:aws:controltower:eu-west-1: :control/hoticcojpnkr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.17 • arn:aws:controltower:eu-west-1: :control/xgpqwtpugbbb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EC2.18
- arn:aws:controltower:eu-west-1: :control/vqqnyoutjqtv
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.EC2.19
- arn:aws:controltower:eu-west-1: :control/nrxplvwhaeyx
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.EC2.2
- arn:aws:controltower:eu-west-1: :control/TPTBsuklvynv
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.EC2.20
- arn:aws:controltower:eu-west-1: :control/rnardqcxvmpd
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.21 • arn:aws:controltower:eu-west-1: :control/ymshapvgfzmr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.22 • arn:aws:controltower:eu-west-1: :control/sqhqbaaokFRN • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.23 • arn:aws:controltower:eu-west-1: :control/ovjgvtkpmgpg • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.25 • arn:aws:controltower:eu-west-1: :control/lksbzrzyhpvm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• ID.EC2.3 • arn:aws:controltower:eu-west-1: :control/bxlypfodswxq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.4 • arn:aws:controltower:eu-west-1: :control/ejxfsqmmmobau • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.6 • arn:aws:controltower:eu-west-1: :control/ekehtojrbetq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EC2.7 • arn:aws:controltower:eu-west-1: :control/ilunfejnbvlu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EC2.8
- arn:aws:controltower:eu-west-1: :control/hboyamqjyzkc
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.EC2.9
- arn:aws:controltower:eu-west-1: :control/gavoljjjlij
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.ECR.1
- arn:aws:controltower:eu-west-1: :control/ufgubzpyblpn
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.ECR.2
- arn:aws:controltower:eu-west-1: :control/MTsvjizfhvjg
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECR.3 • arn:aws:controltower:eu-west-1: :control/eylavxiwuyjg • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ECS.1 • arn:aws:controltower:eu-west-1: :control/juutncmudpkt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ECS.10 • arn:aws:controltower:eu-west-1: :control/tahwmchcptII • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ECS.12 • arn:aws:controltower:eu-west-1: :control/ncqmuqivvxcs • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.2 • arn:aws:controltower:eu-west-1: :control/hceocfpedpJB • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ECS.3 • arn:aws:controltower:eu-west-1: :control/xkokvxodcbpp • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ECS.4 • arn:aws:controltower:eu-west-1: :control/btehfamxvtlv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ECS.5 • arn:aws:controltower:eu-west-1: :control/uikdfbesircq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.8 • arn:aws:controltower:eu-west-1: :control/emxdvhjlrsjh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EFS.1 • arn:aws:controltower:eu-west-1: :control/yrpbnrjzqehl • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EFS.2 • arn:aws:controltower:eu-west-1: :control/fvgxqkrpkoys • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EFS.3 • arn:aws:controltower:eu-west-1: :control/frsikzqwozsg • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.4 • arn:aws:controltower:eu-west-1: :control/duaiaykttlbt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EKS.1 • arn:aws:controltower:eu-west-1: :control/wpmcdidHHGGQ • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.EKS.2 • arn:aws:controltower:eu-west-1: :control/ysqyvfcpjxke • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.10 • arn:aws:controltower:eu-west-1: :control/kxdjvfvekkhb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.12 • arn:aws:controltower:eu-west-1: :control/vppwcerapgtv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.13 • arn:aws:controltower:eu-west-1: :control/xltlbtoqhxlf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.14 • arn:aws:controltower:eu-west-1: :control/hubsuiypxeum • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.2 • arn:aws:controltower:eu-west-1: :control/tzokkxanfhqy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.3 • arn:aws:controltower:eu-west-1: :control/mbtyifqqqmuf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.4 • arn:aws:controltower:eu-west-1: :control/imzphjiozrla • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.5 • arn:aws:controltower:eu-west-1: :control/zscpmmfxxtqy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.6 • arn:aws:controltower:eu-west-1: :control/delhomcmsgrf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.7 • arn:aws:controltower:eu-west-1: :control/thsxodyfvsss • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.8 • arn:aws:controltower:eu-west-1: :control/GADJVJJLuske • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• SH.ELB.9 • arn:aws:controltower:eu-west-1: :control/vbdncnxooksd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• Sh.elbv2.1 • arn:aws:controltower:eu-west-1: :control/pkgseayowaoj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EMR.1
- arn:aws:controltower:eu-west-1: :control/rbajhfbnqnjq
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.ES.1
- arn:aws:controltower:eu-west-1: :control/fmhzdkqfrjta
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.ES.2
- arn:aws:controltower:eu-west-1: :control/EIAQGIKVMUXC
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.ES.3
- arn:aws:controltower:eu-west-1: :control/ympgrspcjbbd
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.ES.4
- arn:aws:controltower:eu-west-1: :control/rmaqolxgslkk
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.5
- arn:aws:controltower:eu-west-1: :control/zaaobybsnalv
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.6
- arn:aws:controltower:eu-west-1: :control/ijbrhmleuqow
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

- SH.ES.7
- arn:aws:controltower:eu-west-1: :control/letwzowevbti
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.8 • arn:aws:controltower:eu-west-1: :control/KLGGCWmmZGVI • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• .SH ElastiCache0,3 • arn:aws:controltower:eu-west-1: :control/uejwokftrsvz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• .SH ElastiCache0,4 • arn:aws:controltower:eu-west-1: :control/axtvuktdctmc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2
• .SH ElastiCache.5 • arn:aws:controltower:eu-west-1: :control/tuwanwnhvlhl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH ElastiCache0,6 • arn:aws:controltower:eu-west-1: :control/wstwckunuhss • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH ElasticBeanstalk0,1 • arn:aws:controltower:eu-west-1: :control/qfiflseszltq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH ElasticBeanstalk0,2 • arn:aws:controltower:eu-west-1: :control/otkebovkudwd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH EventBridge0,3 • arn:aws:controltower:eu-west-1: :control/jalskerkcehj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH GuardDuty0,1 • arn:aws:controltower:eu-west-1: :control/kefoaqplegga • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.IAM.1 • arn:aws:controltower:eu-west-1: :control/gpmrunipaahz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.IAM.2 • arn:aws:controltower:eu-west-1: :control/jgysatnstorl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.IAM.21 • arn:aws:controltower:eu-west-1: :control/pqtghiediopd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.3 • arn:aws:controltower:eu-west-1: :control/rhvpzjvbrvic • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.IAM.4 • arn:aws:controltower:eu-west-1: :control/neallbimahju • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.IAM.5 • arn:aws:controltower:eu-west-1: :control/wugdspiturna • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.IAM.6 • arn:aws:controltower:eu-west-1: :control/fswhmtmwcpcu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.7 • arn:aws:controltower:eu-west-1: :control/asyfzuomhfuq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• SH.IAM.8 • arn:aws:controltower:eu-west-1: :control/otdqbwdvyvje • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• SH.KMS.1 • arn:aws:controltower:eu-west-1: :control/yikiwdhylGBP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• SH.KMS.2 • arn:aws:controltower:eu-west-1: :control/kpkahtfydjqq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.3 • arn:aws:controltower:eu-west-1: :control/vlqzeLivkMed • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.2 • arn:aws:controltower:eu-west-1: :control/pigmdbbnReiu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.Lambda.3 • arn:aws:controltower:eu-west-1: :control/ilrwqbzxybbl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.Lambda.5 • arn:aws:controltower:eu-west-1: :control/fbqfgsetxzrc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.MQ.5 • arn:aws:controltower:eu-west-1: :control/jjvaotywewkv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.MQ.6
- arn:aws:controltower:eu-west-1: :control/lvpbtgsslqol
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- MSK.MSK.1
- arn:aws:controltower:eu-west-1: :control/TWJDIQoiaYhg
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- Sh.Neptune.1
- arn:aws:controltower:eu-west-1: :control/gdxcmputlmsy
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- Sh.Neptune.2
- arn:aws:controltower:eu-west-1: :control/needbptkgknc
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.3 • arn:aws:controltower:eu-west-1: :control/gpmzxxkojoeee • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• Sh.Neptune.4 • arn:aws:controltower:eu-west-1: :control/dmwnickiqvgc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• Sh.Neptune.5 • arn:aws:controltower:eu-west-1: :control/kpaxhnzwnswe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• Sh.Neptune.6 • arn:aws:controltower:eu-west-1: :control/fsextxdbfhgz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.7 • arn:aws:controltower:eu-west-1: :control/JUDPXQZMWMHP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• Sh.Neptune.8 • arn:aws:controltower:eu-west-1: :control/ipodqtvqnoec • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH NetworkFirewall.3 • arn:aws:controltower:eu-west-1: :control/JTCGWnuCwXGP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• .SH NetworkFirewall.4 • arn:aws:controltower:eu-west-1: :control/IDraWMSHQVAB • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- .SH NetworkFirewall.5
- arn:aws:controltower:eu-west-1: :control/wwsrljhiiwpv
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- .SH NetworkFirewall.6
- arn:aws:controltower:eu-west-1: :control/zuuhbyqizgws
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- SH.OpenSearch.1
- arn:aws:controltower:eu-west-1: :control/LJDAJTIFMIBW
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- SH.OpenSearch.2
- arn:aws:controltower:eu-west-1: :control/UFAZXZnLufJM
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.3 • arn:aws:controltower:eu-west-1: :control/xuaaeqgcckzf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.7 • arn:aws:controltower:eu-west-1: :control/qiuxdlurbxqh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.OpenSearch.8 • arn:aws:controltower:eu-west-1: :control/cckmaiiznsph • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.RDS.1 • arn:aws:controltower:eu-west-1: :control/gwpdehulwHvb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.RDS.10 • arn:aws:controltower:eu-west-1: :control/ypeonmslbptl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.11 • arn:aws:controltower:eu-west-1: :control/nkimjvttdzkz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.17 • arn:aws:controltower:eu-west-1: :control/bfnxhulovvip • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.RDS.18 • arn:aws:controltower:eu-west-1: :control/pstygkobdutg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.RDS.19 • arn:aws:controltower:eu-west-1: :control/ffwgqtmrzlcx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• RDS.2 • arn:aws:controltower:eu-west-1: :control/znrdfqqkvsbm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.RDS.20
- arn:aws:controltower:eu-west-1: :control/ooztvtplfuze
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- RDS.21
- arn:aws:controltower:eu-west-1: :control/fkeygpxpkflg
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- SH.RDS.22
- arn:aws:controltower:eu-west-1: :control/fheenqfcwvow
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

- SH.RDS.23
- arn:aws:controltower:eu-west-1: :control/rasohqdbmgum
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.25 • arn:aws:controltower:eu-west-1: :control/mzhtgubewdxj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RD.5 • arn:aws:controltower:eu-west-1: :control/abtyucpxksgj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.1 • arn:aws:controltower:eu-west-1: :control/ccxnecvpvrhl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• Sh.Redshift.10 • arn:aws:controltower:eu-west-1: :control/tzzyemvxione • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• Sh.Redshift.2 • arn:aws:controltower:eu-west-1: :control/bsbjqswtsrsx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• Sh.Redshift.4 • arn:aws:controltower:eu-west-1: :control/wwxrqfacprhj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.6 • arn:aws:controltower:eu-west-1: :control/sncyqnovqmmh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.1 • arn:aws:controltower:eu-west-1: :control/lsujtpcoeecr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.S3.13
- arn:aws:controltower:eu-west-1: :control/qpexofwnqezy
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.5 • arn:aws:controltower:eu-west-1: :Control/BPQXZTSPwVVX • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.6 • arn:aws:controltower:eu-west-1: :control/xmwbzxrygtmc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.8 • arn:aws:controltower:eu-west-1: :control/syihffpxemol • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,
• SH.S3.9 • arn:aws:controltower:eu-west-1: :control/hvkihticwhel • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SQS.1 • arn:aws:controltower:eu-west-1: :control/kkbovjbzkrxH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.4 • arn:aws:controltower:eu-west-1: :control/vwfnfrrobvox • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• .SH SecretsManager1 • arn:aws:controltower:eu-west-1: :control/ppxtttZiqjwc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.10 • arn:aws:controltower:eu-west-1: :control/xtrynohvvrzv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

eu-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_audit_bucket_public_read_banned

Pengenal kontrol, ARN, dan Wilayah yang didukung
• af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-west-2: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:eu-west-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:eu-west-2: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:eu-west-2: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-west-2: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-west-2: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-west-2: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-west-2: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-west-2: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:eu-west-2: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-1, t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-west-2: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:eu-west-2: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-west-2: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-west-2: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:eu-west-2: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:eu-west-2: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-we-central-1, us-west-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1 , us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:eu-west-2: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:eu-west-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-west-2: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:eu-west-2: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:eu-west-2: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-weu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-west-2: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-central-2, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-1, eu-west-2, eu-west-3, meu-west-1, eu-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:eu-west-2: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-west-2: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:eu-west-2: :control/aws-gr_region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:eu-west-2: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-west-3, meu-west-3, meu-west-3, meu--south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:eu-west-2: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-west-2: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-west-2: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-west-2: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-west-2: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, ap-central-1, eu-central-2, eu-central-2, ap-southeast-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:eu-west-2: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:eu-west-2: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-west-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-west-2: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-west-2: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-west-2: :control/tmhlcRnzfycn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APIGATEWAY.PR.1
- arn:aws:controltower:eu-west-2: :control/vlfaztxpnoxb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.2
- arn:aws:controltower:eu-west-2: :control/EDQVHSOAJDDX
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.3
- arn:aws:controltower:eu-west-2: :control/bbwehvvzvyol
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.4
- arn:aws:controltower:eu-west-2: :control/fadfvqhaljxO
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-west-2: :control/YYOCPBGndCoQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-west-2: :control/gdudqjeazoyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-west-2: :control/rdkaxoqvbpse • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-west-2: :control/wzdlwqstosvk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APPSYNC.PR.3
- arn:aws:controltower:eu-west-2: :control/skvdxxaizxas
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.4
- arn:aws:controltower:eu-west-2: :control/saucbcneyibq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.5
- arn:aws:controltower:eu-west-2: :control/yhzylrzmfpho
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PV.1
- arn:aws:controltower:eu-west-2: :control/qtkuhwdnzxGo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ATHENA.PR.2
- arn:aws:controltower:eu-west-2: :control/pusapfiqcznx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.1
- arn:aws:controltower:eu-west-2: :control/yjqliprdbjsm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.10
- arn:aws:controltower:eu-west-2: :control/eetuizaqwgaa
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.11
- arn:aws:controltower:eu-west-2: :control/qkjioLfNDGMR
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.AUTOSCALING.PR.2
- arn:aws:controltower:eu-west-2: :control/jzyhtbomkdxg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.4
- arn:aws:controltower:eu-west-2: :control/tjgwwgichses
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.5
- arn:aws:controltower:eu-west-2: :control/uptnypjycvow
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.6
- arn:aws:controltower:eu-west-2: :control/zpCRFNLDivTB
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.AUTOSCALING.PR.8
- arn:aws:controltower:eu-west-2: :control/zyahagqkqtau
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.9
- arn:aws:controltower:eu-west-2: :control/uihdqdekpnfw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFORMATION.PR.1
- arn:aws:controltower:eu-west-2: :control/cpqmwUwntTqn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.1
- arn:aws:controltower:eu-west-2: :control/krzljnjuopae
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-west-2: :control/eddbqAMFSHmL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-west-2: :control/invlkwiixcux • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-west-2: :control/tzhfmcsvnuqb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-west-2: :control/gzshudgctktd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.4
- arn:aws:controltower:eu-west-2: :control/lehrpqbgfksi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.5
- arn:aws:controltower:eu-west-2: :control/nwkzmiuznfkt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.6
- arn:aws:controltower:eu-west-2: :control/njkkcoawjjjm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.7
- arn:aws:controltower:eu-west-2: :control/hvcnxrucmquq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.8
- arn:aws:controltower:eu-west-2: :control/yphhsqjlywoq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.9
- arn:aws:controltower:eu-west-2: :control/bjdrlqqzjkzl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDTRAIL.PR.1
- arn:aws:controltower:eu-west-2: :control/zwqEGGDWHbmq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDTRAIL.PR.2
- arn:aws:controltower:eu-west-2: :control/zmdjhyxaerww
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-west-2: :control/emtylmyryedc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-west-2: :control/yrilamgjgtfs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-west-2: :control/EdzSiqLZShqt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-west-2: :control/dnhpgcxfajst • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-west-2: :control/zsqdfihssaod • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-west-2: :control/xrrbpvfhmaft • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:eu-west-2: :control/czykfoxdxoae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:eu-west-2: :control/qzkdwotrwslc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:eu-west-2: :control/lteohiiztpfh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-west-2: :control/wlfhtahnsjrk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-west-2: :control/tudozofbnlbj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-west-2: :control/yqfmnrbyqzuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:eu-west-2: :control/udvrxzwehjlq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:eu-west-2: :control/nuxywfvujblh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:eu-west-2: :control/wgooqpqggtcc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-west-2: :control/aplzcdfpgpzo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-west-2: :control/cfnpifzendeo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-west-2: :control/hbahnxqksecw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-west-2: :control/nwutqtyydzbh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-west-2: :control/ribsfvfnwiar • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.1 • arn:aws:controltower:eu-west-2: :control/wyvsvhjyihad • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:eu-west-2: :control/ctadrpgoqihx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:eu-west-2: :control/xrfwipmmybwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-west-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:eu-west-2: :control/jwyslvoeaojj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:eu-west-2: :control/zjdkeanfyumv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:eu-west-2: :control/tbteuvawfljg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:eu-west-2: :control/wvelbowufuvu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:eu-west-2: :control/mipgtozisoww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:eu-west-2: :control/qpbhyhihibih • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:eu-west-2: :control/tovxsjybpscy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:eu-west-2: :control/esfzabhngkfv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:eu-west-2: :control/cjctxiimnfjx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.20 • arn:aws:controltower:eu-west-2: :control/KLTLMNETYYCK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:eu-west-2: :control/RLLXyaJVITSR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:eu-west-2: :control/bmsduhxwmanz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-west-2: :control/xmrezwzeqwzr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:eu-west-2: :control/xaxencpchdjk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:eu-west-2: :control/jrggeilmpzcb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:eu-west-2: :control/ardgjztpmfdp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-west-2: :control/ukgryfsqworg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:eu-west-2: :control/YPAJJQFPQHzQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:eu-west-2: :control/XNMPiqQupZZQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:eu-west-2: :control/vzagiiiiwantb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:eu-west-2: :control/qvtyzilqtnmc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:eu-west-2: :control/uvltshlsbwjz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:eu-west-2: :control/xbrsuvrbmryy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:eu-west-2: :control/gexafjdydcyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:eu-west-2: :control/ieeueqbffcbk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.3 • arn:aws:controltower:eu-west-2: :control/zezbslwhlntz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:eu-west-2: :control/pyrwlzwvzegc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:eu-west-2: :control/bcrkczgdgdil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:eu-west-2: :control/hfpeccdknwon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:eu-west-2: :control/ziqtsjxbfaeb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:eu-west-2: :control/fohvpkzvrHPF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:eu-west-2: :control/aroelfzbbotf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:eu-west-2: :control/ojzfaubepxzp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:eu-west-2: :control/dsnunmwdlpja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:eu-west-2: :control/opdrclsyblyk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:eu-west-2: :control/fsuoyqjviscw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-west-2: :control/lvfaczhpedfz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:eu-west-2: :control/gsvmyftsgkwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:eu-west-2: :control/OGZYDIHGSKFX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:eu-west-2: :control/xkfihaWindzc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:eu-west-2: :control/aphclujkhadw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:eu-west-2: :control/ldblmyqdwybp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:eu-west-2: :control/ipsvu AWSJZKK
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:eu-west-2: :control/GBGWHHGnPrtQ
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:eu-west-2: :control/dzxwkdhydbnp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:eu-west-2: :control/qcupcdgphtur • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-west-2: :control/fkxdpentgvwa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-west-2: :control/mtvwwfcxqebp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-west-2: :control/dipfbsqqpdgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-west-2: :control/mvtldacjzjsz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-west-2: :control/yvbngroysiqy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-west-2: :control/mqvwcuidhkmt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-west-2: :control/mgifgkqensjd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-west-2: :control/sbvgebnobewl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-west-2: :control/nlnhkpuqryeu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-west-2: :control/vxigtpwojkyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-west-2: :control/prrdnzjaolxc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-west-2: :control/lclxradmqqgh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-west-2: :control/joeboyavbhvm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-west-2: :control/iehvgtusgxgn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-west-2: :control/nbzvvroenitm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-west-2: :control/CLRMSttaluwi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-west-2: :control/symceHDRDWZX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-west-2: :control/gyltsxufsdyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-west-2: :control/tnpigoqdbeep • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-west-2: :control/czozumcnaXGV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-west-2: :control/pqecpevqhhku • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-west-2: :control/sedmCNwateli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-west-2: :control/hqhfhtsbartw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-west-2: :control/veqtowinFEKD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:eu-west-2: :control/kegoedvbglrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:eu-west-2: :control/ywoidyyxvqke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-west-2: :Control/UPFHHKEzyocc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:eu-west-2: :control/ngfbinlxwmzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:eu-west-2: :control/padeklsudpra • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-west-2: :control/ezefivkltuww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-west-2: :control/gxtmghvrndor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.IAM.PR.2
- arn:aws:controltower:eu-west-2: :control/aliykftxvncs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.3
- arn:aws:controltower:eu-west-2: :control/dxwzzjdxvqjb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.4
- arn:aws:controltower:eu-west-2: :control/knljbtrbnyoo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.5
- arn:aws:controltower:eu-west-2: :control/tkrbpzklxsob
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-west-2: :control/codjwyqcxoxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:eu-west-2: :control/depfjlbpjfhz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:eu-west-2: :control/bicljdrgfnki • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:eu-west-2: :control/fswtxzunyysf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:eu-west-2: :control/drnwpqvbtzdz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:eu-west-2: :control/igoedzwdkojy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:eu-west-2: :control/kxdlpznoDjld • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-west-2: :control/blbbptzaiqjx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:eu-west-2: :control/czekuuddwaoc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:eu-west-2: :control/xqerzwtpuqec • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-west-2: :control/mkfongavawny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-west-2: :control/hbvcdxcmwqxg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-west-2: :control/qluvoleceobi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-west-2: :control/ylqgbzfvjhhf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-west-2: :control/jzticqhaktat • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-west-2: :control/xnqvYLKQaqHj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-west-2: :control/pyktkpurqelq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:eu-west-2: :control/lzzvhldpxfpk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:eu-west-2: :control/AExpyfqbeDbn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-west-2: :control/kvvdeadxqknc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:eu-west-2: :control/KSSKNNHQHexb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-west-2: :control/pfpyscveVJTP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-west-2: :control/tqgvmtlqclvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-west-2: :control/ocspxmpoabnk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-west-2: :control/vronlzojvxsf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-west-2: :control/roemrzgokqfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-west-2: :control/wxgmitobwcmx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-west-2: :control/isnzydydkgkx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NETWORK-FIREWALL.PR.2
- arn:aws:controltower:eu-west-2: :control/kdgipsoleupz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.3
- arn:aws:controltower:eu-west-2: :control/rlwykmfomthk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.4
- arn:aws:controltower:eu-west-2: :control/qcbvhdiaSDKR
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.5
- arn:aws:controltower:eu-west-2: :control/kqasvjwtlwqw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.1
- arn:aws:controltower:eu-west-2: :control/rygxuzlzwlsw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.10
- arn:aws:controltower:eu-west-2: :control/vykpkmdzgqiw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:eu-west-2: :control/rbaigzphecpa
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:eu-west-2: :control/AbqeJNCVZNTT
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.13
- arn:aws:controltower:eu-west-2: :control/egiaPDZchmog
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.14
- arn:aws:controltower:eu-west-2: :control/llsyovegxgcj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.15
- arn:aws:controltower:eu-west-2: :control/srfwzjmtqrzz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:eu-west-2: :control/qmpilnqujkoc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:eu-west-2: :control/weyqxrfhoqcu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:eu-west-2: :control/hxlihvmxmhfs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:eu-west-2: :control/yzzbkrfxbvmz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:eu-west-2: :control/ycougyazoqna
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-west-2: :control/ereywummxcyd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-west-2: :control/cgyovdbjazly • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:eu-west-2: :control/noaczitnofil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:eu-west-2: :control/nukbiyhbxOKQ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.1 • arn:aws:controltower:eu-west-2: :control/dktuuxjadddb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:eu-west-2: :control/eahgnzjqrujy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:eu-west-2: :control/qpiwxzngMgle • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:eu-west-2: :control/wvsjoprgohet • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.13 • arn:aws:controltower:eu-west-2: :control/vssglbozrhrd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:eu-west-2: :control/dmxhiyjdvvws • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:eu-west-2: :control/ocsrnewrpYwn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:eu-west-2: :control/wuyfxydnpaji • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.17 • arn:aws:controltower:eu-west-2: :control/qajwdrvodfwx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:eu-west-2: :control/kmkthwdxnxim • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:eu-west-2: :control/oyigfynodqcl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:eu-west-2: :control/vvidhbcrckcu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.20 • arn:aws:controltower:eu-west-2: :control/JCFELHAYCQWT • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:eu-west-2: :control/uuovcrjhmurs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:eu-west-2: :control/LuzhXFABWGPZ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:eu-west-2: :control/yvlldquznzt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:eu-west-2: :control/delgucwuvhuc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:eu-west-2: :control/zwyuqwfmKuzl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:eu-west-2: :control/jwqunizdmkfn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:eu-west-2: :control/mnvmjrnlxcyq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.28
- arn:aws:controltower:eu-west-2: :control/bguablzkuwcw
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.29
- arn:aws:controltower:eu-west-2: :control/ctjwzohsykqf
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.3
- arn:aws:controltower:eu-west-2: :control/ihcwendkgmln
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.30
- arn:aws:controltower:eu-west-2: :control/ktirnvtyttdv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:eu-west-2: :control/tbmmmccszfkr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:eu-west-2: :control/dowvujvplqqt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:eu-west-2: :control/iwnfMalkadev • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-west-2: :control/RNNKLRXFOADP • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:eu-west-2: :control/xxueqvoemtbr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:eu-west-2: :control/jqywtskvecre • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-west-2: :control/gytcmrrvkdhe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-west-2: :control/yywxmduaJrmj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-west-2: :control/byitfekiblpm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-west-2: :control/kzseiofdffyq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:eu-west-2: :control/jdkxptyutqnj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-west-2: :control/remwHXaqOGLG • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-west-2: :control/qhwqgovekimh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-west-2: :control/lqvzjbeeqcjf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-west-2: :control/soxmpApmuvya • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:eu-west-2: :control/tgrgaWcjgdot • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:eu-west-2: :control/yjtfsupucwsg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:eu-west-2: :control/ihlvkarqykmh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-west-2: :control/okibgufcimgs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:eu-west-2: :control/dljvqijwpvwk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:eu-west-2: :control/uyijghtlyxyj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:eu-west-2: :control/odqfnkzaverw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-west-2: :control/klpnfiysskex • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:eu-west-2: :control/fabqocrpitai • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:eu-west-2: :control/vmeghezkvrhv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:eu-west-2: :control/ktuxugjyxveo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-west-2: :control/nfmrneasbicm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-west-2: :control/bcodmjvnraye • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:eu-west-2: :control/fflfblhyhrkh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:eu-west-2: :control/ygmmimfhgiHD • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:eu-west-2: :control/mppvbhpmbsnz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:eu-west-2: :control/kdftnmhfbll • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:eu-west-2: :control/hmttwofybduq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:eu-west-2: :control/caganivpbxcm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:eu-west-2: :control/ecjhxmxrzbvq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:eu-west-2: :control/lsgshihblvlx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:eu-west-2: :control/fhtqftbmjhic • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-west-2: :control/wnznwbptaqgs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-west-2: :control/jeghuqjdaJpx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.ACM.1 • arn:aws:controltower:eu-west-2: :control/bkdzmywhgsgh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ACM.2 • arn:aws:controltower:eu-west-2: :control/uylgmfyylotx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.4 • arn:aws:controltower:eu-west-2: :control/rrtyucallknm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Account.1 • arn:aws:controltower:eu-west-2: :control/pztqkpplujqc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling.3 • arn:aws:controltower:eu-west-2: :control/cnfijcjjgmtz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail1 • arn:aws:controltower:eu-west-2: :control/fbwnwoplcwcz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail.6 • arn:aws:controltower:eu-west-2: :control/TlitDemocenk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• SH CodeBuild1 • arn:aws:controltower:eu-west-2: :control/msihjhkzrCLN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2,	
• SH CodeBuild.2 • arn:aws:controltower:eu-west-2: :control/aucsLfjxsjz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-	
• SH CodeBuild.3 • arn:aws:controltower:eu-west-2: :control/fuiofbrisqpw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-	

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CodeBuild.4 • arn:aws:controltower:eu-west-2: :control/kfjkyefrmelb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.DMS.1 • arn:aws:controltower:eu-west-2: :Control/UUZLdxfjSjik • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• ID.DMS.9 • arn:aws:controltower:eu-west-2: :control/wntxelafyvqg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.DocumentDB.3 • arn:aws:controltower:eu-west-2: :control/qhsrzcjabucq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.1 • arn:aws:controltower:eu-west-2: :control/ekjwcmkgilmm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.DynamoDB.2 • arn:aws:controltower:eu-west-2: :control/laxiozreatel • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.DynamoDB.3 • arn:aws:controltower:eu-west-2: :control/nmowqqdrnkdi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.1 • arn:aws:controltower:eu-west-2: :control/xqbhiiqwUMXT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.10 • arn:aws:controltower:eu-west-2: :control/vlmguaixjohe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.15 • arn:aws:controltower:eu-west-2: :control/yzcnthfdjzsh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.16 • arn:aws:controltower:eu-west-2: :control/nrmUbCVGQCZX • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.17 • arn:aws:controltower:eu-west-2: :control/hjjlvnyzlckn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.18 • arn:aws:controltower:eu-west-2: :control/kzwnxdxybtqy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.19 • arn:aws:controltower:eu-west-2: :control/fmqrfkulnuda • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.2 • arn:aws:controltower:eu-west-2: :control/yxdrbsxglsya • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.20 • arn:aws:controltower:eu-west-2: :control/qkhkxoclkmph • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EC2.21
- arn:aws:controltower:eu-west-2: :control/wzmukrgpsnqx
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• ID.EC2.3 • arn:aws:controltower:eu-west-2: :control/tbztshaaemwv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.4 • arn:aws:controltower:eu-west-2: :control/mkjyaffloutw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.6 • arn:aws:controltower:eu-west-2: :control/CTTuxwtGFADQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.7 • arn:aws:controltower:eu-west-2: :control/fhagcbgofczo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.8 • arn:aws:controltower:eu-west-2: :control/yqtwmnprsupz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EC2.9 • arn:aws:controltower:eu-west-2: :control/jqnyrjpwyeun • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECR.1 • arn:aws:controltower:eu-west-2: :control/goshhooldeud • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECR.2 • arn:aws:controltower:eu-west-2: :control/dowlynhvrupz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECR.3 • arn:aws:controltower:eu-west-2: :control/yzoorhcuoiix • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECS.1 • arn:aws:controltower:eu-west-2: :control/wvyxibwptvgt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECS.10 • arn:aws:controltower:eu-west-2: :control/wtdcoBpXKBVY • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECS.12 • arn:aws:controltower:eu-west-2: :control/gimejgboeqri • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.2 • arn:aws:controltower:eu-west-2: :control/mgzapmbptjjc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECS.3 • arn:aws:controltower:eu-west-2: :control/wwvnvnigvlqy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECS.4 • arn:aws:controltower:eu-west-2: :control/hqtxdzncycvt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ECS.5 • arn:aws:controltower:eu-west-2: :control/paqmwthtZyVV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.8 • arn:aws:controltower:eu-west-2: :control/bpvjcgddgsqy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EFS.1 • arn:aws:controltower:eu-west-2: :control/bnxmocojdlxm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EFS.2 • arn:aws:controltower:eu-west-2: :control/crqdnorelcal • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EFS.3 • arn:aws:controltower:eu-west-2: :control/fwtbuwrjmmai • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.4 • arn:aws:controltower:eu-west-2: :control/nlypsjyegsyh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EKS.1 • arn:aws:controltower:eu-west-2: :control/copixeuxpehp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.EKS.2 • arn:aws:controltower:eu-west-2: :control/yijvyzlmawxz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ELB.10 • arn:aws:controltower:eu-west-2: :control/faobzsytlpvt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.ELB.12
- arn:aws:controltower:eu-west-2: :control/qvtsobdyqeaj
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.3 • arn:aws:controltower:eu-west-2: :control/pmruicasdlhv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ELB.4 • arn:aws:controltower:eu-west-2: :control/pwvtdmkgkmjd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ELB.5 • arn:aws:controltower:eu-west-2: :control/xtoukdnicgiv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ELB.6 • arn:aws:controltower:eu-west-2: :control/zvghqehevmAj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.7 • arn:aws:controltower:eu-west-2: :control/vejygwlulhgk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ELB.8 • arn:aws:controltower:eu-west-2: :control/dskpmwlyPDGM • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ELB.9 • arn:aws:controltower:eu-west-2: :control/gzbbchzogdlp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• Sh.elbv2.1 • arn:aws:controltower:eu-west-2: :control/LowUmpQRPIGR • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EMR.1 • arn:aws:controltower:eu-west-2: :control/iggiyastprjg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ES.1 • arn:aws:controltower:eu-west-2: :control/gqvxdqoivyog • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ES.2 • arn:aws:controltower:eu-west-2: :control/jaqamudgaivw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.ES.3 • arn:aws:controltower:eu-west-2: :control/dlchoacbhilf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.4 • arn:aws:controltower:eu-west-2: :control/rvibramtlwxy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.5 • arn:aws:controltower:eu-west-2: :control/wjgqnetaVngc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-
• SH.6 • arn:aws:controltower:eu-west-2: :control/rvwksecgwwep • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.ES.7 • arn:aws:controltower:eu-west-2: :control/jajcfthpcqki • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.8 • arn:aws:controltower:eu-west-2: :control/isvojhdbvfjj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH ElasticBeanstalk1 • arn:aws:controltower:eu-west-2: :control/hykckalqsvgn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH ElasticBeanstalk.2 • arn:aws:controltower:eu-west-2: :control/lwijcvnzkwge • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH EventBridge.3 • arn:aws:controltower:eu-west-2: :control/oghysxxzstra • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH GuardDuty1 • arn:aws:controltower:eu-west-2: :control/wpicosevqtys • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.IAM.1 • arn:aws:controltower:eu-west-2: :control/xzfjdhdjzvrn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.IAM.2 • arn:aws:controltower:eu-west-2: :control/sjwvdqmupeyn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.IAM.21 • arn:aws:controltower:eu-west-2: :control/uszndzrqbzjr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.3 • arn:aws:controltower:eu-west-2: :control/wbmpxaaqfwfj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.IAM.4 • arn:aws:controltower:eu-west-2: :control/pqzzntwbvdma • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.IAM.5 • arn:aws:controltower:eu-west-2: :control/ywkenjujlzui • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.IAM.6 • arn:aws:controltower:eu-west-2: :control/eqqypbmtxuzp • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.7 • arn:aws:controltower:eu-west-2: :control/akbrexbvukly • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.IAM.8 • arn:aws:controltower:eu-west-2: :control/unyqjzPhytyB • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.KMS.1 • arn:aws:controltower:eu-west-2: :control/zhhpiyvvgypr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.KMS.2 • arn:aws:controltower:eu-west-2: :control/pkkcoizmwyxc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.3 • arn:aws:controltower:eu-west-2: :control/mvmzxtdtzzoF • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.KMS.4 • arn:aws:controltower:eu-west-2: :control/pfyjkvbdzvpk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• Sh.kinesis.1 • arn:aws:controltower:eu-west-2: :control/dkoudyfdpeJG • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.Lambda.1 • arn:aws:controltower:eu-west-2: :control/tykoseicgfcj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.2 • arn:aws:controltower:eu-west-2: :control/etxInVueirop • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.Lambda.3 • arn:aws:controltower:eu-west-2: :control/vtjhbpamjpsp • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.Lambda.5 • arn:aws:controltower:eu-west-2: :control/ovfvgqgzlezr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.MQ.5 • arn:aws:controltower:eu-west-2: :control/mwcmtrxtjivb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.MQ.6 • arn:aws:controltower:eu-west-2: :control/cduyeyrcarpn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.MSK.1 • arn:aws:controltower:eu-west-2: :control/zqwgLUDTFVAS • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• Sh.Neptune.1 • arn:aws:controltower:eu-west-2: :control/nwdvpepkhxxd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• Sh.Neptune.2 • arn:aws:controltower:eu-west-2: :control/coqxzkykbnxq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.3 • arn:aws:controltower:eu-west-2: :control/yxjiwsxjekim • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• Sh.Neptune.4 • arn:aws:controltower:eu-west-2: :control/rintjpajkwwu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• Sh.Neptune.5 • arn:aws:controltower:eu-west-2: :control/dcoycpdnyjue • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• Sh.Neptune.6 • arn:aws:controltower:eu-west-2: :control/mzggvmwreolw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.7 • arn:aws:controltower:eu-west-2: :control/zskmjgszrjol • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• Sh.Neptune.8 • arn:aws:controltower:eu-west-2: :control/kynitbyarjgk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH NetworkFirewall.3 • arn:aws:controltower:eu-west-2: :control/sjfauikiwzpf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH NetworkFirewall.4 • arn:aws:controltower:eu-west-2: :control/sbjtkqlkumrb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall.5 • arn:aws:controltower:eu-west-2: :control/zenwxchuohmg • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH NetworkFirewall.6 • arn:aws:controltower:eu-west-2: :control/pdjftmzonxvb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.OpenSearch.1 • arn:aws:controltower:eu-west-2: :control/vrwsavppxkrh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.OpenSearch.2 • arn:aws:controltower:eu-west-2: :control/fqpssrybkfbc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.3 • arn:aws:controltower:eu-west-2: :control/daugszzukkcd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.OpenSearch.4 • arn:aws:controltower:eu-west-2: :control/jpstswtjeddk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.OpenSearch.5 • arn:aws:controltower:eu-west-2: :control/fsordaeqftuw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.OpenSearch.6 • arn:aws:controltower:eu-west-2: :control/kpylkEfVFLLG • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.7 • arn:aws:controltower:eu-west-2: :control/sqmdhkiDebfb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.OpenSearch.8 • arn:aws:controltower:eu-west-2: :control/ububnotqlyhv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.1 • arn:aws:controltower:eu-west-2: :control/elqqdoszopye • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.10 • arn:aws:controltower:eu-west-2: :control/BLXPGHvcwRQD • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.11 • arn:aws:controltower:eu-west-2: :control/pughzstxsxhe • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.12 • arn:aws:controltower:eu-west-2: :control/kwpjslptkzrb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.13 • arn:aws:controltower:eu-west-2: :control/yeqbfmezzyky • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.15 • arn:aws:controltower:eu-west-2: :Control/OGMFCZEGTRHD • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.17 • arn:aws:controltower:eu-west-2: :control/zczuydtuhioi • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.18 • arn:aws:controltower:eu-west-2: :control/zzhoczffhras • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.19 • arn:aws:controltower:eu-west-2: :control/wjyrsjukcxtx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.2 • arn:aws:controltower:eu-west-2: :control/slibaucmrgdz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.20 • arn:aws:controltower:eu-west-2: :control/scdhepmdrzyd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• RDS.21 • arn:aws:controltower:eu-west-2: :control/irebvnncjfqn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.22 • arn:aws:controltower:eu-west-2: :control/USADzkongewl • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.23 • arn:aws:controltower:eu-west-2: :control/plkdxqodkbcm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.25 • arn:aws:controltower:eu-west-2: :control/rvsfmkxoobzs • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• RDS.27 • arn:aws:controltower:eu-west-2: :control/tzipaekmftmh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2
• SH.RDS.3 • arn:aws:controltower:eu-west-2: :control/zqcgvrdnlzek • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.RDS.4 • arn:aws:controltower:eu-west-2: :control/czguuslyjxeq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.RDS.5
- arn:aws:controltower:eu-west-2: :control/hktfgmwlcxvs
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

- SH.RDS.6
- arn:aws:controltower:eu-west-2: :control/fuvwspbrwrmj
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

- SH.RDS.8
- arn:aws:controltower:eu-west-2: :control/vqmcvfxhfaqq
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

- SH.RDS.9
- arn:aws:controltower:eu-west-2: :control/kmldobvzxkct
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.1 • arn:aws:controltower:eu-west-2: :control/rhxemvqogmny • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Redshift.10 • arn:aws:controltower:eu-west-2: :control/zvkxztunflsz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Redshift.2 • arn:aws:controltower:eu-west-2: :control/bazmhryhvcqg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Redshift.4 • arn:aws:controltower:eu-west-2: :control/jlwrgfbttboi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.6 • arn:aws:controltower:eu-west-2: :control/ygtsskvhagtu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Redshift.7 • arn:aws:controltower:eu-west-2: :control/fdqxvyaljbat • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Redshift.8 • arn:aws:controltower:eu-west-2: :control/dipeqyzcpmle • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• Sh.Redshift.9 • arn:aws:controltower:eu-west-2: :control/PMKUADemalEE • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.S3.1
- arn:aws:controltower:eu-west-2: :control/bfohyizslokr
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

- SH.S3.10
- arn:aws:controltower:eu-west-2: :control/jdvmzoqvcgke
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

- SH.S3.11
- arn:aws:controltower:eu-west-2: :control/jqlfneuiamqv
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

- SH.S3.12
- arn:aws:controltower:eu-west-2: :control/wqicvapwayez
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.13 • arn:aws:controltower:eu-west-2: :control/TWVXCPMNSEvc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.S3.17 • arn:aws:controltower:eu-west-2: :control/svuzwotrlcso • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.S3.2 • arn:aws:controltower:eu-west-2: :control/tnveodwblgqt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.S3.3 • arn:aws:controltower:eu-west-2: :control/zqlffhmBnqf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.5 • arn:aws:controltower:eu-west-2: :control/prnyxiygvrxn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.S3.6 • arn:aws:controltower:eu-west-2: :control/mgobafxhhmuh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.S3.8 • arn:aws:controltower:eu-west-2: :control/lmejyapavgxw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.S3.9 • arn:aws:controltower:eu-west-2: :control/tzqiugsnxxng • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SQS.1 • arn:aws:controltower:eu-west-2: :control/areayhkbsdvf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.SSM.1 • arn:aws:controltower:eu-west-2: :control/zqstfgetewja • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SSM.SSM.2 • arn:aws:controltower:eu-west-2: :control/omnumqwskxcr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.SSM.3 • arn:aws:controltower:eu-west-2: :control/icktkxthfzdk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.4 • arn:aws:controltower:eu-west-2: :control/vjyrngsbxcnm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH SageMaker1 • arn:aws:controltower:eu-west-2: :control/tuioopqfsybc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH SageMaker.2 • arn:aws:controltower:eu-west-2: :control/cqecikkxjujn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH SageMaker.3 • arn:aws:controltower:eu-west-2: :control/phgbykrhrvzn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager1 • arn:aws:controltower:eu-west-2: :control/paptnhxgbyVu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH SecretsManager.2 • arn:aws:controltower:eu-west-2: :control/hkcsaHjcyobe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH SecretsManager.3 • arn:aws:controltower:eu-west-2: :control/hlnbtxeoyzhv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH SecretsManager.4 • arn:aws:controltower:eu-west-2: :control/qnrchtjkuiiz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.10 • arn:aws:controltower:eu-west-2: :control/wwobbvwwigzc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.WAF.2 • arn:aws:controltower:eu-west-2: :control/cbnphnxpNMzg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.WAF.3 • arn:aws:controltower:eu-west-2: :control/muhovsWieMKQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2
• SH.WAF.4 • arn:aws:controltower:eu-west-2: :control/xkbuffxzksup • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, us-west-2, us-west-2, us-west-2 , us-west-2

eu-west-3

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_audit_bucket_public_read_banned

Pengenal kontrol, ARN, dan Wilayah yang didukung
• af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:eu-west-3: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:eu-west-3: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:eu-west-3: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:eu-west-3: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:eu-west-3: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:eu-west-3: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:eu-west-3: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:eu-west-3: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:eu-west-3: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:eu-west-3: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-1, sa-east-1, us-east-1, t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:eu-west-3: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:eu-west-3: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:eu-west-3: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, sa-south-1, sa-east-1, us-east-1, us-east-2, us-central-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:eu-west-3: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:eu-west-3: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:eu-west-3: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-1, eu-west-2, eu-west-3, eu-west-3, meu-west-3, meu-west-3, meu-west-1, eu-west-2, eu-west-3, meu-west-3, meu-we-central-1, us-west-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-1 , us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:eu-barat-3: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:eu-west-3: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-southeast-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-northeast-1, ap-southeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:eu-west-3: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:eu-west-3: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-northeast-1, ap-southeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:eu-west-3: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:eu-west-3: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:eu-west-3: :control/aws-gr_rds_storage_encrypted • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:eu-west-3: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:eu-west-3: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:eu-west-3: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:eu-west-3: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:eu-west-3: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_root_account_mfa_enabled • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:eu-west-3: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:eu-west-3: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:eu-west-3: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:eu-west-3: :control/aws-gr_ssm_document_not_public • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:eu-west-3: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:eu-west-3: :control/deojhgudmvvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:eu-west-3: :control/vjllsiziuqrw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:eu-west-3: :control/guyfehmsfwne • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:eu-west-3: :control/qskruwxuneuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:eu-west-3: :control/ooiwaztwkkpe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:eu-west-3: :control/jngatiwvccys • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:eu-west-3: :control/ftmjqqmLwiID • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:eu-west-3: :control/qufddhhuweed • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:eu-west-3: :control/kpjymsgquone • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:eu-west-3: :control/nsuwzxlbbzgu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:eu-west-3: :control/vycgkmztlqbb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:eu-west-3: :control/fhcexhbwdkid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:eu-west-3: :control/fsufjswnSeor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:eu-west-3: :control/xxxdcqwyzwyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.AUTOSCALING.PR.1
- arn:aws:controltower:eu-west-3: :control/luritykmzldh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.AUTOSCALING.PR.10
- arn:aws:controltower:eu-west-3: :control/xuxckehnsBog
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.AUTOSCALING.PR.11
- arn:aws:controltower:eu-west-3: :Control/HNIZWLRFKMZJ
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.AUTOSCALING.PR.2
- arn:aws:controltower:eu-west-3: :control/ribmfynuijwg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:eu-west-3: :Control/HHTBCToypGHz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:eu-west-3: :control/IHWPSXMexifN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:eu-west-3: :control/vvhbdvaencxm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:eu-west-3: :control/dqvzdzgyrisn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:eu-west-3: :control/exrjitrplsjj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:eu-west-3: :control/pxuhpqaivtcu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:eu-west-3: :control/ITcbsoqobudp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:eu-west-3: :control/jscpkfbptufx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:eu-west-3: :control/hapusNwopexi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:eu-west-3: :control/vtspojehakzn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:eu-west-3: :control/ydqtlqwzbpxO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:eu-west-3: :control/gwboibmaavzc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:eu-west-3: :control/czaghrzSABRN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:eu-west-3: :control/apqprhgkfwyo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:eu-west-3: :control/vkcenikdhwli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:eu-west-3: :control/onppieaalzuc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:eu-west-3: :control/euowqlxwfgnq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:eu-west-3: :control/kdfzjgdkjdxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:eu-west-3: :control/qcmjJogtGECG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:eu-west-3: :control/bbeodoclacok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:eu-west-3: :control/hdtldoksvhcs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:eu-west-3: :control/gvinkythstyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:eu-west-3: :control/qcszcqyguuvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:eu-west-3: :control/wqclcwxdfyls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:eu-west-3: :control/hpaieioarueq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CODEBUILD.PR.1
- arn:aws:controltower:eu-west-3: :control/lfqqpetwuewp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.CODEBUILD.PR.2
- arn:aws:controltower:eu-west-3: :control/fhzhyyescqdf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.CODEBUILD.PR.3
- arn:aws:controltower:eu-west-3: :control/qnqumyvidfex
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:eu-west-3: :control/cubuewncwwle • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:eu-west-3: :control/ylcnqjwsxlbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:eu-west-3: :control/pbmmrkgqlqsp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:eu-west-3: :control/rdixqorvuytx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:eu-west-3: :control/vxdldzazjhup • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:eu-west-3: :control/eosdynkigawa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:eu-west-3: :control/ufyauprmcmwx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:eu-west-3: :control/acfermcuqlyd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:eu-west-3: :control/jxplmtuaetrj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:eu-west-3: :control/zzzatcbzsqzs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.2 • arn:aws:controltower:eu-west-3: :control/qvmdxanqfbca • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:eu-west-3: :control/yairlgksvpzs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:eu-west-3: :control/yjmlrilgrbse • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.11 • arn:aws:controltower:eu-west-3: :control/azqorbohzjmi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:eu-west-3: :control/jcoyusuwirjx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:eu-west-3: :control/bwhesszgtpfw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:eu-west-3: :control/qtnfaugutmhb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:eu-west-3: :control/uuxdvlgsykwg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:eu-west-3: :control/bijjdujchvwq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.17 • arn:aws:controltower:eu-west-3: :control/slvmagisuxiw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:eu-west-3: :control/xnftracvsijh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:eu-west-3: :control/yuczsocfiiyl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.2 • arn:aws:controltower:eu-west-3: :control/sstrqdhrjjfx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:eu-west-3: :control/rezizgdehwrf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:eu-west-3: :control/oohnqeezasse • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.4 • arn:aws:controltower:eu-west-3: :control/ajjmzxyczhpo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:eu-west-3: :control/gchxilwgopbi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:eu-west-3: :control/ukgtswxiioej • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:eu-west-3: :control/zqjjbprozeJK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:eu-west-3: :control/zztqvttcxgir • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:eu-west-3: :control/rihkqevjlwkw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:eu-west-3: :control/eaxmqnvtmksr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:eu-west-3: :control/iqbwwlowsjgw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:eu-west-3: :control/zccrtdvkbpmw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.4 • arn:aws:controltower:eu-west-3: :control/mxjhntcscijs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:eu-west-3: :control/nflpmhinybwp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:eu-west-3: :control/fsubqpeadbik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECR.PR.1
- arn:aws:controltower:eu-west-3: :control/cxodzhxmcvee
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.ECR.PR.2
- arn:aws:controltower:eu-west-3: :control/ybydpisafgvj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.ECR.PR.3
- arn:aws:controltower:eu-west-3: :control/fnbipnprwvqx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:eu-west-3: :control/tfujiaebmcwo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:eu-west-3: :control/zbumweybehmp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:eu-west-3: :control/hngjinpeuoqw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.12 • arn:aws:controltower:eu-west-3: :control/frgkekwrnafi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:eu-west-3: :control/oiucpbxnkyym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:eu-west-3: :control/efdxhwmrvirk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.4 • arn:aws:controltower:eu-west-3: :control/nmyhlhTRRSMF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:eu-west-3: :control/xcqqpqzsyjql • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:eu-west-3: :control/sxgyeszkkjty • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.7 • arn:aws:controltower:eu-west-3: :control/imynhrnbggdp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:eu-west-3: :control/YpNpAbpWvPna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:eu-west-3: :control/jdntxdqrRagr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:eu-west-3: :control/vwlnwlzmkrgc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.2 • arn:aws:controltower:eu-west-3: :control/ybofkaFgrjzb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:eu-west-3: :control/xexhsveahlhk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:eu-west-3: :control/cvpbokrkcetx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:eu-west-3: :control/mqkwjqjdjdun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:eu-west-3: :control/abkngzglilsp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:eu-west-3: :control/atoctjsqazeo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:eu-west-3: :control/cwhxtkayaxvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:eu-west-3: :control/onhsutrttlun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:eu-west-3: :control/ggmnnhmjspcz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:eu-west-3: :control/wrzbloagjnmn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:eu-west-3: :control/njtalllwvrew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:eu-west-3: :control/gcsygtpyPSLQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:eu-west-3: :control/lwiuiloqalza • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:eu-west-3: :control/ggdjkzwmhikz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:eu-west-3: :control/veddjxmckqch • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:eu-west-3: :control/tovqixndqmxw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:eu-west-3: :control/fbdacbteASNT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:eu-west-3: :control/LuvnyzmNobru • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:eu-west-3: :control/tiexxspkpjbm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:eu-west-3: :control/ixoezmsdxzwd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:eu-west-3: :control/gqxwfkuiiyza • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:eu-west-3: :control/ztohlmitrhnv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:eu-west-3: :control/rqyjfnynjjJuS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:eu-west-3: :control/kzueddhypjae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:eu-west-3: :control/qrqeuqsjgtqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:eu-west-3: :control/aivqiypfviva • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:eu-west-3: :control/vzjkbzolbbes • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:eu-west-3: :control/AOXHNCAFxeqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:eu-west-3: :control/vantxkgtyifb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:eu-west-3: :control/crjeoqpbhuyn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:eu-west-3: :control/tedbemvaajto • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:eu-west-3: :control/ktmocntsaxol • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.2 • arn:aws:controltower:eu-west-3: :control/opafiwvubiif • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:eu-west-3: :control/qvnknujgszid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:eu-west-3: :control/tqdrkjostgfe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:eu-west-3: :control/ULXVMADmbHBW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:eu-west-3: :control/ygkbdkcnxmas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:eu-west-3: :Control/WNQGLXPxUgQT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:eu-west-3: :control/raynnmfdyevc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:eu-west-3: :control/cxlkiugcjvbv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.4 • arn:aws:controltower:eu-west-3: :control/pauxsalawtjl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:eu-west-3: :control/prbdwmndxlju • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:eu-west-3: :control/yanndpdjpdkt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:eu-west-3: :control/aoqxvquaujrv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.KMS.PR.2
- arn:aws:controltower:eu-west-3: :control/qasohpdrftmq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.KMS.PR.3
- arn:aws:controltower:eu-west-3: :control/nxgjvolkxvtz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.KMS.PV.1
- arn:aws:controltower:eu-west-3: :control/hmsaactpkbql
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.KMS.PV.2
- arn:aws:controltower:eu-west-3: :control/oyjnxiwxwrif
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.3 • arn:aws:controltower:eu-west-3: :control/ntdoxxvroyna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:eu-west-3: :control/zbasizleuixt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:eu-west-3: :control/kdmslnrtxcve • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:eu-west-3: :control/phuvldsbunve • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.2 • arn:aws:controltower:eu-west-3: :control/irvlxvejrtud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:eu-west-3: :control/ijvoxesxucqj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:eu-west-3: :control/uuiqoljjwcso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:eu-west-3: :control/gijhaeaJFHIV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.6 • arn:aws:controltower:eu-west-3: :control/bguyyodqxmjf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:eu-west-3: :control/siualblgDTMO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:eu-west-3: :control/mjdnuhxzaxbb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:eu-west-3: :control/zhdmqvitajuy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.2 • arn:aws:controltower:eu-west-3: :control/wbvreamaqfhu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:eu-west-3: :control/IUSvkeKarnag • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:eu-west-3: :control/lqdetgyrpnbe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:eu-west-3: :control/ggawfntsdaeq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.1 • arn:aws:controltower:eu-west-3: :control/xpUCIKNRWZQY • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:eu-west-3: :control/ilbyoebhnjpw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:eu-west-3: :control/eefobfrqozlo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:eu-west-3: :control/kmomzhhlsjwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:eu-west-3: :control/qfwsbpvihiic • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:eu-west-3: :control/voszjfyqwknn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NETWORK-FIREWALL.PR.2
- arn:aws:controltower:eu-west-3: :control/tmfxxpmejcka
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NETWORK-FIREWALL.PR.3
- arn:aws:controltower:eu-west-3: :control/laghsxbmePCR
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NETWORK-FIREWALL.PR.4
- arn:aws:controltower:eu-west-3: :control/psxixhkfmzyd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:eu-west-3: :control/yhghtnjvifpu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:eu-west-3: :control/quxxzodonxry • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:eu-west-3: :control/kgqimwoduhuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:eu-west-3: :control/iyyiwmlmyegn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:eu-west-3: :control/higdeerkyhks
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.13
- arn:aws:controltower:eu-west-3: :control/wwwkebanhsyo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.14
- arn:aws:controltower:eu-west-3: :control/gvqqkjdzibum
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.15
- arn:aws:controltower:eu-west-3: :control/efhxqgwqszek
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:eu-west-3: :control/rhpsfidonvgy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:eu-west-3: :control/neejcatzeimw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:eu-west-3: :control/mtarConvtLox
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:eu-west-3: :control/UHBZCFPBQDRL
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:eu-west-3: :control/uswetiyxxfth • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:eu-west-3: :control/hrqelgwrnofe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:eu-west-3: :control/thxoaxrjolpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.8
- arn:aws:controltower:eu-west-3: :control/rtmlttplsdqu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.9
- arn:aws:controltower:eu-west-3: :control/cuudcpzyqedd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.1
- arn:aws:controltower:eu-west-3: :control/ragakmucimrj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:eu-west-3: :control/iXRCLTJdiner • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:eu-west-3: :control/ocjritlfykti • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:eu-west-3: :control/behcrcbsqeyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.13
- arn:aws:controltower:eu-west-3: :control/ufcjqeniqmlm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.14
- arn:aws:controltower:eu-west-3: :control/addpnhnpioyv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.15
- arn:aws:controltower:eu-west-3: :control/njjlpgDhhzwO
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:eu-west-3: :control/odzobmqwavbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:eu-west-3: :control/wectxddeggmv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:eu-west-3: :control/gfmloenirntc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.19
- arn:aws:controltower:eu-west-3: :control/yxsnoecrrpco
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.2
- arn:aws:controltower:eu-west-3: :control/hrracfgwiyqk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.20
- arn:aws:controltower:eu-west-3: :control/qoqddphnuibx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:eu-west-3: :control/ruozmjsAdvlm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:eu-west-3: :control/unhycCawperq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:eu-west-3: :control/aqygazwhdbus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:eu-west-3: :control/zigyaiceydye • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:eu-west-3: :control/yraesyfgccex • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:eu-west-3: :control/kbihfzmxxldb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.27 • arn:aws:controltower:eu-west-3: :control/nrcurwpdrvcj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:eu-west-3: :control/jphfkuypixoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:eu-west-3: :control/lyjnhzcjmwwu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.3 • arn:aws:controltower:eu-west-3: :control/xdfkdluraack • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:eu-west-3: :control/hveMrbonmuae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:eu-west-3: :control/nvtAlruxitez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:eu-west-3: :control/iudqbupozzdc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:eu-west-3: :control/mlkhavavkxzm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:eu-west-3: :control/unixacixzygs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:eu-west-3: :control/cukmuvuzeymy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:eu-west-3: :control/rwjvbphgkpej • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:eu-west-3: :control/ysttbphvaizb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:eu-west-3: :control/bmhvjqcpzycs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:eu-west-3: :control/ofqpeflhyemq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:eu-west-3: :control/eaqfeoaznuwh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:eu-west-3: :control/oksrlwuxppfr • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.6 • arn:aws:controltower:eu-west-3: :control/ygxmjypawnup • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:eu-west-3: :control/qpdqnigeigeq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eeu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:eu-west-3: :control/kchbfrllrixu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:eu-west-3: :control/mpedxgcibipd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.1 • arn:aws:controltower:eu-west-3: :Control/LHQHRbBjLogX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:eu-west-3: :control/lobzzysxKuek • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:eu-west-3: :control/lglayyieoeen • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:eu-west-3: :control/qxhdssdrzjge • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.2 • arn:aws:controltower:eu-west-3: :control/EHHLHRKQkedX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:eu-west-3: :control/keogauvagiwc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:eu-west-3: :control/fwdlbiiqyixw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:eu-west-3: :control/UHGKAZqpwhyd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.6 • arn:aws:controltower:eu-west-3: :control/suhietmcjfvc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:eu-west-3: :control/jsfwyvsjeblh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:eu-west-3: :control/eqcsozemfeos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:eu-west-3: :control/kvushdizgcfc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:eu-west-3: :control/tetzpagydajq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:eu-west-3: :control/nrpxzdrcfvem • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:eu-west-3: :control/itbukbxklprh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:eu-west-3: :control/uwkpbogumvax • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:eu-west-3: :control/jgqqrqvfLGDJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:eu-west-3: :control/gcmxgsvVieut • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:eu-west-3: :Control/PLLmIJKTGYDC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:eu-west-3: :control/trzoiidybnna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.1 • arn:aws:controltower:eu-west-3: :control/jspzjewvuvfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:eu-west-3: :control/xqqxgfihzhqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:eu-west-3: :control/rqxlaXerbfah • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:eu-west-3: :control/kjzydzbllwoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.ACM.1 • arn:aws:controltower:eu-west-3: :control/ejgklxxbaeet • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ACM.2 • arn:aws:controltower:eu-west-3: :control/rlnqfiybcumk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• Sh.apigateway.1 • arn:aws:controltower:eu-west-3: :control/oudkzhufmkxz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• Sh.apigateway.2 • arn:aws:controltower:eu-west-3: :control/uosohijthfco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• Sh.apigateway.3 • arn:aws:controltower:eu-west-3: :control/vyxbbucnmvkx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• Sh.apigateway.4 • arn:aws:controltower:eu-west-3: :control/huhcozdvspfj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:eu-west-3: :control/ctjiiunyjewz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• Sh.apigateway.8 • arn:aws:controltower:eu-west-3: :control/exxwwspfgnmL • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• Sh.apigateway.9 • arn:aws:controltower:eu-west-3: :control/iwtdnhaovxwz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.Account.1 • arn:aws:controltower:eu-west-3: :control/kiimxdnabimq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH AppSync.5 • arn:aws:controltower:eu-west-3: :control/ulchfpzdtymp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling0,1 • arn:aws:controltower:eu-west-3: :control/lmydoaqoqoyc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH AutoScaling0,2 • arn:aws:controltower:eu-west-3: :control/xytujneixona • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH AutoScaling0,3 • arn:aws:controltower:eu-west-3: :control/ozfkelnywuqy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH AutoScaling0,6 • arn:aws:controltower:eu-west-3: :control/hxjmezavxvyo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH AutoScaling0,9 • arn:aws:controltower:eu-west-3: :control/lusxklykyrgk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Autoscaling.5 • arn:aws:controltower:eu-west-3: :control/vyyiaPrljmXu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CloudTrail0,1 • arn:aws:controltower:eu-west-3: :control/zjrgxppxvabv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CloudTrail0,2 • arn:aws:controltower:eu-west-3: :control/qrdxcehxzqvs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CloudTrail0,4 • arn:aws:controltower:eu-west-3: :control/dwzlulaubffl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CloudTrail.5 • arn:aws:controltower:eu-west-3: :control/dzeZViwhTema • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail0,6 • arn:aws:controltower:eu-west-3: :control/LALfkcqheleu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CodeBuild0,1 • arn:aws:controltower:eu-west-3: :control/MelsckPsezzx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CodeBuild0,2 • arn:aws:controltower:eu-west-3: :control/dzsvnxmibqoh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CodeBuild0,3 • arn:aws:controltower:eu-west-3: :control/odqhqaudeeco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH CodeBuild0,4 • arn:aws:controltower:eu-west-3: :control/lwfggpazxpfv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DMS.1 • arn:aws:controltower:eu-west-3: :Control/FJWDHHHBnJGDS • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• ID.DMS.9 • arn:aws:controltower:eu-west-3: :control/bxjtjfzcwogj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.DocumentDB.3 • arn:aws:controltower:eu-west-3: :control/eIPkrkmdqfww • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.DynamoDB.1 • arn:aws:controltower:eu-west-3: :control/atqhgwqorvyz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.DynamoDB.2 • arn:aws:controltower:eu-west-3: :control/urjszzmBwzPK • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.3 • arn:aws:controltower:eu-west-3: :control/yvwixuilmdit • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.EC2.1 • arn:aws:controltower:eu-west-3: :control/fbqfdkyysjvi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.EC2.10 • arn:aws:controltower:eu-west-3: :control/ipuxyydaqxvb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.EC2.15 • arn:aws:controltower:eu-west-3: :control/eIQBRXFUpGMQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, us-west-1, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2
• SH.EC2.16 • arn:aws:controltower:eu-west-3: :control/droytljvmlbr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.17 • arn:aws:controltower:eu-west-3: :control/zqarmcqapsww • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.18 • arn:aws:controltower:eu-west-3: :control/vdinnrtbmhlp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.19 • arn:aws:controltower:eu-west-3: :control/uudrzyigigXK • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.2 • arn:aws:controltower:eu-west-3: :control/tddohotfixlp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.20 • arn:aws:controltower:eu-west-3: :control/laqnpjixgrkn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.21 • arn:aws:controltower:eu-west-3: :control/bisphfgosvpq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.22 • arn:aws:controltower:eu-west-3: :control/okamdkpodgvh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.23 • arn:aws:controltower:eu-west-3: :control/mkpobinbpvjp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.25 • arn:aws:controltower:eu-west-3: :control/drauxwzuwcmj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• ID.EC2.3 • arn:aws:controltower:eu-west-3: :control/vdkpjcLcxqXP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.4 • arn:aws:controltower:eu-west-3: :control/cucaowngmheu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.6 • arn:aws:controltower:eu-west-3: :control/fwexuokajabw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.7 • arn:aws:controltower:eu-west-3: :control/kkprssacqywb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.8 • arn:aws:controltower:eu-west-3: :control/lfdvaaxjlznb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EC2.9 • arn:aws:controltower:eu-west-3: :control/ymhvdaulaaxn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECR.1 • arn:aws:controltower:eu-west-3: :control/fvbldvjdbing • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECR.2 • arn:aws:controltower:eu-west-3: :control/cfenkycnlfuq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECR.3 • arn:aws:controltower:eu-west-3: :control/udieiiaDbppz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECS.1 • arn:aws:controltower:eu-west-3: :control/kjdqiumddlye • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECS.10 • arn:aws:controltower:eu-west-3: :control/xuepvhsypadk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.12 • arn:aws:controltower:eu-west-3: :control/pqejonxbitpm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECS.2 • arn:aws:controltower:eu-west-3: :control/AtlaWWQGPgkl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECS.3 • arn:aws:controltower:eu-west-3: :control/pjovtfeheakv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECS.4 • arn:aws:controltower:eu-west-3: :control/styzixtvyttf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.5 • arn:aws:controltower:eu-west-3: :control/jfibzvcagggd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ECS.8 • arn:aws:controltower:eu-west-3: :control/mvnpgrmjpaiv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EFS.1 • arn:aws:controltower:eu-west-3: :control/tpnlrfvpugon • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EFS.2 • arn:aws:controltower:eu-west-3: :control/yvvviwnydviw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.3 • arn:aws:controltower:eu-west-3: :control/emndtrbbzaod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EFS.4 • arn:aws:controltower:eu-west-3: :control/smeieqrefmgp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EKS.1 • arn:aws:controltower:eu-west-3: :control/xuxstehhkxoy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EKS.2 • arn:aws:controltower:eu-west-3: :control/ekdiuqeystom • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.10 • arn:aws:controltower:eu-west-3: :control/XBJIKRKMXAOD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.12 • arn:aws:controltower:eu-west-3: :control/jbhkdyckjgih • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.13 • arn:aws:controltower:eu-west-3: :control/pivsoaxmrwdv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.14 • arn:aws:controltower:eu-west-3: :control/kgemszytabfz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.2 • arn:aws:controltower:eu-west-3: :control/ydxjfeakhtbr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.3 • arn:aws:controltower:eu-west-3: :control/wbbzpunujizw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.4 • arn:aws:controltower:eu-west-3: :control/uqlqvfubnhbw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.5 • arn:aws:controltower:eu-west-3: :control/njnqrvlhtoel • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.6 • arn:aws:controltower:eu-west-3: :control/lgirhzsfpfyq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.7 • arn:aws:controltower:eu-west-3: :control/nmsvijuwetdu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.8 • arn:aws:controltower:eu-west-3: :control/yypwrlinuddz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ELB.9 • arn:aws:controltower:eu-west-3: :control/rjlyxaxgelhq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.elbv2.1 • arn:aws:controltower:eu-west-3: :control/gwlfgqoftRsi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.EMR.1 • arn:aws:controltower:eu-west-3: :control/seffpsxrzcdd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ES.1 • arn:aws:controltower:eu-west-3: :control/kzbvipylqach • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ES.2 • arn:aws:controltower:eu-west-3: :control/ogktbrbtrflo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.3 • arn:aws:controltower:eu-west-3: :control/BemdkyrvfDoa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ES.4 • arn:aws:controltower:eu-west-3: :control/ncuuhdfhmxwj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH0,5 • arn:aws:controltower:eu-west-3: :control/xuditoxtglvi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ES.6 • arn:aws:controltower:eu-west-3: :control/iiufdvusunlt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.7 • arn:aws:controltower:eu-west-3: :control/evumeqkjccqo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.ES.8 • arn:aws:controltower:eu-west-3: :control/awdidnmovpqy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH ElasticBeanstalk0,1 • arn:aws:controltower:eu-west-3: :control/pzzgzmwjzjub • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH ElasticBeanstalk0,2 • arn:aws:controltower:eu-west-3: :control/ohjmukrrcYai • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH EventBridge0,3 • arn:aws:controltower:eu-west-3: :control/qvspnjkspqyk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH GuardDuty0,1 • arn:aws:controltower:eu-west-3: :control/fcedimuytoru • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.IAM.1 • arn:aws:controltower:eu-west-3: :control/cfrouvimjidn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.IAM.2 • arn:aws:controltower:eu-west-3: :control/zdzrsnrnroax • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.21 • arn:aws:controltower:eu-west-3: :control/zictmaGIpbnj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.IAM.3 • arn:aws:controltower:eu-west-3: :control/xqfzkzxqpjlg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.IAM.4 • arn:aws:controltower:eu-west-3: :control/jqixbflcexkn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-1, us-east-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-
• SH.IAM0,5 • arn:aws:controltower:eu-west-3: :control/wxqufeuzxqlb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.6 • arn:aws:controltower:eu-west-3: :control/wttohmybkcfd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.IAM.7 • arn:aws:controltower:eu-west-3: :control/ievzfdcmjqbo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.IAM.8 • arn:aws:controltower:eu-west-3: :control/oppeljvthmaq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.KM.KM.1 • arn:aws:controltower:eu-west-3: :control/gtncxjxjamyn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.2 • arn:aws:controltower:eu-west-3: :control/uoewohqtfmzc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.KMS.3 • arn:aws:controltower:eu-west-3: :control/hshoqzgiqhcr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.KMS.4 • arn:aws:controltower:eu-west-3: :control/BJNowwJoctha • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.kinesis.1 • arn:aws:controltower:eu-west-3: :control/ahsfqwofmnrn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.1 • arn:aws:controltower:eu-west-3: :control/bgdfnhltpmue • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.Lambda.2 • arn:aws:controltower:eu-west-3: :control/mnlnhlmnftwz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.Lambda.3 • arn:aws:controltower:eu-west-3: :control/wnzvtliznqmh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.lambda.5 • arn:aws:controltower:eu-west-3: :control/cjbtydoanlph • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.MQ.5 • arn:aws:controltower:eu-west-3: :control/ighaliqshbfl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.MQ.6 • arn:aws:controltower:eu-west-3: :control/vcjwhyalyqmc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• MSK.MSK.1 • arn:aws:controltower:eu-west-3: :control/tpjqemshiiod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Neptune.1 • arn:aws:controltower:eu-west-3: :control/fmpkpqkutujs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.2 • arn:aws:controltower:eu-west-3: :control/ivqmallvrgxw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Neptune.3 • arn:aws:controltower:eu-west-3: :control/azvyvlxsemih • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Neptune.4 • arn:aws:controltower:eu-west-3: :control/akzdxqmjaomp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Neptune.5 • arn:aws:controltower:eu-west-3: :control/ipxrsrryyrjc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.6 • arn:aws:controltower:eu-west-3: :control/mdugrjdvhoan • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Neptune.7 • arn:aws:controltower:eu-west-3: :control/yyrzenlbfmkw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Neptune.8 • arn:aws:controltower:eu-west-3: :control/ylguuujtSQLD • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH NetworkFirewall0,3 • arn:aws:controltower:eu-west-3: :control/PRDCUMrodgQB • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall0,4 • arn:aws:controltower:eu-west-3: :control/nyonnggehzhp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH NetworkFirewall.5 • arn:aws:controltower:eu-west-3: :control/bvmxmmwxnckr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH NetworkFirewall0,6 • arn:aws:controltower:eu-west-3: :control/ndclxmqmsorr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.OpenSearch.1 • arn:aws:controltower:eu-west-3: :control/nrdkLfiuehur • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.2 • arn:aws:controltower:eu-west-3: :control/lcppnuyqsnqc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.OpenSearch.3 • arn:aws:controltower:eu-west-3: :control/ozkijcnpybyq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.OpenSearch.4 • arn:aws:controltower:eu-west-3: :control/tttmilstliia • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.OpenSearch.5 • arn:aws:controltower:eu-west-3: :control/wyxullghHOf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.6 • arn:aws:controltower:eu-west-3: :control/trtpxuqnqske • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.OpenSearch.7 • arn:aws:controltower:eu-west-3: :control/qhkuxltqgopu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.OpenSearch.8 • arn:aws:controltower:eu-west-3: :control/ebzsateextke • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.1 • arn:aws:controltower:eu-west-3: :control/bjulhhbjypsz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.10 • arn:aws:controltower:eu-west-3: :control/dktihazfwvqa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.11 • arn:aws:controltower:eu-west-3: :control/noxeGpplRehn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.12 • arn:aws:controltower:eu-west-3: :control/VHGKHDTueGuu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.13 • arn:aws:controltower:eu-west-3: :control/qmxtrqbygtdf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.15 • arn:aws:controltower:eu-west-3: :control/qbrsrbtjpwbo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.17 • arn:aws:controltower:eu-west-3: :control/bzzsmknbilcf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.18 • arn:aws:controltower:eu-west-3: :control/sweqgxniMhxt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.19 • arn:aws:controltower:eu-west-3: :control/pweqifvknzub • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.2 • arn:aws:controltower:eu-west-3: :control/wlpkiqhxvsri • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.20 • arn:aws:controltower:eu-west-3: :control/jwyaTNKBGECV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• RDS.21 • arn:aws:controltower:eu-west-3: :control/uempporpoexd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.22 • arn:aws:controltower:eu-west-3: :control/MemsFTMayjck • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.23 • arn:aws:controltower:eu-west-3: :control/xndqotsalslx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• RDS.RDS.25 • arn:aws:controltower:eu-west-3: :control/qbjwhtmnmsrr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• RDS.27 • arn:aws:controltower:eu-west-3: :control/djzyduivjlqi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.3 • arn:aws:controltower:eu-west-3: :control/absiyzaiawcn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.4 • arn:aws:controltower:eu-west-3: :control/bkzvwtbCyguf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.5 • arn:aws:controltower:eu-west-3: :control/semodnjpizdi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDD.6 • arn:aws:controltower:eu-west-3: :control/xomaammdkjsn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• SH.RDS.8 • arn:aws:controltower:eu-west-3: :control/egerdmsrmfyk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.9 • arn:aws:controltower:eu-west-3: :control/hnxtefhvwvuv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Redshift.1 • arn:aws:controltower:eu-west-3: :control/xjvaujavhwdx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Redshift.10 • arn:aws:controltower:eu-west-3: :control/tsptayogxsed • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Redshift.2 • arn:aws:controltower:eu-west-3: :control/yqjyrykiwlyt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.4 • arn:aws:controltower:eu-west-3: :control/dtmfzcwwbwbb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Redshift.6 • arn:aws:controltower:eu-west-3: :control/IOUWEZSPPBNS • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Redshift.7 • arn:aws:controltower:eu-west-3: :control/cugftmbjpkpt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-central-1, eu-west-1, us-west-1, us-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2 , us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-west-1, us-east-2, us-we
• Sh.Redshift.8 • arn:aws:controltower:eu-west-3: :control/zlwjdnjodzni • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.9 • arn:aws:controltower:eu-west-3: :control/gqrhherysaut • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.12 • arn:aws:controltower:eu-west-3: :control/vxtctfsihmvk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.3 • arn:aws:controltower:eu-west-3: :control/ncglthgvrquz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.9 • arn:aws:controltower:eu-west-3: :control/xevoziaawyks • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.SSM.3 • arn:aws:controltower:eu-west-3: :control/obwpggusjhol • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SageMaker0,3 • arn:aws:controltower:eu-west-3: :control/yryfwfsnqqeb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager0,4 • arn:aws:controltower:eu-west-3: :control/lxyxkmybtcey • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.4 • arn:aws:controltower:eu-west-3: :control/gtnpvmnbkdae • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:il-central-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:il-central-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:il-central-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:il-central-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:il-central-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:il-central-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:il-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:il-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:il-central-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:il-central-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:il-central-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:il-central-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:il-central-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:il-central-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:il-central-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:il-central-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:il-central-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-2 , eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:il-central-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:il-central-1: :control/aws-gr_rds_storage_encrypted • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:il-central-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:il-central-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:il-central-1: :Control/AWS-GR_RESTRICT_ROOT_User • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:il-central-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:il-central-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:il-central-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:il-central-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_sns_change_banned • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:il-central-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:il-central-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:il-central-1: :control/aimlpthsiiam • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:il-central-1: :control/awexqriwwtyu • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:il-central-1: :control/bzhxnkanlsrp • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:il-central-1: :control/pezsuqgjplxv • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:il-central-1: :control/lsfqowiwafsl • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:il-central-1: :control/efkjplziuaii • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:il-central-1: :control/nowtbxqmfzoi • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:il-central-1: :control/orfyduqfumsg • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:il-central-1: :control/wgyordbiougk • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:il-central-1: :control/fxlrulxuoqob • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:il-central-1: :control/xclyshbafvlp • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:il-central-1: :control/yqqnpdlxebec • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:il-central-1: :control/uropeMzxDRTR • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:il-central-1: :control/cbhkjdczwowr • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.AUTOSCALING.PR.1
- arn:aws:controltower:il-central-1: :control/ISDBSSnarihr
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.10
- arn:aws:controltower:il-central-1: :control/qnsbumgsekrj
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.11
- arn:aws:controltower:il-central-1: :control/ofdkfldyrguh
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.2
- arn:aws:controltower:il-central-1: :control/npetpaBqdtno
- af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:il-central-1: :control/lcgluulinwmj • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:il-central-1: :control/dzzrokpaxcyc • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:il-central-1: :control/qaqrwyeezzgk • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:il-central-1: :control/sacrrcecvznd • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:il-central-1: :control/tgpnjgpmkkaf • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:il-central-1: :control/xwtpzyndkzan • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:il-central-1: :control/wwauivworxwh • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:il-central-1: :control/kkjwkoddjajz • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:il-central-1: :control/fvqeupcjhdgb • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:il-central-1: :control/enwfnbadpkgv • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:il-central-1: :control/afqujtlnzozd • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:il-central-1: :control/lluwidqclsll • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:il-central-1: :control/idpoyyewddak • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:il-central-1: :control/rlnltyxpmqnq • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:il-central-1: :control/vqbhqoyfacwb • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:il-central-1: :control/cyvpklrvwmsa • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:il-central-1: :control/LCDMMmapstom • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:il-central-1: :control/lgmuxcebwvnu • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:il-central-1: :control/jyftexmmrzcc • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:il-central-1: :control/kgzpeyilufxn • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:il-central-1: :control/kvtmfvmchbsk • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:il-central-1: :control/unhkbruedjvg • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:il-central-1: :control/efoqucohcadl • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:il-central-1: :control/GMIMEPVNIBZZ • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:il-central-1: :control/ogchpvuowvjb • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:il-central-1: :control/odcfybusvhpi • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:il-central-1: :control/MBMBMBBIGGAVEJN • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:il-central-1: :control/gifawzcwrhns • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:il-central-1: :control/rfrjcmvgrglk • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:il-central-1: :control/agoyhkvdqppm • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:il-central-1: :control/meqgyhfodnjq • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:il-central-1: :Control/GhaeczaungWM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:il-central-1: :control/ywbdcwqrvAPI • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:il-central-1: :control/hzsultixligq • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:il-central-1: :control/nptlettizumd • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:il-central-1: :control/zkhdgaagcyff • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:il-central-1: :control/tlehfgybippv • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:il-central-1: :control/iknhtzwysguq • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:il-central-1: :control/swuafobxqzso • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:il-central-1: :control/fubcshojvema • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:il-central-1: :control/tjmfqwksyrgj • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:il-central-1: :control/pdcslusatdky • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:il-central-1: :control/tgqzbfrivbzd • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:il-central-1: :control/yczvkpctqoov • af-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:il-central-1: :control/dnvfrnrlgaap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:il-central-1: :control/kkcnystpsdtm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:il-central-1: :control/bydzqxjuxhwb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:il-central-1: :control/tpiaePaybimp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.18 • arn:aws:controltower:il-central-1: :control/kwcxrcdpqjfr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:il-central-1: :control/oelbpskeegea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:il-central-1: :control/frmauampfcpj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:il-central-1: :control/lhdzexsdnlxu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:il-central-1: :control/blixqjmencvk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:il-central-1: :control/fdahswczbugn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:il-central-1: :control/ofngrjurihxn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:il-central-1: :control/sgaifirxpcuh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:il-central-1: :control/rybrvorswomk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:il-central-1: :control/lsmwaqujvbdf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:il-central-1: :control/kyqeyipkzzgl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:il-central-1: :control/udwmdopmglto • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:il-central-1: :control/fejphvpbvslv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:il-central-1: :control/zomwxwdkcnru • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:il-central-1: :control/pqepozekfkxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:il-central-1: :control/berlgjjsnkmm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:il-central-1: :control/fopvkxpqqjnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:il-central-1: :control/dkzscaduuvkr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:il-central-1: :control/ocshrwcpbigg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:il-central-1: :control/fhvqfffgcfwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:il-central-1: :control/fyqmdakqisnq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:il-central-1: :control/ncvwtynsfnoa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:il-central-1: :control/disvjhlqhyoo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:il-central-1: :control/jmisfeytyryk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.2 • arn:aws:controltower:il-central-1: :control/kkqcjkdmolmw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:il-central-1: :control/sygiwesdsezz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:il-central-1: :control/hzkzhfdathmm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:il-central-1: :control/uakpthisqkre • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:il-central-1: :control/jtyexqvozsbn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:il-central-1: :control/pvhiqkxrymxe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:il-central-1: :Control/TWMXRHDuVwow • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:il-central-1: :control/vcedbhtmdgik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:il-central-1: :control/dwoypxxtgqis • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:il-central-1: :control/exkwxwmedeqa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:il-central-1: :control/opjeywqwcmpz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:il-central-1: :control/eyezwolschuc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:il-central-1: :control/shimsnukboek • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:il-central-1: :control/sqmpajnfrkmk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:il-central-1: :control/hnfdcnzrxuCD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:il-central-1: :control/syoaJqObjNxH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:il-central-1: :control/nwvncxutzdkc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:il-central-1: :control/krcveoctlgqh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:il-central-1: :control/tfdutdvrwwfj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:il-central-1: :control/whofjaixclyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:il-central-1: :control/xfhotkgpelei • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:il-central-1: :control/oryvbiycbrxi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:il-central-1: :control/yebovyovrzz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:il-central-1: :control/xorriunywezx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:il-central-1: :control/LLDNCKCAOXDK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:il-central-1: :control/cygzkwhilpsu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:il-central-1: :control/xscnlftcfzkx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:il-central-1: :control/opkdjcixnjsz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:il-central-1: :control/vyzzgjpfteih • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:il-central-1: :control/sbloycoksolc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:il-central-1: :control/kjcedhgdvdgv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:il-central-1: :control/oufvpyrghtcq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:il-central-1: :control/wibunbputhss • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:il-central-1: :control/wvsnmecymgbr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:il-central-1: :control/pdpkrtburtgg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:il-central-1: :control/oqzozfaijidm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:il-central-1: :control/vykhsdteisab • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:il-central-1: :control/deahvsfuvidi • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:il-central-1: :control/xptupnemjdrj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:il-central-1: :control/kdvmcuokdudk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EMR.PR.1
- arn:aws:controltower:il-central-1: :control/sffdxbdlasok
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EMR.PR.2
- arn:aws:controltower:il-central-1: :control/jdvjiyrfxulb
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EMR.PR.3
- arn:aws:controltower:il-central-1: :control/czovngporaht
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EMR.PR.4
- arn:aws:controltower:il-central-1: :control/nhrusbnkrqbu
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.GLUE.PR.1
- arn:aws:controltower:il-central-1: :control/htwmrrwazsho
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.GUARDDUTY.PR.1
- arn:aws:controltower:il-central-1: :control/LzfSullyFcjz
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.1
- arn:aws:controltower:il-central-1: :control/dzovlgfmxmio
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.IAM.PR.2
- arn:aws:controltower:il-central-1: :control/rfwvzwswoitc
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:il-central-1: :control/fylkpjztymrn • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:il-central-1: :control/zgspzacazkyk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:il-central-1: :control/hgsdazcxxkqf • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:il-central-1: :control/hstfunshqgej • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:il-central-1: :control/lkjhksfliywn • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:il-central-1: :control/tyglpcxhnfsc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:il-central-1: :control/hrhmvkzkydbe • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:il-central-1: :control/sqrlwusukaqa • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:controltower:il-central-1: :control/dbtivtirfniy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:il-central-1: :control/nlbytrxzlvbj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:il-central-1: :control/ldcdjusvtkxb • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:il-central-1: :control/oqbqqozgwdsn • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:controltower:il-central-1: :control/zeawjurgdktf • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:il-central-1: :control/xjmpxbdgzycy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:il-central-1: :control/xviheyzmivpd • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:il-central-1: :control/umcftgginalh • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:controltower:il-central-1: :control/wxudgxvlzmcm • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:il-central-1: :control/fsofpvguvxhi • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:il-central-1: :control/kcclidvtayfj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:il-central-1: :control/rdhgxrnyWrgs • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.1 • arn:aws:controltower:il-central-1: :control/dtyfzyavieex • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:il-central-1: :control/mdlsdlwzvzru • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:il-central-1: :control/xvcskwqarzxH • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:il-central-1: :control/cdzvszmwqbhp • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.MULTISERVICE.PV.1
- arn:aws:controltower:il-central-1: :control/tnpyplhkbyqn
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NEPTUNE.PR.1
- arn:aws:controltower:il-central-1: :control/xnEqNatmdCoH
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NEPTUNE.PR.2
- arn:aws:controltower:il-central-1: :control/tyxjkfwhuhha
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NEPTUNE.PR.3
- arn:aws:controltower:il-central-1: :control/tgfiviaqmyyh
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:il-central-1: :control/zhqjpxboexcr • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:il-central-1: :control/UEFOVDHBpyop • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:il-central-1: :control/unruvnfqmqts • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:il-central-1: :control/tkqznlwjyrzk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:il-central-1: :control/ygkflckhigys • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:il-central-1: :control/itfujrzdnxbc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:il-central-1: :control/xwluuaZoreas • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:il-central-1: :control/osipifatxxho • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:il-central-1: :control/qcksafpookqd • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:il-central-1: :control/skzxzatslyxj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:il-central-1: :control/fejrrcaxkhdz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:il-central-1: :control/afcgovqgnlbg • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:il-central-1: :control/gpetdjrrcprn • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:il-central-1: :control/pqkdyuolrrfl • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:il-central-1: :control/uffpolwqqnmA • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:il-central-1: :control/tsmmxhlksogu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:il-central-1: :control/wbhfykpzupqu
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:il-central-1: :control/gfkzamsbyhgq
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:il-central-1: :control/wzsbecysbsu
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:il-central-1: :control/xkciskpfwcsk
- af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:il-central-1: :control/hojnwtfcapqj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:il-central-1: :control/xuzuwywqfjfi • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:il-central-1: :control/mvyighivsxcc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:il-central-1: :control/yljbmfwyqgip • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:il-central-1: :control/LxDGZhiMLLKF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:il-central-1: :control/kzygqtblaimc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:il-central-1: :control/uecqpazmneam • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:il-central-1: :control/wwcjgjpmaddz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.14 • arn:aws:controltower:il-central-1: :control/zqzlaougwcla • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:il-central-1: :control/msitxupzcmqa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:il-central-1: :control/hjkgunvpdrfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:il-central-1: :control/wfcmrgligbcw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:il-central-1: :Control/YezggaFXiyJM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:il-central-1: :control/nlblqijtvach • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:il-central-1: :control/jwacqdfhvgtz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:il-central-1: :control/uwgfbjxqkizi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:il-central-1: :control/kalbibzriqmt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:il-central-1: :control/pfakfiekpaul • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:il-central-1: :control/ffiypsnwvnnz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:il-central-1: :control/mwzfgwbfemjh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.25 • arn:aws:controltower:il-central-1: :control/gjbejjcswgus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:il-central-1: :control/wkkztyfcshzq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:il-central-1: :control/DymvwnFMADTP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:il-central-1: :control/hocgbezawug • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.29
- arn:aws:controltower:il-central-1: :control/rsdncwhzuojm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.3
- arn:aws:controltower:il-central-1: :control/cumzytyfvsmq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.30
- arn:aws:controltower:il-central-1: :control/wvvdsqjzqihs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.4
- arn:aws:controltower:il-central-1: :Control/TWMLGZJPMUQV
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:il-central-1: :control/xqnbeqgnvqwd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:il-central-1: :control/fzyltfyikqmw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:il-central-1: :control/rpaeKitMRPNP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:il-central-1: :control/rkbuvyzjmOTF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:il-central-1: :control/ULJWZCETBUSG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:il-central-1: :control/lnlxewtldpfs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:il-central-1: :control/PWAHNLTYVHXO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:il-central-1: :control/prsabxvvqpvt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:il-central-1: :control/SKQGXVYSUDGZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:il-central-1: :control/nfcflxuidxuy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:il-central-1: :control/vlltdccbfdke • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:il-central-1: :control/rsvaklqrlqxn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.9 • arn:aws:controltower:il-central-1: :control/xiytjtwxilfj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:il-central-1: :control/yuwcixidgeix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:il-central-1: :control/RZGKGhpDNnwz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:il-central-1: :control/cxdtnmkwudqa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.12 • arn:aws:controltower:il-central-1: :control/hwbngramkesl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:il-central-1: :control/xnqiimleglwo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:il-central-1: :control/haihuhromerp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:il-central-1: :control/nksquexxoxsl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.5 • arn:aws:controltower:il-central-1: :control/zhbxbcqpamao • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:il-central-1: :control/idzzgoplrkfc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:il-central-1: :control/tazuuwkEqXPV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:il-central-1: :control/aklaozhifahx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:il-central-1: :control/guoccaahngek • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:il-central-1: :control/rbcekqmeppsr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:il-central-1: :control/jmefhedaxbae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:il-central-1: :control/camccuuhvpfm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.2 • arn:aws:controltower:il-central-1: :control/pzgougucuhie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:il-central-1: :control/fpnhtownicvk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:il-central-1: :control/eekqlyfiyrrg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:il-central-1: :control/gednqoqrugpj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:il-central-1: :control/mqxFourkkfiz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:il-central-1: :control/blsnapkcbebr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:il-central-1: :control/wmowjpczjwto • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:il-central-1: :control/dwwmenqhgmkj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.2 • arn:aws:controltower:il-central-1: :control/kbpyzpmgkbzm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

me-central-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:me-central-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:me-central-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:me-central-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:me-central-1: :Control/AWS-GR_AUDIT_BUCKET_Retention_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:me-central-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:me-central-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:me-central-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:me-central-1: :Control/AWS-GR_CloudTrail_Validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:me-central-1: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:me-central-1: :Control/AWS-GR_CONFIG_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:me-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_ac counts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:me-central-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:me-central-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:me-central-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:me-central-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:me-central-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:me-central-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:me-central-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:me-central-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:me-central-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2 , eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:me-central-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:me-central-1: :Control/AWS-GR_LOG_GROUP_POLICY • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:me-central-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:me-central-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:me-central-1: :Control/AWS-GR_RDS_Storage_Encrypted • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southe ast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:me-central-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:me-central-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:me-central-1: :Control/AWS-GR_RESTRICT_ROOT_USER • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:me-central-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:me-central-1: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:me-central-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:me-central-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:me-central-1: :Control/AWS-GR_S3_VERSIONING_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :Control/AWS-GR_SNS_CHANGE_Dilarang • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:me-central-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:me-central-1: :control/aws-gr_ssm_document_not_public • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:me-central-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ACM.PR.1
- arn:aws:controltower:me-central-1: :control/cdpbppywqxfu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.1
- arn:aws:controltower:me-central-1: :control/wsewtpyunkiz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.2
- arn:aws:controltower:me-central-1: :control/iwhrgfehfwyr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.3
- arn:aws:controltower:me-central-1: :control/ptrxvpjhhhfkp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:me-central-1: :control/wgybrylperpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:me-central-1: :Control/ILMJIBfineQK • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:me-central-1: :control/muhjmiouympr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:me-central-1: :control/ixvvmuctnmom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.2 • arn:aws:controltower:me-central-1: :control/evxzswwfvgmf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:me-central-1: :control/idfszuuihhno • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:me-central-1: :control/jnwfieankndm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:me-central-1: :control/qvslvdifaebe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PV.1 • arn:aws:controltower:me-central-1: :control/cavgfrmhjjho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:me-central-1: :control/cmpwkyvhajyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:me-central-1: :control/ziikrkcqbgwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:me-central-1: :control/sldgwhpfijkk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:me-central-1: :Control/JPXNuwHGCQAF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:me-central-1: :Control/PyczycndayHz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:me-central-1: :control/cfraahzmnzlb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:me-central-1: :control/ogjvzssmidla • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:me-central-1: :control/hllqbyjsjhov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:me-central-1: :control/fjyuytkcfrpf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:me-central-1: :Control/ScripSolceta • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:me-central-1: :control/ykzgvthbpbqf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:me-central-1: :control/vqhiyflojlmc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:me-central-1: :Control/NREUZZCXLorx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:me-central-1: :control/ftgljnmlyhzt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:me-central-1: :control/fiydpnsPFbyH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.3
- arn:aws:controltower:me-central-1: :control/hicxknxmcxcz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.4
- arn:aws:controltower:me-central-1: :Control/AgtDHGaboxni
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.5
- arn:aws:controltower:me-central-1: :control/qdfyijjarbvp
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.6
- arn:aws:controltower:me-central-1: :control/cgqnuycosgyr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:me-central-1: :control/rannjkpzmawz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:me-central-1: :control/jmuezjbibxog • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:me-central-1: :control/ytpdumsibebo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:me-central-1: :Control/phfHRPTBFxEU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:me-central-1: :control/orghrueaqhkt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:me-central-1: :control/cfmfgtpddqmp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:me-central-1: :control/ydpepirvmrsf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:me-central-1: :control/cnmhxhongewr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:me-central-1: :control/pldxkxqwhhcv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:me-central-1: :control/jbrcqfiiynsh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:me-central-1: :control/nnvsjitsdkoj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:me-central-1: :control/yslfinupiwar • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.2 • arn:aws:controltower:me-central-1: :Control/BXMyBacizyGC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:me-central-1: :control/ckdslylcjqrl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:me-central-1: :Control/IKWSXRBWZglc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:me-central-1: :control/mcflnkwotmgg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.DAX.PR.1
- arn:aws:controltower:me-central-1: :control/dnvhznvnivfL
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.DAX.PR.2
- arn:aws:controltower:me-central-1: :control/ryeaapjmvrti
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.DAX.PR.3
- arn:aws:controltower:me-central-1: :control/uyjfpvbtwowy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.DMS.PR.1
- arn:aws:controltower:me-central-1: :control/ltsknulfputg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.2 • arn:aws:controltower:me-central-1: :control/wotreefqiyys • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:me-central-1: :control/bbacqbvbhsdc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:me-central-1: :control/zbvkskscl rso • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:me-central-1: :control/upbxicucgopg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.2 • arn:aws:controltower:me-central-1: :control/mpzskttpnytv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:me-central-1: :control/femjifsfejoi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:me-central-1: :control/xcqthtupgsif • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:me-central-1: :control/wqclehzizeeq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.12 • arn:aws:controltower:me-central-1: :control/ncitydsetumx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:me-central-1: :control/ewzwwabctocs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:me-central-1: :control/nyikbwevxmcd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:me-central-1: :control/rubzgvhdfflt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.16 • arn:aws:controltower:me-central-1: :Control/EFBbaJpkwZRQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:me-central-1: :control/dfdusdefrxgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:me-central-1: :control/kqfvbhzmgeoh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:me-central-1: :control/duognrypnsgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.2 • arn:aws:controltower:me-central-1: :Control/EhlaXLXRJAQD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:me-central-1: :control/rkpixcunytjb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:me-central-1: :control/gmifxfktecrv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:me-central-1: :control/nxzkinmfemoi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.5 • arn:aws:controltower:me-central-1: :control/jyhmycywfdie • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:me-central-1: :control/ukucdqfemdgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:me-central-1: :control/plwjrfgunubt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:me-central-1: :control/bekncpbaolvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.9 • arn:aws:controltower:me-central-1: :control/hzgirzshinzb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:me-central-1: :control/zyzpaeqxyyyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:me-central-1: :control/qukenrwgeKdv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:me-central-1: :control/txtqvukuranB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.4 • arn:aws:controltower:me-central-1: :Control/OtytleJSOJRC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:me-central-1: :control/ypyabwjdkhvl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:me-central-1: :control/nnltlrtcrfjb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:me-central-1: :control/gpjwardbolyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECR.PR.2
- arn:aws:controltower:me-central-1: :control/pfyobuvmabur
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECR.PR.3
- arn:aws:controltower:me-central-1: :Control/NPSTOIEYDVPV
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.1
- arn:aws:controltower:me-central-1: :control/qjgkazaaqhwg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.10
- arn:aws:controltower:me-central-1: :control/hkcknedvbsvt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.11 • arn:aws:controltower:me-central-1: :Control/mPHCEJEWQEZG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:me-central-1: :control/wikfynhqwxxi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:me-central-1: :control/futzcmeoxcym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:me-central-1: :control/dkixmnqcfedo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.4 • arn:aws:controltower:me-central-1: :control/xwnoqnokxovf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:me-central-1: :control/rypwrzqzPNPV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:me-central-1: :control/clytxbyevhwi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:me-central-1: :Control/ILMNUQLotkQF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.8 • arn:aws:controltower:me-central-1: :control/zdnfrdtqklqs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:me-central-1: :control/xajboxsrlczs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:me-central-1: :Control/MTsXRWLZEZIF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:me-central-1: :control/xddwtjrhPodp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.1
- arn:aws:controltower:me-central-1: :control/jwhobdxlvghm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:me-central-1: :control/zpyvcnckbshf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:me-central-1: :control/ezlwwuxadvvz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:me-central-1: :control/fkzcozbsbmrr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:me-central-1: :control/ecvllkgjgeko • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:me-central-1: :control/auxnyaypgxcw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:me-central-1: :control/jkvixauomykl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:me-central-1: :control/xafnvgpjfoqi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:me-central-1: :control/jpikqdysvcai • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:me-central-1: :control/ohoiyxhvyjok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:me-central-1: :control/bqopuwcepyxy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:me-central-1: :Control/gejNurXPVWRG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:me-central-1: :control/xoswemhekdul • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:me-central-1: :control/uczrabgxclje • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:me-central-1: :control/qfimbhvntcrp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:me-central-1: :control/etluxeGwkVDH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:me-central-1: :control/hxxfeoboxyyt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:me-central-1: :control/clhtlgnowyci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:me-central-1: :control/xkyxdmspczyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:me-central-1: :control/pbnygwspzmdu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:me-central-1: :control/ygloidihzxex • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:me-central-1: :control/qvhgaxkbwbe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:me-central-1: :control/apwnteTpzcjn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:me-central-1: :Control/isQZGGMSAPqf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:me-central-1: :control/ymhghvlflbbd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:me-central-1: :control/doksfrmqxwoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:me-central-1: :control/eecnylbxkccv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:me-central-1: :control/crxnjtuujiop • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:me-central-1: :control/eistkdgvfvya • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:me-central-1: :control/mzhslhdoaime • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:me-central-1: :control/asfoabaekfku • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:me-central-1: :control/jlkipCohilyc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.3 • arn:aws:controltower:me-central-1: :control/bulabycctty • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:me-central-1: :control/xvyhzaeaouwj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:me-central-1: :control/pjxygbklgvyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:me-central-1: :control/ueepblzvyhwn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.1 • arn:aws:controltower:me-central-1: :control/relkeyqveVjw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:me-central-1: :control/fdoelruskfqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:me-central-1: :Control/ObjikkDCCRGV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:me-central-1: :control/nssgqmatgmlt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.5 • arn:aws:controltower:me-central-1: :control/xxsxdfhcgmet • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:me-central-1: :control/voylibfbklun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:me-central-1: :control/ovbqlzjgmnsj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:me-central-1: :control/csxmsfjqhgcy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.3 • arn:aws:controltower:me-central-1: :control/whnupuroupzj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:me-central-1: :control/pxozefzhzrkw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:me-central-1: :Control/RSVWGHFXEwnB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:me-central-1: :control/occdvotwduoi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.4 • arn:aws:controltower:me-central-1: :control/AARPXklloiuc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:me-central-1: :control/hdndesszbkhm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:me-central-1: :Control/LodsFbkgrmCB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:me-central-1: :control/yskeyefcqhzp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.3 • arn:aws:controltower:me-central-1: :control/msmkhotqfyup • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:me-central-1: :control/toidRtxYMDBV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:me-central-1: :control/cfkcotsvgfol • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:me-central-1: :control/iftpiuvrsppu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.1 • arn:aws:controltower:me-central-1: :control/kgbmfjeromke • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:me-central-1: :Control/LHDBiaJhzPLA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:me-central-1: :control/flocyuqebtga • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:me-central-1: :control/apubwczatbzk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.1 • arn:aws:controltower:me-central-1: :control/rdnfspnydeye • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:me-central-1: :control/akshvxvbycwh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:me-central-1: :control/fyhdznzgyhgg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:me-central-1: :control/dmmwwjnlmzza • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NEPTUNE.PR.2
- arn:aws:controltower:me-central-1: :control/pakicjqwadvt
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NEPTUNE.PR.3
- arn:aws:controltower:me-central-1: :control/xvypssgwqemk
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NEPTUNE.PR.4
- arn:aws:controltower:me-central-1: :control/phqrdggbmyvr
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NEPTUNE.PR.5
- arn:aws:controltower:me-central-1: :control/lvfhirhhhxdnp
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NETWORK-FIREWALL.PR.1
- arn:aws:controltower:me-central-1: :control/ymxzyjkhexnw
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.2
- arn:aws:controltower:me-central-1: :control/qqcxxwjnoweb
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.3
- arn:aws:controltower:me-central-1: :control/djcdhebkqhfm
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.4
- arn:aws:controltower:me-central-1: :control/qegkhnavrptn
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:me-central-1: :control/orxigviyikik • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:me-central-1: :control/tbxmtafvcdwj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:me-central-1: :control/yfgvtiusftea • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:me-central-1: :control/nxtciitqhwkw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:me-central-1: :control/ddlielbiqhxt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:me-central-1: :control/xdvwrcLwbtpb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:me-central-1: :control/hfxeuexqdhrr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:me-central-1: :control/hcbwbpcvnppe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:me-central-1: :control/xcnnrcpbpqxb
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:me-central-1: :control/ozvvnvianaqy
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:me-central-1: :control/fpcumxnoktva
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:me-central-1: :control/pgsjhvioveJV
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:me-central-1: :control/tiusbcxcbqny
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:me-central-1: :control/grixgvmzzgtt
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.7
- arn:aws:controltower:me-central-1: :control/shjfwlcqmaph
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.8
- arn:aws:controltower:me-central-1: :control/edrakqmaorke
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.9
- arn:aws:controltower:me-central-1: :control/enokjprmlwyp
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.1
- arn:aws:controltower:me-central-1: :control/ygnvonvkfhaa
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.10
- arn:aws:controltower:me-central-1: :control/ychmjpardtmd
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.11
- arn:aws:controltower:me-central-1: :control/jnegmiofanoa
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.12 • arn:aws:controltower:me-central-1: :control/gycljlxzuckp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:me-central-1: :control/zhhlwpfnmoos • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:me-central-1: :Control/SMTJTNSFdiov • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:me-central-1: :control/qgbyvdcjsomv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.16 • arn:aws:controltower:me-central-1: :control/tdmdjtukflvn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:me-central-1: :control/jzyimkhawaru • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:me-central-1: :control/cbbgrmvcobgk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:me-central-1: :control/ivrsskgvllgf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.2
- arn:aws:controltower:me-central-1: :control/utwcwvnijwhv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.20
- arn:aws:controltower:me-central-1: :control/ujixwopdcjhe
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.21
- arn:aws:controltower:me-central-1: :control/trhzbdvqrbfc
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.22
- arn:aws:controltower:me-central-1: :control/xmfpdxvizdtx
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.23
- arn:aws:controltower:me-central-1: :control/wqolevyclufn
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.24
- arn:aws:controltower:me-central-1: :control/yptcdxvcwkkt
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.25
- arn:aws:controltower:me-central-1: :control/VEFxxogwbcvw
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.26
- arn:aws:controltower:me-central-1: :control/skzudjfzffjh
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.27
- arn:aws:controltower:me-central-1: :control/ofjtxhneacql
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.28
- arn:aws:controltower:me-central-1: :control/mnpnmycbtfhj
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.29
- arn:aws:controltower:me-central-1: :control/lcbkqqdnbzrn
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.3
- arn:aws:controltower:me-central-1: :control/cmcshptesjdl
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.30 • arn:aws:controltower:me-central-1: :control/jfwyttfpfphh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:me-central-1: :control/bizeYWPAADCF • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:me-central-1: :Control/BHBFDGuioXCD • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:me-central-1: :control/orkatqkfxfva • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.7 • arn:aws:controltower:me-central-1: :control/xxppjuvqzljf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:me-central-1: :control/jahdsPuamnch • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:me-central-1: :control/uuckiwmnbhjh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:me-central-1: :control/thilqhsamurx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.2 • arn:aws:controltower:me-central-1: :control/nwnikxidovhq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:me-central-1: :control/yyylkdsnyudi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:me-central-1: :control/mtesqpednixa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:me-central-1: :control/tkwvuvuvfrvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:me-central-1: :control/xioamlvhefka • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:me-central-1: :control/mfrbwmztpozx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:me-central-1: :control/zviyjkxrkflq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:me-central-1: :control/lunhkatyxldy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:me-central-1: :control/qzdctxcjvtpy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:me-central-1: :control/yjtkdvalyokx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:me-central-1: :control/lvewhjazvkyq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:me-central-1: :control/tqkvaegmisua • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:me-central-1: :control/goidwklvoxeo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:me-central-1: :control/lelwuytfetvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:me-central-1: :control/ymirpbuxdgvz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:me-central-1: :control/fovyoxrgrrds • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:me-central-1: :control/asxitbmomfbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:me-central-1: :control/qwhwedakjqje • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:me-central-1: :control/qvlcylnwcvqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:me-central-1: :control/bpgxjepkempw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:me-central-1: :control/jjnujernvmjv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:me-central-1: :control/IObectbbggei • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:me-central-1: :control/liczjvrrywos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:me-central-1: :control/pjtduvkfzbwr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:me-central-1: :control/kyzjxvqaOryf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:me-central-1: :control/tmfzmhpvgxbh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:me-central-1: :control/ncjssewlaPCP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:me-central-1: :control/BHBCIbbwqqls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:me-central-1: :control/wibxcfgxlple • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:me-central-1: :control/lsqmtynbdghh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:me-central-1: :control/ocojddrhftcd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

me-south-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:me-south-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:me-south-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:me-south-1: :Control/AWS-GR_AUDIT_BUCKET_Retention_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:me-south-1: :control/aws-gr_autoScaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:me-south-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:me-south-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:me-south-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:me-south-1: :Control/AWS-GR_CONFIG_Aggregation_Authorization_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:me-selatan-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:me-south-1: :Control/AWS-GR_CONFIG_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:me-south-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:me-south-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:me-south-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:me-south-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:me-south-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:me-south-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1 t-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:me-south-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:me-south-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:me-south-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2 , eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:me-south-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:me-south-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-northeast-1, ap-southeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:me-south-1: :Control/AWS-GR_LOG_GROUP_POLICY • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-northeast-1, ap-southeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:me-south-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:me-south-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:me-south-1: :control/aws-gr_rds_storage_encrypted • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:me-south-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:me-south-1: :Control/AWS-GR_RESTRICTED_COMMON_PORTS • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:me-selatan-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:me-south-1: :control/aws-gr_restrict_root_user • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:me-selatan-1: :Control/AWS-GR_RESTRICT_ROOT_USER_A CCESS_KEYS • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:me-south-1: :Control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPL ICATION • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:me-selatan-1: :Control/AWS-GR_RESTRICT_S3_Delete_Without_MFA • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:me-south-1: :control/aws-gr_root_account_mfa_enabled • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southe ast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_s3_bucket_public_read_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_s3_bucket_public_write_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:me-south-1: :control/aws-gr_s3_versioning_enabled • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:me-selatan-1: :kontrol/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:me-selatan-1: :Control/AWS-GR_SNS_CHANGE_Dilarang • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:me-south-1: :control/aws-gr_sns_subscription_change_banned • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:me-south-1: :control/aws-gr_ssm_document_not_public • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:me-south-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:me-south-1: :control/mjamnxhsterv • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:me-south-1: :control/ckglzqhzkkZO • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:me-south-1: :control/bmptrrahqmjc • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:me-south-1: :Control/LJZPLSKCPFit • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:me-south-1: :control/kciftrlvlaap • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:me-south-1: :control/hldjvpjjopey • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:me-south-1: :Control/HZBRLLfmKYLT • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:me-south-1: :control/abngutrsLndb • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:me-south-1: :control/zrbnznzkfvsb • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.3 • arn:aws:controltower:me-south-1: :control/vqtaysftyzwe • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.4 • arn:aws:controltower:me-south-1: :Control/NJNPPEGGGHUH • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:me-selatan-1: :control/gukfiSudeuyy • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:me-south-1: :control/vqlwsaxzpuie • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ATHENA.PR.2 • arn:aws:controltower:me-south-1: :control/dqssczszuysw • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:me-south-1: :Control/RFZeanheblot • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:me-south-1: :control/uewbezwbafat • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:me-south-1: :control/bhetjycyymgr • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:me-south-1: :control/jatcuewocjqz • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:me-south-1: :control/xcwlrkvtywnj • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:me-south-1: :control/hwycvnkqjitz • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:me-south-1: :control/dwsdkoznksin • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:me-south-1: :Control/AEHEFPZQXLuw • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:me-south-1: :control/EPWSvxeniyjf • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:me-south-1: :control/rbuiypekfwaq • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:me-south-1: :control/rugaobodezXQ • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:me-south-1: :control/crmmyiluzfqr • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:me-south-1: :control/mipxrqlyilue • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:me-south-1: :control/seodavxuyykf • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:me-south-1: :control/sqznzfssbjqd • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:me-south-1: :control/bshpwycfnnbe • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:me-south-1: :control/pbaogwjqtikw • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:me-selatan-1: :Control/QWHDDidDVrix • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:me-south-1: :control/jdwmkbycfrrz • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:me-selatan-1: :control/xblmalrlbrno • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:me-south-1: :control/msbihizoyswp • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:me-south-1: :control/vfhczzbnljyd • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:me-south-1: :control/dwlstphlzrrx • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:me-south-1: :control/bpyraxqylbfp • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:me-south-1: :control/uquazogjvrpa • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:me-south-1: :control/amvxvauismih • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:me-south-1: :control/vewmilfdetba • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:me-south-1: :control/elinfwhyrxRZ • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:me-south-1: :control/yckcttexwpsw • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:me-south-1: :control/potjcwbcwtki • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:me-south-1: :control/bnegcezbvnsj • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.3 • arn:aws:controltower:me-south-1: :control/vubgtnazwxkr • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:me-selatan-1: :control/yzaeaayhvztz • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:me-south-1: :Control/PKBWTCMWQoah • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:me-south-1: :control/tjayevjiiwmc • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.2 • arn:aws:controltower:me-south-1: :control/qvzkajfumhfi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:me-south-1: :control/ekwovfggqrqf • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:me-south-1: :control/zwsgrhytxzsn • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:me-south-1: :control/ojgkhksodwgv • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:me-south-1: :control/gvxhdhltisrp • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:me-south-1: :control/lbgotukvibiy • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:me-south-1: :control/zrredraahqub • af-southeast-1, ap-east-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1 , sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:me-selatan-1: :control/pbryefbwdtnv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.1 • arn:aws:controltower:me-south-1: :Control/EGMHACFCYinc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:me-south-1: :control/kdljudsyzqnf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:me-south-1: :control/qxbaGipqxett • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:me-south-1: :control/ptdarpfbeGad • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.13 • arn:aws:controltower:me-selatan-1: :control/Yopbahvwmvoa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:me-south-1: :control/tkroldyaxjki • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:me-south-1: :control/maoawnieeaxd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:me-south-1: :control/bjdvddjkgdcq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.17
- arn:aws:controltower:me-south-1: :control/kugzgucjeewt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.18
- arn:aws:controltower:me-south-1: :control/ymtykzegmevn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.19
- arn:aws:controltower:me-south-1: :control/cxdukdckmlax
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.2
- arn:aws:controltower:me-south-1: :control/rbstyrgntGHQ
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.20
- arn:aws:controltower:me-south-1: :control/fqndwrnebqsl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.3
- arn:aws:controltower:me-south-1: :Control/tmeycyvucydc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.4
- arn:aws:controltower:me-south-1: :control/nudolfixzyez
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.5
- arn:aws:controltower:me-south-1: :control/wfkpvqjggpgc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.6 • arn:aws:controltower:me-south-1: :control/dqkfumtnBexm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:me-south-1: :control/wqksutlctjzo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:me-south-1: :control/CNOBPUWJKIGF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:me-south-1: :control/NIJPSHTuoAZO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.1 • arn:aws:controltower:me-south-1: :control/kttdgyidmqbf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:me-south-1: :control/qmCwkFJKDPTH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:me-south-1: :control/lhionjlmuivy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:me-south-1: :control/putujbsemfap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.5 • arn:aws:controltower:me-south-1: :control/wircowsjkyew • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:me-south-1: :control/fanhzdbwkzls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:me-south-1: :control/dipxxrqwfaqw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:me-south-1: :control/mdclendmmjgn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECR.PR.3
- arn:aws:controltower:me-south-1: :control/grijkppvehjg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.1
- arn:aws:controltower:me-south-1: :control/ebkwkzszprtf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.10
- arn:aws:controltower:me-south-1: :control/LVCensfTegnu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.11
- arn:aws:controltower:me-south-1: :control/htcfomottsob
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECS.PR.12
- arn:aws:controltower:me-south-1: :control/cdbkamwxzrhr
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.2
- arn:aws:controltower:me-south-1: :Control/GBGHLSBTCWQs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.3
- arn:aws:controltower:me-south-1: :control/pxeGBZyRWQRK
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.4
- arn:aws:controltower:me-south-1: :control/ozkrbtwbbiqj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.5 • arn:aws:controltower:me-south-1: :control/ptdttdwpynid • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:me-south-1: :control/gbcmaomnpvez • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:me-south-1: :control/juhbtbyavhaf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:me-south-1: :control/ebtyhguhijme • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.9 • arn:aws:controltower:me-south-1: :control/wjssizctyilh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:me-south-1: :Control/Luciogemboti • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:me-south-1: :control/epvtqxjkdnaJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:me-selatan-1: :control/IAAWNCQOGKYL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.2
- arn:aws:controltower:me-south-1: :control/kkieljvuigMB
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:me-south-1: :Control/RXvidrGoeqsv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:me-south-1: :Control/ibsRiwudBKBP
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:me-south-1: :Control/UGTZTWBDxCPC
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.6
- arn:aws:controltower:me-south-1: :control/emjlkudjlhij
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.7
- arn:aws:controltower:me-south-1: :control/zzufstxongbj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.8
- arn:aws:controltower:me-south-1: :control/mgfnggemcgjc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICBEANSTALK.PR.1
- arn:aws:controltower:me-south-1: :control/cxlwtikpgoud
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:me-south-1: :control/zbrmihmfzoku • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:me-south-1: :control/qlmhisfbbrvh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:me-south-1: :control/xrjyntRnPoqg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:me-selatan-1: :control/kztiqywbnaqh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:me-south-1: :control/dyitjojmocrw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:me-south-1: :control/rbibsbejgzcg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:me-south-1: :control/kbwqztalidxv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:me-south-1: :Control/YPFRBCBHBRCT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:me-south-1: :control/javeJPSxISvp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:me-south-1: :control/lwbroniixuiv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:me-south-1: :control/vejxgznvvzth • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:me-south-1: :control/dzkopkxfhnzv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:me-selatan-1: :Control/TRHKGDFogiqJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:me-south-1: :control/xsagnubelyff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:me-south-1: :Control/RQNXMRRRGnRC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:me-south-1: :control/yioihkyeoxLP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:me-south-1: :control/bzcwgrlnAljk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:me-south-1: :control/mqnfqydacixf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:me-south-1: :control/dwncgphanjww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:me-south-1: :control/ssknkdbuwgwg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:me-south-1: :control/xovpgdidqdpa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:me-south-1: :Control/BPFAHEYTAYOS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:me-south-1: :control/fbijdmiexcog • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:me-south-1: :control/xgsfhgjqljuv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.4 • arn:aws:controltower:me-south-1: :control/yxzutbjkjkai • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:me-south-1: :control/yzyjevmgplpz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:me-south-1: :Control/bbfSRHLQVQLM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:me-south-1: :control/wbztgdfvztca • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.2 • arn:aws:controltower:me-south-1: :control/qqqrcqiqwlsu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:me-south-1: :control/mbzaifocgkfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:me-south-1: :control/weikdioJBGFU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:me-south-1: :control/jxnxtzpyokli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KINESIS.PR.1 • arn:aws:controltower:me-south-1: :control/dasbbtcybuof • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:me-south-1: :control/zzciurlitmqf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:me-selatan-1: :control/rmebebcqjngw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:me-south-1: :Control/LGIMTVXMonzd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.1 • arn:aws:controltower:me-south-1: :control/ekxjcuttrnrj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:me-south-1: :control/fnhmudtxaGBW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:me-south-1: :control/snhkskscjobm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:me-south-1: :control/mvkaezvxttbb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.5 • arn:aws:controltower:me-south-1: :control/tccemcesvpgv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:me-south-1: :control/nimlbtlnzrtn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:me-south-1: :control/rmyytdrbrhym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:me-south-1: :control/zqnwwqnhoca • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.4 • arn:aws:controltower:me-south-1: :control/zracmndxawny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:me-south-1: :Control/COSBEYHKJWRD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:me-south-1: :control/khsgxahnqpiF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:me-south-1: :control/rebdtzyvqTHs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PV.2 • arn:aws:controltower:me-south-1: :control/wwcfpcargezv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:me-south-1: :control/tbbqfxawasfy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:me-south-1: :control/lahfjwqeuilj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:me-south-1: :Control/LPZMRIAFLVYV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MSK.PR.2 • arn:aws:controltower:me-south-1: :control/qkqnqzxtikkh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:me-south-1: :Control/UOJzhKRFGHPV • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:me-south-1: :control/jaebjwgzuzik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:me-south-1: :control/citqxsocszkp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.3 • arn:aws:controltower:me-south-1: :control/poyflomzjkgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.4 • arn:aws:controltower:me-south-1: :control/pgratneihkbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:me-south-1: :control/fhdeqvjnekko • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:me-south-1: :control/rrrvpetqnoyn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:me-south-1: :Control/foetemtzezfr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:me-south-1: :control/navpepwjbywc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:me-south-1: :control/vamnebficage • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:me-south-1: :control/vveziuoybntx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.1
- arn:aws:controltower:me-south-1: :Control/HGHToHZXLQHR
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.10
- arn:aws:controltower:me-south-1: :control/cdqccvmoqidd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:me-selatan-1: :control/yazjcIwWHQLN
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:me-south-1: :control/jeypgHuyMggl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:me-south-1: :control/zaburmyuxtcp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:me-selatan-1: :control/zdynqadbtkiz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:me-south-1: :Control/ESPWZZwLPWYN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:me-south-1: :control/iWuptyIRKSTI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:me-south-1: :control/odwpjgscurqw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:me-selatan-1: :control/ptviclgfuipu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:me-south-1: :control/wzcazxfjwwfv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:me-selatan-1: :control/qayjnrwjqybo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:me-south-1: :control/jvwsmferoghx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:me-selatan-1: :control/hilhcivhzruj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:me-south-1: :control/yvhfplxvzjfj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:me-south-1: :control/snxvgvarrxyr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.1 • arn:aws:controltower:me-selatan-1: :Control/UUBOTNXZhMLG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:controltower:me-south-1: :control/qfkznhjktiyz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:me-south-1: :control/nwdrvujiwsmz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:me-south-1: :control/cnduiyywvzyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.13 • arn:aws:controltower:me-selatan-1: :Control/RwYYeFWQHCJ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:controltower:me-south-1: :control/cjflocvdnwpp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:me-selatan-1: :Control/BJSymtKHmspE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:me-south-1: :control/dwhydbfvsuuj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.17 • arn:aws:controltower:me-south-1: :control/bupibjrnvolh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:controltower:me-south-1: :control/dukuhxpynttr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:me-south-1: :control/zmskybinpwuq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:me-selatan-1: :Control/PKEzxVubpQNX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.20 • arn:aws:controltower:me-south-1: :control/csvhkeoufhdg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:me-south-1: :control/rgfwrmBsgija • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:me-south-1: :control/owpjiixmsyxl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:me-south-1: :control/ngmgokdlfzix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.24 • arn:aws:controltower:me-south-1: :control/oaexngtgwqqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:me-south-1: :control/cvfibpqfeoqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:me-south-1: :control/ckzduofiwtsh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:me-south-1: :control/gmrdofqmqsnf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.28 • arn:aws:controltower:me-south-1: :control/pfkxlvtvjxhf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:controltower:me-south-1: :control/qleemhzermpn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:me-south-1: :Control/WJHSOfnuakyu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:me-south-1: :control/adpdnjolnhmg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.4 • arn:aws:controltower:me-south-1: :control/fuoeeggfjkse • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:controltower:me-south-1: :control/odofjmtxgtyj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:me-south-1: :control/zierfrydtvux • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:me-south-1: :control/jofzxrmjavnr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.8 • arn:aws:controltower:me-south-1: :control/cqkacfxdbnpo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:me-south-1: :control/kxfjphmtsfci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:me-south-1: :Control/Dimrcsyaffjx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:me-south-1: :control/ibcjzfvmrgai • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.3 • arn:aws:controltower:me-south-1: :control/qumoaiivcbrd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:me-south-1: :control/sqizkbesvmui • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:me-south-1: :control/Lxliaicwigfd • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:me-south-1: :control/itwhnjqrrkhm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.7 • arn:aws:controltower:me-south-1: :control/tyrajfrqsvfz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:me-south-1: :control/GACOYCVFQSZR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:me-south-1: :control/ckwtjogculkb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:me-south-1: :Control/RykiJhrmzVMS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.10 • arn:aws:controltower:me-south-1: :control/exsnhhjhwxio • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:me-south-1: :Control/CCLRZDGtBjqX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:me-south-1: :control/uyaptsooumsx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:me-south-1: :control/fiuqqjazywbp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.3 • arn:aws:controltower:me-south-1: :control/hoykrayorwNL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:me-south-1: :Control/HzzggkDJSMKW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:me-south-1: :control/hlidpmxkiofh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:me-south-1: :control/wmozgcwhfqpy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.8 • arn:aws:controltower:me-south-1: :control/bdaborjsmrzi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:controltower:me-south-1: :control/xdmgvmgszsxj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:me-south-1: :control/sqbnraqiobdv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:me-south-1: :control/efqsdwaddovt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:me-south-1: :control/knzfxfkxdikd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:me-south-1: :control/HTWJNZmmPunh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:me-south-1: :control/ruawntlatcep • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:me-south-1: :control/phyyveokrmoa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:me-south-1: :control/lrdzxxuztavn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:me-south-1: :control/mvzlkkkwdhkma • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:me-south-1: :control/dmwnvmCvvlcu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:me-south-1: :control/gpioufkazyrx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF.PR.2 • arn:aws:controltower:me-south-1: :control/iqgctiqokdwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:me-south-1: :control/ugzfhmkfgwpj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:me-south-1: :control/slsraigxmuxq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

sa-east-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengenal kontrol, ARN, dan Wilayah yang didukung
• arn:aws:controltower:sa-east-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:sa-east-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:sa-east-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:sa-east-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:sa-east-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:sa-east-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:sa-east-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:sa-east-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:sa-east-1: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southe ast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1 t-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:sa-east-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southe ast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southe ast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:sa-east-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2 , eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:sa-east-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southe ast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southe ast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-northeast-1, ap-southeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:sa-east-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-northeast-1, ap-southeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:sa-east-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:sa-east-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:sa-east-1: :control/aws-gr_rds_storage_encrypted • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:sa-east-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:sa-east-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:sa-east-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:sa-east-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:sa-east-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:sa-east-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:sa-east-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_root_account_mfa_enabled • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:sa-east-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:sa-timur-1: :kontrol/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, a-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:sa-east-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:sa-east-1: :control/mhghbxochycs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:sa-east-1: :control/xgxelvolinos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:sa-east-1: :control/mqdmdgqzleeb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:sa-east-1: :control/eisqvhjsjdwh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:sa-east-1: :control/ylmppinwzyzy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:sa-east-1: :control/zhwufjcaJbdb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:sa-east-1: :Control/PRKhFlpauJQs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:sa-east-1: :control/kbrrhkuvkjiv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:sa-east-1: :control/corismgrvtbq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:sa-east-1: :control/wqrxwmanrgtv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:sa-east-1: :control/owxhgweyhxgxgt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:sa-east-1: :control/ykvsqpmkryxl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:sa-east-1: :control/bvznwlxucmhk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:sa-east-1: :control/zetbpdeaopxt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:sa-east-1: :control/dtnvaczlnipm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:sa-east-1: :control/evojxteipzkn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:sa-east-1: :control/ytwqbjwkzdxs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:sa-east-1: :control/ijfubjaphsus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:sa-east-1: :control/mihqdsusoavn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:sa-east-1: :control/npdlnllzafac • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:sa-east-1: :control/rrgvmsfSHyvi • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:sa-east-1: :control/gvxmkgjzqxqqz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:sa-east-1: :control/xoivxlxstmhc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:sa-east-1: :control/qzwdntrqvjko • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:sa-east-1: :control/xowftderuyHD • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:sa-east-1: :control/xhrxfSGxwpkz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:sa-east-1: :control/raynzkhybpaz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:sa-east-1: :control/pgpghmekoytp • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:sa-east-1: :control/ljbmfilekdjh • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:sa-east-1: :control/luleevqweqrc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:sa-east-1: :control/rxaszfbdcWEx • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:sa-east-1: :control/wmhkgfljawpi • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:sa-east-1: :control/tknlputafibq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:sa-east-1: :control/apwmsfwskmfj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:sa-east-1: :control/ahxyzhbazbfh • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:sa-east-1: :control/azgutsgkcxja • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:sa-east-1: :control/gdfpfdoirpag • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:sa-east-1: :control/hxnjhovbceqw • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:sa-east-1: :control/nofopviferib • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:sa-east-1: :control/yklbldsnipat • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:sa-east-1: :control/acywmnwhxdkn • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:sa-east-1: :control/cyxhpoxpxbwz • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:sa-east-1: :control/vchsaljxeqi • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:sa-east-1: :control/pmrwcrvshcso • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:sa-east-1: :control/sianvcwrxgwj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:sa-east-1: :control/kqrsghfyhvuk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:sa-east-1: :control/eoqmrpvcyivq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:sa-east-1: :control/ufnuwpkhjxll • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:sa-east-1: :control/xuccozbwawdu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:sa-east-1: :control/wkcrczyvoya • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:sa-east-1: :control/hvxedwntfvja • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:sa-east-1: :control/xokbsybqkjOK • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:sa-east-1: :control/cribtosveSot • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:sa-east-1: :control/nsswqwwjnfm • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:sa-east-1: :control/gcawcovvhnpc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:us-east-1: :control/owrfvraehork • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:us-east-1: :control/lzfdtlnkoqxx • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:us-east-1: :control/ijaiprtdfhrb • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:us-east-1: :control/vytxcsgzxjja • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:us-east-1: :control/bcnlwteehthe • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:us-east-1: :control/udkuykzvsbvvvvjbvj • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:us-east-1: :control/hlgybximqrhu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:us-east-1: :control/ccwguwxjarql • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:us-east-1: :control/hnrolgcxxxvs • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:us-east-1: :control/ujbyusdwdwdcl • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:us-east-1: :control/ofwbuelfvnwt • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.18 • arn:aws:controltower:us-east-1: :control/tdokhzlkljis • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:us-east-1: :control/phgmdgbbzzvq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:us-east-1: :control/ahsljkrckEvg • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:us-east-1: :control/myaustbpzyav • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:us-east-1: :control/qamrzhhgxinm • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:east-1: :aws:east-1: :control/jzhlgqytwpnk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:us-east-1: :control/lmjnaxcwkflk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:us-east-1: :control/fwvydjqapzuf • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:east-1: :aws:east-1: :control/hmvxesehiefx • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:us-east-1: :control/lcmlsypednhh • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:us-east-1: :control/jpsbsznepwsc • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:us-east-1: :control/cjwwhcassxwwcassxwq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:us-east-1: :control/fplodqlmjecq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:us-east-1: :control/kiwwtikzgtja • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:us-east-1: :control/qdtmwfliwnvw • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:us-east-1: :control/vxqumhxzoviu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:us-east-1: :control/jpbfznfdolmk • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:us-east-1: :control/uerwgvpurzsy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:us-east-1: :control/ougzghpibmeq • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:us-east-1: :control/fvdldrmsghme • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:us-east-1: :control/lbrtcekhumkq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:us-east-1: :control/xjrvrgjifjmx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:us-east-1: :control/omepvoaxbhgfff:aws:bhgf:us-east-1: :control/omepvoaxbhgff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:us-east-1: :control/anoihodoazvf:aws:east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.2 • arn:aws:controltower:us-east-1: :control/zehkmmlyifgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:us-east-1: :control/rqwurafspnkr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:us-east-1: :control/dnlnjTigmmfI • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:us-east-1: :control/nhsqhfutgcnr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:us-east-1: :control/kftlbrexiinm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.7 • arn:aws:jvrrr:aws:jvrrrrrl:aws:jvrrrl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:us-east-1: :control/gccohgincen • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:us-east-1: :control/tirwnjlsdrjs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:us-east-1: :control/isuufpyptggn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:us-east-1: :control/ooxjfruoxikr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:us-east-1: :control/jnmeuslgwulr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:us-east-1: :control/xniltnrzomas • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.3
- arn:aws:controltower:us-east-1: :control/hwqtaFcaievd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:us-east-1: :control/igguqcfbpoox
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:us-east-1: :control/xjobgxrapgmfmf:aws:rapgmf:us-east-1: :control/xjobgxrapgmff
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.ELASTICACHE.PR.6
- arn:aws:controltower:us-east-1: :control/xlknecmryiix
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:us-east-1: :control/mkbeeqvxzqqqv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:us-east-1: :control/pvplktlrtdoj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:us-east-1: :control/cczwodzdvsqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:us-east-1: :control/ahamdqshxpxpxq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:us-east-1: :control/nubhzeecdulq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:us-east-1: :control/yraicdcvujoi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:us-east-1: :control/fpugnmhetpyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:us-east-1: :control/xplgistxypwz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:us-east-1: :control/HIFLGMRIOCCZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:us-east-1: :control/odienaebqzjm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:us-east-1: :control/xbylaeztwiqm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:us-east-1: :control/vxulpcmaxnlf:aws:maxnlf:us-east-1: :control/vxulpcmaxnlf:aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:us-east-1: :control/kalmfRnxcpdh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:sa-east-1: ::control/qzhvavuvbiyq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:sa-east-1: ::control/tdecasramxgx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:sws:controltower:sa-east-1: ::control/ysplcvcncdbh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:sa-east-1: ::control/ognhjfzthgda • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:sa-east-1: ::control/incjooctgbsw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:sw:us-east-1: :us-east-1: :control/mrcizcrraiwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:swesfbt: sa-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:sa-east-1: ::control/jtvcderkcqmb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:sa-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:sa-east-1: ::control/eeddebddszht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:sw:us-east-1: :us-east-1: :control/qqzdutoognkg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.1 • arn:aws:sw:us-east-1: :us-east-1: :control/gzcnfbzsqdoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:sa-east-1: ::control/wfnnklckrxje • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:sa-east-1: :us-east-1: :control/siavbuuylwbk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:sa-east-1: ::control/iwhteljewcqs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GLUE.PR.1 • arn:aws:sw:us-east-1: :us-east-1: :control/tlfcniubkrax • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:sa-east-1: :us-east-1: :control/budeaceBNFPs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.1 • arn:aws:sw:us-east-1: :us-east-1: :control/pjbvrjxeosuf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:sa-east-1: ::control/reast-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:sa-east-1: ::control/ygjvnuuqetcs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.4 • arn:aws:sw:us-east-1: :us-east-1: :control/esboqwfAIJM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.IAM.PR.5 • arn:aws:sws:controltower:sa-east-1: ::control/suvbxvfLnfms • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KINESIS.PR.1 • arn:aws:sw:us-east-1: :us-east-1: :control/xrdfpDNali • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:sa-east-1: ::control/sroyfmntjwnj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:sa-east-1: ::control/reztdfncteqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PR.3 • arn:aws:sw:us-east-1: :us-east-1: :control/yygknxyyzmut • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.1 • arn:aws:sw:us-east-1: :us-east-1: :control/ioelhuofddqk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:sws:controltower:sa-east-1: ::control/kmwyghzeoqnz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:sa-east-1: ::control/wrtspxirybdo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:sa-east-1: ::control/eglyaduutvic • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:sa-east-1: ::control/uovvttuxxeqe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:sw:us-east-1: :us-east-1: :control/bwonyxhsenhw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:sa-east-1: ::control/mkvucrwvyewg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:sa-east-1: ::control/anraifwupjnnn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:sw:us-east-1: :us-east-1: :control/qfusedarbjfk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:sw:us-east-1: :us-east-1: :control/dnbatcdtcwht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:sa-east-1: ::control/necdsrjujgjp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:sws:controltower:sa-east-1: ::control/chpcwcogyscz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:sa-east-1: ::control/bpkxrbekvjqt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.1 • arn:aws:sw:us-east-1: :us-east-1: :control/CTbrozhzfshh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:sw:us-east-1: :us-east-1: :control/crlrjhotnohp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:sa-east-1: ::control/yuffneegmkjb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:sws:controltower:sa-east-1: ::control/mscnwgctywag • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MULTISERVICE.PV.1 • arn:aws:sw:us-east-1: :us-east-1: :control/xtxhsacqykwd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:sa-east-1: :us-east-1: :control/bimaerwocwoc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:sw:us-east-1: :us-east-1: :control/vhpbmtmagers • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:sws:controltower:sa-east-1: ::control/phrbywidrhtw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:sa-east-1: ::control/laowkruxewci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:sw:us-east-1: :us-east-1: :control/kaocdxvzvgyr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:sa-east-1: ::control/xahwauutzfgi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:sa-east-1: :Control/ERXMHKYK AWSC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:sw:us-east-1: :us-east-1: :control/hgqpodhbjrud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:sa-east-1: ::control/tqezibleaplp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:sa-east-1: :us-east-1: :control/ziognbgblkot • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:sw:us-east-1: :us-east-1: :control/phabicptlmtc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.10 • arn:aws:swinge:sa-east-1: :us-east-1: :control/uccgqwsingef: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:sw:us-east-1: :us-east-1: :control/csbqwechtxl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:swfhwh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:sw:us-east-1: :us-east-1: :control/cthvpvezjbdj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.14 • arn:aws:sw:us-east-1: :us-east-1: :control/fcohmgyyzgmq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:sa-east-1: ::control/cfzpgdjxqjgw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:sa-east-1: ::control/ohtigepueyqn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:sa-east-1: :us-east-1: :control/bgwsrbpmdsur • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:sa-east-1: ::control/jfsvgfjchfqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:sa-east-1: ::control/ajufpfjhaont • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:sa-east-1: :control/zjmOcdqoAMsq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:sa-east-1: :control/lirwxacrjohy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:sa-east-1: :control/itgiwihkfyg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:sa-east-1: :control/skgwrfaeeauz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:sa-east-1: :control/dboubkgzadqe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:sa-east-1: :control/tnhsqnyqqqzft • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:sa-east-1: :control/nnokbenvmlpi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:sa-east-1: :control/flmycpvpbxri • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:sa-east-1: :control/zhqopqlaghiw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:sa-east-1: :control/xvxiseogbufm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.14 • arn:aws:controltower:sa-east-1: :control/rblxdvvkffffffftw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:sa-east-1: :control/bzcjrgokmrdb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:sa-east-1: :control/tadjikrhqar • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:sa-east-1: :control/viyxjsvpvord • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:sa-east-1: :control/glyklgyixele • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:sa-east-1: :control/scwlpxfLqoli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:sa-east-1: :control/trbxumzvtqaj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:sa-east-1: :control/pyafzhzvxjdw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:sa-east-1: :control/anabxnfaqoig • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:sa-east-1: :control/bobjfvmqpnf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:sa-east-1: :control/vadbvpkhyesm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:sa-east-1: :control/mzowknbagwmm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.25 • arn:aws:controltower:sa-east-1: :control/aqdtqrhkavwU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:sa-east-1: :control/nvxfznyazauc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:sa-east-1: :control/bydwlwnztzxk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:sa-east-1: :control/loywkhzhismp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:sa-east-1: :control/fluufkxruxq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:sa-east-1: :control/ofanchvhojov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:sa-east-1: :control/lspmjuweTewn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:sa-east-1: :control/bxtycujtdlqw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:sa-east-1: :control/ujwRdmfpbfqr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:sa-east-1: :control/skhlgrruwscq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:sa-east-1: :control/ypoiugjsdkuc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:sa-east-1: :control/gmwctvxruzfj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:sa-east-1: :control/upfhhercehqp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:sa-east-1: :control/tpigkzdhgroc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:sa-east-1: :control/tabjcebjrtax • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:sa-east-1: :control/avoaysyoedsh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:sa-east-1: :control/rycbskqcsosh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:sa-east-1: :control/rskdadcbgtgr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, a-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:sa-east-1: :control/bbvbfhiherg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:sa-east-1: :control/govqurjvcyfx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:sa-east-1: :control/wumvgwbhxosq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:sa-east-1: :control/betztxcwftgs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:sa-east-1: :control/gzsjpojmetos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:sa-east-1: :control/pjfomsanldyk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.S3.PR.11
- arn:aws:controltower:sa-east-1: :control/qmkxnbudmjaf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.S3.PR.12
- arn:aws:controltower:sa-east-1: :control/ylnfgyijawev
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.S3.PR.2
- arn:aws:controltower:sa-east-1: :control/qodilhsqeudj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.S3.PR.3
- arn:aws:controltower:sa-east-1: :control/akencmojfziy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.S3.PR.4
- arn:aws:controltower:sa-east-1: :control/blciondmmxme
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.S3.PR.5
- arn:aws:controltower:sa-east-1: :control/eixegsomqyms
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.S3.PR.6
- arn:aws:controltower:sa-east-1: :control/ihgnyilkijrj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.S3.PR.8
- arn:aws:controltower:sa-east-1: :control/dmpzvjvzmwzn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:sa-east-1: :control/hxmaugjkizzi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:sa-east-1: :control/pkjbxqyftryt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:sa-east-1: :control/ydbjtbbnniMH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:sa-east-1: :control/yhwvctsCozpq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:sa-east-1: :control/bubhntxsnvhh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:sa-east-1: :control/dcldbwpAdgye • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:sa-east-1: :control/rilhLbpkxuXu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:sa-east-1: :control/ibzbyqwssfbm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:sa-east-1: :control/fwzwrhwincpz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:sa-east-1: :control/xedcrxbbiywt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:us-east-1: :control/zvstkbqvffmq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:us-east-1: :control/ghwikzttbtpw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:us-east-1: :control/dikeobazgtav • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:us-east-1: :control/wkxfsdzwwos • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM.1 • arn:aws:controltower:us-east-1: :control/owlpoeuwsxffb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2,
• SH.ACM.2 • arn:aws:controltower:us-east-1: :control/tzvkbklrcsao • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.1 • arn:aws:controltower:us-east-1: :control/lkwqtcvnhfyv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:us-east-1: :control/xccavlliunbw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2,
• Sh.apigateway.8 • arn:aws:controltower:us-east-1: :control/joeibmzjMELB • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2,
• Sh.apigateway.9 • arn:aws:controltower:us-east-1: :control/ockvzrezioqw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2,
• SH.Account.1 • arn:aws:controltower:us-east-1: :control/kqchspvltlwq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AppSync.5 • arn:aws:controltower:us-east-1: :control/ildfgifjtpau • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling0,6 • arn:aws:controltower:us-east-1: :control/lvdjevjjjjmvs • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail0,2 • arn:aws:controltower:us-east-1: :control/fqyltxgikoob • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CodeBuild0,1 • arn:aws:controltower:us-east-1: :control/xtqygbngcaxu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DMS.1 • arn:aws:controltower:us-east-1: :control/veffweqxyosj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.2 • arn:aws:controltower:us-east-1: :control/evcivosohsml • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.15 • arn:aws:controltower:us-east-1: :control/qwarltyjmmmaA • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.16 • arn:aws:controltower:us-east-1: :control/swljojkaoll • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.17 • arn:aws:controltower:us-east-1: :control/faadszjaewqp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.18 • arn:aws:controltower:sa-east-1: :control/jrkgcrifEMDN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.19 • arn:aws:controltower:us-east-1: :control/uhftwfybfecz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.2 • arn:aws:controltower:us-east-1: :control/supdkrqjndkg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.20 • arn:aws:controltower:us-east-1: :control/fvmqlygbwwpp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.21 • arn:aws:controltower:us-east-1: :control/ijpybwjtjrxn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.22 • arn:aws:controltower:us-east-1: :control/dowagdsRkwqt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.23 • arn:aws:controltower:us-east-1: :control/ebhypmtflihr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.25 • arn:aws:controltower:us-east-1: :control/sfjzgxmieGns • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• ID.EC2.3 • arn:aws:controltower:us-east-1: :control/tybcyjhhuzhb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.4 • arn:aws:controltower:us-east-1: :control/qozoelbfztcx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.6 • arn:aws:controltower:us-east-1: :control/vbvyzqyowso • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.7 • arn:aws:controltower:us-east-1: :control/dqpcegisfcnr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EC2.8 • arn:aws:controltower:us-east-1: :control/iinoisfTcchy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.9 • arn:aws:controltower:us-east-1: :control/wvizdnifqjve • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ECR.1 • arn:aws:controltower:us-east-1: :control/fyivbnsacuet • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ECR.2 • arn:aws:controltower:us-east-1: :control/poxsilhfuisa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ECR.3 • arn:aws:controltower:us-east-1: :control/aibswgepdirc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.ECS.1
- arn:aws:controltower:us-east-1: :control/rkejyzhlshx
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

- SH.ECS.10
- arn:aws:controltower:us-east-1: :control/nluivmhmghoa
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

- SH.ECS.12
- arn:aws:controltower:us-east-1: :control/exxslrjhtnez
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

- SH.ECS.2
- arn:aws:controltower:us-east-1: :control/lktodxrxwlvb
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.3 • arn:aws:controltower:us-east-1: :control/jxvvcwllijn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ECS.4 • arn:aws:controltower:us-east-1: :control/hieavtmgosdm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ECS.5 • arn:aws:controltower:sa-east-1: :control/onoosefnyaqj:east-1: :control/onoosefnyaqj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ECS.8 • arn:aws:controltower:sa-east-1: :control/rnztofgurzuk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.1 • arn:aws:controltower:sa-east-1: :control/gjqnsjlzrnt:east-1: :control/gjqnsjlzrntd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EFS.2 • arn:aws:controltower:sa-east-1: :control/ptoqrjvreem:east-1: :control/ptoqrjvreem:sa-eas t-1: :control/pTOQR • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EFS.3 • arn:aws:controltower:sa-east-1: :control/sygallbunryo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EFS.4 • arn:aws:controltower:sa-east-1: :control/nupvfxunvwqr:east-1: :control/nupvfxunvwqr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.1 • arn:aws:controltower:sa-east-1: :control/atxmhnvldbri • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EKS.2 • arn:aws:controltower:sa-east-1: :control/hqaHDqeavour • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.10 • arn:aws:controltower:sa-east-1: :control/wdxfRSixiuz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.12 • arn:aws:controltower:sa-east-1: :control/hqgazvjbhzXy:east-1: :control/hqgazvjbhzx:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.13 • arn:aws:controltower:sa-east-1: :control/pkdnmvjgphf:east-1: :control/pkdnmvjgphf:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.14 • arn:aws:controltower:sa-east-1: :control/swgzinqzmllt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.2 • arn:aws:controltower:sa-east-1: :control/plazvpnxqrl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.3 • arn:aws:controltower:sa-east-1: :control/hdcqtggaithq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.4 • arn:aws:controltower:sa-east-1: :control/cfxhpkijyiho • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.5 • arn:aws:controltower:sa-east-1: :control/eyyhlnpzcjjv:east-1: :control/eyyhlnpzcjjv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.6 • arn:aws:controltower:sa-east-1: :control/onghdhnaahav • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.7 • arn:aws:controltower:sa-east-1: :control/fmfshpkqeucc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.8 • arn:aws:controltower:sa-east-1: :control/vyfjfuwvhfuyeast-1: :control/vyfeast-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ELB.9 • arn:aws:controltower:sa-east-1: :control/hxscytctjuuu:east-1: :control/hxscytctjuuh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• Sh.elbv2.1 • arn:aws:controltower:sa-east-1: :control/bshpltxrabuv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.EMR.1 • arn:aws:controltower:sa-east-1: :control/imkkfpvgprhc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.1 • arn:aws:controltower:sa-east-1: :control/qhwiqgmzhzjs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ES.2 • arn:aws:controltower:sa-east-1: :control/lmusvxittlyf:east-1: :control/lmusvxittlyf:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ES.3 • arn:aws:controltower:sa-east-1: :control/rpihyxakugc:control:aws:controltower:sa-east-1: :control/rpihyxakugcv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ES.4 • arn:aws:controltower:sa-east-1: :control/hhdzxjrntoks • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH0,5 • arn:aws:controltower:sa-east-1: :control/efcmmujlpxp:east-1: :control/efcmmujlpxp:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ES.6 • arn:aws:controltower:sa-east-1: :control/clxebixeclbk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ES.7 • arn:aws:controltower:sa-east-1: :control/ihtmpzljcaor • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH.ES.8 • arn:aws:controltower:sa-east-1: :control/ucykcmefopsy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElastiCache0,3 • arn:aws:controltower:sa-east-1: :control/qgdfqrsbzt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH ElastiCache0,4 • arn:aws:controltower:sa-east-1: :control/GHMJIjsagkr:control:aws:controltower:sa-east-1: :control/GHMJIjSAGkrh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH ElastiCache.5 • arn:aws:controltower:sa-east-1: :control/sfoqxyotheas:east-1: :control/sfoqxyothjal • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH ElastiCache0,6 • arn:aws:controltower:sa-east-1: :control/mrzjgfejrman • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElasticBeanstalk0,1 • arn:aws:controltower:sa-east-1: :control/ulcsklzyhvee • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH ElasticBeanstalk0,2 • arn:aws:controltower:sa-east-1: :control/xveuiunhhvs:control:east-1: :control/xveuiunhhvr:east-1 : :control/xve • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH EventBridge0,3 • arn:aws:controltower:sa-east-1: :control/dnvqbirwguo:aws:controltower:sa-east-1: :control/ dnvqbirwguo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we
• SH GuardDuty0,1 • arn:aws:controltower:sa-east-1: :control/zqjrnjgoevg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, us-west-2, sa-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.1 • arn:aws:controltower:sa-east-1: :control/rdfmpazpdbsw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.IAM.2 • arn:aws:controltower:sa-east-1: :control/kwgaJqbcvxtc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.IAM.21 • arn:aws:controltower:sa-east-1: :control/clkmpbzobomc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.IAM.3 • arn:aws:controltower:sa-east-1: :control/tiinybausdla • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.4 • arn:aws:controltower:sa-east-1: :control/dytpsgefqhg:east-1: :control/dytpsgefqhgz:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.IAM0,5 • arn:aws:controltower:sa-east-1: :control/rktxsscrcosg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.IAM.IAM.6 • arn:aws:controltower:sa-east-1: :control/zdwyzqrvguz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.IAM.IAM.7 • arn:aws:controltower:sa-east-1: :control/wjkchoeitnx:east-1: :control/wjkchoeitnx:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.8 • arn:aws:controltower:sa-east-1: :control/vrsvtexaezz:east-1: :control/vrsvtexaezz:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.KMS.1 • arn:aws:controltower:sa-east-1: :control/iimaaoemtfuc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.KMS.2 • arn:aws:controltower:sa-east-1: :control/iitovjdngAn:control:aws:controltower:sa-east-1: :control/iitovjdngAnd: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.KMS.3 • arn:aws:controltower:sa-east-1: :control/xivtddcwrgy:east-1: :control/xivtddcwrgyg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.4 • arn:aws:controltower:sa-east-1: :control/tfypskcncxox • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.kinesis.1 • arn:aws:controltower:sa-east-1: :control/qbjwzoqctxk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.Lambda.1 • arn:aws:controltower:sa-east-1: :control/ihxaqzrztqa:east-1: :control/ihxaqzrztqav • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.Lambda.2 • arn:aws:controltower:sa-east-1: :control/ykpntlkcmmXe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.3 • arn:aws:controltower:sa-east-1: :control/rhfdhzunyhni:east-1: :control/rhfdhzunyhni • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.Lambda.5 • arn:aws:controltower:sa-east-1: :control/auwvlgtjaccw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.MQ.5 • arn:aws:controltower:sa-east-1: :control/bjpefaaxqvxq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.MQ.6 • arn:aws:controltower:sa-east-1: :control/hdkuidUxezbt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• MSK.MSK.MSK.1 • arn:aws:controltower:sa-east-1: :control/rejgvxribjf:east-1: :control/rejgvxribjfd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Neptune.1 • arn:aws:controltower:sa-east-1: :control/spukknhzropv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Neptune.2 • arn:aws:controltower:sa-east-1: :control/pjbdtiytnlgl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Neptune.3 • arn:aws:controltower:sa-east-1: :control/jnygvgsvcvb:east-1: :control/jnygvsvcvb:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.4 • arn:aws:controltower:sa-east-1: :control/oakvbkhimktc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Neptune.5 • arn:aws:controltower:sa-east-1: :control/ffmgxysrltrm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Neptune.6 • arn:aws:controltower:sa-east-1: :control/midtnrjvelzh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Neptune.7 • arn:aws:controltower:sa-east-1: :control/pobiuaemumjj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.8 • arn:aws:controltower:sa-east-1: :control/ugakiqsfnzmu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH NetworkFirewall0,3 • arn:aws:controltower:sa-east-1: :control/nbagbdclbadt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH NetworkFirewall.4 • arn:aws:controltower:sa-east-1: :control/ztxgnkakqsma • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH NetworkFirewall.5 • arn:aws:controltower:sa-east-1: :control/ipoxudfdgkod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall.6 • arn:aws:controltower:sa-east-1: :control/bglwkrbfnvtn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.OpenSearch.1 • arn:aws:controltower:sa-east-1: :control/tfivpoesoehs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.OpenSearch.2 • arn:aws:controltower:sa-east-1: :control/msryqghhwewP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.OpenSearch.3 • arn:aws:controltower:sa-east-1: :control/aws:controltower:us-east-1: :us-east-1 • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.4 • arn:aws:controltower:sa-east-1: :control/qovsykvmkssy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.OpenSearch.5 • arn:aws:controltower:sa-east-1: :control/rbsfpoegjlv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.OpenSearch.6 • arn:aws:controltower:sa-east-1: :control/byzzfSuvefih • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.OpenSearch.7 • arn:aws:controltower:sa-east-1: :control/kjgfqqqdniug • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:controltower:sa-east-1: :control/lyiotwagdxpy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.1 • arn:aws:controltower:sa-east-1: :control/drloimluyccx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.10 • arn:aws:controltower:sa-east-1: :control/zxyuzghngiGV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.11 • arn:aws:controltower:sa-east-1: :control/mubqtiskshfx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.13 • arn:aws:controltower:sa-east-1: :control/ubpmmegvoikq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.17 • arn:aws:controltower:sa-east-1: :control/yalxehdsnctd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.18 • arn:aws:controltower:sa-east-1: :control/hysdymkjvuvk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.19 • arn:aws:controltower:sa-east-1: :control/sodgiroqyhnv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.2 • arn:aws:controltower:sa-east-1: :control/kcaxlpfzjxcu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.20 • arn:aws:controltower:sa-east-1: :control/oaimbcjmfknh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• RDS.21 • arn:aws:controltower:sa-east-1: :control/onkvqcahdmmmg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.22 • arn:aws:controltower:sa-east-1: :control/zikcbmbkoyqg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.23 • arn:aws:controltower:sa-east-1: :control/wgaKcuzzvthp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• RDS.RDS.25 • arn:aws:controltower:sa-east-1: :control/pwfhijddfbfffffbffffffffbffffbft • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• RDS.27 • arn:aws:controltower:sa-east-1: :control/waavlkurprrrq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• RDS.RDS.3 • arn:aws:controltower:sa-east-1: :control/wwdyzrwidtxw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.RDS.4 • arn:aws:controltower:sa-east-1: :control/rzhjruqrpwRV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• RDS.RDS.5 • arn:aws:controltower:sa-east-1: :control/hddrwbvhavwk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• RDS.RDS.6 • arn:aws:controltower:sa-east-1: :control/klaqldqdnqdnqco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• SH.RDS.8 • arn:aws:controltower:sa-east-1: :control/bqhoiaHinfuy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.9 • arn:aws:controltower:sa-east-1: :control/ndktxpfknjxfknjxf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Redshift.1 • arn:aws:controltower:sa-east-1: :control/yqjnemqsmpcg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Redshift.10 • arn:aws:controltower:sa-east-1: :control/kaabmidgclbk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1
• Sh.Redshift.2 • arn:aws:controltower:sa-east-1: :control/pukfrlstcgtp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-northeast-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.4 • arn:aws:controltower:sa-east-1: :control/eyhircyxxfhz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.9 • arn:aws:controltower:sa-east-1: :control/gmlyqlduqhxH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.12 • arn:aws:controltower:sa-east-1: :control/nxktrbnxnluy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.S3.3
- arn:aws:controltower:sa-east-1: :control/nqykuevxjmtq
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2,

- SH.S3.5
- arn:aws:controltower:sa-east-1: :control/uzyvcolstzul
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2,

- SH.S3.6
- arn:aws:controltower:sa-east-1: :control/wkwumsnsaann
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2,

- SH.S3.8
- arn:aws:controltower:sa-east-1: :control/yfmjmxpvfukx
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.9 • arn:aws:controltower:sa-east-1: :control/yzmeodwahvdl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.SSM.3 • arn:aws:controltower:sa-east-1: :control/dqoixcsnnclv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SageMaker.3 • arn:aws:controltower:sa-east-1: :control/vupwzbfwtbdm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager.4 • arn:aws:controltower:sa-east-1: :Control/Qarjzogdukdn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.WAF.4 • arn:aws:controltower:sa-east-1: :Control/evtlkiCAdrVX • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ap-northeast-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:us-east-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:us-east-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_DIAKTIFKAN • arn:aws:controltower:us-east-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:us-east-1: :Control/aws:CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:us-east-1: :Control/aws-GR_CloudTrail_Validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:us-east-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:us-east-1: :Control/aws:config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:us-east-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_ac counts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:us-east-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:us-east-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:us-east-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:us-east-1: :aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:us-east-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-northeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1 t-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:us-east-1: :Control/aws-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:us-east-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:us-east-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:us-east-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:us-east-1: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:us-east-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2 , eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:us-east-1: :Control/AWS-GR_EMR_Master_NO_PUBLIC_IP • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:us-east-1: :Control/aws:sw_Encrypted_Volume • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, u-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:us-east-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, a-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:us-east-1: :Control/aws:Log_Group_Policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:us-east-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:us-east-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-southeast-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-east-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:us-east-1: :Control/aws-GR_RDS_Storage_Encrypted • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-east-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:us-east-1: :Control/aws:region_deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:us-east-1: :Control/aws-GR_RESTRICTED_COMMON_PORTS • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:us-east-1: :Control/aws:sw- • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:us-east-1: :Control/aws-GR_RESTRICT_ROOT_USER • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:us-east-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:us-east-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:us-east-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:us-east-1: :control/aws-gr_root_account_mfa_enabled • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:us-east-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-southeast-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-southeast-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-south-1, eu-south-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:us-east-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:us-east-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, me-south-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:swast-1: :aws:swa-east-1: :aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:us-east-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:us-east-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, ap-southeast-1, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, saya-central-1, a-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:us-east-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-southeast-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-eu-eu-eit-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:us-east-1: :Control/cwiZNcrihXMW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:swast-1: :aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.APIGATEWAY.PR.2 • arn:aws:swfwfwf:aws: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APIGATEWAY.PR.3
- arn:aws:controltower:us-east-1: :Control/fimwsvknfann
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.APIGATEWAY.PR.4
- arn:aws:controltower:us-east-1: :Control/cslquikVRGVG
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.5
- arn:aws:controltower:us-east-1: :control/ynahjmrfsaty
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.6
- arn:aws:controltower:us-east-1: :control/legxjuswubyG
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APPSYNC.PR.1
- arn:aws:controltower:us-east-1: :control/ecxyqkueTwkc
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.2
- arn:aws:controltower:us-east-1: :control/yalqwsjimfvu
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.3
- arn:aws:controltower:us-east-1: :control/cdqlxcughcoy
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.4
- arn:aws:controltower:us-east-1: :control/kxqlghltdUka
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.5 • arn:aws:controltower:us-east-1: :control/jskwypynufbv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:us-east-1: :control/gdwpopdduxnq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:us-east-1: :control/lnaascwiyqwf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:us-east-1: :control/Lhukynekrwth • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:us-east-1: :control/mvjmdopchbbj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:us-east-1: :control/olraclxugwda • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:us-east-1: :control/gzbgbnosjnhe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:us-east-1: :control/ukygxevhjutl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:us-east-1: :control/gxohamkzzbeh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:us-east-1: :control/imjnsrjluds • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:us-east-1: :control/jazmsknxGBDD • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:us-east-1: :control/rroojijvztcd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFORMATION.PR.1
- arn:aws:controltower:us-east-1: :control/wtdsmkdnle
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.1
- arn:aws:controltower:us-east-1: :control/xdnlxqcmxxf
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.10
- arn:aws:controltower:us-east-1: :control/mkkannmzzhnu
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.11
- arn:aws:controltower:us-east-1: :control/jswkpylwxbn
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:us-east-1: :control/wpbvzxcjpxbz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:us-east-1: :control/kscplcgjkghw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:us-east-1: :control/ttgxtdstfuvr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:us-east-1: :control/rsbkbjhvwocy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:us-east-1: :control/qfqnqhndshbp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:us-east-1: :control/sfiaowrghfhb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:us-east-1: :control/ypzyctaLwzlk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:us-east-1: :control/xcqmsoomookf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:us-east-1: :control/epncreenaxly • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:us-east-1: :control/zobwkzjtoufy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:us-east-1: :control/dzjutmxlmf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:us-east-1: :control/audoyqmvifSG • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:us-east-1: :control/ssxfcvhaaydy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:us-east-1: :control/htukcdnxpvwk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:us-east-1: :control/zhzbttzmzyst • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:us-east-1: :control/uubjsmhqbte • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.1 • arn:aws:controltower:us-east-1: :control/jimfdeaqdwck • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:us-east-1: :control/ejnhnfzramfg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:us-east-1: :control/yehywyauiqhz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.5 • arn:aws:controltower:us-east-1: :control/ojstetvyfkhe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.6 • arn:aws:controltower:us-east-1: :control/weezoknmkwfk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:us-east-1: :control/emiznbubwzst • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:us-east-1: :control/sbktbsuwmkek • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:us-east-1: :control/jsrqeoolhchq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.1 • arn:aws:controltower:us-east-1: :control/tzmigtndhqvl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:us-east-1: :control/orqvpinrlmoy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:us-east-1: :control/thvikwxjqceb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:us-east-1: :control/arzakwmxvivc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.1 • arn:aws:controltower:us-east-1: :control/oizvlcbzarkx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:us-east-1: :control/avpwtcqvzfL • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:us-east-1: :control/notmrptqnraa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1 : :aws:aws:control:us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.11 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :usbvlkbfjw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:us-east-1: :us-east-1: :control/qndkuceigrnb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:us-east-1: :us-east-1: :control/fzsuceeyapwi:us-east-1:: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :aws:aws:jget:us-east-1:: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.15 • arn:aws:controltower:us-east-1: :Control/ekbehjfwpmc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:us-east-1: :us-east-1: :control/malastzisXPG • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:us-east-1: :us-east-1: :control/fpfkopoezrst • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:us-east-1: :us-east-1: :control/tohtlynbkvya • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.19 • arn:aws:controltower:us-east-1: :us-east-1: :control/ulwnhdavxswd:us-east-1:: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1:: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:us-east-1: :us-east-1: :control/pdfdbiruzzzm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:us-east-1: :us-east-1: :control/vvdnpmrruwkz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.4 • arn:aws:controltower:us-east-1: :us-east-1: :control/kfdqxdmbxxv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:us-east-1: :us-east-1: :control/Duqkoryiwjyq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1 : :aws:control:us-east-1: :aws:control • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:us-east-1: :us-east-1: :control/toririqkvts: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.8 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:us-east-1: :us-east-1: :control/cudbaegsaetl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws:vuaddj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:us-east-1: :us-east-1: :control/Xfneynnzptgl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.3 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1: :us-east-1: :us-east-1: :Con • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws:x • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :aws:aws:control:aws:control:aws:control • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:us-east-1: :us-east-1: :control/roqsxwnzwnsl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.1 • arn:aws:controltower:us-east-1: :us-east-1: :control/qxnbgipkjbeq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:us-east-1: :us-east-1: :control/mowsmngtnej:us-east-1:: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:us-east-1: :us-east-1: :control/rkdzmsuyqtho • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:us-east-1: :us-east-1: :control/mhzeneknvrdm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.10 • arn:aws:controltower:us-east-1: :us-east-1: :Control/sijxaejnczru • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:us-east-1: :us-east-1: :control/fkiknemqimg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:us-east-1: :aws:aws:aws:controltower:us-east-1: :aws:controltower:us-east-1: :aws:jfmyfK • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.2 • arn:aws:controltower:us-east-1: :us-east-1: :control/byfwxrysyxbv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.3 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1 : :aws:us-east-1: :aws:aws:aws:control • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:us-east-1: :aws:aws:aws:controltower:us-east-1: :aws:controltower:us-east-1: :aws:rkigtc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws:q • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.7 • arn:aws:controltower:us-east-1: :us-east-1: :control/kxumgtktekzr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:us-east-1: :aws:control:aws:controltower:us-east-1: :aws:controltower:us-east-1: :aws:fgkt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:us-east-1: :us-east-1: :control/ulwryyuoyetk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :aws:mvaqm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.2 • arn:aws:controltower:us-east-1: :us-east-1: :control/zymoifnknwkl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:us-east-1: :us-east-1: :control/khoapvgnwcgl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws:j • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:us-east-1: :us-east-1: :control/mwfzszztim • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICACHE.PR.4
- arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:us-east-1: :aws:us-east-1: :aws:xbmhbk
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.5
- arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1: :us-east-1: :aws:zgboax
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICACHE.PR.6
- arn:aws:controltower:us-east-1: :us-east-1: :control/fqltudzmhlvz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

- CT.ELASTICACHE.PR.7
- arn:aws:controltower:us-east-1: :us-east-1: :control/GHMqdshzxxzu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :us-east-1: :us-east-1: :Con • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:us-east-1: :us-east-1: :control/tmnycdenfcpb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:us-east-1: :us-east-1: :control/cgciuytozicw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:us-east-1: :us-east-1: :control/seqkndazbeny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:us-east-1: :us-east-1: :control/ddrstniu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :aws:us-east-1: :aws:control:aws:controls:aws:control • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:us-east-1: :us-east-1: :control/jvoemqjalneh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:us-east-1: :us-east-1: :control/socnuayxonkj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:us-east-1: :aws:aws:control:us-east-1: :aws:controltower:us-east-1: :us-east-1: :us-east-1: :Control/ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:us-east-1: :us-east-1: :control/hufLxlub • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws:mbqmrq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:us-east-1: :aws:aws:control:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws:aws:aws:control • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:controltower:us-east-1: :us-east-1: :aws:jgctzX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:us-east-1: :us-east-1: :control/vczfjeauawln • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:us-east-1: :us-east-1: :control/esmqbbsnppbl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:us-east-1: control/twnoushmrfwv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:us-east-1: control/vlckswjhuunn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:us-east-1: control/zvuggrkpsnf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:us-east-1: control/xzmjrfqffqfq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:us-east-1: control/acyjdqtsIbrw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:us-east-1: control/cwxbbujakhiy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:us-east-1: control/oqykduwyeoim • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:us-east-1: control/ojrpupoebogc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:us-east-1: control/cgkqchlvdeib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.2 • arn:aws:controltower:us-east-1: control/rbbmahvkfuyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:us-east-1: control/qnpzcjdnggsi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:us-east-1: control/vkfEqPowceQO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:us-east-1: control/wpcrzfumyk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:us-east-1: control/HDyippmswzou • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:us-east-1: control/jmbmakmuhmkC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:us-east-1: control/pnoctmyiraqz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:us-east-1: control/xjwbvkpDallc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.4 • arn:aws:controltower:us-east-1: control/bgegspwzqghe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:us-east-1: control/ccmovwixylyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:us-east-1: control/huiokniccrbb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:us-east-1: control/vulbajmydwha • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.2 • arn:aws:controltower:us-east-1: control/IDrqwfyowsp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:us-east-1: control/siliqxpgemkz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:us-east-1: control/aytigcdzpgrx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:us-east-1: control/edfruurkiqub • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.3 • arn:aws:controltower:us-east-1: control/xbwzixubhkfffff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:us-east-1: control/ebmkzksdvmwl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:us-east-1: control/ytrcmnldomig • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:us-east-1: control/qrqardfsdxil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.2 • arn:aws:controltower:us-east-1: control/gfcpwdhpfthd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:us-east-1: control/bvijmejxiwap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:us-east-1: control/xoxgpfewmxyq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:us-east-1: control/khfbnsflxlfffffffffffffffffffffffffffff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.6 • arn:aws:controltower:us-east-1: control/uzmmjbjqmqzk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:us-east-1: control/dhundplaedh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:us-east-1: control/zodwnfuuyoo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:us-east-1: control/mqztempugwi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.2 • arn:aws:controltower:us-east-1: control/vhafxjtxtqmy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:us-east-1: control/sqqdztsfffib • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:us-east-1: control/pzujvidwdhom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:us-east-1: control/jbvfpcbygpjm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NEPTUNE.PR.1
- arn:aws:controltower:us-east-1: control/vvyttdiryzic
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

- CT.NEPTUNE.PR.2
- arn:aws:controltower:us-east-1: control/aulkjokxsvdl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

- CT.NEPTUNE.PR.3
- arn:aws:controltower:us-east-1: control/zvgxwmkLnoct
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

- CT.NEPTUNE.PR.4
- arn:aws:controltower:us-east-1: control/onfzfwfimsqn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.5 • arn:aws:controltower:us-east-1: control/nrkjrtzhjlpU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:us-east-1: control/mOwfcdwvpvgY • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-west-1, sa-east-1, sa-east-1, us-west-1, us-west-2, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:us-east-1: control/sxrzlkjbmDws • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:us-east-1: control/pqsywadlsxiq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:us-east-1: control/ofyaexyscbov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:us-east-1: control/ydtwtsMhhqet • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:us-east-1: control/riibjuagrihm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:us-east-1: control/aasjrfpgbvMo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:us-east-1: control/LSGswjzpsqln • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:us-east-1: control/gdsonmyfzrlfffffffffffffffffffffffffffff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:us-east-1: control/sfxalxzdgecs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:us-east-1: control/gxauypclbcbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:us-east-1: control/qqqfhufyokffyOkffff • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:us-east-1: control/ulwlgprocxue • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:us-east-1: control/vtliuxdavrdr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:us-east-1: control/hlpmhxeast-1 • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:us-east-1: control/jstnmtmfRkGo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:us-east-1: control/kyafrixoljCM • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:us-east-1: control/aibfrqchgjoo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.7 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.8 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.10 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.11 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.14 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.15 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.18 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.19 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.21 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.22 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.25 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.26 • arn:aws:sws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.29 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.3 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.5 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.6 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.9 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.5 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:sws:swfhw:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.9 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.11 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.12 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-1, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.4 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.5 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.9 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:swp:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.2 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.2 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:sws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM.1 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ACM.2 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• Sh.apigateway.1 • arn:aws:controltower:us-east-1: :control/ootdcusikizz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• Sh.apigateway.3 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• Sh.apigateway.4 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• Sh.apigateway.5 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.8 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• Sh.apigateway.9 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.Account.1 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH AppSync.5 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling0,1 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH AutoScaling0,2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH AutoScaling0,3 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH AutoScaling0,6 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling0,9 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• Sh.Autoscaling.5 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH CloudTrail0,1 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH CloudTrail0,2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail0,4 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH CloudTrail.5 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH CloudTrail0,6 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH CodeBuild0,1 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CodeBuild0,2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH CodeBuild0,3 • arn:aws:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:swycpr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH CodeBuild0,4 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.DMS.1 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:controltower:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• ID.DMS.9 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.DocumentDB.3 • arn:aws:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.DynamoDB.1 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:qqkgcr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.DynamoDB.2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.3 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.1 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.10 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.15 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws:aws:jzeblt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.16 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.17 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.18 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.19 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.20 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:controltower:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.21 • arn:aws:sws:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.22 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:controltower:us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.23 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.25 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :aws:aws:aws:aws:aws:wqgou • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• ID.EC2.3 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.4 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.6 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.7 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:swf:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.8 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.EC2.9 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECR.1 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:sw:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECR.2 • arn:aws:controltower:us-east-1: :Control:aws:aws:controltower:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECR.3 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:aws:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECS.1 • arn:aws:controltower:us-east-1: :us-east-1: :aws:aws:sw:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.10 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECS.12 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECS.2 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECS.3 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.4 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECS.5 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-east-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-1, us-east-2, us-west-1 , us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-1
• SH.ECS.8 • arn:aws:controltower:us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.EFS.1 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.2 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.EFS.3 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.EFS.4 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.EKS.1 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.2 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.10 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.12 • arn:aws:east-1: :aws:east-1: :aws:mxhbilja • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.13 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:aws:aws:aws:sweast-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.14 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.2 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.3 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.4 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.5 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.6 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.7 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:vvtrsq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ELB.8 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.9 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.elbv2.1 • arn:aws:east-1: :aws:aws:swf:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.EMR.1 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ES.1 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:kbjvfV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.2 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ES.3 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ES.4 • arn:aws:east-1: :aws:aws:hxkvqm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ES.5 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:mufjiyu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.6 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ES.7 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.ES.8 • arn:aws:east-1: :aws:ffdzjio • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH ElasticBeanstalk0,1 • arn:aws:east-1: :aws:east-1: :aws:aws:sweast-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElasticBeanstalk0,2 • arn:aws:east-1: :aws:east-1:: east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,	
• SH EventBridge0,3 • arn:aws:east-1: :aws:east-1: :aws:aws:jrgjws:aws:jrgjws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,	
• SH GuardDuty0,1 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,	
• SH.IAM.1 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,	

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.2 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.IAM.21 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.IAM.3 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.IAM.4 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.5 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.IAM.6 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.IAM.7 • arn:aws:east-1: :aws:aws:pmkbqwpmkbqwv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.IAM.8 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:aws:aws:aws:aws:swfdc:us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.1 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.KMS.2 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.KMS.3 • arn:aws:east-1: :aws:east-1: :aws:aws:pvwRjV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.KMS.4 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.kinesis.1 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.Lambda.1 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.Lambda.2 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.Lambda.3 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.5 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.MQ.5 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH.MQ.6 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• MSK.MSK.1 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.1 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Neptune.2 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Neptune.3 • arn:aws:east-1: :aws:aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Neptune.4 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.5 • arn:aws:east-1: :aws:aws:jfhkwj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Neptune.6 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Neptune.7 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• Sh.Neptune.8 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall0,3 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH NetworkFirewall0,4 • arn:aws:east-1: :aws:east-1: :aws:aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1,
• SH NetworkFirewall.5 • arn:aws:east-1: :aws:east-1: :aws:east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH NetworkFirewall0,6 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.1 • arn:aws:swb:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.2 • arn:aws:swfsw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.3 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.4 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.5 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.6 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.7 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:swash:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1 • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.1 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.10 • arn:aws:swp:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.11 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.12 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.13 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.15 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.17 • arn:aws:swick:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.18 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.19 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.2 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.20 • arn:aws:swess:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1 • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.21 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.22 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east- • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.23 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east- • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.25 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.27 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.3 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.4 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.5 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RD.6 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.8 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.9 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.1 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.10 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.2 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.4 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.6 • arn:aws:swevel:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.7 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.8 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.9 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.1 • arn:aws:swfbbhp: us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.10 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.11 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.12 • arn:aws:swswf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.13 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.17 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.2 • arn:aws:swptycgs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.3 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.5 • arn:aws:swsw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1 • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.6 • arn:aws:swovXN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.8 • arn:aws:swH:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1 • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.9 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SQS.1 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.1 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws:swp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SSM.SSM.2 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.3 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.4 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH SageMaker0,1 • arn:aws:sw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH SageMaker0,2 • arn:aws:swu:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SageMaker0,3 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH SecretsManager0,1 • arn:aws:swbcsw:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1:: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH SecretsManager0,2 • arn:aws:swf:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH SecretsManager0,3 • arn:aws:sweast-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager0,4 • arn:aws:swswswswswqqteu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.10 • arn:aws:swcx:us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :us-east-1: :aws:sw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1
• SH.WAF.2 • arn:aws:sws:us-east-1: :aws:aws:aws:aws:sws:us-east-1: • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1
• SH.WAF.3 • arn:aws:sws:us-east-1: :aws:aws:aws:sws:us-east-1: :aws:aws:aws:swf:us-east-1: :aws:aws: • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.4 • arn:aws:sws:us-east-1: :aws:aws:aws:aws:sws:us-east-1: • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1

us-east-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:us-east-2: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:us-east-2: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:us-east-2: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:us-east-2: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:us-east-2: :control/aws-gr_detect_cloudtrail_enabled_on_member_ac counts • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:us-east-2: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:us-east-2: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:us-east-2: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:us-east-2: :Control/AWS-GR_Disallow_VPN_Connections • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:us-east-2: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:us-east-2: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:us-east-2: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:us-east-2: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:us-east-2: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:us-east-2: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:us-east-2: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:us-timur-2: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:us-east-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-east-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:us-east-2: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:us-east-2: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-east-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:us-east-2: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-u-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-east-2: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1,, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2 , eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:us-east-2: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-east-2: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:us-east-2: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:us-east-2: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-east-1, us-east-1, us-east-2, us-east-2, us-west-2
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:us-east-2: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:us-east-2: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:us-east-2: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:us-east-2: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:us-east-2: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:us-timur-2: :kontrol/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eeu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:us-east-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:us-timur-2: :kontrol/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:us-east-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:us-east-2: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:us-east-2: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:us-east-2: :control/soeezvlqqmbp • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:us-east-2: :control/xriizcmyltpu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:us-east-2: :control/mqxzjkmxoreu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:us-east-2: :control/dzdlwpokgtpi • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:us-east-2: :control/zzrgctuqtbpu • af-south-1, ap-east-1, ap-southeast-1, ap-southeast-2, ap-southeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:us-east-2: :control/krlmxvlltuan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:us-east-2: :control/gcvcifyyiddi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:us-east-2: :control/bczegahhzsii • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:us-east-2: :control/IUactsJityIP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:us-east-2: :control/mmgmsistunph • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:us-east-2: :control/pepmjsrrazxc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:us-east-2: :control/rgslgmueqoxs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:us-east-2: :control/clwueyfloceq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:us-east-2: :control/bnbfjqsjjifx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:us-east-2: :control/ibufupgankzj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:us-east-2: :control/duynjivjyyes • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:us-east-2: :control/duamdoaqrdmu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:us-east-2: :control/fiazhjhsvvlm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:us-east-2: :control/wmwboceRogjk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:us-east-2: :control/RheyJDCZKXSD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:us-east-2: :control/sbfdhquftinu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:us-east-2: :control/cbeylwicuqce • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:us-east-2: :control/itcmhpphfuus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:us-east-2: :control/fmbvjtkqaeae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:us-east-2: :control/iqsrcucsgfpk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:us-east-2: :control/wcttahvmydls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:us-east-2: :control/FRBHAAKLXVJQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:us-east-2: :control/mlhmbkfpszqt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:us-east-2: :control/rfnnwxvmUbpq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:us-east-2: :control/BCDVicotHADR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:us-east-2: :control/emchzazdznvl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:us-east-2: :control/lqdiowjwutsm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:us-east-2: :control/zqxcmivmkIAA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:us-east-2: :control/kqtkkfcmstjr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:us-east-2: :control/hxxcdbiitxoe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:us-east-2: :control/ctxdbbkxwfym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:us-east-2: :control/xfidqgggGOMTT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:us-east-2: :control/NKnkekYMHFHH • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:us-east-2: :control/oopjjacqofus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:us-east-2: :control/ramyqipcoqpv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:us-east-2: :control/kzlhfshuxrwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:us-east-2: :control/uexynaiahtwi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:us-east-2: :control/xfoxfwkoufvi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:us-east-2: :control/xmpggvradhwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:us-east-2: :control/qfrbxznmgmld • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:us-east-2: :control/UCDPZLBJEGBZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:us-east-2: :control/xelbxzjfbgyk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:us-east-2: :control/arxghzdjmvev • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:us-east-2: :control/pwenjmkydfli • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:us-east-2: :control/xolxwdxotsds • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:us-east-2: :control/ouebonyibden • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:us-east-2: :control/vsdwqvwsevhu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:us-east-2: :control/Rajooxrimdfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:us-east-2: :control/agseoynxosrk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:us-east-2: :control/zibrjzxdxmyk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:us-east-2: :control/mmmopkuvajyzd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:us-east-2: :control/glnziqoidtes • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:us-east-2: :control/smakvtvjepxo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:us-east-2: :control/zxuwtnzzoqui • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:us-east-2: :control/gajqjehkyenl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:us-east-2: :control/ifrkpjedmuuu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:us-east-2: :control/anukctrrccfe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.14 • arn:aws:controltower:us-east-2: :control/vmcvokhaofhc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.15 • arn:aws:controltower:us-east-2: :control/loexlmdaloif • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:us-east-2: :control/ypfnzauchugk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:us-east-2: :control/LVAJMRVLKXVW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.18 • arn:aws:controltower:us-east-2: :control/xbdtgeMiMjyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.19 • arn:aws:controltower:us-east-2: :control/whxhnbcLHzvk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:us-east-2: :control/HFMYOOXSTPVC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:us-east-2: :control/olcbwhurmett • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:us-east-2: :control/pzrwtpbhwdvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:us-east-2: :control/uzfynyfhikde • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:us-east-2: :control/oeyvcmvlviat • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:us-east-2: :control/faqmzvdiltrv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:us-east-2: :control/kwfitNusNTwo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:us-east-2: :control/kuqmagpmTiyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:us-east-2: :control/boovpdgtdmmv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:us-east-2: :Control/DGXVMBtzVZon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:us-east-2: :control/jrcjlyeuwear • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:us-east-2: :control/qfumdyuvoknh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:us-east-2: :control/ytabbdobihed • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:us-east-2: :control/beiphxrjnbtf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:us-east-2: :control/bxtihydlsfup • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:us-east-2: :control/wuawjinpvBig • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:us-east-2: :control/qkpsfrnoerpv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:us-east-2: :control/aryalupzxerr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:us-east-2: :control/mysvozbsjpit • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:us-east-2: :control/krbxesuggrwx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:us-east-2: :control/ymjjjsfohtfv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:us-east-2: :control/pdbtciamjjfj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.2 • arn:aws:controltower:us-east-2: :control/keribbicuegg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:us-east-2: :control/qhahuinvtwck • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:us-east-2: :control/mgblofcaddwf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:us-east-2: :control/yiglagafxxjo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:us-east-2: :control/wxrvldxhytSD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:us-east-2: :control/ipdxjykwodxa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:us-east-2: :control/rtpjrdpzwehj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:us-east-2: :control/efalhmkkxwxm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:us-east-2: :control/dyheomiuqfix • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:us-east-2: :control/tinbdmqqlket • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:us-east-2: :control/szitqjztscdz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:us-east-2: :control/ceumaaslvcgz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:us-east-2: :control/pyajvgnstrbs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:us-east-2: :control/urujvbvxoumz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:us-east-2: :control/vmdjubbwadig • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:us-east-2: :control/qomucvtcnkuo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:us-east-2: :control/zhdbzrdjkkGN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:us-east-2: :control/dkagznztyesp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:us-east-2: :control/fhwoikxtzjba • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:us-east-2: :control/jptnjbasrlls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:us-east-2: :control/snodoxmtpkmm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:us-east-2: :control/GhuirleMFQOA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:us-east-2: :control/zhndmapibqbp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:us-east-2: :control/bibzkvastjji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ELASTICFILESYSYSTEM.PR.4
- arn:aws:controltower:us-east-2: :control/bwcbiwtthmba
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICLOADBALANCING.PR.1
- arn:aws:controltower:us-east-2: :control/xmiewivaDwdv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICLOADBALANCING.PR.10
- arn:aws:controltower:us-east-2: :control/lazxttjxnzwx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ELASTICLOADBALANCING.PR.11
- arn:aws:controltower:us-east-2: :control/dovonhqvoitw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:us-east-2: :control/xrlosbaPfqJX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:us-east-2: :control/ArginPixwoqf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:us-east-2: :control/jlzrgikjafuw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:us-east-2: :control/dwnvooznwbzk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:us-east-2: :control/xdtthnuPihng • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:us-east-2: :control/workyxiaeepy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:us-east-2: :control/gizoetcrsjgj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:us-east-2: :control/dedmsngushru • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:us-east-2: :control/fjieefhbkmei • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:us-east-2: :control/jqwtmkadkiqm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:us-east-2: :control/nyjaeppdxsfp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:us-east-2: :control/bzaivzyigbea • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EMR.PR.1
- arn:aws:controltower:us-east-2: :control/yhcucjsgqfxa
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EMR.PR.2
- arn:aws:controltower:us-east-2: :control/unmatkwgxvef
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EMR.PR.3
- arn:aws:controltower:us-east-2: :control/pileMyHTDXA
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EMR.PR.4
- arn:aws:controltower:us-east-2: :control/ehlzofipqelw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-west-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GLUE.PR.1 • arn:aws:controltower:us-east-2: :control/tcwrjojcLvfq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:us-east-2: :control/pynxrwwbwdcv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:us-east-2: :control/vrygylberjdx • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:us-east-2: :control/fozzurseeioc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:us-east-2: :control/ufuiavahemxt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:us-east-2: :control/wdsxajoavhza • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:us-east-2: :control/onhygfqymlzs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:us-east-2: :control/ulxlvvuvxlrr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:us-east-2: :control/jdplyyqwrcoA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:us-east-2: :control/hncwlrmvgeld • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:us-east-2: :control/gnvsurrrjvkk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:us-east-2: :control/mdjdozyamskl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:controltower:us-east-2: :control/pimgrcbqfiyg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:us-east-2: :control/yavuhkmtpuvh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:us-east-2: :control/zzhxoditmasy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:us-east-2: :control/fmphldlkzsvt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:controltower:us-east-2: :control/lwzcugnxnqei • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:us-east-2: :control/coumhgzrqfcf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:us-east-2: :control/hequkybhevkm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:us-east-2: :control/rnarzbowkhip • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:controltower:us-east-2: :control/klurunqrsotc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:us-east-2: :control/kowwbewwdheq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:us-east-2: :control/aevugranqiir • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:us-east-2: :control/kfaoivpalkdh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.MQ.PR.1
- arn:aws:controltower:us-east-2: :control/ztcmaabbqgav
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.MQ.PR.2
- arn:aws:controltower:us-east-2: :control/sbnyxmcpjyyf
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.MSK.PR.1
- arn:aws:controltower:us-east-2: :control/nvdozwnufias
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.MSK.PR.2
- arn:aws:controltower:us-east-2: :control/XVUHneqBVNvw
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:us-east-2: :control/tixurchhvclb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:us-east-2: :control/hhyqqnqrwptr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:us-east-2: :control/zhxcjvnwnccq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:us-east-2: :control/dunnsubegamh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NEPTUNE.PR.4
- arn:aws:controltower:us-east-2: :control/jdygxwikjydz
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NEPTUNE.PR.5
- arn:aws:controltower:us-east-2: :control/ggchhguqkxae
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.1
- arn:aws:controltower:us-east-2: :control/ggchbpstrexk
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.NETWORK-FIREWALL.PR.2
- arn:aws:controltower:us-east-2: :control/iwtsvosldtbs
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:us-east-2: :control/qcolrthqozkd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:us-east-2: :control/kmimxohjdvnw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:us-east-2: :control/byvzatkhreij • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:us-east-2: :control/zkjkstrbbzvz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:us-east-2: :control/qzxaaluvuxxp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:us-east-2: :control/xeovaxsgaNow • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:us-east-2: :control/jxkvvkuicivi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:us-east-2: :control/ustioxrnyfav • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:us-east-2: :control/jkmvkoyumapq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:us-east-2: :control/dyledfcoiycr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:us-east-2: :control/wiceuaflunhp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:us-east-2: :control/xevfcyeqtvvz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:us-east-2: :control/utxsxandrovo
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:us-east-2: :control/zjcutjijoesn
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:us-east-2: :control/lvnkfqfkmtwr
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:us-east-2: :control/lxdacfxtmios
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:us-east-2: :control/AIOOYWFODGTZ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:us-east-2: :control/wjydnsstjuzj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:us-east-2: :control/czmxnaenBDTR • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:us-east-2: :control/cpbjpViehMmu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:us-east-2: :control/miigpmtvjked • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:us-east-2: :control/qpgionovkepl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:us-east-2: :control/wgtgnsnvqasq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:us-east-2: :control/LMAWccztmzmw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.14 • arn:aws:controltower:us-east-2: :control/lmbfageCjtqz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:us-east-2: :control/BRRGKlomcwfq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:us-east-2: :control/dbqoqvlcrdjl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:us-east-2: :Control/XKWPQGYzXAMK • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-south-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:us-east-2: :control/krkpuxqsnvyd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:us-east-2: :control/qwxnklrwshxq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:us-east-2: :control/upoygsxrlxuq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:us-east-2: :control/hrhvmseiaPUA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:us-east-2: :control/ipstnjiewmcj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:us-east-2: :control/suicxveFwgtf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:us-east-2: :control/oulnfnujhyoy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:us-east-2: :control/tenqawftxmfk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.25
- arn:aws:controltower:us-east-2: :control/mairetsDavzb
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.26
- arn:aws:controltower:us-east-2: :control/uotnwaoxmkfv
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.27
- arn:aws:controltower:us-east-2: :Control/DFWHsedVilek
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.RDS.PR.28
- arn:aws:controltower:us-east-2: :control/dwdvztvdtchu
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:us-east-2: :control/hpwwsbovpxcj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:us-east-2: :control/ahxqwqfgsimc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:us-east-2: :control/lyximvcmgvyh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:us-east-2: :control/erwyfdvemqsk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:us-east-2: :control/ipsvyzxqyjle • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:us-east-2: :control/wklwhfdygdim • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:us-east-2: :control/gpjevovwchsf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:us-east-2: :control/zfqdcnlbjoyt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:us-east-2: :control/luaezzmoltol • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:us-east-2: :control/rrsngkzvneyf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:us-east-2: :control/lgkvxbcgwvhz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:us-east-2: :control/buxrptpenlDJ • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.REDSHIFT.PR.4
- arn:aws:controltower:us-east-2: :control/xxnrifupyieh
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.REDSHIFT.PR.5
- arn:aws:controltower:us-east-2: :control/gnircudxtgib
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.REDSHIFT.PR.6
- arn:aws:controltower:us-east-2: :control/qlheqgbwiyux
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.REDSHIFT.PR.7
- arn:aws:controltower:us-east-2: :Control/KeuueikiJQLO
- af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:us-east-2: :control/AlduSRLWSQYM • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:us-east-2: :control/aosgzrucdeTw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:us-east-2: :control/fkmtmPncbgtr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:us-east-2: :control/wozmwztcvlig • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.11 • arn:aws:controltower:us-east-2: :control/qtknbuwizpyq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:us-east-2: :control/RemjCakGXTVB • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:us-east-2: :control/fhmucmmrqqoS • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:us-east-2: :control/nmqzfxobmeti • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.4 • arn:aws:controltower:us-east-2: :control/nbxplafupvpo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:us-east-2: :control/QosgjSiwYQBy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:us-east-2: :control/spsbpnjtbzzk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:us-east-2: :control/xacdbprgtlya • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:us-east-2: :control/eqnxzotuehel • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:us-east-2: :control/bilkegtpytlo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:us-east-2: :control/gjvqqncvkmek • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:us-east-2: :control/mdqqivonagjq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:us-east-2: :control/lszzwcfwwebv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:us-east-2: :control/rxjepaoscuyz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:us-east-2: :control/cuoqmoaqvwng • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:us-east-2: :control/vxvkisemrurz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:us-east-2: :control/uyfkjeoqvewh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:us-east-2: :control/bocybrnemmgs • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:us-east-2: :control/vdxlzkvlpfsh • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:us-east-2: :control/tesbxhdtycvr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:us-east-2: :control/jwkjrmtpqgyl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:us-east-2: :control/jlkglzguqjyb • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM.1 • arn:aws:controltower:us-east-2: :control/wxfmefmvtlum • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ACM.2 • arn:aws:controltower:us-east-2: :control/njcvuuulhbnh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.1 • arn:aws:controltower:us-east-2: :control/yjanvdfzsbqj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• Sh.apigateway.2 • arn:aws:controltower:us-east-2: :control/kporkntfqenx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• Sh.apigateway.3 • arn:aws:controltower:us-east-2: :control/tsnmtdbrwmpt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• Sh.apigateway.4 • arn:aws:controltower:us-east-2: :control/megbfctblapy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:us-east-2: :control/ktvoxdkucols • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• Sh.apigateway.8 • arn:aws:controltower:us-east-2: :control/uqezdqfekins • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• Sh.apigateway.9 • arn:aws:controltower:us-east-2: :control/fbdmhikakxyq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.Account.1 • arn:aws:controltower:us-east-2: :control/ddpikwuqkyyh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AppSync.5 • arn:aws:controltower:us-east-2: :control/osedlyfbzhcj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling0,6 • arn:aws:controltower:us-east-2: :control/gmgxvallweba • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1
• SH AutoScaling0,9 • arn:aws:controltower:us-east-2: :control/kkaCTCVDRBMF • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1
• Sh.Autoscaling.5 • arn:aws:controltower:us-east-2: :control/hlvwedlveues • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1
• SH CloudTrail0,1 • arn:aws:controltower:us-east-2: :control/kvdjvcppnkrf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail0,2 • arn:aws:controltower:us-east-2: :control/jaytwzhkwrnb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH CloudTrail0,4 • arn:aws:controltower:us-east-2: :control/pqrKrazhnQGQ • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH CloudTrail.5 • arn:aws:controltower:us-east-2: :control/zlnhkohadvef • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH CloudTrail0,6 • arn:aws:controltower:us-east-2: :control/juerncjwdwdb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CodeBuild0,1 • arn:aws:controltower:us-east-2: :control/VTTYJJLQHCRP • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH CodeBuild0,2 • arn:aws:controltower:us-east-2: :control/neqisrroqvgv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH CodeBuild0,3 • arn:aws:controltower:us-east-2: :control/rpwvhxrxwzuu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH CodeBuild0,4 • arn:aws:controltower:us-east-2: :control/hmimezdefgzn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DMS.1 • arn:aws:controltower:us-east-2: :control/txokwlknhfoe • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• ID.DMS.9 • arn:aws:controltower:us-east-2: :control/fnoknmlzkhyt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.DocumentDB.3 • arn:aws:controltower:us-east-2: :control/hslnnnblchklm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.DynamoDB.1 • arn:aws:controltower:us-east-2: :control/riguoeezbemb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.2 • arn:aws:controltower:us-east-2: :control/HKFSwakstGQF • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.DynamoDB.3 • arn:aws:controltower:us-east-2: :control/ajaiilPVXlok • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.1 • arn:aws:controltower:us-east-2: :control/gfommgtluczr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.10 • arn:aws:controltower:us-east-2: :control/tqgkbsiqwyje • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EC2.15
- arn:aws:controltower:us-east-2: :control/ulhsisjqfeqf
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.19 • arn:aws:controltower:us-east-2: :control/qunsrzsyeabz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.2 • arn:aws:controltower:us-east-2: :control/twivjpdmfmyr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.20 • arn:aws:controltower:us-east-2: :control/yxcgfxlumvwd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.21 • arn:aws:controltower:us-east-2: :control/pctqszlbozmz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.22 • arn:aws:controltower:us-east-2: :control/zidbsurcqsXP • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.23 • arn:aws:controltower:us-east-2: :control/qbrsvxzpdevq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.25 • arn:aws:controltower:us-east-2: :control/kpvggagmruat • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• ID.EC2.3 • arn:aws:controltower:us-east-2: :control/maviodwhwgfu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.4 • arn:aws:controltower:us-east-2: :control/cvcrovpNpPCG • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.6 • arn:aws:controltower:us-east-2: :control/kgITvpnaWvrn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.7 • arn:aws:controltower:us-east-2: :control/oykqlaoraibs • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.EC2.8 • arn:aws:controltower:us-east-2: :control/lumaxidlgkzv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.9 • arn:aws:controltower:us-east-2: :control/ryxxkgsieivr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECR.1 • arn:aws:controltower:us-east-2: :control/jqcjormceeut • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECR.2 • arn:aws:controltower:us-east-2: :control/jwnrpdfkgdyd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECR.3 • arn:aws:controltower:us-east-2: :control/pqbppqrirvdr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.1 • arn:aws:controltower:us-east-2: :control/yqdcibdyuptd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECS.10 • arn:aws:controltower:us-east-2: :control/abbrgfomercx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECS.12 • arn:aws:controltower:us-east-2: :control/fzxoikgoonzn • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECS.2 • arn:aws:controltower:us-east-2: :control/hghfahjtOsdd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.3 • arn:aws:controltower:us-east-2: :control/desmssijbywh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECS.4 • arn:aws:controltower:us-east-2: :control/ocqlrqrwyoge • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1
• SH.ECS.5 • arn:aws:controltower:us-east-2: :control/dzursfldzjcz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ECS.8 • arn:aws:controltower:us-east-2: :control/nawgnollsbxu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.1 • arn:aws:controltower:us-east-2: :control/TubtoQpyRFCZ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.EFS.2 • arn:aws:controltower:us-east-2: :control/pdxzzwipvjjy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.EFS.3 • arn:aws:controltower:us-east-2: :control/dzqnowwcfpji • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.EFS.4 • arn:aws:controltower:us-east-2: :control/nlbiaokrhraw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.1 • arn:aws:controltower:us-east-2: :control/jbgjbqfrjeft • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.EKS.2 • arn:aws:controltower:us-east-2: :control/zfjklnnvbgrm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.10 • arn:aws:controltower:us-east-2: :control/gpjswkieBwur • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.12 • arn:aws:controltower:us-east-2: :control/vgzvynurbzdt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.13 • arn:aws:controltower:us-east-2: :control/uecmtxgseocg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.14 • arn:aws:controltower:us-east-2: :control/wcwdswoqlvax • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.2 • arn:aws:controltower:us-east-2: :Control/GIDGHLCTSHTW • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.3 • arn:aws:controltower:us-east-2: :control/ywxmtfllbgjp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.4 • arn:aws:controltower:us-east-2: :control/robascymshhj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.5 • arn:aws:controltower:us-east-2: :control/vurknnnkdbofs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.6 • arn:aws:controltower:us-east-2: :control/gxdetimmtqlk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.7 • arn:aws:controltower:us-east-2: :control/nyozbrsaffev • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.8 • arn:aws:controltower:us-east-2: :control/LJKJKRDIYJNY • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ELB.9 • arn:aws:controltower:us-east-2: :control/jhhgkbilpuki • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• Sh.elbv2.1 • arn:aws:controltower:us-east-2: :control/lnitybgxkruz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.EMR.1 • arn:aws:controltower:us-east-2: :control/jetopucsyfai • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.1 • arn:aws:controltower:us-east-2: :control/uchaadgivpuy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ES.2 • arn:aws:controltower:us-east-2: :control/zotktsfentuj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ES.3 • arn:aws:controltower:us-east-2: :control/ulpxarukluvo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ES.4 • arn:aws:controltower:us-east-2: :control/bwpwoztdedrn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.5 • arn:aws:controltower:us-east-2: :control/xmjymfuzycdl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ES.6 • arn:aws:controltower:us-east-2: :control/UriooadaoQPW • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ES.7 • arn:aws:controltower:us-east-2: :control/kafelhvbfcbk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.ES.8 • arn:aws:controltower:us-east-2: :control/auhglfuehapr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElastiCache0,3 • arn:aws:controltower:us-east-2: :control/qxrlpyenzjcp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH ElastiCache0,4 • arn:aws:controltower:us-east-2: :control/ctwgsfkxehvp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH ElastiCache.5 • arn:aws:controltower:us-east-2: :control/hycaqolsmzcv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH ElastiCache.6 • arn:aws:controltower:us-east-2: :control/fcyijpjozuec • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElasticBeanstalk.1 • arn:aws:controltower:us-east-2: :control/vvcfxnznidrp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH ElasticBeanstalk.2 • arn:aws:controltower:us-east-2: :control/upawtqlrrszx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH EventBridge.3 • arn:aws:controltower:us-east-2: :control/xxezkdteizly • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH GuardDuty.1 • arn:aws:controltower:us-east-2: :control/ldugvicwfogh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.IAM.1
- arn:aws:controltower:us-east-2: :control/amosauzuoenc
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

- SH.IAM.2
- arn:aws:controltower:us-east-2: :control/gnunotqmclnp
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

- SH.IAM.21
- arn:aws:controltower:us-east-2: :control/wuakzzmfasza
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

- SH.IAM.3
- arn:aws:controltower:us-east-2: :control/dwhowhngilyz
- ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.4 • arn:aws:controltower:us-east-2: :control/bwmczwyopofv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.IAM.5 • arn:aws:controltower:us-east-2: :control/fcwywfzycefj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.IAM.6 • arn:aws:controltower:us-east-2: :control/vmfiyfnttohk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.IAM.7 • arn:aws:controltower:us-east-2: :control/qjkcdnahsgnu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.8 • arn:aws:controltower:us-east-2: :control/jqzwjzwmtqci • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.KMS.1 • arn:aws:controltower:us-east-2: :control/nujrzcegsrsq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.KMS.2 • arn:aws:controltower:us-east-2: :control/ltndxscgbacc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.KMS.3 • arn:aws:controltower:us-east-2: :control/hkngPdpGWTEN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.4 • arn:aws:controltower:us-east-2: :control/nsbugybqmncc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• Sh.kinesis.1 • arn:aws:controltower:us-east-2: :Control/LFMGOMwmizyw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.Lambda.1 • arn:aws:controltower:us-east-2: :control/orsoxpsffmib • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.Lambda.2 • arn:aws:controltower:us-east-2: :control/muklgcdyghQH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.3 • arn:aws:controltower:us-east-2: :control/xcwrdksxiabc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.Lambda.5 • arn:aws:controltower:us-east-2: :control/lwojrffjedhr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.MQ.5 • arn:aws:controltower:us-east-2: :control/nrcjelyaoprr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• SH.MQ.6 • arn:aws:controltower:us-east-2: :control/quiciqkymplv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• MSK.MSK.1 • arn:aws:controltower:us-east-2: :control/AIEOAkhyQujQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• Sh.Neptune.1 • arn:aws:controltower:us-east-2: :control/prpaalvxurgl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• Sh.Neptune.2 • arn:aws:controltower:us-east-2: :control/qhvcypzdpbek • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• Sh.Neptune.3 • arn:aws:controltower:us-east-2: :control/kjdlryeaiysb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.4 • arn:aws:controltower:us-east-2: :control/ilbngYewnvew • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• Sh.Neptune.5 • arn:aws:controltower:us-east-2: :control/ckikyvttlnfl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, us-west-1, us-west-2, eu-west-2, us-west-2, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2 , us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-
• Sh.Neptune.6 • arn:aws:controltower:us-east-2: :control/OWJHHGLSKKCZ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Neptune.7 • arn:aws:controltower:us-east-2: :control/cwakjseklkfq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.8 • arn:aws:controltower:us-east-2: :control/rfzsthmeclzn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH NetworkFirewall.3 • arn:aws:controltower:us-east-2: :control/zqaokrzijcxk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH NetworkFirewall.4 • arn:aws:controltower:us-east-2: :control/ntldjclfbwul • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH NetworkFirewall.5 • arn:aws:controltower:us-east-2: :control/cecjucskgADN • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall.6 • arn:aws:controltower:us-east-2: :control/vitjpdkjtmbu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.1 • arn:aws:controltower:us-east-2: :control/htprmmeXyqls • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.2 • arn:aws:controltower:us-east-2: :control/nvsqfljuxnej • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.3 • arn:aws:controltower:us-east-2: :control/jxndkuhiKupe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.4 • arn:aws:controltower:us-east-2: :Control/OnGPXFNPQBSA • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.5 • arn:aws:controltower:us-east-2: :control/abhaczzeekdd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.6 • arn:aws:controltower:us-east-2: :control/inahzrreyhks • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.OpenSearch.7 • arn:aws:controltower:us-east-2: :control/hyjebtqlgrwb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:controltower:us-east-2: :control/miuyzgczscnk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.1 • arn:aws:controltower:us-east-2: :control/oyykdwbcqtyu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.10 • arn:aws:controltower:us-east-2: :control/jrcvwzhhqkow • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.11 • arn:aws:controltower:us-east-2: :control/jxwblipxtxfm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.12 • arn:aws:controltower:us-east-2: :control/xpqkkoxjfoju • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.13 • arn:aws:controltower:us-east-2: :control/svryurdpwzdy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.15 • arn:aws:controltower:us-east-2: :control/oxzggjjgHswo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.17 • arn:aws:controltower:us-east-2: :control/tugthwrghgVM • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.18 • arn:aws:controltower:us-east-2: :control/jylxquqofahz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.19 • arn:aws:controltower:us-east-2: :control/mhcrbpuunlam • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.2 • arn:aws:controltower:us-east-2: :control/joyewalsgifl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.20 • arn:aws:controltower:us-east-2: :control/qkbxurifednr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.21 • arn:aws:controltower:us-east-2: :control/hxsmriuxheql • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.22 • arn:aws:controltower:us-east-2: :control/xnoptyhhxqyf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.23 • arn:aws:controltower:us-east-2: :control/bmhokulqtgat • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.25 • arn:aws:controltower:us-east-2: :control/rlygppanidpz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.27 • arn:aws:controltower:us-east-2: :control/yotepozwwvta • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.3 • arn:aws:controltower:us-east-2: :control/vcgaqscjvxrx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.4 • arn:aws:controltower:us-east-2: :control/jftfuhkrkvsa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RD.5 • arn:aws:controltower:us-east-2: :control/ntfdqtwlgzwo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RD.6 • arn:aws:controltower:us-east-2: :control/qjcuzibghfiw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.RDS.8 • arn:aws:controltower:us-east-2: :control/ccqxnxargjar • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• RDS.9 • arn:aws:controltower:us-east-2: :control/otxqbsygpgyu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.1 • arn:aws:controltower:us-east-2: :control/vrmiaJehxVEF • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.10 • arn:aws:controltower:us-east-2: :control/fgdkuqojdcqg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.2 • arn:aws:controltower:us-east-2: :control/qzaluPnzssae • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.4 • arn:aws:controltower:us-east-2: :control/vvvvoxokkrewd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.6 • arn:aws:controltower:us-east-2: :control/jhajnhiivuzk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.7 • arn:aws:controltower:us-east-2: :control/lrzewawvmshf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.8 • arn:aws:controltower:us-east-2: :control/bepnpcqcpdwj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• Sh.Redshift.9 • arn:aws:controltower:us-east-2: :control/ovohlkxbvpql • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.1 • arn:aws:controltower:us-east-2: :control/jrcvwazsrapy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.10 • arn:aws:controltower:us-east-2: :control/ryzttcamhlse • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.11 • arn:aws:controltower:us-east-2: :control/ktxzkugoiozb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.12 • arn:aws:controltower:us-east-2: :control/ktpcimeltxvn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.13 • arn:aws:controltower:us-east-2: :control/dddwxyamkszd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.17 • arn:aws:controltower:us-east-2: :control/kkybuswnadne • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.2 • arn:aws:controltower:us-east-2: :control/uwarqhcuktwt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.3 • arn:aws:controltower:us-east-2: :control/nrddebvyuwnq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.5 • arn:aws:controltower:us-east-2: :control/pztpbsalvuyk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.6 • arn:aws:controltower:us-east-2: :control/fzxeoilvppyh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.8 • arn:aws:controltower:us-east-2: :control/zaazuigrokph • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.S3.9 • arn:aws:controltower:us-east-2: :control/xeytesfjjvru • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SQS.1 • arn:aws:controltower:us-east-2: :control/fsjsxwxdxtqg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.1 • arn:aws:controltower:us-east-2: :control/stnjggcqjciw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SSM.SSM.2 • arn:aws:controltower:us-east-2: :control/jsmhjhlHelyo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.3 • arn:aws:controltower:us-east-2: :control/fuufuniczwan • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.4 • arn:aws:controltower:us-east-2: :control/ngxeGnpKLRfm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SageMaker.1 • arn:aws:controltower:us-east-2: :control/tmafwqwaqoay • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH SageMaker.2 • arn:aws:controltower:us-east-2: :control/vdblyabragvk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, eu-central-1, eu-central-1, eu-central-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH SageMaker.3 • arn:aws:controltower:us-east-2: :control/zywolsufynhx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH SecretsManager.1 • arn:aws:controltower:us-east-2: :control/yrbolgmrvcts • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager.2 • arn:aws:controltower:us-east-2: :control/nbcdbwrqfnmA • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH SecretsManager.3 • arn:aws:controltower:us-east-2: :control/dpkzcrdwwfpc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH SecretsManager.4 • arn:aws:controltower:us-east-2: :control/lvttsuimjuhb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.WAF.10 • arn:aws:controltower:us-east-2: :control/wuviejddnzkj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.2 • arn:aws:controltower:us-east-2: :control/izerzzjxures • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.WAF.3 • arn:aws:controltower:us-east-2: :control/krwnforbwipz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.WAF.4 • arn:aws:controltower:us-east-2: :control/zcxgwvxtgxmv • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_audit_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:us-west-1: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:us-west-1: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:us-west-1: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, us-west-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:us-west-1: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_ct_audit_bucket_lifecycle_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_ct_audit_bucket_logging_configuration_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:us-west-1: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:us-west-1: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:us-west-1: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:us-west-1: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:us-west-1: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:us-west-1: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:us-west-1: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:us-west-1: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:us-west-1: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:us-west-1: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:us-west-1: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:us-west-1: :control/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:us-west-1: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southe ast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southe ast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southe ast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-east-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:us-west-1: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:us-west-1: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-east-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:us-west-1: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-u-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-west-1: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southe ast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1,, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-sout h-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southe ast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2 , eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:us-west-1: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-west-1: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:us-west-1: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:us-west-1: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2 , eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-east-1, us-east-1, us-east-2, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:us-west-1: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:us-west-1: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:us-west-1: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:us-west-1: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:us-west-1: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:us-west-1: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eeu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:us-west-1: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:us-west-1: :control/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:us-west-1: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:us-west-1: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:us-west-1: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:us-west-1: :control/oggugdzquzyr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:us-west-1: :control/ascjchwucxde • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APIGATEWAY.PR.2
- arn:aws:controltower:us-west-1: :control/witvqtilcfxz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.3
- arn:aws:controltower:us-west-1: :control/kszkagoppwph
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.4
- arn:aws:controltower:us-west-1: :control/itpbhoowrjgi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APIGATEWAY.PR.5
- arn:aws:controltower:us-west-1: :control/yhrhpqeaqqFx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APIGATEWAY.PR.6
- arn:aws:controltower:us-west-1: :control/zbnwfgfgnolw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.1
- arn:aws:controltower:us-west-1: :control/nyhhsonnhiwm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.2
- arn:aws:controltower:us-west-1: :control/awciaJrpmess
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.3
- arn:aws:controltower:us-west-1: :control/pdcbbsrbgwcu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.APPSYNC.PR.4
- arn:aws:controltower:us-west-1: :control/zhbaguqqvlkg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PR.5
- arn:aws:controltower:us-west-1: :control/twyhqjhyohhk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.APPSYNC.PV.1
- arn:aws:controltower:us-west-1: :control/tmsftwzrwskg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ATHENA.PR.2
- arn:aws:controltower:us-west-1: :control/vqptjgdppkxk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.AUTOSCALING.PR.1
- arn:aws:controltower:us-west-1: :control/ncyeghvmtpxx
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.10
- arn:aws:controltower:us-west-1: :control/ytlccweczxyu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.11
- arn:aws:controltower:us-west-1: :control/enfcdxvldjme
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.AUTOSCALING.PR.2
- arn:aws:controltower:us-west-1: :Control/InkExbgBWVPF
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:us-west-1: :control/odabnvxwccwn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:us-west-1: :control/pkltqmqwokpc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:us-west-1: :control/vulhvtlcfhly • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:us-west-1: :control/pisdhzlsryxl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:us-west-1: :control/shebbmzwbbuf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:us-west-1: :control/kdyirulePevx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:us-west-1: :control/iwqiwqreblhb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:us-west-1: :control/gqniwwfcxlmc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:us-west-1: :control/vdnologkwony • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:us-west-1: :control/SBRPUjejCGTL • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:us-west-1: :control/qswvhiupchan • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:us-west-1: :control/iuigcltojbuc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.CLOUDFRONT.PR.5
- arn:aws:controltower:us-west-1: :control/tbjtnhjfqfrv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.6
- arn:aws:controltower:us-west-1: :control/hyjhvpffkhdy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.7
- arn:aws:controltower:us-west-1: :control/xdxymijwxnmH
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.CLOUDFRONT.PR.8
- arn:aws:controltower:us-west-1: :control/wivhpntbemaa
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:us-west-1: :control/hxnzjsdbyuqe • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:us-west-1: :control/cjbdbopjymyk • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:us-west-1: :control/kfqrnlmnzdub • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:us-west-1: :control/tztitsldpmhu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:us-west-1: :control/arzvfSOffRNH • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:us-west-1: :control/ysceymwjpdxx • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:us-west-1: :control/zwplhrtnewrn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:us-west-1: :control/czevePanzGQK • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:us-west-1: :control/uqpzkkdgyzch • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:us-west-1: :control/ehwdqpAgoqvy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:us-west-1: :control/wthwlrjzzoow • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:us-west-1: :control/vehxvcdhacps • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:us-west-1: :control/gmpadqdkooss • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:us-west-1: :control/awlhicdelwpn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:us-west-1: :control/oqjdqhxhvhyq • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.3 • arn:aws:controltower:us-west-1: :control/efbzvloiftyy • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DMS.PR.1 • arn:aws:controltower:us-west-1: :control/tsmfxmfcplvu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:us-west-1: :control/ckddwaktyafr • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:us-west-1: :control/tracddwlkdri • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:us-west-1: :control/vtwyhtwzjxds • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DYNAMODB.PR.1 • arn:aws:controltower:us-west-1: :control/aoeajrzquoju • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:us-west-1: :control/hmmscanofbex • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:us-west-1: :control/qeiyongzgvci • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.10 • arn:aws:controltower:us-west-1: :control/ycljpftxkzyu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.11 • arn:aws:controltower:us-west-1: :control/tlxgbvbtjuvz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:us-west-1: :control/wjsmeazxxxvg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:us-west-1: :control/btlzsjihizwg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.14 • arn:aws:controltower:us-west-1: :control/phuzhfoqihay • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.15 • arn:aws:controltower:us-west-1: :control/vxshnzfmmskv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.16 • arn:aws:controltower:us-west-1: :control/gtbkafmvafya • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.17 • arn:aws:controltower:us-west-1: :control/hmcqcthxojak • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.18 • arn:aws:controltower:us-west-1: :control/knzwsvfolgDW • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.19 • arn:aws:controltower:us-west-1: :control/GHQNRDIDRRRI • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.2 • arn:aws:controltower:us-west-1: :control/fliithqmtlzg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.20 • arn:aws:controltower:us-west-1: :control/ucnadoaqcdvl • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.3 • arn:aws:controltower:us-west-1: :control/lbddzfpubgsa • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.4 • arn:aws:controltower:us-west-1: :control/pvhdakcibkqu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:us-west-1: :control/gonsqxtktndt • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:us-west-1: :control/axcdwyfeljj • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.7 • arn:aws:controltower:us-west-1: :control/pqklujpaidph • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.8 • arn:aws:controltower:us-west-1: :control/ycymjnofkimd • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:us-west-1: :control/vsyrjaiqjxre • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:us-west-1: :control/ppiqeJBMLGfm • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.2 • arn:aws:controltower:us-west-1: :control/sjtqzmyhxuuw • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.3 • arn:aws:controltower:us-west-1: :control/cwfsomnpvewx • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:us-west-1: :control/tcnvzhjewtih • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:us-west-1: :control/msdfvwayuufu • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.6 • arn:aws:controltower:us-west-1: :control/yrjccipdchpn • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECR.PR.1 • arn:aws:controltower:us-west-1: :control/thfiwzwcvzgv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:us-west-1: :control/sxenugpyukad • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:us-west-1: :control/lqfqwxgrrjxg • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.1 • arn:aws:controltower:us-west-1: :control/syyxandpgymo • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.ECS.PR.10
- arn:aws:controltower:us-west-1: :control/nnyugcatxock
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.11
- arn:aws:controltower:us-west-1: :control/aiyvmwdwtlcw
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.12
- arn:aws:controltower:us-west-1: :control/ydliolkelutq
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.ECS.PR.2
- arn:aws:controltower:us-west-1: :control/sgztsnjfpgDx
- af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.3 • arn:aws:controltower:us-west-1: :control/qigzsameskyv • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:us-west-1: :control/fmyflibuaoqb • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:us-west-1: :control/sekfmjrlaudz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.6 • arn:aws:controltower:us-west-1: :control/aphtpehokckf • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.7 • arn:aws:controltower:us-west-1: :control/ukivivvhEfym • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:us-west-1: :control/vyvwurvyukkh • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:us-west-1: :control/bnesjvbsjkkm • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.1 • arn:aws:controltower:us-west-1: :control/zzkjnurkgfhz • af-south-1, ap-east-1, ap-northeast-2, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.2 • arn:aws:controltower:us-west-1: :control/aqwsdbjgvpge • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:us-west-1: :control/IGPXRJTANCPW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:us-west-1: :Control/CFBKHWVNorlm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:us-west-1: :control/qzjgknpodvtr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:us-west-1: :control/fjomqpxjsnjq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:us-west-1: :control/jvjbkooykgqm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:us-west-1: :control/rnfhwesibloo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:us-west-1: :control/vtcdegpdtfnk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:us-west-1: :control/cpidgettrkgf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:us-west-1: :control/dcsbcupbybbu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:us-west-1: :control/weuxecsslash • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:us-west-1: :control/trvehPGnRZji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:us-west-1: :control/cpmxjilcqzpe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:us-west-1: :control/rnkdexrbvoon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:us-west-1: :control/iologlddeugu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:us-west-1: :control/vmfhhqozipjt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:us-west-1: :control/lezqmkjxckri • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:us-west-1: :control/vuwzzzgvlhad • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:us-west-1: :control/alidohbhlsdw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:us-west-1: :control/womicolfrylf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:us-west-1: :control/qdfvsdjsxunh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:us-west-1: :control/pztkthnhyepu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:us-west-1: :control/qnqcbdimdqug • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:us-west-1: :control/hvjnqRhymBMZ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:us-west-1: :control/rtmvfswftqbu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:us-west-1: :control/uooygdjuceqk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:us-west-1: :control/xcfefivkehsy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:us-west-1: :control/iasbzfrydktb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:us-west-1: :control/niywwgcevfep • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:us-west-1: :control/LXKuwicndPuq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:us-west-1: :control/bknzwubnrnkf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.1 • arn:aws:controltower:us-west-1: :control/ufvdcajprvwU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.2 • arn:aws:controltower:us-west-1: :control/NPChirmoyBBA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:us-west-1: :control/pbzzrblauhuo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:us-west-1: :control/crndyyyddgzl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GLUE.PR.1 • arn:aws:controltower:us-west-1: :control/ttfhkbnxUHRD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:us-west-1: :control/xgbagksftlvu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:us-west-1: :control/rkjorugwsxpc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:us-west-1: :control/ogsiraalhwtg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.3 • arn:aws:controltower:us-west-1: :control/rjaiCxmthQfy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.4 • arn:aws:controltower:us-west-1: :control/zcdlcrvfcotu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:us-west-1: :control/aupbslccxokw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:us-west-1: :control/iqsvgypcmiqq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.1 • arn:aws:controltower:us-west-1: :control/qzrdnmphlqss • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.2 • arn:aws:controltower:us-west-1: :control/irnovpotktkx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:us-west-1: :control/vjfecxnnfslk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:us-west-1: :control/qcwtssyvftoh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.2 • arn:aws:controltower:us-west-1: :control/yawiayxxdmgm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.3 • arn:aws:controltower:us-west-1: :control/zkocpcbeqkow • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:us-west-1: :control/iuwypqtcmvjx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:us-west-1: :control/wapksuosfzcn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.6 • arn:aws:controltower:us-west-1: :control/gssewcwpuiks • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.2 • arn:aws:controltower:us-west-1: :control/ysidnpmMyoon • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:us-west-1: :control/gpnjqiypiury • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:us-west-1: :control/oqknxsqrweeo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.5 • arn:aws:controltower:us-west-1: :control/ofujnizkuuth • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.6 • arn:aws:controltower:us-west-1: :control/oljvzhftbbqx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:us-west-1: :control/uqsfxdryfmht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:us-west-1: :control/femiyyggmefs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.1 • arn:aws:controltower:us-west-1: :control/ptwzvcaadpqk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.2 • arn:aws:controltower:us-west-1: :control/bfheaubrzhyc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:us-west-1: :control/leymwrqcehwc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:us-west-1: :control/mbuhFhuibMap • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:us-west-1: :control/kxuqfqqtdUTR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NEPTUNE.PR.1
- arn:aws:controltower:us-west-1: :control/AgswubeseOxw
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NEPTUNE.PR.2
- arn:aws:controltower:us-west-1: :control/ysoafxouvdmz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NEPTUNE.PR.3
- arn:aws:controltower:us-west-1: :control/czoyfpwhmmzd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NEPTUNE.PR.4
- arn:aws:controltower:us-west-1: :control/zahccdvlhwgd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.NEPTUNE.PR.5
- arn:aws:controltower:us-west-1: :control/ixtskmkzwhmg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NETWORK-FIREWALL.PR.1
- arn:aws:controltower:us-west-1: :control/RSWJSoqsPlgg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NETWORK-FIREWALL.PR.2
- arn:aws:controltower:us-west-1: :control/NkAlwPjqeMGP
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.NETWORK-FIREWALL.PR.3
- arn:aws:controltower:us-west-1: :control/hwhgljztlcgz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:us-west-1: :control/cwuanefbsyht • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:us-west-1: :control/rgetfsgbkehf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:us-west-1: :control/dzkptxadqblk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:us-west-1: :control/ekmqudhbjgtx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.11
- arn:aws:controltower:us-west-1: :control/itxujrwdzcin
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.12
- arn:aws:controltower:us-west-1: :control/tjdufytasrzu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.13
- arn:aws:controltower:us-west-1: :control/pmwaypjmshes
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.14
- arn:aws:controltower:us-west-1: :control/ermhchchxxqm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.15
- arn:aws:controltower:us-west-1: :control/ebpsqunfbdrl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.16
- arn:aws:controltower:us-west-1: :control/akokgmzdndbh
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.2
- arn:aws:controltower:us-west-1: :control/ifndkbnusckd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.3
- arn:aws:controltower:us-west-1: :control/puphhevparpk
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.4
- arn:aws:controltower:us-west-1: :control/ewsfljitruhu
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.5
- arn:aws:controltower:us-west-1: :control/eihwfsqedmqs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.6
- arn:aws:controltower:us-west-1: :control/dnmznoAPkwko
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.7
- arn:aws:controltower:us-west-1: :control/cacofimrpbki
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.OPENSEARCH.PR.8
- arn:aws:controltower:us-west-1: :control/umatvvtivrdt
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.OPENSEARCH.PR.9
- arn:aws:controltower:us-west-1: :control/phdgpgpdnlrz
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.1
- arn:aws:controltower:us-west-1: :control/raxpkgfbbhip
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.10
- arn:aws:controltower:us-west-1: :control/nzkbjftzdxte
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.11
- arn:aws:controltower:us-west-1: :control/N AWSDEKFNZXA
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.12
- arn:aws:controltower:us-west-1: :control/xinxzmqzmGBs
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.13
- arn:aws:controltower:us-west-1: :control/dogctoszokkf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.14
- arn:aws:controltower:us-west-1: :control/pipvmvsyyosq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.15
- arn:aws:controltower:us-west-1: :control/moklhgmpeksi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.16
- arn:aws:controltower:us-west-1: :control/mzzntzgduszj
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.17
- arn:aws:controltower:us-west-1: :control/izdmizekspds
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.18
- arn:aws:controltower:us-west-1: :control/SajranheceJB
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.19 • arn:aws:controltower:us-west-1: :control/tgiexseqnzvu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:us-west-1: :control/eldgfueabecl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:us-west-1: :control/jpcmkzjlbqdx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.21 • arn:aws:controltower:us-west-1: :control/kvupqjroglho • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.22 • arn:aws:controltower:us-west-1: :control/zgrerlgfhixr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:us-west-1: :control/amikewyrcsqd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:us-west-1: :control/oziqmhpfnudd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.25 • arn:aws:controltower:us-west-1: :control/oyujhwhzrfaz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.26
- arn:aws:controltower:us-west-1: :control/lhyrjfvnlwqq
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.27
- arn:aws:controltower:us-west-1: :control/slqvrytyxrqb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.28
- arn:aws:controltower:us-west-1: :control/bcswjpxdtoay
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.29
- arn:aws:controltower:us-west-1: :control/hdfiqvvmwikd
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.RDS.PR.3
- arn:aws:controltower:us-west-1: :control/hbigkzqqalfo
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.30
- arn:aws:controltower:us-west-1: :control/ukcfvlhlbnod
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.4
- arn:aws:controltower:us-west-1: :control/htmsogezdtjn
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.RDS.PR.5
- arn:aws:controltower:us-west-1: :control/wrufjimhoagf
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.6 • arn:aws:controltower:us-west-1: :control/SWMFSRJRGPJD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:us-west-1: :control/phvhlapjjqgy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:us-west-1: :control/dhyenbvxutbf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.RDS.PR.9 • arn:aws:controltower:us-west-1: :control/dudbsxshngzk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.1 • arn:aws:controltower:us-west-1: :control/vlkcidkwsegh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:us-west-1: :control/aadibnwlnlvr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:us-west-1: :control/fcewlkldummv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.4 • arn:aws:controltower:us-west-1: :control/fluezvkkteTl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.5 • arn:aws:controltower:us-west-1: :control/ougvpytmyfza • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:us-west-1: :control/gudfcnxfhqrc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:us-west-1: :control/nhuxuyyfuuyb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.REDSHIFT.PR.8 • arn:aws:controltower:us-west-1: :control/bmssgaJezhxB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.9 • arn:aws:controltower:us-west-1: :control/fpgmpjbmhzjm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:us-west-1: :control/uqdzoyxhstjv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:us-west-1: :control/qvgklbyatrgp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.11 • arn:aws:controltower:us-west-1: :control/uhiveVhotrus • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.12 • arn:aws:controltower:us-west-1: :control/zomfzrehpsfb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:us-west-1: :control/wtjnftfpdveU • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:us-west-1: :control/pmczhcyfldme • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.S3.PR.4 • arn:aws:controltower:us-west-1: :control/akpxseglbyyy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.S3.PR.5
- arn:aws:controltower:us-west-1: :control/lqtjjufubrcl
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.6
- arn:aws:controltower:us-west-1: :control/pcnzkgerwryg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.8
- arn:aws:controltower:us-west-1: :control/hxtnwgmjjzgm
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

- CT.S3.PR.9
- arn:aws:controltower:us-west-1: :control/mmpitmgattgg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:us-west-1: :control/xkyijgulchji • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:us-west-1: :control/xgnlgnxpwufA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:us-west-1: :control/jldgsdbfpeig • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.SQS.PR.1 • arn:aws:controltower:us-west-1: :control/pypjcabaisce • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.2 • arn:aws:controltower:us-west-1: :control/vltwpshslakq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:us-west-1: :control/aszqnsjurjXR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:us-west-1: :control/yanyrdexxdeh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:us-west-1: :control/bodssylzfbor • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:us-west-1: :Control/YYCBBisoptci • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:us-west-1: :control/svrrgeynfuom • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:us-west-1: :Control/NSQKESmWRPrQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• CT.WAFV2.PR.1 • arn:aws:controltower:us-west-1: :control/NIGBBACJPCNN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.2 • arn:aws:controltower:us-west-1: :control/cpnwtodasnrj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• SH.ACM.1 • arn:aws:controltower:us-west-1: :control/wrlvghvntpdd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.ACM.2 • arn:aws:controltower:us-west-1: :control/tejmsfndhody • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• Sh.apigateway.1 • arn:aws:controltower:us-west-1: :control/qvxvdpinrlpy • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.2 • arn:aws:controltower:us-west-1: :control/fhqxjxtfofwj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• Sh.apigateway.3 • arn:aws:controltower:us-west-1: :control/uyzheijxhmdt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• Sh.apigateway.4 • arn:aws:controltower:us-west-1: :control/lqqfbbkwgqua • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• Sh.apigateway.5 • arn:aws:controltower:us-west-1: :control/LCJNaQinZRTI • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.8 • arn:aws:controltower:us-west-1: :control/nosmeyugiuHP • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• Sh.apigateway.9 • arn:aws:controltower:us-west-1: :control/eIJKPXWMufum • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.Account.1 • arn:aws:controltower:us-west-1: :control/nvpffnrhozev • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH AppSync.5 • arn:aws:controltower:us-west-1: :control/gnycrqtxzmlx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling.1 • arn:aws:controltower:us-west-1: :control/nooofeepxxdp • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH AutoScaling.2 • arn:aws:controltower:us-west-1: :control/hgyfkhpsjzio • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH AutoScaling.3 • arn:aws:controltower:us-west-1: :control/eidkbdtzoyaf • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH AutoScaling.6 • arn:aws:controltower:us-west-1: :control/secdbdychcao • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling.9 • arn:aws:controltower:us-west-1: :Control/PEFXRXstWars • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• Sh.Autoscaling.5 • arn:aws:controltower:us-west-1: :control/tfrbkgkmrkmw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH CloudTrail.1 • arn:aws:controltower:us-west-1: :control/jdznmeXdkmck • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH CloudTrail.2 • arn:aws:controltower:us-west-1: :control/bwpuagfkhkfm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail.4 • arn:aws:controltower:us-west-1: :control/wfngeypjeaho • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH CloudTrail.5 • arn:aws:controltower:us-west-1: :control/wryvrqgcjfzd • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH CloudTrail.6 • arn:aws:controltower:us-west-1: :control/hfbysoztbsdm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH CodeBuild.1 • arn:aws:controltower:us-west-1: :Control/OEJFUDWRJQWA • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CodeBuild.2 • arn:aws:controltower:us-west-1: :control/zztxdqpppawo • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH CodeBuild.3 • arn:aws:controltower:us-west-1: :control/oqkhmqztxwkt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH CodeBuild.4 • arn:aws:controltower:us-west-1: :control/wlkihbbpdwps • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.DMS.1 • arn:aws:controltower:us-west-1: :control/svrxvkhililc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• ID.DMS.9 • arn:aws:controltower:us-west-1: :Control/USZWEDXFjorq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.DynamoDB.1 • arn:aws:controltower:us-west-1: :control/ekzbblxtmjqr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.DynamoDB.2 • arn:aws:controltower:us-west-1: :Control/PKThiPmCrros • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.DynamoDB.3 • arn:aws:controltower:us-west-1: :control/furdevjlklkr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.1 • arn:aws:controltower:us-west-1: :control/dvktnarvqcpj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.10 • arn:aws:controltower:us-west-1: :control/hwckdhwpezmg • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.15 • arn:aws:controltower:us-west-1: :Control/mwtJunyuogVR • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.16 • arn:aws:controltower:us-west-1: :control/gdaewnrgjiwz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EC2.17
- arn:aws:controltower:us-west-1: :control/ueluscffwqbu
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

- SH.EC2.18
- arn:aws:controltower:us-west-1: :control/xycetkwsmkje
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

- SH.EC2.19
- arn:aws:controltower:us-west-1: :control/Luhdjkrhufpa
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

- SH.EC2.2
- arn:aws:controltower:us-west-1: :control/fykfhcwipzez
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.20 • arn:aws:controltower:us-west-1: :control/hcjdmugmarur • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.21 • arn:aws:controltower:us-west-1: :control/kddctdcwjfzm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.22 • arn:aws:controltower:us-west-1: :control/meqbwntefwie • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.23 • arn:aws:controltower:us-west-1: :control/trovunznpsat • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EC2.25
- arn:aws:controltower:us-west-1: :control/xflfcypazywt
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

- ID.EC2.3
- arn:aws:controltower:us-west-1: :control/opfudjajjeqg
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

- SH.EC2.4
- arn:aws:controltower:us-west-1: :control/vbbwmdzzytjk
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

- SH.EC2.6
- arn:aws:controltower:us-west-1: :control/ujgzypqjitPC
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.7 • arn:aws:controltower:us-west-1: :control/mffnoswtxlhj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.8 • arn:aws:controltower:us-west-1: :control/duwqhnjeqkns • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.EC2.9 • arn:aws:controltower:us-west-1: :control/fzqcadbovihk • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.ECR.1 • arn:aws:controltower:us-west-1: :control/jezpgfqepeql • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECR.2 • arn:aws:controltower:us-west-1: :control/hkfgmxyzuizu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.ECR.3 • arn:aws:controltower:us-west-1: :Control/PKBHCVZWGsum • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.ECS.1 • arn:aws:controltower:us-west-1: :control/nvcvmsrionRR • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1
• SH.ECS.10 • arn:aws:controltower:us-west-1: :control/ANfbkazjrlal • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-1, ap-southeast-2, eu-west-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.12 • arn:aws:controltower:us-west-1: :control/pjkcmwekldrl • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.ECS.2 • arn:aws:controltower:us-west-1: :control/qwkoxtibtrag • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.ECS.3 • arn:aws:controltower:us-west-1: :control/dpbkenfflchb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.ECS.4 • arn:aws:controltower:us-west-1: :control/gsdewhvowfbj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.ECS.5
- arn:aws:controltower:us-west-1: :control/cvzojylqkgms
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.ECS.8
- arn:aws:controltower:us-west-1: :control/ubmpzyxoeosm
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.EFS.1
- arn:aws:controltower:us-west-1: :control/zoqslemjoPag
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.EFS.2
- arn:aws:controltower:us-west-1: :control/ynyoceJwwsrb
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.3 • arn:aws:controltower:us-west-1: :control/epcjmyEfwURL • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.EFS.4 • arn:aws:controltower:us-west-1: :control/oxieszjrcgzm • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.EKS.2 • arn:aws:controltower:us-west-1: :control/gyvezgbovenz • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.ELB.10 • arn:aws:controltower:us-west-1: :control/wsusfknxhpix • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.ELB.12
- arn:aws:controltower:us-west-1: :control/lrHZZLHRJnux
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.ELB.13
- arn:aws:controltower:us-west-1: :control/BXDuorerQDGQ
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.ELB.14
- arn:aws:controltower:us-west-1: :control/oauqwmmscvfx
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.ELB.2
- arn:aws:controltower:us-west-1: :control/fmiviicgfrxb
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.3 • arn:aws:controltower:us-west-1: :control/zgoivnurperh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.7 • arn:aws:controltower:us-west-1: :control/vnddhfwxwull • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung

- SH.EMR.1
- arn:aws:controltower:us-west-1: :control/fkphokjpjxqv
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.ES.1
- arn:aws:controltower:us-west-1: :control/icjdphkyDjMB
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.ES.2
- arn:aws:controltower:us-west-1: :control/nfjrpjapdrmr
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

- SH.ES.3
- arn:aws:controltower:us-west-1: :control/smxcbzsjlehz
- ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.4 • arn:aws:controltower:us-west-1: :control/pwmkwzworutc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.ES.5 • arn:aws:controltower:us-west-1: :control/EF AWSYQWHIVU • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.ES.6 • arn:aws:controltower:us-west-1: :control/llkxrnITkzjx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.ES.7 • arn:aws:controltower:us-west-1: :control/qheqaahvhjsp • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.8 • arn:aws:controltower:us-west-1: :control/wihblmwbukea • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH ElastiCache.3 • arn:aws:controltower:us-west-1: :control/xqnlrvtqmjzj • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH ElastiCache.4 • arn:aws:controltower:us-west-1: :control/xuxcoxbmuzaw • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH ElastiCache.5 • arn:aws:controltower:us-west-1: :control/bejqlvxcydce • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElastiCache.6 • arn:aws:controltower:us-west-1: :control/kajucvytwzhc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH ElasticBeanstalk.1 • arn:aws:controltower:us-west-1: :control/zbujliwpxmzc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH ElasticBeanstalk.2 • arn:aws:controltower:us-west-1: :control/fpmfobujgtev • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH EventBridge.3 • arn:aws:controltower:us-west-1: :control/ksztlkkoiifh • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH GuardDuty.1 • arn:aws:controltower:us-west-1: :control/zhdcsurixqpi • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.IAM.1 • arn:aws:controltower:us-west-1: :control/ppyxqokdtpwb • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.IAM.2 • arn:aws:controltower:us-west-1: :control/qoucrvyjiwuo • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.IAM.21 • arn:aws:controltower:us-west-1: :control/xtnwcgtrkaqq • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.3 • arn:aws:controltower:us-west-1: :Control/DGSPIXKNFKXW • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.IAM.4 • arn:aws:controltower:us-west-1: :control/krxfgdzbtyir • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.IAM.5 • arn:aws:controltower:us-west-1: :control/cwpeyhmaqlix • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.IAM.6 • arn:aws:controltower:us-west-1: :control/xpmkiibtfcpx • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.7 • arn:aws:controltower:us-west-1: :control/gjmedgocqhmc • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.IAM.8 • arn:aws:controltower:us-west-1: :control/xvhduovhzbus • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.KMS.1 • arn:aws:controltower:us-west-1: :control/bwcbixnwvgxu • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.KMS.2 • arn:aws:controltower:us-west-1: :control/hayaupltjhpl • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.3 • arn:aws:controltower:us-west-1: :control/wvdoNowffert • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.KMS.4 • arn:aws:controltower:us-west-1: :control/kwkawrijnzhs • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• Sh.kinesis.1 • arn:aws:controltower:us-west-1: :control/czcpiujbexhi • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• SH.Lambda.1 • arn:aws:controltower:us-west-1: :control/ykgffwtmfnxr • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.2 • arn:aws:controltower:us-west-1: :control/zluqnbgOPGBC • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.MQ.6 • arn:aws:controltower:us-west-1: :control/wgTNzmktGnLH • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• MSK.MSK.1 • arn:aws:controltower:us-west-1: :control/ksdtbsqnpnjt • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• Sh.Neptune.1 • arn:aws:controltower:us-west-1: :control/ixGqFTYIitQP • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,
• Sh.Neptune.2 • arn:aws:controltower:us-west-1: :control/bunwdcjnvggi • ap-northeast-1, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-west-2, us-west-2, us-west-2 , us-west-2,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.3 • arn:aws:controltower:us-west-1: :control/xlftyxpvmtgb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Neptune.4 • arn:aws:controltower:us-west-1: :control/rbcjucvklosb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Neptune.5 • arn:aws:controltower:us-west-1: :control/PCCBHgbJudJZ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Neptune.6 • arn:aws:controltower:us-west-1: :control/aigzvihziktp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.7 • arn:aws:controltower:us-west-1: :control/rzvqjwsemvoj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Neptune.8 • arn:aws:controltower:us-west-1: :control/iozselcxprjp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH NetworkFirewall.3 • arn:aws:controltower:us-west-1: :control/vqsiztlfdmpv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH NetworkFirewall.4 • arn:aws:controltower:us-west-1: :control/daobsznweupw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall.5 • arn:aws:controltower:us-west-1: :control/dexqdiflmjxv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH NetworkFirewall.6 • arn:aws:controltower:us-west-1: :control/eroqwwaxaucz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.OpenSearch.1 • arn:aws:controltower:us-west-1: :control/twlxkvblccqz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.OpenSearch.2 • arn:aws:controltower:us-west-1: :control/bfczcvpiswls • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.3 • arn:aws:controltower:us-west-1: :control/cijexnxyhhbi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.OpenSearch.4 • arn:aws:controltower:us-west-1: :control/lihpyiteefgh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.OpenSearch.5 • arn:aws:controltower:us-west-1: :control/ujpmwyjtegiu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.OpenSearch.6 • arn:aws:controltower:us-west-1: :control/woyzndsbyfmd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.7 • arn:aws:controltower:us-west-1: :control/kaypqkgvryec • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.OpenSearch.8 • arn:aws:controltower:us-west-1: :control/hetkzglmytut • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RDS.1 • arn:aws:controltower:us-west-1: :control/efsullgmvdib • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• RDS.10 • arn:aws:controltower:us-west-1: :control/ioehohybsjcl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.11 • arn:aws:controltower:us-west-1: :control/pjjouurhueol • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RDS.12 • arn:aws:controltower:us-west-1: :control/btzhghnrpflp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• RDS.13 • arn:aws:controltower:us-west-1: :control/bopqomhkghtf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RDS.15 • arn:aws:controltower:us-west-1: :control/rlsnoocarnmp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.17 • arn:aws:controltower:us-west-1: :control/siucvixcsyvx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RDS.18 • arn:aws:controltower:us-west-1: :control/pttjftdkiafz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• RDS.19 • arn:aws:controltower:us-west-1: :control/jhqdlxadfwxA • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• RDS.2 • arn:aws:controltower:us-west-1: :control/zwaqhugifebl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.20 • arn:aws:controltower:us-west-1: :control/zwifhldjhcyk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• RDS.21 • arn:aws:controltower:us-west-1: :Control/GTXGBGCVGHQi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RDS.22 • arn:aws:controltower:us-west-1: :control/qmzedtmmizlu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RDS.23 • arn:aws:controltower:us-west-1: :control/ymdprqfaxkco • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.25 • arn:aws:controltower:us-west-1: :control/xidggfkvqtby • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• RDS.27 • arn:aws:controltower:us-west-1: :control/wcsgbvjykjkb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RD.3 • arn:aws:controltower:us-west-1: :control/tgjxcmCDkmXP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RD.4 • arn:aws:controltower:us-west-1: :control/nozhcdedtots • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RD.5 • arn:aws:controltower:us-west-1: :control/ixxvgfgvmrzk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RD.6 • arn:aws:controltower:us-west-1: :control/eazjcjvtnttk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.RDS.8 • arn:aws:controltower:us-west-1: :control/epaikxspxsca • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• RDS.9 • arn:aws:controltower:us-west-1: :control/ixauvmtyojtu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.1 • arn:aws:controltower:us-west-1: :control/wuadylmpfvgp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Redshift.10 • arn:aws:controltower:us-west-1: :control/ensmmxohzmqj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Redshift.2 • arn:aws:controltower:us-west-1: :control/mabmufjzsiud • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Redshift.4 • arn:aws:controltower:us-west-1: :control/oczixjstbkzd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.6 • arn:aws:controltower:us-west-1: :control/lguqerxHEPJH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Redshift.7 • arn:aws:controltower:us-west-1: :control/pkuzkcmqqkrr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Redshift.8 • arn:aws:controltower:us-west-1: :control/ouyaxykxnkvb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• Sh.Redshift.9 • arn:aws:controltower:us-west-1: :control/xfubodjyvtnx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.1 • arn:aws:controltower:us-west-1: :control/xwnniuoStdbe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.10 • arn:aws:controltower:us-west-1: :control/poqfeoogzrpp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.11 • arn:aws:controltower:us-west-1: :control/zolmkqeafzio • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.12 • arn:aws:controltower:us-west-1: :control/klisluuhuyPn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.13 • arn:aws:controltower:us-west-1: :control/bzwmUSqkkkNpy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.17 • arn:aws:controltower:us-west-1: :control/tpdyjnofypsu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.2 • arn:aws:controltower:us-west-1: :control/euhtmnovxiup • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.3 • arn:aws:controltower:us-west-1: :control/lqhxmdredmhb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.5 • arn:aws:controltower:us-west-1: :control/pnulpqnuPxro • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.6 • arn:aws:controltower:us-west-1: :control/wiyzfxurqwzs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.8 • arn:aws:controltower:us-west-1: :control/rtjhmnhbmmaj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.S3.9 • arn:aws:controltower:us-west-1: :control/zjrfwtnswevb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SQS.1 • arn:aws:controltower:us-west-1: :control/nkgrfjUhqfGJ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SSM.SSM.1 • arn:aws:controltower:us-west-1: :control/ahgsljbgggrqd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SSM.SSM.2 • arn:aws:controltower:us-west-1: :control/oczsgxlbryoh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-
• SH.SSM.3 • arn:aws:controltower:us-west-1: :control/NrHVhBLwZmA • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.SSM.4 • arn:aws:controltower:us-west-1: :control/mncpcuxyplyn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH SageMaker.1 • arn:aws:controltower:us-west-1: :control/ympzfehcrvwm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH SageMaker.2 • arn:aws:controltower:us-west-1: :control/plvbdyqnqdLK • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH SageMaker.3 • arn:aws:controltower:us-west-1: :control/jbtrxdpzmknw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager.1 • arn:aws:controltower:us-west-1: :control/npfktiktoneu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1,
• SH SecretsManager.2 • arn:aws:controltower:us-west-1: :control/yrfkoyupiddr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1,
• SH SecretsManager.3 • arn:aws:controltower:us-west-1: :control/lxfyeirgoxxv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1,
• SH SecretsManager.4 • arn:aws:controltower:us-west-1: :control/jvqtgntbduzr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.10 • arn:aws:controltower:us-west-1: :control/kjpoxhosicge • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.WAF.2 • arn:aws:controltower:us-west-1: :control/ygfaomxouwhm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.WAF.3 • arn:aws:controltower:us-west-1: :control/buwkemzlqxrx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.WAF.4 • arn:aws:controltower:us-west-1: :control/izxjkpgeKakl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_AUDIT_BUCKET_DELETION_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_audit_bucket_deletion_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_audit_bucket_encryption_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_audit_bucket_logging_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_audit_bucket_public_read_banned

Pengenal kontrol, ARN, dan Wilayah yang didukung
• af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_audit_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • arn:aws:controltower:us-west-2: :control/aws-gr_audit_bucket_retention_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • arn:aws:controltower:us-west-2: :control/aws-gr_autoscaling_launch_config_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-st-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_CLOUDTRAIL_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_cloudtrail_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CLOUDTRAIL_CLOUDWATCH_LOGS_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_cloudtrail_cloudwatch_logs_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_DIAKTIFKAN • arn:aws:controltower:us-west-2: :Control/AWS-GR_CloudTrail_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDTRAIL_VALIDATION_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_cloudtrail_validation_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CLOUDWATCH_EVENTS_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_cloudwatch_events_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_AGGREGATION_AUTHORIZATION_POLICY • arn:aws:controltower:us-west-2: :control/aws-gr_config_aggregation_authorization_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_AGGREGATION_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_config_aggregation_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_config_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CONFIG_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_config_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CONFIG_RULE_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_config_rule_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_ENCRYPTION_CHANGES_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_ct_audit_bucket_encryption_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LIFECYCLE_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_ct_audit_bucket_lifecycle_configuratio n_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_CT_AUDIT_BUCKET_LOGGING_CONFIGURATION_CHANGES_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_ct_audit_bucket_logging_configuration_ changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_CT_AUDIT_BUCKET_POLICY_CHANGES_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_ct_audit_bucket_policy_changes_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • arn:aws:controltower:us-west-2: :control/aws-gr_detect_cloudtrail_enabled_on_member_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_SHARED_ACCOUNTS • arn:aws:controltower:us-west-2: :control/aws-gr_detect_cloudtrail_enabled_on_shared_accounts • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • arn:aws:controltower:us-west-2: :control/aws-gr_disallow_cross_region_networking • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • arn:aws:controltower:us-west-2: :control/aws-gr_disallow_vpc_internet_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DISALLOW_VPN_CONNECTIONS • arn:aws:controltower:us-west-2: :control/aws-gr_disallow_vpn_connections • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_DMS_REPLICATION_NOT_PUBLIC • arn:aws:controltower:us-west-2: :control/aws-gr_dms_replication_not_public • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-t-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_EBS_OPTIMIZED_INSTANCE • arn:aws:controltower:us-west-2: :Control/AWS-GR_EBS_Optimized_Instance • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA • arn:aws:controltower:us-west-2: :control/aws-gr_ebs_snapshot_public_restorable_check • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • arn:aws:controltower:us-west-2: :control/aws-gr_ec2_instance_no_public_ip • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_EC2_VOLUME_INUSE_PERIKSA • arn:aws:controltower:us-west-2: :control/aws-gr_ec2_volume_inuse_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS • arn:aws:controltower:us-west-2: :control/aws-gr_eks_endpoint_no_public_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ELASTICSEARCH_IN_VPC_ONLY • arn:aws:controltower:us-west-2: :control/aws-gr_elasticsearch_in_vpc_only • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, meu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2
• AWS-GR_EMR_MASTER_NO_PUBLIC_IP • arn:aws:controltower:us-barat-2: :kontrol/aws-gr_emr_master_no_public_ip • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_ENCRYPTED_VOLUMES • arn:aws:controltower:us-west-2: :Control/AWS-GR_Encrypted_Volumes • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-2, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-u-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_IAM_ROLE_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_iam_role_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_IAM_USER_MFA_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_iam_user_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-east-2
• AWS-GR_LAMBDA_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_lambda_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_lambda_function_public_access_banned • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-2, il-west-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_LOG_GROUP_POLICY • arn:aws:controltower:us-west-2: :control/aws-gr_log_group_policy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • arn:aws:controltower:us-west-2: :control/aws-gr_mfa_enabled_for_iam_console_access • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-east-2
• AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW • arn:aws:controltower:us-west-2: :control/aws-gr_no_unrestricted_route_to_igw • af-south-1, ap-east-1, ap-northeast-2, ap-south-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-west-1, eu-west-1, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2 , eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-u-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2, us-west-2
• AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-west-2: :control/aws-gr_rds_instance_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1,, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_rds_snapshots_public_banned • ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2 , eu-west-3, meu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-east-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RDS_STORAGE_ENCRYPTED • arn:aws:controltower:us-west-2: :control/aws-gr_rds_storage_encrypted • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-north-1, eu-south-1, eu-west-1, eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • arn:aws:controltower:us-west-2: :control/aws-gr_redshift_cluster_public_access_check • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-2, ap-south-1, ap-southeast-2, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-west-1, eu-west-1 , eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1, eu-west-1 , eu-eu-west-2, eu-west-3, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_WILAYAH_DENY • arn:aws:controltower:us-west-2: :Control/AWS-GR_Region_Deny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICTED_COMMON_PORTS • arn:aws:controltower:us-west-2: :control/aws-gr_restricted_common_ports • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-2 , eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-3, meu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu-west-2, eu--south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-east-2, us-east-1, us-east-1, us-east-2, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_RESTRICTED_SSH • arn:aws:controltower:us-west-2: :Control/AWS-GR_RESTRICTED_SSH • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_RESTRICT_ROOT_USER • arn:aws:controltower:us-west-2: :control/aws-gr_restrict_root_user • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • arn:aws:controltower:us-west-2: :Control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI • arn:aws:controltower:us-west-2: :control/aws-gr_restrict_s3_cross_region_replication • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA • arn:aws:controltower:us-west-2: :control/aws-gr_restrict_s3_delete_without_mfa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_root_account_mfa_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-north-1, eu-north-1, eu-central-2, eu-eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, sa-east-1, us-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK • arn:aws:controltower:us-west-2: :control/aws-gr_s3_account_level_public_access_blocks_periodik • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-north-1, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eeu-west-1, eu-west-2, eu-west-3, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_s3_bucket_public_read_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_s3_bucket_public_write_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_S3_VERSIONING_ENABLED • arn:aws:controltower:us-west-2: :control/aws-gr_s3_versioning_enabled • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • arn:aws:controltower:us-barat-2: :kontrol/aws-gr_sagemaker_notebook_no_direct_internet_access • ap-east-1, ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1, us-west-2
• AWS-GR_SNS_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_sns_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-3, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2
• AWS-GR_SNS_SUBSCRIPTION_CHANGE_DILARANG • arn:aws:controltower:us-west-2: :control/aws-gr_sns_subscription_change_banned • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • arn:aws:controltower:us-west-2: :control/aws-gr_ssm_document_not_public • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • arn:aws:controltower:us-west-2: :control/aws-gr_subnet_auto_assign_public_ip_disabled • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-south-1, ap-south-2, ap-southeast-2, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-south-1, eu-u-south-2, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ACM.PR.1 • arn:aws:controltower:us-west-2: :control/rlcuciosprzn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.1 • arn:aws:controltower:us-west-2: :control/skibwkyuqaac • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.2 • arn:aws:controltower:us-west-2: :control/xazhjtqbxmlm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.3 • arn:aws:controltower:us-west-2: :control/elAlmjSuvZGW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.4 • arn:aws:controltower:us-west-2: :control/cqksrvxtwtec • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APIGATEWAY.PR.5 • arn:aws:controltower:us-west-2: :control/qseyqkhhjzqO • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APIGATEWAY.PR.6 • arn:aws:controltower:us-west-2: :control/zhtqtrrjwmvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.1 • arn:aws:controltower:us-west-2: :control/ajBuyRGFMZAE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.2 • arn:aws:controltower:us-west-2: :control/ojcfzinvimtk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.3 • arn:aws:controltower:us-west-2: :control/mtxewcqxzrsj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.APPSYNC.PR.4 • arn:aws:controltower:us-west-2: :control/kpazguodkwrh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PR.5 • arn:aws:controltower:us-west-2: :control/snxqhrnuftvt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.APPSYNC.PV.1 • arn:aws:controltower:us-west-2: :control/qltpIspjripe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ATHENA.PR.2 • arn:aws:controltower:us-west-2: :control/fkfikklbqlru • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.1 • arn:aws:controltower:us-west-2: :Control/KFRLNAHWVNDQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.10 • arn:aws:controltower:us-west-2: :control/kcprfsjwxogm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.11 • arn:aws:controltower:us-west-2: :control/mpafqhwvruyv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.2 • arn:aws:controltower:us-west-2: :control/ajundfqnuTww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.4 • arn:aws:controltower:us-west-2: :control/ueeynvtgublf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.5 • arn:aws:controltower:us-west-2: :control/IKGGrithstQX • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.6 • arn:aws:controltower:us-west-2: :control/xmquoemiymaq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.AUTOSCALING.PR.8 • arn:aws:controltower:us-west-2: :control/pkahsciyknjt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.AUTOSCALING.PR.9 • arn:aws:controltower:us-west-2: :control/xajkdeppkmls • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFORMATION.PR.1 • arn:aws:controltower:us-west-2: :control/dkkmawvorgdv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.1 • arn:aws:controltower:us-west-2: :control/avefytuyggcs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.10 • arn:aws:controltower:us-west-2: :control/ijbyzpyebbpl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.11 • arn:aws:controltower:us-west-2: :control/yxrlgxthkytz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.2 • arn:aws:controltower:us-west-2: :control/UIWBDZnonLud • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.3 • arn:aws:controltower:us-west-2: :control/lhfzbeuhubmh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.4 • arn:aws:controltower:us-west-2: :control/rfyxxynurhwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.5 • arn:aws:controltower:us-west-2: :control/mapJFIKMJJKD • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.6 • arn:aws:controltower:us-west-2: :control/EouizkHiSxpn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.7 • arn:aws:controltower:us-west-2: :control/suxmgzjxerlv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDFRONT.PR.8 • arn:aws:controltower:us-west-2: :control/difdzpktuxzr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDFRONT.PR.9 • arn:aws:controltower:us-west-2: :control/doqsqvalbfcm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.1 • arn:aws:controltower:us-west-2: :control/rbokyzwnieeh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.2 • arn:aws:controltower:us-west-2: :control/spimijlbsctg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDTRAIL.PR.3 • arn:aws:controltower:us-west-2: :control/xafeovtqstja • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDTRAIL.PR.4 • arn:aws:controltower:us-west-2: :control/miafwdcLTqfg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.1 • arn:aws:controltower:us-west-2: :control/tkcjnphidfhi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.2 • arn:aws:controltower:us-west-2: :control/zobnlpqhkpdk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CLOUDWATCH.PR.3 • arn:aws:controltower:us-west-2: :control/rvgrwimsjkpb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CLOUDWATCH.PR.4 • arn:aws:controltower:us-west-2: :control/llrwytmfyufl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.1 • arn:aws:controltower:us-west-2: :control/dwtosztsqxGA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.2 • arn:aws:controltower:us-west-2: :control/wwHtdfQNALJW • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.3 • arn:aws:controltower:us-west-2: :control/mjrspbwbbbbbww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.CODEBUILD.PR.5 • arn:aws:controltower:us-west-2: :control/nthpulvmaksy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.CODEBUILD.PR.6 • arn:aws:controltower:us-west-2: :control/zyxlxaiyzxwk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.1 • arn:aws:controltower:us-west-2: :control/liditlcmtbxf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DAX.PR.2 • arn:aws:controltower:us-west-2: :control/bxxbfhseqzvc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DAX.PR.3 • arn:aws:controltower:us-west-2: :control/kjqulrxqpsvi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.1 • arn:aws:controltower:us-west-2: :Control/teuglICMRFBE • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DMS.PR.2 • arn:aws:controltower:us-west-2: :control/azmpqpeaBvJQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DOCUMENTDB.PR.1 • arn:aws:controltower:us-west-2: :control/hxvohncijruc • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.DOCUMENTDB.PR.2 • arn:aws:controltower:us-west-2: :Control/XihjtNHDRQAF • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.1 • arn:aws:controltower:us-west-2: :control/feocxmtuxonr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.DYNAMODB.PR.2 • arn:aws:controltower:us-west-2: :control/riohzbtkobkp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.1 • arn:aws:controltower:us-west-2: :control/hayofusrhziz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.10 • arn:aws:controltower:us-west-2: :control/mpixEndLdJMR • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.11 • arn:aws:controltower:us-west-2: :control/nmurdtfojdzh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.12 • arn:aws:controltower:us-west-2: :control/vhehbteslgun • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.13 • arn:aws:controltower:us-west-2: :Control/BWUUBNNIBGXB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.14
- arn:aws:controltower:us-west-2: :control/AgcvmuholsMD
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.15
- arn:aws:controltower:us-west-2: :control/nivmcmysfnkg
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-central-1, eu-west-1, eu-west-2, eu-west-2, il-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.16
- arn:aws:controltower:us-west-2: :control/lvydzonshibc
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.17
- arn:aws:controltower:us-west-2: :control/jjbwmnjjxolv
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung

- CT.EC2.PR.18
- arn:aws:controltower:us-west-2: :control/rerwxdlviixb
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.19
- arn:aws:controltower:us-west-2: :control/hqvyjhbvuyun
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.2
- arn:aws:controltower:us-west-2: :control/gqrieqcbossi
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

- CT.EC2.PR.20
- arn:aws:controltower:us-west-2: :control/eMehqzeQokxy
- af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.3 • arn:aws:controltower:us-west-2: :control/zddeiitthmla • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.4 • arn:aws:controltower:us-west-2: :control/aeczrryxcrtg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.5 • arn:aws:controltower:us-west-2: :control/jzwyqozybxkl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.6 • arn:aws:controltower:us-west-2: :control/FSNQGGGOUbae • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PR.7 • arn:aws:controltower:us-west-2: :control/yjxxnedhnqgk • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.8 • arn:aws:controltower:us-west-2: :control/lpplqodcgrov • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PR.9 • arn:aws:controltower:us-west-2: :control/jauavplucxqf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.1 • arn:aws:controltower:us-west-2: :Control/VDGeodidzxdr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.2 • arn:aws:controltower:us-west-2: :control/wkqrxqbhpkhm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.3 • arn:aws:controltower:us-west-2: :control/zrarvnprkedC • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.4 • arn:aws:controltower:us-west-2: :control/ebwuemxugapn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EC2.PV.5 • arn:aws:controltower:us-west-2: :control/XRKLqwOPJVys • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EC2.PV.6 • arn:aws:controltower:us-west-2: :control/hqxfmtjnebmh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.1 • arn:aws:controltower:us-west-2: :control/irqtoslasftt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.2 • arn:aws:controltower:us-west-2: :control/wodeilpxpbwh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECR.PR.3 • arn:aws:controltower:us-west-2: :control/fqoemcxblgkn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.1 • arn:aws:controltower:us-west-2: :control/prtazzjzimqm • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.10 • arn:aws:controltower:us-west-2: :control/tznjbpchxkpn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.11 • arn:aws:controltower:us-west-2: :control/fnuugnhlpmkt • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.12 • arn:aws:controltower:us-west-2: :control/dfeqfdpqbgaa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.2 • arn:aws:controltower:us-west-2: :control/lbptwmihfkyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.3 • arn:aws:controltower:us-west-2: :control/fcdpzlczqnuw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.4 • arn:aws:controltower:us-west-2: :control/ndqwppnxikjo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.5 • arn:aws:controltower:us-west-2: :control/leriwihizlwv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ECS.PR.6 • arn:aws:controltower:us-west-2: :control/wojpybznhnqo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.7 • arn:aws:controltower:us-west-2: :control/ryuyzptavrfn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.8 • arn:aws:controltower:us-west-2: :control/GigMopttkBKT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ECS.PR.9 • arn:aws:controltower:us-west-2: :control/OJBRRKEonynh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EKS.PR.1 • arn:aws:controltower:us-west-2: :control/gslrtsnfsmmh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EKS.PR.2 • arn:aws:controltower:us-west-2: :control/lepjfjkiCjrr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.1 • arn:aws:controltower:us-west-2: :control/wagvktpummvf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.2 • arn:aws:controltower:us-west-2: :control/xypkyxtszwzy • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.3 • arn:aws:controltower:us-west-2: :control/pwibhpgbwxyr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.4 • arn:aws:controltower:us-west-2: :control/bokfjhsiiiIKG • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.5 • arn:aws:controltower:us-west-2: :control/jejmeqfmtebu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.6 • arn:aws:controltower:us-west-2: :control/nnzfdsjpkdbd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICACHE.PR.7 • arn:aws:controltower:us-west-2: :control/jesdzqanvqze • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICACHE.PR.8 • arn:aws:controltower:us-west-2: :control/orabwrkowxnl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.1 • arn:aws:controltower:us-west-2: :control/otyyyszcpwoz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICBEANSTALK.PR.2 • arn:aws:controltower:us-west-2: :control/gfafgvwbglkh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICBEANSTALK.PR.3 • arn:aws:controltower:us-west-2: :control/mzzhbwzzvdym • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.1 • arn:aws:controltower:us-west-2: :control/dfnrdmhngcyn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.2 • arn:aws:controltower:us-west-2: :control/vezvvfvggfdl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICFILESYSYSTEM.PR.3 • arn:aws:controltower:us-west-2: :control/LexkwfeqkTok • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICFILESYSYSTEM.PR.4 • arn:aws:controltower:us-west-2: :control/wtqpsfjeqbee • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.1 • arn:aws:controltower:us-west-2: :control/blnoutjzplad • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.10 • arn:aws:controltower:us-west-2: :control/mUnvwQKVNFII • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.11 • arn:aws:controltower:us-west-2: :control/yehzwempwswh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.12 • arn:aws:controltower:us-west-2: :control/ubfdegmvdxni • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.13 • arn:aws:controltower:us-west-2: :control/elkxduvduccs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.14 • arn:aws:controltower:us-west-2: :control/jazzwgobqbzo • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.15 • arn:aws:controltower:us-west-2: :control/ocmriqbwusbu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.2 • arn:aws:controltower:us-west-2: :control/kpaialqfvpzd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.3 • arn:aws:controltower:us-west-2: :control/rqxejkeebaqr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.4 • arn:aws:controltower:us-west-2: :control/czgwnmzguqqg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.5 • arn:aws:controltower:us-west-2: :control/vmtttzprykxj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.ELASTICLOADBALANCING.PR.6 • arn:aws:controltower:us-west-2: :control/kbboqeoohyit • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.7 • arn:aws:controltower:us-west-2: :control/krjhnimjouvi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-2, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, me-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.8 • arn:aws:controltower:us-west-2: :control/hdffhqgmchat • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.ELASTICLOADBALANCING.PR.9 • arn:aws:controltower:us-west-2: :control/dynnaoshigua • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.EMR.PR.1 • arn:aws:controltower:us-west-2: :control/ivsAcgxVHRSR • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.2 • arn:aws:controltower:us-west-2: :control/tryhgcgpxqby • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.3 • arn:aws:controltower:us-west-2: :control/udembgigvwrq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.EMR.PR.4 • arn:aws:controltower:us-west-2: :control/gfuoqrpwojqo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.GLUE.PR.1 • arn:aws:controltower:us-west-2: :control/skmtazqlosyy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.GUARDDUTY.PR.1 • arn:aws:controltower:us-west-2: :control/aaewplchtlbt • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.1 • arn:aws:controltower:us-west-2: :control/IEYhgqbfvlsk • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.2 • arn:aws:controltower:us-west-2: :control/jmogyfipavja • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.IAM.PR.3 • arn:aws:controltower:us-west-2: :control/tqoqtvtfkyzp • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.4 • arn:aws:controltower:us-west-2: :control/xgwpmanhzwzi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.IAM.PR.5 • arn:aws:controltower:us-west-2: :control/mcgpcoivnqgm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KINESIS.PR.1 • arn:aws:controltower:us-west-2: :control/khbdmvkhobtl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PR.1 • arn:aws:controltower:us-west-2: :control/ijhoomruocfd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.2 • arn:aws:controltower:us-west-2: :control/aaybioqshzst • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PR.3 • arn:aws:controltower:us-west-2: :control/mxvgddditbspu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.1 • arn:aws:controltower:us-west-2: :control/pvmtufcqtscq • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.2 • arn:aws:controltower:us-west-2: :control/gycbxhnjqgsy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.3 • arn:aws:controltower:us-west-2: :control/ubrzjermafcd • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.4 • arn:aws:controltower:us-west-2: :control/gawxdjgyakft • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.KMS.PV.5 • arn:aws:controltower:us-west-2: :control/nyxtfgmoqsvf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.KMS.PV.6 • arn:aws:controltower:us-west-2: :control/KrhabhpITGXA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.2 • arn:aws:controltower:us-west-2: :control/vjirqwyhydxv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.3 • arn:aws:controltower:us-west-2: :control/uzzbqasaxguj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.4 • arn:aws:controltower:us-west-2: :control/pavlgmucwqjj • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.LAMBDA.PR.5 • arn:aws:controltower:us-west-2: :control/ngoslufffkzu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PR.6 • arn:aws:controltower:us-west-2: :control/srwdrzqeymcw • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.1 • arn:aws:controltower:us-west-2: :control/vbctzjhnundg • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.LAMBDA.PV.2 • arn:aws:controltower:us-west-2: :control/jgpqdzgksfmu • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MQ.PR.1 • arn:aws:controltower:us-west-2: :control/zfwmkyoiagse • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MQ.PR.2 • arn:aws:controltower:us-west-2: :control/omcjzwmyhevz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.1 • arn:aws:controltower:us-west-2: :control/mvijozvgieao • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.MSK.PR.2 • arn:aws:controltower:us-west-2: :control/lrmsvvuasupe • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.MULTISERVICE.PV.1 • arn:aws:controltower:us-west-2: :control/ztcmztiaouex • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.1 • arn:aws:controltower:us-west-2: :control/oiaiwvbpdrzl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.2 • arn:aws:controltower:us-west-2: :control/gpmnzxuwjxsr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.3 • arn:aws:controltower:us-west-2: :control/ckbzyefyGfqG • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NEPTUNE.PR.4 • arn:aws:controltower:us-west-2: :control/jsfaclspaakm • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NEPTUNE.PR.5 • arn:aws:controltower:us-west-2: :control/iijznampksos • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.1 • arn:aws:controltower:us-west-2: :control/AHRCABRNZnQM • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.2 • arn:aws:controltower:us-west-2: :control/dbqinfjqurti • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.NETWORK-FIREWALL.PR.3 • arn:aws:controltower:us-west-2: :control/cbtudpfakvkc • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.4 • arn:aws:controltower:us-west-2: :control/voedrzgrshev • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.NETWORK-FIREWALL.PR.5 • arn:aws:controltower:us-west-2: :control/zdgargczbrfo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.1 • arn:aws:controltower:us-west-2: :control/liwoVoJLBrax • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.10 • arn:aws:controltower:us-west-2: :control/smjaaeimfedl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.11 • arn:aws:controltower:us-west-2: :control/prtvhuycebia • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.12 • arn:aws:controltower:us-west-2: :control/aomkmllkijhl • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.13 • arn:aws:controltower:us-west-2: :control/xunnabzceqyz • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.14 • arn:aws:controltower:us-west-2: :control/cfwvmygfbcax • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.15 • arn:aws:controltower:us-west-2: :control/jiehzxzfRepa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.16 • arn:aws:controltower:us-west-2: :control/sawlzwopsrib • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.2 • arn:aws:controltower:us-west-2: :control/ihempfckbbek • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.3 • arn:aws:controltower:us-west-2: :control/qsbsqhvlfwyo • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.4 • arn:aws:controltower:us-west-2: :control/akgaytztwfzi • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.5 • arn:aws:controltower:us-west-2: :control/cnsizgnvlcln • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.6 • arn:aws:controltower:us-west-2: :control/enatzeFxpyYM • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.OPENSEARCH.PR.7 • arn:aws:controltower:us-west-2: :control/wkdtzioqbfdf • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.8 • arn:aws:controltower:us-west-2: :control/bagluyvglrfn • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.OPENSEARCH.PR.9 • arn:aws:controltower:us-west-2: :control/zibaofhkzhqy • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.1 • arn:aws:controltower:us-west-2: :control/bxnpkkz PUL KA • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.10 • arn:aws:controltower:us-west-2: :control/yisdvyqbvstr • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.11 • arn:aws:controltower:us-west-2: :control/savoxdmxwewv • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-1, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, me-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.12 • arn:aws:controltower:us-west-2: :control/shdpebvlnybq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.13 • arn:aws:controltower:us-west-2: :control/mzgzcggqswre • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.14 • arn:aws:controltower:us-west-2: :control/fgosluoxfybb • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.15 • arn:aws:controltower:us-west-2: :control/nudjwwfbhwyf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.16 • arn:aws:controltower:us-west-2: :control/xrfphuiobfjd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, me-central-1, saya-south-1, sa-east-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.17 • arn:aws:controltower:us-west-2: :control/yhbmvyoguedd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.18 • arn:aws:controltower:us-west-2: :control/ggcjmmpcknqg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.19 • arn:aws:controltower:us-west-2: :control/xupyddlwhdcg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.2 • arn:aws:controltower:us-west-2: :control/SWFLJNEBRLPT • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.20 • arn:aws:controltower:us-west-2: :control/dcglyobfhdpl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.21 • arn:aws:controltower:us-west-2: :control/vplsuhtsskvn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.22 • arn:aws:controltower:us-west-2: :control/igekwwybnqpl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.23 • arn:aws:controltower:us-west-2: :control/bsinzxegcdde • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.24 • arn:aws:controltower:us-west-2: :control/gwmsfqbjquil • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.25 • arn:aws:controltower:us-west-2: :control/mmeivhrlitao • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.26 • arn:aws:controltower:us-west-2: :control/ljhtufuwmnsd • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.27 • arn:aws:controltower:us-west-2: :control/mrkxjwfjjrql • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.28 • arn:aws:controltower:us-west-2: :control/srhwcamzvxEP • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.29 • arn:aws:controltower:us-west-2: :control/ejowbxosyqbz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.3 • arn:aws:controltower:us-west-2: :control/FUPEXQIQKQBN • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.30 • arn:aws:controltower:us-west-2: :control/lbwjetisfwxs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.4 • arn:aws:controltower:us-west-2: :control/lnvgzgrhgcbu • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.5 • arn:aws:controltower:us-west-2: :Control/AdspcSQCOOJB • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.6 • arn:aws:controltower:us-west-2: :control/jpfwrqljmfbf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.7 • arn:aws:controltower:us-west-2: :control/jvveoiuqbjol • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.RDS.PR.8 • arn:aws:controltower:us-west-2: :control/DJXFruonypss • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.RDS.PR.9 • arn:aws:controltower:us-west-2: :control/qqxoaghmuvgh • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.1 • arn:aws:controltower:us-west-2: :control/ujzasvubhztv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.2 • arn:aws:controltower:us-west-2: :control/jwhytrnocada • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.3 • arn:aws:controltower:us-west-2: :control/mpmzyzbumbny • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.4 • arn:aws:controltower:us-west-2: :control/tiiozlvhwxuz • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.5 • arn:aws:controltower:us-west-2: :control/kxjmdjmvxxwa • af-south-1, ap-east-1, ap-northeast-1, ap-southeast-2, ap-northeast-3, ap-south-1, ap-southeast-1, ap-southeast-2, ap-southeast-3, ap-southeast-4, ca-central-1, eu-central-2, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-1, saya-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.6 • arn:aws:controltower:us-west-2: :control/estxkkjjowte • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.7 • arn:aws:controltower:us-west-2: :control/qivjijpokqwa • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.REDSHIFT.PR.8 • arn:aws:controltower:us-west-2: :control/wiyetxtzfnna • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.REDSHIFT.PR.9 • arn:aws:controltower:us-west-2: :control/uhrgjxfbhkwg • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.1 • arn:aws:controltower:us-west-2: :control/BagvBaykidPQ • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.10 • arn:aws:controltower:us-west-2: :control/NajmVanQPXLA • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.11 • arn:aws:controltower:us-west-2: :control/ymxfkeazkvcs • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.12 • arn:aws:controltower:us-west-2: :control/fqjpzrmzntwe • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.2 • arn:aws:controltower:us-west-2: :control/lwfwejslvkvv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.3 • arn:aws:controltower:us-west-2: :control/ggfpmxfojmkl • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.4 • arn:aws:controltower:us-west-2: :control/oqtgurfvoifx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.5 • arn:aws:controltower:us-west-2: :control/ogtdjuzqbtoq • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.6 • arn:aws:controltower:us-west-2: :control/wibgvdnrdwqr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.S3.PR.8 • arn:aws:controltower:us-west-2: :control/mpnbmxjvaaww • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.S3.PR.9 • arn:aws:controltower:us-west-2: :control/chiovwneubwj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.1 • arn:aws:controltower:us-west-2: :control/bayfkdficpxr • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.2 • arn:aws:controltower:us-west-2: :control/oxzgzlyyzzdx • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SAGEMAKER.PR.3 • arn:aws:controltower:us-west-2: :control/pgqsnzzvptnp • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.SQS.PR.1 • arn:aws:controltower:us-west-2: :control/liufdwxiuwlf • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.SQS.PR.2 • arn:aws:controltower:us-west-2: :control/aqujfjqurufv • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.1 • arn:aws:controltower:us-west-2: :control/ofrnxqnitjes • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.STEPFUNCTIONS.PR.2 • arn:aws:controltower:us-west-2: :control/msxylkdpwzrn • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAF-REGIONAL.PR.1 • arn:aws:controltower:us-west-2: :control/temummeadets • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF-REGIONAL.PR.2 • arn:aws:controltower:us-west-2: :control/eqmcvotiusby • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.1 • arn:aws:controltower:us-west-2: :control/rvkExltmxjvj • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAF.PR.2 • arn:aws:controltower:us-west-2: :control/wheygyokbfee • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2

Pengenal kontrol, ARN, dan Wilayah yang didukung
• CT.WAFV2.PR.1 • arn:aws:controltower:us-west-2: :control/kyolapacmmcw • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• CT.WAFV2.PR.2 • arn:aws:controltower:us-west-2: :control/tmepjgmzteoi • af-south-1, ap-east-1, ap-northeast-1, ap-northeast-2, ap-northeast-1, ap-south-1, ap-south-1, ap-southeast-2, ap-southeast-3, ap-southeast-1, eu-central-1, eu-central-2, eu-north-1, eu-south-1, eu-south-2, eu-west-1, eu-west-2, eu-west-3, il-central-1, me-central-1, saya-south-1, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2
• SH.ACM.1 • arn:aws:controltower:us-west-2: :control/anxkmbzmhtme • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.ACM.2 • arn:aws:controltower:us-west-2: :control/damnugwikmab • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.1 • arn:aws:controltower:us-west-2: :control/tbtrtaxttofk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• Sh.apigateway.2 • arn:aws:controltower:us-west-2: :control/ypghqdsxntvo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• Sh.apigateway.3 • arn:aws:controltower:us-west-2: :control/lqtfjgdaowki • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• Sh.apigateway.4 • arn:aws:controltower:us-west-2: :control/wgcgxwcpmwbv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.apigateway.5 • arn:aws:controltower:us-west-2: :control/zuwfiofnikci • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• Sh.apigateway.8 • arn:aws:controltower:us-west-2: :control/vomlogqzfvth • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• Sh.apigateway.9 • arn:aws:controltower:us-west-2: :control/znugcjcjbnyr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.Account.1 • arn:aws:controltower:us-west-2: :control/schnxfctfzjg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AppSync.5 • arn:aws:controltower:us-west-2: :control/qnhLoWoftlts • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH AutoScaling.1 • arn:aws:controltower:us-west-2: :control/cctckxmlwfdi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH AutoScaling.2 • arn:aws:controltower:us-west-2: :control/tostavlmcdig • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH AutoScaling.3 • arn:aws:controltower:us-west-2: :control/smybkbkbijsj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH AutoScaling.6 • arn:aws:controltower:us-west-2: :control/owvwxhtoqsyk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH AutoScaling.9 • arn:aws:controltower:us-west-2: :control/skbfdfdsprtt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• Sh.Autoscaling.5 • arn:aws:controltower:us-west-2: :control/cqyhndcsdoku • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH CloudTrail.1 • arn:aws:controltower:us-west-2: :control/TKEvyJJCXGTI • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CloudTrail.2 • arn:aws:controltower:us-west-2: :control/yhmchlvajgxw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH CloudTrail.4 • arn:aws:controltower:us-west-2: :control/rftwgbdaozzg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH CloudTrail.5 • arn:aws:controltower:us-west-2: :control/bglrjkkrjvjm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH CloudTrail.6 • arn:aws:controltower:us-west-2: :control/ltdeqkmwoflj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH CodeBuild.1 • arn:aws:controltower:us-west-2: :control/qvarollmzgoa • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH CodeBuild.2 • arn:aws:controltower:us-west-2: :control/xkwajfiwdtow • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH CodeBuild.3 • arn:aws:controltower:us-west-2: :control/fbfyjyxdgjdo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH CodeBuild.4 • arn:aws:controltower:us-west-2: :control/ruqcxnaoezob • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DMS.1 • arn:aws:controltower:us-west-2: :control/jprwvqhpqwqx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• ID.DMS.9 • arn:aws:controltower:us-west-2: :control/obodybxtjmoy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.DocumentDB.3 • arn:aws:controltower:us-west-2: :control/aiqpftztjqod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.DynamoDB.1 • arn:aws:controltower:us-west-2: :control/sqfkxdjcsxns • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.DynamoDB.2 • arn:aws:controltower:us-west-2: :control/qkjwjttlzaeh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.DynamoDB.3 • arn:aws:controltower:us-west-2: :control/vpkjjqgpzehi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.1 • arn:aws:controltower:us-west-2: :control/tkxnmrfimbeq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.10 • arn:aws:controltower:us-west-2: :control/xzpdncdqqvuk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.15 • arn:aws:controltower:us-west-2: :control/jsfkrlfhaksn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.16 • arn:aws:controltower:us-west-2: :control/pbguixcofngc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.17 • arn:aws:controltower:us-west-2: :control/deewsubucmpe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.18 • arn:aws:controltower:us-west-2: :control/usrkptpfwxbg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.19 • arn:aws:controltower:us-west-2: :control/qmyrirvydwyc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.2 • arn:aws:controltower:us-west-2: :control/mvcyhcjcTHKQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.20 • arn:aws:controltower:us-west-2: :control/tcelfanhenof • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.21 • arn:aws:controltower:us-west-2: :control/dzfuouzqsvye • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.22 • arn:aws:controltower:us-west-2: :control/spmpwqsgolsg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.23 • arn:aws:controltower:us-west-2: :control/nrtoUzzsTmbl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.25 • arn:aws:controltower:us-west-2: :control/fyfomhkxjrnv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• ID.EC2.3 • arn:aws:controltower:us-west-2: :control/luvwjgymjggn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.4 • arn:aws:controltower:us-west-2: :control/ficbnntraxtl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.6 • arn:aws:controltower:us-west-2: :control/pdpodrnntzOK • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.7 • arn:aws:controltower:us-west-2: :control/jonovblpbwaw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.EC2.8 • arn:aws:controltower:us-west-2: :control/ifgerutzutfr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EC2.9 • arn:aws:controltower:us-west-2: :control/kxumgwdzgdkw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.ECR.1 • arn:aws:controltower:us-west-2: :control/liwrsklrmdew • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-1, eu-west-2, eu-west-1, us-east-2, us-west-1, us-west-1, us-west-1 , us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1,
• SH.ECR.2 • arn:aws:controltower:us-west-2: :control/icdsczrmsAgc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ECR.3 • arn:aws:controltower:us-west-2: :control/hdesrseegaca • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.1 • arn:aws:controltower:us-west-2: :control/pzjzhdwzuimb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ECS.10 • arn:aws:controltower:us-west-2: :control/lozwhacnqrqq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ECS.12 • arn:aws:controltower:us-west-2: :control/tpaznyvaidja • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ECS.2 • arn:aws:controltower:us-west-2: :control/itrpzwolqecj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ECS.3 • arn:aws:controltower:us-west-2: :control/kymdjlklxjhg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ECS.4 • arn:aws:controltower:us-west-2: :Control/MRRRZFTNeetG • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ECS.5 • arn:aws:controltower:us-west-2: :control/gthmxnozdnxn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ECS.8 • arn:aws:controltower:us-west-2: :control/vhvnqsxrdiet • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EFS.1 • arn:aws:controltower:us-west-2: :control/ssnrpfojaffz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.EFS.2 • arn:aws:controltower:us-west-2: :control/pgsgufipzmdk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.EFS.3 • arn:aws:controltower:us-west-2: :control/nvesmcwzhhti • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.EFS.4 • arn:aws:controltower:us-west-2: :control/smrvhsxrvjwi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.EKS.1 • arn:aws:controltower:us-west-2: :control/ucmpeysghuva • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.EKS.2 • arn:aws:controltower:us-west-2: :control/ktilusdfmixf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ELB.10 • arn:aws:controltower:us-west-2: :control/uswbdhcgvrdw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ELB.12 • arn:aws:controltower:us-west-2: :control/lvfjksjqzizh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.13 • arn:aws:controltower:us-west-2: :control/istvpvbysjir • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ELB.14 • arn:aws:controltower:us-west-2: :control/dqhjulqcnnce • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ELB.2 • arn:aws:controltower:us-west-2: :control/sbrxfcdrvyfi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ELB.3 • arn:aws:controltower:us-west-2: :control/dfcytonbhigm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.4 • arn:aws:controltower:us-west-2: :control/oelfzgumnknu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ELB.5 • arn:aws:controltower:us-west-2: :control/vvoadnjllygs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ELB.6 • arn:aws:controltower:us-west-2: :control/hveknemklwbh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ELB.7 • arn:aws:controltower:us-west-2: :control/hxvrpcpccrzy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ELB.8 • arn:aws:controltower:us-west-2: :control/fexuwzrzibjr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ELB.9 • arn:aws:controltower:us-west-2: :control/dfckohvlnfdb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• Sh.elbv2.1 • arn:aws:controltower:us-west-2: :control/vbibpijkjeyj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.EMR.1 • arn:aws:controltower:us-west-2: :control/JGCWFSrmUIIO • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.1 • arn:aws:controltower:us-west-2: :control/mdtdtzwsIgip • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ES.2 • arn:aws:controltower:us-west-2: :control/hdsbljremyrx • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ES.3 • arn:aws:controltower:us-west-2: :control/fmbzhhqptztw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.ES.4 • arn:aws:controltower:us-west-2: :control/sjljvdzsatit • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.ES.5 • arn:aws:controltower:us-west-2: :control/cjeqhrvxtlwi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ES.6 • arn:aws:controltower:us-west-2: :control/vwkjfnzapcdy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ES.7 • arn:aws:controltower:us-west-2: :control/kddvjhafanas • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.ES.8 • arn:aws:controltower:us-west-2: :control/qvhfdlzikrzw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElastiCache.3 • arn:aws:controltower:us-west-2: :control/hkfizpqYallf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH ElastiCache.4 • arn:aws:controltower:us-west-2: :control/bfbuhvuqahxr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH ElastiCache.5 • arn:aws:controltower:us-west-2: :control/bnphnrtpvkRQ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH ElastiCache.6 • arn:aws:controltower:us-west-2: :control/bzvatklfdcdd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH ElasticBeanstalk.1 • arn:aws:controltower:us-west-2: :control/cuvolgxtisms • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH ElasticBeanstalk.2 • arn:aws:controltower:us-west-2: :control/ijzkgidvpzue • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH EventBridge.3 • arn:aws:controltower:us-west-2: :control/ffodclsfqtod • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH GuardDuty.1 • arn:aws:controltower:us-west-2: :control/apfigxpgeumb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.1 • arn:aws:controltower:us-west-2: :control/bycpkiwwcxus • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.IAM.2 • arn:aws:controltower:us-west-2: :control/vboicsFjpyQV • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.IAM.21 • arn:aws:controltower:us-west-2: :control/fepueqjbeeje • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.IAM.3 • arn:aws:controltower:us-west-2: :control/NJXSDDNVGFJT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.4 • arn:aws:controltower:us-west-2: :control/xmqhvquwvanu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.IAM.5 • arn:aws:controltower:us-west-2: :control/FJMFSLSUYOTC • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.IAM.6 • arn:aws:controltower:us-west-2: :control/mefqiqzlfyao • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we
• SH.IAM.7 • arn:aws:controltower:us-west-2: :control/vbklnmehvtzb • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.IAM.8 • arn:aws:controltower:us-west-2: :control/vuqqviqvrpbs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.KMS.1 • arn:aws:controltower:us-west-2: :control/oonpbhuundTP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.KMS.2 • arn:aws:controltower:us-west-2: :control/kowumygvieuy • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.KMS.3 • arn:aws:controltower:us-west-2: :control/jnolpjaazdru • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.KMS.4 • arn:aws:controltower:us-west-2: :control/zisymnhrkxux • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• Sh.kinesis.1 • arn:aws:controltower:us-west-2: :control/mgbkmmlyfdeg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.Lambda.1 • arn:aws:controltower:us-west-2: :control/BNIHRCLLGnHH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.Lambda.2 • arn:aws:controltower:us-west-2: :control/kionodjwvsxv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.Lambda.3 • arn:aws:controltower:us-west-2: :control/UUIZSSubLVZZ • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.Lambda.5 • arn:aws:controltower:us-west-2: :control/qtbxgaagfvrj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-central-1, eu-central-1, eu-west-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-we
• SH.MQ.5 • arn:aws:controltower:us-west-2: :control/nmkthyjzcoit • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.MQ.6 • arn:aws:controltower:us-west-2: :control/wpetnrunqiyj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.MSK.1 • arn:aws:controltower:us-west-2: :control/riuqkwdxoukp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Neptune.1 • arn:aws:controltower:us-west-2: :control/jwhkrtxtddmq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Neptune.2 • arn:aws:controltower:us-west-2: :control/jwqlymahkvlo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Neptune.3 • arn:aws:controltower:us-west-2: :control/qxwjvoyqnekq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.4 • arn:aws:controltower:us-west-2: :control/rbajhjoaqmvk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Neptune.5 • arn:aws:controltower:us-west-2: :control/LCVPESgnCLWT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Neptune.6 • arn:aws:controltower:us-west-2: :control/wgjjyxwwbska • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Neptune.7 • arn:aws:controltower:us-west-2: :control/wkegtxztmjqq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Neptune.8 • arn:aws:controltower:us-west-2: :control/hzvbzdzlpyjp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH NetworkFirewall.3 • arn:aws:controltower:us-west-2: :control/mnfwkrsselqi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH NetworkFirewall.4 • arn:aws:controltower:us-west-2: :control/cwnuoqodlosl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH NetworkFirewall.5 • arn:aws:controltower:us-west-2: :control/awragiqyhjdz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH NetworkFirewall.6 • arn:aws:controltower:us-west-2: :control/scvmozzwoztv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.1 • arn:aws:controltower:us-west-2: :control/qoevddafsxdn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.2 • arn:aws:controltower:us-west-2: :control/qaphaiojqjgs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.3 • arn:aws:controltower:us-west-2: :control/MSRoryoiehf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.4 • arn:aws:controltower:us-west-2: :control/ipgtnqncevhe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.5 • arn:aws:controltower:us-west-2: :control/ytioevujxbvo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.6 • arn:aws:controltower:us-west-2: :control/grzjbenTfmir • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.OpenSearch.7 • arn:aws:controltower:us-west-2: :control/xjacaJpwjYeg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.OpenSearch.8 • arn:aws:controltower:us-west-2: :control/zymoyftgczoo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.1 • arn:aws:controltower:us-west-2: :control/cagkpkagdctc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.10 • arn:aws:controltower:us-west-2: :control/efapzponobqn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.11 • arn:aws:controltower:us-west-2: :control/exxrisqzelsp • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.12 • arn:aws:controltower:us-west-2: :control/hgqgaKcylysu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.13 • arn:aws:controltower:us-west-2: :control/wlwawykrsumi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.15 • arn:aws:controltower:us-west-2: :control/ijvhztdiwoaw • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.17 • arn:aws:controltower:us-west-2: :control/thimegdoqlqt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.RDS.18 • arn:aws:controltower:us-west-2: :control/qfddmlbxzfmd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.19 • arn:aws:controltower:us-west-2: :control/lrbsfhokmeyk • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.2 • arn:aws:controltower:us-west-2: :control/mzhxjeynyhpm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.20 • arn:aws:controltower:us-west-2: :control/ezkyvdmhextt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.21 • arn:aws:controltower:us-west-2: :control/vnvoskgsbkym • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.22 • arn:aws:controltower:us-west-2: :control/ynhfaJNIYTDT • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.23 • arn:aws:controltower:us-west-2: :control/tjAlncjqYRFH • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.25 • arn:aws:controltower:us-west-2: :control/qcwmemjpwtvg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.27 • arn:aws:controltower:us-west-2: :control/aexjptliljtv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.3 • arn:aws:controltower:us-west-2: :control/nmqxeceaqcbc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.4 • arn:aws:controltower:us-west-2: :control/ogaizajbsgbt • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• RDS.5 • arn:aws:controltower:us-west-2: :control/wqrkcncgxmez • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• RDS.6 • arn:aws:controltower:us-west-2: :control/eyaiaJPSqrwr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.8 • arn:aws:controltower:us-west-2: :control/ezgqfhtmbawo • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.RDS.9 • arn:aws:controltower:us-west-2: :control/dbsdvnshwiog • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.1 • arn:aws:controltower:us-west-2: :control/khosqguzdtnh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.10 • arn:aws:controltower:us-west-2: :control/clqqqxayjafh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.2 • arn:aws:controltower:us-west-2: :control/yhxwauszwwsc • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.4 • arn:aws:controltower:us-west-2: :control/hREVCGLTRGZP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.6 • arn:aws:controltower:us-west-2: :control/ttpcfjgmjzsj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• Sh.Redshift.7 • arn:aws:controltower:us-west-2: :control/jslndfaymrxf • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.8 • arn:aws:controltower:us-west-2: :control/klcnbpbvpmmd • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• Sh.Redshift.9 • arn:aws:controltower:us-west-2: :control/uqqkzewiltcv • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.1 • arn:aws:controltower:us-west-2: :control/psjedkjbnwnr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.10 • arn:aws:controltower:us-west-2: :control/nnkpeweoggge • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.11 • arn:aws:controltower:us-west-2: :control/yeesxudjfqty • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.12 • arn:aws:controltower:us-west-2: :control/SDRCGUUWECWP • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.13 • arn:aws:controltower:us-west-2: :control/urneoqlncgxg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.17 • arn:aws:controltower:us-west-2: :control/bpjkdxjrcebe • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.2 • arn:aws:controltower:us-west-2: :control/kcebtqbtpxwj • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.3 • arn:aws:controltower:us-west-2: :control/tswbjxbihdpi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.5 • arn:aws:controltower:us-west-2: :control/hyhjnwctpbfr • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.S3.6 • arn:aws:controltower:us-west-2: :control/tixqxdczzioi • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.8 • arn:aws:controltower:us-west-2: :control/pdkyaanjewje • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-1, ap-southeast-2, ca-central-1, eu-north-1, eu-west-1, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-1, us-west-1 , us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-2, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-west-1, us-
• SH.S3.9 • arn:aws:controltower:us-west-2: :control/umkaxufoaxgs • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SQS.1 • arn:aws:controltower:us-west-2: :control/dviyoyzqqbhz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-centra l-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2 , us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SSM.SSM.1 • arn:aws:controltower:us-west-2: :control/mjmhfbppwlja • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SSM.SSM.2 • arn:aws:controltower:us-west-2: :control/ffoyuqfiggqm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.3 • arn:aws:controltower:us-west-2: :control/rdxqfiofsbgg • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.SSM.4 • arn:aws:controltower:us-west-2: :control/fbhanbzbeatl • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SageMaker.1 • arn:aws:controltower:us-west-2: :control/kswioqetfuqn • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-
• SH SageMaker.2 • arn:aws:controltower:us-west-2: :control/evwtvvcskqmu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-
• SH SageMaker.3 • arn:aws:controltower:us-west-2: :control/lwnzcrkrhhib • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-
• SH SecretsManager.1 • arn:aws:controltower:us-west-2: :Control/FSFKVerczulz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH SecretsManager.2 • arn:aws:controltower:us-west-2: :control/mefmykvdmilq • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-
• SH SecretsManager.3 • arn:aws:controltower:us-west-2: :control/ivszzvbqungm • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-
• SH SecretsManager.4 • arn:aws:controltower:us-west-2: :control/wirzvndretym • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-
• SH.WAF.10 • arn:aws:controltower:us-west-2: :control/awzlgrlejatu • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-

Pengenal kontrol, ARN, dan Wilayah yang didukung
• SH.WAF.2 • arn:aws:controltower:us-west-2: :control/hvpclrfidjzz • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-
• SH.WAF.3 • arn:aws:controltower:us-west-2: :control/luzsilpcbbok • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-
• SH.WAF.4 • arn:aws:controltower:us-west-2: :control/bfjejsoyreh • ap-northeast-1, ap-northeast-2, ap-south-1, ap-southeast-2, ca-west-2, ca-west-1, eu-central-1, eu-north-1, eu-west-2, eu-west-2, eu-west-3, sa-east-1, us-east-1, us-east-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-west-2, us-

Tabel metadata kontrol

Bagian ini berisi tabel yang menunjukkan metadata untuk kontrol. Ingatlah bahwa setiap kontrol memiliki pengenal API unik untuk setiap Wilayah di mana AWS Control Tower tersedia. Saat Anda bekerja dengan API kontrol, berikan pengenal untuk Wilayah tempat Anda melakukan panggilan API.

Terakhir diperbarui 28 Maret 2024.

AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED	• Tolok Ukur CIS AWS 1.4 2.1.1 • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		• AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Amerika Selatan (São Paulo)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:sa-east-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Jakarta)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-southeast-3::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Afrika (Cape Town) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:af-south-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Eropa (Zürich) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-central-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Timur Tengah (UEA) `arn:aws:controltower:me-cen`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`tral-1::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_AUDIT_BUCKET_ENCRYPTION_ENABLED`

AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED	• Tolok Ukur CIS AWS 1.4 3.6 • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_AUDIT_B`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.3		UCKET_LOGGING_ENABLED • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Asia Pasifik (Sydney)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 2.2		`arn:aws:controltower:ap-southeast-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Eropa (Irlandia) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • Eropa (Paris) arn:aws:controltower:eu-west-3::control/AWS-GR_AUDIT_B

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			UCKET_LOGGING_ENABLED • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_AUDIT_BUCKET_LOGGING_ENABLED`

AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_DILARANG

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_AUDIT_BUCKET_POLICY_	• NIST 800-53 Rev 5 CM-2	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CHANGES_DILARANG	• NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Rev 5 CM-3 • NIST 800-53 Rev 5 CM-3 (8) • NIST 800-53 Rev 5 SA-8 (19)		`er:us-east-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ca-central-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_AUDIT_BUCKET_POLICY_`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			CHANGES_PROHIBITED • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_AUDIT_BUCKET_POL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ICY_CHANGES_PROHIBITED` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-eas`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Jakarta)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-southeast-3::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHAN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GES_PROHIBITED • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_AUDI

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			T_BUCKET_POLICY_CHANGES_PROHIBITED • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_AUDIT_BUCKET_POLICY_CHANGES_PROHIBITED`

AWS-GR_AUDIT_BUCKET_RETENTION_POLICY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_AUDIT_BUCKET_RETENTION_POLICY	• NIST 800-53 Rev 5 SI-12	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Eropa (Stockholm) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:eu-north-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Tokyo) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • AS Barat (California N.) `arn:aws:controltower:us-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Asia Pasifik (Osaka) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-3::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Timur Tengah (Bahrain) `arn:aws:controltower:me-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GR_AUDIT_BUCKET_RETENTION_POLICY • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_AUDIT_BUCKET_RETENTION_POLICY • Asia Pasifik (Melbourne) arn:aws:controltower:ap-southeast-4::control/

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_AUDIT_BUCKET_RETENTION_POLICY`

AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_AUTOSCALING_LAUN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		`CH_CONFIG_PUBLIC_IP_DISABLED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			G_PUBLIC_IP_DISABLED • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • AS Barat (California N.) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:us-west-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_AUTOSCALING_LAUNCH_CON`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			FIG_PUBLIC_IP_DISABLED • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AW

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`S-GR_AUTOSCALING_LAUNCH_CONFIG_PUBLIC_IP_DISABLED`

AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-14 (1) • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SA-8 (22) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5		R_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Asia Pasifik (Sydney) arn:aws:controltow

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4		er:ap-southeast-2::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_ME

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			MBER_ACCOUNTS • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_DETECT_CLOUDTRA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`IL_ENABLED_ON_MEMBER_ACCOUNTS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • AS Barat (California N.) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:us-west-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			MEMBER_ACCOUNTS • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS • Eropa (Zürich) arn:aws:controltow

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-central-2::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_DETECT_CLOUDTRAIL_ENABLED_ON_MEMBER_ACCOUNTS`

AWS-GR_DISALLOW_CROSS_REGION_NETWORKING

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_DISALLOW_CROSS_REGION_NETWORKING	Tidak ada	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Eropa (Stockholm) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:eu-north-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Asia Pasifik (Tokyo) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • AS Barat (California N.) `arn:aws:controltower:us-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			t-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • Asia Pasifik (Osaka) arn:aws:controltow

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-3::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Timur Tengah (Bahrain) `arn:aws:controltower:me-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GR_DISALLOW_CROSS_REGION_NETWORKING • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_DISALLOW_CROSS_REGION_NETWORKING • Asia Pasifik (Melbourne) arn:aws:controltower:ap-southeast-4::control/

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_DISALLOW_CROSS_REGION_NETWORKING`

AWS-GR_DISALLOW_VPC_INTERNET_ACCESS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_DISALLOW_VPC_INTERNET_ACCESS	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • AS Barat (Oregon) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`ontroltower:us-west-2::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Singapura) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-southeast-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_DISALLOW_VPC_INTERNET_ACCESS • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_DISALLOW_VP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			C_INTERNET_ACCESS • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • Eropa (Paris) arn:aws:controltower:eu-west-3::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Osaka)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-northeast-3::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Timur Tengah (Bahrain) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:me-south-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Eropa (Spanyol) `arn:aws:controltower:eu-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`theast-4::control/AWS-GR_DISALLOW_VPC_INTERNET_ACCESS`

AWS-GR_DISALLOW_VPN_CONNECTIONS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_DISALLOW_VPN_CONNECTIONS	Tidak ada	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_DISALLOW_VPN_CONNECTIONS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Asia Pasifik (Singapura) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_DISALLOW_VPN_CONNECTIONS • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/AWS-GR_DISALLOW_VPN_CONNECTIONS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • AS Barat (California N.) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:us-west-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-nor`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`theast-3::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_DISALL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`OW_VPN_CONNECTIONS` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Asia Pasifik (Hyderabad) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-south-2::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_DISALLOW_VPN_CONNECTIONS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_DISALLOW_VPN_CONNECTIONS`

AWS-GR_DMS_REPLICATION_NOT_PUBLIC

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_DMS_REPLICATION_NOT_PUBLIC	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`controltower:ca-central-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Eropa (Frankfurt am Main) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-central-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GR_DMS_REPLICATION_NOT_PUBLIC • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AWS-GR_DMS_REPLICA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			TION_NOT_PUBLIC • Eropa (Paris) arn:aws:controltower:eu-west-3::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC • Asia Pasifik (Hongkong)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-east-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_DMS_REPLICATION_NOT_PUBLIC`

AWS-GR_EBS_OPTIMIZED_INSTANCE

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_EBS_OPTIMIZED_INSTANCE	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ca-central-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontrol/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (Paris) `arn:aws:controltower:eu-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-3::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_EBS_OPT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`IMIZED_INSTANCE` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (Zürich) `arn:aws:controltower:eu-cen`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`tral-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_EBS_OPTIMIZED_INSTANCE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_EBS_`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`OPTIMIZED_INSTANCE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_EBS_OPTIMIZED_INSTANCE`

AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_PERIKSA	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • AS Timur (Ohio) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`ontroltower:us-east-2::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Asia Pasifik (Sydney) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		`controltower:ap-southeast-2::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Asia Pasifik (Mumbai)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-south-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_EBS_SNAPSHO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			T_PUBLIC_RESTORABLE_CHECK • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_EBS_SNAPSHOT_PU

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			BLIC_RESTORABLE_CHECK • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_EBS_SN

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			APSHOT_PUBLIC_RESTORABLE_CHECK • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK • Asia Pasifik (Melbourne) arn:aws:controltower:ap-southeast-4::control/AWS-GR_EBS_SNAPSHOT_PUBLIC_RESTORABLE_CHECK

AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`controltower:ca-central-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Eropa (Frankfurt am Main) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-central-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_EC2_IN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			STANCE_NO_PUBLIC_IP • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Asia Pasifik (Hongkong) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-east-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GR_EC2_INSTANCE_NO_PUBLIC_IP • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP` • Asia Pasifik (Melbourne) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-southeast-4::control/AWS-GR_EC2_INSTANCE_NO_PUBLIC_IP`

AWS-GR_EC2_VOLUME_INUSE_PERIKSA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_EC2_VOLUME_INUSE_PERIKSA	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.4	• Optimalkan biaya	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_EC2_VOL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			UME_INUSE_CHECK • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/AWS-GR_EC2_VOLUME_INUSE_CHECK • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/AWS-GR_EC2_VOLUME_INUSE_CHECK • Asia Pasifik (Singapura)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-southeast-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_EC2_VOLUME_INUSE_CHECK • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_EC2_VOLUME_INUSE_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • AS Barat (California N.) `arn:aws:controltower:us-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_EC2_VOLUME_INUSE_CHECK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_EC2_VOLUME_INUSE_CHECK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_EC2_VOLUME_INUSE_CHECK`

AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Eropa (Stockholm) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:eu-north-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Asia Pasifik (Tokyo) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Asia Pasifik (Hongkong) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-east-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_EKS_ENDPOINT_NO_PUBLIC_ACCESS`

AWS-GR_ELASTICSEARCH_IN_VPC_ONLY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_ELASTICSEARCH_IN_VPC_ONLY	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		R_ELASTICSEARCH_IN_VPC_ONLY • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Asia Pasifik (Sydney)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`arn:aws:controltower:ap-southeast-2::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Eropa (Irlandia) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-west-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_ELASTI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`CSEARCH_IN_VPC_ONLY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Asia Pasifik (Osaka) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-northeast-3::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_ELASTICSEARCH_IN_VPC_ONLY`

AWS-GR_EMR_MASTER_NO_PUBLIC_IP

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_EMR_MASTER_NO_PUBLIC_IP	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • AS Timur (Ohio) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		`ontroltower:us-east-2::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-nor`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`theast-2::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_EMR_MAS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			TER_NO_PUBLIC_IP • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_EMR_MASTER_NO_PUBLIC_IP

AWS-GR_ENCRYPTED_VOLUMES

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_ENCRYPTED_VOLUMES	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_ENCRYPTED_VOLUMES` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_ENCRYPTED_VOLUMES` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_ENCRYPTED_VOLUMES` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontrol/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_ENCRYPTED_VOLUMES` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_ENCR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`YPTED_VOLUMES` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_ENCRYPTED_VOLUMES` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_ENCRYPTED_VOLUMES` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_ENCRYPTED_VOLUMES` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_ENCRYPTED_VOLUMES` • Amerika Selatan (São Paulo) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:sa-east-1::control/AWS-GR_ENCRYPTED_VOLUMES` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_EN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			CRYPTED_VOLUMES • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_ENCRYPTED_VOLUMES • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_ENCRYPTED_VOLUMES • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_ENCRYPTED_VOLUMES • Asia Pasifik (Hyderabad) arn:aws:controltow

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-2::control/AWS-GR_ENCRYPTED_VOLUMES` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_ENCRYPTED_VOLUMES` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_ENCRYPTED_VOLUMES`

AWS-GR_IAM_USER_MFA_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_IAM_USER_MFA_ENABLED	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 IA-2 (1) • NIST 800-53 Rev 5 IA-2 (2) • NIST 800-53 Rev 5 IA-2 (6) • NIST 800-53 Rev 5 IA-2 (8) • PCI DSS versi 3.2.1 8.3.1 • PCI DSS versi 3.2.1 8.3.2 • PCI DSS versi 3.2.1 8.6	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_IAM_USER_MFA_ENABLED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_IAM_USER_MFA_ENABLED` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ca-central-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_IAM_USER_MFA_ENABLED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			ontrol/AWS-GR_IAM_USER_MFA_ENABLED • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/AWS-GR_IAM_USER_MFA_ENABLED • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_IAM_USER_MFA_ENABLED • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_IAM_USER_MFA_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_IAM_USER_MFA_ENABLED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • Eropa (Paris) `arn:aws:controltower:eu-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-3::control/AWS-GR_IAM_USER_MFA_ENABLED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_IAM_USE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_MFA_ENABLED • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_IAM_USER_MFA_ENABLED • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AWS-GR_IAM_USER_MFA_ENABLED • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_IAM_USER_MFA_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_IAM_USER_MFA_ENABLED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_IAM_USER_MFA_ENABLED`

AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_DILARANG	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Kanada (Tengah) `arn:aws:controltower:ca-cen`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		`tral-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_AC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			CESS_PROHIBITED • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_LA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`MBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Jakarta) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-3::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			_ACCESS_PROHIBITED • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_LAMB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			DA_FUNCTION_PUBLIC_ACCESS_PROHIBITED • Asia Pasifik (Melbourne) arn:aws:controltower:ap-southeast-4::control/AWS-GR_LAMBDA_FUNCTION_PUBLIC_ACCESS_PROHIBITED

AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS	• Tolok Ukur CIS AWS 1.4 1.10 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 IA-2 (1)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) arn:aws:controltower:us-east-1::control/AWS-GR_MFA_ENABLED_FOR_

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 IA-2 (2) • NIST 800-53 Rev 5 IA-2 (6) • NIST 800-53 Rev 5 IA-2 (8) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 8.3.1 • PCI DSS versi 3.2.1 8.3.2 • PCI DSS versi 3.2.1 8.6		`IAM_CONSOLE_ACCESS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_MFA_ENABLED_F`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			OR_IAM_CONSOLE_ACCESS • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`CONSOLE_ACCESS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_MFA_ENABLED_FOR_`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`IAM_CONSOLE_ACCESS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`GR_MFA_ENABLED_FOR_IAM_CONSOLE_ACCESS`

AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CM-7 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • PCI DSS versi 3.2.1 1.2.1	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • AS Barat (Oregon) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		`ontroltower:us-west-2::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Asia Pasifik (Singapura) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-southeast-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_NO_UNRESTRICTED_ROUTE_TO_IGW • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_NO_UNRESTRI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`CTED_ROUTE_TO_IGW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Afrika (Cape Town) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:af-south-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Eropa (Zürich) `arn:aws:controltower:eu-cen`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`tral-2::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_NO_UNRESTRICTED_ROUTE_TO_IGW`

AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Eropa (Stockholm) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:eu-north-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Tokyo) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • AS Barat (California N.) `arn:aws:controltower:us-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Osaka) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-3::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Timur Tengah (Bahrain) `arn:aws:controltower:me-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`S-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_RDS_INSTANCE_PUBLIC_ACCESS_CHECK`

AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RDS_SNAPSHOTS_PUBLIC_DILARANG	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_RDS_SNAPSHOTS_PU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2		`BLIC_PROHIBITED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Asia Pasifik (Mumbai)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-south-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Eropa (Paris) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:eu-west-3::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED • Asia Pasifik (Hongkong) arn:aws:controltow

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-east-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Timur Tengah (Bahrain) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:me-south-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_RDS_SNAPSHOTS_PUBLIC_PROHIBITED`

AWS-GR_RDS_STORAGE_ENCRYPTED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RDS_STORAGE_ENCRYPTED	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ca-central-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontrol/AWS-GR_RDS_STORAGE_ENCRYPTED` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Eropa (Paris) `arn:aws:controltower:eu-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-3::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_RDS_STO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			RAGE_ENCRYPTED • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_RDS_STORAGE_ENCRYPTED • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AWS-GR_RDS_STORAGE_ENCRYPTED • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Asia Pasifik (Hyderabad) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-2::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_RDS_STORAGE_ENCRYPTED` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_RDS_STORAGE_ENCRYPTED`

AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_REDSHIFT_CL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`USTER_PUBLIC_ACCESS_CHECK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_REDSHIFT_CLUSTER`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			_PUBLIC_ACCESS_CHECK • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_REDSHIFT_CLUSTER_PUB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			LIC_ACCESS_CHECK • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • Eropa (Paris) arn:aws:controltower:eu-west-3::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AWS-GR_REDSHIFT_CLUSTER

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			_PUBLIC_ACCESS_CHECK • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_REDSHIFT_CL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			USTER_PUBLIC_ACCESS_CHECK • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_REDSHIFT_CLUSTE

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_PUBLIC_ACCESS_CHECK • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_REDSHIFT_CLUS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`TER_PUBLIC_ACCESS_CHECK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_REDSHIFT_CLUSTER_PUBLIC_ACCESS_CHECK`

AWS-GR_WILAYAH_DENY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_WILAYAH_DENY	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_REGION_DENY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 7.2.1		• AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_REGION_DENY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_REGION_DENY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_REGION_DENY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_REGION_DENY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_REGION_DENY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_REGION_DENY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_REGION_DENY` • Eropa (London) `arn:aws:controltower:eu-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/AWS-GR_REGION_DENY • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_REGION_DENY • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_REGION_DENY • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/AWS-GR_REGION_DENY • Asia Pasifik (Tokyo) arn:aws:controltower:ap-nor

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`theast-1::control/AWS-GR_REGION_DENY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_REGION_DENY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_REGION_DENY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_REGION_DENY` • Asia Pasifik (Hongkong) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-east-1::control/AWS-GR_REGION_DENY` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_REGION_DENY` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_REGION_DENY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_REGION_DENY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_REGION_DENY` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_REGION_DENY` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_REGION_DENY` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			S-GR_REGION_DENY • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_REGION_DENY • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_REGION_DENY • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_REGION_DENY • Asia Pasifik (Melbourne) arn:aws:controltower:ap-sou

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`theast-4::control/AWS-GR_REGION_DENY`

AWS-GR_RESTRICTED_COMMON_PORTS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RESTRICTED_COMMON_PORTS	• Tolok Ukur CIS AWS 1.4 5.2 • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_RESTRICTED_COMMON_PORTS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RESTRICTED_COMMON_PORTS` • AS Barat (Oregon) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		`ontroltower:us-west-2::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AWS-GR_RESTRICTED_COMMON_PORTS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_RESTRICTED_COMMON_PORTS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-nor`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			theast-1::control/AWS-GR_RESTRICTED_COMMON_PORTS • Eropa (Paris) arn:aws:controltower:eu-west-3::control/AWS-GR_RESTRICTED_COMMON_PORTS • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AWS-GR_RESTRICTED_COMMON_PORTS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AWS-GR_RESTRIC

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			TED_COMMON_PORTS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AWS-GR_RESTRICTED_COMMON_PORTS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_RESTRICTED_COMMON_PORTS • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_RESTRICTED_COMMON_PORTS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_RESTRICTED_COMMON_PORTS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_RESTRICTED_COMMON_PORTS`

AWS-GR_RESTRICTED_SSH

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RESTRICTED_SSH	• Tolok Ukur CIS AWS 1.4 5.2 • NIST 800-53 Pdt 5 AC-4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-eas`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2		`t-1::control/AWS-GR_RESTRICTED_SSH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RESTRICTED_SSH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RESTRICTED_SSH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_RESTRICTED_SSH` • Asia Pasifik (Sydney) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		`er:ap-southeast-2::control/AWS-GR_RESTRICTED_SSH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RESTRICTED_SSH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_RESTRICTED_SSH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_RESTRICTED_SSH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/AWS-GR_RESTRICTED_SSH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_RESTRICTED_SSH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_RESTRICTED_SSH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_RESTRICTED_SSH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_RESTRICTED_SSH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_RESTRICTED_SSH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_RESTRICTED_SSH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_RESTRICTED_SSH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AWS-GR_RESTRICTED_SSH • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_RESTRICTED_SSH

AWS-GR_RESTRICT_ROOT_USER

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RESTRICT_ROOT_USER	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) arn:aws:controltower:us-eas

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.1.1		`t-1::control/AWS-GR_RESTRICT_ROOT_USER` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RESTRICT_ROOT_USER` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RESTRICT_ROOT_USER` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Sydney) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-2::control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RESTRICT_ROOT_USER` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_RESTRICT_ROOT_USER` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_RESTRICT_ROOT_USER • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_RESTRICT_ROOT_USER • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_RESTRICT_ROOT_USER • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_RESTRICT_ROOT_USER • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_RESTRICT_ROOT_USER` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_RESTRICT_ROOT_USER` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_RESTRICT_ROOT_USER` • AS Barat (California N.) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:us-west-1::control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_RESTRICT_ROOT_USER` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_RESTRICT_ROOT_USER` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_RESTRICT_ROOT_USER` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_RESTRICT_ROOT_USER` • Israel (Tel Aviv) `arn:aws:controltower:il-cen`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`tral-1::control/AWS-GR_RESTRICT_ROOT_USER` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_RESTRICT_ROOT_USER` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_RESTRICT_ROOT_USER`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_RESTRICT_ROOT_USER` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_RESTRICT_ROOT_USER`

AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS	• Tolok Ukur CIS AWS 1.4 1.4 • NIST 800-53 Rev 5 AC-2 (1)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.1.1		`rol/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_REST`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`RICT_ROOT_USER_ACCESS_KEYS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_REST`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			RICT_ROOT_USER_ACCESS_KEYS • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_RESTRICT_ROOT_U

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`SER_ACCES S_KEYS` • Asia Pasifik (Mumbai) `arn:aws:c ontroltow er:ap-sou th-1::con trol/AWS-GR_RESTRI CT_ROOT_U SER_ACCES S_KEYS` • Asia Pasifik (Seoul) `arn:aws:c ontroltow er:ap-nor theast-2: :control/ AWS-GR_RE STRICT_RO OT_USER_A CCESS_KEYS` • Asia Pasifik (Tokyo) `arn:aws:c ontroltow er:ap-nor theast-1: :control/ AWS-GR_RE STRICT_RO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			OT_USER_ACCESS_KEYS • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_RESTRICT_ROOT_US`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			ER_ACCESS_KEYS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AWS-GR_RE

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`STRICT_ROOT_USER_ACCESS_KEYS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_RESTRICT_ROOT_U`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			SER_ACCESS_KEYS • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_RESTRICT_ROOT_USER_ACCESS_KEYS`

AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RESTRICT_S3_CROSS_REGION_REPLIKASI	• NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 CM-3 (8) • NIST 800-53 Rev 5 SA-8 (19)	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RESTRICT_S3`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			_CROSS_REGION_REPLICATION • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_RESTRICT_S3_CROS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			S_REGION_REPLICATION • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_RESTRICT_S3_CROSS_RE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GION_REPLICATION • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Eropa (Paris) arn:aws:controltower:eu-west-3::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AWS-GR_RESTRICT_S3_CROS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			S_REGION_REPLICATION • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_RESTRICT_S3`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			_CROSS_REGION_REPLICATION • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-GR_RESTRI

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			CT_S3_CROSS_REGION_REPLICATION • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_REST

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			RICT_S3_CROSS_REGION_REPLICATION • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_REST

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`RICT_S3_CROSS_REGION_REPLICATION` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_RESTRICT_S3_CROSS_REGION_REPLICATION`

AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_RESTRICT_S3_DELETE_TANPA_MFA	• Tolok Ukur CIS AWS 1.4 2.1.3 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2)	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_RESTRICT_S3_DELE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • PCI DSS versi 3.2.1 2.2		TE_WITHOUT_MFA • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Mumbai)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-south-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Eropa (Paris) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-west-3::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Hongkong) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-east-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Eropa (Milan) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-south-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Israel (Tel Aviv) `arn:aws:controltower:il-cen`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`tral-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_RESTRICT_S3_DELETE_WITHOUT_MFA`

AWS-GR_ROOT_ACCOUNT_MFA_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_ROOT_ACCOUNT_MFA_ENABLED	• Tolok Ukur CIS AWS 1.4 1.5 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 IA-2 (1) • NIST 800-53 Rev 5 IA-2 (2) • NIST 800-53 Rev 5 IA-2 (6) • NIST 800-53 Rev 5 IA-2 (8) • PCI DSS versi 3.2.1 2.1 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 8.3.1 • PCI DSS versi 3.2.1 8.3.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ca-central-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Eropa (Frankfurt am Main) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:eu-central-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_ROOT_A

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`CCOUNT_MFA_ENABLED` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Asia Pasifik (Hongkong) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-east-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Eropa (Milan) `arn:aws:controltower:eu-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_ROOT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			_ACCOUNT_MFA_ENABLED • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED • Asia Pasifik (Melbourne) arn:aws:controltower:ap-southeast-4::control/AWS-GR_ROOT_ACCOUNT_MFA_ENABLED

AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIK	• Tolok Ukur CIS AWS 1.4 2.1.5 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		`R_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Singapura)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-southeast-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_A`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			CCESS_BLOCKS_PERIODIC • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Eropa (Paris) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-3::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_S3_ACCOUNT_LE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`VEL_PUBLIC_ACCESS_BLOCKS_PERIODIC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_S3_ACCOUNT_LEVEL_PUBLIC_ACCESS_BLOCKS_PERIODIC`

AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_S3_BUCKET_PUBLIC_READ_DILARANG	• Tolok Ukur CIS AWS 1.4 3.3 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_S3_BUCK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`ET_PUBLIC_READ_PROHIBITED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_S3_BUCKET_PUB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		`LIC_READ_PROHIBITED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_S3_BUCKET_PUB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			LIC_READ_PROHIBITED • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_S3_BUCKET_P`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			UBLIC_READ_PROHIBITED • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_S3_BUCKET_PUBLI

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			C_READ_PROHIBITED • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_S3_BUCKET_PUBLIC_READ_PROHIBITED`

AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_S3_BUCKET_PUBLIC_WRITE_DILARANG	• Tolok Ukur CIS AWS 1.4 3.3 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			TE_PROHIBITED • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/AWS-GR_S3_BUCKET_PUBLIC_WRI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`TE_PROHIBITED` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_S3_BUCKET_PUBLI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			C_WRITE_PROHIBITED • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AWS-GR_S3_BUCKET_PUB

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			LIC_WRITE_PROHIBITED • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_S3_BUCKET_PUB

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`LIC_WRITE_PROHIBITED` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_S3_BUCKET_PUBLIC_WRITE_PROHIBITED`

AWS-GR_S3_VERSIONING_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_S3_VERSIONING_ENABLED	• Tolok Ukur CIS AWS 1.4 2.1.3 • NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1)	• Optimalkan biaya • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_S3_VERSIONING_ENABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.5.5		• AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_S3_VERSIONING_ENABLED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_S3_VERSIONING_ENABLED` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_S3_VERSIONING_ENABLED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			theast-2::control/AWS-GR_S3_VERSIONING_ENABLED • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/AWS-GR_S3_VERSIONING_ENABLED • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/AWS-GR_S3_VERSIONING_ENABLED • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/AWS-GR_S3_VERS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			IONING_ENABLED • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_S3_VERSIONING_ENABLED • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_S3_VERSIONING_ENABLED • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_S3_VERSIONING_ENABLED • Asia Pasifik (Seoul) arn:aws:c

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-northeast-2::control/AWS-GR_S3_VERSIONING_ENABLED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_S3_VERSIONING_ENABLED` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWS-GR_S3_VERSIONING_ENABLED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			R_S3_VERSIONING_ENABLED • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AWS-GR_S3_VERSIONING_ENABLED • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AWS-GR_S3_VERSIONING_ENABLED • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_S3_VERSIONING_ENABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AWS-GR_S3_VERSIONING_ENABLED` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AWS-GR_S3_VERSIONING_ENABLED` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_S3_VERSIONING_ENABLED` • Timur Tengah (Bahrain) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-south-1::control/AWS-GR_S3_VERSIONING_ENABLED` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AWS-GR_S3_VERSIONING_ENABLED` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_S3_VERSIONING_ENABLED` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_S3_VER`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			SIONING_ENABLED • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/AWS-GR_S3_VERSIONING_ENABLED • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/AWS-GR_S3_VERSIONING_ENABLED • Asia Pasifik (Melbourne) arn:aws:controltower:ap-southeast-4::control/AWS-GR_S3_VERSIONING_ENABLED

AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-G`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		R_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Asia Pasifik (Singapura)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-southeast-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			ECT_INTERNET_ACCESS • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_SAGEMA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`KER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Eropa (Paris) `arn:aws:controltower:eu-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-3::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Asia Pasifik (Hongkong)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:ap-east-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_SAGEMAKER_NOTEBOOK_NO_DIRECT_INTERNET_ACCESS`

AWS-GR_SSM_DOCUMENT_NOT_PUBLIC

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_SSM_DOCUMENT_NOT_PUBLIC	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Kanada (Tengah) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		`ontroltower:ca-central-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontrol/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Eropa (Paris) `arn:aws:controltower:eu-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`t-3::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_SSM_DOC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			UMENT_NOT_PUBLIC • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Eropa (Spanyol) `arn:aws:controltower:eu-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AWS-GR_SSM_DOCUMENT_NOT_PUBLIC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_SS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`M_DOCUMENT_NOT_PUBLIC`

AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • AS Barat (Oregon) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`ontroltower:us-west-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AWS-GR_SUBNET_AUTO_ASSI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GN_PUBLIC_IP_DISABLED • Eropa (London) arn:aws:controltower:eu-west-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/AWS-GR_SUBNET_AUTO_ASS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			IGN_PUBLIC_IP_DISABLED • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Eropa (Paris) arn:aws:controltower:eu-west-3::control/AWS-GR_SUBNET_

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AWS-GR_SUBNET_`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			AUTO_ASSIGN_PUBLIC_IP_DISABLED • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AWS-

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED • Eropa (Zürich) arn:aws:controltower:eu-cen

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`tral-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Timur Tengah (UEA) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:me-central-1::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AWS-GR_SUBNET_AUTO_ASSIGN_PUBLIC_IP_DISABLED`

CT.ACM.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ACM.PR.1	Tidak ada	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:us-east-1::control/CWIZNCRIHXMW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SOEEZVLQQMBP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RLCUCIOSPRZN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CKCKTGLVEKYB` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OTJFGEEQXKHE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JHLOZPXDFZLZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EFGFCKDLGVOR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RMPGJNTOZYED` • Eropa (London) `arn:aws:controltower:eu-west-2::control/TMHLCRNZFYCN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XJPCVFFVVNLH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YSLZGQSFAAGK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZYLCIKKLJKLN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XFRRFFLMUBDQ` • Eropa (Paris) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-west-3::control/DEOJHGUDMVVV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MHGHBXOCHYCS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OGGUGDZQUZYR` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/DIUHEHAUSSPQ` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			theast-3::control/IYXOFXBXLMGS • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/PFBKTWXIMMIV • Eropa (Milan) arn:aws:controltower:eu-south-1::control/AJYPIRPBHBRU • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/ZELXXBEFAIZK • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/MJAMNXHSTERV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AIMLPTHSIIAM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JSJTOIBKUZXR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CDFRPKVAAEBA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PUXHXGEXNZWU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CDPBPPYWQXFU` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UTGLXCQDISMW`

CT.APIGATEWAY.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APIGATEWAY.PR.1	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/THVNUTMFZVUS` • AS Timur (Ohio) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		`ontroltower:us-east-2::control/XRIIZCMYLTPU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SKIBWKYUQAAC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EUYZNAPVCUUS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MGCUKHLRUHGP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6		theast-1::control/QFZCLBSXXBKM • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/XHEVQAZTSEAZ • Eropa (Irlandia) arn:aws:controltower:eu-west-1::control/KBXFFJCCXCCZ • Eropa (London) arn:aws:controltower:eu-west-2::control/VLFAZTXPNOXB • Eropa (Stockholm) arn:aws:controltower:eu-north-1::control/RPLZIVLHUEVE

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OWNNOAXIDVKF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ASAMDCSLJXZV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ETKWXIYCRYUF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VJLLSIZIUQRW` • Amerika Selatan (São Paulo) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:sa-east-1::control/XGXELVOLINOS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ASCJCHWUCXDE` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/HQJNVXOQEKEX` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/CBCSCTURQXDP` • Asia Pasifik (Osaka) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-3::control/SQJBDNVUHOVM` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EKDIMRUQZBUI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/BRXRBWLDNNXE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CKGLZQHZKKZO` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			ontrol/AWEXQRIWWTYU • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/IOPQNYUJZKFP • Eropa (Spanyol) arn:aws:controltower:eu-south-2::control/SVYVSCZDWYQP • Asia Pasifik (Hyderabad) arn:aws:controltower:ap-south-2::control/ZKNNHMHVZWCV • Timur Tengah (UEA) arn:aws:controltower:me-central-1::control/WSEWTPYUNKIZ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AOHBBOHVYOXC`

CT.APIGATEWAY.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APIGATEWAY.PR.2	• NIST 800-53 Pdt 5 CA-7 • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EHSOKSSMVFWF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MQXZJKMXOREU` • AS Barat (Oregon) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		`controltower:us-west-2::control/XAZHJTQBXMLM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RPOXLFOSAVOI` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EAPHSJQRHZUB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IFWWBITJQWQO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-cen`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`tral-1::control/PEIQUNSHAALC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WEFXKWWQELZP` • Eropa (London) `arn:aws:controltower:eu-west-2::control/EDQVHSOAJDDX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JZXXPWRFZLER` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YVJSVPYRBSBH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BMGEYEHCOBBU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XSDRGBMLIVBR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GUYFEHMSFWNE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MQDMDGQZLEEB` • AS Barat (California N.) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:us-west-1::control/WITVQTILCFXZ` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/KAUPNLFAXLZW` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/EGXWMKYDFRSK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/SXPSZGLUEEZH` • Eropa (Milan) `arn:aws:controltower:eu-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-1::control/MWDNBKQDCNCE` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/YCKXUGJPJJVQ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BMPTRRAHQMJC` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/BZHXNKANLSRP` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MRKDCBADGMTL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KDXSGIXBAPZU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/WUVYCWRIERYH` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/IWHRGFEHFWYR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CPRJZNHSLXQO`

CT.APIGATEWAY.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APIGATEWAY.PR.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FIMWSVKNFANN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DZDLWPOKGTPI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ELALMJSUVZGW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XXKODHBWTZTZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NGDIEPXBGZNX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ESHXZMSBZXKE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TAYPGUHJACMN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DDAUQMQWAFBZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/BBWEHVVZVYOL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MQGSDYXVDOAD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HEBRXKGJORFL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NBLSRDRBDJXO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FGGPHPWIRFWB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QSKRUWXUNEUH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EISQVHJSJDWH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KSZKAGOPPWPH` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/NLXAPQRKPIYU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/TRNOXUPEBWOO` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CDPDATWIGGUH` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KCSNFBWRTAXT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ILKACTDDSJMT` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/LJZPLSKCPFIT` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PEZSUQGJPLXV` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BRRZGXLVBEXS` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/MYDVOFUAZSBV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/DNUEOQSFWTRD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PTRXVPJHHFKP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JSVPQLCSVWLG`

CT.APIGATEWAY.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APIGATEWAY.PR.4	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3		`rol/CSLQUIKVRGVG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZZRGCTUQTBPU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CQKSRVXTWTEC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WDEOZRYGKEQK` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WUQUVNLUXDQU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KHGSJQSDYFLH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HWAUYOESYCQT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VECSKJBMFGMM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/FADFVQHALJXO` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/HHQMBNTKLTOG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YRNSAXOGSJSY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MULDPLOTLRAJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/QSCLQQFNJQXE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OOIWAZTWKKPE • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/YLMPPINWZYZY • AS Barat (California N.) arn:aws:controltower:us-west-1::control/ITPBHOOWRJGI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KNVAYHZACOEU • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BOOKWYPOXMTQ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/FAGHQEVLPXRL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/IYMXHZIOFYDY` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LODJMMSVEOMN` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/KCIFTRLVLAAP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LSFQOWIWAFSL` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/PWAHYUHVUMYA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XDLQVFGAZWOU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/VXYNUKKTZXGE` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/WGYBRYLPERPA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/GDMZARUABRDK`

CT.APIGATEWAY.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APIGATEWAY.PR.5	• NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YNAHJMRFSATY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.2.2		`rol/KRLMXVLLTUAN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QSEYQKHHJZQO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NMHBYPLKKHGT` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RBLHXKSFLKZA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FXZEDHLSFKXJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UQCQWSUFRSVB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AKVOXJCRARVM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YYOCPBGNDCOQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BVSVXEMRTBNG` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/UXJBMYYQDHMX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RFIFJOHVLBAB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UKYEADDRMENU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JNGATIWVCCYS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZHWUFJCAJBDB • AS Barat (California N.) arn:aws:controltower:us-west-1::control/YHRHPQEAQQFX • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/EGRYMABJBFUD • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/PAPTPLXSKUJL • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GVUDUCUXKDLN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BROASONAOUZH` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WSNSTKYGKFUC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/HLDJVPJJOPEY` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/EFKJPLZIUAII`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WHSNEETRFEHL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ATODWGOMZUCX` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/EOXAVTBQIHIE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ILMJIBFINEQK` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/XOIJWVLCCYTU`

CT.APIGATEWAY.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APIGATEWAY.PR.6	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LEGXJUSWUBYG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GCVCIFYYIDDI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/ZHTQTRRJWMVV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OTRRYHQQAPMY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NGYIOYBYJLXL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HKKDWUFJIPOW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZWRTQAVLHFEX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GODRTVCQLFRW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GDUDQJEAZOYB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VOAFRPAPOKKZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FYRZEYAUDCMX` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/KUTDOXVOKANL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/MQYPRRNUCSOT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FTMJQQMLWIID` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PRKHFLPAUJQS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZBNWFGFGNOLW • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/BOFKPQACPDVG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/QDOMOGKGWUOB • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/GRMWXCQOGMBQ • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/JMBKFYKXNRRY • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/TVZMDZVNREUD • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/HZBRLLFMKYLT • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/NOWTBXQMFZOI • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/FXSQWOABYYRI

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HDUPSFYARAKE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/STHZPVSVPASX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MUHJMIOUYMPR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ECADNMFRQVPH`

CT.APPSYNC.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APPSYNC.PR.1	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ECXYQKUETWKC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BCZEGAHHZSII` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AJBUYRGFMZAE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KRLWEXIIRJPA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VZIWINLZXVMA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SZSRSNLXOOXB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MTIRJIPWCKMX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CXUKMNSNXBOO` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RDKAXOQVBPSE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DLWGUVABSKGB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QHZRCUZCBFVR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CXEXLMCYDMPY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XRXGFZGEYPMV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QUFDDHHUWEED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KBRRHKUVKJIV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NYHHSONNHIWM` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/BFEHJBXPOGJN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/YVQNVHXOXYLS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/TBPGNZBEDTST` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/WHCWMAHTSOPR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SIIOFVZPPRKF` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/ABNGUTRSLNDB` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ORFYDUQFUMSG` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VFNPSSMVRVNT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VTIFQREJYECJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/KHNUYYGINTJK` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/IXVVMUCTNMOM` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/NCDTANKPPSFX`

CT.APPSYNC.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APPSYNC.PR.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/YALQWSJIMFVU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IUACTSJITYIP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OJCFZINVIMTK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MDZMFQUIFJSZ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EPAPANCGHNLC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SQADHLZMBZJN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZFMIUZRFIIDZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KPCUMXFUZQWY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WZDLWQSTOSVK` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/BLRXDIMFGOJQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YZTDFULTHZAI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MMIBKBUMAXKX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BYDTAFCKTVON` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/KPJYMSGQUONE • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/CORISMGRVTBQ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AWCIAJRPMESS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/FAZJYQKXZNZD • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XLMCUHYROLCP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/YMEIVNTGKVYF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JZUYXWPLLCYX` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WRAJDIMQFJNZ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ZRBNZNZKFVSB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WGYORDBIOUGK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JJINXXJYEFGA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/BMSDSLXZPINV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JXQTZKIXJRCC` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/EVXZSWWFVGMF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HJCSACGZAZKN`

CT.APPSYNC.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APPSYNC.PR.3	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CDQLXCUGHCOY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/MMGMSISTUNPH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MTXEWCQXZRSJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GQJWEDLMDAWD` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SZDKCLTUHPDS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VNCILGZEFDHS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LHJSAZIYQGBQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZCAGTBPRCATH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/SKVDXXAIZXAS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JNBFWDSXTTSQ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/DSCBAAVLXJTA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DKAIJLHZEZFI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HXVOUTLHLMAS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NSUWZXLBBZGU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/WQRXWMANRGTV • AS Barat (California N.) arn:aws:controltower:us-west-1::control/PDCBBSRBGWCU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/PARBBQZHXMYG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/FRBNCATEBZVB • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OCFAARZLCVUW` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GEZDAESWIHAV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/XXAMXNJJHIZX` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/VQTAYSFTYZWE` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FXLRULXUOQOB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JBDXGSHRENLT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EQEGUFUDDQHJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/IKYKQMGGAKTZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/IDFSZUUIHHNO` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/TUDPSRDPJIPG`

CT.APPSYNC.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APPSYNC.PR.4	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KXQLGHLTDUKA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PEPMJSRRAZXC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/KPAZGUODKWRH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NAGLSYFOFCUE` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QMIISENUKIZB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MSRCCHVLERDN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UPRFZBBAREAM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JEWJGQYDTBBV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/SAUCBCNEYIBQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TITPSTZOQJEA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YBIIYQMKPBJC` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/IZCXFCDNHOEL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SKJIDSWEEBBR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VYCGKMZTLQBB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OWXHGWEYHXGT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZHBAGUQQVLKG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ADBIOOHVWILY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/GZLYQHADQMAH • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/SLXXVXFLDWNV • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/IZKKJIXCHNGE • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/HXPDFHUHEAGX • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/NJNPPEGGGHUH • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/XCLYSHBAFVLP • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/AAQCADCUGNNZ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PBWZKZJTUYPE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/CDKXWSFZGMII` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JNWFIEANKNDM` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KQAFEIDTVWYB`

CT.APPSYNC.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APPSYNC.PR.5	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JSKWYPYNUFBV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RGSLGMUEQOXS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SNXQHRNUFTVT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FGRIEMDEJJCD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DUHLLHOUMSWK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MGQZMYVDXKJS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QBIHQJYGYUJQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NNNDVOOEOQGB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YHZYLRZMFPHO` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JCAXXRBFBPDQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LLJEFWBUEEMA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CXBGWZGMPXHM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JYPEKUMPXCUA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FHCEXHBWDKID` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YKVSQPMKRYXL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TWYHQJHYOHHK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/PVJJZFMQQSPF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/HBAZXGAUBONS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/LWZZOXDNXPAK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/PBFQTTVIAQLU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VQCMTFWZFESX` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/GUKFISUDEUYY` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/YQQNPDLXEBEC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MGKBZFZSNASR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/BFVDRTHKJLKL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/DLCUIJBZAGXG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QVSLVDIFAEBE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UWWOREONBQQJ`

CT.APPSYNC.PV.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.APPSYNC.PV.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/GDWPOPDDUXNQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CLWUEYFLOCEQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QLTPISPJRIPE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XNSSRZIDASBO` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GIEDWCIRISTE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AXUBGPDVHUEE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NNVLEIVTNFHB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HJUTBNSBLFBB` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QTKUHWDNZXGO` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/XYERPUKVVRQX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OAYEUAAFUDDQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZVMZWNPPTITL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YNSQAMIIRMGX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FSUFJSWNSEOR • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BVZNWLXUCMHK • AS Barat (California N.) arn:aws:controltower:us-west-1::control/TMSFTWZRWSKG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/JUWGYFFVXBGQ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DYSCGAATRAXF` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/RRJRZTMNIMKB` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DSFMITDCAMSZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VNLZALRQBJHO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/VQLWSAXZPUIE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/UROPEMZXDRTR` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WRZPZVPZIXTG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AMGWCNEXGLWL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/XUCEXYLCFRYY` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/CAVGFRMHJJHO` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YQEEAIPKXPEI`

CT.ATHENA.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ATHENA.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1)	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LNAASCWIYQWF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/BNBFJQSJJIFX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FKFIKKLBQLRU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IAMMTTGPSEKX` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UICXTPHIPSTT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XMSFGWXQSOWH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EADNJFRAYKUJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AZHMIHHETZDO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/PUSAPFIQCZNX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MPGNZBGWNFVS` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/XZSYTUYWCXPR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JPLEOSQGPVEV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KPLQRIMZGQFV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XXXDCQWYZWYF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZETBPDEAOPXT • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VQPTJGDPPKXK • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/FSUYBVWAVPGK • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ORRXHOXQUYOA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SVHRKRGSQYKT` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/REDTAGETRZSC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GXLVUGZWGPTI` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DQSSCZSZUYSW` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/CBHKJDCZWOWR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UCHRTODUKKUV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/URPFISNFLYYG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/WPKKGXFEUSGM` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CMPWKYVHAJYB` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/LBESPKJSMPZT`

CT.AUTOSCALING.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LHUKYNEKRWTH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IBUFUPGANKZJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2		rol/KFRLNAHWVNDQ • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/SDBNXVSDHXFD • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/GUKAWPWOAMGJ • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/QYEYJCSWQXXD • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/LQQDNIWFNOQQ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MOLUIXBLTNNW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YJQLIPRDBJSM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/POOFLSRCMVHC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UWTJAKCQQDQS` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/FSXLENXSGMGD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UYJOBTDPHAIM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LURITYKMZLDH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DTNVACZLNIPM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/NCYEGHVMTPXX • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/EUMJCOCOQPZV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/BXWJNMFCDYNN • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/MOPBPKZRKDTC • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/HDSPPVQSLZUA • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/LPDQXNXJOCUG • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/RFZEANHEBLOT • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/ISDBSSNARIHR • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/YUDNGTLYTVYU

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/BPGHYVYPPDUM` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PMSUPKWKNJRZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ZIIKRKCQBGWF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XQUOYYWUREYF`

CT.AUTOSCALING.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.10	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2	• Lindungi integritas data • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MVJMDOPCHBBJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DUYNJIVJYYES` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KCPRFSJWXOGM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SNIFZDSHBSEQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OISPUYEMXWDM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XHGVMBLNPPWK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NKCXAQTTDOFG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HMVEFWNHHUTX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/EETUIZAQWGAA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CYWGZFXYCWBH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LGTYDBJHKRWY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZQNRMCZKOUAT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RBQYQGMSHNLF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XUXCKEHNSBOG` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EVOJXTEIPZKN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YTLCCWECZXYU` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/XIANJOZOITXH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/HRADZAJMASBP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ZXFBYRTFQSEF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JKBGUGUPUXOH` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/XPMJUVGQRZQP` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/UEWBEZWBAFAT` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/QNSBUMGSEKRJ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SJHFPGSBNCCP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SVBZRUZEGMYE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/XUABKDYXZWKI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/SLDGWHPFIJKK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/FXROTUVAFTOK`

CT.AUTOSCALING.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.11	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2)	• Enkripsi data dalam perjalanan • Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2	• Menegakkan hak istimewa paling sedikit	`rol/OLRACLXUGWDA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DUAMDOAQRDMU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MPAFQHWVRUYV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CQVXMPTKZZLD` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GRJULAQNDWZL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LTEZJRQBQQYX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RUTQHWVKEXOQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CHBXZVZCTIBQ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QKJIOLFNDGMR` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/QVZFLXUEKXMC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RZLFQWHTFKLX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BPRUTBOPITBZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SBSPOYCVUQFI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/HNIZWLRFKMZJ • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/YTWQBJWKZDXS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/ENFCDXVLDJME • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NUZQYTYKBLMD • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AIVKYADIWIXE` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/WVMBATXXQYGH` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BYNSJFXOHCOC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ZJUKULWWSHEE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BHETJYCYYMGR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/OFDKFLDYRGUH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/PIJJPHEAASZC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LGAMIVPBSHQS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DMKZTXZXOCDV` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/JPXNUWHGCQAF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MCUARPNYQNRM`

CT.AUTOSCALING.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.2	• NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 CA-9 (1)	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GZBGBNOSJNHE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CM-2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/FIAZHJHSVVLM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AJUNDFQNUTWW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZRMHGMLRJGDN` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FWWWWDZRSYOB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WASLCDWKGJBP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PKWPQZWUDPMC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UBAHWQGSLVPQ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/JZYHTBOMKDXG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WYHXVTOLLLXU` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/ZSFUPIZUKOLS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TBBXRAYTVDEK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/DUPFUTISTCKO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RIBMFYNUIJWG` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IJFUBJAPHSUS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/INKEXBGBWVPF • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/MREILTLELYSG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OKTFVJFNOEGH • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EPLQWROCHULU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/XEJSBBJIGSRI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PCOGZFZUZXPX` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/JATCUEWOCJQZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/NPETPABQDTNO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OCWPOVIYYTSL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XGADYEWUCJUE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PCDFZDMSEJKW` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PYCZYCNDAYHZ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/VAHIVVEVBWHB`

CT.AUTOSCALING.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.4	• NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Rev 5 SI-2 • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UKYGXEVHJUTL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WMWBOCEROGJK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/UEEYNVTGUBLF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VCDSRAZXDLZP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DIXWASPFNOFQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WAVCCMIDCEXH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/POLAIJLNEGQU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IYKSVEZZLTNF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/TJGWWGICHSES` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NVNXTLBWMDUW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SOTBXAWRFPZB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/ZFEOJGAMVVZT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/WWETVQMUSGFB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HHTBCTOYPGHZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MIHQDSUSOAVN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ODABNVXWCCWN • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/XJPQIYKNHPPF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/XVBYPLVRQXBC • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/ANKICWWVQKYV • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/BDAQOQKWQVIX • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/ZNILUGCQAIUQ • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/XCWLRKVTYWNJ • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/LCGLUULINWMJ • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/KPACOOSYZFZJ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EEEUVWSLNVLL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/LPLVNKCQLVJF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CFRAAHZMNZLB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/OJSMBFTLWYYY`

CT.AUTOSCALING.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.5	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GXOHAMKZZBEH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RHEYJDCZKXSD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IKGGRITHSTQX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CXHVXOATJHPY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AQIXLPCCRQHS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/THTGVEGTGXBO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GDYUPFOPBKQP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KICFAVQBOREF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/UPTNYPJYCVOW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CZLFMLNISVYS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YWRLTVCFEEXT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MOWUHFAOJRJY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RJDSVNZODQNV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IHWPSXMEXIFN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NPDLNLLZAFAC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PKLTQMQWOKPC` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/ESHYEDTXWSUW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/MFBWYIYZRDWU` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/FOSLERMMWGCQ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/LZHHRTKSKBYG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/YIJBLHBBQZVZ` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/HWYCVNKQJITZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DZZROKPAXCYC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YJUEUNVOJKAO` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HBCLYPOQKNIW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/TQETCIZKIMIU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OGJVZSSMIDLA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IDGOEBRSQBUY`

CT.AUTOSCALING.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.6	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Rev 5 CP-6 (2)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)		`rol/IMJNNSRJLUDS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SBFDHQUFTINU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XMQUOEMIYMAQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KNWXLCUZBJPR` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HYEMAFKYGEOG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JBGGLEZGYNNY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PFKPZDJXQARN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WMTUSTWLRDZO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ZPCRFNLDIVTB` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/EQRHGKGNQNGX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OLNBKFLLQMBM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PALLYLIKPDOO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/RIHZBJGCQNZN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/VVHBDVAENCXM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RRGVMSFSHYVI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VULHVTLCFHLY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/EVLGNFFONEDR` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RIAGHUSPABQY` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BSHZJGOWIYAN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/WTWCPKFEWPYK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NCNVPQRRQZRO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DWSDKOZNKSIN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/QAQRWYEEZZGK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UGALPVVXQVQC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LEMBCAXJDJXF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NCSOESJIZPDJ` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/HLLQBYJSJHOV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EWEADHPWKAQO`

CT.AUTOSCALING.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.8	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JAZMSKNXGBDD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/CBEYLWICUQCE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PKAHSCIYKNJT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SUQITVFXSNAS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZBBMSBCWHDJT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CTWWGOPBJZZV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/USQMZZGHDRYN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YBNNIYMRBIYN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ZYAHAGQKQTAU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JHZVIDCOFKWQ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/JUIBGGNJBHVD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YZYBKZLRYPLJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/LIFOKTEDIUJG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DQVZDZGYRISN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/GVXMKGJZQXQZ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/PISDHZLSRYXL • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LMMGXHIXUJYZ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/HFDQZKOIUTPA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			:control/UBFEQJTBFABY • Eropa (Milan) arn:aws:controltower:eu-south-1::control/YTPNKYLIYKVY • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/YVPFFBYVWOYU • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/AEHEFPZQXLUW • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/SACRRCECVZND

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QIRLBHLADKAB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PSRDUBINGKQS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DKHBSPQGATGW` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FJYUYTKCFRPF` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/CVLVWHPNFDHV`

CT.AUTOSCALING.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.AUTOSCALING.PR.9	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RROOJIJVZTCD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ITCMHPPHFUUS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		rol/XAJKDEPPKMLS • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/GJMTGWEQYCFK • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/XCDSJCZAJAGY • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/MMTQYBWWZFEN • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/JQQDQQJXOGNO

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XEPRSGZCLSZI` • Eropa (London) `arn:aws:controltower:eu-west-2::control/UIHDQDEKPNFW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RUZQHTXLDRVI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PLFOJFSZJQRR` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/TXADDEAXHQJO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/VNUBXQIEBAGA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EXRJITRPLSJJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XOIVXLXSTMHC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/SHEBBMZWBBUF • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/XHMWNRXPSSEC • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/CRAVIZGSUZNW • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/SDWSYCVWCGEH • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/GMSBKMGNTIRU • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/PJFBBOZDWVXS • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/EPWSVXENIYJF • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/TGPNJGPMKKAF • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/VMYTQLGGELGN

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HXLTCQISFQBE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PVJJTCCPQERK` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/SKRIPSOLCETA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YTUQPNAGTVUD`

CT.CLOUDFORMATION.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFORMATION.PR.1	Tidak ada	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WTDSMKDKDNLE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FMBVJTKQAEAE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DKKMAWVORGDV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OMCTIJOASMIZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UHAFTVUQLBJQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VQJENYWQLIKN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IEBSHSUWVLNW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XLSIRLRDKWVQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CPQMWUWNTTQN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RTHCFFNNCBIC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZNYKRMJOMGMD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AZAYRJYXCXZR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/TUJJPJIYTMNX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PXUHPQAIVTCU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QZWDNTRQVJKO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KDYIRULEPEVX` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/TRDTWMRSUZAV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/FZACIPKYOZWJ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BKGHDLNFOLGZ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/QVSBUPSGUHVS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OBRUJGFHLWTL` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/RBUIYPEKFWAQ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XWTPZYNDKZAN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/ZYKOUZYVAXVL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SUZUXRSEELFT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/RTJYHAXOEEDY` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YKZGVTHBPBQF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KCDBCIAYUXWT`

CT.CLOUDFRONT.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.1	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1)	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2		`rol/XDNLXQXCMXXF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IQSRCUCSGFPK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AVEFYTUYGGCS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TQHOWLDDEHMD` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HGEUZPXSVDOS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.7 • PCI DSS versi 3.2.1 4.1		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PHMWMCANHKSW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZWIHYGTQCIQA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UAUKDTHXFEXN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KRZLJNJUOPAE` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/MYOOHWLVKUVG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JURDJLNESWGR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VBJDOHQSIIAX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XPNZKJLGPXQA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ITCBSOQOBUDP • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/XOWFTDERUYHD • AS Barat (California N.) arn:aws:controltower:us-west-1::control/IWQIWQREBLHB • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/MKJZCQJTJTUU • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/TOOGKXNIZTGI` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/KFBJHZDCITRT` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/MLFOFPIEQPDK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ZKNGGEQJFJEW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RUGAOBODEZXQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WWAUIVWORXWH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JSTHUABMXZDZ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WUYNTGJJUKNP` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HATHJJWTNRTE` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/VQHIYFLOJLMC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AZRIXJRPZEGB`

CT.CLOUDFRONT.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.10	• NIST 800-53 Rev 5 SC-7 (11) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2	• Menegakkan hak istimewa paling sedikit • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MKKANNMZZHNU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.4		`rol/WCTTAHVMYDLS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IJBYZPYEBBPL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EMBBJBOEZUXI` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XSFJGHXKKXJQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TJJCFOZERMMU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DPTTYLBMYLES` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/COJLJAOYFIIY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/EDDBQAMFSHML` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KEBVYBUGDCJL` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/DPDNFOCWKPXR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YBHTLDHKEKFZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/RFCFGQXJZARA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JSCPKFBPTUFX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XHRXFSGXWPKZ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/GQNIWWFCXLMC • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/RMFPWFTBHEUW • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/RNEBJBKTWYNP • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HPIJWRRRNZWV` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ZSTTBVOTUCTJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/QOUFOYZMAHTP` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CRMMYILUZFQR` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KKJWKODDJAJZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RIZVPUMYJKMF` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UTNKPVFYDNWY` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NCQFJEHLNVOL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NREUZZCXLORX` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/QLWFWMZSHUPD`

CT.CLOUDFRONT.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.11	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1)	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JKSWKPYLWXBN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FRBHAAKLXVJQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 4.1		rol/YXRLGXTHKYTZ • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/ROXOJWPKIJGJ • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/OLKKBIYGTTTV • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/PWKKNYCLONTW • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/OOIGLWNRDLBR

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IAUDCMRWXWEY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/INVLKWIIXCUX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OEQBOVEXMMKR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LATRCFDQWVIN` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/ICESDVDPQUJI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HFHBNWIGHFMY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HAPUSNWOPEXI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RAYNZKHYBPAZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/VDNOLOGKWONY • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/RKEOFHWPSMRG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/EBMFFONQCPFD • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/VZFSUGKCIKSL • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/ACOALEKSQBVA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/HYEDNWKAQEGW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/MIPXRQLYILUE` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FVQEUPCJHDGB` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/PDSOEASQXLDH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CAMAUZYMJOPH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/MFLJBHYHDJZA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FTGLJNMLYHZT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CQEDLAWQDAEX`

CT.CLOUDFRONT.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.2	• NIST 800-53 Rev 5 SC-7 (11) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WPBVZXCJPXBZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MLHMBKFPSZQT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UIWBDZNONLUD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RUMPJMCCNCJW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NMGEPJROACOH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JPIDQBIFWBWL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YIXCHURUJDBK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SPJYDXWVBVHQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TZHFMCSVNUQB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AKXTQWFSQTVQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SDPQNYINEQRA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IOOJYJOANCXR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BMFRHKRDLPYE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VTSPOJEHAKZN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PGPGHMEKOYTP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SBRPUJEJCGTL` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/JYTOHOYSNLMB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/SLGAANKAFEYA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/HVMWXRCNFRDO` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TOJRWDYHNNXG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/JTUVGABKLAFE` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/SEODAVXUYYKF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ENWFNBADPKGV` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XKAFLKSMRCTZ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HPURLNWRKJWL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/KPXXRYKIBWCP` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FIYDPNSPFBYH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HAXVFQCZVWMZ`

CT.CLOUDFRONT.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.3	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 4.1		`rol/KSCPLCGJKGHW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RFNNWXVMUBPQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LHFZBEUHUBMH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YXRNFYZICBAZ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MCQETJVLFUOU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JLXONOZWHECI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OIWLNKZULIHF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AGJSNVMSVMZW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GZSHUDGCTKTD` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/KFVEGDRDKNYI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OCRRDMBCTTPP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MKLFHIWIEWWR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/TMYDUSKTAKBS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YDQTLQWZBPXO • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/LJBMFILEKDJH • AS Barat (California N.) arn:aws:controltower:us-west-1::control/QSWVHIUPCHAN • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DDVLBNVHGDUB • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ISFZIBFIGEYE` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/YQYFXRCGOJVL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HPKHJFQXJAEV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/EOVQXRLMTYED` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/SQZNZFSSBJQD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AFQUJTLNZOZD` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/LRZZVKQUSKFK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CVMBTUQQJQVF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NJQTYERBVBJI` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/HICXKNXMCXCZ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/TYWUXNEGBHGC`

CT.CLOUDFRONT.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.4	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TTGXTDSTFUVR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BCDVICOTHADR • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/RFYXXYNURHWK • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/CXLHFJBBESPG • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/ELYJMXPJVKEI • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/RADLRUNIIXJV

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PPDPQYKYCVQV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WJKMTILNPQPE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LEHRPQBGFKSI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KLXWEEBCGMDJ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/HPOIOKYDFMZE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GFFYUYUVPDKU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/VOOZHGULFVBG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GWBOIBMAAVZC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/LULEEVQWEQRC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/IUIGCLTOJBUC • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/WJKRCBQFHZMZ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/IPCYTHQFAFNW • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DOTFJQVJFLRM` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OEGLEOAAPISR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VXRYQOGVHSUW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BSHPWYCFNNBE` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LLUWIDQCLSLL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OMEWBMVICXJG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LEXJMWZMLIVI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/WQIZCKKCSRXT` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AGTDHGABOXNI` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/MVVSTRHVZWSC`

CT.CLOUDFRONT.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.5	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RSBKBJHVWOCY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/EMCHZAZDZNVL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		`rol/MAPJFIKMJJKD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZYDBRRMVVTZV` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/COFQNFPVILDJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RHBUCASOCZAV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XZRMWOAQCCXL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RSSXGIZAPHTX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/NWKZMIUZNFKT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JNBLGPSROEFQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QDMUYVEFHYOR` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/CGZWLZPDWIMX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/EDSGIRTYZHTA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CZAGHRZSABRN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RXASZFBDCWEX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/TBJTNHJFQFRV • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/HGFGDWIJHIUM • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/XRYUQXKTPXYZ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/NRRJRTUJBKRO • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/LHGULLYNLWNF • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/HZEAIHLPXGDG • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/PBAOGWJQTIKW • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/IDPOYYEWDDAK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/DAAOJZCWCNLC

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PTDUOCAXIHAE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JPFMNYTBXSIX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QDFYIJJARBVP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BPRDZIZNWYBS`

CT.CLOUDFRONT.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.6	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QFQNQHNDSHBP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LQDIOWJWUTSM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EOUIZKHISXPN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LLIUTEJBMGHE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IYBPCXPFECFI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TUIUKMPMAEUD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MAELDXBVMXCM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OBRSKEKWVRVB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NJKKCOAWJJJM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LOAXFPPQRMCF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SWGZZGILWLWS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MCPECPGYYPPZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YFRQGLAWSBZU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/APQPRHGKFWYO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WMHKGFLJAWPI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HYJHVPFFKHDY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/LEONXWJLQTYM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/SAEWMKRDHMRO` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/WBMVRQPRAOQX` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HYECMJHMDQAO` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MEVRAVQYQCBD` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/QWHDDIDDVRIX` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/RLNLTYXPMQNQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/LTKLSWPOPLNR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GKTDSYXJRURB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/EWCULHXPMCBD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CGQNUYCOSGYR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BHNUHFPPNUTC`

CT.CLOUDFRONT.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.7	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/SFIA0WRGHFHB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZQXCMIVMKIAA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SUXMGZJXERLV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EYUKXNOQHBVC` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AQDUDHILVQNE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XFODQONNCMNG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FLFNIUITMQCJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PJOCVKGBLJJL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/HVCNXRUCMQUQ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/AMBUPGBVMSRB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BYQGXIDVQDFM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KYIFISGDQAHH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/PVAWACSEUZOC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/VKCENIKDHWLI • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/TKNLPUTAFIBQ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/XDXYMIJWXNMH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/FOMSSEIEPEIR • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FEOXIQQBHYQN` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/UHYZMCZNNITK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/LANXJNMROUBG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OIQLPXBBDAEF` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/JDWMKBYCFRRZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/VQBHQOYFACWB` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UETNVSJMZFSB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CUEQJGENOTAN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/UPTABJLZLULD` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/RANNJKPZMAWZ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XZFLLXIQYNUD`

CT.CLOUDFRONT.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.8	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YPZYCTALWZLK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 4.1		`rol/KQTKKFCMSTJR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DIFDZPKTUXZR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FZHDAFBJJMXP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FWXCSWFYXMCI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XKYWAPJWATKR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VCVFZRIJCQUZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CNNZUYODKIDH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YPHHSQJLYWOQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HLXSOZZDWMJN` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/CFFXQUJBTGPR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DNSOBLSOWZBO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/VSBTGOOGYBBH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ONPPIEAALZUC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/APWMSFWSKMFJ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/WIVHPNTBEMAA • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/RTJQECKEXLQP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/UCOWSXPWKCCI • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FFUABXMEWYYC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JLXINGWIDTUJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ROHXSITDLDWI` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/XBLMALRLBRNO` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/CYVPKLRVWMSA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DCSIOMFMHOTM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZVQCJXIKMXIC` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DWTWKHVWMSMS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JMUEZJBIBXOG` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/ADCTWWSZWZTS`

CT.CLOUDFRONT.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDFRONT.PR.9	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XCQMSOOMOOKF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HXXCDBIITXOE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 4.1		`rol/DOQSQVALBFCM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OJPYIMZXKWMN` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MRNNWKOBUPWW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ORPMLBIMJEYI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DVCICCSXHKOE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ADCFMZEXRPWH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BJDRLQQZJKZL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IZKULFXRTZNU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NBUGVULZANXD` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/PZBIGNJZQZWK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GITAQKSEJDXV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EUOWQLXWFGNQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AHXYZHBAZBFH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/HXNZJSDBYUQE • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KYETOGMXUJPF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/VFZMJZENUMGT • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/LFPEMXYIZGOG • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/HYDVIHSHNUJK • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/UMSUKOODJGNE • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/MSBIHIZOYSWP • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/LCDMMMAPSTOM • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/YMJHSAINUZQL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/MVBZHLFJEXGH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HJIQHQJZMQZI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YTPDUMSIBEBO` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/RBADPCHOYCIE`

CT.CLOUDTRAIL.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDTRAIL.PR.1	• Tolok Ukur CIS AWS 1.4 3.7 • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EPNCREENAXLY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CTXDBBKXWFYM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RBOKYZWNIEEH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LADQHOPWFDQE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MQTVMQFRAQQV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LDWQNCXTIACQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QHBXOKOYNIQV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GNPFAAZFPLUN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZWQEGGDWHBMQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FRHFJVRAPTRV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YVIVTCSBKNZW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IYMKUWMIFVNY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VFEZPSFUCMNK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KDFZJGDKJDXF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AZGUTSGKCXJA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CJBDBOPJYMYK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/JLCBXYFLJKYT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/JQROQRCXWACD` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/XXBNGWACEEJO` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JHSHFWNLVDKX` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/CAZMRVABVNVZ` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/VFHCZZBNLJYD` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LGMUXCEBWVNU` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IWXMEFRDIIKX` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YZFALBBJBHJW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/KFVUHHOBQFSH` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PHFHRPTBFXEU` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/RAAHJHHQSMWP`

CT.CLOUDTRAIL.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDTRAIL.PR.2	• Tolok Ukur CIS AWS 1.4 3.2 • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 SI-4	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (1) • NIST 800-53 Rev 5 SI-7 (3) • NIST 800-53 Rev 5 SI-7 (7) • PCI DSS versi 3.2.1 10.5.5 • PCI DSS versi 3.2.1 11.5 • PCI DSS versi 3.2.1 2.2		`rol/ZOBWKZJTOUFY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XFIDQGGGOMTT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SPIMIJLBSCTG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KAEEWMVGTQBG` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DTIKKBFJWTRD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VLNMMTWXFFIR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RJSEMBTEORTH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZBAVTAQOIBMN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ZMDJHYXAERWW` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/YAJIWBETKSKD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XOLQDYEYNFBA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MXWILHEXRJPT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/PNBCQSCEGUYV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QCMJJOGTGECG • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/GDFPFDOIRPAG • AS Barat (California N.) arn:aws:controltower:us-west-1::control/KFQRNLMNZDUB • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/IEIDAMYBJTSE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VLSEDZSWLNNN` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BQOOBSDUDOJY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OBWFNAETCXTZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ARRMQAOWVILW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DWLSTPHLZRRX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/JYFTEXMMRZCC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XYVNASPEROZE` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GDQDYHIWOYJV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/QFCAJQOMWRYU` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/ORGHRUEAQHKT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/FSLGMXBTMEMG`

CT.CLOUDTRAIL.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDTRAIL.PR.3	• Tolok Ukur CIS AWS 1.4 3.4 • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DZJUTMXLWLMF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 AU-6 (5) • NIST 800-53 Rev 5 AU-7 (1) • NIST 800-53 Rev 5 AU-9 (7) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-20 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-4 (5)		`rol/NKNKEKYMHFHH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XAFEOVTQSTJA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GKZHBZWQTGXQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AKRKBPXLHCRO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ENOFMWZNYKBC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4 • PCI DSS versi 3.2.1 2.2		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DGZZTHPBWAJX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BEFMOHIMGMYG` • Eropa (London) `arn:aws:controltower:eu-west-2::control/EMTYLMYRYEDC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MFOJTUROQZPI` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/AFDQMHYCXZPG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QUBSRGSNRUTO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GUMXCBJWOVUY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BBEODOCLACOK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/HXNJHOVBCEQW • AS Barat (California N.) arn:aws:controltower:us-west-1::control/TZTITSLDPMHU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/BCJQMHEYTIGX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/RIRMCQIOIAWT • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/NDEJIGGFJKIR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HDBBNLSSWFJN` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/RHLOQRXGMGBQ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BPYRAXQYLBFP` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KGZPEYILUFXN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/ALHFFPPGDKFH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GCVIUCRKRZJR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/YCGKIQTAMTUJ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CFMFGTPDDQMP` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/KWEXXNTLEAVB`

CT.CLOUDTRAIL.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDTRAIL.PR.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AUDOYQMVIFSG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OOPJJACQOFUS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4		rol/MIAFWDCLTQFG • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/QDLDUFIKRTAF • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/CTOCGYRSDLYB • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/NCGCPHKAILMF • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/WGWYSUAMMWWN

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BIDXZLOVTAPH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YRILAMGJGTFS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GUOVVFIECKHB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UQXTLQQUVMRO` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/RFBRGAFCHGRH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/DJVAKGGZOBGG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HDTLDOKSVHCS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NOFOPVIFERIB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ARZVFSOFFRNH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CFOQQBAUVZYH • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/GBLIBFBFWEWJ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/PRBKENAXOJXR • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/CQIIWIZRIDXD • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/HLHWSRJCEYDM • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/UQUAZOGJVRPA • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/KVTMFVMCHBSK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/YRWHYIEUGKWK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EQJLPBKNWCEW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AWBLELLPBPBZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YDPEPIRVMRSF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/FDRWVVLULZAD`

CT.CLOUDWATCH.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDWATCH.PR.1	• NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (5) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 IR-4 (1) • NIST 800-53 Rev 5 IR-4 (5) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-20 • NIST 800-53 Rev 5 SI-4 (12) • NIST 800-53 Rev 5 SI-4 (5)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SSXFCVHAAYDY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RAMYQIPCOQPV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TKCJNPHIDFHI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VQRWIUPQXDNG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MOWBJMXOIHSB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EFYIPKXIMWCM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OBZIVWNWNIFK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YPSCUERHMDGL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/EDZSIQLZSHQT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SFQHEJLEUAUE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VZQEAYLRUVEW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JWZXOWQPDALC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DZZBWHYOVWZH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GVINKYTHSTYG` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YKLBLDSNIPAT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YSCEYMWJPDXX` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/JASXXRCJAGRM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/EHGRDSWJBZRD` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/XFTUWPJDDHWR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/FQUBDDOCHVXV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NSZIACKXCZWU` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/AMVXVAUISMIH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/UNHKBRUEDJVG` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IGPKWKCRTQSA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/IYZCFYKTLOEZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/XSCOQUSBVAKH` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CNMHXHONGEWR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/FCCVJPUNPVXQ`

CT.CLOUDWATCH.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDWATCH.PR.2	• NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-11 • NIST 800-53 Rev 5 AU-6 (3)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SI-12 • PCI DSS versi 3.2.1 10.7 • PCI DSS versi 3.2.1 3.1		`rol/HTUKCDNXPVWK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KZLHFSHUXRWF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZOBNLPQHKPDK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VPXBCTGURFRG` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HEBNGALBPYXJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QUYKUYVNWSZV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/URQEHVTSKLLB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TBWHZGGFAGCX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DNHPGCXFAJST` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/DSVHTVHFNRSE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JPDUOXRODBEG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TYKALNIDLUXK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SBTRQDFYDCOK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QCSZCQYGUUVZ • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/ACYWMNWHXDKN • AS Barat (California N.) arn:aws:controltower:us-west-1::control/ZWPLHRTNEWRN • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/FBRQUVHBOZPB • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VNUHTQRCTWLU` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/UZOKBNYSYIZW` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OZCLFSHTISCQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MDSOCYVCVKCT` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/VEWMILFDETBA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/EFOQUCOHCADL` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DAUDMKIGRGOZ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DPZXYQALXSBJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/UEJEPFFSZUBW` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/PLDXKXQWHHCV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JLVKWJATWUTV`

CT.CLOUDWATCH.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDWATCH.PR.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-12 (2) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZHZBTTZMZYST` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4		`rol/UEXYNAIAHTWI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RVGRWIMSJKPB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RZUDTGNQSLRG` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YHKYBCWCRLJJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AHEQLQIVIOWD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GSZUCKWWMLZM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GVVBWCAAOCTC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ZSQDFIHSSAOD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VZXNAZZKVVEJ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/OTGQBKNMWNKV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CWBBUWULYLOW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/WYEDDRSFQTDY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WQCLCWXDFYLS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/CYXHPOXPXBWZ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/CZEVEPANZGQK • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QAJHRGEGPDMX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/TGZQHFRKWOCF • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AZANGKXVSQGH` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ORYXUPSLDOOT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OLDFVUGRRHUK` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ELINFWHYRXRZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/GMIMEPVNIBZZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TMUERIGFSBVJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SYOYMUBLETAN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DEJFOZEGERQP` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JBRCQFIIYNSH` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/RFQBNRCCEIKA`

CT.CLOUDWATCH.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CLOUDWATCH.PR.4	• NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (5) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-4 (12)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UUBJSMHHQBTE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XFOXFWKOUFVI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/LLRWYTMFYUFL • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/IOQUGWNHEDSO • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/CLDCBWOSIAUL • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/ISMLVCTXZGYF • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/OOGEPDLGDWEM

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/APPYZPTNBLGO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/XRRBPVFHMAFT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FKOIMKGDPJBQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IHHAKHDRLOGU` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/CFAQBJOYCLFH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AEHEUFZDKJQD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HPAIEIOARUEQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VCHSALJJXEQI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UQPZKKDGYZCH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/TIHAFDHKOGZJ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/VKHCXDMGUOOK • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/YHLIYCNCGUAA • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/JULHFFNMMHXU • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/EKMHYJGVZCHG • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/YCKCTTEXWPSW • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/OGCHPVUOWVJB • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/UHOAJRVIPLHA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SBRKWJRBLSDV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TRQTFJOZZEOF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NNVSJITSDKOJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HYRUNFPDZNHR`

CT.CODEBUILD.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CODEBUILD.PR.1	• NIST 800-53 Pdt 5 SA-3 • PCI DSS versi 3.2.1 6.4.4 • PCI DSS versi 3.2.1 8.2.1	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JIMFDEAQDWCK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XMPGGVRADHWF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DWTOSZTSQXGA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RSYHHWKEXHCO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SCDVMCSBZZBP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RDSUWXNODESZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OZCLPKRVOVHV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NCDYZQYYXIMF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CZYKFOXDXOAE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LAPQRZRTCBBL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PMZEKQNVBRKZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/XWOSMSCORYXY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EUUKRLJQRWDI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LFQQPETWUEWP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PMRWCRVSHCSO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EHWDQPAGOQVY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/EJMERDNUJBQJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/LBGGSSRBSGUS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/QVLWIFOPPDEP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/MKNRUEOIFDIO` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WVYQZRGTLWHG` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/POTJCWBCWTKI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ODCFYBUSVHPI` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JPCHEZJSIYJY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/TLIZGYOSLXID` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/BGONJAEQQODC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YSLFINUPIWAR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/LXVUSLOKWAYD`

CT.CODEBUILD.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CODEBUILD.PR.2	• NIST 800-53 Rev 5 IA-5 (7) • NIST 800-53 Pdt 5 SA-3 • PCI DSS versi 3.2.1 8.2.1	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/EJNHNFZRAMFG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QFRBXZNMGMLD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WWHTDFQNALJW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SCRYBKUZHBYQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CDUPZGSWHYDK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FTDDOMZPCICH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DDVQLINSURBW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WEYMGAQEESOZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QZKDWOTRWSLC` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/NACQKIAXFRVP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MVSGVYHINMLZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EOOPASTMJSET` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/DCWLYNEJULNR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/FHZHYYESCQDF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SIANVCWRXGWJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WTHWLRJZZOOW` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/VYDLJEUYORHK` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JTEUUIMXIUPM` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/YPIAEPNIJNQG` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JEUDKXERRMYB` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GCSGHXXWTIVO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BNEGCEZBVNSJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/MBMBIGGAVEJN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QGKVBMJEDJEW` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WZHIVERTKNMT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZQLUVNOAMURG` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/BXMYBACIZYGC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/TYKATGNYMSLJ`

CT.CODEBUILD.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CODEBUILD.PR.3	• NIST 800-53 Rev 5 AC-2 (12) • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YEHYWYAUIQHZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 AU-9 (7) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Pdt 5 SI-4 • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2		`rol/UCDPZLBJEGBZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MJRSPBWBBIWW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZNXNBMZCHFPQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QYCIHTAXYLTZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VBDUMCPMLQTK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UTFBCSBSISVW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EBCCRSBQVOEK` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LTEOHIIZTPFH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BGMCKUYVIAXA` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/OWJXWKPQUCWT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BYCXOWCVCFOP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YFGOVOOKMXZQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QNQUMYVIDFEX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/KQRSGHFYHVUK • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VEHXVCDHACPS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KOZNXUGUJOXA • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/WKTXNANZYYLB • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MRUGSCUAOCAC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AQXBHQXXZESG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DMZLXFFHATNX` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/VUBGTNAZWXKR` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/GIFAWZCWRHNS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CMIJYJCFEKWD` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DGQLWMRIBAOA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KEFQCWMQBGJR` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CKDSLYLCJQRL` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/JEZZFRMLKWFS`

CT.CODEBUILD.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CODEBUILD.PR.5	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OJSTETVYFKHE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XELBXZJFBGYK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/NTHPULVMAKSY • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/KJEOAYEPVAWT • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/YKADOBILMOXE • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/BRCVOCSEPXIQ • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/FPCUVSCXOALO

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HSYKYLVTHMSC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WLFHTAHNSJRK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KSTOQHLUUMAB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZUBAPDKBHPEE` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/JIRHXXYRRCPU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/QMYRAUAAQSPG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CUBUEWNCWWLE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EOQMRPVCYIVQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/GMPADQDKOOSS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/XOOYSBYTMVEE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/IIQOEVFKXQUA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/BILMNUNVKGQU • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/XIPONLRXVTLM` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/EWFVDYKGEDQM` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/YZAEAAYHVZTZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/RFRJCMVGRGLK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/PVMESLBTIORK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EZEDZUYHEOZT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ETTGKYPZHDWE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/IKWSXRBWZGLC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/RWIXRMHPKSME`

CT.CODEBUILD.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.CODEBUILD.PR.6	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WEEZOKNMKWFK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ARXGHZDJMVEV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZYXLXAIYZXWK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LWZACZNXEWFR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BKDGPCXEHUYM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LJAFCKIMTDGT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LJXNLOULCHOC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RRRKAZCWMWYC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TUDOZOFBNLBJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NKXXSZNQJNAG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XFEBDNHXUVOK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MFNMFPARKBBF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RXRLKZGUXBFQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YLCNQJWSXLBS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UFNUWPKHJXLL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AWLHICDELWPN` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/DQVTQLQFTTBT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/RCUQGUPBRITK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BJZEVENBVKMT` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/LKLEVOQIMCUV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LXQDTRHEMKEN` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/PKBWTCMWQOAH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AGOYHKVDQPPM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SDLNCTLECQXF` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NKSJVWJEWECR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/SRRAJIIMEVGE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MCFLNKWOTMGG` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BBRKFCWFUGLH`

CT.DAX.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DAX.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4		`rol/EMIZNBUBWZST` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PWENJMKYDFLI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LIDITLCMTBXF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NBKPOCFUAYKO` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WQDLGHQPLUEZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QWQALHIYPODD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/USAYUGMVGVCZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HPQCLFNNHNVS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YQFMNRBYQZUH` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/QRIOKXQBWHTR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IPCTFYGTPJQK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GKKAWAPRNSLP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YJPSKRTFOVNI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/PBMMRKGQLQSP • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/XUCCOZBWAWDU • AS Barat (California N.) arn:aws:controltower:us-west-1::control/OQJDQHXHVHYQ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/YERSBEZNALIC • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MAULWZOVBHAG` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AVRDIKUBVIEL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AHWDGTQANTPZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/RKQETEUGOLZT` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/TJAYEVJIIWMC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/MEQGYHFODNJQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WERBGVNLRWCP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XTNHYZREDREV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HDSPSOQHQADH` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/DNVHZNVNIVFL` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/RYLGGCGVEELG`

CT.DAX.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DAX.PR.2	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2)	• Meningkatkan ketahanan • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SBKTBSUWMKEK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-13 (5)		`rol/XOLXWDXOTSDS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BXXBFHSEQZVC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JUNTGFKWFFJA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YLPPVNACLIDZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LSYCOPMQSAQK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WYPOTMKGGRTF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GTNFGAXVMTIY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/UDVRXZWEHJLQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LKWSOIJNZRRT` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/KIADSEVTATNK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MCGGZQJDQSEG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KCZJTMRTLPZH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RDIXQORVUYTX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/WKKCRCZYVOYA • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/GPIACDHSJUVO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/SDXGBJAMZIPN • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/HGXHJVIRQSTJ • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/UNTRGVLZHGWC • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/SILHLNRKXURR • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/QVZKAJFUMHFI • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/GHAECZAUNGWM • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/SGSXAYLHNUSK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/RQKTASYXHVYU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/RDUKUALNEVNU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/RYEAAPJMVRTI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/DNCWSEOZINHL`

CT.DAX.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DAX.PR.3	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JSRQEOOLHCHQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OUEBONYIBDEN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KJQULRXQPSVI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BYNSAWVHNTAJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JCLDTMNDGRTR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VNHVFUCLAKSX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XRLXMRYIIGWI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZDNATWERTBBL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NUXYWFVUJBLH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DBOHJEJMYNWG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ACWSAQRXMAPJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QSNXKOZMYMFR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KANMRMPWOUQV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VXDLDZAZJHUP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HVXEDWNTFVJA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EFBZVLOIFTYY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/OWWBUIFRTHWC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/BHRDSDRZCZYS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BBMUTVSRZXPV` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EXACLWANURZW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PWUHXPBZIORO` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/EKWOVFGGQRQF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/YWBDCWQRVAPI` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OOLZDMSTRWYG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CJQFLUNIGRDW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/BEFHHEFAMIGJ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/UYJFPVBTWOWY` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XTHSONULVJIP`

CT.DMS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DMS.PR.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/TZMIGTNDHQVL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VSDWQVWSEVHU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TEUGLLCMRFBE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XXXIGZQSIPVK` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZERDIGHMXMHK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FVTCTPBWHDTL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OMLKCPQPSJTR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YCHPEYBHXVBF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WGOOQPQGGTCC` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/LEXIGWTCMJSA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UICXSEVCABSW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PMXDPOCYQXVY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/CTFMRJPUPGCC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EOSDYNKIGAWA • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/XOKBSYBQKJOK • AS Barat (California N.) arn:aws:controltower:us-west-1::control/TSMFXMFCPLVU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QAPCPDZHYEBF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CXVEOOHIMNNL` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CPGOCDMDHGFI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OPSWXXYSYUMY` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UNWEFSWWLQTO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ZWSGRHYTXZSN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HZSULTIXLIGQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UMVTLBCRRGKV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/TGGYQCVRRDMF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/EUCLHHUYDEEC` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/LTSKNULFPUTG` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ROMIMQWYAGFD`

CT.DMS.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DMS.PR.2	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ORQVPINRLMOY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/RAJOOXRIMDFG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AZMPQPEABVJQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QOJPATDAWFRO` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CHWMZWDERDLU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WSXHLSUCKDGH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JNVVNWEUIOGW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LUJEQBWKCVDA` • Eropa (London) `arn:aws:controltower:eu-west-2::control/APLZCDFPGPZO` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YAKMSVKKUHUU` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/TCEDVKZNCHKW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WKNUSICBMQOV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SQLHUPEXUOKU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UFYAUPRMCMWX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/CRIBTOSVESOT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CKDDWAKTYAFR` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/GLHMEPNCYUSQ` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/ENVXMQEWHFBX` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WDEREYMNSGMU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ZXTHNNMVRRGT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/FESPIXJAOULK` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/OJGKHKSODWGV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/NPTLETTIZUMD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UJGYUMGMJBEY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XGZXZOCUAKPP` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/YRGKYVHVRBSL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/WOTREEFQIYYS` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/YFAHKVXXOCSX`

CT.DOCUMENTDB.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DOCUMENTDB.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/THVIKWXJQCEB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AGSEOYNXOSRK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/HXVOHNCIJRUC • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/CUUSQEVMNYIR • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/LVZGOWHNFFQQ • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/XUVXIHBPXAAM • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/XOBYNMAVPBFP

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UWYKAUHSRUKZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/CFNPIFZENDEO` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CMAILYDYAUOY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NJTDQSHRSPIM` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/TEZXETAGKYOT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/EONQZXNXGAPB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ACFERMCUQLYD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NSSWQWRWJNFM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/TRACDDWLKDRI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NDCSWMCFZFWK • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/BMNUBLZWWWWA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/FIHFPXXSWPVR • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/DTKBFEIQNVQL • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/AIQLWAENCEVZ • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/GVXHDHLTISRP • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/ZKHDGAAGCYFF • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/UFMCCFRSISYY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AIUTNQWKGFDR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ECVIEFMUQJMZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/BBACQBVBHSDC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KNYFLVIZOIAZ`

CT.DOCUMENTDB.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DOCUMENTDB.PR.2	• NIST 800-53 Rev 5 SI-12 • PCI DSS versi 3.2.1 3.1	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ARZAKWMXVIVC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZIBRJZXDXMYK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XIHJTNHDRQAF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NURHQPDKMITF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YDRKNNEUEWMB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UIHMUQNGECFF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NDOASXOMEPNB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DVXWRDHUPOPR` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HBAHNXQKSECW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UATWYHSUXSUY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XDKECWMGYWQS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CMOMYYELJWTW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UIXMPMAVSMS0` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JXPLMTUAETRJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GCAWCOVVHNPC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VTWYHTWZJXDS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/HTINNLWMXRAD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/NTKVAPLDGPIE` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/TYKSQTKVDRPU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AFQCMISIBNZC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/XDBAEAOQGFZQ` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/LBGOTUKVIBIY` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TLEHFGYBIPPV` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YMMXEICWPZQC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NOKRKREQWEPP` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/WAJSGCIJCGCH` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ZBVKSKSCLRSO` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KWPVVWPRUBZO`

CT.DYNAMODB.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DYNAMODB.PR.1	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 3.1		`rol/OIZVLCBZARKX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MMOPKUVAJYZD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FEOCXMTUXONR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MUUOXHEGOERO` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HYEXGEAODQCG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BQIMDWJDEKLB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PUHTGIFRKSNJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EZQDFKIPCMHL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/NWUTQTYYDZBH` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/CYGILLICLUBJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RMGEYQOKBYAT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SICGAIHKEQSW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YLNVMSVQPPOW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/ZZZATCBZSQZS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OWRFVRAEHORK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AOEAJRZQUOJU` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/IGOUAMZMJLPQ` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XAWHUFNRUUX0` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CRICQPHNTAAY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/CXPURYMVYMSC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/XHWTLSZDRHZD` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ZRREDRAAHQUB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/IKNHTZWYSGUQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DMUBHZWCMKBV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EFNQESSMTRWA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/CUNOZJCLCDXS` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/UPBXICUCGOPG` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HOSCJVRPLNZP`

CT.DYNAMODB.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.DYNAMODB.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1)	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AVPWTCQJVZFL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1		`rol/GLNZIQOIDTES` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RIOHZBTKOBKP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZXANARWCPQNW` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MXJNGHQYSQWT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VATDYITSDFZT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CBZJAPZHXFDX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VNDWOJRWDJIZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/RIBSFVFNWIAR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IADWVKAFGXUW` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/WZFVBOYAOMIH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PGHDRCMDDFER` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/CREBIEGAAVZS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QVMDXANQFBCA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/LZFDTLNKOQXX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HMMSCANOFBEX` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/PRMTFXGWHHGM` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/PCYSWLZHMHPW` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QFZXLJQCUPTB` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GCGXGJULMUJR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/FWOEVCMMZRIE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/PBRYEFBWDTNV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SWUAFOBXQZSO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TRYHWAUMSGSM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GFIJUMQYZYKT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/MOYLIDKDFBHL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MPZSKTTPNYTV` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/NCULPYCWMENB`

CT.EC2.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1)	• Menegakkan hak istimewa paling sedikit • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NOTMRPTQNRAA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SMAKVTVJEPXO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)		`rol/HAYOFUSRHZIZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HHAFBCZLQYXY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IZBFOJRZKBEV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UKDFSIYPXFVJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ADABIOVNNTMS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 7.1.1		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GFKNBAOPNHXF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WYVSVHJYIHAD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UTXKBQQERGVI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OZFCKKRKZSIB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.2.1		`er:ap-northeast-2::control/PRPQIPYUCLFE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YSQCFBUOTEPD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YAIRLGKSVPZS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IJAIPRTDFHRB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QEIYONGZGVCI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/PNKPPQYMTJFF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/PWXEQPXBWGJT • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/RDUEMSJPXBWR • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/WLUUDFWBDJHU • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/RDGRKFSEPUCK • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/EGMHACFCYINC • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/FUBCSHOJVEMA • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/IMRVGYYQJLLW

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VNHGWWCSJWRA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/MTSLSKQKPIFR` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FEMJIFSFEJOI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/SPYIFBBRIAND`

CT.EC2.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.10	Tidak ada	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VAWEVAFBTTYX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZXUWTNZZOQUI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MPIXENDLDJMR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RTCRBMNLMGBL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PBNLHCFGRZZO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XXRXMNFPAIIR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HPOMPECAFIAJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DBKJHDJXKWNY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CTADRPGOQIHX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LAUHKWTATLXY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IUSDZWVDETIR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GNMPIMBYNYKE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PRVLLJPYMYPC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YJMLRILGRBSE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VYTXCSGZXJJA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YCLJPFTXKZYU` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/HISQJLSEBWSD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/GNBOOTBHJQVG` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GBITMJKPAKCE` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DNLPNFANEMRU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ZBXPGHGLMWXH` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/KDLJUDSYZQNF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TJMFQWKSYRGJ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/EEVRMJQGHIFB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DCORPIATUVCG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/TWBJIMNVQOYC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XCQTHTUPGSIF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/LYBOKWDBULNW`

CT.EC2.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.11	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/USZSBVLKBFJW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GAJQJEHKYENL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NMURDTFOJDZH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZBWKQBJUYPUA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HNTCZVIEEJOI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GAEZXFNKITWD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PDKCUGSWCJWF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RAMFRLQUWVMN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/XRFWIPMMYBWF` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/TXQCCBSQPFNB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IRKWHFEJOBYB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WOPJHTRSHEFP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ENUFAUVEZVFI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/AZQORBOHZJMI • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BCNLWTEEHTHE • AS Barat (California N.) arn:aws:controltower:us-west-1::control/TLXGBVBTJUVZ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/GROFHQWVWGNJ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CRATTP0FXYCU` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VSDSWNNKPRR0` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/RTEWMJEUHLJQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/JCITPFCDZUQI` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/QXBAGIPQXETT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PDCSLUSATDKY` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RTMWZJPFHFER` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SUUBDBBVLXLQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TCPUTKECULUH` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/WQCLEHZIZEEQ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IZALUCPZOAYN`

CT.EC2.PR.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.12	• NIST 800-53 Rev 5 AC-4 (21) • PCI DSS versi 3.2.1 2.2	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QNDKUCEIGRNB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/IFRKPJEDMUUU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VHEHBTESLGUN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HJKXVHTKUFCB` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DRPWGXJHMIQA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/INYDINMLKHFD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EBSIWJJPVVBW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SDYXHOVWBMMM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/JWYSLVOEAOJJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SIJDBTELNSUI` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/VEHFJHVKJNRG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HFYUZFTNQRZG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YBIIKCGWAORD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JCOYUSUWIRJX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UDKUYKZVSBVJ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/WJSMEAZXXXVG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LSZFXIAPRTNL • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/UQOCEESBNNIF • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DRLFKVUWERWU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EPDEAPQFUAPZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ERDLIQVQFJJU` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/PTDARPFBEGAD` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TGQZBFRIVBZD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VPOJZQAASXUU` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CNCXWXERYCOC` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HLEAKIWSBDXQ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NCITYDSETUMX` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/UBPYTWKIMQOK`

CT.EC2.PR.13

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.13	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FZSUCEEYAPWI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ANUKCTRRCCFE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BWUUBNNIBGXB • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/MTUNNERTAWUK • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/OSVHEFPIYSYR • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/QZMARZRDZENJ • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/MYCUMPVJEXFZ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QCBNFLLWHORL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ZJDKEANFYUMV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ARMDLUGJAMIC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SSCKAJIEWDZO` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:ap-northeast-2::control/OACEJPSHEDTT • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/OHYRLAGKXSXR • Eropa (Paris) arn:aws:controltower:eu-west-3::control/BWHESSZGTPFW • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/HLGYBXIMQRHU • AS Barat (California N.) arn:aws:controltower:us-west-1::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BTLZSJIHIZWG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DTDHLEWFGSKV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/JYEUKJNOFJQT • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/ZBKKUULMNWGL • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/AYFZQOECAPEH • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/QQXKJMHCUFTX • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/YOPBAHVWMVOA • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/YCZVKPCTQOOV • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/OOEZRXCQHBCZ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SZRCWAQMISFS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/LXNQLJAJNVLT` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/EWZWWABCTOCS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YXZJOTGZJJVL`

CT.EC2.PR.14

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.14	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MQKNFAXJGETK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VMCVOKHAOFHC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AGCVMUHOLSMD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CGSRRXAEKBDN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GRIQSOWFTUZO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GIIXBVQAQTNT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RIERQJRBKCVS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VBAWHSPRVFFO` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TBTEUVAWFLJG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KFIXEWHUEYPE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TUQFRYIKJBAM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WCOMSKMDNAFG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LUUPJIKOPJWO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QTNFAUGUTMHB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CCWGUWXJARQL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PHUZHFOQIHAY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/YGASEHTTCVJZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/VMKDWYCKPKRH` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/IZAZFFYMGZOS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/IALXTISTUWWM` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PPWMLTWEAVHD` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/TKROLDYAXJKI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DNVFRNRLGAAP` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JYGVQKJQFJNI` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PWARGJRTRQXD` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/NAGYSJVVWTDS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NYIKBWEVXMCD` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/PTTAGSYATZTH`

CT.EC2.PR.15

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.15	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.2	• Lindungi integritas data • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/EKBEHJFEWPMC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LOEXLMDALOIF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NIVMCMYSFNKG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VLNRASMMQCCT` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HEEZTXAQNUXR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MLGHLUDGFFBA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZAOAPDYMTBOO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OGJDLYTMEUMV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WVELBOWUFUVU` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/JSDWJRIKGIEJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WCLNDTLLGBLC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CKNBWALGPVDU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/TJOEOWKONPTN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UUXDVLGSYKWG • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/HNROLGCXXXVS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VXSHNZFMMSKV • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QSCQVDJHEKMV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ORVERZAWCKRO` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VWBDQCRJGCBV` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DXGDLUEZMICZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/TLUQUBLLKEWN` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/MAOAWNIEEAXD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KKCNYSTPSDTM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RRIIDIUCCWTB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NHDZBTZUXELQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AFZIXCJHXMFE` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/RUBZGVHDFFLT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YCGPCZCVFQBM`

CT.EC2.PR.16

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.16	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.2	• Lindungi integritas data • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MALASTZISXPG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/YPFNZAUCHUGK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LVYDZONSHIBC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MXJEIQXYMIFJ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EWRFIOLHHUOD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NCYJQJARMYXT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PHNEHTTRJBIV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PGCWQUDCXAJG` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MIPGTOZISOWW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WAKWHQKMGGOF` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/YAAAYGTOXOOU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CWVHKPAVXZHH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KUMQJAZMVWLE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BIJJDUJCHVWQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UJBYDUSDWDCL • AS Barat (California N.) arn:aws:controltower:us-west-1::control/GTBKAFMVAFYA • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/GUVGIHUKHMJX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/GTHXKJHCJEJJ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RPJHCTJTENST` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KASYNBCCNYUL` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WZVBVFGPTFYF` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BJDVDDJKGDCQ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/BYDZQXJUXHWB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IRLXLBMFAIST` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UHZJAZABJYWG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ATWNDZAYESGZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/EFBBAJPKWZRQ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/GHHWSDLFCIMB`

CT.EC2.PR.17

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.17	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.2	• Lindungi integritas data • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FPFKOPOEZRST` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LVAJMRVLKXVW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/JJBWMNJJXOLV • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/DWQPXWTEDTUY • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/SAIQVZXZKNBG • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/HRLZOUHQKYBC • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/WYEFRJHTHWVV

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ETEVULKQLPUO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QPBHYHIHIBIH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FYSQOJHWVNSR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VSOAGVUGDSFC` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/TWGQUMHBQPEQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YNGFYRMLIHYY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SLVMAGISUXIW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OFWBUELFVNWT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/HMCQCTHXOJAK • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/SSGQVSULIUCO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/VYPANYUFOFAQ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/LAAWESZWTFBN • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/WAZWRSTLDPDP • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/ZUUYMACFMBYV • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/KUGZGUCJEEWT • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/TPIAEPAYBIMP • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/JVSSYWHLGQNZ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NEFCDEMGSOWZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/YVOTFUWYGJCL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/DFDUSDEFRXGJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HSVUAIMCVFGU`

CT.EC2.PR.18

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.18	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.2	• Lindungi integritas data • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TOHTLYNBKVYA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XBDTGEMIMJYY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RERWXDLVIIXB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FCQLVHMQUYEM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KFSYTINXOISA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WLGOVQZCVMAX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JWTQANYVKKRL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CANOYGXZAKRK` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TOVXSJYBPSCY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BLHVJCEFKWFP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PJAUVLXZJDJL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NDQNZAIVSEGA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OIHVTXVJSFLZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XNFTRACVSIJH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TDOKHZLKLJIS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KNZWSVFOLGDW` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/NTPRVWTJPLDH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/CXYLMYZHNKTA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CHWQTIITHCLL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BIHFKAGSIGRM` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/HCWCESPXJIHW` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/YMTYKZEGMEVN` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KWCXRCDPQJFR` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QQPUOVYQOUFH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WNKTVRGNDUBE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/GJHONUWZLYGN` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/KQFVBHZMGEOH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XHXUQXLXFAVC`

CT.EC2.PR.19

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.19	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2	• Enkripsi data dalam perjalanan • Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • PCI DSS versi 3.2.1 4.1	• Menegakkan hak istimewa paling sedikit	`rol/ULWNHDAVXSWD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WHXHNBCLHZVK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HQVYJHBVUYUN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TNQREQCHEREZ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RRIYZJRBCSNN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RQZHICZBNKIT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XOAHAPWXPEJL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DLHJFRBQIOUZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ESFZABHNGKFV` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/TQYOHUVRBVLH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GJAZFJQQYMYY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DKNVGKMOCFRK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/IFTNPUBQDYXW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YUCZSOCFIIYL • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/PHGMDGBBZZVQ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/GHQNRDIDRRRI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/TRPSRCVRETKA • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LKNKZOMUUQZI` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/PCKXSLRDAWML` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KXRIYOKIOLDG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PVGFTIQERUKY` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CXDUKDCKMLAX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/OELBPSKEEGEA` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/GTCJJWCENYCY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JKALPJXNDEUJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZDTJVRYSTEYM` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/DUOGNRYPNSGJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MCLMJUHLGSBQ`

CT.EC2.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1	• Menegakkan hak istimewa paling sedikit • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CVFETGCJNKXF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/HFMYOOXSTPVC • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/GQRIEQCBOSSI • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/KLTLENUYLCHX • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/TPIXAIIDPGBY • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/TTTKTHOMEJGW

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LDZLIZEYHSBD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XOCHLLPOOVTV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/CJCTXIIMNFJX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YYGFVEDLRYTJ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/UMDAUNXLFJJI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UELALJTZTKJG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/IQTZLHSDAVPJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SSTRQDHRJJFX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/AHSLJKRCKEVG • AS Barat (California N.) arn:aws:controltower:us-west-1::control/FLIITHQMTLZG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/OXDELGPZPGWI • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NSYQYXIHEBWE • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UWVOMYBTMINT` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TPMKJPKVEDNA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DUKUFDMKZNNE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RBSTYRGNTGHQ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FRMAUAMPFCPJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CJVAWZZZEAFY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VHBUBKOEZTHI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AKETHXXMVTQR` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/EHLAXLXRJAQD` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/MIZLGQYHHGNA`

CT.EC2.PR.20

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.20	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.2	• Enkripsi data dalam perjalanan • Lindungi integritas data • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PDFDBIRUZZZM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OLCBWHURMETT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EMEHQZEQOKXY • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/AQALJJABNSXP • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/WLRZMSULFIXM • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/AFBXGNHALNJF • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/SQNTAPQOUGNH

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SUARJCFCBBQV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KLTLMNETYYCK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RLGGIJOQHTWU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JIIMKWUYJACB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/BFORNBXJKDWW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/JKUGSAKGLTHD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/REZIZGDEHWRF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MYAUSTBPZYAV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UCNADOAQCDVL • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/BWQYYGYNTYTF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/LDIQIPNKYDDU • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/SQHOCRNSEXEJ • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/DYPMGYDYNEIE • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/HBPHHOIUVCIC • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/FQNDWRNEBQSL • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/LHDZEXSDNLXU • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/APEAFKRGXXGL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YFIOIOFAVNPW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/RXGLYCJGBYGD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/RKPIXCUNYTJB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/GQNGXWBTGEVE`

CT.EC2.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.3	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VVDNPMRRUWKZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PZRWTPBHWDVJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZDDEIITTHMLA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XENHMLFNKUIK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WUNOAUPAPJBR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LZMEYSKSQSYC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TKGSLZFXKVYW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KEAWNIFQNQOD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RLLXYAJVITSR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RASRTLVWUAOU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QIMWICZWNCTJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TLXGQRQZRNJR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DCJBSGYTZDVE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OOHNQEEZASSE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QAMRZHHGXINM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LBDDZFPUBGSA` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/WOHIMVFOWTAL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/VCSBDJNKNXJR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VFVJCOMQJKBH` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/IXEOZHLDVITA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/YHTHJBQJJVFQ` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/TMEYCYVUCYDC` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/BLIXQJMENCVK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VCNQWOBRFBYK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UWWTMOVSNRCU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/YCUAGICDVCVG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/GMIFXFKTECRV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MRBMELVZIAZK`

CT.EC2.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.4	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4		`rol/KFDQQXDMBXXV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UZFYNYFHIKDE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AECZRRYXCRTG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KPFAQFAQJAWK` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GEQABOPVFXCO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BWPBQRUMLZXK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NUMPUVXQDHGA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NMIWXPPBIJIC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BMSDUHXWMANZ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/CZTDWPXRIDER` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VALJQOMVXOMI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YTLKASXYASWH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/MHXZHOBFJFUN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/AJJMZXYCZHPO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JZHLGQYTWPNK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PVHDAKCIBKQU` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/JYOPIABWXZKO` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ERCKYPEQKGQY` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BNIHBVSGLUNE` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GFIGHDGRWXGM` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NLXKLURXRNDL` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/NUDOLFIXZYEZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FDAHSWCZBUGN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VBHQSMHYYHTM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DRDSQMKCIRRJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KMFIIHJHPROT` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/NXZKINMFEMOI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/LPEKGJIKOSHF`

CT.EC2.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.5	• Tolok Ukur CIS AWS 1.4 5.1 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DUQKORYIWJYQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		`rol/OEYVCMVLVIAT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JZWYQOZYBXKL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FTWNDUKURLTP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JSPEJFTHBYZF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XTGIABCGSEGH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SWBFLJHBRLPW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GNLTWRBKGZMV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/XMREZWZEQWZR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EJCXPRMBYXHH` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/PEKEYNXLWHHA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LMVUECWMMMAG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BWLZVKGFDRIG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GCHXILWGOPBI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/LMJNAXCWKFLK • AS Barat (California N.) arn:aws:controltower:us-west-1::control/GONSQXTKTNDT • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NXUWXUAOGPAS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/XNOKLOVHWBEZ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HPUAFLSJFNNQ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/LSSLWVUIITJC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ETMSBMVIDBMK` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/WFKPVQJGGPGC` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/OFNGRJURIHXN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RUGKAUTIOKRF` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CFPKOBHYVXFU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GXAMOHYONSAY` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JYHMYCYWFDIE` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/DBGPJOSFENFN`

CT.EC2.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.6	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/THHTKPOPPVGC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FAQMZVDILTRV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FSNQGGGOUBAE • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/DKUIAHCHYZTU • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/NCDDQQZLDCZI • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/TJCZQYWQVXKW • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/VGTXIUNUITGO

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KVVDNFFOMGMT` • Eropa (London) `arn:aws:controltower:eu-west-2::control/XAXENCPCHDJK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TIUYQFRWXSBR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RSPKEHRKFSKK` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/UBNOJKELNWGQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XJFUTUKMXHKB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UKGTSWXIIOEJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FWVYDJQAPZUF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/AXCDWYYFELJJ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/JGBJBNJYKXYS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OEHVBKEUNBFI • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/RKIVCDUNAHHS • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/YPBPJCBGKRXG • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/VFXWJQXLUIHI • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/DQKFUMTNBEXM • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/SGAIFIRXPCUH • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/TSZFSULSYZVH

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YCUDIIRUMWEV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PQKQBDQPIXCA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/UKUCDQFEMDGT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ATKGMNOIYDJQ`

CT.EC2.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.7	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TORIRIQKVTCS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KWFITNUSNTWO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YJXXNEDHNQGK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KMLZLRNMCKXY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QVYBWOWBJXKC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FISHMDVXAKTQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NILBBCJYSTMS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CZSRNXVWVWON` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JRGGEILMPZCB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SKZQWOOFKNWA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MXXCFQMDZVVY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/XMLXJMIJGLVL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZAXKMESMEXSF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZQJJBPROZEJK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HMVXESEHIEFX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PQKLUJPAIDPH` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/NIMAUKZKMIOE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/ZPFLDJXNZPIE` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/QVTIUYOTIXLG` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/YEATEJGNLHKD` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/HYWNSPMVFTMM` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/WQKSUTLCTJZO` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/RYBRVORSWOMK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/NQITDCBRPBRP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/RVIOCFZIRSNU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/HLKXSQDKBYSC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PLWJRFGUNUBT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EBKEMPBNWLYF`

CT.EC2.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.8	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/SZOFEUATQICK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KUQMAGPMTIYY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LPPLQODCGROV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BFYFBNGDUPMY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WTYIJXIQQBWX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HVUXMKMLIWUT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ESEUINWAQPFU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KMDVQBZYAHYQ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ARDGJZTPMFDP` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/FKBVRKHONPPP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PTTXRHPKISJL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DMNHGNNKZEBP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XNJAYSGVGVMT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZZTQVTTCXGIR • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/LCMLSYPEDNHH • AS Barat (California N.) arn:aws:controltower:us-west-1::control/YCYMJNOFKIMD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/XRRNGSVNWUOX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LCZICULVYVTQ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AFMPKBWMAQVX` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DBCLUROPTPQJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/KHRCVSMBFTBG` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CNOBPUWJKIGF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LSMWAQUJVBDF` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UCCVNQSPNYVQ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GAOYRTVNQGHB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/LPNSPPZGRSQC` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/BEKNCPBAOLVJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/VDOHFFWLBMLL`

CT.EC2.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PR.9	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CUDBAEGSAETL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`rol/BOOVPDGTDMMV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JAUAVPLUCXQF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SLQHSJSMHMNF` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NKVJXXQBVISF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JHBKWBDQDYGY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DVZJISBFGPXQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OTTRCZABNRLV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/UKGRYFSQWORG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XOGWRUHGLMYT` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/RWBQBCWGSMYZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PPEWYVJJUTDL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/WSPJASMSHIMH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RIHKQEVJLWKW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/JPSBSZNEPWSC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VSYRJAIQJXRE • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ALCTCNZFFPWY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ZRLPKTZVMADM • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EBCERJIZRPES` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/LLULMHXRNSIP` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UBKVZJIXAHCA` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/NIJPSHTUOAZO` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KYQEYIPKZZGL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MLYQXYDSMSNO` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/FMACBWHCXOSO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/QCWEEEETSSTC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/HZGIRZSHINZB` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/BFPRPYTVROPT`

CT.EC2.PV.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PV.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QYNBJXVUADDJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DGXVMBTZVZON` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		`rol/VDGEODIDZXDR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IWKYDPSHHVML` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JXRGCRRLVVDI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZLTPOVDCNCGM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KJKTXJUCVRWI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ESBANDFNAUPY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YPAJJQFPQHZQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MNUWGXOWKURU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NMUXQXQEMYOU` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/CCDKONBVFHMX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KNDLVQMVYRIW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EAXMQNVTMKSR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CJWWHCASSXWQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/PPIQEJBMLGFM • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ZSJSCYPAIBXQ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/JJJXZNGLHLUF • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/TFTCJOVKJLMT • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/DEUUOIHPMKAV • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/JEJIQALGAMRQ • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/KTTDGYIDMQBF • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/UDWMDOPMGLTO • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/OVJYKTCVHJFK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/QPCQUNRTQSAB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GRWQKMQTHFTA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ZYZPAEQXYYYZ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MEPYVZXUOIWE`

CT.EC2.PV.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PV.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XFNEYNNZPTGL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JRCJLYEUWEAR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WKQRXQBHPKHM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SFHBTRLTBPKE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DYMEHJARMKVA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FDIWDCPRVBUD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YXRJTFNSRQBT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EMUCXPDDRQRS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/XNMPIQQUPZZQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UBHHEAUUYQRY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JDQDBMIYNKPU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KPBTWENBXJVW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QBBKUFGDMMSM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IQBWWLOWSJGW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FPLODQLMJECQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SJTQZMYHXUUW` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/RLFTOFECFBLX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/EJDXIYMHLMFA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/LYRNEBMKPRTR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TUCSBMYCOFPA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SAMYCDSLHRSP` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/QMCWKFJKDPTH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FEJPHVPBVSLV` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YCHZHVVXGHRV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WHRRRJKPJKBR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/VCZVABGYJPWF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QUKENRWGEKDV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HYKICGFAWYUK`

CT.EC2.PV.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PV.3	• NIST 800-53 Pdt 5 AC-21 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`rol/XGEAULNJZNVE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QFUMDYUVOKNH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZRARVNPRKEDC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QERNFETYILJR` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZFGPINZEDNHA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YDWHLDLLQYKQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XCBBLVWRUUZH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DXEDENHXARDC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/VZAGIIIWANTB` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/LMOGZFXQTSFQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PMUHWXSMSWPJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IKBXDKHINKQZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/DDDZBLDXBNLI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZCCRTDVKBPMW • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/KIWWTIKZGTJA • AS Barat (California N.) arn:aws:controltower:us-west-1::control/CWFSOMNPVEWX • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/XOCKEFMNJOJL • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DUZAZKIYTOJI` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/FCBHSKCCQWIW` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/UAXGCRLSTKBX` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VHAIKMBJAYNU` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/LHIONJLMUIVY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ZOMWXWDKCNRU` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XGUQGBDNOFSP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HNBPMELXEFGD` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NEQJLANSJHSN` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/TXTQVUKURANB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JNVLBGKIXGLF`

CT.EC2.PV.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PV.4	• NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GHSJTKXFXHRH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/YTABBDOBIHED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EBWUEMXUGAPN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XTCFTTKIVGTN` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KPDJIJGHKWZJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JMVYSFPCMPOP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZBOMDKMJYNRN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SNXTYMBHGDFS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QVTYZILQTNMC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IFWQXGYWXHPG` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/JODKGYKBMUCI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LZLMUHOWCXXM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/DKWRBPJYSHBT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MXJHNTCSCIJS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QDTMWFLIWNVW • AS Barat (California N.) arn:aws:controltower:us-west-1::control/TCNVZHJEWTIH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ODNPAKUTMSCP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/LETJITMENKEQ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HIZPXMQPAOIA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/YNCMWZYJQYVG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SSTBOJXRKDQW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/PUTUJBSEMFAP` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PQEPOZEKFKXK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/GACNHGSANTCE` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KWVFIBRUVCNW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TADWJEUEHALG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OTYTLEJSOJRC` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/TDHBNSHLEYAW`

CT.EC2.PV.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PV.5	• NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2	• Menegakkan hak istimewa paling sedikit • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NNHGIDDKHHWE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BEIPHXRJNBTF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XRKLQWOPJVYS • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/JUKQTEJGAVSA • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/BXVVWHFTYOAF • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/CKUTHXNXRMCF • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/FLVQLJKGJQCU

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SKYWKZNFEZBH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/UVLTSHLSBWJZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LPFLLHDHCXRW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KXLRVKUCFQSJ` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:ap-northeast-2::control/QFGLUGBHYXZK • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/UWULNDELZYCJ • Eropa (Paris) arn:aws:controltower:eu-west-3::control/NFLPMHINYBWP • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/VXQUMHXZOVIU • AS Barat (California N.) arn:aws:controltower:us-west-1::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/MSDFVWAYUUFU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/UYBYUHTDNANI • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/GMSHBDOAHKHI • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/BZXQVPISUJUE • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/CIFRWUDOGZZZ • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/YZBRYPYMHOSR • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/WIRCOWSJKYEW • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/BERLGJJSNKMM • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/JDLBRLVBZOYN

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SQPMUEDBMIYH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/RWAJOWNWXEWF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YPYABWJDKHVL` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KLIFZQIZZWDM`

CT.EC2.PV.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EC2.PV.6	• NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2	• Menegakkan hak istimewa paling sedikit • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ROQSXWNZWNSL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BXTIHYDLSFUP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HQXFMTJNEBMH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HPAJKCLSWUKI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GUMQHPYKEKBX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OGSGHVHZCIMC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MIQDLAGROXRA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SXASPFXVYCVQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/XBRSUVRBMRYY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KDBTSQXEVFKN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GTSXROEFLIQQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WEOIFHCTULKV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WEAEZPVLACWY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FSUBQPEADBIK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JPBFZNFDOLMK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YRJCCIPDCHPN` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/CVIASRNENCBK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/ZXTGGJQZHLQY` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/UVSJZUHFSUKD` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DTSIZQDYZVPQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UAXLTHFETOAY` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/FANHZDBWKZLS` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FOPVKXPQQJNL` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YMJBBGSTFCVN` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/FXLWNQRVHTMZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/ACJBMMGJKLKG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NNLTLRTCRFJB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YQZPJPGGFKNJ`

CT.ECR.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECR.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2)	• Kelola kerentanan • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 3.1		rol/QXNBGIPKJBEQ • AS Timur (Ohio) arn:aws:controltower:us-east-2::control/WUAWJINPVBIG • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/IRQTOSLASFTT • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/IMGIIRQPZYLI • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/QBVJWKFJGIXU

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UKSAVCPEYYXG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BLRQAAKNFKRK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JHXDESJFVFUH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GEXAFJDYDCYJ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/LAUYCZEXCNRP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MYOMRLIOXVFN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QMYDBMPBOOHM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/IRDDNOLWNMNN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/CXODZHXMCVEE • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/UERWGVPURZSY • AS Barat (California N.) arn:aws:controltower:us-west-1::control/THFIWZWCVZGV • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/EHPCWFMOJUEW • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YBFBQOOUVSWP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/QZAKDBVRAQPU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KIPJOMKOBOMA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/IOIUROJXAOTB` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DIPXXRQWFAQW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DKZSCADUUVKR` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/GOVJWUEVROCT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SSGGVLEUYGFH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/RYSKJQCTSTWT` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/GPJWARDBOLYJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/TZCTUGJAEZNV`

CT.ECR.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECR.PR.2	• NIST 800-53 Pdt 5 RA-5 • PCI DSS versi 3.2.1 11.2.3 • PCI DSS versi 3.2.1 6.3.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MOWSMMNGTNEJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/QKPSFRNOERPV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WODEILPXPBWH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NTNTNZEGMLUH` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QZCGKPXCBXGB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ATEORBKQUMYV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ITYUPRDRHQJX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WYFFKCKEPLJD` • Eropa (London) `arn:aws:controltower:eu-west-2::control/IEEUEQBFFCBK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CTBPMNOJRRRG` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/WBSBAJCHOSLR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ELSOUNERQMFA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BBNLHIKHVSDF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YBYDPISAFGVJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OUGZGHPIBMEQ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/SXENUGPYUKAD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/PIRUMJAENJDF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NQTDLNZGOGBG • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DSZQHOHPILVM` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/IOCROVUHSSPK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ZCFFKHBNTVBL` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/MDCLENDMMJGN` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/OCSHRWCPBIGG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BWSAXHIZEZDD` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EAUQCAJHCRLS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JUTYWVTNRCMS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PFYOBUVMABUR` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/QZESSATNRQBL`

CT.ECR.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECR.PR.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-8 (1) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RKDZMSUYQTHO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ARYALUPZXERR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FQOEMCXBLGKN • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/FKSEYKPJSDJT • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/NEMIRSQYEPIE • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/XZFSMLDDYHOK • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/CZVDXRYERZBE

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EVJNATWHXBEW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ZEZBSLWHLNTZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DQXOSGOLEFTV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QAMXLOUSWQVO` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/ECNPMKMZLJXF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KIXAFVFYWNOM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FNBIPNPRWVQX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FVDLDRMSGHME` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/LQFQWXGRRJXG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CPTYXYMLLOZE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/QRCFKIBEUPDE • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/UQFGHQUAIBAI • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/KIFLKMDMDVPH • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/FXWIRNEDJUVP • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/GRIJKPPVEHJG • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/FHVQFFFGCFWK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/YAFJVSLTGBPG

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UHSKPCFWWNHJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/EEHWJWMDSOSE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NPSTOIEYDVPV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/QGQOOLGEUFRO`

CT.ECS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.1	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 1.3.7 • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MHZENEKNVRDM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MYSV0ZBSJPIT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PRTAZZJZIMQM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GBPYRLBOQCKZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AELENOQZMXVF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ARPWJUYLVOEF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MJYZZTPTBHOK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FJIWSMFTNUJP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PYRWLZWVZEGC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JQRIGJXOXPYN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KPQKCVEFHKYM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AVQAVLSBSYMU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OXTKLLLGWCQV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TFUJIAEBMCWO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LBRTCEKHUMKQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SYYXANDPGYMO` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/MZVXPGLPGWVM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/ORAWXBHCEJWG` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/RXWKVANCUWSA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JRISOKFFILDM` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NDMGEEZJEXYO` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/EBKWKZSZPRTF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FYQMDAKQISNQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MUCKKRINLINT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GMOHYFMCJQWC` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/JUYGSQOUWUFL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QJGKAZAAQHWG` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/OQTRAOQXRMKF`

CT.ECS.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.10	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.3.7	• Lindungi konfigurasi • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/SIJXAEJNCZRU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KRBXESUGGRWX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TZNJBPCHXKPN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QFQHDLEJLUVA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BARUWERYCVPZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JYWFVNVOCRVR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NIQDIWOHUBIN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QTCQLTCIQJQZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BCRKCZGDGDIL` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/XWUPVDSFNTVZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TOAJYCRKCFXD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OHEAQZBMADFE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SFTBSYXOGMZG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZBUMWEYBEHMP • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/XJRVRGJIFJMX • AS Barat (California N.) arn:aws:controltower:us-west-1::control/NNYUGCATXOCK • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/BDWFWMGKGTLC • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AJNKXRBUKMIW` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/NTURYGMJMIDN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/NUGUPHOMSEQV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LUPHAYKCDNOT` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/LVCENSFTEGNU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/NCVWTYNSFNOA` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AJKJAINRYYQR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VCODOIZDBXDK` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TEOLHJITGNSI` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/HKCKNEDVBSVT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KQEMAQVKCPAV`

CT.ECS.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.11	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FKKIKNEMQIMG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/YMJJJSFOHTFV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FNUUGNHLPMKT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EINHSETMUTZS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EUFKWMGWEVVF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TXMZRKTZUCXZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZGZXTLVZQFHO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UVDVAUNQEEFE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/HFPECCDKNWON` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LBWOHEISYBLE` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/HZHMSMNSGECV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SEFHYQQECPNZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GQVKXJHRWRZY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HNGJINPEUOQW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OMEPVOAXBHGF • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AIYVMWDWTLCW • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/EFCZNPVOMKNP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/WANJBLRHTDXZ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QHUEUPKSMVAC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OKDUSHUVONOT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VHGSWXFFXGEA` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/HTCFOMOTTSOB` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DISVJHLQHYOO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TXZQCWTXJKSR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YKEDJRVRZKEH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/UZYAASORZSTK` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MPHCEJEWQEZG` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/YICNYVZHGQFA`

CT.ECS.PR.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.12	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 8.2.1	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AMSZNQJFMYFK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PDBTCIAMJJFJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/DFEQFDPQBGAA • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/UICVAWRLEUIA • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/QANDDOVBOKJX • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/EDPKYCGGTMWS • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/JWXCYUIPKHHA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EMXLYJRHKCXQ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ZIQTSJXBFAEB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XBKALBVBFBMU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PHUSQUZZKDFW` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/JTQTBQTJXRTY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/MGGRRKOTQYGT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FRGKEKWRNAFI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ANOIHODOAZVF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YDLIOLKELUTQ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/XAKUNACPPCIH • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/FBNIUCYMSFGP • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/CUTNMQPJIESP • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/LGDXTFQGGNDD • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/ICYGGNTPXDRI • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/CDBKAMWXZRHR • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/JMISFEYTYRYK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/RCKSOEOJJJXQ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HCQDNSIUYVIB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DIMYMTIRUMAR` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/WIKFYNHQWXXI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JTJZEPHNXQVH`

CT.ECS.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.2	• NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BYFWXRYSYXBV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KERIBBICUEGG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LBPTWMIHFKYF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SHIXZVMGGYMM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WXYOROQYZPPG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FDKSTHVUWWYA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WRZGKFSXXORW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HFXLZYQMGFRS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FOHVPKZVRHPF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZUDLVFPNDOIO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DOAWPTYPTCXV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LQMMPHYSFREQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IUNRXFCQGPRI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OIUCPBXNKYYM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZEHKMMLYIFGJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SGZTSNJFPGDX` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/LXJSSCOAPFZV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/WMYOLPNABXBV` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/USNBRAEIRTOF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DQFKEHKZLQDW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/YHHQMSOSLWSQ` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/GBGHLSBTCWQS` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KKQCJKDMOLMW` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MNKWNXXTMDNM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UFMSTKPVLYKF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/NUVQPYPCRWRU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FUTZCMEOXCYM` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/OHUTRXXKJGCQ`

CT.ECS.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.3	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15)	• Menegakkan hak istimewa paling sedikit • Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1		`rol/GFAVSWYHDTND` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QHAHUINVTWCK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FCDPZLCZQNUW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WHBVGSRPVIND` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LHNFHNNMMIXX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UWMACLLLDWQA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ICGGLMZIPMAT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LQBIGKSRNIXX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AROELFZBBOTF` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/XUQCMRRSTMWQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RQJOQNGJDIYW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YSVBKSPQRORD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BKVHTGKQKYEU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EFDXHWMRVIRK • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/RQWURAFSPNKR • AS Barat (California N.) arn:aws:controltower:us-west-1::control/QIGZSAMESKYV • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NOIWGZCKJDWV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HIVKSROFOHMI` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/HIAVTIWMMCDV` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/REYGPHBQWSGI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GGZACHVRLUUM` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/PXEGBZYRWQRK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SYGIWESDSEZZ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/AAWOAIJMXLNY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PLGSGRFMDMHH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ACWEVNIMYUCL` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/DKIXMNQCFEDO` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EYTOIVASPVEM`

CT.ECS.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.4	• NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YAGJMMJCIQDQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (5) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`rol/MGBLOFCADDWF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NDQWPPNXIKJO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IARHPIWNYLNY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NRNXSUVDQAOK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DQLFFJBHMJJB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NAMUQZRYRJQQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KOMKXLGQHVZI` • Eropa (London) `arn:aws:controltower:eu-west-2::control/OJZFAUBEPXZP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ETHWPOFJNBHN` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/ZAWNBERLIWEW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IBTZPTTDYAKT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GODEJVZHXFUC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NMYHLHTRRSMF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/DNLNJTIGMMFI • AS Barat (California N.) arn:aws:controltower:us-west-1::control/FMYFLIBUAOQB • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/RHQTKXEGVONX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/RVWNBZEIAMPE • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VAAGGLZEFDKT` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/NZWWZBPGYEQI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DDEZLVOWZIVH` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/OZKRBTWBBIQJ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HZKZHFDATHMM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CWHSHXCPXHAN` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZVTRPSJBSKGG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DZMBACOEVMXS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XWNOQNOKXOVF` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/YTNYDNTBJROR`

CT.ECS.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.5	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WLNVQYRKIGTC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YIGLAGAFXXJO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		`rol/LERIWIHIZLWV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MBYLGYRJVDVQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OOZUIEFUETGL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YAHLRRLBBDTI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YQOFKKMHUBER`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DEAHTYWKLWPU` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DSNUNMWDLPJA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YAUDJTJJYGTZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AEKSNGNWNYUJ` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/JLPDEEKGFTNS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NWTWUHESHFSA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XCQQPQZSYJQL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NHSQHFUTGCNR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/SEKFMJRLAUDZ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AFXFIKNNJTCD • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NZXRQVWELREZ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/VUOFRSMBBPCP • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/MSHUDWEPRDVI • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/JLJKXDPIIQQT • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/PTDTTDWPYNID • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/UAKPTHISQKRE • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/GVWABBLEXZTU

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DFBRAWTBZSIF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JBHWTYUKEEIO` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/RYPWRZQZPNPV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IAIPQJCUSFGX`

CT.ECS.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.6	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JTWWGRQVPNPA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WXRVLDXHYTSD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WOJPYBZNHNQO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IFZZOZKBHYXF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ALOSYSCTDXMC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PEWMZHWHAXNB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XPAYGNHWKPRQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KVIHSHXVHFCX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/OPDRCLSYBLYK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PWQAQGQMGWXY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DNUFPJWDBSLZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AMHLLJICMVIG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZXDGEZSOPFCD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SXGYESZKKJTY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KFTLBREXIINM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/APHTPEHOKCKF` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/CBOMKCLTZDHU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/KWSNCTWDCYIA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/DZPUWGAVWHXA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ONBILKCURYST` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/HORNBWCMJORW` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/GBCMAOMNPVEZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/JTYEXQVOZSBN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VKEZRNWMAPCG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JIZJUWRJAZLR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/RYOJTKATLZWB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CLYTXBYEVHWI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UWJWVKORWUOI`

CT.ECS.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.7	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/KXUMGTKTEKZR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IPDXJYKWODXA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RYUYZPTAVRFN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OWWEUIDVOUHP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NEZKAVUMHCLM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/REWMTIUNPNGU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CSEKQRBEEBHI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SECTLWSVMKFB` • Eropa (London) `arn:aws:controltower:eu-west-2::control/FSUOYQJVISCW` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/SXCPWIDYPOPO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HRFRZYONQAJF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZHITNVQDDRNT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BSSDTCJTXIDJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IMYNHRNBGGDP • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/RPTFPYNJVRRL • AS Barat (California N.) arn:aws:controltower:us-west-1::control/UKIVIVVHEFYM • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DXBQECPIABVE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SZBHNXBFPDGI` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/QMHMUOSCGEHN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/RSBGFQKAVQFR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SERKYJMNJNYS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/JUHBTBYAVHAF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PVHIQKXRYMXE` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DVTKBJDCSCIJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ROOABJEGQOBT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FTVHCALGECKE` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/ILMNUQLOTKQF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/PCIZQSTGKQOY`

CT.ECS.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.8	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KKVIYLEZFGKT` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/RTPJRDPZWEHJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GIGMOPTTKBKT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OPJANTDNJXXU` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VAHLXFOOZHSE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JEGHYZBSMSQE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HEKFVPAUPMOV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DSHJHPGBENNQ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LVFACZHPEDFZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NLWRWUMEMNQR` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/IGXZMOGOCQBH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UCEBJDGYKZIW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KUHUYIYOXNXL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YPNPABPWVPNA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/GCCOHHGINCEN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VYVWURVYUKKH` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/FRJMQPFLSYSC` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/CPUSDPMIROHK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/NBTIIWMCBBVP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/VQYCXJZPSIXD` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SMFMCNFPQLZO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/EBTYHGUHIJME` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TWMXRHDUVWOW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XRKUTGZUWRQP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/FXEHEQAFPUSH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NIRYANSAZIQL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ZDNFRDTQKLQS` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/SUKOWFYLVDJT`

CT.ECS.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ECS.PR.9	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ULWRYYUOYETK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/EFALHMKKXWXM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`rol/OJBRRKEONYNH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QQBFGIYIOMAO` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YXLNPXSEMFTR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BZRONDFGFUHD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZODTFHONMPAK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UJIYCPZPSNDW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GSVMYFTSGKWB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JHDQJBIOETHT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BVARTMYMOPNP` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/FKQYIWLKBLWC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UFCFASRBMGGT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JDNTXDQRRAGR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TIRWNJLSDRJS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BNESJVBSJKKM • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CIRJDRQJIHRI • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NOCAIXXNKAIJ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/KWFPVPYEUQKJ • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/VMOPJVSAEBDK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/KFPXJHOPUQJK` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/WJSSIZCTYILH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/VCEDBHTMDGIK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/PQYTENJTRMQG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CTEIMJAETBLH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ETUVKDVBNXWK` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XAJBOXSRLCZS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BNFDUDZYPCFD`

CT.EKS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EKS.PR.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WBFBYCXMVAQM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DYHEOMIUQFIX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GSLRTSNFSMMH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWMWFFQFZKMX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NJSROBYVJRTO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SBDBCVUFDDXN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NOIJYYRQMQEU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MAKASQNHOXIS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/OGZYDIHGSKFX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SHJWJBNMDRRG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YHWWDZFUJRBQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TGCCACSYPMRO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OZXLRJKGCMBS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VWLNWLZMKRGC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ISUUFPYPTGGN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZZKJNURKGFHZ` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/LRJDBOEOTGAP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/GTUYCDYBWLHO` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/HSZAZLRVWDLR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/XJCBPEDKRFOA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GBJGALFTTBMS` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/LUCIOGEMBOTI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DWOYPXXTGQIS` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SUWYBNUZAMNV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VILPLVHUDSIQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/CKECKGIUXTQB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MTSXRWLZEZIF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/PUXOKIJTZOIE`

CT.EKS.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EKS.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 8.2.1		`rol/ZYMOIFNKNWKL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TINBDMQQLKET` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LEPJFJKICJRR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NTRRBCOKHJRZ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KIPWXYPSTXZU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RRVFDZMDHUYX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XEMVRMKXIHTJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PFWXKKGVZUKD` • Eropa (London) `arn:aws:controltower:eu-west-2::control/XKFIHAWINDZC` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/KMJXNNELYEJC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KOPLFFVKEDAB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WYEVJIIZOLIL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BYEGHPQCYSBN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YBOFKAFGRJZB • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/OOXJFRUOXIKR • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AQWSDBJGVPGE • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/WOIYZKWUBDWG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XCCMMBTOHCIV` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/RHHGAMNJZHYK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DFGGQVUCOSMS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PINKRROCTZKV` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/EPVTQXJKDNAJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/EXKWXWMEDEQA` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JVQULLJDBYJM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GKQONVLDDSFK` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DHNVBIPNLTTM` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/XDDWTJRHPODP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KMRGWHJRKITY`

CT.ELASTICACHE.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.1	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KHOAPVGNWCGL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 3.1		`rol/SZITQJZTSCDZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WAGVKTPUMMVF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SIDZOIYXVIKC` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PGZSVHJPXLRN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MMGPVLCCQDKC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NUTMZSMQDWKN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IIYFHPBWXAWV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/APHCLUJKHADW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OGAZAAWMPVYP` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/RZRXIXZMAVLI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GCJWCUSXQIGJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/IKOCSATHALLQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XEXHSVEAHLHK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/JNMEUSLGWULR • AS Barat (California N.) arn:aws:controltower:us-west-1::control/IGPXRJTANCPW • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ZKJYXVYSXGIV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/JBFIPVGUUHGW • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LFDJWCRGQXCZ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EWNCZNFJJEHH` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/HOQRGAEOFJZL` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/IAAWNCQOGKYL` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/OPJEYWQWCMPZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DRIXCEWAZKMA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KKTMCYDDNQIE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TRJRZVZCRWLT` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JWHOBDXLVGHM` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/FKPZDNGAEMAN`

CT.ELASTICACHE.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.2	• NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PRNLSSJXSYHF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CEUMAASLVCGZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XYPKYXTSZWZY • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/GXKOJVEIZCKJ • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/TIWUDRZWGRHU • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/BNZBYWHDDJAS • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/OWQYYBNTGQLF

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TJNEZHVNSIPF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LDBLMYQDWYBP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WUTMKZYRTHQY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LFUNGCAFTSLK` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/QGOJFAEUBQYZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KZEHHSKPGKCS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CVPBOKRKCETX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XNILTNRZOMAS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/CFBKHWVNORLM • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DHPFFGWWJJJU • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/QRBXRUFFBUZK • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/JAYMTBJNCZCX • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/KNYMWNNUOOOU • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/HBFYZGBECJMI • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/KKIELJVUIGMB • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/EYEZWOLSCHUC • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/TQIZCCRYALKX

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PNHPEPRKLPUN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FSMTBMPOWFCC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ZPYVCNCKBSHF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YUWPABBCXFEK`

CT.ELASTICACHE.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.3	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MWVHFZSZZTIM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PYAJVGNSTRBS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PWIBHPGBWXYR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AGVBFPDHFSFH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BPLCSUSNIIYE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EGNYZBJWMLRF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YYDSVCJSVRUP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GGCXYMJIRASV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/IPSVUAWSJZKK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KITWCDGNIGAB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IYGWAKKVKOAO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FGFSUSQPLYJZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MZFHEBYQRUQX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MQKWJQJDJDUN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HWQTAFCAIEVD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QZJGKNPODVTR` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/BVLUZNPVRSMN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/BGSOAUDWLHLT` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GMSVMLABMCNO` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/QIARJESGTXMW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/BVTITOUCJXHE` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/RXVIDRGOEQSV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SHIMSNUKBOEK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MXKAVOHNDTFJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DHONPPSGALEU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/JZIUWCPVXPRG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/EZLWWUXADVVZ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MKKKSJGQGFRS`

CT.ELASTICACHE.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/LUPKJZXBMHBK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/URUJVBVXOUMZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BOKFJHSIIIKG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RWFPWLVDFXEU` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AYHVEAYSGMHD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MMZEEFKNSKMU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CERICEOQBAKR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QNKPFQUCXQPE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GBGWHHGNPRTQ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/ZRZRXIUBBRWC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EUMQYRAPDFTL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FBOBFTINYNLT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ATDPLKOFLVCR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ABKNGZGLILSP • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/IGGUQCFBPOOX • AS Barat (California N.) arn:aws:controltower:us-west-1::control/FJOMQPXJSNJQ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AQMSLTABZIJN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KLQYRUHZYFAN` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/LFQASCUYICHI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GLCJXMIVAWFG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/RGXKTKOYEKBI` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/IBSRIWUDBKBP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SQMPAJNFRKMK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MTYVBATSPZDM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SBCVIFZBXREP` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/LXXVJGECXCLX` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/FKZCOZBSBMRR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/OKLGYXVMGVVV`

CT.ELASTICACHE.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.5	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SJSYMXZGBOAX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1		`rol/VMDJUBBWADIG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JEJMEQFMTEBU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DJMUOJNRFWVF` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZHSLHILXVOCO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DCCIQJOHRVIE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LICKFADISXMU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JFLVEMYTDYRU` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DZXWKDHYDBNP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MNTKSMSTRMMF` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/HMBLNJNCTDHZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PIUNMTKIFFJL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XAEPCUPNGCNO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ATOCTJSQAZEO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XJOBGXRAPGMF • AS Barat (California N.) arn:aws:controltower:us-west-1::control/JVJBKOOYKGQM • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/RTTOLXATLPII • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/IFMXFKFLEXKP • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WINOGQJEEOVQ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/FGZTNSLDXWCI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/RCTLXAMLCHXC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/UGTZTWBDXCPC` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HNFDCNZRXUCD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IYCXHIMVNDRA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XKMBREUXJFVN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JKIQQDHMBWJG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ECVLLKGJGEKO` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/OGTAAYEZPUMA`

CT.ELASTICACHE.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.6	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FQLTUDZMHLVZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QOMUCVTCNKUO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.1 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		`rol/NNZFDSJPKDBD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VATZKDSWZSOA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WBJIXMOKJKNB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/INJGAMRVOAJQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BTLRCFRMVAQP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HOAEBNBZXXMO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QCUPCDGPHTUR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MCWTNZUDMXPM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LJWYGOMFTCTB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/RDYIPVICGWEI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AVPOWAHSUBEB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CWHXTKAYAXVV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XLKNECMRYIIX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/RNFHWESIBLOO • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DZEWCFADZWCP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OMPFCRWUDYXW • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/VFZVDKOUURFD • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/BTIKMDWEMMBX` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/FGNJBRONGTOG` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/EMJLKUDJLHIJ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SYOAJQOBJNXH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MEJYWIYAMQME`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YPGRDMKVVDKS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KEMJKNUAMINW` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AUXNYAYPGXCW` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/FWQDEEYQANGN`

CT.ELASTICACHE.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.7	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GHMQDSHZXXZU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZHDBZRDJKKGN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JESDZQANVQZE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KBOVLCAXAJEC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HBXNCBGUQCBZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IWBQQXYWVQGA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FXUKOTDGOINU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DLTKNKGPIGCN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FKXDPENTGVWA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RXEUZUTYLSHW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EAWBFGLUSNPY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NUECFXEMFWTE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LZOPZBLREDVZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ONHSUTRTTLUN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MKBEEQVXZQQV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VTCDEGPDTFNK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/QHAHUQDYIRIJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/IQDCLULOMHIN` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/MJULTZFOIKMK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/MKLXFZCODZLQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WLPSXAAIVLNT` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/ZZUFSTXONGBJ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/NWVNCXUTZDKC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SPTKJOPDXWGW` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YELOMVBVITOQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/EPMCDGUGOKVQ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JKVIXAUOMYKL` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/QMVTNDBFTCLC`

CT.ELASTICACHE.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICACHE.PR.8	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/DJUCYGQVENZF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DKAGZNZTYESP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ORABWRKOWXNL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OIUOCGOEQSKS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VOUKNNRVZUZS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FBPMVJXECTIZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LUFBBRLHCJKH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SAZCOAQIRYWI` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MTVWWFCXQEBP` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/BKTJNXQPCEHZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ISMYPOJDEIGK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MXNLNTIYGZQB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/CWFPZBCVSCTD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/GGMNNHMJSPCZ • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/PVPLKTLRTDOJ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/CPIDGETTRKGF • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/OFKHTKWFFWHN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MATYZEIUCDIB` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GSYRJTGIEWKZ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GAJHRSMSQIFV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/FKPWLJZCNTEZ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/MGFNGGEMCGJC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KRCVEOCTLGQH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TOZERUNNJSSO` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/RBRVWNFADPDD` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/XAYDSZRNRDCW` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/XAFNVGPJFOQI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ULKFEDFJABHF`

CT.ELASTICBEANSTALK.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICBEANSTALK.PR.1	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TMNYCDENFCPB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/FHWOIKXTZJBA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OTYYYSZCPWOZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CIETIOVQWORV` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YHIWFCYQDARH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EARSTRSLZBZC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HWOODCNIHCJI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HBXFJSXSUIMW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DIPFBSQQPDGJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KIOXCGYZAMNP` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/HDYHDDNUEOBS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BVOHDZJHEJIW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UPSVYOWFPEJI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WRZBLOAGJNMN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/CCZW0DZDVSQP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DCSBCUPBYBBU` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/XOARMTAVRPGI` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/CFMVUMABXOQU` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZITTOMDIEKYZ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EXRORZBILXWS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DFPWBGXPAWXB` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CXLWTIKPGOUD` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TFDUTDVRWWFJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OQCJAPPBIIOM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JFCEIPDXBFEQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/MRWDNKOKEJVS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JPIKQDYSVCAI` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/LCXDOOJWVVHA`

CT.ELASTICBEANSTALK.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICBEANSTALK.PR.2	• NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CGCIUYTOZICW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JPTNJBASRLLS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/GFAFGVWBGLKH • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/YYHZHDDXKKIA • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/UOCTRMADKUPW • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/YIGECEKFFPJW • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/NRXBKFAZGJEW

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TXCPEMIATUZF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MVTLDACJZJSZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CXIWQGADTQOW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QYIYEHUBOJKB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/VYCTCSCJQLYE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/VPNEUQLIRQZW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NJTALLLWVREW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AHAMDQSHXPXQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/WEUXECSSLASH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AORFBCGNCTRN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/UFUQHFPHRDMP • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/DNUGEFZVWZLI • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/JMINTMKZQZXS • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/FRRHEGTSOLMJ • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/ZBRMIHMFZOKU • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/WHOFJAIXCLYJ • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/SAPBZQTPSCWW

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/FBQCCIQKUJYH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/YQWDJDIGFTJI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OHOIYXHVYJOK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UFLZAXAQSXDA`

CT.ELASTICBEANSTALK.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICBEANSTALK.PR.3	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SEQKNDAZBENY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SNODOXMTPKMM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MZZHBWZZVDYM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VBLRFNOUJAIX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XPBHHEZZNQJS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SNTAZAYGYTDS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HTMOVEUJDAMG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TMMCJHMKVLCL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YVBNGROYSIQY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WWECPKUIJHFA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/CBTNCZSTVKEE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DCJBGPHZTLJW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VDTCPKAYZEDK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GCSYGTPYPSLQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NUBHZEECDULQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TRVEHPGNRZJI` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/BZZGAALQHMGI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/DCNARSSNDLVD` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BIJTQZZCVCXN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/WQQMLOAYAPZQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WJOMTUOCASVN` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/QLMHISFBBRVH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XFHOTKGPELEI` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/LSNMTHBHSXBR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/RGYDIAKRWXNX` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/NSKZNAONQADX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/BQOPUWCEPYXY` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JRRSPQBKXBIQ`

CT.ELASTICFILESYSTEM.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICFILESYSTEM.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/DDRMDDRSTNIU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GHUIRLEMFQOA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DFNRDMHNGCYN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JEMASGVKBRQF` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QECOJWZQHMJQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ERMQRACXWHLO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CFDLJLDURJFV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BHMRGDCOJVNB` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MQVWCUIDHKMT` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/NZNHLALWUMET` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LJZEHFLGLFSO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ASIKFXCZHAZV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HARKDEIGPSTW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/LWIUILOQALZA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YRAICDCVUJOI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CPMXJILCQZPE` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/FEUCYWWTILFU` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AUBCXBXVTKUT` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GBVIFTEEMNCI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/NHKFJAHAGYJS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LBDEBBXUISHG` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/XRJYNTRNPOQG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ORYVBIYCBRXI` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YZVALCZXXASS` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JYAVIEWOCBTI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/MCSQEHQTIYWZ` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/GEJNURXPVWRG` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CKKIPGIOQZLP`

CT.ELASTICFILESYSTEM.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICFILESYSTEM.PR.2	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AQYLHRCHTYFH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 3.1		`rol/ZHNDMAPIBQBP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VEZVVFVGGFDL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SMQITIAHFKPG` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VXMYEULBUKRK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JVOHLVYUHCBK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TTLCIBPZTALN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EPULSMBTUMFD` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MGIFGKQENSJD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SSHEKLSKMCES` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/AKIXEAUEXTWQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YNQIXFRNQWFS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/OYKEDLNZHUMF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GGDJKZWMHIKZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FPUGNMHETPYB • AS Barat (California N.) arn:aws:controltower:us-west-1::control/RNKDEXRBVOON • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/HJBQVLYNJRHH • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NUHELTPITCRU • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BDDOBOTQFTPN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TLQPHMZPCKTX` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SRJVTNOKSKYW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/KZTIQYWBNAQH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/YEBOVYOVVRZZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BMTJVPKUBGYH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KNBTHICPCZAG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ARFSNBUXZZKJ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XOSWEMHEKDUL` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/GVPGZWWQFCVZ`

CT.ELASTICFILESYSTEM.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICFILESYSTEM.PR.3	• NIST 800-53 Rev 5 AC-6 (10) • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JVOEMQJALNEH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BIBZKVASTJJI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/LEXKWFEQKTOK • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/RSZNNHZMPHGQ • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/FINCEVUKQTHU • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/CPRQIRLLJJZR • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/TRQSLRYSYASX

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NVRAHJAKGOWS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/SBVGEBNOBEWL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ETAFBHEUSISM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RVTHUVTEDVMP` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/FJUCAMQRKDYC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SCENHYSBARYU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VEDDJXMCKQCH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XPLGISTXYPWZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IOLOGLDDEUGU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LHFJTXLMREBC • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/RFSAQLSOMRWE • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/OQUMNMODBGIR • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/MEGMJYGDZACD • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/QKHCGUWAMJGM • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/DYITJOJMOCRW • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/XORRIUNYWEZX • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/VHHDSEWDXCTU

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VLWKJNCQRHJV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/CWJPIEBEGENM` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/UCZRABGXCLJE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UOGIEQYUBVWF`

CT.ELASTICFILESYSTEM.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICFILESYSTEM.PR.4	• NIST 800-53 Rev 5 AC-6 (2) • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SOCNUAYXONKJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BWCBIWTTHMBA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WTQPSFJEQBEE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AKFECGTIWOJZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/THCBRFJBEVKS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JBBLWRTYSJII` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HILXUYLMFYBM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GNOPUCJTOMMM` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NLNHKPUQRYEU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ULQOLKQFXXGO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XKQWNWPEIRFE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TRASMSLGPGVZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YSDPCITHZXQI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TOVQIXNDQMXW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HIFLGMRIOCCZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VMFHHQOZIPJT` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/JKBOCKTBFDMS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/TMVUNWZICUTH` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ERXWWUAEEFID` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/CUCXNNWYPFJG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/BQRKDWSQPQXA` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/RBIBSBEJGZCG` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LLDNCKCAOXDK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XJJFNWYXGEYG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EKLTMHHIMJYR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/CVGTZDJTZLJI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QFIMBHVNTCRP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CGNKJZRYHIZJ`

CT.ELASTICLOADBALANCING.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.1	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (26)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13		`rol/RZVUTRWTVEUO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XMIEWIVADWDV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BLNOUTJZPLAD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GYIRQYZQGXOJ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JWBLMBPMKKDD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-13 (5) • NIST 800-53 Rev 5 SI-7 (6) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NKNJBLFCPCGJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TFIXKKSMTKDE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HGMLJLFKUCFW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/VXIGTPWOJKYZ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`er:eu-north-1::control/UKHAMPPHXYFV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KDCYLSTBLDFE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SOSAAOOKSDIQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/MAVNERRCDGUI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FBDACBTEASNT • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/ODIENAEBQZJM • AS Barat (California N.) arn:aws:controltower:us-west-1::control/LEZQMKJXCKRI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CTXVLAEDJDLJ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AXMNAMRZWUHT` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/MYHWFMEYVGPL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/CKLWEMXBFSKT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WAKLGKTPRGMM` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/KBWQZTALIDXV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/CYGZKWHILPSU` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OJZJAEVLVQGT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/OLSPLUFATRIH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AQBRQHVHBKKB` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/ETLUXEGWKVDH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BKPDDVHNQLIZ`

CT.ELASTICLOADBALANCING.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.10	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HUFENJFLXLUB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		`rol/LAZXTTJXNZWX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MUNVWQKVNFII` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CWGCUTVHELNV` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BARRVADARLXA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/STTSKRCGXNOD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JBPMUDNREFNU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VMAQQDYRDSVL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/PRRDNZJAOLXC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BYRDSECDQQJP` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/TWJWYQMUZOHV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DIAQAVDUUBSL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/PBOVNVABHNQW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LUVNYZMNOBRU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XBYLAEZTWIQM • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VUWZZZGVLHAD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QRJNDNXHWVFN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/CFXSCVNJURIC • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MTFUXDNBVIJO` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/QBJQWLUTLLXE` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/YXPXYZWDCGBW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/YPFRBCBHBRCT` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XSCNLFTCFZKX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YJRVUXKIUKOK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZYFULHCEJDYU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/EFCETYXCCSXQ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/HXXFEOBOXYYT` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/ADHRMNATNDFH`

CT.ELASTICLOADBALANCING.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.11	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/INJPMXMBQMRQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DOVONHQVOITW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YEHZWEMPWSWH • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/VGCEFHSLONXT • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/RFHZPJREXLSE • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/GXOFHFAWFNOD • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/JQXOGQBYFKFU

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OTFLWYTQQQUC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LCLXRADMQQGH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TWBYWMNBMPNY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AMQCTRGHKRTZ` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/HPMPEDWYSHTQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SMFWPJQCLTTI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TIEXXSPKPJBM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VXULPCMAXNLF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ALIDOHBHLSDW • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/YBRAEMTMLLQO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/YBEQEHQUOIBL • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/USVNDLDKAFXE • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/XFJZOLZQSMDV • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/BGRUSJXRHMLT • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/JAVEJPSXISVP • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/OPKDJCIXNJSZ • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/PPIGURFCAKXK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZGIQCDYVMSJS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JHZCKZSJBDKV` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CLHTLGNOWYCI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ZGXGCIGJHYHQ`

CT.ELASTICLOADBALANCING.PR.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.12	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WWSARQYKGSTH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XRLOSBAPFQJX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UBFDEGMVDXNI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RZQGPORFMUYS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OLUIOTBVOOCS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CXHKQIPMPPOR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DFPIFORHUVAL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZSEFDTLWVOAK` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JOEBOYAVBHVM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PPZGFKMGRMNY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JICDLDNZKCWO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CCBEBBTRLFTN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EWSEAKUVMBGZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IXOEZMSDXZWD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KALMFRNXCPDH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WOMICOLFRYLF` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/UDCLCJOOJKFE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/ASSEXCKVIKWR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/NSGUUZCKLJMS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/SNQRKWNNHROR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VUSTFQGUNEMP` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/LWBRONIIXUIV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/VYZZGJPFTEIH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QXAQEWRORJAG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VYRQOKMPUKEB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/CSEUEGCZREOY` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XKYXDMSPCZYZ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/LMBAWXBHTSZN`

CT.ELASTICLOADBALANCING.PR.13

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.13	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)		`rol/YYKNHLJGCTZX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ARGINPIXWOQF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ELKXDUVDUCCS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SHNYFGRZOKNR` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VDPRZIODKYSS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WQMJLMPNJRHT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PDRQZUMHBWIZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DWLXBJDQNJFH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/IEHVGTUSGXGN` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/MXZLYVQILODC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LHLSDALYHRNL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YAKLMULFRDKX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KOHVKYUFPXUZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/GQXWFKUIIYZA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QZHVAVUVBIYQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QDFVSDJSXUNH` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/XNMLHOXTXTYZ` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OORORGRUVAYIT` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ITCUUSRTKCQP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ORVXQIODQZQI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DKSVEZCCPUAO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/VEJXGZNVVZTH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SBLOYCOKSOLC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CMQQXVFUWSBZ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UJHZJDJVEEAZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HFJUUUOGTEPO` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/PBNYGWSPZMDU` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XBBFJWWSALQZ`

CT.ELASTICLOADBALANCING.PR.14

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.14	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Meningkatkan ketahanan • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VCZFJEAUAWLN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/JLZRGIKJAFUW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JAZZWGOBQBZO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MEFQWCBROONN` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RIBTDOHHYUML` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WMUYGBVGKEVD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MHMICTUWLSON` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WBPOTYBSJLHO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/NBZVVROENITM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DMQFZJQBAOKW` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:ap-south-1::control/ORKESKWXKFSA • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/ASEAWQQCERPP • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/KOYYTIUQCFMH • Eropa (Paris) arn:aws:controltower:eu-west-3::control/ZTOHLMITRHNV • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/TDECASRAMXGX • AS Barat (California N.) arn:aws:controltower:us-west-1::control/PZTKTHNHYEPU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LICKEJRYNWTG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AKZIMZMBHXPK • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OBHPNWYXELNI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/REZXCUMITGVU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NVGZYXILIZLG` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DZKOPKXFHNZV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KJCEDHGDVDGV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SWBFYNAEJPIC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZVFSRQSYLGXW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NYLPBEXSGGOW` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YGLOIDIHZXEX` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/RADMLMBACOBH`

CT.ELASTICLOADBALANCING.PR.15

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.15	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ESMQBBSNPPBL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DWNVOOZNWBZK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OCMRIQBWUSBU • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/SFJRXHPEEWFA • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/WAIVIZIPAGHI • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/RTXCNGWMADBT • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/NKWJJBUZINNH

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FGLPHBUZPHIK` • Eropa (London) `arn:aws:controltower:eu-west-2::control/CLRMSTTALUWI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ITVPCOCJZHLR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SFHSNOQTUAHQ` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/QWLTOTPYPBRS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NCOYGDOCXNGL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RQYJFNYNJJUS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YSPLCVCNCDBH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QNQCBDIMDQUG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DBLEVFJHLDWB • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ZALYTABUTANC • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/TRVJVOOTGFUQ • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/OCYADTLKTJSO • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/RLHXGPMICHHC • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/TRHKGDFOGIQJ • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/OUFVPYRGHTCQ • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/ZPDHWKNUOHSG

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HASOTQTPCQQB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/IDWCAEQUETLC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QVHGAYXKBWBE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IISQUFQMIRPH`

CT.ELASTICLOADBALANCING.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.2	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-23 (5) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TWNOUSHMRFWV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XDTTHNUPIHNG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KPAIALQFVPZD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UQPWYSTFWPNX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OPRFIUYZWTCD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IBOADPMIQPQQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QGSARYANMWYN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UXJGSEXNOJMU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SYMCEHDRDWZX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WIFXFDAZYLAY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YSAHARNPJCBU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NZJCESRAUAKF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/TNEWNBTNWBOX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KZUEDDHYPJAE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OGNHJFZTHGDA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HVJNQRHYMBMZ` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/TIKCAYPVLEWI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/FTFRBHJUCHHK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/YGNXDTEMUSTJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TCIAXDVBEICZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OGBTHHEOFJIM` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/XSAGNUBELYFF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WIBUNBPUTHSS` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UEYBKXZRGQHS` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/IDEVSZEMXXFJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/BJCGMXBUQOAS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/APWNTETPZCJN` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BVFELBGGGJLE`

CT.ELASTICLOADBALANCING.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.3	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.3 • PCI DSS versi 3.2.1 6.6		`rol/VLCKSWJHUUNN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WORKYXIAEEPY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RQXEJKEEBAQR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BLKONTFMJJIM` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DTFRJDGWCDVJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OHOVDEGRDBJY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EBWHWDARURZT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EDDMFEEESKTR` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GYLTSXUFSDYJ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/VMKVMHBXXJXT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UQNSEXWGOAVI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DZKUXADKBLKO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SLYLLBVCPSQB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QRQEUQSJGTQX • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/INCJOOCTGBSW • AS Barat (California N.) arn:aws:controltower:us-west-1::control/RTMVFSWFTQBU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CUUDWQGUOMWE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BMTMYGWWKGRP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/IYJMHGRXOFTX` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OIGJSCKAHJKA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/XFLHCLMJQKNO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RQNXMRRGGNRC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WVSNMECYMGBR` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/NEOGTBSZEGPQ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DJOQXYBXRKYD` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/VREWVBQOGOTC` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/ISQZGGMSAPQF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CLBAVIDGQFBI`

CT.ELASTICLOADBALANCING.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.4	• NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZVVUGGRKPSNF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4		`rol/GIZOETCRSJGJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CZGWNMZGUQQG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GPGUBQHOYWEA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/REBMKCJKOTPA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GGMITQUCXRSC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AHYTFKBZPPNU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/STVTFNNQGFNC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/TNPIGOQDBEEP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HCRXAYUXHXVH` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/YXLUVVLYBOMP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GMFGDGANQPXL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/WJEXQWQTKVUN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AIVQIYPFVIVA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/MRCIZCRRAIWL • AS Barat (California N.) arn:aws:controltower:us-west-1::control/UOOYGDJUCEQK • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ZHTQABLCBMIJ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/JLDJRXDZHOCS • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LSUGITKOSTLF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GFUUYAYTPGJL` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WDLCZEENWASP` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/YIOIHKYEOXLP` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PDPKRTBURTGG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TIOETKTMTPUM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XVSQHWPOKDLH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GCBLJGHGUUXA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YMHGHVLFLBBD` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/MVEJSUXZWCOY`

CT.ELASTICLOADBALANCING.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.5	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 SC-5 (2) • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XZMJRFQFABFQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DEDMSNGUSHRU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/VMTTTZPRYKXJ • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/LZTVNXQBDIDF • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/RNHSNSUAJPAV • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/FCBAHAOWAPAG • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/LWERVUDADSHP

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HZMWWCHIOPKU` • Eropa (London) `arn:aws:controltower:eu-west-2::control/CZOZUMCNAXGV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TQLTEQMJSACM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NFDTXLIHKABM` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/KZPLSIUXHZLU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/JGGUSYGAQEZO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VZJKBZOLBBES` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YEXUASWESFBT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/XCFEFIVKEHSY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/KLKOLHYUIDKN` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/PFRMCVVXGCWD` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/REBZVFIVNNZM` • Eropa (Milan) `arn:aws:controltower:eu-south-1::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/HCWIFNJECKZG • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/VDOGNTMSUMJG • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/BZCWGRLNALJK • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/OQZOZFAIJIDM • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/OUFZBMCIXKSJ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EXMPAQITTJVG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KGLLBSPUFJRB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/DOKSFRMQXWOQ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UQJJGFUCDAAL`

CT.ELASTICLOADBALANCING.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.6	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ACYJDQTSIBRW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FJIEEFHBKMEI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KBBOQEOOHYIT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UHSFKNBKXDLE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TGXQXNZCCEXR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UFTGHAICJBKE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CXXFUAKPJAFC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TIGGQHUXHQKW` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PQECPEVQHHKU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JOHHSDGRJVXT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FKDCIAVBHALD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YQZXXONRYIQK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JFIXYOKMRPDZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AOXHNCAFXEQZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JTVCDERKCQMB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/IASBZFRYDKTB` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/DISFRWVXQRSD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/BCCTQMAXUQOP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/LHRLWVZAGTIE` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/MRIJZHYGXLTS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LNOAJYUTFFUA` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/MQNFQYDACIXF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/VYKHSDTEISAB` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IYMNAKMMHPCR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YEQCNYPDRFTF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/NVNLWPUSGHDZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/EECNYLBXKCCV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IJCGBGKQJXLJ`

CT.ELASTICLOADBALANCING.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.7	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)		`rol/CWXBBUJAKHIY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JQWTMKADKIQM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KRJHNIMJOUVI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RXBCLXMNDYLS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FSRKKRIKNTVD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OETUGRLWDUUA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IAJRQALUGLVC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PMUEIFETYEVE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/SEDMCNWATELI` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/UNYSAQENBDWH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RSTFVKGDFFVP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PNSQXKURZA00` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ERFOIJBAKGVW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/VANTXKGTYIFB • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/YJOPKSHLSHDU • AS Barat (California N.) arn:aws:controltower:us-west-1::control/NIYWWGCEVFEP • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/JGNRBPRFUJHZ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/INBVXUZPITIY` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/KEPKXDEDCABZ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/UVRGEPYISQSR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/CRFNOALWZKJX` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DWNCGPHANJWW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DEAHVSFUVIDI` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UVVSUVYGXHVB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ERKLVPLKNZVI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KBGGLDWQNUTK` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/CRXNJTUUJIOP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/WPUGUNCMUAKS`

CT.ELASTICLOADBALANCING.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.8	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OQYKDUWYEOIM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (5) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/NYJAEPPDXSFP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HDFFHQGMCHAT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HDUQIRHQJHIB` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NHXVNOSXDCMQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QKOIJAUPECRW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PJGYHTTIKRFD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NSQJFFBDYFJE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/HQHFHTSBARTW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QBKEGNQIMOWD` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/JDAAURPDZMOS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AEQVLTGJCUVY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/TUPOKAOWCEWX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CRJEOQPBHUYN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EEDDEBDDSZHT • AS Barat (California N.) arn:aws:controltower:us-west-1::control/LXKUWICNDPUQ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/TUAETWCFNPHP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/HLJOXOYOQRWO • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QYYUHUZOKXSI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BIWEKWOJFQPY` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/TLBPPGCCHPWD` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/SSKNKDBUWGWG` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XPTUPNEMJDRJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/HCENLRGKUPQG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GNGTFFXVJZOQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KJLVWZWYXECE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/EISTKDGVFVYA` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/JLJILSWJBAWD`

CT.ELASTICLOADBALANCING.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.ELASTICLOADBALANCING.PR.9	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OJRPUPOEBOGC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BZAIVZYIGBEA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/DYNNAOSHIGUA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZFDYEMUBADTU` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XCEABSKXHNEW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ONUHDZQBRTPI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EWMJJYUDXREQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WQWNYGWHUHDW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/VEQTOWINFEKD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/STGPISYTFYUO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RGANYVCMWFZG` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/LYLRCNQCPNJV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GKAFFTUBEDGA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TEDBEMVAAJTO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QQZDUTOOGNKG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BKNZWUBNRNKF • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DLTVTIXROSGT • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/FAKSKCVVLGLZ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/CTMACEMAYWWP • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/IZWNTXSZPIHY • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/XFQFMXGYKBNP • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/XOVPGDIDQDPA • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/KDVMCUOKDUDK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/XKGBOMUJJQHT

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AMSZOJWMYMVA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TRLOIHFYIRMI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MZHSLHDOAIME` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/LFVOMXNGCJAX`

CT.EMR.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EMR.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CGKQCHLVDEIB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YHCUCJSGQFXA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IVSACGXVHRSR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/INXDKMEOBTFF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TFCTANMLNGMR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KSGLCSMAEEDA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MMPGMIGAJQON` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TWSLMQLEOHKS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KEGOEDVBGLRF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QSKWRYDHXVED` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TVAYHGQUXLPE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ESGKLHSPODEY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CTSXXPDCUEDR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KTMOCNTSAXOL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GZCNFBZSQDOQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UFVDCAJPRVWU` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/MBPQYGMWWWUN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/HGZIJECVJGDL` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/OMAMQJBXCRMU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/RJOLQVEUFPWX` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SAPJRYDGPIJG` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/BPFAHEYTAYOS` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SFFDXBDLASOK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/APMARIGMLCIH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HJIMSQRPTZSY` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/LMBWEFMCQIYN` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ASFOABAEKFKU` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/FBOBOZDTKTRB`

CT.EMR.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EMR.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4		`rol/RBBMAHVKFUYB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UNMATKWGXVEF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TRYHGCGPXQBY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QSNQBMVQIOGP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CHDEFRBDBNLC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PFAXXMHSTOJG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SHPWLBFPMVXD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SFHGSRUHYWUR` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YWOIDYYXVQKE` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:eu-north-1::control/VWUFOFVIPEUJ • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/PHHKZGEWDAZK • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/NXJYKOBPZCEF • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/DDJLGXQNVUUQ • Eropa (Paris) arn:aws:controltower:eu-west-3::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OPAFIWVUBIIF • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/WFNNKLCKRXJE • AS Barat (California N.) arn:aws:controltower:us-west-1::control/NPCHIRMOYBBA • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QHFQNHUAJJOS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PIXVJDFYLEEK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/EBFHBZHPBGVB` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/WSQGBUDGZQBD` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MNUYLLRYYTHP` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/FBIJDMIEXCOG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/JDVJIYRFXULB` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/NVJSHTXUXIJY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DANDKACRGHEN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FHSOUOJENGFW` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/JLKIPCOHILYC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EVBCOKHITCAO`

CT.EMR.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EMR.PR.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1)	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QNPZCJDNGGSI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4		`rol/PILEMYYHTDXA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UDEMBGIGVWRQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UDKRPGZVFDUE` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PMKIZZXISXGC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LJLBKOOJFQZD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NUJINJJLQOUN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JAHQGPNBHEJI` • Eropa (London) `arn:aws:controltower:eu-west-2::control/UPFHHKEZYOCC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OCDDXWMLCWVT` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/XSTLMPKVVTZP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YIITTJQXIPJH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/PRNNBEUWYTVA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QVNKNUJGSZID` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/SIAVBUUYLWBK • AS Barat (California N.) arn:aws:controltower:us-west-1::control/PBZZRBLAUHUO • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QYNTMPMVILFC • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/GMWRRLUZJKUV • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LVBHIHYUITGH` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/IEISUVEELSRQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MVGLRQDIGVKY` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/XGSFHGJQLJUV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/CZOVNGPORAHT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/LIIGCIMSQFLT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GSHIJXLKAMTB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZESTQVQPLBXW` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/BULABYCCCTTY` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/ILISLOWKJIHG`

CT.EMR.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.EMR.PR.4	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VKFEQPOWCEQO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/EHLZOFIPQELW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/GFUOQRPWOJQO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PBXJBZPNELGX` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YLGTYOLGXBHH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IPWAJHVDZLKX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JCKGMJOAJMOP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TETBYMUVVMCK` • Eropa (London) `arn:aws:controltower:eu-west-2::control/NGFBINLXWMZV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OMIMVRHODCMR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HIZUGNMVVFIV` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/RDHYEEFAEUMS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ISRNTOKYVYFL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TQDRKJOSTGFE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IWHTELJEWCQS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/CRNDYYYDDGZL • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/UHPYOGSODQAI • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NWZAQBRTRVWQ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/VSIOOCSNCCXV • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/GKMOMEBKHZEL • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/WHAGYFSPKXKE • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/YXZUTBJKJKAI • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/NHRUSBNKRQBU • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/GUVJOBDBOIBJ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LXJWHUCUNCCF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PRXVTLEHHJRV` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XVYHZAEAOUWJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/GYJLBWGSDIEW`

CT.GLUE.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.GLUE.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WPCRZFUMPUYK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TCWRJOJCLVFQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SKMTAZQLOSYY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IEKSUNOKGWLL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UETCETTAWIFA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QQFWDELOYZHJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZABAPQCMENQX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GFTITBQSMXZN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PADEKLSUDPRA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LIJZZPPMXINO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TLZNZDRMXYUD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FJGIMXRXTUMO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LZYUTOYMDJEV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ULXVMADMBHBW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TLFCNIUBKRAX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TTFHKBNXUHRD` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/SVYDUSNGTBAO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/OYFSLJFWANFX` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/IOYSTBILSAIQ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/FTVODADNCSVE` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/JWHFWNFLFRPL` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/YZYJEVMGPLPZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HTWMRRWAZSHO` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TTOQOWVNSWRP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WQYRTWUZXQCT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/ZNLHBHLAORXT` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PJXYGBKLGVYV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/VGEVDHSNVCJN`

CT.GUARDDUTY.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.GUARDDUTY.PR.1	• NIST 800-53 Rev 5 AC-2 (12) • NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (5)	• Lindungi konfigurasi • Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 RA-3 (4) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Pdt 5 SI-4 • NIST 800-53 Rev 5 SI-4 (13) • NIST 800-53 Rev 5 SI-4 (2) • NIST 800-53 Rev 5 SI-4 (4) • PCI DSS versi 3.2.1 11.4		`rol/HDYIPPMSWZOU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PYNXRWWBWDCV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AAEWPLCHTLBT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ETRMJIXAELLB` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CELIJOZUYTCC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YTVHWKKJNVVZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HFQIQZNQEDBF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QBUMAVYUUWFG` • Eropa (London) `arn:aws:controltower:eu-west-2::control/EZEFIVKLTUWW` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/WTYFKSYNHCOE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/CGJWZYIKSAKC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KWNBRWJUUAAK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SPIMIVFZLKGT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YGKBDKCNXMAS • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BUDEACEBNFPS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/XGBAGKSFTLVU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KUKBAIDPCVEP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OQXJTSRQRSIC` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GATXICTOAKVM` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/LUCAAVDCOXYJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MHNKSDEFFGQL` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BBFSRHLQVQLM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LZFSULLYFCJZ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/NVFWCUDSLMOC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GLDWZTWHCYIT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ONTROZVBXCSH` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/UEEPBLZVYHWN` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/LGYHSJSSFITW`

CT.IAM.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.IAM.PR.1	• Tolok Ukur CIS AWS 1.4 1.16 • NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JMBMAKMUHMKC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/VRYGYLBERJDX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IEYHGQBFVLSK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XSODKGTQFXRF` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OHTNYZERSTJL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JOYWUUKESSYI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VLBUBGROVKQD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OVZGSDCWZLCD` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GXTMGHVRNDOR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/STCTJILZFUDN` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/UTUYMAXJRGID` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AHDCTTXNKGUM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AZWOFYWOCYFD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WNQGLXPXUGQT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/PJBVRJXEOSUF • AS Barat (California N.) arn:aws:controltower:us-west-1::control/RKJORUGWSXPC • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LJCRLJPOVCTC • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ENDGXUBAFXAJ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZHHFEZIYPBJK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ETMDQOKWHREI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NVNHMAJPWYQS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/WBZTGDFVZTCA` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DZOVLGFMXMIO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WTZXOEUOAWTJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KKZVOFXRSYJV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/VFMZIMKRMWCN` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/RELKEYQVEVJW` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/PULITXEDKEZN`

CT.IAM.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.IAM.PR.2	• Tolok Ukur CIS AWS 1.4 1.16 • NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PNOCTMYIRAQZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FOZZURSEEIOC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-6 (2) • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/JMOGYFIPAVJA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HOKZEQYPEYHL` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CAOCWBICFGOB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YHMPKYKTCUML` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BVIKMVRHDDMG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ARQSBKHBXQCM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ALIYKFTXVNCS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NFGGERHBCZUW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FEBWNSMFEJIB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/TRWCETXWEOUE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HOCOFZGQHTGD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RAYNNMFDYEVC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RSEEMCFURKTU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OGSIRAALHWTG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CPYTOUZUVOMY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/QJIWSLSIUGXF • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/ROHDZMYMPCUO • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/JIBSKFGZPWYZ • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/JQIIUMMBPORM • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/QQQRCQIQWLSU • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/RFWVZWSWOITC • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/SVNXRAXOWYPD

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/OZIYLNCGRZXK` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/YBDTHCCPRLHG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FDOELRUSKFQZ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HDJTIJYVJZNH`

CT.IAM.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.IAM.PR.3	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XJWBVKPDALLC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UFUIAVAHEMXT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TQOQTVTFKYZP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UVQFBXEVKVGX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DIYAWISHCSUP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RBKJFTDCPGHB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IRQIMXUAHHNQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GDTCMKSZZJPE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DXWZZJDXVQJB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YAYMMPOICSWS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UJVQWOKLAPOA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SEDWSBCCUPUR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BHIAWWIKNMSH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CXLKIUGCJVBV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YGJVNUUQETCS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/RJAICXMTHQFY` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/ORPNELRUOFKT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/ILMQSXXDTGIW` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CJWYUKYSXKUP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/SRCNCCOVAKTW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/XIIAJQQEISQW` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/MBZAIFOCGKFG` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FYLKPJZTYMRN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/NDAJBJGDIUAH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HYIHRSXDNOGB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/LSOKRAEVKVHM` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OBJIKKDCCRGV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/RLBVVZELHWHT`

CT.IAM.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.IAM.PR.4	• Tolok Ukur CIS AWS 1.4 1.15 • NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/BGEGSPWZQGHE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WDSXAJOAVHZA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XGWPMANHZWZI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UEHHSMOZOLIQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NIQNDDIAPPYT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YXXSRJWMGBGN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ALGNWNDJOHGJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HTVEKDWTRMZF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KNLJBTRBNYOO` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/EYJVADFYATUK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/CBIVZXRPUAXJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VPFGSMFPNEDX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ZTOGOILBNLVZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/PAUXSALAWTJL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ESBOQQWFAIJM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZCDLCRVFCOTU` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/UFHNHLRVIPSM` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GQDQANYGJAPI` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/SXUORJZQKEPJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/CNVGXHJPQJVE` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/CMHCTVLGOAZB` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/WEIKDIOJBGFU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ZGSPZACAZKYK` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JGDUWOAAFNAN` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EHMJZNHWSSNR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JMWLMQKSOWRB` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/NSSGQMATGMLT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/SKIIBUQDKMNX`

CT.IAM.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.IAM.PR.5	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CCMOVWIXYLYF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/ONHYGFQYMLZS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MCGPCOIVNQGM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CXYDXHZWZNXX` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PSTEFAEBICWJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LZSJWCBDNBCK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NSLUIOJZYNZS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IHTJEPIWSWWF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/TKRBPZKLXSOB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WYOBTTMTGXJG` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/JZHXBIKWJJLL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BXCZTLODJIFG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ISCNDUFSMEVM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PRBDWMNDXLJU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/SUVBXVFLNFMS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AUPBSLCCXOKW` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/IZTCZMFKNCZO` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/HVFUXHSOQXPB` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DOVTCMZPYCON` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/MISFEMWXCCGG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PYKMSTZYYDBO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/JXNXTZPYOKLI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HGSDAZCXXKQF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BJKADRCUNYDC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/BGGCAVAUWZNZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/QYFJQEFKXMAE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XXSXDFHCGMET` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/QJVBMTNZMYMH`

CT.KINESIS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KINESIS.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HUIOKNICCRBB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ULXLVVUVXLRR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/KHBDMVKHOBTL • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/GJHIYBNFTIXA • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/KREYISSWDIIL • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/VPOCRYMNFLHQ • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/XCIGQSTRVFAR

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TCPBIRILCAQQ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/CODJWYQCXOXV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IMXQJNMZJZAO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QEXYSDBEGDVZ` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/CCUPDGNBQPGW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/STVPVNWMIFLX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YANNDPDJPDKT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XRDFTFPDNALI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IQSVGYPCMIQQ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CPXPGDDIBIQV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/PSNLRYLRRYHN • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/CXQVUZQZUGDS • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/IJPNWGFQMFNR • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/KIPNHGILDQWA • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/DASBBTCYBUOF • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/HSTFUNSHQGEJ • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/MWRDFWNGLTZR

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/OYCWERWIIYAE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NYCMWPOJWLVZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/VOYLIBFBKLUN` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MNNUBYJOZSSI`

CT.KMS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PR.1	• Tolok Ukur CIS AWS 1.4 3.8 • NIST 800-53 Rev 5 SC-12 • NIST 800-53 Rev 5 SC-12 (2) • NIST 800-53 Rev 5 SC-28 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.6.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VULBAJMYDWHA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JDPLYYQWRCOA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IJHOOMRUOCFD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TDLOCMNRYDEW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KZDJWGKCNWVI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FZQEVKYAAZWT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JKUXPIAYFKSK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VHIEQHFPSHXY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DEPFJLBPJFHZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YVFYIEHQZEWW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XHSHCFZKRKSK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FSQBJXDJBZVU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KBUBBEPRVJVA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AOQXVQUAUJRV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SROYFMNTJWNJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QZRDNMPHLQSS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/RBOOWYIGHTIP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/TLIKROYMIVQB` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/RWZMAUHNERFS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/IQJLHCNTBZQA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NTIKMXFYUJCH` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/ZZCIURLITMQF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LKJHKSFLIYWN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CSEQKCWKHJUU` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NRBBZHZCNZIO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/DNSQMERTUTYL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OVBQLZJGMNSJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/GSGZPJGXAWVS`

CT.KMS.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PR.2	• NIST 800-53 Pdt 5 CM-8 • NIST 800-53 Rev 5 SC-13 • PCI DSS versi 3.2.1 2.2	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 3.4		`rol/IIDRQWFYOWSP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HNCWLRMVGELD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AAYBIOQSHZST` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UTUHYVIWSZJG` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NBBUFFKZOIWG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CWZNIGTYZZAG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BSVBULVSURII` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SGDBXEOLRRUY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BICLJDRGFNKI` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/GKRBFPIQRMTC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IQOKDDFQVULP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HANQYUPDQHSI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/OWTLNREXRIMN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QASOHPDRFTMQ • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/REZTDFNCTEQQ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/IRNOVPOTKTKX • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/JKLJQLGQGVPY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KVIRUTURJNHT` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/MYGXAKQZZKAU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/IOUXAVZFJDAK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UWOYYBYLAJQS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RMEBEBCQJNGW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TYGLPCXHNFSC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/ADCWXSHRSAWJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DICUTESJCXRB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/RIKLHWLBSCOP` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/CSXMSFJQHGCY` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/VIADYMCEWUAQ`

CT.KMS.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PR.3	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SILIQXPGEMKZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/GNVSURRRJVKK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MXVGDDITBSPU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OGEDACIRUOBW` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GCUYVYGOGBEF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XTNLHQDKVOZW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UYOKYCLBTZQR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KSSFTGALEFZC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/FSWTXZUNYYSF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FWPBETJPERDF` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/VEZBRKXRLKAT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SDHRAOXPCXDR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/WQMVYTCUAPHO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NXGJVOLKXVTZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YYGKNXYYZMUT • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VJFECXNNFSLK • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CTNRPSCIMTII • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/HXBWEHKKWQBM • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CDAWCXVACTRP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/QLCVBYTAQKNZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OXTCGXKLYMEW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/LGIMTVXMONZD` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HRHMVKZKYDBE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WFZWBBMWQINE` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/MMQQTMXFBQCL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/BOMFYPZAQNZU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/WHNUPUROUPZJ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/ZFKVOWDNEYFB`

CT.KMS.PV.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PV.1	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AYTIGCDZPGRX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MDJDOZYAMSKL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/PVMTUFCQTSCQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TUWDPWLYPABH` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QOSMISZNLZHS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ERXHYQNEVRYZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KYXCYMGLOSLD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WFPVSUNMFJXD` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DRNWPQVBTZDZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ARHZRQJRNAXN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AXYYODJFUXQQ` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/CAEURXKPVZIX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/OUZRLATRKXPP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HMSAACTPKBQL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IOELHUOFDDQK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QCWTSSYVFTOH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/PTWPVUKBHYDM • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/WEFPAMOTWMDM • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/VEZVGZFSMURA • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/HYYSJTSIIYLW • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/OWHAMAXNYXUK • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/EKXJCUTTRNRJ • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/SQRLWUSUKAQA • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/WGGZMZPDCVQQ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/MYIDTBEDJJMR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZFSNCEDHSQJZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PXOZEFZHZRKW` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CHYBYDLZLYCY`

CT.KMS.PV.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PV.2	• NIST 800-53 Pdt 5 CM-8 • NIST 800-53 Rev 5 SC-13 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.6.1	• Enkripsi data saat istirahat • Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EDFRUURKIQUB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PIMGRCBQFIYG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GYCBXHNJQGSY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VUUVMKZDXTGU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MJQBPFOKAHLQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NCZDNQRKDYMA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WHWUQTVOTHTA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NSNQFZKPOPGV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/IGOEDZWDKOJY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NIXEMBLQGRBX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HVPBYISBZGOC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ICJZCOYEOISC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GMSMKRASUFKN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OYJNXIWXWRIF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KMWYGHZEOQNZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YAWIAYXXDMGM` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/PHOKVWOWYWTB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/FXOKBDKDCRRN` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/DJFGEKHRJHSR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DZQYUVLQCHYN` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/QCNPNCYCKWOG` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/FNHMUDTXAGBW` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DBTIVTIRFNIY` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MBFSDIMFTZKH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XGWMRWRXQRID` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/VNTGRHVAOAZP` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/RSVWGHFXEWNB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/VNJTGWIULHAC`

CT.KMS.PV.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PV.3	• NIST 800-53 Rev 5 SC-12 • PCI DSS versi 3.2.1 2.2	• Menegakkan hak istimewa paling sedikit • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/XBWZIXUBHKFI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YAVUHKMTPUVH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UBRZJERMAFCD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZQZJXLLWIWOJ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LAQDBVGBZTNN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KKRPFQTHVVNF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KKGZONAWPTZQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ISSVLWAHPUKY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KXDLPZNODJLD` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/NMWKOFNNPCAF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VIYXFDTJFTOV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HBYZHPNOKDNQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/CXRZGJFNHKHG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/NTDOXXVROYNA • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/WRTSPXIRYBDO • AS Barat (California N.) arn:aws:controltower:us-west-1::control/ZKOCPCBEQKOW • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LLAZYPBBZYUB • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PMNICKKUUEAE` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/SRLJJFKOCPJZ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/UXZIDZHPWQQC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/FAXVINUGMYKC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/SNHKSKSCJOBM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/NLBYTRXZLVBJ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OLUYXYOWEIVP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JAKFHFSUCQJN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/REDXLSFTOGWE` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/OCCDVOTWDUOI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UCYPTHSTGDBY`

CT.KMS.PV.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PV.4	• NIST 800-53 Rev 5 SC-12 (2)	• Enkripsi data saat istirahat • Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EBMKZKSDVMWL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/ZZHXODITMASY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GAWXDJGYAKFT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VYDRIMVKDWQP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DRLHYGNQFBCK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XCURERQKNGZA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZOVQFVWYWTHK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MTOAKBAUUKKZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BLBBPTZAIQJX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YFYXMUCFEQJR` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/XVUJXMNUJKRH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ODIIBHMXITOT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/IODDJWMRKXYZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZBASIZLEUIXT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EGLYADUUTVIC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/IUWYPQTCMVJX • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QYFKEOYNZBIW • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/TBECJBYQNBXC • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JQSIEDUWSFYP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EYTERDXVHXQV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OISQVDWKRRCE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/MVKAEZVXTTBB` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LDCDJUSVTKXB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JANQXGXQTNGQ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DRPFZFQUQQHG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZLVEAYEBGQYZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AARPXKLLOIUC` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/ETWPTXVQZWNZ`

CT.KMS.PV.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PV.5	• NIST 800-53 Rev 5 SA-9 (6)	• Enkripsi data saat istirahat • Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YTRCMNLDOMIG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FMPHLDLKZSVT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/NYXTFGMOQSVF • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/HIQDPZTWODIP • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/LRZPJJXMTXYJ • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/NJSILJCBKKDX • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/ETXNAUTWPEDI

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LCGFHZWLQHQL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/CZEKUUDDWAOC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UADDUJMWUMFI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BIVKYUJTTVXY` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/AVZBAPUJNOPY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NATXYLWHLDDY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KDMSLNRTXCVE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UOVVTTUXXEQE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/WAPKSUOSFZCN • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LARQJQCTXLKN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OMHRJDQOQRNT • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AIURGKGHIPSD • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/FAGTWHNUTYVN • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/RNVMMPNXUUHE • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/TCCEMCESVPGV • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/OQBQQOZGWDSN • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/XRNJTYFLZJTM

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PHQDHCSBPSUO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DCTJVTIEGIZC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/HDNDESSZBKHM` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HXQVWADEFLZB`

CT.KMS.PV.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.KMS.PV.6	• NIST 800-53 Rev 5 SA-9 (6)	• Enkripsi data saat istirahat • Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QRQARDFSDXIL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LWZCUGNXNQEI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KRHABHPITGXA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DVFENXUYBYML`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XDCHZDYYYBWQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XPQJDEJNQREA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AXVNMAYTCTON` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TQQKEWSBWODP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/XQERZWTPUQEC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ONPVYLTFRZHK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FBTMEVIZDZXV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KXELCKQIWMYL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HKDZIXZVNQIQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PHUVLDSBUNVE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BWONYXHSENHW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GSSEWCWPUIKS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/VQNIDIRZNPXO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/XQKLXTJSCQKU` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GLKJUHBWIGYR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ZMAGGOBXQDLS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/IOAEQLAJYOJX` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/NIMLBTLNZRTN` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ZEAWJURGDKTF` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IWAMOSCHKKOH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KVSWABXWGVDW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/JURDOMCLQETM` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/LODSFBKGRMCB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CKHYAGZGEYNQ`

CT.LAMBDA.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.LAMBDA.PR.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/GFCPWDHPFTHD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/COUMHGZRQFCF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VJIRQWYHYDXV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FXFPBXFQPQWW` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BAGTSQZJEERJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LDXUXPGTHFTM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HLIQPFVKCLVE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MJBVVBICLFWM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MKFONGAVAWNY` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/UILFBLLIQABG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YMYWZTVHNPMQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LNBOCFPQISPJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/PUXILAKLQQYU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IRVLXVEJRTUD • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/MKVUCRWVYEWG • AS Barat (California N.) arn:aws:controltower:us-west-1::control/YSIDNPMMYOON • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/JVMXSVKDKFOU • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UXZDCQJYOSNC` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VYEPJCYALYAK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BORKYWUAXJKK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UIBDVHMMVAUF` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RMYYTDRBRHYM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XJMPXBDGZYCY` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XLAKVGWNSZVU` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LPJIPJVEVHOK` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/XWZGMYTSSZAC` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/YSKEYEFCQHZP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XFYXVAYPOGYG`

CT.LAMBDA.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.LAMBDA.PR.3	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BVIJMEJXIWAP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		`rol/HEQUKYBHEVKM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UZZBQASAXGUJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FELBWGXPFUJB` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ORTKUZLIVKOW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZHVUGGWVVIBX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TEBUKOZUOMUU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BVYPROWTAFIV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/HBVCDXCMWQXG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AQDRYJFPHMSW` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:ap-south-1::control/OYLHPRXKQADB • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/WHXWCLBQBWBC • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/WOQSTHULHXBB • Eropa (Paris) arn:aws:controltower:eu-west-3::control/IJVOXESXUCQJ • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ANRAIFWUPJNN • AS Barat (California N.) arn:aws:controltower:us-west-1::control/GPNJQIYPIURY • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/PZWTIELYIZTE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/CLTIPWNNUWFU • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MWERAVUHAGVJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OUQCUUFMLXQY` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/QRUBHQKOLDEO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ZQNEWWQNHOCA` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XVIHEYZMIVPD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WKGMNYMTIOUY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YVGINZGKBDRB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/OUAKOUKARUHA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MSMKHOTQFYUP` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/RPXKXCXYTLEA`

CT.LAMBDA.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.LAMBDA.PR.4	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XOXGPFEWMXYQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RNARZBOWKHIP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		`rol/PAVLGMUCWQJJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PMHQAFGLASNE` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DFIQWZHSSNZY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JRQNMMQUXFVX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PACONHNZQYAF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MYNQPUTAPPHV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QLUVOLECEOBI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IIPLOXPQWIWC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BZXKMLBAUXJY` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/JFSZBXDKTWKB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UKOEKFDBEQKA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UUIQOLJJWCSO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QFUSEDARBJFK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OQKNXSQRWEEO • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/GMZAGJHNXSKP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ZGTSAFJLTNER • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/PJENJYVYITLK • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/YYQIXBRIPJHJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/JREQFLRKPLTJ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ZRACMNDXAWNY` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/UMCFTGGINALH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WWDZVOAOVTRP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DTWYWLVUTWGK` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/VJSWZAQROIJF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/TOIDRTXYMDBV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HOCXBBCNZLKK`

CT.LAMBDA.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.LAMBDA.PR.5	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KHFBNSFLXLFU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KLURUNQRSOTC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NGOSLUFFFKZU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AWZAQJTRTTFM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QZPPEVMDCAYU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VWPMCLITUBNJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ARMTHJNNVDCD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MDQQQEWXASLO` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YLQGBZFVJHHF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SYNFEUHOJIFI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PCXKSOQRFOJG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YLLDFQWUTMOQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BEAYVEJMKAZH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GIJHAEAJFHIV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DNBATCDTCWHT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OFUJNIZKUUTH` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/TOUJWQCHMRTH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/PMHEGULRZVP0` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/RQSBSQZIJMEB` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ZLFYYHFZKLJK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UDPWLFKXATVG` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/COSBEYHKJWRD` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WXUDGXVLZMCM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SELWUJIJATDK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/REZQWRYAQMTV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/PECEAWGHZUHR` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CFKCOTSVGFOL` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UEECKADLRWFR`

CT.LAMBDA.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.LAMBDA.PR.6	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/UZMMJBJQMQZK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KOWWBEWWDHEQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SRWDRZQEYMCW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DIYTGMGAPPGV` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DOXCJUNEAQCI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VITKCWEDWFWW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DEFEEGBBWNMG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QXXQDGAQAXXW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/JZTICQHAKTAT` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/CHNMHTENMIPB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XORGKKZRAMGT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NFIDIZDUGHTE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KGDGFDZTQXAD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/BGUYYODQXMJF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NECDSRJUJGJP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OLJVZHFTBBQX` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/DMNSQNCZNIVC` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LVDYJRBNZIDJ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/QIZTBZNUZBKX` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/QAMSLUZWJHTS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DEWAWZECDNWD` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/KHSGXAHNQPIF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FSOFPVGUVXHI` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WIIRWSRTEYBB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AZADVQDRVPAL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HAUILIYSYSQR` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/IFTPIUVRSPPU` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KLZCJQZASASQ`

CT.LAMBDA.PV.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.LAMBDA.PV.1	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DHHUNDPLAEDH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/AEVUGRANQIIR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VBCTZJHNUNDG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NZLDFSAFRBWL` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LLYURTIBPPYU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GQHTNZUZUNGF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FFTEZONPHDUJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BRGLCIPEZUAS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/XNQVYLKQAQHJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PXBKWTAFSWHJ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/BFBVYIEXHBJM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WCLDUBRECNQB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BMICNUYEFUYP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SIUALBLGDTMO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/CHPCWCOGYSCZ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/UQSFXDRYFMHT • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/SPMKGJCCJOPN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/QZPCHXXRSNQQ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WKRQCRPWLTIQ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HZNFIYMPMBMR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PSYZRCXFCVTV` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/REBDTZYVQTHS` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KCCLIDVTAYFJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/EZDDUOQUXMKK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VPCHUDLKOFXZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/SLMBVWJDNKMX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/KGBMFJEROMKE` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/TEVRXVTDQJPB`

CT.LAMBDA.PV.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.LAMBDA.PV.2	• PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZODWNFXUUYOO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KFAOIVPALKDH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/JGPQDZGKSFMU • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/AMWDCROIIEIR • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/DLCEGPCZVKVR • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/XIGDWYXFDNYI • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/GPJAJNASBGWV

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OWRKZHZGUVYV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/PYKTKPURQELQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SMCUFBYWBNYT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GVZQJUVYWDCB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/QZRXZBUCTPUU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/CKUNXXZIGPC0` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MJDNUHXZAXBB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BPKXRBEKVJQT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FEMIYYGGMEFS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DMQNSKCJEMGE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/YBOGPLNVDMJY • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/NQDLCWOTTWYE • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/XKHRNISMIPCD • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/OESCSLVHVSLE • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/WWCFPCARGEZV • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/RDHGXRNYWRGS • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/ETIFLDQRNDGM

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PTQGPZHVIZYL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TJFQQZICEGUH` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/LHDBIAJHZPLA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JMFYXCOPFTXD`

CT.MQ.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.MQ.PR.1	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Meningkatkan ketahanan • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MQQZTEMPUGWI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZTCMAABBQGAV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZFWMKYOIAGSE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SFQDJVTLHWNL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FFGVHTGZXPEZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YSERPGVIVTQY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ECCIYSNDAQTE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KJXYKUOPPURV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/LZZVHLDPXFPK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AEBZTYVZDNRC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KBSAGXSAADUW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RJIZKYGOAOPQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UCILLEAJEUIJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZHDMQVITAJUY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CTBROZHZFSHH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PTWZVCAADPQK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/VTBBZHEVNVOI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/IXDXNGQKEAPR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/UYXVFZSKTUBK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HBCOAJEAFXDU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WSJWKPYQTTNU` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/TBBQFXAWASFY` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DTYFZYAVIEEX` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QNZQMPOVQBVF` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JQCZITBAJQHZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/WTWVLYJWRKSB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FLOCYUQEBTGA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YWVSXWGEFXUC`

CT.MQ.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.MQ.PR.2	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36	• Meningkatkan ketahanan • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)		`rol/VHAFXJTXTQMY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SBNYXMCPJYYF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OMCJZWMYHEVZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LUZXHFYGBRHQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SWVPVFANFTMW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UXKPREDRSLDK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XMKXPSLJXIZG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JYTBUICKDUSX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/AEXPYFQBEDBN` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/SMHUJLYTMHMQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OYDKTPAMRYBE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QJHCRLOLAACU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/CKSKRIHJFKXX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/WBVREAMAQFHU • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/CRLRJHOTNOHP • AS Barat (California N.) arn:aws:controltower:us-west-1::control/BFHEAUBRZHYC • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DXJDWWZOTRYO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/NHVOAEYKAXPI` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CXVLQMRMZNCA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KZIMAUHEPZMR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/KJEUGEKUNLZZ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/LAHFJWQEUILJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/MDLSDLWZVZRU` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VHBKUESUPAPS` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AUWZOWMMLNBO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AVWBMTCGEFMZ` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/APUBWCZATBZK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EZYJLTELGEJZ`

CT.MSK.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.MSK.PR.1	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SQQDZTSFFFIB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/NVDOZWNUFIAS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MVIJOZVGIEAO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MNIRMHULKCQS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BNIVUZKPMVQN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RDGYYRDGSFHX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NRGTNOBYFTGX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UWBXKPTYRJSZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KVVDEADXQKNC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XOXTXFXPXMEA` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/BTWMDHYZHDAI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AGCJFRAOJAQH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UQTBILPKYTBY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IUSVKEKARNAG` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YUFFNEEGMKJB • AS Barat (California N.) arn:aws:controltower:us-west-1::control/LEYMWRQCEHWC • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/VJKSJUWKZGRN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/WCDCFFYFYMDE • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GRETECLSQPSI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HUKYWXEGZLOQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/BAHWMNPELSAS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/LPZMRIAFLVYV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XVCSKWQARZXH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/KILOKNWJSYZQ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/TJYPFSDYTZKS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TWCRBSOGZPFF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/RDNFSPNYDEYE` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/OULBRFIHYTNN`

CT.MSK.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.MSK.PR.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PZUJVIDWDHOM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XVUHNEQBVNVW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`rol/LRMSVVUASUPE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MUNQHOJYUZAJ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EHTOBZTBSZXK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KDUGEVWDHRHO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SKRZGWYWSIPS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TACKPJYYNVWA` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KSSKNNHQHEXB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FEGVRWHEVDRB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XAWVJZRSTADX` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/KGTZSYXABUIQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/PQSCRPWAIGSI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LQDETGYRPNBE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MSCNWGCTYWAG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/MBUHFHUIBMAP • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/WNVHOCPCOTRR • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OJFGSQYYLTTD • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/GOPUMVIQUABN • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/SWIAIGYRDQCA • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/YXNJQQTVFNIS • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/QKQNQZXTIKKH • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/CDZVSZMWQBHP • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/SQBOPTGLLENJ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LGRHBZUSXUXO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/SBETCCVKPNIU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/AKSHVXVBYCWH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MEFCJWCHCRQA`

CT.MULTISERVICE.PV.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.MULTISERVICE.PV.1	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 7.2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JBVFPCBYGPJM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TIXURCHHVCLB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZTCMZTIAOUEX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CUMNVXPZBGRY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TKFQGXOBPOPS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LSENANGXZUZZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TXGPJWIFOIGP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LGTPYJYCCRAP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PFPYSCVEVJTP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FEJANOLACBIZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OLQBAKMRJYXE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BLXDPWEXTKRA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MPJQGLAIIZEM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GGAWFNTSDAEQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XTXHSACQYKWD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KXUQFQQTDUTR` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/CWTMVEHXOTNW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/MYZWLUGJMTLG` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/NSDDZGMMKNER` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TFIGQZAEMVUX` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VXHNRWGNCBCI` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/UOJZHKRFGHPV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TNPYPLHKBYQN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XYEOCXGQGPIL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DUBESZEORFLO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/QOUYADIVTWNB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FYHDZNZGYHGG` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JUMCMTEBPIHO`

CT.NEPTUNE.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NEPTUNE.PR.1	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15)	• Menegakkan hak istimewa paling sedikit • Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.7		`rol/VVYTTDIRYZIC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HHYQQNQRWPTR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OIAIWVBPDRZL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IMAPSYUKKCBZ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZBNZCKKEFZPZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UKYLCMUZFQMF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TOIBCMWTQULC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QBMPFYNYANKO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/TQGVMTLQCLVJ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/JCSHAIJVQJPN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HKUTEITUOURQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FIHJPXZCWDUV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/WMPRSCMJEQPR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XPUCIKNRWZQY • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BIMAERWOCWOC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AGSWUBESEOXW • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/BQEHCQGVUZAL • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZCYILJXNYJPS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VRVLPEXHUHRR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/VSKCNZBJMSDL` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ERYIKQHLGOSR` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/JAEBJWGZUZIK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XNEQNATMDCOH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XYVGUQMPBHLO` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EDCFDZFLSLTE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GCIDLPUWZZSC` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/DMMWWJNLMZZA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EMRQQNEEYXAN`

CT.NEPTUNE.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NEPTUNE.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 SC-5 (2)	• Tingkatkan ketersediaan • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AULKJOKXSVDI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2		`rol/ZHXCJVNWNCCQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GPMNZXUWJXSR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VFQOGQVHFGGE` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EPHJMXQEYSVC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MKEKOWUXVHEC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BFOILRCAVCCO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WXRTDNJWPQOX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/OCSPXMPOABNK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LZEHPWYXYBNV` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/USKYFIQHPSRG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WBFRUHNLHDQY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NACPTUROMGYT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ILBYOEBHNJPW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/VHPBMTMAGERS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/YSOAFXOUVDMZ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/MNXLYFLERVOH • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/MQCMSSWZMSNP • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RBZJYTJVKEHN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/CPEMPXZLTSTB` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NCHILLHMRKWV` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CITQXSOCSZKP` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TYXJKFWHUHHA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JPOGMCFZRQDK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JHJZOWOQKSQQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ALDJGKDLKYSD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PAKICJQWADVT` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/IJPZWNXPUXES`

CT.NEPTUNE.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NEPTUNE.PR.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZVGXWMKLNOCT` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DUNNSUBEGAMH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/CKBZYEFYGFQG • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/BONSNYFHTQYM • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/GQZRECITMLZC • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/HXRJRJSRDQBB • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/GQXVHTLKFULO

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GFECITKOJIDB` • Eropa (London) `arn:aws:controltower:eu-west-2::control/VRONLZOJVXSF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RGGBNARHYLPC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DSCGRLDBSTVB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/MPXCNSRKMDRF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/LPFIVZUROOJJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EEFOBFRQOZLO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PHRBYWIDRHTW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/CZOYFPWHMMZD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/THFQXQZMWHWZ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/WUVFSNJYPXZY • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/MEYIGJFZNYVR • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/VELCDMBUYSDH` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MAJYUEOFRPCV` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/POYFLOMZJKGT` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TGFIVIAQMYYH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DATHNOLBMKAS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UMJFXSSLQXOZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AUXNHIKWYWOM` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XVYPSSGWQEMK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/NXKULGHRFXPV`

CT.NEPTUNE.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NEPTUNE.PR.4	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Pdt 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 AU-6 (5) • NIST 800-53 Rev 5 AU-7 (1) • NIST 800-53 Rev 5 AU-9 (7) • NIST 800-53 Pdt 5 CA-7	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ONFZFWFIMSQN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JDYGXWIKJYDZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JSFACLSPAAKM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OBNEBUDNRRQH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-20 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-4 (5) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ICNUQORDNDTA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WNMAYPTTNDEJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZLNXPZLYQOKG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XWJIDBFMFSIU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		`ontroltower:eu-west-2::control/ROEMRZGOKQFG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CQKTUQPFGNZN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EKPWQJMYXYJC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GJEVNGPGKXIW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/TTUQITYQNLQX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KMOMZHHLSJWK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LAOWKRUXEWCI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZAHCCDVLHWGD` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/CVRZOMASWHHH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/IOWUKZDWGONS` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CETXVRVGQUKY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OLIYTOIMRZCM` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/QXMAAXPCKZFS` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/PGRATNEIHKBS` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ZHQJPXBOEXCR` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XKPKBPMMDZKQ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JOVZFQYFBTRR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/SQJJLQFWDYLT` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PHQRDGGBMYVR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EKFELZAAQZPG`

CT.NEPTUNE.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NEPTUNE.PR.5	• NIST 800-53 Rev 5 SI-12 • PCI DSS versi 3.2.1 3.1	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/NRKJRTZHJLPU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GGCHHGUQKXAE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IIJZNAMPKSOS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VRSCWUWXSKOO` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HNYWAXKKADCC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LFORACIZCHRB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HJZPJJVXQESR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DGTIMIBUIKZV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WXGMITOBWCMX` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/IBHWTDKBHOQR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VFHGVCTVPMQF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FZTDZJZCFWIV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ILVYLTZPOHWB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/QFWSBPVIHIIC • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/KAOCDXVZVGYR • AS Barat (California N.) arn:aws:controltower:us-west-1::control/IXTSKMKZWHMG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/VGEOCPJNBAUE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OTVNXEOUUPBR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/AFEXSGMDSATC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KAONKKJAVXIY` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/RBOCORVIYGTI` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/FHDEQVJNEKKO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/UEFOVDHBPYOP` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/NELJWTJJPTYO` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EIEQGAVIHYZT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GUZDYGGUCQEF` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/LVFHIRHHXDNP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/OURFPROLDKAV`

CT.NETWORK-FIREWALL.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NETWORK-FIREWALL.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 11.4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MOWFCDWVPVGY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/GGCHBPSTREXK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AHRCABRNZNQM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SIIOUKQWZSFK` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ITJWVPIYBVEB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VALVPGBFFRBG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JOWPYQPSKHFY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JCRWUNVVLOXY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ISNZYDYDKGKX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HUIWIDBGYYJB` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/SEWCMVQOWXZF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VTAPSFMTMEPO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/MKTMBJSACTFI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VOSZJFYQWKNN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XAHWAUUTZFGI • AS Barat (California N.) arn:aws:controltower:us-west-1::control/RSWJSOQSPLGG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/CEMWKHOGONEX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ETUWZLERTVQI • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KFPGHTQXQZEY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HOIEWDTLWCMZ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/IUMIPAUHWACS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RRRVPETQNOYN` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/UNRUVNFQMQTS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/FKDEUTBSPQQZ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ALCDFJHBSWUF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/UTNKNMWKYEBF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YMXZYJKHEXNW` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/OUYOBZFVVXCW`

CT.NETWORK-FIREWALL.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NETWORK-FIREWALL.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SXRZLKJBMDWS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IWTSVOSLDTBS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/DBQINFJQURTI • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/GTFHCKELKRXJ • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/JTCRHWTVYTMB • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/IZHFDRGPHJYF • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/GTUXAMBREPYK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HOVYKEEFTIGU` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KDGIPSOLEUPZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZLXEYHKEBBOW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZJXSBKPNKOSO` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/XXDJJPDXVVTT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SDCRNFKTGMMD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TMFXXPMEJCKA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ERXMHKYKAWSC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/NKALWPJQEMGP • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/IGGMCFBBHYCG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/MTPRETPWRQNM • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/VUNCRJLJDFIO • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/ERYDUHMYMURH • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/RSVJLVHYRQNL • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/FOETEMTZEZFR • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/TKQZNLWJYRZK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/ZLWUEANEGUKI

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/BUMCKVFUMSZX` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HYPTJDAYXNHH` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QQCXXWJNOWEB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IPVFMIRAPIGA`

CT.NETWORK-FIREWALL.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NETWORK-FIREWALL.PR.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PQSYWADLSXIQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QCOLRTHQOZKD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CBTUDPFAKVKC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YZYEDZMRQLKG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JFLLDLXJUPDD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TKVYXDHYRAET` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EUXJZRQMLYNG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WQSZOXOJGABB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RLWYKMFOMTHK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IXIEKMHOPXSA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VBXMAKCXQCPJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NPXRMXOWRHBB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XFESNQJWYRZV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LAGHSXBMEPCR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HGQPODHBJRUD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HWHGLJZTLCGZ` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/CWCHPODDCPBB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/ISPNAEMQQYUG` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VCMKHWLPDXBS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/XRAFMHDNTZXJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AUWSQHUOWBSO` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/NAVPEPWJBYWC` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/YGKFLCKHIGYS` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/MDVWFMYJKBVA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VETVANXGMHXZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/RFDNTHGJELTR` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/DJCDHEBKQHFM` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/PIPCLZWMAQUL`

CT.NETWORK-FIREWALL.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NETWORK-FIREWALL.PR.4	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`rol/OFYAEXYSCBOV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KMIMXOHJDVNW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VOEDRZGRSHEV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QBORBGFWFGIX` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BOZPZUYFXHUQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AFHBFGRQFBMV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TYHKWOJMOLGM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GPDNDENLPHWN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QCBVHDIASDKR` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/CSIFNPQGKXWV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VZAFYQVTASYJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NVRIPMNHUXMS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ETWPTTQYSUZG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/PSXIXHKFMZYD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TQEZIBLEAPLP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CWUANEFBSYHT` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/OXBWNYZSDNXJ` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PGEABSLQNWSZ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/TXSZCXGXZSSN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/VFJYJRIWCXTJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/QPYERNZEOVFW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/VAMNEBFICAGE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ITFUJRZDNXBC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/HYYFUKRTDISL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YTUWMVCGZMBR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KTZYTMWBDRHP` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/QEGKHNAVRPTN` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EAMNVEPGNHRA`

CT.NETWORK-FIREWALL.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.NETWORK-FIREWALL.PR.5	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YDTWTSMHHQET` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BYVZATKHREIJ • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/ZDGARGCZBRFO • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/JNLBIPKXYYSI • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/WBWNIXYIRGJG • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/JIUDDMVXUNTX

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PPRQOFYBMLWE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YJUCHDZFHZCE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KQASVJWTIWQW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MIVMBADGFITX` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/DOJBIXUZZFQD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LUKCMXOPMMCE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AYSFSPBIZDPJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YHGHTNJVIFPU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZIOGNBGBLKOT • AS Barat (California N.) arn:aws:controltower:us-west-1::control/RGETFSGBKEHF • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LQTKGHEVEHHB • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/PZZQCSEITCRL • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JVTNUXCWXDNN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AMRIRKFDCRQQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/YRIOWAKIKPBI` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/VVEZIUOYBNTX` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XWLUUAZOREAS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OOYQFEWCJLCI` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/XXAIDIGBWOYG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AOIKXRLDQGDB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ORXIGVIYIKIK` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/ECKHABEF0NXL`

CT.OPENSEARCH.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.1	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RIIBJUAGRIHM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZKJKSTRBBZVZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Pdt 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2)		`rol/LIWOVOJLBRAX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DYHUHTZMANYT` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZKCZQKAZSTAI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VIMTCPWLJSNN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KYNVRIQMLTBN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21)		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MUMEKFGKATWE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/RYGXUZLZWLSW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LFGRNFRJMKXE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZBDNHDIOZEMY` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-13 (5) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (6) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2		`er:ap-northeast-2::control/FGYTCVPCXEGE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XFOEOJKEETKE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QUXXZODONXRY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PHABICPTLMTC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		`rol/DZKPTXADQBLK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/TNDQHFJXDBPS` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/BZMOURJQBWKA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/TEXJPFYIYIRT` • Eropa (Milan) `arn:aws:controltower:eu-south-1::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.2.1		trol/BIKTRNYRJZOC • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/SQGKFIPVDSTL • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/HGHTOHZXLQHR • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/OSIPIFATXXHO • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/YKSFVHHVWRUZ

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/RQXYFZTDBGCS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/STQLABAVRXQO` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/TBXMTAFVCDWJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/QGIEHLWASGGX`

CT.OPENSEARCH.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.10	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AASJRFPGBVMO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QZXAALUVUXXP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SMJAAEIMFEDL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CUKNPGFNVIVZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JUUVIFSWJWIT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LLKOQRPPPWTV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CYKUSFNSTJZZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TJZKDXZQBHAF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VYKPKMDZGQIW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FOCMHCPHMGIA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VOXPJBUXXXSH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/XRNYJUFPDRET` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YTWEMPALPIMN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KGQIMWODUHUH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UCCGQWSINGEF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EKMQUDHBJGTX` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/BHBQIYXUEQMK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/WTKHFUNAHSRC` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/PGHNZNEDFFYC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OOWBBDUGZXPK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GAEROJSFBVFU` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/CDQCCVMOQIDD` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/QCKSAFPOOKQD` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VULXBGHMFRCG` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LSFHGNPMFOHV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/KJPZFVGAXUSQ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YFGVTIUSFTEA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/EVJTHCMSEQQX`

CT.OPENSEARCH.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.11	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 4.1		`rol/LSGSWJZPSQLN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XEOVAXSGANOW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PRTVHUYCEBIA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JJJBKFBKOIFL` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YBEBQCIZYYLW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NRCZHBGZPNFI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RYUKNMPZHEOE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DDNSAGXFVZYE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/RBAIGZPHECPA` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/AMIYCNJHXFZG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BPRGFRVWRLYQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SHXZHXDYIIEM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BBXSREYFFRMS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IYYIWMLMYEGN • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/CSBQQWECHTXL • AS Barat (California N.) arn:aws:controltower:us-west-1::control/ITXUJRWDZCIN • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/XIKCXGOTLKEJ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SVWDDTCGVTOR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VZMEQZKMKZTD` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KZQCIJBAVBFU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LEHJKCAWOHPJ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/YAZJCIWWHQLN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SKZXZATSLYXJ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/NZUIIJPXVQDJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/TZUJHBAATELA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/XOAOJPZFFESJ` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/NXTCIITQHWKW` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/LUZFSXFQSKRQ`

CT.OPENSEARCH.PR.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.12	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GDSONMYFZRLF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5		`rol/JXKVVKUICIVI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AOMKMLLKIJHL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GBORBUKXVXWV` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GIVZCHZYHVFF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ABSANFLGUHSE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BPDFIRXUUCOO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YHCHFBWNQKEM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ABQEJNCVZNTT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UIQWGZTLAHXU` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/AADYUONVCYLF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LXMWYMCWWQDQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/FLPLZPRKQSRW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HIGDEERKYHKS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/VCPRGZXWFHWH • AS Barat (California N.) arn:aws:controltower:us-west-1::control/TJDUFYTASRZU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/MTPHRGYMTXNZ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/GXDBIGPNJLKC • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PFESRXEPJLXF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/YZFSNBZYNGBN` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SNIFQJTWZTDE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/JEYPGHUYMGGL` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FEJRRCAXKHDZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QKHWLPCVKOEF` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ITLJTQKWUNYO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GAEKXUENNOTD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/DDLIELBIQHXT` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/EIGXMDVSHDTY`

CT.OPENSEARCH.PR.13

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.13	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SFXALXZDGECS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/USTIOXRNYFAV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3		`rol/XUNNABZCEQYZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MHOCPNBLGBET` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LIQKLRNJWVLN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MSQLWOZPLNJR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZSJSCMIFQYHQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZOCELNRKWSQC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/EGIAPDZCHMOG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SLMGZLLTGPDT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XRXYSFHHVRGW` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/BOWBHCDYIKIV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/IHQJBYGOYRNJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WWWKEBANHSYO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CTHVPVEZJBDJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/PMWAYPJMSHES • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DRJJPMHHMDLX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/CRYYGMVAJETX • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/OCIFQRYXYVRZ • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/SIJLMHUMIBEA • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/IIUIGPGDAKKS • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/ZABURMYUXTCP • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/AFCGOVQGNLBG • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/XMZAQADYESGL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EEOMDYLLXXFF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FNRIXBVIOTIF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XDVWRCLWBTPB` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/QAAEWIBSKHVB`

CT.OPENSEARCH.PR.14

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.14	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GXAUYPCLBCBS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JKMVKOYUMAPQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CFWVMYGFBCAX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BHKRHJKOIARA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HYENHQKNDJCT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XBNRHLHSYAQW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SBAGREZDUTQH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OMMRADBYMVNJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/LLSYOVEGXGCJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BAKGLCSOQAJV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/POFYFDIMHQKH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AVEPZTWUQOHV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OOELHVJWNSQU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GVQQKJDZIBUM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FCOHMGYYZGMQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ERMHCHCHXXQM` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/UBVVZQBVUCCN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/DSVSBRMWZIKQ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VXVTTKVHAVTX` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HZEGOTZOHZQB` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/COTPYWONNCWV` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/ZDYNQADBTKIZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/GPETDJRRCPRN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DFGBJORYMMNY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PWCYCKZXADUQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/ZRBRJYCVYSIG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/HFXEUEXQDHRR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/WAZDZCMZOCTV`

CT.OPENSEARCH.PR.15

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.15	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`rol/QFQQFHUFYOKF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DYLEDFCOIYCR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JIEHZXZFREPA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AXPLMDKRPSRX` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GTQNOHLWVMVH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ORFJWTUPGSZY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CYLADYNNHZZX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SXSLJJAOTGMY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/SRFWZJMTQRZZ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/XMRBSJAKYPQW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TJJENZZFEAXL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CSJDXWLKOSQP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NCZOCAQXAZCZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EFHXQGWQSZEK • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/CFZPGDJXQJGW • AS Barat (California N.) arn:aws:controltower:us-west-1::control/EBPSQUNFBDRL • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/OHTDBHWVHJKO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RUVAAYRTPBWD` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/VOMVAUOIUNDR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/USTZBJHMMNPB` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GRUCGLOHAAOD` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ESPWZZWLPWYN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PQKDYUOLRRFL` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/PDUHLZPPTVRK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/QHOQNFCCSYHJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PXJLLPJDADLP` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/HCBWBPCVNPPE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CNZPTJJRWSNX`

CT.OPENSEARCH.PR.16

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.16	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ULWLGPROCXUE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1		`rol/WICEUAFLUNHP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SAWLZWOPSRIB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BYMWNEKJVBPA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SUIONSKYSCOB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RZZWLHNJDKWW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RFZMHDDCATDV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VTQFJKCNUPTA` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QMPILNQUJKOC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YUIUSCIOMUDH` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/KZTACTIDLFAB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QUFLTZGKIHYN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UYTWQUJJSXPK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RHPSFIDONVGY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OHTIGEPUEYQN • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AKOKGMZDNDBH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/HQXCYQUHXDGA • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/BCISWMGTUIEK • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PKHUQJEJCLWS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JSJWBUBPJFBG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UYWBKVDKLLPS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/IWUPTYIRKSTI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/UFFPOLWQQNMA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WTOJCTPLOFOI` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JRBKUHRGFZJN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/CINYSCTVZMHX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XCNNRCPBPQXB` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/LAPLGFTJAXIB`

CT.OPENSEARCH.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VTLIUXDAVRDR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XEVFCYEQTVVZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`rol/IHEMPFCKBBEK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XMRAHLUXZRVT` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GYGEIIYYZNLM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NXUQGVFMOHAG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ACUNINHQNGLI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LPUSJOMLHGCV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WEYQXRFHOQCU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QLSJKVLPLMMO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TSAAUQSILYSH` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/UCLVYXAVOAHM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/TJJGFRBZRZSV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NEEJCATZEIMW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BGWSRBPMDSUR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IFNDKBNUSCKD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/BXKDBCNEKUKQ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/YCCNRZZHQRAU • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/CQLGRRFXIEID • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/NPLWOOSVWQNS • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/WVGIWATQSXNV • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/ODWPJGSCURQW • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/TSMMXHLKSOGU • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/OWMJYWQWWHVL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CERUJQSWOLEG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/VOYUOLERDHMA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OZVVNVIANAQY` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/NLYEGMAOFTAD`

CT.OPENSEARCH.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.3	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HLPMHXZUFAMP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UTXSXANDROVO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QSBSQHVLFWYO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QUIKFRDEFZBK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QQBYBBDRDPJS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RMNNULZXVFFO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NGSGMLMBVFOK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CAZKXJYXMWBL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HXLIHVMXMHFS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QRGSGEZFDHUI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OGZKUCPQNZAZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UGGNPNQICGZQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WZFMVXTTCMFR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MTARCONVTLOX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JFSVGFJCHFQZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PUPHHEVPARPK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/GZFIOCNJXQLT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/QLYZGPDANYDA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/RAGNOCSYSIJR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/HQFAQRQRCIYS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VHMQVLVZKWNO` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/PTVICLGFUIPU` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WBHFYKPZUPQU` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/HOWAJKATTUKZ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AFJCHTBCRUSW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/HFBWABBDQUGE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FPCUMXNOKTVA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/GRSDIFUYIMFN`

CT.OPENSEARCH.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.4	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2		`rol/JSTNMTMFRKGO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZJCUTJIJOESN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AKGAYTZTWFZI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DOPPXRIVAYVN` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UYAXZWGNSLOM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NOEXBYDHYFLN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QWERPPLZPCHT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VPWHXJISTFOH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YZZBKRFXBVMZ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/KLCYSVFSKGBO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EJLRJLUVBNHN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZYBIFAAQOQZB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NEMEBLSVQDQW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UHBZCFPBQDRL • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/AJUFPFJHAONT • AS Barat (California N.) arn:aws:controltower:us-west-1::control/EWSFLJITRUHU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DJVTCGPZYSLR • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/TOLOKFEEGTJH` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ZVKTNWLSWKUC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BQZZSSJVRNHD` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/JCZCTQBRLIFS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/WZCAZXFJWWFV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/GFKZAMSBYHGQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/LZHEPFFMOGFV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZKDDJNJNGEET` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/RHZECQRAAAZW` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/PGSJHVIOVEJV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IPQWJIRBIWGQ`

CT.OPENSEARCH.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.5	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KYAFRIXOLJCM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5		`rol/LVNKFQFKMTWR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CNSIZGNVLCLN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WZANTGTEGLMA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ORIKZBBNSZRB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SVOHVKTULZGK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TWQSZLVIYAVG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QEEZPBMZYQFN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YCOUGYAZOQNA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GLKQJFWSKVCH` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/FRHDOEXXBOWQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JCCUGYQNCITY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ZBUOYIWGUJZP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/USWETIYXXFTH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ZJMOCDQOAMSQ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/EIHWFSQEDMQS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DNGAAKXQFDQV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/PWUNDFXSUYAY • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VXAOMOWSCIBP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JVKVVHVYGEXB` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/IBPRSOCDFQRG` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/QAYJNRWJQYBO` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WZSBECYYSBSU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IFNTITBLCTPB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WLQZFLEVVVGW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/XJXEZTTHXKQF` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/TIUSBCXCBQNY` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/JYWSHGENXKTO`

CT.OPENSEARCH.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.6	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AIBFRQCHGJOO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LXDACFXTMIOS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ENATZEFXPYYM • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/ATEKPCKHHHYQ • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/UTDGLWWSQDEU • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/VJKQXGBOJPYX • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/EMJYVYYDOQRX

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QMIRWQGLWTKC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/EREYWUMMXCYD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WSBITCGHGEDK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HKMNHQCBPFBI` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/BQNHZOCGNLIA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ULUJPIODNXMQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HRQELGWRNOFE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LIRWXACRJOHY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/DNMZNOAPKWKO • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NHTZGOYISWAH • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/HIZSJVEOIWXP • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/WFTCZPQQJGQN • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/PYSBFVWYCMAU • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/ARTUADLEDUAQ • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/JVWSMFEROGHX • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/XKCISKPFWCSK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/VPIIPJOBXEET

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/FECUISCKYVVV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/OCLOCVAYTOOI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/GRIXGVMZZGTT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YPZCLPKBNGIA`

CT.OPENSEARCH.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.7	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YZEZWADHNHLT` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AIOOYWFODGTZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WKDTZIOQBFDF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MDJZFKJKKFMG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BEKZJRWESGED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YXTTBALIVPSX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/INNDAQGPPHVC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UHQGAJJBQDDJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CGYOVDBJAZLY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GFZRKVAQNTNM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SJEVTRVISWQO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LDJIZXCULADJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GKHBCXGNPZMK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/THXOAXRJOLPA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ITGIWIHHKFYG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CACOFIMRPBKI` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/OJFEGCMAQKJO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/BQWPTLYFLVJT` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BAKHBHLOYKAA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ASNSDRVZSYXT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WZHBBVAEUBFF` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/HILHCIVHZRUJ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HOJNWTFCAPQJ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BQNTMFNFOIRL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GUCQQGCDGDNS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/TTPHKLHOVRAJ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/SHJFWLCQMAPH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YCWSPDDLEEDG`

CT.OPENSEARCH.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.8	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1		`rol/OHXMUXUWTJTT` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WJYDNSSTJUZJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BAGLUYVGLRFN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PKOEOZEUJQMU` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RUFEVUMSOQXR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CLXJODNHERHU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZZTFUHNJWNBG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YYKVYXHEMUIB` • Eropa (London) `arn:aws:controltower:eu-west-2::control/NOACZITNOFIL` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/XUOYURYPSGTI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EJEEGAXFUIUQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ALICRWQMXIKK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/AJMLARVDOFYW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/RTMLTTPISDQU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SKGWRFAEEAUZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UMATVVTIVRDT` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/AJFWGMGACTIU` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WHKQJXKELYJR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/MDWFWNZOUXSM` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/NSOLJEXJZYNL` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VVGOWQKFJVYY` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/YVHFPLXVZJFJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XUZUWYWQFJFI` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/ZJNZNJLFXDSR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/GTNCYQERTNUR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/AVGVRWYMXRRX` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/EDRAKQMAORKE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CJKLXUEJMVCJ`

CT.OPENSEARCH.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.OPENSEARCH.PR.9	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1)	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KHZCMYXGFVCV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/CZMXNAENBDTR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZIBAOFHKZHQY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IXYPCNJPAVYP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GLPWOLQVEQJQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UCOLFZDGGJJQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MGUGUPHVHUUC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ICDKMTFLINVG` • Eropa (London) `arn:aws:controltower:eu-west-2::control/NUKBIYHBXOKQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GKDVQZTOHFQG` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/GWVTUMUOXNCX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LITFPWDCFWMO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/QXOGTDBDLUJI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CUUDCPZYQEDD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/DBOUBKGZADQE • AS Barat (California N.) arn:aws:controltower:us-west-1::control/PHDGPGPDNLRZ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/AASYBLNJTFYE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/LYXBCHEEZPVN • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZQAMBSNTXDIJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/VRDRYTJLTAWF` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/CQEEKOEIBBIV` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/SNXVGVARRXYR` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/MVYIGHIVSXCC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/EJVVGUIBRFZO` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NPIGGPFBLBTJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/TAOGFQGDMGOD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ENOKJPRMLWYP` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/ZFTZSJUIUYUR`

CT.RDS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.1	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CIPCPCUPIFSX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CPBJPVIEHMMU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Rev 5 CM-3 • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 CM-8 (1) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1)		`rol/BXNPKKZKAPUL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QFAFUIKDIHXA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XFYDDJQMPBSV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PBWERHRRPVKE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NGZCEDHORKNM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-13 (5) • NIST 800-53 Rev 5 SI-2 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20)		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ISZORRYWJRHN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DKTUUXJADDDB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DQYDQALNZIZZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HZBEHSXYTYJP` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (6) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6		`er:ap-northeast-2::control/IQZLHKCZPRDQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GYEHZOAWYUUR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RAGAKMUCIMRJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TNHSQNYQQZFT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 11.5 • PCI DSS versi 3.2.1 2.1 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 2.4 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/RAXPKGFBBHIP` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/PHKJMGXZWMWH` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/HUPJOPPYSUGA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ACFMYSTVSRBK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/GICLLRYRAVTC • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/YDIFCPCASQLB • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/UUBOTNXZHMLG • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/YLJBMFWYQGIP • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/ZRDOEHVIOCLY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UMPYPULZBKMV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JEHZOTCTRSDL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YGNVONVKFHAA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BPVKEWVTUWLR`

CT.RDS.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.10	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TDLAWEVSVJFW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MIIGPMTVJKED` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YISDVYQBVSTR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DVXCTDPQANLR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OVTFQMGWPNHM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QESQSXDHEYUX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ONNOHNALHBAH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LYZSDLIUYNXH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/EAHGNZJQRUJY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OLNLHXEKJZGE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/CGCCLNZVZFEY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SECLZXZVIEZO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LXVUL0YZQA0H` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IXRCLTJDINER` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NN0KBENVMLPI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NZKBJFTZDXTE` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/ZNKDV0VBDAVE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/UZRSPFWZQTYU` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/UXAVTPDBVFPF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/CKJESAIGJNTU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LBQMOFWQPXZS` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/QFKZNHJKTIYZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LXDGZHIMLLKF` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TVWGQAXDABKP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WKXDONNKFYZU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/XKOPEZHNRZWX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YCHMJPARDTMD` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ELLZCEANXPRO`

CT.RDS.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.11	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`rol/SBVAEBQZFXKJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QPGIONOVKEPL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SAVOXDMXWEWV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HTVHIQWPULEZ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OXXJQNOBPMSW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RLRMHNPBZWMZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QGPYEJMHJHPN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QLIQBXFPMWQG` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QPIWXZNGMGLE` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/EOHTLNPNLAHI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZZRRQNGFFMLK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IFJMWZQBHUIV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/BLRCFNBJELWJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OCJRITLFYKTI • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/FLMYCPVPBXRI • AS Barat (California N.) arn:aws:controltower:us-west-1::control/NAWSDEKFNZXA • Asia Pasifik (Hong Kong) arn:aws:controltower:ap-east-1::control/FXBSIFWKQXOD • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NHKXBYQLKDDS

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/HRHVBEGGVKUN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/NBWURONLVXRT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DIVKMUVKJCWC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/NWDRVUJIWSMZ` • Israel (Tel Aviv) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:il-central-1::control/KZYGQTBLAIMC` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XBPNREGMWEXZ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AHXQJSVNVUIS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JOXYQPQMCAXO` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontrol/JNEGMIOFANOA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ZFNHHDPYTJBL`

CT.RDS.PR.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.12	• NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UDBQCAZJXEAD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WGTGNSNVQASQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SHDPEBVLNYBQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RVAPYALZJHLY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VQTXJCSDCVNL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ILUJFEPHTBGC` • Eropa (Frankfurt am Main) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-central-1::control/ORSIZKYRNJQK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XSWQZJIDXEXX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WVSJOPRGOHET` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XLUMDEETUGPN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/SKNYYPGEGZZE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LXSLBPHQTPFE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/WIIXHZHCCJRQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BEHCRCBSQEYV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZHQOPQLAGHIW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XINXZMQZMGBS` • Asia Pasifik (Hong Kong) `arn:aws:controltower:ap-east-1::control/ECVBIUCVKDHD` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/GBNYUHASXVMY` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/FILLVTGDMVAK` • Eropa (Milan) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-south-1::control/GVLKLASFFMRA` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NMXEXSCYFMNR` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CNDUIYYWVZYV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/UECQPAZMNEAM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontrol/SIIEASJGDLTH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SSMTAROOYQXY` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/SKKORLKAZAOP` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/GYCLJLXZUCKP` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SZBDICZIVCPS`

CT.RDS.PR.13

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.13	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Rev 5 CM-3 • NIST 800-53 Rev 5 SC-5 (2) • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YPJCCMKZJPTP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LMAWCCZTMZMW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MZGZCGGQSWRE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WAJLGTNLDLJS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CWTDAVDXUYNS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZQVRGYMNSXHA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XVPZAGNVDDKT` • Eropa (Irlandia) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-1::control/ZTKNQGKSPGTR` • Eropa (London) `arn:aws:controltower:eu-west-2::control/VSSGLBOZRHRD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IIMGJHZTBAFN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PKVINHPDQTMI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BFSGZKNINMRH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ANNPBISWZVNU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UFCJQENIQMLM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XVXISEOGBUFM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DOGCTOSZOKKF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Hong Kong) `arn:aws:controltower:ap-east-1::control/OPTPMAIZQHQV` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/TCPYXNOZETYP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CEVYQIDVTPJR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/UPMYISEYCNAV` • Afrika (Cape Town) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:af-south-1::control/WQOZJPDGWHXW` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RWYLYEFWQHCJ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WWCJGJPMADDZ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OXHETOCAIGYR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::con`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/PXZORCGCQERT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/BIZBTULXELSX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ZHHLWPFNMOOS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JLSRQQSUNNSY`

CT.RDS.PR.14

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.14	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 CA-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WHWIIFCOKJQR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LMBFAGECJTQZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FGOSLUOXFYBB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AUSMNRMJJUFG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HSIZECNPMUMR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DLUNYVZCXARR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FWIYAMLIPWZL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UHEVILPYODIR` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6		`ontroltower:eu-west-2::control/DMXHIYJDVVWS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RMQBHTEVKHEX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NVAQMMWPIIPQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/XEFJXADORGJR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BMFDQZNVAVYO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ADDPNHNPIOYV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RBLXDVVKFFTW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PIPVMVSYYOSQ` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/SAQBRAUEMBWQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/IGMNPKJRFZMT` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/DHBPZUFKFKMP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KCPAXGBPPFCI` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GHXHZGKQCISF` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/CJFLOCVDNWPP` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ZQZLAOUGWCLA` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XSUJHOIXWMWV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/MLNEONXEGJIQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/QEDAEPENJIPG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/SMTJTNSFDIOV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/KHJNQZHZNMBY`

CT.RDS.PR.15

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.15	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CM-8 (1)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.1 • PCI DSS versi 3.2.1 2.2		`rol/BIMBKOKMEZXP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BRRGKLOMCWFQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NUDJWWFBHWYF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KYNERGDEMOGQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RZHJAVYJQGUI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IYNQLANVHZKU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NNIILIDPTJRP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HJRGQTAYQARY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/OCSRNEWRPYWN` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/OZJOBRGREXZT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KTCRRGSRUWGR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QJOODGPKZYCB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/YLCLBFJJGFDZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/NJJLPGDHHZWO • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BZCJRGOKMRDB • AS Barat (California N.) arn:aws:controltower:us-west-1::control/MOKLHGMPEKSI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ZATLSZLRTTSE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DAKSTNVIEZPX` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/YZEEBZWVNKYW` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EXOHLMGVBSIW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/TCJCRQSDCNJK` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BJSYMTKHMSPE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/MSITXUPZCMQA` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/DUOALUMXEYPE` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/IZYWOFWEAIVN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FCTFOQPGTEYV` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/QGBYVDCJSOMV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CRDTQDJYSRKA`

CT.RDS.PR.16

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.16	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FYVNKTVAUTPK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/DBQOQVLCRDJL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XRFPHUIOBFJD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ANFLBGZRYMCQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JCCMUPZAXMMW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CFYQQQEJAFFV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NEUJCNUIDIOU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WLPOBBCCAWEG` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WUYFXYDNPAJI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MALKWFCLFDSJ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/FWAZWNKRMETW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JPOWMFDTTQPT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ZNEMLOPSODLT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ODZOBMQWAVBS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/TADJJIKRHQAR • AS Barat (California N.) arn:aws:controltower:us-west-1::control/MZZNTZGDUSZJ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NPBHBWQUQZGY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/VKMGPRNMLCBY • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OVSTMOQMNPMI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JCRHCVJEBEBF` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ZDPIPPFFBMJA` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DWHYDBFVSUUJ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HJKGUNVPDRFG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IUFBLXGRTWQL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YLBWSAETGREA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DITSZVHZLYOM` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/TDMDJTUKFLVN` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/QYJMTCCOYDNG`

CT.RDS.PR.17

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.17	• NIST 800-53 Rev 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SHNJOPQEZHOH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XKWPQGYZXAMK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YHBMVYOGUEDD • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/CBUKUNUOEILM • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/TKAIVNUOZEOP • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/ODRTWYAHZKPB • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/ASUNKGVVFPXY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IRQZDEJQMXLG` • Eropa (London) `arn:aws:controltower:eu-west-2::control/QAJWDRVODFWX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PBDUVVQCOKDV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UBRPEHEOKHPO` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/OUWNJTTOMXIL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/QOUOAILPPGLH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WECTXDDEGGMV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VIYXJSVPVORD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/IZDMIZEKSPDS • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/EQZLUZVLFBMG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/WUFEZOIZMXBA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/MPZBVXOJLRKF • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`trol/EQURNFTUNIJC` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/GZZZWRTEHCNU` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/BUPIBJRNVOLH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WFCMRGLIGBCW` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BEOEOCVQSEYO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UKQUAWKOJNPA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/USENKGRNCKYN` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JZYIMKHAWARU` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BGJEHLNQLZEX`

CT.RDS.PR.18

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.18	• NIST 800-53 Rev 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HMGIGLGDRMZO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KRKPUXQSNVYD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GGCJMMPCKNQG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MKVLLPSIEPIO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TXDOPOOEFOGJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KOPCQNKSYEUZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HTOVAPFGMPCJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RQCDURNMVVTS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KMKTHWDXNXIM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QZFGDRVZILTN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YKUELCLADAOM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YHSXDDXXWITQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PFPVEOVUMUUT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GFMLOENIRNTC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GLYKLGYIXELE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SAJRANHECEJB` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/THYPQJUMLHKT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/QNTSSYLVYSBR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GXNWDDJVUIVA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DKDJTNLQAPPR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/CWZDRBGTMCFC` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/DUKUHXPYNTTR` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/YEZGGAFXIYJM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SQATJDIQJNBP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EAEIEZEIHAFS` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/BAFZPQAZNEZZ` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/CBBGRMVCOBGK` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AMLFAOVWRYRF`

CT.RDS.PR.19

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.19	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/OURUAERHLOFJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QWXNKLRWSHXQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XUPYDDLWHDCG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PJXOOIPSMNDA` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AKURSKMXIRNZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LYWQAOJFKFQC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XZSPKESDKKWI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZSLSJYMDJBAL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/OYIGFYNODQCL` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/YBVHYRANLTFI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TQMKLIDIAQMF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZPVWJRXNPQEV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KZPGJXHLYHQI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YXSNOECRRPCO • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/SCWLPXFLQOLI • AS Barat (California N.) arn:aws:controltower:us-west-1::control/TGIEXSEQNZVU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LNRLBVGINMLU • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BXCUKDZSYLOG` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/KZEWMMUENGWQ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/VJKMQYKKNXFJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WKBAYNVADIUJ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ZMSKYBINPWUQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/NLBLQIJTVACH` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IJRUYUBPGLLE` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YFBPWSKFZXSI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ERNAIMFFVIWZ` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/IVRSSKGVLLGF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BRIRJRUIOZMF`

CT.RDS.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.2	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MQISZILRTSFB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2		`rol/UPOYGSXRLXUQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SWFLJNEBRLPT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OHBBTGZTMHOB` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LNDHGBLTEXAL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KOSPQCBQOVFN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3)		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PRGUXERBXDAQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YVRQVGLIXYVC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/VVIDHBCRCKCU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TKPUTYVVQYZJ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (6) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2		`er:ap-south-1::control/YEQRARYEJPWA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TCGIZHXWOEHQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GHYSHEHSCDNB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HRRACFGWIYQK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		`rol/TRBXUMZVTQAJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ELDGFUEABECL` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/EENMWZAMRYDX` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/SPKTRDUPPMSL` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 2.1 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`:control/ZNQTIVZBEPPV` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/DJNVNBXZYBEQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/SIATJXQTJBLB` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/PKEZXVUBPQNX` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/JWACQDFHVGTZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/KIUDKGOCBCKH` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JFVJGUVNPUJF` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/XROOMLOUYAFE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/UTWCWVNIJWHV` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/BKSOTGWHUEPF`

CT.RDS.PR.20

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.20	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MDWFCNUYEZKH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HRHVMSEIAPUA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2		`rol/DCGLYOBFHDPL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RZBFFTPJOGCG` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RKTXRGUXFWXY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QKDQFKMGVHSO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NLIBRFKTPNGZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SMMMDVYGDPEN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/JCFELHAYCQWT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FGJJSXEZBZCC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PJNMBTVRXJJA` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:ap-northeast-2::control/JLKKRIKEPPCY • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/UFTOXCOOXJTV • Eropa (Paris) arn:aws:controltower:eu-west-3::control/QOQDDPHNUIBX • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/PYAFZHZVXJDW • AS Barat (California N.) arn:aws:controltower:us-west-1::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/JPCMKZJLBQDX • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KTYTTDOYXIMZ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/AZTJJPGJOFEO • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/CBIDNXQGCCKR • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/XISVVPFGPUOP • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/ZNDMTUXUOQZX • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/CSVHKEOUFHDG • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/UWGFBJXQKIZI • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/PIDUQUOPTVRY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/IOPGZLIWNWGE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/QRJPDJCXMZTC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/UJIXWOPDCJHE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BHRDIKZLQNSU`

CT.RDS.PR.21

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.21	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EITXJLKFTQDP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IPSTNJIEWMCJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VPLSUHTSSKVN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EHEHUGUMGNMM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GOGYCLISXJIE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EIXIRAFPVPAO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AMPSQVWJUTPB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RORRJYOCKMFU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/UUOVCRJHMURS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EMHUDINOARAM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AONMPRGSRMUB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TJWPIOJAICUN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XJJPKIGGEEXG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RUOZMJSADVLM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ANABXNFAQOIG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KVUPQJROGLHO` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/DHSGTIVFXFLI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/CFRTFTJOZPRW` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/HFOWJUBMOZXB` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JWDRULGYQLUL` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PLHGNFBDWEBP` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/RGFWRMBSGIJA` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KALBIBZRIQMT` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/GFJCUGIOTNUX` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CSKCEKSCEMJZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/HPXNNRRQXNXI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/TRHZBDVQRBFC` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/GABVUUUQLSDB`

CT.RDS.PR.22

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.22	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/RPMTGTPXFHVA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SUICXVEFWGTF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IGEKWWYBNQPL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NIABCZCSXRUW` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SIJETKICNYSA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QQNXZYQVNBCA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EEZWQXHRKSYG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VCVBYURVMJWL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LUZHXFABWGPZ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/WCAPGBYZBASC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HYNXJZMOFCXV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BEJUKSCJOYQQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/OPPFSUXBZGNN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UNHYCCAWPERQ • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BOBJFVMQPNFA • AS Barat (California N.) arn:aws:controltower:us-west-1::control/ZGRERLGFHIXR • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/PNYCUZBPTAYS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YZCWKMNAUEXZ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/SWNLNNMLXINQ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/UGDMTHYBNQGN` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MZRAJDTDFGWC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/OWPJIIXMSYXL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PFAKFIEKPAUL` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QORNHGGYQQUS` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/LWXPNTJGDTSG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KAYUBUDGENWW` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/XMFPDXVIZDTX` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/AKPEAYGURAXN`

CT.RDS.PR.23

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.23	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PWBOAFLALALP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`rol/OULNFNUJHYOY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BSINZXEGCDDE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SMCLOXFTGGJR` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ODZTKLOPEVYA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VDMHBDVTTKRC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DVYHJPOGZNBF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TRIXKGVKMLDO` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YVLLDDQUZNZT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AROTJYKQNBWL` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/BCJOWGCTPYMI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NNNWMZYHHRLE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/FTLPOWEBBBYY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AQYGAZWHDBUS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/VADBVPKHYESM • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AMIKEWYRCSQD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/WHLMOZJDXYGQ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OXCYOZPUWJYP • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AVEIAINBMSJA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GGFMCMFBGGYK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OJJPXBDLLIVT` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/NGMGOKDLFZIX` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FFIYPSNWVNNZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/FRXXRRKGQQKV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NDCXNZRTTIHH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/YAQQWPIJLYKN` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/WQOLEVYCLUFN` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/COUBETKLZEDR`

CT.RDS.PR.24

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.24	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GFMSMJAELTVU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TENQAWFTXMFK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		`rol/GWMSFQBJQUIL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VIDEBVCBMMHE` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UGDACEBUCTME` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SUXNKMQDMQML` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ULFMTWYBJBHT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KCHAUDQMSCNA` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DELGUCWUVHUC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JZPWXKOZQLJD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VXFCDUYXIIEX` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/SBVCZOZVTNSM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HNUUDLAMFESZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZIGYAICEYDYE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MZOWKNBAGWMM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/OZIQMHPFNUDD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NDNGNJIYVJRO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OTPOYEIELITW • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/GCOSKKLRMNIA • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/OKHIGZARDBVN • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/PINCLJDJZDRE • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/OAEXNGTGWQQZ • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/MWZFGWBFEMJH • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/OXPVBOGEOCBY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/TKHIAGEFUESQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/IYWXHEMRRBHL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YPTCDXVCWKKT` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/YRBXFHAZOBDB`

CT.RDS.PR.25

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.25	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JURZAEDZNDKU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MAIRETSDAVZB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MMEIVHRLITAO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LOBRESBCCMGM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BLFCABKJKCSA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YZYQYLIOHQYM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LBAOBDKAGHAF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JGEKIJTIJOSK` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6		`controltower:eu-west-2::control/ZWYUQWFMKUZL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GOGLMDRACQCK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IZGPUABATWSO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JBPGIHOLPQAK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RTJTUOJNOFCR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YRAESYFGCCEX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AQDTQRHKAVWU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OYUJHWHZRFAZ` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/GAGQXONTSUSO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/RJUTOOZNCKEA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/PUEKRODEBBUP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/UWTYXFPZQYBR` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/JMCDFXUFTOUV` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/CVFIBPQFEOQP` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/GJBEJJCSWGUS` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/VUIXASYJJRGW` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NOYMFJNNHNHI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/SLXKVCLUFUOS` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/VEFXXOGWBCVW` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/NLPDDLRTCAKP`

CT.RDS.PR.26

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.26	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		`rol/EKWKLGPDQJLB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UOTNWAOXMKFV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LJHTUFUWMNSD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TRIRJEYQDGYM` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BVKOXCFDOIKD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OJDUBGHKGQQB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CXDSOVCFVFYX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LBDIIENDYYKE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/JWQUNIZDMKFN` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/EFVUBBUPADGH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ORBPVZYSXABE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BZFWVEHFCCFU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/FKSFASOSTXNY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/KBIHFZMXXLDB • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/NVXFZNYAZAUC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/LHYRJFVNLWQQ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KVYNPGJBLXLU • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MJPFJBRIDKHB` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/UQKHNVHGPOWR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AKZHYZVLMTUU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VWVTYKUVAGHJ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CKZDUOFIWTSH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WKKZTYFCSHZQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JLVSIDEJQRID` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VLQTLOMEXGXO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/MITOITKKODEW` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/SKZUDJFZFFJH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/RBQVQFLWMKBY`

CT.RDS.PR.27

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.27	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OJOUVLIKPVKB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4		`rol/DFWHSEDVILEK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MRKXJWFJJRQL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IJDHMCUQRDCK` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MXUIEHDNELEL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PUUJCQPUHPFB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GLCRCNWFYCTG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LINDXCLKUMKB` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MNVMJRNLXCYQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BRBGLNWYTWVK` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/GOZZPVLEFGZW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DLNNZRJFAVUQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/MWMICZOCTCUU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NRCURWPDRVCJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BYDWLWNZTZXK • AS Barat (California N.) arn:aws:controltower:us-west-1::control/SLQVRYTYXRQB • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/BEGEWHWLTLQX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OFCALLEOFMGC • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XVQBQYGEVFTF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ZTUGXIGBTLID` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/HUBALWDIIVQS` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/GMRDOFQMQSNF` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DYMVWNFMADTP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TKODCROLVQJJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WZXNLDNKNLVX` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DYGITQIOGDAU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OFJTXHNEACQL` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/BZJJFMUTKLAJ`

CT.RDS.PR.28

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.28	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CLDYWYXSBRPJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DWDVZTVDTCHU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1		`rol/SRHWCAMZVXEP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MCAZDRFZDIGR` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YWVWIGXDKBQC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HXFCVUHPMAEZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FDPOTDSWRYOB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KUPNXNDKDFSW` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BGUABLZKUWCW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KSZOILIVLSSP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UZSJIYMNZODO` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/YBAVATEFAYXD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NSXQRRSJUTDV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JPHFKUYPIXOQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LOYWKHZHISMP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BCSWJPXDTOAY • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/GJSTALHQPHWY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/IDDASOINPLGV • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/SFUVHQQVEFDL • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/OWTKAQNKCQAC • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/FBUWPGBDNDMW • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/PFKXLVTVJXHF • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/HOCGBEZAWUUG • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/DTZFNFQEZOHT

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZNYYUQNRWHZU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FEZBSKMFNMGO` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MNPNMYCBTFHJ` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XQNYXEKDZIGQ`

CT.RDS.PR.29

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.29	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TPFQEAXLBPUP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HPWWSBOVPXCJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EJOWBXOSYQBZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VNOLGBJQURAH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YXBEPOZGPCVV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CYHFJUMZYCFE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ILPIBPLOXEMP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EJFHDHQIXJPH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CTJWZOHSYKQF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WNQWKSITAWHV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EZDGZGLBTFVT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ONGMKQSWCAUO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KXQTVNUROGBG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LYJNHZCJMWWU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FLUUFKKXRUXQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HDFIQVVMWIKD` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/IUQCAALGVVOT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/MBCMHNLEZLER` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/KCZWZONUSFOV` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/FWTKLSNLBFIW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VQDVPQMKBQQG` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/QLEEMHZERMPN` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/RSDNCWHZUOJM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/QSHFIWJPAOIR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NVHELPSPKUIW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/NTTOSKRXZHSW` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/LCBKQQDNBZRN` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/PPQBRTYVMGRF`

CT.RDS.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.3	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/BOMCHCSYCWLF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AHXQWQFGSIMC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FUPEXQIQKQBN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CKRDGQKNEBYT` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KGVGCJNUMNIY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BLXJDLBAERSW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GFFRRVSFMQUD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NOCXMVOIKGCV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/IHCWENDKGMLN` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/XBFXYKVROTZV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VFYDRPBPNNBT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WECZXRHVKCNL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ZTRXNVYWDDKT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/XDFKDLURAACK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OFANCHVHOJOV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HBIGKZQQALFO` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/MPNWLSENZAYK` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DHDWZPYMBDIM` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/EDXDFSJCWFCR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EYGXDYJGBYNQ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/TGAKQPBVZILV` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/WJHSOFNUAKYU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/CUMZYTYFVSMQ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YDKULBFMYXBM` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AOUESOKIFERI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/BKRLOXVTVPME` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/CMCSHPTESJDL` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ZUSHTBGQWBDP`

CT.RDS.PR.30

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.30	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HTFNRVTOKZFX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`rol/LYXIMVCMGVYH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LBWJETISFWXS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SBRVREBPUTAB` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NQDURRVJLGNP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RQLVEWDZZPYI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OPDYHNDKSQWG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TFADKFDLROQJ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KTIRNVTYTTDV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LNYHPQCLRBMX` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/SAPCIDKSBCGK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KXUYYQUYMDED` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/PXFZMHXIYFXO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HVEMRBONMUAE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/LSPMJUWETEWN • AS Barat (California N.) arn:aws:controltower:us-west-1::control/UKCFVLHLBNOD • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LFXMNOXDXAIJ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ZERCEPRQWWGJ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MSKZVZDUYTGJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/YEHOOVMSRITJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ZAIUJQNIGHIX` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ADPDNJOLNHMG` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WVVDSQJZQIHS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/YAECKWZFOOZJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/TEINIMWOQEPH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/QTULDYFDWYKD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JFWYTTFPFPHH` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/OIFDZPETJXOW`

CT.RDS.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.4	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.7	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QWKDSRVLGQJM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ERWYFDVEMQSK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/LNVGZGRHGCBU • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/OMCIGOBMPXNW • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/VGJJUWDNFDIK • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/NYTWXXKQNPYV • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/SJFWAJASSZNA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UGLMTCZXLMRP` • Eropa (London) `arn:aws:controltower:eu-west-2::control/TBMMMCCSZFKR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HIBKFWHCHZZB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MZCFSYUEMWCM` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/MCPSKMJZQIMN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KNMITJGFKRMB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NVTALRUXITEZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BXTYCUJTDLQW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/HTMSOGEZDTJN • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QNCIRBGCPRTM • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/PDCYLHOTAIMM • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/TQTYWXQTGLKU • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/QRLJHHAXNPNO • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/FUZQRLUKMSLX • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/FUOEEGGFJKSE • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/TWMLGZJPMUQV • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/VFCIZSFITDKR

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/OGXVZKVWCSZQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/KROECLWFGBSA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/BIZEYWPAADCF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/PDNOCLDCOFWK`

CT.RDS.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.5	• NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UNSIZPXYZKNF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IPSVYZXQYJLE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ADSPCSQCOOJB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AORICFZECLOS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VTWUXLYFANSP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VDGRXWMZIRCD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BPSCCXVAHRQW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JPXAHNOKHUZP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DOWVUJVPLQQT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TBCPKYPZUHEB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NJPGNYPGHMDZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JEXJDXDQQRFV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/NXKKTRZGYRZU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IUDQBUPOZZDC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UJWRDMFPBFQR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WRUFJIMHOAGF` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/XSRLBIOJYKOP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/MREYKJJSEDQR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/BEBKSCLLCLJN` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TTGUYMVAMNNN` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/WHRJIORZFXIL` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/ODOFJMTXGTYJ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XQNBEQGNVQWD` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/FEDUDFHBPLRA` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CBPIFXGZJJNU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/RMEBOYADJYHO` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/BHBFDGUIOXCD` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UAZNUSWPRZEL`

CT.RDS.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.6	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1)	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 3.1		`rol/HQQCINNCIEGJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WKLWHFDYGDIM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JPFWRQLJMFBF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BPTUKBOEYVEC` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MKNYWNVXKUKG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BKETESOGWHJT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YUYGWYRMEUFS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LZHVTNVJQMRF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/IWNFMALKADEV` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/PQYEUKWXZFFK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GFPESZSMOHKB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AUDENQFLMRAQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SAJABIITSFKW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/MLKHAVAVKXZM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SKHLGRRUWSCQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SWMFSRJRGPJD` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/UUNYJSTQKTKJ` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AWIDKJQLXFPB` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/THYQNOGWGHDY` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/EUQFJEGDJXIV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/EHAIRIIGWOHC` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/ZIERFRYDTVUX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/FZYLTFYIKQMW` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/ZTPWDSBGJDAX` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YRALCCMNWDHT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NIOPCRPPKCLH` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/ORKATQKFXFVA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/NCROQKSZJXGB`

CT.RDS.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.7	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EFJRJBUAWLRY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.7		`rol/GPJEVOVWCHSF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JVVEOIUQBJOL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OPZBMSCIYMQF` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BVMANNHHVIJJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GUBOIKVNFYHI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RVULDNZJGTET` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LHNLJBQEXQKS` • Eropa (London) `arn:aws:controltower:eu-west-2::control/RNNKLRXFOADP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BUGVOINBXVCD` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/BFMJVHXZBFLS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZEUMSSLIZDTU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/EGQHMBKZVKBO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UNIXACIXZYGS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YPOIUGJSDKUC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/PHVHLAPJJQGY • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/DQCWDYIPYKCU • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/VBTYNZMZDTYX • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RXRBKIOMOQMD` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/YVBIFQKSPPZS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PZZASLHINUOG` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/JOFZXRMJAVNR` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/RPAEKITMRPNP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/KCOHVMJASNKK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CXYFUXAJHPQB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/MXFSCTLATSLV` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XXPPJUVQZLJF` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/LFKKWGDLREGN`

CT.RDS.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.8	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.7	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QETN00VEK0PL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZFQDCNLBJ0YT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 3.1		rol/DJXFRUONYPSS • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/LOKAOGKSIRIC • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/GJKUHDAQKCNH • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/COJXSEKFZEKX • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/XJUSTKGWBGZE

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RKNKNLPLALQZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/XXUEQVOEMTBR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DTQGIURTBPQD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UZSCDCCOFFDX` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/HODAQWGBTRMP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/DOHISTPWUUOA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CUKMUVUZEYMY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GMWCTVXRUZFJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/DHYENBVXUTBF • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/IMAZHUOGWZDJ • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/UKEUAXDWKKOV • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/AZHRBFNVKFNO • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/YBNFFKWIEBFT • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/HBYTLQZEWBJU • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/CQKACFXDBNPO • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/RKBUVYZJMOTF • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/EVZULDEEAKNA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NDEWGWUPTERC` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/QPZXSLCTJRTB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JAHDSPUAMNCH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ISLVBOAJZVEO`

CT.RDS.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.RDS.PR.9	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RDSPGIJXTCPR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LUAEZZMOLTOL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QQXOAGHMUVGH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RGEVPCAEAOUT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TBPEWWYHECGP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YKDWRIDUGSBS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NCDQFSWPREWO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MHMKSJQAYVLS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JQYWTSKVECRE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UVODEWUUJGCL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LWNVYRAQEITA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PPBGZVGLKLZM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DUHRNEVTDQKM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RWJVBPHGKPEJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UPFHHERCEHQP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DUDBSXSHNGZK` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/XOJJRCDGSROH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/WZXMVXZMJQSE` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/NHSQTNZHEZZM` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BDWHSYNRGSRD` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/XNLOIHBXMWEG` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/KXFJPHMTSFCI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ULJWZCETBUSG` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RPARTQJEXFFY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UNAQZKVPTXJA` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/CBIQOKTFVUYG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/UUCKIWMNBHJH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/XXMTCRFOUHKV`

CT.REDSHIFT.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		`rol/YKEAYOGIETJW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RRSNGKZVNEYF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UJZASVUBHZTV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YTYJJRRXOEZW` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QUVPAAZPCFDZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GFDVQJMASRCB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YGJYWZCMOADX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EIYJRPVVJYQZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/GYTCMRRVKDHE` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/HOLURSRFKYOJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GAHFLNXXDQAI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/XOLIHOFJYQAC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XWIEKIDJYHHM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YSTTBPHVAIZB • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/TPIGKZDHGROC • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VLKCIDKWSEGH • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KTGZUACWNWFG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CXPPSTSYRQSR` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/NYNGHXGLPTOR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/OPDYRIMRTAUP` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/UMIHKTZTAPAV` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DIMRCSYAFFJX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/LNLXEWTLDPFS` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BDLGAVEPWIGV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/YDWWSCRJBNCT` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZNGCFWPHZZZI` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/THILQHSAMURX` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/WXBAEMGBNRWL`

CT.REDSHIFT.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.2	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VVOXNJWWCUTZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 3.1		`rol/LGKVXBCGWVHZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JWHYTRNOCADA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CXVHRDCRTVRV` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CMTVPJTIHQTJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KGGVMOPMMNLR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CDAXWWXQMPDQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XYBNZEOWJKVT` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YYWXMDUAJRMJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WLAMYNHXYYHV` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/CUMXJYSQUGQJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZQKOUCATIZVK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/VJQIDPSRYYRH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BMHVJQCPZYCS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/TABJCEBJRTAX • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AADIBNWLNLVR • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QZYFQVJMMFFG • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/IVYOUWQFCUYQ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AWOJXMBCSBDF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ESNVKLAVFXDT` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AIZBOYVPCGKE` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/IBCJZFVMRGAI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PWAHNLTYVHXO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UKMXNAGLWZPR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/JREFGBNJXLVP` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NQJJKYHZHLFG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NWNIKXIDOVHQ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/MZVFTANPECPP`

CT.REDSHIFT.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.3	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TIGRGIIZLNWY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BUXRPTPENLDJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4		`rol/MPMZYZBUMBNY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XBMWWNUQRGVG` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TZMQFTLFIYII` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NHBUDLMZCDGY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DZIEVGGPLAKY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YTMBWVLJKBOM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BYITFEKIBLPM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LLXYEQNHCCLQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UJYYBSZJHUBP` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/OCMBDMYSNHXV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/JTZSPKUCZEQP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OFQPEFLHYEMQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AVOAYSYOEDSH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FCEWLKLDUMMV • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/LTBATEGEWNMS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/XNBKEABVQQNA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/SXXALIODJECC • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/SYWHYDTEGYGB • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/UCTWBOSNRLBI • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/QUMOAIIVCBRD • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/PRSABXVVQPVT • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/ZLLOCCPTQIAA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SEJVFMINHDOC` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GNWMBRYBYGUG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YYYLKDSNYUDI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ZXYQNPTGYKQK`

CT.REDSHIFT.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RSYQCHSJXMVQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XXNRIFUPYIEH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TIIOZLVHWXUZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NHAZVUYWKCGM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DJJVYZTHHNQU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CVUXESSIFPVI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZZCSSWYJZRNT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DZFJXHWGWBCZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KZSEIOFDFFYQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NHBHTNDISQFC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JJYKTICMBNII` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PLWSDPNGNCXK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SHAQANKLSRUD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EAQFEOAZNUWH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RYCBSKQCSOSH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FLUEZVKKTETL` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/MKNPMKKEUYRW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/OCSPCZDHKDRV` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/DDJAPOKCNVKJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/QZFMVCTTFKUN` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/VIBECVZYWWSO` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/SQIZKBESVMUI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/SKQGXVYSUDGZ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/IGBVEZKDDPSK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UJAYQIWWPSSB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/GOOMDZFIUXFU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MTESQPEDNIXA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IKCXEHXYJRVE`

CT.REDSHIFT.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.5	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		rol/MVWDSPIZQQOJ • AS Timur (Ohio) arn:aws:controltower:us-east-2::control/GNIRCUDXTGIB • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/KXJMDJMVXXWA • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/JNUTHIPQTKAP • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/ICXWYEEBLZWH

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VEVOVFZBXPGU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XZUANQNWMUNB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BVBKQCZDVESL` • Eropa (London) `arn:aws:controltower:eu-west-2::control/JDKXPTYUTQNJ` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:eu-north-1::control/TZHUCKEGTHPU • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/JVRPBPFUFXUO • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/DMBWTCJTWZZK • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/DWDPLRTCTQRK • Eropa (Paris) arn:aws:controltower:eu-west-3::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/OKSRLWUXPPFR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RSKDADCBGTGR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OUGVPYTMYFZA` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/MRBTRPXKSMJJ` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/TAQKKKFUBKOK` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/XGNNEXTHJQXK` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/FWZBXDSFUZQJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/YHKYPMKIWUZD` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/LXLIAICWIGFD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/EULMTTKSTDRK` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KRAGXMCVHQPN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/WBHCBQEKKHKE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/MLKXPOPMOFWL` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/ZPHIEJALWKIB`

CT.REDSHIFT.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.6	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XSJEOQVHQNRS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QLHEQGBWIYUX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ESTXKKJJOWTE • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/LXRTGBKAVZRM • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/KCSAGKLDYNMB • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/OWUUGCUQFZTV • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/IZQOHUIEKSPL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RQFUXCXKBWOY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/REMWHXAQOGLG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GGTQQVUSXOOX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IQZBJZUENUEF` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/CYDYXNVPIZPG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KWCQMVWGTOPI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YGXMJYPAWNUP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BBVVBFHIHERG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/GUDFCNXFHQRC • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/EPJUXEYJYXRT • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/DUBPDVDVASSS • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/XKEHDXOAJSOF • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/IOUDDDYHBUYE • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/KSKJRCBRSNUY • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/ITWHNJQRRKHM • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/NFCFLXUIDXUY • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/UDPJFGOSUOGB

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/VKKSWSROCOHY` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/PQYAZYVNBWKB` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/TKWVUVUVFRVV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/BGMYCCKJSXSJ`

CT.REDSHIFT.PR.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.7	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XTYTGDHUVKCR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KEUUEIKIJQLO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QIVJIJPOKQWA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QJZMCJVYCOGM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IJMLIAVPGIOI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FFXXGIYUCWRF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XDROKAROOZXV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BDXFKXOPITMD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/QHWQGOVEKIMH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LHKEIALJJGLM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WPOFSGASMAFH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IDYGEAGGLAKL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VURRKCWICXXJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QPDQNIGEIGEQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GOVQURJVCYFX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NHUXUYYFUUYB` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/FQVGIHDKJGRS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/MGZSFFRPJXNJ` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/QPKHXJWAXBEC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ZSFLWFHDEDNW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PHPNUHCYJIVE` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/TYRAJFRQSVFZ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/VLLTDCCBFDKE` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RLOOAQWWOHBT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/PVWOHRPFVQOI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/MBZBYWQHWYYA` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/XIOAMLVHEFKA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HDAJOFBSCAZC`

CT.REDSHIFT.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.8	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1		`rol/EXRBSBIPFHWH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ALDUSRLWSQYM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WIYETXTZFNNA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XQGTRHZSJLAS` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KLGGBJEKOFDX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VUQFIBCPLZJU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EDEMXYSBXDNA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DXPHOEZMTCQV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LQVZJBEEQCJF` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/TNFUUZTWVOQS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WIWQCADWSSNJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DHAUGOPSEXMD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HIUBOYXXZOJV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/KCHBFRLLRIXU • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/WUMVGWBHXOSQ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/BMSSGAJEZHXB • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/GZGTVBEKIPRM • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LLUVKHVOTYKB` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/EZYWKAOZZJCS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TJTGHSRKCADO` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NHQCIPXIUDQD` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/GACOYCVFQSZR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/RSVAKLQRLQXN` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/BLZOVYUTPRKW` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NOLKAZJRJDVU` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FWDUXFDXQCQQ` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/MFRBWMZTPOZX` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/USTDDCUNOJVF`

CT.REDSHIFT.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.REDSHIFT.PR.9	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1)	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YRDLVNFRHKTV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1		`rol/AOSGZRUCDETW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UHRGJXFBHKWG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JTOTPCSGXPIF` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QEUHIRFGEYFM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VLSFPDQGTLEZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KRQCDKYDLPLN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AYLFLQSRCCSQ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/SOXMPAPMUVYA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CHKKYPAFDIGQ` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/VAKAVHVBZRLT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FGEPIZCARZGW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/NSOMCBUHYDTR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MPEDXGCIBIPD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BETZTXCWFTGS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/FPGMPJBMHZJM • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QWLIPUMZTIWB • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/BEDTSJXBPYRQ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WMHZVKNJBHHH` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ERJCSGIBWPXF` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/DJABACHZCYDN` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CKWTJOGCULKB` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/XIYTJTWXILFJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/KCIJAYENPABP` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KZEYENTRZSQB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/NXYUJNVDTBZP` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ZVIYJKXRKFLQ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/MEFKMQGDLMBW`

CT.S3.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.1	• Tolok Ukur CIS AWS 1.4 2.1.3 • Tolok Ukur CIS AWS 1.4 2.1.5 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AU-9	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HOHCXWHXKJEM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FKMTMPNCBGTR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-12 (2) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (10)		`rol/BAGVBAYKIDPQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SDAWDCRWPYAZ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WRGFYNFNMLEH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OQJNJIJYYDVN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KXJQNRHPLFXJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/INPHVGNNYWHE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/TGRGAWCJGDOT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WRHSEHIGMPNL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DVQUCYQSSVYJ` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 10.5.5 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1		`er:ap-northeast-2::control/YKBYYOORVYDQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HCYQILOQAJGP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LHQHRBBJLOGX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GZSJPOJMETOS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/UQDZOYXHSTJV • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/HUGVRCBOTHNS • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/RDNVZKOXQRBS • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/BTKLXPIPPGWE • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/FAKNTWCVJBBQ • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/LRNINXJVLTOI • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/RYKIJHRMZVMS • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/YUWCIXIDGEIX • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/HYLHRTALKCXA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/MKKRYHXWDZFZ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/QNVOFWQBEIMN` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/LUNHKATYXLDY` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/VMUQKKURTFQH`

CT.S3.PR.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.10	• NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-12 (2) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AZDYETJYRMPN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WOZMWZTCVLIG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NAJMVANQPXLA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KLKYRVHDTSNQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XUAWJGYLSKOU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XOELWGITRRJP` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HWUKCNBPQJPH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WHMUOFUNYXLE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YJTFSUPUCWSG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IXTXSHXVNUZM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZVWFNYUTBJQX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AJZIPUOMEHPW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SDKAAURVKROM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LOBZZYSXKUEK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PJFOMSANLDYK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QVGKLBYATRGP` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/UNAIRGRMSYDE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/SZTUWIPCDHJA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/IGACBRUIDHRL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/TRPKHIGMYXAO` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/NPHPUZYHVOIY` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/EXSNHHJHWXIO` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/RZGKGHPDNNWZ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/ZQTNVAGIGWJJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/SKGFYRDINXPI` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/HWTOUVQXQKRI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QZDCTXCJVTPY` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/UZNLVDVSMHZC`

CT.S3.PR.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.11	• Tolok Ukur CIS AWS 1.4 2.1.3 • NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Rev 5 CP-10	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.5.5		`rol/EUDRJBCNBNSX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QTKNBUWIZPYQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YMXFKEAZKVCS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CRTXZSITMULU` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EUTFKNVDBWID`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NFQVYRNQZULR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KYZJOMCMHGSG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OUGCAQGTCCFY` • Eropa (London) `arn:aws:controltower:eu-west-2::control/IHLVKARQYKMH` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:eu-north-1::control/DEHWLVENFBQF • Asia Pasifik (Mumbai) arn:aws:controltower:ap-south-1::control/YRTTYKIGHXEJ • Asia Pasifik (Seoul) arn:aws:controltower:ap-northeast-2::control/CCSEYYSAWFKX • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/AQQOPEFIXRLY • Eropa (Paris) arn:aws:controltower:eu-west-3::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/LGLAYYIEOEEN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QMKXNBUDMJAF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UHIVEVHOTRUS` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/VYSILMRAEEXW` • Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/TISETCEVQBZY` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/CICQLRNYABRT` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/AOJRFFGDXYLF` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/IXZSFQFPXBPB` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/CCLRZDGTBJQX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/CXDTNMKWUDQA` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/WNGIRGIYRUQC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/AGJXNIDFTLTH` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/JAQQLPHVMOTH` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/YJTKDVALYOKX` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ERNMVMJMMUCD`

CT.S3.PR.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.12	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KQMZJOTZIIXZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`rol/REMJCAKGXTVB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FQJPZRMZNTWE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DKCURRUTBBZV` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OVQWGRGYNWTK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EPLOMJJLWCUG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RZOOIFZZQPXT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UQEOCKFZKPPV` • Eropa (London) `arn:aws:controltower:eu-west-2::control/OKIBGUFCIMGS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YZVBRUKJWFNH` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/YAWOMMVYLVVM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KBDEDURVZELG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HVOIYQGUXWZA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QXHDSSDRZJGE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/YLNFGYIJAWEV • AS Barat (California N.) arn:aws:controltower:us-west-1::control/ZOMFZREHPSFB • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/JIPOQDUYUWIY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/YNGEMLONSHEF • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZNLHSTMRAXLF` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/VIENQADPDJBG` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/CTUTTRYQQDKZ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/UYAPTSOOUMSX` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HWBNGRAMKESL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UWNPYFLXEDJR` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/KETGOTTIJKZN` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZBROMCCSOOFU` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/LVEWHJAZVKYQ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/GSOHGIFWYQYG`

CT.S3.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.2	• Tolok Ukur CIS AWS 1.4 3.6 • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QUYPCYYEALDZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FHMUCMMRQQOS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		`rol/LWFWEJSLVKVV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FGDZHXUFRPHF` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MSRDMFGAVCXV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BPVHEZBCMBZH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LMPLBWVGMUCW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 2.2		• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NCKAFXMYIELC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/DLJVQIJWPVWK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QIGDYVQVHTOY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FQXYYRCXLSVY` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			er:ap-northeast-2::control/UTCUYXQMQXRC • Asia Pasifik (Tokyo) arn:aws:controltower:ap-northeast-1::control/EEJURBQMFYKX • Eropa (Paris) arn:aws:controltower:eu-west-3::control/EHHLHRKQKEDX • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/QODILHSQEUDJ • AS Barat (California N.) arn:aws:controltower:us-west-1::cont

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/WTJNFTFPDVEU • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/OXUZJOSNXUGV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/USOLSRKTDAXD • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/PAAXMDTZLCSW • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/RPRQAYKWHKVE • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/HIPGBZKDQSKN • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/FIUQQJAZYWBP • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/XNQIIMLEGLWO • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/UEZMQHOAKJKC

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZDEKKVEJKNZR` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/DJANZMGCQEVC` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/TQKVAEGMISUA` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/HUJNXXTHLDBM`

CT.S3.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.3	• NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4 • PCI DSS versi 3.2.1 10.7 • PCI DSS versi 3.2.1 3.1	• Optimalkan biaya • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WNDCHAPIOWPX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NMQZFXOBMETI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GGFPMXFOJMKL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TWVWTNVBNUJI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RRBBSRTVOULJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MGLDCUIJSXOP` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BGAFYFTRFRWB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PPCZRHIWWDCO` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/UYIJGHTLYXYJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VKFFQEXOWYRO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OGNPSHWCNUXG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZXKHHALOBMMC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZZWZQEUOXAHO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KEOGAUVAGIWC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AKENCMOJFZIY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PMCZHCYFLDME` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/JWYSSJGWQIQI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/TRWWVPDNBLSG` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/GDPYJXJBMBRS` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/UBEKETDJHQDK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/BHNCVZBGRDSF` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/HOYKRAYORWNL` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/HAIHUHROMERP` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RRNBHHGJPSLY` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WTJTRXBVKECG` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/MEPSJMORAQQD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/GOIDWKLVOXEO` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/WUBXNLCMSYUW`

CT.S3.PR.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.4	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Pdt 5 SI-4	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-4 (4) • PCI DSS versi 3.2.1 11.5		`rol/YBVXNKBMJYZO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NBXPLAFUPVPO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OQTGURFVOIFX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZEZHYRLECUPJ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TJVPIRLFQNJU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CQYPJBFGNVRN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GVTLGKIYRXAE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HMPQSWNZRQVD` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ODQFNKZAVERW` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/JRZYMZVVABUE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HDFMAXJXVUNX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NGFEGYCAZMOQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/JIKPKVBCQTZZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/FWDLBIIQYIXW • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BLCIONDMMXME • AS Barat (California N.) arn:aws:controltower:us-west-1::control/AKPXSEGLBYYY • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/RKMCRSKNQDMF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XWCENVGPFKVP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/QPOADHZNFITP` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/RQQQDSQMSXSE` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/ATMHOATOZICQ` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/HZZGGKDJSMKW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/NKSQUEXXOXSL` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/TGVKWKNMHKGV` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/OWRWJJMCRCQQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HPSJSQXKSZHV` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/LELWUYTFETVV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/VHKXDIWZQDSN`

CT.S3.PR.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.5	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IIICSISZKWBP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.3		`rol/QOSGJSIWYQBY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OGTDJUZQBTOQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RZFOSHDJDWQR` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XBIANCENZNPT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IKFLVYCSQUUW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QDUMVVXOVRJU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZQNUYRNLELMH` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KLPNFIYSSKEX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QTKVXJRHKVVN` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/KYICILZPASAZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OUJUGYPGPBTR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SKXEZLRKRIFO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UHGKAZQPWHYD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EIXEGSOMQYMS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/LQTJJUFUBRCL • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ONLMVXNYTOQO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/NKZLNBHHNYWR • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HCNPCYDQYBTR` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GXPXMXODYBYO` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/QGMBAEOHJWGP` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/HLIDPMXKIOFH` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/ZHBXBCQPAMAO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/UGOFNNRHFKRL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/NZFRDTFZPLNO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FIHXYREBYHQG` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/YMIRPBUXDGVZ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/NMAAILPGVXAN`

CT.S3.PR.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.6	• NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4 • PCI DSS versi 3.2.1 10.7	• Optimalkan biaya • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EXSYSTLXGVRE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SPSBPNJTBZZK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 3.1		rol/WIBGVDNRDWQR • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/JVKPEBOPGEKW • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/WVHLLZEVRMCQ • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/SIFXKRHFTFJV • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/HYKSATXAETXB

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PTGEBDEGHRPD` • Eropa (London) `arn:aws:controltower:eu-west-2::control/FABQOCRPITAI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZDOZUWMODNSH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IJYFTUFPBGPV` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/RPCLZYKICEAM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/URWGYOBMHNOV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SUHIETMCJFVC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IHGNYILKIJRJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/PCNZKGERWRYG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/WPJQQRRMWAVW • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/MENFCLCEHUMV • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/UIWWHNMZAHUB • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/CTTWTIWREUJJ • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/XBKZPYOKFUZT • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/WMOZGCWHFQPY • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/IDZZGOPLRKFC • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/GKFFPPVNGUOY

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/FAAEXSNAJBGJ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/SCSYAFKBKFET` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/FOVYOXRGRRDS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/JJROZZPYLDSV`

CT.S3.PR.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.8	• Tolok Ukur CIS AWS 1.4 2.1.2 • NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KQIDXVAURPNL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XACDBPRGTLYA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MPNBMXJVAAWW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GIQAEXYNYBIQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BYKXCKKRYVIV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EVSHZCEOCLDQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RRMXKKLSMMCO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WWINGKFVKVZX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VMEGHEZKVRHV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VXOWMBPGJWWG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZWZWDEMHXOHI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KTRFCYEXSTXR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QWXAZRHGAPOF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JSFWYVSJEBLH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DMPZVJVZMWZN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HXTNWGMJJZGM` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/QFTBTLBFFQSQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/KZHGCHWLWFGO` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/RVFBVPTCPJHI` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/BCLBADAGFADV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/STVAPGCPQSUT` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/BDABORJSMRZI` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/TAZUUWKEQXPV` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/FXNNHXMTPWOB` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/EGTVZTLAIMXV` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/XQMJUIQTGZYX` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/ASXITBMOMFBS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/QPPBAOJDQLFG`

CT.S3.PR.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.S3.PR.9	• NIST 800-53 Rev 5 CP-6 (2)	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/YCXCEZLFPPEZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/EQNXZOTUEHEL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CHIOVWNEUBWJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DKOVKUNLSMJU` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MOCNFRGVJQIQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HHIBSFXWAOFQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DOSCMGGEBQUB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XXUOTYAXZIOM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KTUXUGJYXVEO` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/NMEVAZFEZWLD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YDWMXGHWKJDO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GEANURJHOSJU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/HSMBYWLJEVPN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/EQCSOZEMFEOS • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/HXMAUGJKIZZI • AS Barat (California N.) arn:aws:controltower:us-west-1::control/MMPITMGATTGG • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/KQCIATXNKEVO • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KMRGDQJCVIKH` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/DARIPVIIRWUC` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/QUSGEFKIGLXK` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/MCGZBCKMXTXN` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/XDMGVMGSZSXJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/AKLAOZHIFAHX` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CBYRCOKJUEIW` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HPMQGMDDKGSQ` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/WVTLJTCJUFXM` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/QWHWEDAKJQJE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/MNQSVFBXEKDQ`

CT.SAGEMAKER.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.SAGEMAKER.PR.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NXBXUFEBMYSV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		`rol/BILKEGTPYTLO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BAYFKDFICPXR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZXUCDQEYSHPT` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KJAHYCKSSRAA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HLYGAUWTYVRB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FSUJOVACPHJM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XRTOTOYPMYBC` • Eropa (London) `arn:aws:controltower:eu-west-2::control/NFMRNEASBICM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EECQVSZWLOXW` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/EOQDTUMRBXGY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IHHCXMIJDPUY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KABHYKBSJCDD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KVUSHDIZGCFC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/PKJBXQYFTRYT • AS Barat (California N.) arn:aws:controltower:us-west-1::control/XKYIJGULCHJI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/UOYFCMRGSGQX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/POCEBHMEGHXJ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GLVFJPOFPXNJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/XBMHGBXUTPTS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/QMVMRDVZDKWA` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/SQBNRAQIOBDV` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/GUOCCAAHNGEK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/XZRBQVWNHOOL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/FFOCTNBPTMAL` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/WXNSWEWICMMI` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/QVLCYLNWCVQZ` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/QNAPKIUXFEPP`

CT.SAGEMAKER.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.SAGEMAKER.PR.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BFRWUSCUMZGR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GJVQQNCVKMEK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		`rol/OXZGZLYYZZDX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MCLENUGHMFXO` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WHZCFXEMTXVF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FTKAONSNGNFD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SSAOHZOHNKPC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YEXOMFQQIRQX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BCODMJVNRAYE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SCTOGVXJHSTW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZTZRIMHDVQSR` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/AJUBXQWZCNZA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XRQNSQZACILS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TETZPAGYDAJQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YDBJTBBNNIMH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XGNLGNXPWUFA • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NYSYXCRATNBX • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/PYUYQRAJTEYR • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/WLJGIWFSJQDK • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/FQOCOBHBFWNB • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/ACIICOUHVBVV • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/EFQSDWADDOVT • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/RBCEKQMEPPSR • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/ORWQSQDZDZFL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DFQMNGMINELE` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/FWLXIOSGXLZD` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/BPGXJEPKEMPW` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/PZIBDNEVGZNV`

CT.SAGEMAKER.PR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.SAGEMAKER.PR.3	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.1.1	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HOQUZBNWPSKO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MDQQIVONAGJQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PGQSNZZVPTNP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PFWXJZLGHZHS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WFSJGEHTGUJD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BORBTTFXSVMR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XGSJWJUCDSDD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QUAMXLGBEEBM` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FFLFBLHYHRKH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VECRJWSQKKJX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MWSRFJCKCMYZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YKZDBOCKKZBP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HCJSGYPXGJZD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NRPXZDRCFVEM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YHWVCTSCOZPQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JLDGSDBFPEIG` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/MAMFMPGXSSSQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/JGRCEFMTNSLL` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ODRNGAVPVJLJ` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/YIEFICYWYZLU` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/HRMNWAHHHTFT` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/KNZFXFKXDIKD` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/JMEFHEDAXBAE` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OYPVSQELUEML` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/TVCLBFAMYSLY` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/RYVXFMPGIYGK` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/JJNUJERNVMJV` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/NOZHICOKJIJR`

CT.SQS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.SQS.PR.1	Tidak ada	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/WHMAMEUKIFGE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LSZZWCFWWEBV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LIUFDWXIUWLF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SCSCEOQLMMEP` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RBKKATWLGQVS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OCQCVFYIRMUH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OYPHJPNFBWWN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WQDIIQGFBSCM` • Eropa (London) `arn:aws:controltower:eu-west-2::control/YGMMIMFHGIHD` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/DALEUNIJKTHY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WBEXRWIRFKJL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HBILQHCZJFAW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/JHJLYBFELNSZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ITBUKBXKLPRH • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/BUBHNTXSNVHH • AS Barat (California N.) arn:aws:controltower:us-west-1::control/PYPJCABAISCE • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/SBDRRPRISVPY • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BVGSHIGLNFAP` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/YWVNSHOTESWX` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/GMPKONEBTSAP` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OHHOHNXKODUA` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/HTWJNZMMPUNH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/CAMCCUUHVPFM` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CSMGZDWGUJGL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/UEYNXEJBYMSM` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/IMICLTIIQHXY` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/IOBECTBBGGEI` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/DGEFIBBKNNAY`

CT.SQS.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.SQS.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1)	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JBIFAREFXJYH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4		`rol/RXJEPAOSCUYZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AQUJFJQURUFV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OQPVUZBBDOKR` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NWPVCUCMYWJV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LLQBEYVBONPS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DNDLXKJDBGSF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VIRICUDUZRHZ` • Eropa (London) `arn:aws:controltower:eu-west-2::control/MPPVBHPMBSNZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZIGSJHHCJDFF` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/JAGVXXXLXSRF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DTARWAFQDLEJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/XDDGSSVPQAVQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UWKPBOGUMVAX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/DCLDBWPADGYE • AS Barat (California N.) arn:aws:controltower:us-west-1::control/VLTWPSHSLAKQ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/HGMWZIVVMLXP • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/ERHGIIDRLPCS • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HYGNOVUHPJWO` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/MLKLUIARVDHN` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AWUNOCUECLQA` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/RUAWNTLATCEP` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/PZGOUGUCUHIE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RCDCYANDWUAI` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/BAJGOTFZUYNO` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/LQQXTJHPPSCL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/LICZJVRRYWOS` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`controltower:ap-southeast-4::control/TCOMVFDNXJHQ`

CT.STEPFUNCTIONS.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.STEPFUNCTIONS.PR.1	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RARWRIGRBHPM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CUOQMOAQVWNG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		`rol/OFRNXQNITJES` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RJCWEUDWEBLJ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HYFUIUJOXQNV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CWLRWPTPGQVD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NAMQPORQVXQM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SBVYLFYIIXPP` • Eropa (London) `arn:aws:controltower:eu-west-2::control/KDFTTNMHFBLL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CGAFSUBVZBJH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FKXONMCUFEDB` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/BSARINIRFYGL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/ERZIMFMFCIVL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JGQQRQVFLGDJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RILHLBPKXUXU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ASZQNSJURJXR • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/QIWXQALPOWVN • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/OUZWAONSGGYA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/ITIIXOXNEGVY • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/YVHXPCMYPLFP • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/WJFYNIIKQSEC • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/PHYYVEOKRMOA • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/FPNHTOWNICVK • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/MNYFKBIEUNXE

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/CMAQXQSALRDW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/LJSINXGHBENY` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/PJTDUVKFZBWR` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/QNCUBTYVDMNK`

CT.STEPFUNCTIONS.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.STEPFUNCTIONS.PR.2	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BHEGKQAMVASL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VXVKISEMRURZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MSXYLKDPWZRN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BZAERZJTDTLU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BUACWBSQOPNW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JHBUWWHFLVYG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JKUFUGHYKGWF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MUNRXYWSIOUS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HMTTWOFYBDUQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FLMFYWQVJDZX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YHNWBNXVKOZP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FLVJBWFDWHDJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IXMAHHUSDUVR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GCMXGSVVIEUT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IBZBYQWSSFBM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YANYRDEXXDEH` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/MWCJKKKFLGQI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/MXXULKHAVUNN` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/TVTNAPHRDRZU` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/ULPOIYIDRFWE` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/TYPGEIBRQHQW` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/LRDZXXUZTAVN` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/EEKQLYFIYRRG` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/RMLLZIIHUNYX` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WTJHRSSHPAKK` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/FXOEUGCCOWIH` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/KYZJXVQAORYF` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/VUVJNJRXBZAV`

CT.WAF-REGIONAL.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.WAF-REGIONAL.PR.1	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • PCI DSS versi 3.2.1 6.6		`rol/DIPWBOCJUTTO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UYFKJEOQVEWH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TEMUMMEADETS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TLTACWUKOMHH` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JGWGMJBHDRUF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MBRMIDDGSBSB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XHVSSBIHIROY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KTKPKIVBNQDE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/CAGANIVPBXCM` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/AYNFYQXOVCGW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PWYDDDJMHVKA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GMIRRPOYKDSI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/GBLQKIZJUWLI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/PLLMIJKTGYDC • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/FWZWRHWINCPZ • AS Barat (California N.) arn:aws:controltower:us-west-1::control/BODSSYLZFBOR • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/VVYKYKULBINF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ADCMSRCCWZPA` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ZJLIMDYSNJVA` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/PWKKZXICJEGW` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/LXWHHALWLTCF` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/MVZLKKWDHKMA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/GEDNQOQRUGPJ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/JLHUAWBNDBHN` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/DQMONWOSDETX` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/GMCXXVDXPPHH` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/TMFZMHPVGXBH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/IZBRUNFKGILL`

CT.WAF-REGIONAL.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.WAF-REGIONAL.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FQEZXYFKDEXW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/BOCYBRNEMMGS • AS Barat (Oregon) arn:aws:controltower:us-west-2::control/EQMCVOTIUSBY • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/TYQHRXOLTMRT • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/QWRJQUNFEALJ • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/QOMUGMEGSIHK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RMIXORRPHOQD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DLVXAPJNGYIP` • Eropa (London) `arn:aws:controltower:eu-west-2::control/ECJHXMXRZBVQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IRXUIROUYYYS` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/TKFTXHEZWGTF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KOGUYYCCSEJB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/SNJTGWLCRZLW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TRZOIIDYBNNA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/XEDCRXBBIYWT • AS Barat (California N.) arn:aws:controltower:us-west-1::control/YYCBBISOPTCI • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/OCLEQHMCFSEV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/HHXUYSUFAFPI • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QYJWCLEEOXNL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/KMLHOMCISOOF` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/PLBWFTQGUYPO` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/DMWNVMCVVLCU` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/MQXFOURKKFIZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/OJMMCNHJKKIC` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/ZEYPELWNMQGB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/RWNPUZWYHNMY` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/NCJSSEWLAPCP` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/THIHAAMWYOLM`

CT.WAF.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.WAF.PR.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UNASESNVHVZY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VDXLZKVLPFSH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/RVKEXLTMXJVJ • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/SEFPFJCQOYKK • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/LBEBQHSFDADD • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/AKUBJOAGFDTU • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/XVRZCGVSPYIL

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ELFPBLOGRZYE` • Eropa (London) `arn:aws:controltower:eu-west-2::control/LSGSHIHBLVLX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IRRDWBVEEVZR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XANETJVAEOSW` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/PLNVFAREKZXP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/TXHPCTJXMEXT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JSPZJEWVUVFA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZVSTKBQVFFMQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/SVRRGEYNFUOM • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/NCRRNMOLKHQE • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/KCRFFFCEBPEA • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3::control/XKVNIOEEWELE • Eropa (Milan) arn:aws:controltower:eu-south-1::con

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			trol/ZDJOMTGOHOJR • Afrika (Cape Town) arn:aws:controltower:af-south-1::control/GQFGYLKZJIDA • Timur Tengah (Bahrain) arn:aws:controltower:me-south-1::control/GPIOUFKAZYRX • Israel (Tel Aviv) arn:aws:controltower:il-central-1::control/BLSNAPKCBEBR • Eropa (Zürich) arn:aws:controltower:eu-central-2::control/EUOUIEIKSRQK

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/OVMOWJDWSHZX` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/ZFNFRZNGHWKO` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/BHBCIBBWQQLS` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/CMRLLTLXFKCK`

CT.WAF.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.WAF.PR.2	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EVTLDFVJREHX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TESBXHDTYCVR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WHEYGYOKBFEE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WKAOAEEFQEGB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZWQCPIXANTTE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VULAATRXMKNA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QVEBBPUQHHTP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LAPESUGIQGRW` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FHTQFTBMJHIC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HAFOBOPSXWQF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TZFBNAETOMJR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HWDELIBEBVFK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WGLOYXOZAYLU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XQQXGFIHZHQZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GHWIKZXTBTPW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NSQKESMWRPRQ` • Asia Pasifik (Hongkong) `arn:aws:controltower:ap-east-1::control/WVKFSXCMOAFB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Jakarta) `arn:aws:controltower:ap-southeast-3::control/BWSNHISVRCNV` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/TLGQQBOREOSV` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JNFJCDGBQAQJ` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/OXORBSCQFWTQ` • Timur Tengah (Bahrain)

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`arn:aws:controltower:me-south-1::control/IQGCTIQOKDWL` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/WMOWJPCZJWTO` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/KGUPKWOEJMQL` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/HSIXLKCRSNKW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-sou`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`th-2::control/TFNTAHCAFOHL` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/WIBXCFGXLPLE` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/ENLMLRVXKUMB`

CT.WAFV2.PR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.WAFV2.PR.1	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • PCI DSS versi 3.2.1 6.6		`rol/XEONMNFZMEEF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JWKJRMTPQGYL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KYOLAPACMMCW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NPVKWMPNGNPQ` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ITRZPFPNHOVU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GXKAGSHEBLQA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TJZLGRPBEFZZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ACZQQJXMSSKX` • Eropa (London) `arn:aws:controltower:eu-west-2::control/WNZNWBPTAQGS` • Eropa (Stockholm) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:eu-north-1::control/PQBMKWIWABGD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZJTWMPTTRZRR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FLFTSMDKQPGA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/QPSONUAQWAOR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/RQXLAXERBFAH • Amerika Selatan (São Paulo) arn:aws:controltower:sa-east-1::control/OBDIKEAZGTAV • AS Barat (California N.) arn:aws:controltower:us-west-1::control/NIGBBACJPCNN • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/ALLKEZAETGXV • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WRSGKTAMFUNN` • Asia Pasifik (Osaka) `arn:aws:controltower:ap-northeast-3::control/ATYEMLPACRYL` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/JUDFDFZUPGDV` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/AFMIFZSFCJAM` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/UGZFHMKFGWPJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/DWWMENQHGMKJ` • Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/CRGWQEGNYRWJ` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/THNACPIXQEGW` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/HHWUXJHWSTHW` • Timur Tengah (UEA) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:me-central-1::control/LSQMTYNBDGHH` • Asia Pasifik (Melbourne) `arn:aws:controltower:ap-southeast-4::control/GMGTDMVFMMIX`

CT.WAFV2.PR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
CT.WAFV2.PR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BUWSNZUCOYKV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/JLKGLZGUQJYB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TMEPJGMZTEOI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LZIRXMIWBDLY` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HGYKZRUFIFSG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GITZQTTINVIH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VDAEUHLAPSJA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FBEJWAWHUGHF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/JEGHUQJDAJPX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CXJMVDJZHUAL` • Asia Pasifik (Mumbai) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-south-1::control/FQITWYCBKFGZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YUWWRBUJCKWS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/UKLHGBFDOUPK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KJZYDZBLLWOQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/WKXZFSDZWWOS • AS Barat (California N.) arn:aws:controltower:us-west-1::control/CPNWTODASNRJ • Asia Pasifik (Hongkong) arn:aws:controltower:ap-east-1::control/OLRFCEMWLWYF • Asia Pasifik (Jakarta) arn:aws:controltower:ap-southeast-3::control/UFZYEEYHGRGQ • Asia Pasifik (Osaka) arn:aws:controltower:ap-northeast-3:

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EVFGOLAANCYD` • Eropa (Milan) `arn:aws:controltower:eu-south-1::control/RBGKCDWRDJOS` • Afrika (Cape Town) `arn:aws:controltower:af-south-1::control/FACNTUGQMNFD` • Timur Tengah (Bahrain) `arn:aws:controltower:me-south-1::control/SLSRAIGXMUXQ` • Israel (Tel Aviv) `arn:aws:controltower:il-central-1::control/KBPYZPMGKBZM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Zürich) `arn:aws:controltower:eu-central-2::control/SSUYGEFIPPHT` • Eropa (Spanyol) `arn:aws:controltower:eu-south-2::control/WYZTRLBPOGAB` • Asia Pasifik (Hyderabad) `arn:aws:controltower:ap-south-2::control/EBHCUTSNUBCE` • Timur Tengah (UEA) `arn:aws:controltower:me-central-1::control/OCOJDDRHFTCD` • Asia Pasifik (Melbourne) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:ap-southeast-4::control/AUFYBCLSXDIR`

SH.ACM.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ACM.1	• NIST 800-53 Rev 5 SC-28 (3) • NIST 800-53 Rev 5 SC-7 (16) • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MBCMJMZJGPLS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WXFMEFMVTLUM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			rol/ANXKMBZMHTME • Kanada (Tengah) arn:aws:controltower:ca-central-1::control/BUYCUYITYPVG • Asia Pasifik (Sydney) arn:aws:controltower:ap-southeast-2::control/PKBECMZKORWL • Asia Pasifik (Singapura) arn:aws:controltower:ap-southeast-1::control/MSYJENQMUXJK • Eropa (Frankfurt am Main) arn:aws:controltower:eu-central-1::control/VYLDSKRLKKOA

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZKVPMZUWFGJF` • Eropa (London) `arn:aws:controltower:eu-west-2::control/BKDZMYWHGSGH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QPVAASCUWYZA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VPNPOEIIUSHA` • Asia Pasifik (Seoul) `arn:aws:controltow`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`er:ap-northeast-2::control/TFNTUZCUNKTO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/EYLAEGFQRCWO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EJGKLXXBAEET` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OWLPOEUWSXFB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::cont`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`rol/WRLVGHVNTPDD`

SH.ACM.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ACM.2	• NIST 800-53 Pdt 5 CM-8 • PCI DSS versi 3.2.1 2.2	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OESYMJROOXEJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NJCVUUULHBNH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DAMNUGWIKMAB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RPNDGPPSHSBC` • Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DDIXKRVKEQEL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JSIQTGMCBGSA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HSNWRETFPGVZ` • Eropa (Irlandia) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-1::control/PISVJSLLVEXN` • Eropa (London) `arn:aws:controltower:eu-west-2::control/UYLGMFYYLOTX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RWLRYADXZPUG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QGYUUHWATOQJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DZVWVPKKLYFW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/KBBAURDMUTKQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RLNQFIYBCUMK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TZVKBKLRCSAO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TEJMSFNDHODY`

Sh.apigateway.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.apigateway.1	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OOTDCUSIKIZZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YJANVDFZSBQJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TBTRTAXTTOFK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DHNKNPSWPETE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PWJUGOAFXGNW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AGUZTOXVATMM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UEDENVOMHGZD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CBNMUENGDKVZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/LPNUKHXMNIFL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FVIRYJHPLBKR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YLBGCOIJCWCO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NWUHBVMJFVWU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XGFCWUSCPWBT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OUDKZHUFMKXZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LKWQTCVNHFYV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QVXVDPINRLPY`

Sh.apigateway.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.apigateway.2	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MNPVCMDMYSLZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KPORKNTFQENX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YPGHQDSXNTVO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FDWKKFDTSZXX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HCPQXEYLPUTG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GCOLOAVWADDA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BBRKQRFGKHFM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UADGCPBNJJBS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NSPCYWJJBDRH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JJLTDTNZHJXM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZWRPSDCJJTPW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RDMVJESGQCRW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AZWAXOWQMANJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UOSOHIJTHFCO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EJSPZRWREGJO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FHQXJXTFOFWJ`

Sh.apigateway.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.apigateway.3	• NIST 800-53 Pdt 5 CA-7 • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OBBBFBBHDUVX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TSNMTDBRWMPT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LQTFJGDAOWKI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XCCMVZSAVCXR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PMGEOVFNRWUU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TOGMXHEOYZLH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BXICHCDHLEQE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AOQCYZGINFNV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/OELZOKBLNQGJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VOYXYLQQEHGQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RDTQSQGIEQUC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ACSVLXDDUUQP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UIZDZMDGPDQP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VYXBBUCNMVKX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HBBTGGYEXEVJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UYZHEIJXHMDT`

Sh.apigateway.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.apigateway.4	• NIST 800-53 Rev 5 AC-4 (21) • PCI DSS versi 3.2.1 6.6	• Lindungi konfigurasi • Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SJEXUSOXPSPK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MEGBFCTBLAPY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WGCGXWCPMWBV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EZACRQZNMTPK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JDOSDYPYPULQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ASBMSMGXQKPS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YYWWZOFOQNUG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HAVZHQBLTYRE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RRTYUCALLKNM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ONNVQAVMVKBL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RXPVPYDGQHYM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CWHOFIFMIUUS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XIGRNZOUFDKF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HUHCOZDVSPFJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TIJDCFZLPKDU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LQQFBBKWGQUA`

Sh.apigateway.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.apigateway.5	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IDZLZNCEBCDN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KTVOXDKUCOLS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZUWFIOFNIKCI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UHUYXDUHUCFJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QRFWQMUPBGAL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YKQIWSPLFHMH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ICJXNXXFNJBH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IBHKGKZKMHEJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CPPQTQSZSOZE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZBNVUTRHQWLB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SZGAIYMXIFVU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HXGROXENSKJT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JZSERWWQXDHP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CTJIIUNYJEWZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XCCAVLLIUNBW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LCJNAQINZRTI`

Sh.apigateway.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.apigateway.8	• NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UBJNIPLJAUPP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UQEZDQFEKINS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VOMLOGQZFVTH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IESMZILOLTCP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AOTXAAIXUZGO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WGRUYTXBKJPT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FEMIWYHJXJIR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/APXJLVKOBSEB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FPBVORGPWAIT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IUVYTYANIHHU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LPEGHVWXGRWR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KXMSHTINJODP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SDTKOAZRPRVU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EXXWWSPFGNML` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JOEIBMZJMELB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NOSMEYUGIUHP`

Sh.apigateway.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.apigateway.9	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.7	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RGZSRLZYXNAM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FBDMHIKAKXYQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZNUGCJCJBNYR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YSRNXOSPMPAR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XNMGCOKKDRTM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HSLYQANZTCLF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TCUHJQTYQIXF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GREKWXLBUMYC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HWHLVPFIFLLT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FSETKHTFGIHY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TPQDZNHEPZZY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HUBWBMQSCTCI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KBYFZPAGEIEY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IWTDNHAOVXWZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OCKVZREZIOQW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EIJKPXWMUFUM`

SH.Account.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.Account.1	• Tolok Ukur CIS AWS 1.4 1.2 • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RYAEGDBVVSEZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DDPIKWUQKYYH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SCHNXFCTFZJG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IBIPKUPTGKCH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TDCHULZQJJYU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CLWAFAIJBWUO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LOEEHDRVHTWK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TUJJHFEUQRTD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PZTQKPPLUJQC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ACKPBIEHTKJO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IDEZUGBAFKOT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EMCJNTXLMTCS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DTWMAHWPBVQX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KIIMXDNABIMQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KQCHSPVLTIWQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NVPFFNRHOZEV`

SH. AppSync.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. AppSync.5	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PCPTBIXTYLEG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OSEDLYFBZHCJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QNHLOWOFTLTS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KTDSPDIJWYYR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZWRDSYASCGHB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CJZBNRVKKPHC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KJGYSWNIWTPL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KMXMASDFBPZC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WVKDSCRXWSUJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LRPBTLPEKFHL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GALGXJCQPHEO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KQTDHCYPENTI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CGPDLKJQEPXW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ULCHFPZDTYMP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ILDFGIFJTPAU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GNYCRQTXZMLX`

SH. AutoScaling.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. AutoScaling.1	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZWORVQKMSSVN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JQMVONDOPRIM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CCTCKXMLWFDI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IKKVVSEWGLMB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HPBROJJRPRQP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XDFGVGCIRJGE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GVPMLVRGBXZI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BVVBNBHSIGXC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SZIHWNZUDWBU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZITVBPNZFKCC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RJDQSGGXMFNH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZAUGAPPKZGZC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CXXHKFGCSWUH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LMYDOAQOQOYC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EQAAEUGLWPUQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NOOOFEEPXXDP`

SH. AutoScaling.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. AutoScaling.2	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WPQFDZGIKXEN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZBMNAYFPMEZY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TOSTAVLMCDIG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JXPAOXBTCBUY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CFQPPPBKHPVE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DCTOFQWBSSEI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LOJSJXUWYJIP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PPNROGQXGMTG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NJMEPCCINGYY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EKZHXVNHEEVW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VFWAYLBRJFYI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OVEQWNZWUVPE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengident ifikasi API, menurut Wilayah
			`:control/ESQRNROJXEVQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XYTUJNEIXONA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VXUFUULLWWPE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HGYFKHPSJZIO`

SH. AutoScaling.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. AutoScaling.3	• NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HHCYIDJRAZNC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SHYR0JUETSEF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SMYBKBKBIJSJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JWIWNTSKAZGY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RSJYIFHSKNSS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VJQHUCFGCESL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XZHHUAZPENXE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CBRREQKVJIEL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CNFIJCJJGMTZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WQMEEXRGQCEN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LPSGVWSPBFOM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VMBGAYOTTZMK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EOCUBAKFMZJT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OZFKELNYWUQY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YEWHZHZIYNYF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EIDKBDTZOYAF`

SH. AutoScaling.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. AutoScaling.6	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BTMIFVPUSJBQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GMGXVALLWEBA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OWVWXHTOQSYK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZFZUXSLEGCKV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TNSLXHUTKWTZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HRPNUEAQHJJV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YVWDSKAJHEJO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OMIRAXEILQAK` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TFXWZSADFWQN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GVTHRVBNLZLB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NACEEPQFGKZT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WOMTJFIXVURH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XNJDGLJOHAMS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HXJMEZAVXVYO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LVDJEVJJJMVS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SECDBDYCHCAO`

SH. AutoScaling.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. AutoScaling.9	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VEIRXQKRRWAP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KKACTCVDRBMF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SKBFDFDSPRTT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DVIOWKWKIFHK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XFPEFWDNOLGH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EGWOHKNMPKMI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TLYXCQULSGYQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TYNABOHYGDXR` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RIPUYTWTZYRU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IMDDCNRBWEEN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UHHKZSLKXCPG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FPOPHNUDJVCH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RTZFSTKOXUDD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LUSXKLYKYRGK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CDSPFAHUMRCA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PEFXRXSTWARS`

Sh.Autoscaling.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Autoscaling.5	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QVGJOLZXDNNY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HLVWEDLVEUES` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CQYHNDCSDOKU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IXJDZWZANLKO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BRQEJBSGCNRN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IHXGONQFSNTY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VGDQWYLMCBEM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EZTDIOMARRWE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NQKPEMKFOZYZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DGQMJOMPDBGU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NRPXJATICULB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IYOEVGEYCOFV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IRMFCHOIJRAI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VYYIAPRLJMXU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YPRLQTSFYWEB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TFRBKGKMRKMW`

SH. CloudTrail.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CloudTrail.1	• Tolok Ukur CIS AWS 1.4 3.1 • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JSPHSKFGKKQC` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KVDJVCPPNKRF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TKEVYJJCXGTI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RQFYEFHIOOMQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JOVYOCPUBVQT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MEWHPMWURIBQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PRVEFKIRBUOG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZSWMQFPPNNOS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 2.2		`ontroltower:eu-west-2::control/FBWNWOPLCWCZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IEJNYCAPCFWN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HDXRGASZIBJR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KUZDSXRCMEWW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AHVTLUTBIUMB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZJRGXPPXVABV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LWWWXXCWABFE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JDZNMEXDKMCK`

SH. CloudTrail.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CloudTrail.2	• Tolok Ukur CIS AWS 1.4 3.7 • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TCMJVYRGWMOM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JAYTWZHKWRNB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YHMCHLVAJGXW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AGXOGGHCGROE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RHDAYMWQSNQM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GJBSDWACBFQE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GDBNBTCDAXFU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PNVPPZDHTLDX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PLGOVUAZUWPL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BJLEQOVHKVJH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BJKTTLYAWQNP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OESJOHRDGIPI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OMMCJBKYCGMK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QRDXCEHXZQVS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FQYLTXGIKOOB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BWPUAGFKHKFM`

SH. CloudTrail.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CloudTrail.4	• Tolok Ukur CIS AWS 1.4 3.2 • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Pdt 5 SI-4 • NIST 800-53 Rev 5 SI-7 (1) • NIST 800-53 Rev 5 SI-7 (3) • NIST 800-53 Rev 5 SI-7 (7) • PCI DSS versi 3.2.1 10.5.5 • PCI DSS versi 3.2.1 11.5 • PCI DSS versi 3.2.1 2.2	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RRKYSCJXWUGL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PQRKRAZHNQGQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RFTWGBDAOZZG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JVYZMZLDDDRJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RCLUACHBLUEJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KDJOJWFSTFGL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BGAGHEOYWZSK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OHTOUHWXBHVL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YMWJQDYNLYGX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MTOABAQLNODU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WYJYQDZHOUMC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FZYQSNLLCPXQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SHDOPOLDKXVQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DWZLULAUBFFL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JRGUQUTCBPMN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WFNGEYPJEAHO`

SH. CloudTrail.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CloudTrail.5	• Tolok Ukur CIS AWS 1.4 3.4 • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 AU-6 (5) • NIST 800-53 Rev 5 AU-7 (1) • NIST 800-53 Rev 5 AU-9 (7)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MSSQQOYZRTEE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZLNHKOHADVEF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BGLRJKKRJVJM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UHRCNDTKYIUY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-20 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-4 (5) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4 • PCI DSS versi 3.2.1 2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WRJBVWCCGCPA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NZAPCFAOUVSK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MJUAASUPXJUO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UWGSZEDUWTBP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SWWUBFUZIQOR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VOKJCUPZNXGR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TNFFXMMEKNUK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RALDKYFCIKBO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OBOZWIHZLRUH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DZEZVIWHTEMA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UTZGEIHNTWLH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WRYVRQGCJFZD`

SH. CloudTrail.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CloudTrail.6	• Tolok Ukur CIS AWS 1.4 3.3 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CYXBBWCLPWPU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JUERNCJWDWDB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LTDEQKMWOFLJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WERMMSKCVGST`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 10.5.1 • PCI DSS versi 3.2.1 10.5.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QETMRBRJTOKF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CXOPZYUABHOD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DDNFHHXFQBZU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZHLTSYTCMZJZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TLITDEMOCENK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SCGFYJXAEBHT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AKRYYJMCPEUJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KMAFNPVVVNSY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IQIGWUDMIDMK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LALFKCQHELEU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MTKJAFEDNUIY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HFBYSOZTBSDM`

SH. CodeBuild.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CodeBuild.1	• NIST 800-53 Pdt 5 SA-3 • PCI DSS versi 3.2.1 6.4.4 • PCI DSS versi 3.2.1 8.2.1	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IKRQWXXPRIUG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VTTYJJLQHCRP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QVAROLLMZGOA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SGUSWAWCRFWN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OGBNWMEGMMNM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ECIANAYMRCIX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GJYCUMZXBOOX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KAHXKGGQNXKH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MSIHJHKZRCLN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FPFONXHMHQKY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ICYKSDRBZJBO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TIHGQHSIUQES` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YDRNRDUTCDVY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MELSCKPSEZZX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XTQYGBNGCAXU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OEJFUDWRJQWA`

SH. CodeBuild.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CodeBuild.2	• NIST 800-53 Rev 5 IA-5 (7) • NIST 800-53 Pdt 5 SA-3 • PCI DSS versi 3.2.1 8.2.1	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SNJCJYKNUBTW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NEQISRROQVGV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XKWAJFIWDTOW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YUAEVTSMXVYI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NENDYNYMGBAL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UDLMCNZRQMEI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZRPUUAKXKYNQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QSUUNZFUBPXG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/AUCSKLFJXSJZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VMUOHSUKEGZY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RBONONXLXNLM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IHLKDRJWXUHX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AMKMYJENQHDH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DZSVNXMIBQOH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HNGUINPSTYDX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZZTXDQPPPAWO`

SH. CodeBuild.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CodeBuild.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PSTQZTBWYCPR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RPWVHXRXWZUU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FBFYJYXDGJDO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NZBZRTLNLRHC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HBOJXAIXDHPV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DMDCAEXHSYVD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FCGGEPJWWZPS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RROQJCOSEBIO` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FUIOFBRISQPW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EYHVUBQYCYPW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AGXAYVCMISLI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EAXVKDLAFMUI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CJRJPNDUPVHS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ODQHQAUDEECO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BYNYOSFMYPZQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OQKHMQZTXWKT`

SH. CodeBuild.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. CodeBuild.4	• NIST 800-53 Rev 5 AC-2 (12) • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 AU-9 (7) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HQVCCVHGQAZB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HMIMEZDEFGZN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RUQCXNAOEZOB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KWXNGCKXFPFJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Pdt 5 SI-4 • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NQSLJQHQTLKU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VMCOHOQCISWJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FRTPFQMERZYU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EQRAZACXKPRQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6		`ontroltower:eu-west-2::control/KFJKYEFRMELB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RAWBSXYDHUPU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VZJSHORKBLYN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DEBWVFLXAGZI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WUOXVMEZAFHA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LWFGGPAZXPFV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KCHFPNLICGCG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WLKIHBBPDWPS`

SH.DMS.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.DMS.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TJKXNFIKOWSN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TXOKWLKNHFOE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JPRWVQHPQWQX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AAJEZEBPCKQN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DHOJQSKCRIQH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PZGUNNSCNTBM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UGTQRQUDPFTC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AIHUAMECLLHS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/UUZLDXFJSJIK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XSOOILKWTSYF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GIDDGGAFOUJI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KKTKHLMBCETI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MIMZFVUEANJV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FJWDHHBNJGDS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VEFFWEQXYOSJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SVRXVKHILILC`

ID.DMS.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
ID.DMS.9	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CHJUKRWBZZZI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FNOKNMLZKHYT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OBODYBXTJMOY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HYOQASRNNLKH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CSLQWAPSNYMD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GXUWCLHGXXHS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GUDZJBSLRTUM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZPKNJQUKZDVA` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WNTXELAFYVQG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TOKZOYWBNHCV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UNTGIPBGZWDD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CLQMFXIUXTDV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PJKHUCTAVOZO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BXJTJFZCWOGJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RJCXIDRMCMRO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/USZWEDXFJORQ`

SH.DocumentDB.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.DocumentDB.3	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZMVACKXBQOZS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HSLNNBLCHKLM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AIQPFTZTJQOD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JKHVVRTZQZZT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WMKKHIOYHNFP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AHCCQFKRLYDA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BQDHWQQBRZLT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KXCDBNHBDKTF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/QHSRZCJABUCQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GAVMNOAPGIIO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZGFVWYFZCTDX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JVHTNANJBMDS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KAACGTYKENKG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EIPKRKMDQFWW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SPJOGWICINEF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/MVDOKECXSJAK`

SH.DynamoDB.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.DynamoDB.1	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-2 (2) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XQGJDGQQKGCR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RIGU0EEZBEMB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SQFKXDJCSXNS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BPAFLCPHAROG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZZTZVYPQVDAK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/URWYQJCVIFQK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QCECBYGHSJFX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PEJTXAODKVKD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/EKJWCMKGILMM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SMOVILGCYEMT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AFPOMTIBACAS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BEJCXBYWOVAJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XNMEOWFBWSUT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ATQHGWQORVYZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YWDDVVHCZASI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EKZBBLXTMJQR`

SH.DynamoDB.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.DynamoDB.2	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 3.1	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ITCPEFZTGHOG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HKFSWAKSTGQF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QKJWJTTLZAEH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LEFDCDBLZGBP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SCPPKINQMZAF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LVADITNDSYBI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YSIWDENULVGH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QJRPWNBCTHUF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/LAXIOZREATEL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JKHWOVILEAIY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LAWQMOXHJYFR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EUJVJQYTHQHZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ELRZAXWJYGNK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/URJSZZMBWZPK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EVCIVOSOHSML` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PKTHIPMCRROS`

SH.DynamoDB.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.DynamoDB.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IMLSFCKTXCBG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AJAIILPVXLOK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VPKJJQGPZEHI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HZUVKONSUUYX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NJASDOEDZRUE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VYIIVEBIEDCW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QCOJTUQOGZKE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EGNSOWWEVSBK` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NMOWQQDRNKDI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SJFVJFYIXZJF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TEFXANOXFVRK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YAJUTGHZORVU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QIDTEJQLUHJL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YVWIXUILMDIT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UDBGKEJJRJEZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FURDEVJLKLKR`

SH.EC2.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 CM-8 (1) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Menegakkan hak istimewa paling sedikit • Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FKQAQCYRILAK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GFOMMGTLUCZR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TKXNMRFIMBEQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZPHSVMVQOEUE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QNCIIGXDITVK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BDCQIYFJGXWZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TTSVJOMQQLTN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UBCGKOORFCMO` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.4 • PCI DSS versi 3.2.1 4.1		`ontroltower:eu-west-2::control/XQBHIIQWUMXT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YYXTTLZPXPSK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DCYWBSWPHALS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VHSRRHUYSMZF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FLYKUCWHEFPS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FBQFDKYYSJVI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OXADCZVJFRQW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DVKTNARVQCPJ`

SH.EC2.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.10	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • PCI DSS versi 3.2.1 1.2.1	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VAUYZRKDCKOY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TQGKBSIQWYJE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XZPDNCDQQVUK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YUTCRRLVNEDL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 4.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CMHFRDIISEAB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZRINADVUBTHV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PIVIHIALZUGQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LQLAWRXDYGTC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VLMGUAIXJOHE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IOUVRZZHPJUY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HBYPEQKUWCTB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OXFAIHYQZTPL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EPXMGYKIWOPN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IPUXYYDAQXVB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NSIDNZTQONXL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HWCKDHWPEZMG`

SH.EC2.15

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.15	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RJQGGVJZEBLT` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ULHSISJQFEQF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JSFKRLFHAKSN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JNIOFIQSINQA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VSUCLWGVQLDF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FMFHQRLLYTFU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DUHHRMNTZCWB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DJQXFSKNOMLU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YZCNTHFDJZSH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KUWHVRCLYOJB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LHHYJCUXFCSE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HDIFINDBKXRQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/NBJEXIHGIXES` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EIQBRXFUPGMQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QWARLTYJMMAA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/MWTJUNYUOGVR`

SH.EC2.16

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.16	• NIST 800-53 Rev 5 CM-8 (1) • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LITUIAJFCNLG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QSBUZZBZQGLT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PBGUIXCOFNGC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JOQQKGOKQTZN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EVNHPWACQHEA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DSMIAZVJBJYE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KXJKNJEDTXLK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HOTICCOJPNKR` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NRMUBCVGQCZX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UKRQRKXRAMKT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WHQJLTOONSGH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UNXYUHCHQWYQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EHGVCOKGQGMI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DROYTLJVMLBR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SSWLJOJKAOLL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GDAEWNRGJIWZ`

SH.EC2.17

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.17	• NIST 800-53 Rev 5 AC-4 (21) • PCI DSS versi 3.2.1 2.2	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ODNGXSKYGCAN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GDSOIWYATGNN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DEEWSUBUCMPE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HPCENFROXVMO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LWYOJLPCBZPK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HETFYOGBFWSA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VRWUTNMJEXZW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XGPQWTPUGBBB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HJJLVNYZLCKN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NFPERWALALZI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SLCEEBHVDJFI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WXFFLHKVJHMT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/URWTJDZBOHEP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZQARMCQAPSWW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FAADSZJAEWQP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UELUSCFFWQBU`

SH.EC2.18

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.18	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BKEEVLXJOIZI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VFZNFXKWHKOV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/USRKPTPFWXBG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KEIKZYHHGWJS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UPVTHTZVSLWE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DCMKUVKUGLNS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BTPGDLJBAMQH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VQQNYOUTJQTV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KZWNXDXYBTQY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KFLXJOLWUWRB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/CMOVKNTIMGOH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PULYBIGQAMIU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WUKBMIHWTCEY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VDINNRTBMHLP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JRKGCRIFEMDN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XYCETKWSMKJE`

SH.EC2.19

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.19	• Tolok Ukur CIS AWS 1.4 5.2 • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KTVMUAUBZNOK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QUNSRZSYEABZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QMYRIRVYDWYC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FQHRPTPPXKUX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SQJOUZGFKZPV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KEGFOACYSSZL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BZIXCRFOIRCT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NRXPLVWHAEYX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FMQRFKULNUDA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SQREYUUVCPAS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VYOUBCPPBFTY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OSTTYXVZPAKB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IKDBYKSLBFC0` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UUDRZYIGIGXK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UHFTWFYBFECZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LUHDJKRHUFPA`

SH.EC2.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.2	• Tolok Ukur CIS AWS 1.4 5.1 • Tolok Ukur CIS AWS 1.4 5.3 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 CM-8 (1) • NIST 800-53 Rev 5 CP-10	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CBXAVYGTSXPR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TWIVJPDMFMYR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MVCYHCJCTHKQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ARHTRDLRMOZS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 1.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RDJYZGXFHYUE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FXJGCOYWIZGN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GNOQGMZNQKDC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TPTBSUKLVYNV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.1 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 2.4		`ontroltower:eu-west-2::control/YXDRBSXGLSYA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FWYHQCQTNNVT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HRILSVBGXGGB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YPREQUJHSSEG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XKATTEDRNKXM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TDDOHOTFIXLP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SUPDKRQJNDKG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FYKFHCWIPZEZ`

SH.EC2.20

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.20	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SYKJWOLYPQAG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YXCGFXLUMVWD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TCELFANHENOF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KLGUNNBLXGKP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XSSLFGGJDHRI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IXQPOKDTASVW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RJZXMCZOENJK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RNARDQCXVMPD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/QKHKXOCLKMPH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QQIFUCSRDDNN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WIULDPIAKWSU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ODPVIBBCEMZV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DJMCSTIICRBQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LAQNPJIXGRKN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FVMQLYGBWWPP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HCJDMUGMARUR`

SH.EC2.21

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.21	• Tolok Ukur CIS AWS 1.4 5.1 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-7 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AVYCVZQFCQNU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PCTQSZLBOZMZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DZFUOUZQSVYE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KMVIVYSEGFWX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YLOHXVLEFUBG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LQNNHNWZOCVA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FLCQBKGZAFLW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YMSHAPVGFZMR` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WZMUKRGPSNQX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZAVXSARXKIWB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SOUTWZRNWHMC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZXUCIOCDKWSE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VJMZLONUACSI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BISPHFGOSVPQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IJPYBWJTJRXN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KDDCTDCWJFZM`

SH.EC2.22

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.22	• NIST 800-53 Rev 5 CM-8 (1) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi • Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DKOGNVMOVXDM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZIDBSURCQSXP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SPMPWQSGOLSG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AHMNFXCLBAVD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AJFFKKXRAFMB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/POVUMUFWGDAQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WDLHCVPRLKUZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SQHQBAAOKFRN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WNSAWPPAROTB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/COFGIGMLJYOG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YSMQIQVOSFYA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LPKINEKDDRBM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SVKEFFMYBGMC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OKAMDKPODGVH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DOWAGDSRKWQT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/MEQBWNTEFWIE`

SH.EC2.23

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.23	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RHHFSXUVOLEM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QBRSVXZPDEVQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NRTOUZZSTMBL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UQZLLSOWWAAT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QKRVHRZEHOZZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HOMZIRWWCSWU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QFTGGFGWTDTI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OVJGVTKPMGPG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RZAYURLGLITJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YCLKRCLZPSAK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MPTUHRDKCFSO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JHWDNMKPAYRK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QFKXMWQOYSLE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MKPOBINBPVJP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EBHYPMTFLIHR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TROVUNZNPSAT`

SH.EC2.25

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.25	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YCRFUQNWQGOU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KPVGGAGMRUAT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FYFOMHKXJRNV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GGJFODCQQCED`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QRHEHTVORUEM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NSCQQNUEXPIM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VUWLCAOPMGSK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LKSBZRZYHPVM` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KCCULCTGPQQU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EXZUBEASRXGZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UXLJDHFLBJUT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZLOKQIGTIHZD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EVOXPWVTDVNV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DRAUXWZUWCMJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SFJZGXMIEGNS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XFLFCYPAZYWT`

ID.EC2.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
ID.EC2.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GPEXDJMATYQR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MAVIODWHWGFU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LUVWJGYMJGGN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IEYBLJBRQTUY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QJPYFHYYTIDF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CXPQSIRUAETB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OCODNWWHJRAO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BXLYPFODSWXQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TBZTSHAAEMWV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WSODWMGKOUOW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WKHAUMVQJHBL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SVKZOQVUBAEW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RKVSDKLNGUBT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VDKPJCLCXQXP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TYBCYJHHUZHB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OPFUDJAJJEQG`

SH.EC2.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.4	• Optimalkan biaya	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GTXSQEJWOBFI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CVCROVPNPPCG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FICBNNTRAXTL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KWVQHHYVRNDF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TWWDQASEKNOR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YPHZLBGOPEEF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RJYQZKDGGPZO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EJXFSQMMOBAU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MKJYAFFLOUTW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SVYLMDWLNEDS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FTPNAYEWDTJT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QVKVKMNHBRCV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HXHUZBBSJPTR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CUCAOWNGMHEU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QOZOELBFZTCX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VBBWMDZZYTJK`

SH.EC2.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.6	• Tolok Ukur CIS AWS 1.4 3.9 • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BEEYZGSRRAZM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KGITVPNAWVRN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PDPODRNNTZOK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OKZLDNISDVIX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NZTMIPSZHEMV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/COKPYBGATQFC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FWYAUKSIVHLF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EKEHTOJRBETQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CTTUXWTGFADQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XMDSIZZAWLKR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XSSFYRGJZNXH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GIBTSEIVFPKI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OTTDUNOMCDCZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FWEXUOKAJABW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VBVVYZQYOWSO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UJGZYPQJITPC`

SH.EC2.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.7	• Tolok Ukur CIS AWS 1.4 2.2.1 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AIOQAEVYZWFE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OYKQLAORAIBS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JONOVBLPBWAW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XGNQTADZLIOK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KOPZMCROGHHM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ROKMSCRMLKWF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NYJHLLGLJNVL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ILUNFEJNBVLU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FHAGCBGOFCZO` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KXOHMXGPWJQZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YGQDRTWXYLOX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PPUMEARUOMAS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AMMZARWOCRGP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KKPRSSACQYWB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DQPCEGISFCNR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/MFFNOSWTXLHJ`

SH.EC2.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.8	• NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RZXGVSCOVETI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LUMAXIDLGKZV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IFGERUTZUTFR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HXUBJTXHYPIP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/JIQJXDPKNWCG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PJIPLFCSHLGZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EPCOXJUHAMZG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HBOYAMQJYZKC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YQTWMNPRSUPZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EVQZCKSCDYBU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BICIOKSBGCME` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WENMEHKVCFXE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZTLTQYUVGVMO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LFDVAAXJLZNB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IINOISFTCCHY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DUWQHNJEQKNS`

SH.EC2.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EC2.9	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MINKVOGPJARR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RYXXKGSIEIVR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KXUMGWDZGDKW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XPJJCAOJDFWB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MQLRBDKQRBRZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WHRCLJSDRMGI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DWBLDYSTIZXJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GAVOLJJJJLIJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JQNYRJPWYEUN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GDLDQWNBTZSC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DJYJFJKFZGNB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EXUUFYGYJTSR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VVFAVFGIYDED` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YMHVDAULAAXN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WVIZDNIFQJVE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FZQCADBOVIHK`

SH.ECR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECR.1	• NIST 800-53 Pdt 5 RA-5 • PCI DSS versi 3.2.1 11.2.3 • PCI DSS versi 3.2.1 6.3.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OZQOTZVQZXUY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JQCJORMCEEUT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LIWRSKLRMDEW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VJWDDYTKMDLE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KTMZOOLGTWJX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DISETFBTTHBO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UKMVZZGIXJHA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UFGUBZPYBLPN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/GOSHHOOLDEUD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YEXPDQMOFOBN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FKTCYLYWJYFL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AQOJKZAMTAPS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QVUCVSZUBUVL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FVBLDVJDBING` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FYIVBNSACUET` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JEZPGFQEPEQL`

SH.ECR.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECR.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-8 (1) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ASKLTEEGJOIL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JWNRPDFKGDYD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ICDSCZRMSAGC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SKIMJMSMPJYN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/THACMOMUCYAC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TKDSBFRHCRHM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WNRNZOLQUPYQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MTSVJIZFHVJG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DOWLYNHVRUPZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FMXGUCTEFMHU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LOYORBYGCYNU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OCKPMLOSKZGW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UEEBKULXVSOR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CFENKYCNLFUQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/POXSILHFUISA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HKFGMXYZUIZU`

SH.ECR.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECR.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 3.1	• Kelola kerentanan • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UDDDYEJAYHXP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PQBPPQRIRVDR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HDESRSEEGACA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UUKJMLKQDJSZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VMXVKJDQHDKB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XOFCCMMRFEKZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TXULSFUTMWAD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EYLAVXIWUYJG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YZOORHCUOIIX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KQEEWFQPLSVD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AMXIUAVTMARH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IXMOORTCBTMD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/NQSPSFVPXCGO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UDIEIIADBPPZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AIBSWGEPDIRC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PKBHCVZWGSUM`

SH.ECS.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.1	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 10.1	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OPQLRHGSJJBU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YQDCIBDYUPTD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PZJZHDWZUIMB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZBKHVVFKVDFR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 6.2 • PCI DSS versi 3.2.1 7.1.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CPDDHHPDKPIP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DRQQFNIOIXFD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XDQJHTGYRMXH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JUUTNCMUDPKT` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		`ontroltower:eu-west-2::control/WVYXIBWPTVGT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VPIMQOUEKYAC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DZKNSGRUQHTT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CRTKLEJMVWKX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PTKUNQWSQMBF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KJDQIUMDDLYE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RKEJYYZHLSHX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NVCVMSRIONRR`

SH.ECS.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.10	• NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WWVYZKSEXPPK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ABBRGFOMERCX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LOZWHACNQRQQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ULWMHFCYLPWR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WILNHTOPFEWQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JLJTQCESWDOA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XRZGHYWSUNRE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TAHWMCHCPTII` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WTDC0BPXKBVY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EBJTJOMBWLNQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SUDPRJEDUAWI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MFBANBYEIBII` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ALVOGJRVKKZK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XUEPVHSYPADK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NLUIVMHMGHOA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ANFBKAZJRLAL`

SH.ECS.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.12	• NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LWIVFPXZOSHV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FZXOIKGOONZN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TPAZNYVAIDJA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KXERYZUCGGJC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MGJPDOBPUTIT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EVNJGVRMBUIZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TTHICLWSSHFL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NCQMUQIVVXCS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/GIMEJGBOEQRI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UOGMDFBVJPQJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XAFJJVQHMGNX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QILRKMIFRVDI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/E0YYFDCHIFPM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PQEJ0NXBITPM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EXXSLRJHTNEZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PJKCMWEKLDRL`

SH.ECS.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JCFLSLPRFWPS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HGHFAHJTOSDD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ITRPZWOLQECJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BEDXPJRWTDZQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OAVLGBTROIFK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZPDCBKMLWIIO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JVNVFXHHIODF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HCEOCFPEDPJB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MGZAPMBPTJJC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GEWFDODMQPJO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OCQSRQOSDJOY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AZEUZHAHYCTW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DRVAMWTXHOSO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ATLAWWQGPGKL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LKTODXRXWLVB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QWKOXTIBTRAG`

SH.ECS.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.3.7	• Lindungi konfigurasi • Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UFYTWRSCKNKN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DESMSSIJBYWH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KYMDJLKLXJHG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SFBMOXOHPGJA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XTGMIDMJOWXW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CQYNUJHWPJMZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SNWDOPIOUEOV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XKOKVXODCBPP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WWVNVNIGVLQY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KNUALLKQETTY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZMMJVDDXRGGF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VJYBXQPUIUBX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YNJYRFYEDDHE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PJOVTFEHEAKV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JXVVVCWLLIJN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DPBKENFFLCHB`

SH.ECS.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.4	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZTDLFKNABSTB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OCQLRQRWYOGE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MRRRZFTNEETG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IFCCVDCGNTTK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LFUVYWFYYLLU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WYHAZMRJHMRS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YZQPFFCVZSNL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BTEHFAMXVTLV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HQTXDZNCYCVT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PGNRTTNFKGWF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YEZCUVRWIYFA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZLQSIBGRUZQN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QTLPYWOKIUKL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/STYZIXTVYTTF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HIEAVTMGOSDM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GSDEWHVOWFBJ`

SH.ECS.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.5	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KPIETXSDELVX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DZURSFLDZJCZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GTHMXNOZDNXN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XGGLVMQEYMTU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XWHFZMHURMPA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GETZOYOUJIXQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JRZBGRQCVXUK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UIKDFBESIRCQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PAQMWTHTZYVV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZUITZQOVJNUJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AFNCBEGBYIXM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RXTACLFMBSCY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JHKKIIMQVTBF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JFIBZVCAGGGD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ONOOSEFNYAQJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CVZOJYLQKGMS`

SH.ECS.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ECS.8	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 8.2.1	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LJCQVFMBPQAV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NAWGNOLLSBXU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VHVNQSXRDIET` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OTHWMXXNMCSP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HLGKEXFGGOBE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WQZEZOJHIDDT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RTATKXPWIRIB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EMXDVHJLRSJH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/BPVJCGDDGSQY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HGLDPNFOQMBH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KANMMZEMJFTV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GNPKSCSZTRDA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FXUBXSUYWJPD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MVNPGRMJPAIV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RNZTOFGURZUK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UBMPZYXOEOSM`

SH.EFS.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EFS.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DAAY0ZMUFP0A` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TUBT0QPYRFCZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SSNRPFOJAFFZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CSVENQNTZNYV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TTLLYUNPAEQS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FCPQPNIVMTLV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EEWVZSOALXSA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YRPBNRJZQEHL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/BNXMOCOJDLXM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QNVQPFTVIXEA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IUAGTQHHNXJJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YNHUHLGHQVNE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DOBFVCUKROMU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TPNLRFVPUGON` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GJQNSJLZRNTD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZOQSLEMJOPAG`

SH.EFS.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EFS.2	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 3.1	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AKKPASMFZEGR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PDXZZWIPVJJY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PGSGUFIPZMDK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GCWIQEDCGVFE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OJAGQJKAXRQT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LNAWKNUYDXZM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QRUYZOHTBYFY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FVGXQKRPKOYS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CRQDNORELCAL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FGMJDIKXKHPE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RYDLPNLERROW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VTEXLEQNDAOK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/POMNJTHRCLYE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YVVVIWNYDVIW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PTOQRJVREEMJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YNYOCEJWWSRB`

SH.EFS.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EFS.3	• NIST 800-53 Rev 5 AC-6 (10) • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YLSKXEGSHZFO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DZQNOWWCFPJI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NVESMCWZHHTI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JJUVJECZICXY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OPPEWLVDKCXA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MLSTPREPKCET` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZVUGCKESDOAV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FRSIKZQWOZSG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FWTBUWRJMMAI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RIRPTGIVTUUG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QZXHMIOHKTKH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FMAXTHSWUHAN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BBXHQCBPAYLS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EMNDTRBBZAOD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SYGALLBUNRYO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EPCJMYEFWURL`

SH.EFS.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EFS.4	• NIST 800-53 Rev 5 AC-6 (2) • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IINULENBTTWX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NLBIAOKRHRAW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SMRVHSXRVJWI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QSSJLANZTBWW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UWYRRBPEEWVO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VBQLOLHZXKNI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DDGNCQCYAADS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DUAIAYKTTLBT` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NLYPSJYEGSYH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RUBEQKKWPQQX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HYFDEIVIDTOE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LHCKUUHCRPBR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XKCOVRIEKWFZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SMEIEQREFMGP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NUPVFXUNVWQR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OXIESZJRCGZM`

SH.EKS.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EKS.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QSXPJMVUGBWI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JBGJBQFRJEFT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UCMPEYSGHUVA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TLPEVLKHXZPJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SLOTDKVQKNMQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HORWJXPWMEYX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OCMAXHKFGZKW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WPMCDIDHHGGQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/COPIXEUXPEHP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PLKWFCUWEDYB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HGFRLOAZSNPF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HFEPQKKCGYU0` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BLUVRGCQBQCQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XUXSTEHHKXOY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ATXMHNVLDBRI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ECMEOTMZWCNO`

SH.EKS.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EKS.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RDAUUJAGICFK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZFJKLNNVBGRM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KTILUSDFMIXF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NXDAILOKJURD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DAMQGUZZUZBH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZGYTSFAJVJCI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QXPCMOZGPBRZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YSQYVFCPJXKE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YIJVYZLMAWXZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NNTRKKQFKPQB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OLRVVJBCRSGN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KNMBERLUNBLY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YTILPIJEMRTA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EKDIUQEYSTOM` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HQAHDQEAVOUR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GYVEZGBOVENZ`

SH.ELB.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.10	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FVCVSQHZTIZT` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GPJSWKIEBWUR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/USWBDHCGVRDW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RVBQKRTSIQHB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZDVYGBSRJWYG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FJZFXVJRPRAZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NURKMCLEHUPH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KXDJVFVEKKHB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FAOBZSYTLPVT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XTYTRYANVABU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SNUVEKZNARWV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KXJZKDGJXTYM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QCGDTTLRIYXP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XBJIKRKMXAOD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WDXWFRSIXIUZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WSUSFKNXHPIX`

SH.ELB.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.12	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.3 • PCI DSS versi 3.2.1 6.6	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZLQPMXHBILJA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VGZVYNURBZDT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LVFJKSJQZIZH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TUKTIBCDJAVB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UXUMUBGBZHZO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HAQAZMDWOYQJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VDPGRRYBGHOV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VPPWCERAPGTV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/QVTSOBDYQEAJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JYQSYKANCTJW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LKVZZNIHLSAG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QXHRCRDLPKYU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/PUUVSMOQZIPJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JBHKDYCKJGIH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HQGAZVJBHZXY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LRHZZLHRJNUX`

SH.ELB.13

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.13	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KXYVYWSAVBJH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UECMTXGSEOCG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ISTVPVBYSJIR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FXCYGAGEGPGU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZUSLMMQOYOHO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TEGUOPRVXVVR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IHSKURWXDUTW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XLTLBTOQHXLF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/QSDQGJCOPYSA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SRJYXMTWSTJE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WMXUZBXGIQWF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RAMKNMUEEEXG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WARGNXCJHUVW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PIVSOAXMRWDV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PKDNMVJGPHFK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BXDUORERQDGQ`

SH.ELB.14

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.14	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.3 • PCI DSS versi 3.2.1 6.6	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YFWVKLAFIBUY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WCWDSWOQLVAX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DQHJULQCNNCE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HABOKKLKHBXF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NTKIROXXRLDD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WUXJUUZOQMXC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EWPWYQNJOIWE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HUBSUIYPXEUM` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JHDFVZTRLRQD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KUDRCOMEIPTR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GFCILRDCWFSU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JMOCSNTDNPPI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XJCITYUFRAZL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KGEMSZYTABFZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SWGZINQZMLLT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OAUQWMMSCVFX`

SH.ELB.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.2	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (5) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CDLXUWUBOOTY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GIDGHLCTSHTW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SBRXFCDRVYFI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GWNPDCMTNYXF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HQUTVBZCPUEL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FNNZMAARRNKG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/U0VULDQLQTHL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TZOKKXANFHQY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FVPMNSNNEBNB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZDDENALCTJRR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QIAVFQEMYPRM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UTLWZJKGQSNN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CERDAWILYRQO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YDXJFEAKHTBR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PLAZVVPNXQRL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FMIVIICGFRXB`

SH.ELB.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.3	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FWOYTUVWHEYQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YWXMTFLLBGJP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DFCYTONBHIGM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GVQODFJYLZWC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WLNVBASSPYB0` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BGOEIOEXPOID` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BKTUULNOSCWA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MBTYIFQQQMUF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PMRUICASDLHV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YESXDSARDRYS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KTZTXRNIMGCY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RHKBQSPWEASW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QRFDGQXERCXB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WBBZPUNUJIZW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HDCQTGGAITHQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZGOIVNURPERH`

SH.ELB.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.4	• NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HBTZGRURMOKM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ROBASCYMSHHJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OELFZGUMNKNU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EPRDRSPZQGPS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FIPLHETXVCED` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TGUHGXFNQXKW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TBBRKUWLCCBO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IMZPHJIOZRLA` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PWVTDMKGKMJD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MWRJRKRTUHHJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YCLAVFMLZXCO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TEPRPAIKHSCW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MLYXGOVHGTHD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UQLQVFUBNHBW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CFXHPKIJYIHO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XINTTRUSSMYM`

SH.ELB.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.5	• NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RRDKKWVTNZOH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VURKNNKDBOFS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VVOADNJLLYGS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FBADZSAQTFEX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HPXOCKUZZONE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NKENZBRJJPOZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CQGLVPHETURU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZSCPMMFXXTQY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/XTOUKDNICGIV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZSBQEDXDMBGN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FOTLYKSQLKLV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IVVPLPKPUUWQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/0XVTPFBQEEAQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NJNQRVLHTOEL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EYYHLNPZCJJV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BCKEONHSCFNJ`

SH.ELB.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.6	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 SC-5 (2) • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SYVZPNNPLEGU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GXDETIMMTQLK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HVEKNEMKLWBH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UBKSMZHRBUQV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PJAZYXFFMUVW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BDRMHLFBGUEP` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WRSISOEDDWSD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DELHOMCMSGRF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZVGHQEHEVMAJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/POKCJDINNSVR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QECHNAARNAON` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ZONLNMDDOGJO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZKRUXHVKSDIG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LGIRHZSFPFYQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ONGHDHNAAHAV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EWWSQVZDTHVM`

SH.ELB.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.7	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WHVUNZVVTRSQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NYOZBRSAFFEV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HXVRPCPCCRZY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RRQTKFRGJHIU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LPNJZVNGKYJN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FIASTWTNRWVC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MASPMNHSXITG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/THSXODYFVSSS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VEJYGWLULHGK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SHYPAFLBHAML` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IKKHFUAQZUVN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NKYEWHLZPPQC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZRQGKZBOWPZN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NMSVIJUWETDU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FMFSHPKQEUCC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VNDDHFWXWULL`

SH.ELB.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.8	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BORGQLJMFKKU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LJKJKRDIYJNY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FEXUWZRZIBJR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GFVYJMUPSGXT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LBDQCQLATJBB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WHZUTCZDEVXU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YQLCUFAOJXUX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GADJVJJLUSKE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DSKPMWLYPDGM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IJXHXDULMKRD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BBKARSAMZQXX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LSDFYBAGXZRB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DPJVNBBVQGHT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YYPWRLINUDDZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VYFJFUWVHFUY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VVYVCUSYMJDF`

SH.ELB.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ELB.9	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LYMRJYHLDSDO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JHHGKBILPUKI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DFCKOHVLNFDB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NIQNQIVTOBLT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PYRVSCBYFIYM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UPDNDZTPZAIN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WPWBIGRZPVNS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VBDNCNXOOKSD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/GZBBCHZOGDLP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SDBXIGMFJFDR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SVECMBMGSKGW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IFCBCLNRPANH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SRRIDXSTJWSL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/RJLYXAXGELHQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HXSCYTCTJUUH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BYOUCZLQEVRL`

Sh.elbv2.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.elbv2.1	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PPNNYFOYSBQX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LNITYBGXKRUZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VBIBPIJKJEYJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YGASWQGDRBGT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FJVEBRUCXPRO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AJRCPZGMLTZJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SIPOMQYYFWGO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PKGSEAYOWAOJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/LOWUMPQRPIGR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZQCDKAMUINPZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BATAGMQWYONM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KCWNEMFFUYLN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JNZLKQTNNUFG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GWLFGQOFTRSI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BSHPLTXRABUV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JDTAAUXJTEYF`

SH.EMR.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.EMR.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IFSMMPPVKOTA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JETOPUCSYFAI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JGCWFSRMUIIO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EPAGOHDKWZGV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GJCORWHPFGQY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LCGUHRDQWNGL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GONVSLDLUOON` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RBAJHFBNQNJQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/IGGIYASTPRJG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IBLZUDBNMLLT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NOTXPWZXUBGQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FUWGQXDEJHVL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SBGVRVKPCNKE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SEFFPSXRZCDD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IMKKFPVGPRHC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FKPH0KJPJXQV`

SH.ES.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NKJEYRKBJVFV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UCHAADGIVPUY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MDTDTZWSIGIP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/POZXDXUYCPRU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SFSPFDZNCYNL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BIMQVMMQISKP` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PFHFMPYLFGRU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FMHZDKQFRJTA` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/GQVXDQOIVYOG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PTTSHGGLKLPY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SCVOJNYHGDOL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LASVWDCILYGQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UMFDEWAMMCFN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/KZBVIPYLQACH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QHWIQGMZHZJS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ICJDPHKYDJMB`

SH.ES.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QCHIJWURAOYF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZOTKTSFENTUJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HDSBLJREMYRX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SZZLDHEGHCRE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BAQAAMCLMWUE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FUGYRQOZUEJV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BOLPWWJIEXNK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EIAQGIKVMUXC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JAQAMUDGAIVW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LRNNCPQEFSSY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NOKXLSVSZDSE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TPVVQKJODFVL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WKAJHHZHBVBN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OGKTBRBTRFLO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LMUSVXITTLYF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NFJRPJAPDRMR`

SH.ES.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.3	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QYNCJNDFTBXE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ULPXARUKLUVO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FMBZHHQPTZTW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XLMZTTAZIZFJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LDLVCUOJCZXV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PPYOPHNGFCAW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QQBVGZTCKGJJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YMPGRSPCJBBD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DLCHOACBHILF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IOPRWMTVBSLN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OZYVQTZLOGQO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WJVNWGGFDDKN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/NJNJRYBPIRKY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BEMDKYRVFDOA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RPIHYXAKUGCV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SMXCBZSJLEHZ`

SH.ES.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.4	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/STVVHFHXKVQM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BWPWOZTDEDRN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SJLJVDZSATIT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DHRRWEWMKFNT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NTWHSOQIKOPQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GFKAIZZPILLQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/LTWWGEJUMYGH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RMAQOLXGSLKK` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RVIBRAMTLWXY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WZYPFCRTWXIX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TIPBMSRPMONC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SYUVAMHWZNFM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HNFCSNRZEIRX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NCUUHDFHMXWJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HHDZXJRNTOKS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PWMKWZWORUTC`

SH.ES.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.5	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MMCPMMUFJIYU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XMJYMFUZYCDL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CJEQHRVXTIWI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FUEFZWKCJABK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HBJICLMPQAQO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AKWSXUIZDGPZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TETKGHQCHVTJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZAAOBYBSNALV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WJGQNETAVNGC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YBTLUGMFRDZE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YVMKOVTHFRNH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ECKECTWTCCES` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ELQAASFTEWWI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XUDITOXTGLVI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EFCMMUJLPXPU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EFAWSYQWHIVU`

SH.ES.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.6	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RVPSMUYBMOHQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/URIOOADAOQPW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VWKJFNZAPCDY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FAJDNSWEYJTJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LSVJLTKRGRNL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GSKYICEFCYUL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/THCGKVUOLBGV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IJBRHMLEUQOW` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RVWKSECGWWEP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GZYPQIASBBIJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GLOMYATYELRZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KSBFKZWAUVIG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WDKCZTLLFYSN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IIUFDVUSUNLT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CLXEBIXECLBK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LLKXRNITKZJX`

SH.ES.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.7	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BHBTVOFTLCSB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KAFELHVBFCBK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KDDVJHAFANAS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RTHTIINVLDRG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YKZLIAMKUETJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QORXBYKOQWGO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GZWHLSAGPLNZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LETWZOWEVBTI` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JAJCFTHPCQKI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JHNMRAPWCSXQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PTXYSYHARCVA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ABAXYOWHDPKC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WPXNVLDJXXDP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EVUMEQKJCCQO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IHTMPZLJCAOR` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QHEQAAHVHJSP`

SH.ES.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.ES.8	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FZIUYKFDZJIO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AUHGLFUEHAPR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QVHFDLZIKRZW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/EJOTPAVNDFJH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CHITVXZCWFAK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VWVZXXJAVDVY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OPQGRNKSRBMF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KLGGCWMMZGVI` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ISVOJHDBVFJJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SIBUGFYSXGEW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QVPGWCRCBGPS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WZWUGROTVPXC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RMOCTANNUNFN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AWDIDNMOVPQY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UCYKCMEFOPSY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WIHBLMWBUKEA`

SH. ElastiCache.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. ElastiCache.3	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Mempersiapkan pemulihan bencana	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/URINWMLAKAIO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QXRLPYENZJCP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HKFIZPQYALLF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KGADKRAUIFQN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IRLLBPCLBFSF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWAGCJQXXEBJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QXSNUTUUGEAZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UEJWOKFTRSVZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RTYCBUHACGDJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SAKTZSWAAVOG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YFFUVDJOSQBZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TUBWWAKIRKHM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UESOVOADVSMU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XDXTHCXIPLZN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QGDFMFQRSBZT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XQNLRVTQMJZJ`

SH. ElastiCache.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. ElastiCache.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ELSTNMSBJRHJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CTWGSFKXEHVP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BFBUHVUQAHXR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TZVUEBTZQYUN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OKARFUXXCRPD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OACBBHOVAEVA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TULMANTMOIIU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/AXTVUKTDCTMC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/BKPITJHEZYZJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WMUXTHVGQTVF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VFVPEETPEQEZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EVVXTCRGQFLR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HDKDHUAIWMQA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MIWPGWTCPNRQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GHMJIJSAGKRH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XUXCOXBMUZAW`

SH. ElastiCache.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. ElastiCache.5	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PWYQKXALPDRY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HYCAQOLSMZCV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BNPHNRTPVKRQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OUPAKTMSMMUB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YYPPUCNFWOOK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LFEWHEAIGECJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RYKMECNHFEHH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TUWANWNHVLHL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/IZMXBQXWVJQR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RNEMCHYHNZIR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IZBMLBVASGIJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MOZEHOPJBUAL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WHATZMAFLZTS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OYJFTWZPOVLL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SFOQXYOTHJAL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BEJQLVXCYDCE`

SH. ElastiCache.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. ElastiCache.6	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UMVEAKCEXKTZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FCYIJPJOZUEC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BZVATKLFDCDD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BVJRPUSXDJNH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BMQHZUZDYVZZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AIFKQIPQMNEX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZZETEGSHHBWU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WSTWCKUNUHSS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/UVCRQZYZWBXD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/JVXHGVQAGQDZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FPEPLYGJPXMK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ICGRRGUZPUAA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CCKMLVVXQNSW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HAFDHAKBNSLA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MRZJGFEJRMAN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KAJUCVYTWZHC`

SH. ElasticBeanstalk.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. ElasticBeanstalk.1	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HFVMYSGPEYDN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VVCFXNZNIDRP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CUVOLGXTISMS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BDAQDLACRNUJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IVNFFJMNHDXC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QTKGHOCLSKQR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XXHCDRWNECMP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QFIFLSESZLTQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HYKCKALQSVGN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AOEPTPWCMPHA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TJVUCTRUZXBI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GXYYXMDJPQWS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VGWIRUAPMVUR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PZZGZMWJZJUB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ULCSKLZYHVEE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZBUJLIWPXMZC`

SH. ElasticBeanstalk.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. ElasticBeanstalk.2	• NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CIYPAZNJKRRG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UPAWTQLRRSZX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IJZKGIDVPZUE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WIFJQEAWBYYY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ALIABGGIBJQX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UZMJMWJXYBRE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WIZMLNWMCLPL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OTKEBOVKUDWD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/LWIJCVNZKWGE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HWWRWNRQAYGV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DWGNUKILACZO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OLBWUHFKLXTO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UVWVYKZLJVVR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OHJMUKRRCYAI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XVEUIUNHHVRS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/FPMFOBUJGTEV`

SH. EventBridge.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. EventBridge.3	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CVKW0ZJRGJWS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XXEZKDTEIZLY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FF0DCLSFQT0D` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GUUWDKSVVMB0`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AKIQOCPERZBO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VQFSGMZOXVFB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AUPPFVDVTTBR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JALSKERKCEHJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/OGHYSXXZSTRA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OVFHMRIQMYLB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RUXVSGIGSQEA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BOCATJEKJNPZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MEUNQCWBTTPW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QVSPNJKSPQYK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DNVQQBIRWGUO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KSZTLKKOIIFH`

SH. GuardDuty.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. GuardDuty.1	• NIST 800-53 Rev 5 AC-2 (12) • NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (5) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CM-8 (3) • NIST 800-53 Rev 5 RA-3 (4) • NIST 800-53 Rev 5 SA-11 (1) • NIST 800-53 Rev 5 SA-11 (6) • NIST 800-53 Rev 5 SA-15 (2) • NIST 800-53 Rev 5 SA-15 (8) • NIST 800-53 Rev 5 SA-8 (19) • NIST 800-53 Rev 5 SA-8 (21) • NIST 800-53 Rev 5 SA-8 (25) • NIST 800-53 Rev 5 SC-5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HHVKNVANXXAA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LDUGVICWFOGH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/APFIGXPGEUMB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MPEMCZUTKJSC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-5 (1) • NIST 800-53 Rev 5 SC-5 (3) • NIST 800-53 Rev 5 SI-20 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Pdt 5 SI-4 • NIST 800-53 Rev 5 SI-4 (1) • NIST 800-53 Rev 5 SI-4 (13) • NIST 800-53 Rev 5 SI-4 (2) • NIST 800-53 Rev 5 SI-4 (22) • NIST 800-53 Rev 5 SI-4 (25) • NIST 800-53 Rev 5 SI-4 (4) • NIST 800-53 Rev 5 SI-4 (5) • PCI DSS versi 3.2.1 11.4		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SEPYALESYFHN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NOLGMPHOAPVF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HNRJJLKEIRQJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KEFOAQPLEGGA` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WPICOSEVQTYS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BYUKMXPSTZGB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FITXSLOHMHEK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SXTYEZHKEGVG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/COLEXQFTHZZV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FCEDIMUYTORU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZQJRRNJGOEVG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZHDCSURIXQPI`

SH.IAM.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.1	• Tolok Ukur CIS AWS 1.4 1.16 • NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GQRKBUMEATXJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AMOSAUZUOENC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BYCPKIWWCXUS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UIZQWGPRMOAM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LFXQGUJOZIVJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JUJQVSCCZAMM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RWLDODTORAPO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GPMRUNIPAAHZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/XZFJDHDJZVRN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AFVWWEIUROEO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/TENOMRDYBHFD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MFXIIBSZNHHF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WFEQVTUHENVP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CFROUVIMJIDN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RDFMPAZPDBSW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PPYXQOKDTPWB`

SH.IAM.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.2	• Tolok Ukur CIS AWS 1.4 1.15 • NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CKRCAIBXILFK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/GNUNOTQMCLNP` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VBOICSFJPYQV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BQESNVPCOBGD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YKNIXGERUKGE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NYVWQVOKPQZU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FQJSHAAJBVJZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JGYSATNSTORL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SJWVDQMUPEYN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XFGBPVBXFMHV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RYBHHGRLQNRS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YAALMGHJQDZX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ACWMIEUICSKY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZDZRSNRNROAX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KWGAJQBCVXTC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QOUCRVYJIWUO`

SH.IAM.21

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.21	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HQVLATIMVODA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WUAKZZMFASZA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FEPUEQJBEEJE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PPLFAEVCJSZX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 7.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CWYTGQUDYNSL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WUHBFCQMVMRD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VIPDQGLETFRV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PQTGHIEDIOPD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/USZNDZRQBZJR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HCJUBNEAEYCY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WFVNBRNTREIU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MXPBNMAHQMHQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MIGMWGINEUVS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZICTMAGIPBNJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/CLKMPBZOBOMC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XTNWCGTRKAQQ`

SH.IAM.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.3	• Tolok Ukur CIS AWS 1.4 1.14 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-2 (3) • NIST 800-53 Rev 5 AC-3 (15) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 8.2.4	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZEJBJAESPURY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DWHOWHNGILYZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NJXSDDNVGFJT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZBRPUSKMGALZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZWZXSXOWDRJN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZQDCZNSVLWOO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NYWZTJUICRUT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RHVPZJVBRVIC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WBMPXAAQFWFJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QCUYUTVQDRTV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RFHKMYZYMHYO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MCTNEBTXCMPF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EGBXSELJNDTO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XQFZKZXQPJLG` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TIINYBAUSDLA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DGSPIXKNFKXW`

SH.IAM.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.4	• Tolok Ukur CIS AWS 1.4 1.4 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.1.1	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MLZMKASTNAMJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BWMCZWYOPOFV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XMQHVQUWVANU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LFHALIRSAOMG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CVTOQOHCXJYE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KRKFAUZIAZCH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FVFAHHXHVEDZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NEALLBIMAHJU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PQZZNTWBVDMA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WMMEOLOBHWLP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MYNFRQFMIDRC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KNDGXYOAJBAD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LCWHRMFYRDPY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JQIXBFLCEXKN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DYTPSGEFQHGZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KRXFGDZBTYIR`

SH.IAM.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.5	• Tolok Ukur CIS AWS 1.4 1.10 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 IA-2 (1) • NIST 800-53 Rev 5 IA-2 (2) • NIST 800-53 Rev 5 IA-2 (6) • NIST 800-53 Rev 5 IA-2 (8) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 8.3.1 • PCI DSS versi 3.2.1 8.3.2 • PCI DSS versi 3.2.1 8.6	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JZAYNLETVJSZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FCWYWFZYCEFJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FJMFSLSUYOTC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NOOUAVOVBUEY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PLGJLSNGGCIG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CCOLABWRKEYN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JZQVFKSOFWSA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WUGDSPITURNA` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YWKENJUJLZUI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HXUNMLYFTBJC` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MAJHPOEPBKQN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ECYNNUZFPWMI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GCNKIMWWZRKL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WXQUFEUZXQLB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RKTXSSCRCOSG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CWPEYHMAQLIX`

SH.IAM.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.6	• Tolok Ukur CIS AWS 1.4 1.6 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 IA-2 (1) • NIST 800-53 Rev 5 IA-2 (2) • NIST 800-53 Rev 5 IA-2 (6) • NIST 800-53 Rev 5 IA-2 (8) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 8.3.1 • PCI DSS versi 3.2.1 8.3.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YXQAYRGZITSE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VMFIYFNTTOHK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MEFQIQZLFYAO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RBIDFUAIDOZW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/DJMVZWKQLOWP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PUNPGEQKLGNW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NKLMWNZYKALI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FSWHMTMWCPCU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/EQQYPBMTXUZP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RIYGDTPNPQHD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HIVWUODPEDII` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/BOIRCXQEYNLQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FFFZNTDNXQVY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WTTOHMYBKCFD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZDWYGZQRVGUZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XPMKIIBTFCPX`

SH.IAM.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.7	• Tolok Ukur CIS AWS 1.4 1.8 • Tolok Ukur CIS AWS 1.4 1.9 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-2 (3) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 IA-5 (1) • PCI DSS versi 3.2.1 8.2.3 • PCI DSS versi 3.2.1 8.2.4 • PCI DSS versi 3.2.1 8.2.5	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YJDQWPMKBQWV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QJKCDNAHSGNU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VBKLNMEHVTZB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZUYARIGWZBSL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XLUHJBTPSEGR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GLWFPUPESYOC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IQPAHZJVRRMC` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ASYFZUOMHFUQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/AKBREXBVUKLY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LIUJKZCJEXBK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XADXTOPDEFZN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KGKMVFEKJMLZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FRIQSUKOEAVU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IEVZFDCMJQBO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WJKCHOEITNXY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GJMEDGOCQHMC`

SH.IAM.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.IAM.8	• Tolok Ukur CIS AWS 1.4 1.12 • NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Rev 5 AC-2 (3) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 8.1.4	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DYZBFPIWFDCI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JQZWJZWMTQCI` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VUQQVIQVRPBS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SDKZNRQZVJYU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HEXKEUELTWUJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ALXCCRNIHSHQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XZDDELXKYDNY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OTDQBWDVYVJE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/UNYQJZPHYTYB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ABCVAFYFOUZL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FKPJQKAODREW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LLXPAYEHWBTA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AYWUKJZBDYQW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OPPELJVTHMAQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VRSVTEXAEZZH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XVHDUOVHZBUS`

SH.KMS.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.KMS.1	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 3.5.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZYVSVOFNLTNG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NUJRZCEGSRSQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OONPBHUUNDTP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VZYJNYATGYQB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YBJERSBVCEHS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IWKWHAGMHFQU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QGQGZMRWIRVZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YIKIWDHYLGBP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZHHPIYVVGYPR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QKTHXYQPLNYY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IGBZSWRYBKOJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HEQYHQMETWVE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BYXFJJHFUZOU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GTNCXJXJAMYN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IIMAAOEMTFUC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BWCBIXNWVGXU`

SH.KMS.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.KMS.2	• NIST 800-53 Pdt 5 AC-2 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (3) • PCI DSS versi 3.2.1 3.5.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QNVYEARPCKHY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LTNDXSCGBACC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KOWUMYGVIEUY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IXRRCZUELMDU`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/NHKYZBGUEQPJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KSMDOJXHBPMW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YGKEXZMFRPPN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KPKAHTFYDJQQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PKKCOIZMWYXC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WTDVCVDHOVVI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JBHOZLAJZRHT` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CUVJHPIMJUHF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BRCRZNYQLWRK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UOEWOHQTFMZC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IITOVJDNGAND` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HAYAUPLTJHPL`

SH.KMS.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.KMS.3	• NIST 800-53 Rev 5 SC-12 • NIST 800-53 Rev 5 SC-12 (2) • PCI DSS versi 3.2.1 3.6.5 • PCI DSS versi 3.2.1 3.6.7	• Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CKCEVZPVWRJV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HKNGPDPGWTEN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JNOLPJAAZDRU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QRKASNXFSCTZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BDIQMPNVEKNT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TUHCPYQGZEHJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/THPTRLDZSJY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VLQZELIVKMED` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MVMZXTDTZZOF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UESQJJTMCLKN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/APZNZRNDYXHH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IRPUDLZBQQWO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SMQGPFWVOPUB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HSHOQZGIQHCR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XIVTDDCWRGYG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WVDONOWFFERT`

SH.KMS.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.KMS.4	• Tolok Ukur CIS AWS 1.4 3.8 • NIST 800-53 Rev 5 SC-12 • NIST 800-53 Rev 5 SC-12 (2) • NIST 800-53 Rev 5 SC-28 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 3.6.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KCRHFJYLWGRJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NSBUGYBQMNCC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZISYMNHRKXUX` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CGOLOMNECFEN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XMHSZGFVUCKV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XJHAYWLPKCMW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/THPIDDSSFYIT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PFKREHBJDPLH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PFYJKVBDZVPK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EZTPQMVHTQTO` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SIAZYKIXAWVM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YSEVCOKRFQTC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GACATEGITTZC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BJNOWWJOCTHA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TFYPSKCNCXOX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KWKAWRIJNZHS`

Sh.kinesis.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.kinesis.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LKIISYYCVIN0` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LFMG0MWMIZYW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MGBKMMLYFDEG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XWJFEUSBZYWC`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LJRFKNWNZTFU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YTWGDULHCPTP` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OZCCICXZVLAG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OXTKOQQPJYIB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DKOUDYFDPEJG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PREPRJHMCLIQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YPEWSZCWJIUR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WTQVFWIGVFQL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VHBDITDWYRPV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AHSFQWOFMNRN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QBJVWZOQCTXK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CZCPIUJBEXHI`

SH.Lambda.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.Lambda.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SRLPVJHNHYTD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ORSOXPSFFMIB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BNIHRCLLGNHH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BOWRFNRKVWJH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UQXXELUQDDB0` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VTLSMHLQZNAJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WXFRGPFWBNLR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JADBMJXDJEUI` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TYKOSEICGFCJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EEWUILLNDCOW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WLOTGENGLMYP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/FQMQXEDYMYNK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OYRNNPFIKAPV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BGDFNHLTPMUE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IHXAQZRZTQAV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YKGFFWTMFNXR`

SH.Lambda.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.Lambda.2	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 2.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IOGKXEBDRDUW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MUKLGCDYGHQH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KIONODJWVSXV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FCQWRAUMZQGM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TOCWOWCANSFU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NPXHIQYCWKOR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WLFOUDCRAIPB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PIGMDBBNREIU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ETXINVUEIROP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SNXJDQUCDOAM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BHBSEUQUFGWL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QPNEMKAWAOIV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HVGTUUNEPBRE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MNLNHLMNFTWZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YKPNTLKCMMXE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZLUQNBGOPGBC`

SH.Lambda.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.Lambda.3	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PEKUMESILPFW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XCWRDKSXIABC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UUIZSSUBLVZZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WQKOVTMBTFSI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EUFJHWDURPMH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BJGEEEFFTPQV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IWVKFZSXRHHS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ILRWQBZXYBBL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VTJHBPAMJPSP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YMEOWGILVDCE` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EUDGMAMQFGDU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MGIYSFEIQJYE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CELGBNIGQSFA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WNZVTLIZNQMH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RHFDHZUNYHNI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NJAAZCVHWYUP`

SH.Lambda.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.Lambda.5	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/MHEKRUMWQLBJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LWOJRFFJEDHR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QTBXGAAGFVRJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XFYQBLRUDYNB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WTXQRFALXGYL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BNVVXZALMUPF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NAQQDSSDPLIK` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FBQFGSETXZRC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/OVFVGQGZLEZR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IICOIHCGFGGP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PYKSDWCTUPJJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KSCPKEAMJICJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EAYLGRQVQPQZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CJBTYDOANLPH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AUWVLGTJACCW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JSXPJEPESCWV`

MQ.MQ.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
MQ.MQ.5	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IOJURKAHDJMK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NRCJELYAOPRR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NMKTHYJZCOIT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ANJDRBFUQKHR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BXDSOSNWHWBB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RVHWTOZMZZUC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KGCBNMWIURNX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JJVAOTYWEWKV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MWCMTRXTJIVB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CWMCQNYSVMCK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GHRHLPKDQNUD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HVKNXPZTQPPN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/V0WVNNHPZEW0` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IGHALIQSHBFL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BJPEFAAXQVXQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GTDMYCGJOUBA`

MQ.MQ.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
MQ.MQ.6	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/JDWPBMAQOJIU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QUICIQKYMPLV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WPETNRUNQIYJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WHBLMHZIKBCR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BXVOZYIINNMW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EDUJATALIZZV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PILNOLMETQBJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LVPBTGSSLQOL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CDUYEYRCARPN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FLTTTDXFEOZG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ATXQBWMKKEUE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PHYTUYFNLZVS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DTPEGZXDCDAF` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VCJWHYALYQMC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HDKUIDUXEZBT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WGTNZMKTGNLH`

MSK.MSK.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
MSK.MSK.1	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZCBBRHHIQTGB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/AIEOAKHYQUJQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RIUQKWDXOUKP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CDBVKPRQKJYK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/AKMDCPLQCITK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NNUGSISVJIGP` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XNGBVCCEGVLW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TWJDIQOIAYHG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZQWGLUDTFVAS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VNXUVZMZSZNK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JVUELRTAEORI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EIPLVFPXPLAW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/APPECGHSBOJA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TPJQEMSHIIOD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/REJGVXRIBJFD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KSDTBSQNPNJT`

Sh.Neptune.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ERKIRHGBAAOK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PRPAALVXURGL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JWHKRTXTDDMQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PWBVWSWBTQAD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YIRYWJNNTLLE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QYYYRRLWTOMG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OTZEVSPPCPAV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GDXCMPUTLMSY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/NWDVPEPKHXXD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YGCCJHPDGFIA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YDRDBHSTEGFF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HKGQLNXOUMFP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LJMZKYYZPTBK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/FMPKPQKUTUJS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SPUKKNHZROPV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/IXGQFTYIITQP`

Sh.Neptune.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.2	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (1) • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Rev 5 AU-6 (5) • NIST 800-53 Rev 5 AU-7 (1) • NIST 800-53 Rev 5 AU-9 (7) • NIST 800-53 Pdt 5 CA-7	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NZSQQKEQDXLV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QHVCYPZDPBEK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JWQLYMAHKVLO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NUNSEOUQVSHL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-20 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-4 (5) • NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FUPOVEEUOSWA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GUOLSHIXWFMQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZDQKOVBBQWRP` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NEEDBPTKGKNC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		`ontroltower:eu-west-2::control/COQXZKYKBNXQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UMZNLNFRFXWU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZPZGKOGHBUPR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HQGZCYUDHVRM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SKHXOXXAWZZH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IVQMALLVRGXW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PJBDTIYTNLGL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BUNWDCJNVGGI`

Sh.Neptune.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.3	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SBCVFDUYGKYV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KJDLRYEAIYSB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QXWJVOYQNEKQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UPGOTKZMWQPV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GPRIYFLJKTBB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QTLTUBCUAGTR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZKDTBATDAALE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GPMZXXKOJOEE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YXJIWSXJEKIM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EREEUEZTQQVI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MWNOLNFGIQDK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AGQDWLBSVZHW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FTUDBPPTFLV0` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AZVYVLXSEMIH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/JNYGVGSVCVBI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XLFTYXPVMTGB`

Sh.Neptune.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 SC-5 (2) • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KYVCQZLJTYAV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ILBNGYEWNVEW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RBAJHJOAQMVK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OVWJICMFBDRQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TUXNKQCYFAHX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ODXEWSFKGMDG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KQNOJHSPSWZH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DMWNICKIQVGC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RINTJPAJKWWU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ADORVDROWVPA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WYUUHCKLJMJN` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GYPMVKORWSCM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DWOABBMIWODR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AKZDXQMJAOMP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OAKVBKHIMKTC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/RBCJUCVKLOSB`

Sh.Neptune.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.5	• NIST 800-53 Rev 5 SI-12 • PCI DSS versi 3.2.1 3.1	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/ZYAJHMJFHKWJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CKIKYVTTLNFL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LCVPESGNCLWT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DHYIFIEGKCHK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IEOEHVHFUPUO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AHWGAETJPNSM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ETKRDEYMOPRO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KPAXHNZWNSWE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DCOYCPDNYJUE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/PFZNFCAUVFCW` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DFLUIGICKNQB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VZANDNGXQTNF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OHKXCRIQIZFT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IPXRSRRYYRJC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/FFMGXYSRLTRM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PCCBHGBJUDJZ`

Sh.Neptune.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.6	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FUHJOTQRVJKS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OWJHHGLSKKCZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WGJJYXWWBSKA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VRMZTNTYOFHJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KMNEEERHOZWO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/KYGVJYXTEIYZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ROVIKNQOEUEA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FSEXTXDBFHGZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MZGGVMWREOLW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CQHZFMPTVOVN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RGTMIUHBCJER` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DWWVOIHDHQNZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZIAVHWESTETC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MDUGRJDVHOAN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MIDTNRJVELZH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AIGZVIHZIKTP`

Sh.Neptune.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.7	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 8.7	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QUQXKRSLQMMU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CWAKJSEKLKFQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WKEGTXZTMJQQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/IXZCJBXMBCGV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ELPFKNRXKOFT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HTMETSUNKKNC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZWWWOWACAAKX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JUDPXQZMWMHP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZSKMJGSZRJOL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WJIXMOGGTBSR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZREIJBCXRJCO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/USIGWXBKCXXC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SMQUYAKAPIBQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YYRZENLBFMKW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/POBIUAEMUMJJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/RZVQJWSEMVOJ`

Sh.Neptune.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Neptune.8	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VVPIJUDOURCA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RFZSTHMECLZN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HZVBZDZLPYJP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MNSOQMMBYSSN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FLKRVTMMLUMN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/POJMDJSLIUJF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PNMLKBCTHPLN` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IPODQTVQNOEC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KYNITBYARJGK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BEUAZKYAMIKM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/IQNCAGYRQMAC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WHZKUALDWLXH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FFYZCCNNCFOI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YLGUUUJTSQLD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UGAKIQSFNZMU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/IOZSELCXPRJP`

SH. NetworkFirewall.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. NetworkFirewall.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 11.4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DAEZMRPYHWWW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZQAOKRZIJCXK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MNFWKRSSELQI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OVLTEUUOAYRM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TIPAEJGHISPE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JVTCWOYSPTGH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TFSSQYTBVRTD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JTCGWNUCWXGP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SJFAUIKIWZPF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OWFEMSEFETJT` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KXECUOXEPWAE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SIHZYNYKWUBD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ECCRBKUVPRPY` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PRDCUMRODGQB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NBAGBDCLBADT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/VQSIZTLFDMPV`

SH. NetworkFirewall.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. NetworkFirewall.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HGOJKKYHHZHX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NTLDJCLFBWUL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CWNUOQODLOSL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NDXZOSZBZAZP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EVSNHFCDZNEP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/CERIDGZLWHOZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CKQTVOBLJVXU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IDRAWMSHQVAB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SBJTKQLKUMRB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VFYTJNCARANB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HAHSWPLBYDBY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YXCJHLEGWVHW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LZJFDKEAPALS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NYONNGGEHZHP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZTXGNKAKQSMA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DAOBSZNWEUPW`

SH. NetworkFirewall.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. NetworkFirewall.5	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BATNHYBOOGVK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CECJUCSKGADN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWRAGIQYHJDZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UYDVGEXROLLF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/VZMVHIMBIXOW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XGOFVGCGBCZM` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EAJHPCQELMZV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WWSRLJHIIWPV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZENWXCHUOHMG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GJZCYPSNOAFF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OWXSVHKINPIX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/RCAFDPAGIMPZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ERGWLQRSNYOZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BVMXMMWXNCKR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IPOXUDFDGKOD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/DEXQDIFLMJXV`

SH. NetworkFirewall.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. NetworkFirewall.6	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KMTLZUHSLMDH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VITJPDKJTMBU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SCVMOZZWOZTV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MKMOEILVVSHM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MMCBTWVVBBFM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GWDDTZUMKSHU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BOWRAGMFVVRG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZUUHBYQIZGWS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PDJFTMZONXVB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LSBUVHESMXCJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AYDXHNXYPDCX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MUVXUXJSLZGB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LDGXFYHAKIXE` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NDCLXMQMSORR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BGLWKRBFNVTN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EROQWWAXAUCZ`

SH.OpenSearch.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IHCAIGKUVWBB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HTPRMMEXYQLS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QOEVDDAFSXDN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DHTDOXDDWKDT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GNNUAYUHJXLT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ISPPUNAOKJTL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZPPLHWOMKJDA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LJDAJTIFMIBW` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VRWSAVPPXKRH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SSBMEZOMBXUD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/UBZMNDYJFFGL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EUSIHTCWFMOW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YHHTXFNVSCLL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NRDKLFIUEHUR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/TFIVPOESOEHS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TWLXKVBLCCQZ`

SH.OpenSearch.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GABXYPFSQLCM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NVSQFLJUXNEJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QAPHAIOJQJGS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VHKUJNWUZHWF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QWJLMXTGTTTY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PDIQINMIKBJU` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ELGALPGEXDOI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/UFAZXZNLUFJM` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FQPSSRYBKFBC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EYYDQBDGWXAG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HTJOZSBBCWOS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NPHMMQWTNQJA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GKQYHNVCZXUM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LCPPNUYQSNQC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MSRYQGHHWEWP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BFCZCVPISWLS`

SH.OpenSearch.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.3	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DPIE0ZVOOBXD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JXNDKUHIKUPE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MSROROYOIEHHF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VEHXNORMXQFE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/QPRZHOWCOFOW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/IMPWKHACFWKN` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CBWBMTSYADVE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XUAAEQGCCKZF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DAUGSZZUKKCD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NZTGOXILALHZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LDDCEQCAMDTZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GGXZVSAXJJDO` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MLXUGQDBTLDS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OZKIJCNPYBYQ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UUHIFUJCREJE` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/CIJEXNXYHHBI`

SH.OpenSearch.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.4	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GADHHKSJUALK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ONGPXFNPQBSA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IPGTNQNCEVHE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MTRETSLGNEME`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YGRKTWGZGYWP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VENRTMNHFVDY` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SYCXPGVFVCCL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SOQCBCPJHEEE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JPSTSWTJEDDK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KGHPMJBWTZNM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FBETLNTPIXIH` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EZAUSYQGYQLD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RPXLCWPBLWOD` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TTTMILSTLIIA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QOVSYKVMKSSY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LIHPYITEEFGH`

SH.OpenSearch.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.5	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WAOBYBQZJHTA` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ABHACZZEEKDD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YTIOEVUJXBVO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZWUQUZVGRFGN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OZIJZGYJIAUK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MXRREADODGVF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QAXHUNQCUXSA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XUQONDDOGRUR` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FSORDAEQFTUW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/MCFVGQDHUXSS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GZUMMDQRRYGL` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HMQDJFSYXHRC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JJWIXLUWYBCV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WYXULLGHGHOF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RRBSFPOEGJLV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/UJPMWYJTEGIU`

SH.OpenSearch.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.6	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UHLKIWWGXHHO` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/INAHZRREYHKS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/GRZJBENTFMIR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UFNJUYUNHPUO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FTZIOOVBEHSU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/THCUKEEVGVRS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IQTWVHRNNLNT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HXIYGAHXBPFH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KPYLKEFVFLLG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NBJRUMLUQPZK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AHZDAVZEIKPI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NALYWTOTQSQM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BRKBMKFMLHEQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TRTPXUQNQSKE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BYZZFSUVEFIH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WOYZNDSBYFMD`

SH.OpenSearch.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.7	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-5 • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TMJKCOOOPZDS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HYJEBTQLGRWB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/XJACAJPWJYEG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CDTQYPILPGYQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/EGTEXCKXTWYU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YWDFKJTPFDGL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HBOVIWODSIIQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QIUXDLURBXQH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SQMDHKIDEBFB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UBSEPWEOEVHB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWWBNORXHGFQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JVLECKNIHJFT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QGKGUEKWKELB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QHKUXLTQGOPU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KJJGFQQDNIUG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KAYPQKGVRYEC`

SH.OpenSearch.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.OpenSearch.8	• NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OEGCJFDHPGEM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MIUYZGCZSCNK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/ZYMOYFTGCZOO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CLTBPMSNISNR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MQGZXOCEDKKX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/YQCKQPEAIJQT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QBMJTLWYWCPB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CCKMAIIZNSPH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/UBUBNOTQLYHV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HUPEGIPAJUZG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YRWIMCSZLLAG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ELQLURSWUQRB` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/SSAMJDSXKUQB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EBZSATEEXTKE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LYIOTWAGDXPY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/HETKZGLMYTUT`

SH.RDS.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.1	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6	• Menegakkan hak istimewa paling sedikit • Lindungi integritas data	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UWMYPVTQGECU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OYYKDWBCQTYU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CAGKPKAGDCTC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NZXCAQOXCCUB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-12		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/KMPUUHKSUHBG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QZXCSYNMQUWZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NCZTIRGKTDTQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/GWPDEHULWHVB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-13 (5) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 10.7 • PCI DSS versi 3.2.1 11.5 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		`ontroltower:eu-west-2::control/ELQQDOSZOPYE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/RONREVDOJLHJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EHMNWTQNUQFX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JZXYYUXYDVES` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 2.4 • PCI DSS versi 3.2.1 3.1 • PCI DSS versi 3.2.1 6.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.7		`:control/TOXGHRQOOUZM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BJULHHBJYPSZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DRLOIMLUYCCX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EFSULLGMVDIB`

SH.RDS.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.10	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.7	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QKWGQNGCDPYW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JRCVWZHHQKOW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EFAPZPONOBQN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PRHACJRAZPNL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SMAVVTOYNJTI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JUHUNMEAVSXZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SXLQIDOEFSRI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/YPEONMSLBPTL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/BLXPGHVCWRQD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BTPGJCTLRYLN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RYHNWNNMLODQ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MOLCFSPBOQVJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HCCCLBUSXOTA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DKTIHAZFWVQA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZXYUZGHNGIGV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/IOEHOHYBSJCL`

SH.RDS.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.11	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 • NIST 800-53 Rev 5 CP-6 (1) • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-12 • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.7 • PCI DSS versi 3.2.1 3.1	• Meningkatkan ketahanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/IFMREHTYREKZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JXWBLIPXTXFM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EXXRISQZELSP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TPWBDXCLLFXK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PVJEIOWFEXGW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JKXCQSHKOFWD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/EXPWZLGXOBNE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NKIMJVTTDZKZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PUGHZSTXSXHE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZHUFJUOHQHAK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YITLGYAIRUBP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/WNGCEPODSWMA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UEYPQELHZGCQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NOXEGPPLREHN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MUBQTISKSHFX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PJJOUURHUEOL`

SH.RDS.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.12	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.7	• Gunakan otentikasi yang kuat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SMFUECIOXWRX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XPQKKOXJFOJU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HGQGAKCYLYSU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WLJSEVCPUVGT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BMLXMSRNEDOJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BBFDNNCBMAOT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YCYHJVTHDNPX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JSYSYGUPHBMX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/KWPJSLPTKZRB` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VGUCUQAUXAQZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YDFQASDRCIIK` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TUCHTKHPPAUT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/APLECYBWMJVR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VHGKHDTUEGUU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HVTKBGSPIXNI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BTZHGHNRPFLP`

SH.RDS.13

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.13	• NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GUYPLHFGVYSR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/SVRYURDPWZDY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WLWAWYKRSUMI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PTCFMAVPZJNJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SFKATYNUSZRY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/PJLXYFZCQDDF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GCFQCJMRPAWO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XIRVQKZQFELN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YEQBFMEZZYKY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YTDRSPNPDUDG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/SJKOVPHPKCSE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YHGQSNNFHDVQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XIGVOEMJKAAN` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QMXTRQBYGTDF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UBPMMEGVOIKQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BOPQOMHKGHTF`

SH.RDS.15

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.15	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WEBMACIXPMUV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OXZGGJJGHSWO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IJVHZTDIWOAW` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VUXWHQTMDUIL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CXRHCSGCTDUZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/XVSMSTPMPWPO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CVMCODCFPUMR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QBPHBORNXALB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/OGMFCZEGTRHD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KJTOOKWWQYWP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ALNCDIFDIXFY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SEHEGBVDGFYC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VBNKKWDFNAZW` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QBRSRBTJPWBO` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/AXSXMBZSGOEX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/RLSNOOCARNMP`

SH.RDS.17

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.17	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.4	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DTZXJLHKFLEJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TUGTHWRGHGVM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/THIMEGDOQLQT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AUGOGJCNNLCH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SRFNCNDSXZNT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SRQHDGHEOMQL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DJZAPEFIHNFU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BFNXHULOVVIP` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZCZUYDTUHIOI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FWIVEWQQXNHK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/YVFDAUWENFAA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EPTKMHACQELH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DVLDWXJCOMXM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BZZSMKNBILCF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YALXEHDSNCTD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/SIUCVIXCSYVX`

SH.RDS.18

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.18	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PXYEQHPGSBAU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JYLXQUQOFAHZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QFDDMLBXZFMD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WGELDILYYVXL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RBYPDKTCHCVN` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FLLXFLHIFSMQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BPCAMESMWAHB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PSTYGKOBDUTG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZZHOCZFFHRAS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/EJNZYMOZMYKX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WUNIHEUEMUJR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/NNRQJBASRGFM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JSNSKZQFYVBT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SWEQGXNIMHXT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HYSDYMKJVUVK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PTTJFTDKIAFZ`

SH.RDS.19

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.19	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NXPQTLYAEZFF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/MHCRBPUUNLAM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LRBSFHOKMEYK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DUYBROXNVRZJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FDBSHSSUIULV` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WYTBUHZZBIKS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SDCINGKZSOQU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FFWGQTMRZLCX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WJYRSJUKCXTX` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LAZJDBKFEJMA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FNYIMXTFODXS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JBYTKROMQCXV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CTNWHYDIRSVT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PWEQIFVKNZUB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SODGIROQYHNV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JHQDLXADFWXA`

SH.RDS.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WDBVVIVSLRNF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JOYEWALSGIFL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MZHXJEYNYHPM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/LVTHEOBWSHXI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IWPFNXTZXADU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FXNNEWSUUKUT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MONNJZHXUZJV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ZNRDFQQKVSBM` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 11.5 • PCI DSS versi 3.2.1 2.1 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1		`ontroltower:eu-west-2::control/SLIBAUCMRGDZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LRLYXEVQGYTM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QPXOSOOJYDOD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LVCJBGBIVJAD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/RYZQHJVDDKSU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/WLPKIQHXVSRI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KCAXLPFZJXCU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZWAQHUGIFEBL`

SH.RDS.20

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.20	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BZKHLGWSEYGS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QKBXURIFEDNR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EZKYVDMHEXTT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OODDUWOHHNMJ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SIZRZVALISEG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QMPWTHDYXPNF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/MGGSWFNHYEYW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OOZTVTPLFUZE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SCDHEPMDRZYD` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/AYTEEMREPGTY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NVFJXDYXEZUI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HVLENLXSMYVM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YMSJKTCPZVLQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/JWYATNKBGECV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/OAIMBCJMFKNH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZWIFHLDJHCYK`

SH.RDS.21

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.21	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LSOCQKOMTNUV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/HXSMRIUXHEQL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/VNVOSKGSBKYM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JUUCAVNVKIFZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BEAJMSHPLZAF` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SFJABILZRZSE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BDSWAPWAEJOO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FKEYGPXPKFLG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/IREBVNNCJFQN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XZAJRQOSAIVS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MUDGOLDWJQFJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GZCLBNPOKRNZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YXJRNYQXFFBJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/UEMPPORPOEXD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ONKVQCAHDMMG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/GTXGBGCVGHQI`

SH.RDS.22

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.22	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2 • PCI DSS versi 3.2.1 11.5	• Bersiaplah untuk respon insiden	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/APIP0BXRV0AY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XN0PTYHHXQYF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YNHFAJNIYTDT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZGGHJ0Y0XRWY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HGUANBQWZZZT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/EQAAWXJPTMKT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NOQNKAMBARQQ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/FHEENQFCWVOW` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/USADZKONGEWL` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WCCGGPOESKUN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QUVLHKDDEGEY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/XGNLIROGTVPW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EXEHMGVOGPEL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MEMSFTMAYJCK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZIKCBMBKOYQG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/QMZEDTMMIZLU`

SH.RDS.23

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.23	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (5) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YMXSTCEYXBPV` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BMHOKULQTGAT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TJALNCJQYRFH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WSSFKIXFVIRY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZRQKSDQFNGQJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/QXHTVIIKMWTW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VXAKLAUIEPMU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RASOHQDBMGUM` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PLKDXQODKBCM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IVCTUYYNHZKS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/FAFQHCERANWF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VIWCZSTJLLWW` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HIWFHIFSZSKM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XNDQOTSALSLX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WGAKCUZZVTHP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YMDPRQFAXKCO`

SH.RDS.25

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.25	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BBSLGPRKDCNJ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RLYGPPANIDPZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/QCWMEMJPWTVG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HKYZMPYFMAFO`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/BGPIYTQZCFXL` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NDCFQRXZYLGR` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GROVJRZIBJCL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/MZHTGUBEWDXJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/RVSFMKXOOBZS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ONRGZMZOPBUF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/AWJUNDMLTRRD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YFLHZPIZNNYT` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GFQGKQGMTLQT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QBJWHTMNMSRR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PWFHIJDDFBFT` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XIDGGFKVQTBY`

RDS.27

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
RDS.27	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DROQPQLJBTES` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YOTEPOZWWVTA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AEXJPTLILJTV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/HYHWKJXEPHPS`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YIQWYGANUPYO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/UEUHZXQNABCQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YHFDAYZPEVWO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SMQWYFRNIEJB` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TZIPAEKMFTMH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SHKEUJZRGZDP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VLLLLYEMUGOC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/ONFIOHPFSHGK` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DRFBXTXBNCRS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DJZYDUIVJLQI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WAAVLKURPRRQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WCSGBVJYKJKB`

SH.RDS.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.3	• Tolok Ukur CIS AWS 1.4 2.3.1 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/VGWJZZHSYIBM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VCGAQSCJVXRX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NMQXECEAQCBC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KAZMYJAUZYSY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OKWMNXYZRUVG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DUPIMTBMZJBD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KNPNIWDEVEJG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HBTSVIZWIAQY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZQCGVRDNLZEK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QGGSRCNFPBON` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QLBPHXRQYFTE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VMJOVSBQHNLI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ICYIAUGUTWUB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ABSIYZAIAWCN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WWDYZRWIDTXW` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TGJXCMCDKMXP`

SH.RDS.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BZBLCONTBAMD` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JFTFUHKRKVSA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/OGAIZAJBSGBT` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VXUOLNFZHRXA`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UOCQAVOKOBTP` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/SWWDMMPJTVUT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/KZAQFIPMORTE` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LREEKQPJSYDJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CZGUUSLYJXEQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BBVSFCJBDKUZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DACICEFQAULS` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TXZGWWJTMYAS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/CLRBHZMKGNHA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/BKZVWTBCYGUF` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/RZHJRUQRPWRV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NOZHCDEDTOTS`

SH.RDS.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.5	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Rev 5 SC-36 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5)	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WAIDVEUJUPWI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NTFDQTWLGZWO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WQRKCNCGXMEZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XMPOBIWVBCBI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IRSIBRZRNPGJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NNYNUMCTQZCZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RDRYYIDEWYNY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ABTYUCPXKSGJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HKTFGMWLCXVS` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YREOQGNQKBLJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/GPUFSACIRWXI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QSPRBKYKNWKM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/OTHPZRZHRYNM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/SEMODNJPIZDI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/HDDRWBVHAVWK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/IXXVGFGVMRZK`

SH.RDS.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.6	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Pdt 5 SI-2	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/CQFNSAHGKXYR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QJCUZIBGHFIW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EYAIAJPSQRWR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/DKSRZCXJNFHQ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LJQFIHVOJEWC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/WGVCYIMZTDAK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/JKBKECQARADY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OEPIOAXLVVJQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FUVWSPBRWRMJ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OITUKLCXALQI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VHPWTYRBFSMR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MEYNQQLIBFVH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BKCRQHWTOIDQ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XOMAAMMDKJSN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KLAQLDQDNQCO` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EAZJCJVTNTTK`

SH.RDS.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.8	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-3 • NIST 800-53 Rev 5 SC-5 (2) • PCI DSS versi 3.2.1 2.2	• Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OHXOGCEUBHHF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/CCQXNXARGJAR` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EZGQFHTMBAWO` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WFLIUEPSIAYX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CDKCDVDPAZJE` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GINLEIXHNSYL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SQHTJKLMQJGB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XBIZWFFXCCON` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VQMCVFXHFAQQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NMWOUPNACHOL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LWZRQWERBHQG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EWKOXIOSNJCZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KVSVIPSIZPAS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EGERDMSRMFYK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BQHOIAHINFUY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EPAIKXSPXSCA`

SH.RDS.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.RDS.9	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BCVVFPDGVISN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OTXQBSYGPGYU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DBSDVNSHWIOG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RYUXCWVBRCAD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.2.6 • PCI DSS versi 3.2.1 10.2.7 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FPPDNGIQPZQT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TBIMMPTMBJTL` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GXZYLMFPQWDW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/IIFLSTVTRDZG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.3.6		`ontroltower:eu-west-2::control/KMLDOBVZXKCT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/REJGKLYPHVDN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KAQQDXQFJYRU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/PSHCDLXAFPIZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/EIZJBSDXPFGK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HNXTEFHVWVUV` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NDKTXPFKNJXF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/IXAUVMTYOJTU`

Sh.Redshift.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QGVYRDNRLLPZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VRMIAJEHXVEF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KHOSQGUZDTNH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RSFNTTQDNSXM`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 3.4		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WVIYUKDGFONY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AWCJAMQENDQO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/IYGOKELWJWMB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/CCXNECVPVRHL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1		`ontroltower:eu-west-2::control/RHXEMVQOGMNY` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LZKIQTREDTFY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WXXRGRFXMKHZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KUKRAWPCWPWD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/AYTBPCVDXBQV` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XJVAUJAVHWDX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YQJNEMQSMPCG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WUADYLMPFVGP`

Sh.Redshift.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.10	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NMNBPYCIYIAW` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FGDKUQOJDCQG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/CLQQQXAYJAFH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SFTASJFBQOZK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LQIBXYSZTOTD` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FEOOFZLBVNOD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/APZBNDSLBEGY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TZZYEMVXIONE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZVKXZTUNFLSZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LUUIEVUKWMHU` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WJWRWAEUMDCO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/HLTTIBMTADKA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LYYELPWNRVLL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TSPTAYOGXSED` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/KAABMIDGCLBK` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ENSMMXOHZMQJ`

Sh.Redshift.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.2	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • PCI DSS versi 3.2.1 2.3 • PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/GJLYVQTNPXNP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/QZALUPNZSSAE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YHXWAUSZWWSC` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YMGGCUBQWEZW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ORJWWXAPJACW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JBOXYUPVWNZO` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HFSIBFFEDEQY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BSBJQSWTSRSX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/BAZMHRYHVCQG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QXUXFMMQNNJV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/NDBMIIUJFYKY` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QINDHCURJDPR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ORADMUNKKIYS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YQJYRYKIWLYT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PUKFRLSTCGTP` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/MABMUFJZSIUD`

Sh.Redshift.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.4	• NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20) • NIST 800-53 Rev 5 SI-7 (8)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UGPCVGZGVGBN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VVVOXOKKREWD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HREVCGLTRGZP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/JWQMOSWEPUQN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.2 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.2.5 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UNNOEVFPFBMC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FZJIXFLBDRUT` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TXHHSJDORTML` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WWXRQFACPRHJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JLWRGFBTTBOI` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HGPLAVRGKLHM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/JHIVYPBOODHM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VAONGWDMQJRF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BDVLMXDLACBS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DTMFZCWWBWBB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EYHIRCYXXFHZ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OCZIXJSTBKZD`

Sh.Redshift.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.6	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/TKSZMFLVELUE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JHAJNHIIVUZK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TTPCFJGMJZSJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MWBNTMMYOBQK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WMXBZOHRKUOQ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DKJZUWRTDLHV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TMJCFUASVOFO` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SNCYQNOVQMMH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/YGTSSKVHAGTU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YRROEFOYJQLY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WWTYVIKOAEOM` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LJCQVRORIRSP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UOQTHHTKOQAJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IOUWEZSPPBNS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UGSNUMXXOSJU` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LGUQERXHEPJH`

Sh.Redshift.7

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.7	• NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EFKEWIIFDJEZ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LRZEWAWVMSHF` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/JSLNDFAYMRXF` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/VZIZLXFWAEFL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MVNWOYAUMTGJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RERSLKEIBQHG` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HOISPCIAYQCB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WFFFLIKXSJYG` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/FDQXVYALJBAT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/NDDIAQWLEPTB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QTIUHWEMWAMC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DBIOXKSCYZGD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DSKLSBLANWJM` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/CUGFTMBJPKPT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/BLCLCFXYBPRV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PKUZKCMQQKRR`

Sh.Redshift.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.8	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/DGHUXCTZEDYI` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/BEPNPCQCPDWJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KLCNBPBVPMMD` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/OUMGXBPLINOD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XIDWPGTUKALT` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/FREYXDZYZTBB` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/XFBMDQEICXZM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/ROJQXUSTAPYS` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/DIPEQYZCPMLE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ABEXBGLMXTJB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LNLPIBKGAUQR` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/KHSJIQXMKUKN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HQIOVIJMPDMP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ZLWJDNJODZNI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XIJRAJTVHCJI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OUYAXYKXNKVB`

Sh.Redshift.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
Sh.Redshift.9	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 2.1	• Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SMGEELXNDBKM` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/OVOHLKXBVPQL` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UQQKZEWILTCV` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CSOGIJBMPVER`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TTPOHLOSZBPO` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/THQBUSXDSJML` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/TVVIZSSMLNIT` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XSRKMHENVRZY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PMKUADEMALEE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UNTIRUWZWUNN` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DNJVACRRVQMJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/VYGTYLRWZYAD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/VZUUWSEPMGAG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GQRHHERYSAUT` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GMLYQLDUQHXH` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XFUBODJYVTNX`

SH.S3.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.1	• Tolok Ukur CIS AWS 1.4 2.1.5 • NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/XKHR0GVFBBHP` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JRCVWAZSRAPY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PSJEDKJBNWNR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ARAAXROCJLMK`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-12 (2) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3)		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/UBQSERAFQQLI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TFBJICHQSQCX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UJQJNPZSGLTA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LSUJTPCOEECR` • Eropa (London) `arn:aws:controltower:eu-wes`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-13 (5) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Pdt 5 SI-4 • NIST 800-53 Rev 5 SI-4 (4) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2		`t-2::control/BFOHYIZSLOKR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/DHADSFAEUWZS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DDFXZZZGUALP` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/AGLATCNIJPRQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1::control/VRHOXLIGOOYV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4 • PCI DSS versi 3.2.1 10.7 • PCI DSS versi 3.2.1 11.5 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2 • PCI DSS versi 3.2.1 3.1 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.3 • PCI DSS versi 3.2.1 8.2.1		• Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ECBYLUUJDHST` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EYOPEGKZSTTF` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/XWNNIUOSTDBE`

SH.S3.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.10	• NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4 • PCI DSS versi 3.2.1 10.7 • PCI DSS versi 3.2.1 3.1	• Optimalkan biaya • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/YXSHBLNRJEIL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/RYZTTCAMHLSE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/NNKPEWEOGGGE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/MVWRAOTEOGZF`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/OEWTPHSMPPGY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GEKKTSNJMQZE` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CGPVJAMLPNCD` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/WYRBYRJBCFGJ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JDVMZOQVCGKE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UFOIHGFEAASV` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/KPCTMBEDXBVA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LRFQVSXHRYQU` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BKQZDJRIPDCH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IPTDZHPYCLJX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZBNPDNBGPNYX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/POQFEOOGZRPP`

SH.S3.11

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.11	• NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Pdt 5 SI-4 • NIST 800-53 Rev 5 SI-4 (4) • PCI DSS versi 3.2.1 11.5	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NMYTVSNCIAIE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KTXZKUGOIOZB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/YEESXUDJFQTY` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ITNNRYBVJGNI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HYDZJVQVOSSG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DCZQYLXVSENF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VPORJKPKMJTX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JGYTWTUCDJRI` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/JQLFNEUIAMQV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/BOYXQVGZIHKY` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/RFTVXUXSDPBJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LDPZBYDVREOG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/UWDNCNQHITXR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IFMFFIFRXKSP` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/GMKHBZANUDII` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZOLMKQEAFZIO`

SH.S3.12

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.12	• NIST 800-53 Rev 5 AC-2 (1) • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.3	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BKLSQSHMCKWE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KTPCIMELTXVN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/SDRCGUUWECWP` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/UNGOCLMLKNAH`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/IYZUNEUFKEBY` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LEZPLYTTTVHV` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/CHIDBJOCXIKM` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/OCMEJBXKCWSF` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WQICVAPWAYEZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/WYYTZOHUUUIA` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QYSZQBRLIVHX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UWBLTNMBDOOX` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/WMGHTZRZASZI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/VXTCTFSIHMVK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NXKTRBNXNLUY` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KLISLUUHUYPN`

SH.S3.13

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.13	• NIST 800-53 Rev 5 AU-9 (2) • NIST 800-53 Rev 5 CP-10 • NIST 800-53 Rev 5 CP-6 (2) • NIST 800-53 Pdt 5 CP-9 • NIST 800-53 Rev 5 SC-5 (2) • NIST 800-53 Rev 5 SI-13 (5) • PCI DSS versi 3.2.1 10.5.3 • PCI DSS versi 3.2.1 10.5.4 • PCI DSS versi 3.2.1 10.7 • PCI DSS versi 3.2.1 3.1	• Optimalkan biaya • Tingkatkan ketersediaan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/UDFSBDLMCKHG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DDDWXYAMKSZD` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/URNEOQLNCGXG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KPNAKOZEARRB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/TWWHDSTFPQWH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/GCYHDAOAZEZQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/GYGNCQLCYPEX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QPEXOFWNQEZY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TWVXCPMNSEVC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LIVWOXMJIWLK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/EKXYSHHNTFGF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MNDGHSQGIHSP` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IIUTDTJVTRUB` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/HVDXLVVRSLWK` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XZDSAKGUPOCB` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BZWMUSQKKNPY`

SH.S3.17

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.17	• NIST 800-53 Rev 5 AU-9 • NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-12 (2) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 10.5 • PCI DSS versi 3.2.1 10.5.2 • PCI DSS versi 3.2.1 3.4 • PCI DSS versi 3.2.1 3.5.3 • PCI DSS versi 3.2.1 8.2.1	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HAATLCRYJXSX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KKYBUSWNADNE` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BPJKDXJRCEBE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/QXTWLYUXVMIE`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RAKBNMGBWPVK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZMDRQJPWIBDD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/DGETTAJQXVAU` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LLSGHRBQBSES` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/SVUZWOTRLCSO` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ITYNEBUPBYGG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/QKQSGBKTQTNI` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/CCDJWQAZRABA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IHEVZGGQGBKX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MMSBTMNRGYRJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WENBEBLVIRFQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/TPDYJNOFYPSU`

SH.S3.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.2	• Tolok Ukur CIS AWS 1.4 3.3 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EUQZPHPTYCGS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/UWARQHCUKTWT` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KCEBTQBTPXWJ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BPFIVHGTXOGG`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/WUHZWRYEJOUJ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LBKNUOHEWDPK` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UXNOYWDDKLNL` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RNRFWUNSMVZO` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TNVEODWBLGQT` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/OELOVGEWUICF` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/WQFTUQOYEPUO` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/JVTGANIDGRYD` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FNAGBSJDNSMR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DNOPTVOVRECR` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LEZLNXWHNOBS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/EUHTMNOVXIUP`

SH.S3.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.3	• Tolok Ukur CIS AWS 1.4 3.3 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/OXQICLGDWVUS` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NRDDEBVYUWNQ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TSWBJXBIHDPI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/AQQIXVCNLDYX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YJQGDKELZCKA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LEHHNNZDYPSC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/ZTSEFWNWFBFI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/DUWNOGUJJEYE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZQLFSFHMBNQF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LTIVGDFURRIH` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MUMHADVUHEXE` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UQFGRBNKRVKM` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IOXTWTJPAGNK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NCGLTHGVRQUZ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/NQYKUEVXJMTQ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LQHXMDREDMHB`

SH.S3.5

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.5	• Tolok Ukur CIS AWS 1.4 2.1.2 • NIST 800-53 Rev 5 AC-17 (2) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 IA-5 (1) • NIST 800-53 Rev 5 SC-12 (3) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-23 • NIST 800-53 Rev 5 SC-23 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-8 • NIST 800-53 Rev 5 SC-8 (1) • NIST 800-53 Rev 5 SC-8 (2) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 2.2	• Enkripsi data dalam perjalanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QPIQHVFRBWEY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/PZTPBSALVUYK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HYHJNWCTPBFR` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RQKKRCVIIKYW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 4.1 • PCI DSS versi 3.2.1 8.2.1		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/MYWMNVQHDBPC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/BIELWGHJKGPA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/AAUHCKLBMUEV` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/BPQXZTSPWVVX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PRNYXIYGVRXN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/VDLZMBUFATGB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OJXAXIGHYFQW` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OVTXWKOBZPZR` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/URNKTBOWAHSH` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ULMDATXUHGXD` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UZYVCOLSTZUL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PNULPQNUPXRO`

SH.S3.6

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.6	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.2.3	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KTMNKSWVOVXN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FZXEOILVPPYH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/TIXQXDCZZIOI` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TSCSMHZBPAOD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FGNEAZJPHZUU` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/AZGSOSZUWIKH` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QNJWDZCIVDCH` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XMWBZXRYGTMC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MGOBAFXHHMUH` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QKUSDPWBMHZG` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DBISINHULBGV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/QJAYYWXCXHDN` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/XUHLFSNTEWFP` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/AARUNPWJDELC` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/WKWUMSNSAANN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/WIYZFXURQWZS`

SH.S3.8

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.8	• Tolok Ukur CIS AWS 1.4 2.1.5 • NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4)	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/BPQJQKFITSWH` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZAAZUIGROKPH` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/PDKYAANJEWJE` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RXZJMQEOLMGW`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SC-7 (9) • PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HISIOKDAAMQR` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NAQFFFPSERVD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OGUOLZTXJTVW` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/SYIHFFPXEMOL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/LMEJYAPAVGXW` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/YUTTRNVCQCIJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/HTLHSBYDSNKX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/LNGHEQDYEQLV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LUJLEEORWUBI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/PNWCPAETGOAL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YFMJMXPVFUKX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/RTJHMNHBMMAJ`

SH.S3.9

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.S3.9	• Tolok Ukur CIS AWS 1.4 3.6 • NIST 800-53 Rev 5 AC-2 (4) • NIST 800-53 Rev 5 AC-4 (26) • NIST 800-53 Rev 5 AC-6 (9) • NIST 800-53 Rev 5 AU-10 • NIST 800-53 Rev 5 AU-12 • NIST 800-53 Rev 5 AU-2 • NIST 800-53 Rev 5 AU-3 • NIST 800-53 Rev 5 AU-6 (3) • NIST 800-53 Rev 5 AU-6 (4) • NIST 800-53 Pdt 5 CA-7 • NIST 800-53 Rev 5 SC-7 (9) • NIST 800-53 Rev 5 SI-3 (8) • NIST 800-53 Rev 5 SI-4 (20)	• Menetapkan penebangan dan pemantauan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QMWZZISJNGVG` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/XEYTESFJJVRU` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/UMKAXUFOAXGS` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GFOFPVBQVUFV`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• NIST 800-53 Rev 5 SI-7 (8) • PCI DSS versi 3.2.1 10.1 • PCI DSS versi 3.2.1 10.2.1 • PCI DSS versi 3.2.1 10.2.3 • PCI DSS versi 3.2.1 10.2.4 • PCI DSS versi 3.2.1 10.3.1 • PCI DSS versi 3.2.1 10.3.2 • PCI DSS versi 3.2.1 10.3.3 • PCI DSS versi 3.2.1 10.3.4 • PCI DSS versi 3.2.1 10.3.5 • PCI DSS versi 3.2.1 10.3.6 • PCI DSS versi 3.2.1 2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZPOEOPATKJIC` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MXLTHQZBCTDQ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YWWKSWSZNPSI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HVKIHTICWHEL` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TZQIUGSNXXNG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/FSDRKINNPPBD` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/THYMKLHAVMWC` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/XKQRAYJCRJRS` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KHOWWKTFVNWS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/XEVOZIAAWYKS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/YZMEODWAHVDL` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/ZJRFWTNSWEVB`

SH.SQS.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.SQS.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-3 (6) • NIST 800-53 Rev 5 SC-13 • NIST 800-53 Rev 5 SC-28 • NIST 800-53 Rev 5 SC-28 (1) • NIST 800-53 Rev 5 SC-7 (10) • NIST 800-53 Rev 5 SI-7 (6) • PCI DSS versi 3.2.1 3.4	• Enkripsi data saat istirahat	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/AQPZJAICUMOX` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FSJSXWXDXTQG` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/DVIYOYZQQBHZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/YNRXRVWROTER`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ENSHCNPLXZHX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NZDJTQADTXGS` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/SDQYTAUTUONG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KKBOVJBZKRXH` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/AREAYHKBSDVF` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KBKQAWGKVVBK` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/OCRDEAEBDMNJ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/EAUIYIPCCXXZ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/ZDMVZWYXPYNG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/EMOPJHNXCSWH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/XCTLDMBSISCM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NKGRFJUHQFGJ`

SSM.SSM.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SSM.SSM.1	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-8 • NIST 800-53 Rev 5 CM-8 (1) • NIST 800-53 Rev 5 CM-8 (2) • NIST 800-53 Rev 5 CM-8 (3) • NIST 800-53 Rev 5 SA-15 (2) • NIST 800-53 Rev 5 SA-15 (8) • NIST 800-53 Pdt 5 SA-3 • NIST 800-53 Rev 5 SI-2 (3) • PCI DSS versi 3.2.1 2.4	• Kelola kerentanan • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/LYPKGNLPNWHL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/STNJGGCQJCIW` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MJMHFBPPWLJA` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/XOUNWPBZJNVB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RLRUQAVPCAZI` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/NWSTAJGOQBJJ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/RAPYUEVJEJBI` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/RXNTSMQLKTSN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ZQSTFGETEWJA` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/KSKCLFWRTEJP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ISTITQJTNGSD` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SOADYNVMUUSE` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HGKHLYMQCWXZ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QHTLZMCZKVAA` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/PWIULRITCIKD` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/AHGSLJBGGRQD`

SSM.SSM.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SSM.SSM.2	• NIST 800-53 Rev 5 CM-8 (3) • NIST 800-53 Pdt 5 SI-2 • NIST 800-53 Rev 5 SI-2 (2) • NIST 800-53 Rev 5 SI-2 (3) • NIST 800-53 Rev 5 SI-2 (4) • NIST 800-53 Rev 5 SI-2 (5) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RDSQHZJJNJDY` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/JSMHJHLHELYO` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FFOYUQFIGGQM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/NMLXRBHLMGSL`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LARTAAZXHQGH` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ZAEIEMPTKSGD` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/HSENLNFBIHTF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KUSFIFXCWYPN` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/OMNUMQWSKXCR` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/UAFFTPQZIXDJ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/CWXNZUPFQUJG` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YPZMNGTROKXV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/GYGBASAIOIXS` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/NZGSDZDQPQIL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LNHSBYVRSTVG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/OCZSGXLBRYOH`

SSM.SSM.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SSM.SSM.3	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Pdt 5 CM-2 • NIST 800-53 Rev 5 CM-2 (2) • NIST 800-53 Pdt 5 CM-8 • NIST 800-53 Rev 5 CM-8 (1) • NIST 800-53 Rev 5 CM-8 (3) • NIST 800-53 Rev 5 SI-2 (3) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 6.2	• Kelola kerentanan • Lindungi konfigurasi	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KBRZYOMGLHXE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/FUUFUNICZWAN` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/RDXQFIOFSBGG` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/FVQFKOJUNLOY`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/SFESCRTZJFXB` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DWXVJLGLHICA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/BUFFWCQVUNMG` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/EQMJTEGXWFOU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/ICKTKXTHFZDK` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SLNLDXNHYMTS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/CVEGWZBOLQVU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UAWRVXEHXONI` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/KPMCXMAZTWYO` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/OBWPGGUSJHOL` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/DQOIXCSNNCLV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NRHVHBLWZMMA`

SH.SSM.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.SSM.4	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QPOQERPDKUUL` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NGXEGNPKLRFM` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FBHANBZBEATL` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/CRPLDMSGZVNX`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/RKBCVEOAAXFA` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/JGSYATCRDPGX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VAYHIYPPEEDS` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/VWFNFRROBVOX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/VJYRNGSBXCNM` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/SAGBQDVUTVPI` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/XRDYUTEVYMMA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/UDAQAMUOGDDV` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IUFHQEARVUHK` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/ATGIDTBHLUTW` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/ZGSGXXWGZYKA` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/MNCPCUXYPLYN`

SH. SageMaker.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. SageMaker.1	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/RKGYZUOFZLRQ` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/TMAFWQWAQOAY` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/KSWIOQETFUQN` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/SQZAFTGIIXLN`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LYBVPJQFKFUM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/OIWALMEQVBYZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/WRTYZGZDWCOY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/NUSFXDTJWGYD` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/TUIOOPQFSYBC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XDTALWADUVAQ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DGBAJFFOFTUB` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SNGBHAIQCTEF` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/JICNYNFRVRQX` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/IPWMCVULQVXI` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/LXFEKJNOJXFJ` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YMPZFEHCRVWM`

SH. SageMaker.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. SageMaker.2	• NIST 800-53 Pdt 5 AC-21 • NIST 800-53 Pdt 5 AC-3 • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-4 • NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (20) • NIST 800-53 Rev 5 SC-7 (21) • NIST 800-53 Rev 5 SC-7 (3) • NIST 800-53 Rev 5 SC-7 (4) • NIST 800-53 Rev 5 SC-7 (9)	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/PMUACTTBWUIR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/VDBLYABRAGVK` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/EVWTVVCSKQMU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/RAPZNYOHIVYB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
	• PCI DSS versi 3.2.1 1.2.1 • PCI DSS versi 3.2.1 1.3 • PCI DSS versi 3.2.1 1.3.1 • PCI DSS versi 3.2.1 1.3.2 • PCI DSS versi 3.2.1 1.3.4 • PCI DSS versi 3.2.1 1.3.6 • PCI DSS versi 3.2.1 2.2.2		• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/XWKDVYDAVXSW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TTNXTLKRLUQI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/UNUXXNVPKDKY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/TLNAQJQANTYZ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CQECIKKXJUJN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/XJUIETBSJOWP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/PLPATENUQNNZ` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/OIKBJXEOZOYQ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/MCLMAWQKBWTG` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QRSGKHDVZGRN` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UUWNUMSGTIYI` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/PLVBDYQNQDLK`

SH. SageMaker.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. SageMaker.3	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • NIST 800-53 Rev 5 AC-3 (7) • NIST 800-53 Pdt 5 AC-6 • NIST 800-53 Rev 5 AC-6 (10) • NIST 800-53 Rev 5 AC-6 (2) • PCI DSS versi 3.2.1 2.2 • PCI DSS versi 3.2.1 7.1.1 • PCI DSS versi 3.2.1 7.1.2 • PCI DSS versi 3.2.1 7.2.1 • PCI DSS versi 3.2.1 7.2.2 • PCI DSS versi 3.2.1 8.1.1	• Menegakkan hak istimewa paling sedikit	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/FLKLKRSKSRQR` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZYWOLSUFYNHX` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LWNZCRKRHHIB` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/GBJUIOMQLVOT`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/GHYJJWOGIPDS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/HPLWOBUPSFSF` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/OJPMWQSLZIGR` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/QTVCTBLIKXTQ` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PHGBYKRHRVZN` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/QOYZOFZYUVBP` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LMYFYNKDCOKV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GRZCUFGQEKEG` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/HLEUYIBPLNQU` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YRYFWFSNQQEB` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VUPWZBFWTBDM` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JBTRXDPZMKNW`

SH. SecretsManager.1

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. SecretsManager.1	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • PCI DSS versi 3.2.1 8.2.4	• Kelola rahasia	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/NVINDDWBCJID` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/YRBOLGMRVCTS` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/FSFKVERCZULZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ABZHCDTAXCTD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PIPRTUKNSOCX` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ABWGMGKAZWBZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VPLLFHIVPDDZ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/PPXTTTZIQJWC` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/PAPTNHXGBYVU` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/CKUSCVVHKNIR` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/VCDOMBQOZAKF` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GPALVEMMRYOJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/LSEQYMIVIBNA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/DZAFJWOHCCOH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/IHQTQRKAFULV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/NPFKTIKTONEU`

SH. SecretsManager.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. SecretsManager.2	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • PCI DSS versi 3.2.1 8.2.4	• Kelola rahasia	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/WMGPNBVAGVFK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/NBCDBWRQFNMA` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/MEFMYKVDMILQ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/STQSZAQDRYTI`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/HOQMRBMNIKAW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/ODPPJQBZCOTX` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/NNBWANKZRGIB` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/STHNSKDZTLYY` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HKCSAHJCYOBE` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZASYFRCXDOII` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/LOGBIWTPOFLX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/GIGGAHAENDHH` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FEQZVIIMFICA` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/MPJHRSESKKPX` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/VYULRBMPXUKV` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YRFKOYUPIDDR`

SH. SecretsManager.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. SecretsManager.3	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • PCI DSS versi 3.2.1 8.1.4	• Kelola rahasia	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/QQURRKYALIYF` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/DPKZCRDWWFPC` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/IVSZZVBQUNGM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/ZKLBBEFBUMDR`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/FNKXYQSZMWQM` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/DVRPVFHGPOQI` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/PXRUQAQCPSNY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KRZOMDMWLCLU` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/HLNBTXEOYZHV` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/GIFLRYEYHEHL` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DRWDDUMJXGDX` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/MSPQXYBGOSXA` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/FNOJORYKEHUT` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GEOKFDUAKJVU` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SXONJYJKZCIN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/LXFYEIRGOXXV`

SH. SecretsManager.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH. SecretsManager.4	• NIST 800-53 Pdt 5 AC-2 (1) • NIST 800-53 Rev 5 AC-3 (15) • PCI DSS versi 3.2.1 8.2.4	• Kelola rahasia	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/SWGHBAYWQTEU` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/LVTTSUIMJUHB` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/WIRZVNDRETYM` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/BNCSMILPESRZ`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/PTCINVDOZREK` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/LLXUCSEGVUUZ` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YIDNVPANOFJF` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/JKDFTFHBBSEK` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/QNRCHTJKUIIZ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/TIDMOKHUHNBS` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/MFXRVGDHFFAU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/DZWYNEXSLLEJ` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/IIHPFCYMQEGJ` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/LXYXKMYBTCEY` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/QARJZOGDUKDN` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/JVQTGNTBDUZR`

SH.WAF.10

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.WAF.10	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KBBIQTAMWCXK` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/WUVIEJDDNZKJ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/AWZLGRLEJATU` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/KZXBOOIWPJML`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/ZMFZRNVVUDDS` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/VTALPZJYLJOC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/QNQKBYXYJBFJ` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/XTRYNOHVVRZV` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/WWOBBVWWIGZC` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/IZGQEIGCNXHB` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DZCJRBFWFYZA` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/SDFINEZEUSJY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/QJDMOHVCOVCC` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/QHQLZNXRMJAS` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/UXJNMZSDHBJG` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/KJPOXHOSICGE`

SH.WAF.2

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.WAF.2	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/HMAUVMDCZUKN` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/IZERZZJXURES` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/HVPCLRFIDJZZ` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/PGGMESVIZFFP`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/YJAUIVTCYRJW` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/MCGLKIFMEWCW` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/YNDAPXATUIOY` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/HOFUVZWJNCCT` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/CBNPHNXPNMZG` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/ZYSHREMBYDPM` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/DLOLIYYVEVKV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/TMCZBYVXVTJL` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/DLQOSLPESPJR` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/TJGYMRUITIEJ` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/SRGTMUGMZWSS` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/YGFAOMXOUWHM`

SH.WAF.3

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.WAF.3	• NIST 800-53 Rev 5 AC-4 (21) • NIST 800-53 Rev 5 SC-7 • NIST 800-53 Rev 5 SC-7 (11) • NIST 800-53 Rev 5 SC-7 (16) • NIST 800-53 Rev 5 SC-7 (21) • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/KONSORMMHUGB` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/KRWNFORBWIPZ` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/LUZSILPCBBOK` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/TEFNOEPILSHB`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/CYGNEESCWZXG` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/TFCNQSIYJFYC` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/VNFBLCXUEWUA` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/LSRTYDUWQTAE` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/MUHOVSWIEMKQ` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/HOLXVCBPWTJX` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/BXSAQBULUHIU` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/YMBNBHLDYVOC` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/YRQAZZKPDDPI` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/YPYYCPXNLRIH` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/MDUPXZAXTPRC` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/BUWKEMZLQXRX`

SH.WAF.4

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
SH.WAF.4	• NIST 800-53 Rev 5 CA-9 (1) • NIST 800-53 Rev 5 CM-2 • PCI DSS versi 3.2.1 6.6	• Batasi akses jaringan	• AS Timur (Virginia N.) `arn:aws:controltower:us-east-1::control/EDXGDDVAPQUE` • AS Timur (Ohio) `arn:aws:controltower:us-east-2::control/ZCXGWVXTGXMV` • AS Barat (Oregon) `arn:aws:controltower:us-west-2::control/BFJEJSOYYREH` • Kanada (Tengah) `arn:aws:controltower:ca-central-1::control/WQQNMFDARNQD`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			• Asia Pasifik (Sydney) `arn:aws:controltower:ap-southeast-2::control/LYLUSATWXWGZ` • Asia Pasifik (Singapura) `arn:aws:controltower:ap-southeast-1::control/RWKJOQGECYVA` • Eropa (Frankfurt am Main) `arn:aws:controltower:eu-central-1::control/FXIUUDQLPOOX` • Eropa (Irlandia) `arn:aws:controltower:eu-west-1::control/KGKFNHJFEKZX` • Eropa (London) `arn:aws:c`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`ontroltower:eu-west-2::control/XKBUFFXZKSUP` • Eropa (Stockholm) `arn:aws:controltower:eu-north-1::control/LKOWMMBVXXXZ` • Asia Pasifik (Mumbai) `arn:aws:controltower:ap-south-1::control/ZGIHYMZBHXMV` • Asia Pasifik (Seoul) `arn:aws:controltower:ap-northeast-2::control/IVEPLVNECSLY` • Asia Pasifik (Tokyo) `arn:aws:controltower:ap-northeast-1:`

Pengidentifikasi kontrol	Kerangka	Tujuan kontrol	Kontrol pengidentifikasi API, menurut Wilayah
			`:control/BEIGEZGMNWRL` • Eropa (Paris) `arn:aws:controltower:eu-west-3::control/GTNPVMNBKDAE` • Amerika Selatan (São Paulo) `arn:aws:controltower:sa-east-1::control/EVTLKICADRVX` • AS Barat (California N.) `arn:aws:controltower:us-west-1::control/IZXJKPGEKAKL`

AWS Glosarium

Untuk AWS terminologi terbaru, lihat AWS glosarium di Referensi.Glosarium AWS

Terjemahan disediakan oleh mesin penerjemah. Jika konten terjemahan yang diberikan bertentangan dengan versi bahasa Inggris aslinya, utamakan versi bahasa Inggris.